

Bill Barden Reviews Tandy's New CC EDTASM+

November 1982
USA \$2.95 (UK £2.00)

80micro

A WAYNE GREEN PUBLICATION

the magazine for TRS-80* users

®


Computer Alchemy: Science Embraces the Micro

Star-Gazing
with the CC

How Micros Might Save Your Life



The Genius of Charles Babbage



M I C R O T E R M

More and more hardware and communications services are allowing speeds up to 1200 baud. Soon, some may be going faster than that. Today's terminal software simply can't keep up. But now there is an alternative. Micro-Systems Software introduces MicroTerm, the high speed terminal.

Model III MicroTerm will communicate, without insertion of null characters, at 4800 baud. Guaranteed. No cop-outs, no question. MicroTerm is so fast that you can exit from the terminal to the main menu, adjust video width, open the buffer, turn on the printer, or any one of dozens of other functions, and return to the terminal model **without missing a thing!**

MicroTerm continues to input from the RS232, even while at the main menu. This is the only terminal capable of such an astounding feat. MicroTerm offers you most of the features that "Brand X" smart terminals have, plus it gives you: • Ultra high baud rate operation (up to 9600 in certain cases). • Input while at menu. • Easy to use translation tables. • Easy to use phone number listings. • Maximum auto dial support — most major brands. • Direct file transfer companion program included at no extra cost (compatible with DFT). • DOS commands from menu without exiting program. • Over 34K of capture buffer (in a 48K TRS-80). • Can be set to automatically dial telephone and transmit buffer at preset time without **any** operator intervention.

And many, many more great features, MicroTerm is so fast you must see it to believe it. The various menus are displayed so fast, they seem to jump out at you. Status of various functions can be displayed and altered in split seconds.

For the computerist who wants the ultimate, state-of-the-art terminal software, there is no other choice.

MicroTerm retails for \$79.95, but registered DOSPLUS owners can purchase it for only \$59.95. \$20.00 off the retail price! MicroTerm comes complete with the terminal program, the direct file transfer program, some standard translation tables, and documentation.

Don't delay, order yours today! Specify when ordering: Model I or III and whether you want it on 40 or 80 track media. Requires a 16K TRS-80 with one disk drive. We recommend 48K for serious communications work. MicroTerm will be available beginning June 30, 1982.



**MICRO-SYSTEMS
SOFTWARE, INC.**

4301-18 Oak Circle
Boca Raton, FL 33431
Telephone: (305) 983-3390

So Far, So Good...



**Your Model III is a fine computer.
So why settle for less than
a fine disk storage system?**

A fast, reliable disk storage system — no other device is so vital to the satisfactory performance of your computer. At Percom we build quality, high-performance disk drive systems. From gold-plated connector contacts to goldcad metal chassis structures. From proven design through 100% reliability testing. Percom disk systems are the standard by which others are judged — the industry's "gold standard," in a sense. And since Percom is the largest independent manufacturer of disk systems for microcomputers, you get Percom quality at very competitive prices. Add-on drives for TRS-80* computers start as low as \$399. Complete first-drive systems for the Model III start at only \$599. Put a quality Percom mini-disk storage system in your Model III. And save.

#1 For Your Model III

Percom TFD drives for your TRS-80* Model III computer are available in 40- and 80-track versions with single or dual heads. Single-head 40-track drives store 180 Kbytes; dual-head 40-track drives store 360 Kbytes. Eighty-track drives store slightly over twice these amounts. Of course these are formatted capacities. The Percom Model III controller handles up to four drives so it's possible to access almost three million bytes of on-line program and data files. You get Percom's OS-80/III Basic language DOS with each first-drive system, and your first drive may be either internal (add-in) or external (add-on). Percom TFD drives work with Model III TRSDOS and other Model III disk-operating systems. First-drive systems are pre-assembled. Installation is accomplished with simple tools.

#1 For Your Model I, Too

Percom TFD add-on drives for the TRS-80* Model I computer are available with the same features and the same quality control measures as TFD Model III drives. As for Model III drives, all Percom Model I drives are double-density rated. Install Percom's popular DOUBLER II in your Model I Expansion Interface and upgrade your Model I to provide the same storage capacity as the Model III.



Watch for Announcement of Percom's Low-Cost Hard Disk System for the Model III!

To order, or for the name of your authorized Percom retailer,
call toll free **1-800-527-1222**.



PERCOM DATA COMPANY, INC.
11220 Pagemill Road • Dallas, Texas 75243
(214) 340-7081

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

*TRS-80 is a trademark of Tandy Radio Shack Corporation which has no relationship to Percom Data Company, Inc.
PERCOM, DOUBLER II and OS-80/III are trademarks of Percom Data Company, Inc.

Yes... I'd like to know more about
the best for my TRS-80 computer.
Send me free literature about
quality Percom products.

☐ MODEL I ☐ MODEL III

Send to
PERCOM DATA COMPANY, INC. Dept. 8-M
11220 Pagemill Road, Dallas, TX, 75243

NAME _____

STREET _____

CITY _____

STATE _____

ZIP _____

PHONE NUMBER _____


80 Contents

Features

74. Micros in Medicine

Even micros can have a bedside manner. Read how the medical profession uses micros to diagnose, educate, and gather information.
G. Michael Vose

148. Heat Stress Index

 Does your job get you hot under the collar? This program determines whether the heat from your workplace is harmful to your health.
Donald B. Heckenlively, et al

174. Micros in the Lab

Microcomputers are not used extensively yet in scientific exploration, but some pioneering scientists are leading a micro revolution.
Tom Hager



80 Micro (ISSN 0744-7868) is published 12 times a year by 1001001 Inc., 80 Pine St., Peterborough, NH 03458. Phone: 603-924-9471. Second class postage paid at Peterborough, NH, and additional mailing offices. Subscription rates in U.S. are \$25 for one year and \$53 for three years. In Canada and Mexico \$27.97—one year only. U.S. funds drawn on a U.S. bank. Canadian distributor: Micro Distributing, 409 Queen St. West, Toronto, Ontario, Canada M5V 2A5. BC Canadian distributor: Graymar Data Services, Ltd., #4 258 E. 1st Ave., Vancouver, BC V5T 1A6. Foreign subscriptions (surface mail), \$44.97—one year only, U.S. funds drawn on a U.S. bank. Foreign subscriptions (air mail), please inquire. In South Africa contact 80 Micro, P.O. Box 762815, Sandton, South Africa 2146. All U.S. and Canadian subscription correspondence should be addressed to 80 Micro, Subscription Department, P.O. Box 981, Farmingdale, NY 11737. Please include your address label with any correspondence. Postmaster: Send form 3579 to 80 Micro, Subscription Services, P.O. Box 981, Farmingdale, NY 11737.



Manuscripts are welcome at 80 Micro. We will consider publication of any TRS-80 oriented material. Guidelines for budding authors are available. Please send a self-addressed envelope and ask for "How to Write for 80 Micro." 80 Micro is published monthly by 1001001 Inc., a subsidiary of Wayne Green Inc. Entire contents copyright 1982 Wayne Green Inc. No part of this publication may be reprinted, or reproduced by any means, without prior written permission from the publisher. All programs are published for personal use only. All rights reserved.

Cover by William Giese

*TRS-80, Scripsit and TRSDOS are trademarks of Tandy Corp.

188. Nike Sport Research Lab

Scientific research benefits from using microcomputers for data collection and analysis.

J. L. Larsen

197. TRS-80 Laboratory

Trying to convince the boss you need a computer in the lab? This article will help you.

Wynne Keller

205. Astrodynamics for Beginners

Gravity got you down? This program shows you its effects on orbits of heavenly bodies.

John D. Fowler, Jr.


Articles

80. The Color Computer on Parade—Part II

In this segment, author Barden explains the Line, Circle, Draw, Point, Get and Put commands, as well as how to change your video display graphics.

William Barden, Jr.

90. Medical Family History

 Computerize your family medical histories and make life a little easier by keeping health records.


Miguel Diaz

92. Bit Smitten—Part IV

Save memory space with Basic's Read...Data function. It's not as difficult as you think.

Jay Chidsey

96. Practical Regression Analysis

 Regression analysis lets you get the most from a set of data. Author Hinrichs will take you step by step through this useful technique.

Delmar D. Hinrichs

112. Hardware Hacker—Part II

In this episode, add 32K of RAM to your Model I.

Philip M. Van Praag

130. The Calculating Genius—Part I

Charles Babbage invented the speedometer, railway cowcatcher, and occulting lighthouse—as well as the first digital computer.

Rick Cook

142. CC EDTASM +

This Editor/Assembler for cassette-based Color Computer owners almost has it all.

William Barden, Jr.

164. More Color Conversions

When the Air Force took Jimmy's hobby—ham radio—away, he found a new way to while away the hours...converting Model I programs to Color Computer ones.

Jimmy L. Freeman

182. Curse You, Cursor!

Poke out your Model II's blinker.

Joseph L. Frese

190. Trick Your ROM

LPRINTing CHR\$s 0 and 10.


Bob Boothe

213. Color Assembler

A way to speed up your Color Computer programs.

John Heusinkveld

222. Relativity and the TRS-80

 Let your micro strip the veils from relativity theory and ignite your own intuitive files.

Sidney Levin

230. Epson Airfoils

Design model airplane wings or modify this program to plot points for other applications.


Bob Boothe

242. Plant a Binary Tree

Unlock the door to fast searches using key data.

Ken Knecht

246. Casino Draw Poker

 Who has the better poker face, you or your 80?

Ron Balewski

260. Make Those Headlines Fit

Making heads of a different column fit together.

Richard Ramella

264. Cybernetics—Part II

All about sensors, decision bases and actuators.

Stephen Davids

272. Show the Score

You need some additional knowledge if you want to display numbers and graphics on your Color Computer.

Frederick F. Battista

80 Contents

282. Cassbox

LOAD 80 Tired of fumbling through unlabeled cassette boxes or trying to read chicken tracks passing for handwriting? Your 80 can give you a helping hand.

Charles E. Gillen

287. CABLEBREW

Why buy an MX-80 cable when you can make your own?

James H. DeFrancis

288. Color Computer Pointers

Combine programs and save memory with this know-how.

E. O. Gilliland, Jr.

292. Model II Math Skills

Mike wanted his kids to dissect math problems but found they'd rather dissect his Basic programs instead.

Mike Kilroy

300. Model III Microchess

You need more than CONVERT for this one.

Mohan Embar

304. Test Patterns

Now you don't have to wait until the wee hours to see late-night fare on your tv.

Richard L. Kilmon

306. The Sieve of Erathosthenes

It may be Greek to you but not to your 80.

D. R. Cecil



308. Music Marvel

It helps mentally retarded persons play music on the Color Computer.

Steve Blyn

318. Kwikmaze

LOAD 80 For fast mazes you need machine language.

Dan Rollins

357. The Evolution of a Language

Understanding the magic of binary and hardware.

Ken Waltjen

364. Pixel Printer

LOAD 80 Model I graphics screen dump.

Charles E. Gillen

372. Computer Assisted Electronics Design

The ultimate do-it-yourself project—designing your own computer.

John Harper

386. PRINPUT

How to get enhanced printouts from a limited system.

Stephen Mills

390. ON BREAK GOTO

Disabled but not forgotten.

SFC Roger E. Donais

392. Analysis of Variance

What happens when IBM Fortran meets Microsoft Basic?

George L. Gille

396. We Interrupt This Program...

...for a word that will make your Model I more versatile.

Dennis Workman

398. The Family Tree

LOAD 80 Genealogies for home computers.

Richard W. Castor

404. To Baffle a Pirate

By making your Basic programs look like machine language, you can deter many copy cats.

Randy Hawkins

406. Clean Up Your TRON/TROFF

LOAD 80 Debug your Basic programs with a trace table.

Arne Rohde

410. Checksum

Debugging long listings made easy.

Howard F. Batie

414. Quicksort

LOAD 80 The fastest sort in the West...and elsewhere.

Don C. Brumm

420. Relocated ULCBAS

This simple patch protects high memory.

Samuel D. Pincus

422. Sound OFF!

Use a second cassette recorder to

add sound to your programs.

Bertram A. Thiel

424. TDRELO

Write machine language patches, load your main program, and save as one file.

Barry Kornfeld

426. Algebraic Archery

Hit a bullseye with this polynomial factoring program.

Michael A. Duffin

436. Homebrew Librarian

LOAD 80 Use your 80 to keep track of your books.

Larry R. Hamilton

440. Find a Number's Roots

Getting to the roots of some problems.

David R. Cecil

444. Things Still Crawl in the Level II ROM

Explaining a sometimes persistent SYSTEM-load error.

Gregg E. Marshall

450. Invader

LOAD 80 Computer warfare beyond three dimensions.

Jeffrey Fisher

456. Scripsit Makes It Easy

Mail-merge on a shoestring.

Peter C. Bennett

Departments

8. Remarks

Education in the future—now there's a subject that should be good for a whole book.

Wayne Green

12. Proof Notes

Micros can help people tune in to technology and explore it.

16. Input

The pain of protected disks. Profile update. Error in Individual Retirement Account program. A program to calculate inflation forever. More on disk directory for the Model III. Concerns of a first-generation hacker. Error in "For the Novice." Model I expansion without Radio Shack support. Color Computer voice synthesizer. More.

80 Contents

PUBLISHER/EDITOR
Wayne Green
EXECUTIVE VICE PRESIDENT
Sherry Smythe
ASSISTANT TO PRESIDENT
Matt Smith
GENERAL MANAGER
Debra Wetherbee
ASSISTANT PUBLISHER
Jeff DeTray
FINANCIAL COORDINATOR
Roger Murphy
CIRCULATION COORDINATOR
603-924-9471
Patricia Ferrante
BULK & NEWSSTAND SALES MANAGER
Ginnie Boudrieau
ADVERTISING, 603-924-7138
David Schissler: Advertising Manager;
Penny Brooks, Mary Hartwell: Sales; Betty
Butler: Ad Coordinator.
New England Advertising Representative:
John A. Garland, Garland Associates, Inc.,
Box 314 SHS, Duxbury, MA 02332
617-934-6464


PRODUCTION
Nancy Salmon, Manager; Michael Murphy,
Assistant; Frances Benton, Phil Geraci,
Theresa Verville, Scott Philbrick, Anne
Rocchio, Dianne Ritson, Deborah Stone,
Irene Vail, Karen Wozmak; Ad Coordinators:
David Wozmak, Mary Seaver; Advertising
Production: Steve Baldwin, Fiona Davies,
Bruce Hedin, Jane Preston
PHOTOGRAPHY
Sandra Dukette, Bryan Hastings, Elizabeth
Libby, John R. Schweigert, Thomas
Villeneuve, Robert M. Villeneuve
TYPESETTING
Melody Bedell, Sara Bedell, Michele
DesRochers, Jennifer Fay, Lynn Haines,
Linda Locke, Debbie Nutting,
Ellen Schwartz, Karen Stewart
DESIGN
Denzel Dyer, Howard Happ, Dion LeGros,
Laurie MacMillan, Joyce Pillarella, Susan
Stevens, Donna Wohlfarth

The left bracket, [, replaces the up arrow used by Radio Shack to indicate exponentiation on our printouts. When entering programs published in *80 Micro*, you should make this change.

80 formats its program listings to run 64 characters wide, the way they look on your video screen. This accounts for the occasional wrap-around you will notice in our program listings. Don't let it throw you, particularly when entering assembly listings.

Article submissions from our readers are welcomed and encouraged. Inquiries should be addressed to: Submissions Editor, 80 Pine Street, Peterborough, NH 03458. Include an SASE for a copy of our writers' guidelines. Payment for accepted articles is made at a rate of approximately \$50 per printed page; all rights are purchased. Authors of reviews should contact the Review Editor, 80 Pine Street, Peterborough, NH 03458.

- 26. Aid**
Bug in baud rate. Tic-tac error. Missing parts for bare bones communicator.
- 28. Debug**
Request for Model III card reader. The rest of "Tee for Six." Form feed for the MX-80.
- 32. Gamers Cafe**
Rodney Gambicus and his friend Winthrop set up shop in *80 Micro* to talk with you about games.
Rodney Gambicus



- 34. Soft Bits**
One of the most powerful features of Level II Basic is the Print Using statement.
Roger Fuller
- 38. Kitchen Table Inc.**
Kitchen Table Inc. breaks new ground by introducing user-hostile software.
David Busch
- 40. Reviews**
Extended muMATH. Color Forth. Sole, double density for the Model I. Spectaculator, Color Computer spreadsheet. Sprinter II, Z80 in the fast lane. Micro Mainframe disk controller for Model III. Smith-Corona TP-1. Colorterm, terminal program for CC. Master Reversi. Spell 'N Fix, CC spelling checker.
- 71. Review Digest**
Color Logo. Electric Webster. The UPI-3 Serial Interface. Space War. *Basic Handbook*, 2nd edition. Versafile.


455. Index to Advertisers

- 458. News**
Tandy distributes Color Computer outside Radio Shack stores. End of Tandy customer service hotline riles some users. Associated Press-CompuServe end electronic newspaper experiment. Public education rapped at conference. Network Na-

tion authors meet in Electronic Agora.

- 474. Copernica Mathematica**
Statistics 101.
Bruce Douglass
- 482. Feedback Loop**
Disk back-up problems. Mailing list of Tandy owners. Epson emphasized mode. Color merge. RFI problems. Corona discharge. DEC to TRS-80. Scripnet. Power supply hum. Irwin hard disk drives.
Terry Kepner
- 488. Fun House**
Gather round boys and girls as the old Saturday serial is revived and we take a trip through the dangerous world of Subterra.
Richard Ramella
- 497. Notes from Beneath the Keyboard**
Farewell to a friend. TRS-80s run a liquor store and sell used cars. Second-hand software.
Paul Wiener
- 500. Calendar**
- 502. MONEY DOS**
More on Keynes's never-fail commodity system.
J. M. Keynes
- 504. Medical Opinion**
RX for word processing.
Philip R. Mills, M.D.
- 508. RELOAD 80**
Color Load 80 announced. Load 80 takes it on the chin. Wonder why some August games didn't work?
Art Huston
- 510. New Products**
Lead CRT screen. *Meet the Computer*, a book for children. MTI MOD III PLUS B series. VisiCalc surrogates. Model III hard disk. DOSPLUS for the Model II. Football Compu-Stat. Hayes Stack Smartmodem 1200. CP/M File Indexer. Auto Run allows your Color Computer programs to run automatically. Bowling League Secretary. Real estate software. MERGIT-GLII lets you merge Scripsit and Radio Shack's general ledger package. Municipal billing system for municipalities with an 80. Spreadsheet for the Pocket Computer. Sea Dragon, arcade-style underwater adventure. Copyart II word-processing system. ComRiter daisy-wheel printer. Color Computer assembler/disassembler. More.

THE SWITCH



SWITCH TO 5¹/₈" DOUBLE DENSITY

LNDoubler 5/8

FEATURES

- 5- and 8-inch* disk drives
- Single- & double-density
- Any size and density in any mix
- Read Model I, II* and III disks
- 5- or 8-inch* system disk
- Single & double sided disk drives
- DOS+ 3.3.9 included, with Disk BASIC.
- 6 month warranty
- Up to 3.75 megabytes online
- Easy installation – plug-in & run
- Analog phase lock loop data separation
- Precision write precompensation
- Regulated power supply
- Guaranteed operation at 4MHz
- All contacts gold plated
- Solder masked & silk screened
- Runs under DOS+ 3.3.9, TRSDOS 2.3, NEWDOS 2.1, NEWDOS/80 1.0, LDOS, NEWDOS/80 2.0, and ULTRADOS
- Reads 40- and 35-track disks on 80-track drives
- FD1791 controller + your FD1771
- Fits Model I expansion interfaces
- Fits LNW expansion interfaces
- Track configurations to 80-tracks
- 5 inch disk storage increased to:
 - 161,280 bytes – 35-track SS/DD
 - 322,560 bytes – 35-track DS/DD
 - 184,320 bytes – 40-track SS/DD
 - 368,640 bytes – 40-track DS/DD
 - 368,640 bytes – 40-track SS/DD
 - 737,280 bytes – 80-track DS/DD
- 8 inch disk storage increased to:

591,360 bytes – 77-track SS/DD
1,182,720 bytes – 77-track DS/DD
SS: single-sided DS: double-sided
SD: single-density DD: double-density

COMPLETE – The LNDoubler 5/8, switches your Model I or LNW-80 into the most versatile computer you can own. The LNDoubler's switch allows you to boot from 5- or 8-inch system disks, and it's accessible from outside the interface. The LNDoubler 5/8 comes with a double-density disk operating system (DOS+ 3.3.9), complete with BASIC and utility programs . . . ready to run your software NOW!

VERSATILE – Whether you want single-sided, double-sided, single- or double-density, 5- or 8-inch operation, complete versatility is here today! Any combination of 5- and 8-inch disk storage is possible with the LNDoubler 5/8. Each of your present 40-track, single-sided 5-inch drives will store up to 184,320 bytes (formatted storage) – that's an 80% increase in storage capacity for only half the cost of just one disk drive. With three 8-inch double-density, double-sided drives your Model I will have 3.75 Megabytes of online storage – that's more storage than a Model II or Model III!

ADVANCED – The LNDoubler 5/8 is the most technically advanced, tested and reliable double-density

board you can buy. The LNDoubler 5/8 has more features, more options and more software support than any other product of its kind.


EASY TO INSTALL – The LNDoubler 5/8 is easy to install. There are no traces to cut, no wiring to do, just a screwdriver and a few minutes of your time is all that is required. The instructions are fully illustrated for all interfaces. In minutes you will be 'up-and-running', and enjoying your computer as never before.

COMPARE – Compare features, compare quality, compare value, and make the SWITCH today!

Immediate delivery from stock – at your dealer NOW for only

\$ 219.95

DEALERS – You too can make The Switch.



LNW RESEARCH CORPORATION

2620 WALNUT Tustin, CA. 92680

(714) 544-5744 (714) 641-8850

*8" drive operation requires special cable, 8" double-density requires 3.55MHz CPU speed-up modification or LNW-80 4MHz computer.

TRS-80 is a trademark of Tandy Corporation.

Education in the future—now there's a subject that should be good for a whole book. Golly, could I get into the things that are wrong with education today and should be changed... such as the laws on compulsory education that are packing our high schools with kids who hate being there and are determined to make it impossible for anyone else similarly trapped. Or I could get into a chapter or two on what happened to education in America when the government took control, an object lesson in what happens when the socialist ethic takes over a field.

Let me be blunt—education in America today is a disaster. It's expensive, it's not doing the job. It's a fine example of what happens when one gets the government into a business.

Well, with the computer "revolution" we may have an edge toward getting government out of the education business. If you're interested in the field of education you've read plenty about problems compulsory education has caused... and you already know what feeding at the public trough has done to the quality (dare I use the word?) of education.

Since none of you knows any better than I what to do about these situations, let's go on to some sorting out of the situation, looking for ways in which computers may bring some relief.

I happen to think the future is exceptionally bright for everyone. I believe that computers are eventually going to help us provide a far more effective education for people than anything we have today. Kids will learn because they want to learn, not because they are sent off like slaves to schools and are regimented into the three Rs.

Let's tackle one of the major problems of education: making the material interesting enough to the student so he or she learns out of self-interest instead of being a prisoner of the system. Suppose we used a medium such as the Nova series on Public Broadcasting and presented all of the material now being taught in school in this manner. We would use whatever props or locations were needed, with expense being irrelevant. We would have the best of teacher/actors. There have been a number of such series on PBS such as Connec-

Schools stink, but computers can help

tions, Discovery and so on. With that quality of presentation we might find people learning because it is fun.

Sure, that's an expensive way to go. Each hour of material could well cost several million dollars. But if we were able to make these courses available to millions, tens of millions, or perhaps with some translation into other languages, hundreds of millions of people, the cost per person would be miniscule.

This is where the video tape—or, even better, the video disk—comes in. This quality of teaching could be made available to the poorest parts of the world via such a medium. Many third-world countries have so few teachers and so little money for education that nothing even remotely comparable to our U.S. educational system is available.

Okay, then we have one more major hurdle to solve. In the ever-growing classes, there is no way for a teacher to gear the material to the learning speed of *any* student, much less all students. I don't know about you, but in many classes I was bored to tears and in others I had a tough time keeping up. Neither was any fun and neither inclined me to appreciate education or to particularly cooperate.

Now let's suppose that we are able to build in an interactive computer program into our video disk program, one that will stop every so often and see how I'm doing. This system could be programmed to go into much greater depth for slow students and skim lightly over things for those who get it the first time. This approach could go even further toward making education fun.

Of course once we got started with such a system we would find that education was no longer limited to kids, but of interest to and desired by all age groups. And education would expand to cover all aspects of our world, including training for just

about every type of professional and business work.

Yes, I hear the fear in your trembling voices and see the terror in your eyes—if we have this utopian educational system, who will need teachers? Well, you just aren't sitting there with your thinking caps on, that's all. Calm down for a moment and remember that not all of education can be brought to students via superannuated television, even with a computer in the act. No, there are a lot of *skills* people will need—and want. And these are going to take teachers.

Kids of the future may be far better skilled than kids today because they will not have to spend as much time (perhaps waste is a better word) on academic subjects and rote learning. They will be able to develop high degrees of skill at things such as wood-working, sculpting, metal working, glass blowing, foundry, electronic servicing, skating, skiing, driving, flying, riding, musical instruments, juggling... oh, the list is a long one. Add to that work in labs of all kinds—mechanical, chemical, cooking, physics, radio, electrical—and so on. The world is getting increasingly complex and the kids of the future are going to have to have a far more efficient educational system to successfully cope with it.

With these sorts of approaches to education I expect that we would be able to generate high degrees of interest in students in many subjects. I think we would find kids getting deeply involved in computer programming, computer design, communications equipment design, astronomy, and so on. Students who get involved emotionally in these things early in life are the ones who go on to make the most valuable contributions to the world with new inventions, new ideas and pioneering.

Will future students do their video-based learning at school or at home? Reason would seem to dictate that most of this could well be done at home, just as computers and the advanced communications they are going to bring us will also allow far more people to do a large part of their "work" at home. Who knows—we might just be heading for a rebuilding of families. When parents can be at home, there is less need for the baby-



META TECHNOLOGIES

26111 Brush Avenue, Euclid Ohio 44132
CALL TOLL FREE 1-800-321-3552 TO ORDER
IN OHIO, call (216) 289-7500 (COLLECT)



Introducing ... SCOREPAC™

Get a SCORE of diskettes in a sturdy, new PAC and SAVE! MTC's innovative, unique packaging concept for diskettes offers the best value in magnetic media today. You get 20 Paragon Magnetics™ 5 1/4-inch diskettes, complete with envelopes, labels and write-protect tabs, packaged in an extra-heavy duty, reusable, storage box/shipping carton. The convenient, thumb-notched, top-closure design of the SCOREPAC™ box provides convenient, temporary storage ... and saves you money. Isn't it time that you scored ... with SCOREPAC™.

SCOREPAC™ w/20 Paragon Plain Jane™ Diskettes \$39.95
SCOREPAC™ w/20 Paragon Gold Diskettes \$46.95

MODEL I/III SOFTWARE

APPARAT'S NEWDOS/80-V2 + MTC QUE CARD™ \$ 129.95
PRACTICAL PERIPHERALS MICROBUFFER™ \$ 149.95

ACCESSORIES

Michael Shroyer's

ELECTRIC PENCIL VERSION II

for
Model I and Model III

An expanded version of the critically acclaimed original word processing system! Includes all features of Version I plus many new extensions. Runs under most disk operating systems, has improved video text handling, loads any ASCII file for editing (including BASIC files), single sheet mode for printing on letterhead and more! Simple to use, features 2-key commands. An incredible package at an incredible price!

SPECIFY MODEL I OR III

Disk Version \$79.95
Tape Version \$69.95

"OTHER MYSTERIES" VOLUME III

by Dennis Kitsz

More than 300 pages of practical hardware and software modifications and projects. Discover the mysteries of "THE CUSTOM TRS-80™"!

THE CUSTOM TRS-80™ \$28.95

"OTHER MYSTERIES" VOLUME IV

BASIC FASTER AND BETTER

Time-tested and proven techniques and routines that can be used in hundreds of ways to make your programs smaller, faster and better.

BASIC FASTER & BETTER \$26.95
BFB LIB subroutines diskette \$19.95
BFB DEM demonstration diskette \$19.95

APPLE® OWNERS

Your first mystery is here!

THE CUSTOM APPLE®
& OTHER MYSTERIES \$24.95
by Hofacker & Floegel

Make your Apple® Computer perform tasks you never thought possible. Interface to stepping motors, fans, drive motors, etc. Remotely control and automatically monitor virtually any machine previously controlled by mechanical means. If you want to lower your heating costs or are just wondering how to hook that "new" printer to your Apple® you need this book! Volume 1 of IJG's Apple Information Series contains more than 180 pages of practical information and tested software.

"TRS-80™ DISK AND OTHER MYSTERIES"

by Harvard C. Pennington

132 pages written in PLAIN ENGLISH packed with HOW TO information with details, examples and in-depth explanations. Recover lost files and directories, remove file protection, make BASIC programs unlistable. How to use SUPERZAP recover from DOS errors and MORE!

TRS-80™ DISK \$19.95

"OTHER MYSTERIES" VOLUME II

by James Farvour

"MICROSOFT™ BASIC DECODED & OTHER MYSTERIES for the TRS-80™" is a primer for the internal workings of cassette and disk BASIC. More than 300 pages of explanations, examples and comments about the Level II ROM.

MICROSOFT™ BASIC DECODED \$26.95

PARAGON

Gold[™] magnetics[™]
DISKETTES

MTC's

premium Single-Sided, Soft-Sector'd DOUBLE-DENSITY, 5 1/4-inch diskettes with reinforcing HUB-RINGS. Individually 100% ERROR-FREE certified. Invest in GOLD!

PARAGON MAGNETICS GOLD \$24.95

Scotch®

Soft-Sector'd Diskettes

5-1/4" 1S/Dden (744-0) \$28.95
5-1/4" 1S/DDen (744D-0) \$31.95
5-1/4" 2S/DDen (745-0) \$39.95
8" 1S/Dden (740-0) \$29.95
8" 1S/DDen (741-0) \$37.95
8" 2S/DDen (743-0) \$49.95

Hard-Sector'd Diskettes

5-1/4" 1S/DDen 10-sector (744-10) \$28.95
5-1/4" 1S/DDen 10-sector (744D-10) \$32.95
5-1/4" 2S/DDen 10-sector (745-10) \$39.95
5-1/4" 1S/Dden 16-sector (744-16) \$28.95
5-1/4" 1S/DDen 16-sector (744D-16) \$32.95
5-1/4" 2S/DDen 16-sector (745-16) \$39.95
8" 1S/Dden 32-sector (740-32) \$33.95
8" 1S/DDen 32-sector (741-32) \$39.95
8" 2S/DDen 32-sector (743-32) \$49.95

Supplies

5-1/4" Head cleaning kit \$29.95
8" Head cleaning kit \$29.95

Authorized Distributor
Information Processing Products



VERBATIM

Soft-Sector'd Diskettes

5-1/4" 1S/DDen (MD525-01) \$26.95
5-1/4" 2S/DDen (MD550-01) \$39.95
5-1/4" 2S/4Den (MD557-01) \$51.50
8" 1S/DDen (FD34-8000) \$43.95

Hard-Sector'd Diskettes

5-1/4" 1S/DDen 10-sector (MD525-10) \$26.95
5-1/4" 2S/DDen 10-sector (MD550-10) \$39.95
5-1/4" 2S/4Den 10-sector (MD557-10) \$51.50

'RINGS' & THINGS

HUB RING KIT for 5 1/4" disks \$10.95
HUB RING KIT for 8" disks \$12.95
REFILLS (50 Hub Rings) \$ 5.95
CLEANING KIT for 5 1/4" drives \$24.95
5 1/4-inch diskette case \$3.50
8-inch diskette case \$3.95
5 1/4-inch File Box for
50 diskettes \$24.95
8-inch File Box for
50 diskettes \$29.95

APPLE is a registered trademark of Apple Computer Inc.
TRS 80 is a trademark of the Radio Shack Division of Tandy Corporation.
DATALIFE is a trademark of VERBATIM. PLAIN JANE, PARAGON MAGNETICS are trademarks of MTC.
© 1982 by Meta Technologies Corporation

MOST ORDERS
SHIPPED WITHIN
ONE BUSINESS DAY

24 Hr. Bulletin Board
(216)289-8689

PRICES IN EFFECT
THRU
November 30, 1982
Prices, Specifications,
and Offerings subject to
change without notice
8211

WE ACCEPT
• VISA
• MASTER CHARGE
• CHECKS
• MONEY ORDERS
• C.O.D.

• Add \$3.00 for shipping & handling.
• \$2.00 EXTRA for U.S. Mail delivery.
• \$3.00 EXTRA for C.O.D.
• Ohio residents add 6.5% sales tax.

sitting function of schools—which is an important function today, since most homes have two working parents.

Colleges Stink

Hold tight—I have another big one for you. This has to do with our colleges. They stink. The sooner we can start getting our educational system geared to providing fun ways to learn, the sooner we may be able to trash liberal-arts courses. I sat recently at a Chamber of Commerce breakfast and listened to an “educator” try to explain that students should spend four damned years of their lives with liberal arts so they will be able to appreciate the beauty of trees. Sure, and then they can come to work for me emptying wastebaskets. I wish I was exaggerating, but I’ve had several such people doing just that.

Education should, in my estimation, gear a person to do what he wants in the way of being a productive member of society. If he wants to be an engineer, fine. If he wants to write music, no problem. If he wants to spend his life making hand-made silver services, I have no objection—providing there is a market for the silver services and the chap is not going to come pleading to me for a handout because he is making something no one wants.

Okay. We have several problems that I think I can solve with a new type of college. Our country is in desperate need of more technical people. Here we

are in the middle of a computer revolution—and on the verge of a communications revolution—and we have virtually no technicians or engineers. By not infecting our teenagers with technical hobbies, we have cut off the flow of these career people into college.

The college I envision would be geared to the enthusiastic high school student who is anxious to pursue a technological career. It would be set up with almost total concentration on gearing that student for business. The

*“Our country is
in desperate need
of more
technical people.”*

education would include the fundamentals of the technology, such as electricity for the computer buff. The student would go on to electronics, integrated circuits, gates, microprocessors, computer design, memory systems, programming, operating systems, applications software, and so on.

But that would be only half of it. America is built on the strengths of entrepreneurs, so my college would also teach all of the business courses the person is going to need either to start or run a business. There would be courses in reading, writing, talking, selling, purchasing, finance, accounting,

taxes, advertising, printing, typesetting, pricing, marketing, personnel management, and so on.

The concept is simple—a campus with an industrial park on it where students would be able to spend half of their day in school and the other half working for on-campus businesses. They would be trainees working in development labs, doing routine accounting (computerized), selling, marketing, advertising, and so on. Being career-interested kids, they would be fantastic workers. I’ve found that the very best computer programmers and technicians I can get are teenagers. They will work night and day at a project and get it done. They usually work rings around older technicians. Thus kids would have the benefits of both professional work and the school at the same time. Problems in business could be brought into class. Solutions in class could be brought to business. Synergistic, with everyone winning. Teachers would be helping students cope with practical business problems, thus stretching their skills. Students would get the best of both the academic and business worlds. But what about the trees? Let’s get into poetry, music and the arts via video disks for the time being. Or, if kids want to pursue art careers, fine—let’s set them up with an appropriate college where they sell their art and music...or silver service sets.



There, that’s enough for one sitting. ■

PRICE BREAKTHROUGH

100% RS COMPONENTS, NO FOREIGN DRIVES OR MEMORY — FULL WARRANTY

MOD III 48K
2 Drives RS232

\$1795



MOD II 64K
1 Drive

\$2799

CASHIERS CHECK OR MONEY ORDER MUST ACCOMPANY ALL ORDERS.

(817) 825-4027

NOCONA ELECTRONICS • P.O. Box 593 • Nocona, TX 76255

232



13

META TECHNOLOGIES



26111 Brush Avenue, Euclid Ohio 44132
CALL TOLL FREE 1-800-321-3552 TO ORDER
IN OHIO, call (216) 289-7500 (COLLECT)

NEW! MTC AIDS-III™ VERSION 2.0

NEW!

Specify Model I or Model III\$79.95

**** CALL REGARDING UPGRADE POLICY ****

The BEST data management system just got BETTER! Introducing MTC AIDS-III™/Version 2.0. Faster, easier to use, better documentation than the original favorite of thousands of users. Jointly developed by SofTrends, Inc. and the author of the AIDS series. VisiCalc® -compatible when used with optional interface module.

- Up to 20 USER-DEFINED FIELDS of either numeric- or character-type.
- CHARACTER-type fields may be any length (total: up to 254 characters).
- NUMERIC-type fields feature automatic formatting, rounding, decimal alignment and validation.
- Full feature EDITING when adding or changing records:
 - ENTER FIELD (can't type-in more characters than specified).
 - BACKSPACE (delete last character typed).
 - DELETE FIELD contents.
 - RESTORE FIELD contents.
 - RIGHT-JUSTIFY FIELD contents.
 - SKIP FIELD (to next or previous field).
 - SKIP RECORD (to next or previous record).
- SORTING of records is MACHINE CODE assisted.
 - 200 RECORDS (40 characters) in about 1.5 SECONDS.
 - ANY COMBINATION of fields (including numerics) with each field in ascending or descending order.
- SELECTION of records for Loading, Updating, Deleting, Printing and Saving is MACHINE CODE assisted.
 - Specify up to 4 CRITERIA, each using one of 6 RELATIONAL COMPARISONS.
 - LOAD or SAVE selected records using MULTIPLE FILES.
 - Example: Select records representing those people who live in the state of Colorado, but not in the city of Denver, whose last names begin with "F" and whose incomes exceed \$9000.00.
 - Example: Select records representing those sales made to XYZ COMPANY that exceed \$25.00, between the dates 03/15 and 04/10.

CALCS-III (CALCULATION SUBSYSTEM), included at no charge, has the following features:

- Prints user-specified fields in titled, columnar REPORT FORMAT, automatically generating column headings, paging and (optionally) indentation.
- Can create a single report from MULTIPLE FILES.
- Computes user-specified COLUMNAR TOTALS and BALANCE FORWARD values.
- Computes columnar values using CONSTANTS and/or COLUMN VALUES.

MAPS-III (MTC AIDS PRINT SUBSYSTEM), included at no charge, has the following features:

- Full AIDS-III SELECTION capabilities.
- Prints user-specified fields DOWN THE PAGE.
- Prints user-specified fields in titled, columnar REPORT FORMAT, automatically generating column headings, paging, and (optionally) indentation.
- Can create a single report from MULTIPLE FILES.
- Prints user-defined formats for CUSTOM LABELS, custom forms, etc.

MERGE-III (FILE MERGE/PURGE SUBSYSTEM), included at no charge, has the following features:

- Merges up to 14 AIDS-created data files into a single, large file.
- Optionally PURGES duplicate entries while performing merge operation, including single file operation.
- Machine-code assisted for HIGH-SPEED performance.

CALCS-IV (ADVANCED CALCULATION SUBSYSTEM) has the following features:

- All the capabilities of CALCS-III.
- SAVE REPORT FORMATS on disk for EDITING, as required.
- More than TWICE the COMPUTATIONAL POWER of CALCS-III.
- Non-interpretive report execution for FASTER EXECUTION.
- Reports can be run by a NOVICE.

ONLY \$20 when purchased with AIDS-III/Version 2.0!

Specify Model I or Model III\$39.95

NEW AIDS SUBSYSTEMS[®] by SofTrends, Inc. **VISAPLEX™**

Interfaces AIDS-III and VisiCalc®. Use AIDS-III for data entry, sorting and selection. Then load the data into VisiCalc®, perform computations, summations, etc. Like what you see? Change the data back into AIDS-III format for future processing. Remarkably easy to use. Comprehensive documentation complete with examples.

Specify Model I or Model III\$39.95

ADEPT™

This module is ideal for entering large batches of data into AIDS-III. Features include pre-defined field values, definition and expansion of abbreviations, transposition of entries, range checking, entry of data from previous record, expanded validation and more! Type as fast as you can . . . no problem! Use with VISAPLEX™(above) to provide a comprehensive data entry facility for VisiCalc®. Complete documentation with examples.

Specify Model I or Model III\$29.95

If you own Apparat's
NEWDOS/80-Version 2.0
you need

BREVI-T™

by SofTrends, Inc.

If you have trouble remembering command formats, want to simplify use of DOS, do a lot of program development or just want to be more effective with your TRS-80™, then BREVI-T is for you. Abbreviations can be defined for both DOS and BASIC. These are automatically expanded as part of the command line processor. Optionally, parameters may be defined as part of an abbreviation. For example, "F 1" might be used to FORMAT drive 1. Change the 1 to a 2 and FORMAT drive 2. It's that simple. Complete with easy-to-follow instructions, examples and a sample abbreviation file.

Specify Model I or Model III\$19.95

Let your TRS-80™ Test Itself With THE FLOPPY DOCTOR & MEMORY DIAGNOSTIC

by David Stambaugh

A complete checklist for your MODEL I or MODEL III. THE FLOPPY DOCTOR-Version 3 completely checks every sector of single or double density 35-, 40-, 77-, or 80-track disk drives. Tests motor speed, head positioning, controller functions, status bits and provides complete error logging. THE MEMORY DIAGNOSTIC checks for proper write/read, refresh, executability and exclusivity of all address locations. Includes both diagnostics and complete instruction manual.

SYSTEM DIAGNOSTICS\$24.95
For MODEL III\$29.95

TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation. VisiCalc is a trademark of Visi Corp. PLAIN JANE, AIDS-I, AIDS-III, CALCS-III, CALCS-IV, MERGE-III are trademarks of MTC.
©1982 by Meta Technologies Corporation

**MOST ORDERS
SHIPPED WITHIN
ONE BUSINESS DAY**

24 Hr. Bulletin Board
(216) 289-8689

**PRICES IN EFFECT
THRU
November 30, 1982**
Prices, Specifications,
and Offerings subject to
change without notice
8211

WE ACCEPT
• VISA
• MASTER CHARGE
• CHECKS
• MONEY ORDERS
• C.O.D.

• Add \$3.00 for shipping & handling.
• \$2.00 EXTRA for U.S. Mail delivery.
• \$3.00 EXTRA for C.O.D.
• Ohio residents add 6.5% sales tax.

PROOF NOTES

The editors look at the issues

MANAGING EDITOR
Eric Maloney
SENIOR COPY EDITOR
Michael Nadeau
NEWS EDITOR
John P. Mello Jr.
REVIEW EDITOR
Janet Fiderio
NEW PRODUCT EDITOR
Steven Frann
EDITORS
Lynn Rognsvoog, Kerry Leichtman,
Caron Taylor, Deborah Sargent
TECHNICAL CONSULTANT
Jake Commander
TECHNICAL EDITORS
G. Michael Vose (Features, Editor)
Art Huston (Editor)
PRODUCTION EDITOR
Susan Gross
LAYOUT EDITORS
Joan Ahern, Bob Dukette,
Sue Hays, Anne Vadeboncoeur
PROOFREADERS
Peter Bjornsen, Vinoy Laughner,
Peg LePage, Louis Marini
EDITORIAL ADMINISTRATIVE
Pat Graham, Nancy Noyd

Science, medicine, and microcomputers—is there a connection? This issue of *80 Micro* may reveal an unanticipated one.

The need to perform scientific calculations faster with accuracy was the impetus for the invention of the electronic computer. Technological advances in miniaturization spurred by America's space program made semiconductor devices like microprocessors possible. Microcomputers, then, owe a debt to science, but is the reverse ever likely to occur?

Science, and society, could owe a future debt to the development of microcomputers. These marvels of silicon just may provide the link between the process of scientific discovery and the masses of people who are increasingly aware that science does not exist in a vacuum—that its discoveries affect society in a myriad of ways.

But first, our culture needs to tune back into science, to make an effort to understand rudimentary scientific concepts and the process of science—the scientific method. Microcomputers can play a vital role in this endeavor.

In a 1962 issue of *American Behavioral Scientist*, Alan T. Waterman, then director of the National Science Foundation, asserted, "Science, in its pure form, is not concerned with where discoveries may lead; its disciples are interested only in discovering the truth." Philosophers also search for the truth, as do judges, private eyes, and comic book heroes. But do any of these people who struggle so valorously ever find what they seek? Do they even know where they are going?

Or is the struggle the real challenge? Is the journey, with all of its thrills and spills, more important than any possible destination?

It is an interesting quirk of the scientific method that, in the cyclical process of forming hypotheses, testing them experimentally and forming new ones, it is easiest to come up with the hypotheses. Each idea that a scientist formulates gives birth to a plethora of new ideas. For most gifted scientists, a lifetime provides the time to test only the tiniest fraction of the ideas that the man can easily formulate.

What micros can give to science

One could argue that, because it produces a never-ending stream of explanations for why things are as they are, science contributes to the chaos and instability of society rather than providing any solutions to important problems. This gives credence to the notion that most scientists are along for the ride rather than concerned with the destination.

The answer to this dilemma may ultimately be to involve society more fully in the search for scientific truths. It is obvious that there are moral and social ideas that must be accommodated in the search. How can we raise the consciousness of the mass culture to tune everyone in to the processes of science? Maybe this is the connection between science and microcomputers.

Micros can teach people about science—electronics, chemistry, astronomy, and more—and can help them do the research that yields scientific truths. Micros, because they are complex technological tools, which are accessible enough to be understood by most anyone, can help people overcome their fear of science and technology. These miniature electronic marvels can help people tune in to technology and explore it.

Most of us who have been exposed to microcomputers have experienced the joy, the thrill, that comes from getting that Basic sort routine to work after hours of trial-and-error programming. Many of us have known the triumph of creating a better algorithm or finding an undocumented feature of our machines. These experiences are tuning us in to science. After all, they call it computer science!

* * * * *

On the following pages, you'll read about a genius of the last century, a man named Charles Babbage and his

Subscriptions:

Problems with Subscriptions: Send a description of the problem and your current and/or most recent address to: *80 Micro*, Subscription Department, P.O. Box 981, Farmingdale, NY 11737.

Change of Address: Send old label or copy of old address and new address to: *80 Micro*, P.O. Box 981, Farmingdale, NY 11737. Please give eight weeks advance notice.

Microfilm: This publication is available in microform from University Microfilms International. United States address: 300 North Zeeb Road, Dept. P.R., Ann Arbor, MI 48106. Foreign address: 18 Bedford Row, Dept. P.R., London, WC1R4EJ, England.

Dealers: Contact Ginnie Boudrieau, Bulk Sales Manager, *80 Micro*, Pine St., Peterborough, NH 03458. (800) 343-0728.

continues on page 500

Introducing "almost wholesale" prices:

PRINTERS

COMREX CR-1 PARALLEL.....	839.00
COMREX CR-1 SERIAL.....	859.00
C-ITOH F-10 40 CPS PARALLEL.....	1390.00
C-ITOH 8510 PROWRITER PARALLEL.....	480.00
C-ITOH 8510 PROWRITER SERIAL.....	590.00
EPSON MX-80 III W/GRAFTRAX + \$CALL	
EPSON MX-80 III F/T W/GRAFTRAX + \$CALL	
EPSON MX-100 III W/GRAFTRAX + \$CALL	
IDS PRISM 80 W/COLOR.....	1599.00
NEC 8023A.....	485.00
NEC SPINWRITER 3530 P.R.O.....	1995.00
NEC SPINWRITER 7710 S.R.O.....	2595.00
NEC SPINWRITER 7730 P.R.O.....	2595.00
OKIDATA MICROLINE 80.....	389.00
OKIDATA MICROLINE 82A.....	469.00
OKIDATA MICROLINE 83A.....	720.00
OKIDATA MICROLINE 84.....	1199.00
OKIGRAPH 82.....	33.95
OKIGRAPH 83.....	33.95

TRS-80 HARDWARE

PERCOM DATA SEPARATOR.....	27.00
PERCOM DOUBLER II.....	159.00
TANDON 80 TRK DISK DRIVE W/ P/S.....	345.00
TANDON 40 TRK DISK DRIVE W/ P/S.....	289.00
LNW DOUBLER WITH DOSPLUS 3.3.....	138.00
LNW DOUBLER 5/8 WITH DOSPLUS 3.4171.00	

ISOLATORS

ISO-1 3-SOCKET.....	53.95
ISO-2 6-SOCKET.....	53.95

MODEMS

NOVATION CAT ACOUSTIC.....	135.00
NOVATION D-CAT DIRECT CONNECT.....	156.00
NOVATION AUTO-CAT AUTO ANSWER.....	219.00
HAYES SMART MODEM (300 BAUD).....	227.00

MYSTERIES, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE.....	49.95
---	-------

DOUBLE DENSITY SPECIAL

PERCOM DOUBLER II, NEWDOS/80, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE.....	279.00
--	--------

COMMUNICATION SPECIAL MOD I & II

NOVATION MODEM, OMNITERM TERMINAL SOFTWARE.....	219.00
ACOUSTIC SPECIAL (CAT).....	219.00
DIRECT CONNECT SPECIAL (D-CAT).....	239.00
SERIAL CABLE.....	25.00

DISK LIBRARY SPECIAL

RACET DISKCAT CATALOGING PROGRAM, FLIP SORT (50 DISK CAPACITY), 50 STICK-ON DISK LABELS.....	59.95
--	-------

EPSON ACCESSORIES

MICROBUFFER+ MBS-8K.....	159.00
MICROBUFFER+ MBP-16K.....	159.00
GRAFTRAX PLUS.....	60.00
MX-80 RIBBONS.....	13.00
MX-80 PRINthead.....	40.00
MX-100 RIBBONS.....	24.00
MX-100 PRINthead.....	49.00
EPSON SERVICE MANUAL.....	20.00

16K RAM SPECIAL 13.95

Set of 8 NEC 4116 200ns. Guaranteed one full year.

TWO NEW 'OTHER MYSTERIES' BOOKS

THE CUSTOM TRS-80.....	24.95
MICROSOFT BASIC FASTER & BETTER.....	24.95

TRS-80 GAMES

All games are disk versions. Cassette versions may not be available.	
TEMPLE OF APASHAI.....	31.35
HELLFIRE WARRIOR.....	31.35
STAR WARRIOR.....	31.35

RESCUE AT RIGEL.....	23.36
CRUSH, CRUMBLE AND CHOMP.....	23.36
INVADERS FROM SPACE.....	17.95
PINBALL.....	17.95
MISSILE ATTACK.....	18.95
STAR FIGHTER.....	24.95
Z-CHESS III.....	24.95
ADVENTURE NO. 1, 2, & 3.....	34.95
ADVENTURE NO. 4, 5, & 6.....	34.95
ADVENTURE NO. 7, 8, & 9.....	34.95
DUEL-N-DROIDS.....	17.95
STARFLEET ORION.....	21.95
OLYMPIC DECATHLON.....	21.95
MONTY PLAYS MONOPOLY.....	31.95
SARGON II.....	31.95
BLACKJACK MASTER.....	27.95
ROBOT ATTACK.....	17.95
GALAXY INVASION.....	17.95
SUPER NOVA.....	17.95
TUESDAY MORNING QUARTERBACK.....	26.95
LUNER LANDER.....	18.95
THE MEAN CHECKER MACHINE.....	21.95
SPACE ROCKS.....	18.95
PIGSKIN.....	17.95
ZOSSED IN SPACE.....	18.95
ARCADE-80.....	21.95
COMBAT.....	18.95
SPACE INTRUDERS.....	17.95
SILVER FLASH.....	17.95
MORTON'S FORK.....	26.95
PROJECT OMEGA.....	21.95
SCARFMAN.....	17.95

MODEL III DISK DRIVE KITS

CONTROLLER KIT INCLUDES ALL BOARDS ASSEMBLED AND TESTED, INTERNAL CONTROLLER, MOUNTING BRACKETS, SWITCHING POWER SUPPLY, AND INSTALLATION INSTRUCTIONS. HANDLES 4 DRIVES.....360.00

KIT #1: CONTROLLER KIT AND 2 TM100-3 SINGLE-SIDED, 80 TRACK DRIVES.....875.00

KIT #2: CONTROLLER KIT AND 2 TM100-4 DOUBLE-SIDED, 80 TRACK DRIVES.....1060.00

KIT #3: CONTROLLER KIT AND 2 TM100-1 SINGLE-SIDED, 40 TRACK DRIVES.....720.00

KIT #4: CONTROLLER KIT AND 2 TM100-2 DOUBLE-SIDED, 40 TRACK DRIVES.....850.00

MODEL I, III SOFTWARE

LAZY WRITER MOD I, III.....	165.00
MICROPROOF SPELLING CHECK.....	84.95
PROSOFTNEWSRIP/LABELS MOD I, III.....	115.00
OMNITERM SMART TERMINAL MOD I, III.....	89.95
MAXI-MANAGER MOD I, III.....	89.95
DOS PLUS 3.4 MOD I, III.....	89.00
LDOS 5.1 MOD I, III.....	119.00
MICROSOFT EDITOR ASSEMBLER + MOD I (DISK).....	44.95
MICROSOFT FORTRAN MOD I.....	80.00

DISKETTES

ALPHA DISKS.....	21.95
Single sided, certified Double Density 40 Tracks, with Hub-Ring. Box of 10. Guaranteed one year.	

VERBATIM

MD 525-01, 10, 16.....	26.50
MD 550-01, 10, 16.....	44.50
MD 557-01, 10, 16.....	45.60
FD 32 or 34-9000.....	36.00
FD 32 or 34-8000.....	45.60
FD 34-4001.....	48.60

DISKETTES STORAGE

5 1/4" PLASTIC LIBRARY CASE.....	2.50
8" PLASTIC LIBRARY CASE.....	3.50
PLASTIC STORAGE BINDER W/ INSERTS.....	9.95
PROTECTOR 5 1/4".....	21.95
PROTECTOR 8".....	24.95

HAYES SMART MODEM (1200 BAUD).....	540.00
LEXICON LEX-11.....	109.00

SUPPLIES

AVERY TABULABLES

1,000 3 1/2 x 15/16.....	8.49
3,000 3 1/2 x 15/16.....	14.95
5,000 3 1/2 x 15/16.....	19.95

FAN FOLD PAPER (Prices F.O.B. S.P.)

9 1/2 x 11 18lb WHITE 3,000 ct.....	29.00
14 7/8 x 11 18lb WHITE 3,000 ct.....	39.00

SPECIALS

SPECIAL NO.1

TRS-80 DISK AND OTHER MYSTERIES, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE.....	44.50
---	-------

SPECIAL NO.3

NEWDOS/80 2.0, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE.....	149.00
---	--------

SPECIAL NO.4

MICROSOFT BASIC COMPILER, BOX OF VERBATIM DISKS, PLASTIC LIBRARY CASE.....	179.00
--	--------

SPECIAL NO.5

MICROSOFT BASIC DECODED AND OTHER	
-----------------------------------	--

Alpha Byte
COMPUTER PRODUCTS

To order or for information call
(213) 706-0333
Modem order line: (213) 883-8976


We guarantee everything we sell for 30 days — no returns after 30 days. Defective software will be replaced free, but all other software returns are subject to 15% restocking fee and must be accompanied by RMA slip. No returns on game software, unless defective.

We accept VISA and MasterCard on all orders; COD orders, up to \$300.

Shipping charges: \$3 for all prepaid orders, actual shipping charges for non-prepays; \$3 for COD orders under 25lbs. (\$6 for over) plus a \$4 surcharge; add 15% for foreign, FPO and APO orders. Calif. add 6% sales tax, L.A. County add 6 1/2%.


Prices quoted are for stock on hand and are subject to change without notice.

31245 LA BAYA DRIVE, WESTLAKE VILLAGE, CALIFORNIA 91362




SCARFMAN

This incredibly popular game craze now runs on your TRS-80! It's eat or be eaten. You run Scarfman around the maze, gobbling up everything in your path. Try to eat it all before nasty monsters devour you. Excellent high speed machine language action game from the Cornsoft Group. With sound. Price: A




ARMORED PATROL

A realistic tank battle simulation. Your view is a 3--D perspective of an alien landscape. Maneuver your T-36 tank to locate and destroy enemy tanks and robots that lay hidden, ready to assault you. Clever graphics create the illusion of movement and dimension. From Adventure International. With sound. Price: B




REAR GUARD

Deadly waves of enemy Cyborg craft attack your fleet from the rear. You are the Mothership's sole defender. You have unlimited firepower but the Cyborgs are swift, nimble attackers. Your abilities are tested hard in this game or lightening fast action and lively sound from Adventure International. Price: B




STRIKE FORCE

As the primary defender of a world of cities under deadly alien attack, your weaponry is the latest: rapid fire missiles, long range radar, and incendiary "star shells." Your force field can absorb only a limited number of impacts. A complex game of strategy, skill and reflexes from Melbourne House. Price: A




BOUNCEOIDS

Huge boulders careen off the walls. You're in the middle, in danger of being flattened. Keep your wits about you as you blast these "bounceoids" from the screen. Large ones break into many small ones. Clear a screen, and enter a fast-paced challenge stage with a chance for big bonus points. From the Cornsoft Group. Price: A




CATERPILLAR

An arcade favorite! Stop these multi-sectioned crawlers before they creep down through the mushrooms. Zap one and it splits into two smaller bugs, each with its own sense of direction. There are moths and tumble bugs too. It all adds up to lots of fun for kids and adults alike. From Soft Sector Marketing. With sound. Price code: A




DEFENSE COMMAND

The invaders are back! Alone, you defend the all important nuclear fuel canisters from the repeated attacks of thieving aliens, repeatedly. An alien passes your guard, snatches a canister and flies straight off. Quick! You have one last chance to blast him from the sky! With sound and voice. Price: A




CRAZY PAINTER

You have to paint the floor white. We give you the paint and brush. Sounds easy? Hah! You'll be confounded by stray dogs, snakes, sloshing buckets of turpentine, even a ravenous "paint eater." A crazy, imaginative new game with ten selectable levels of skill for new or seasoned game players. Lot's of laughs. Price: A




SUPER NOVA

Asteroids float ominously around the screen. You must destroy the asteroids before they destroy you! (Big asteroids break into little ones). Your ship will respond to thrust, rotate, hyperspace and fire. Watch out for that saucer with the laser! As reviewed in May 1981 Byte Magazine. Price: A




METEOR MISSION II

As you look down on your view, astronauts cry out for rescue. You must maneuver through the asteroids and meteors. (Can you get back to the space station?) Fire lasers to destroy the asteroids, but watch out, there could be an alien Flagship lurking. Includes sound effects! Price: A



OUTHOUSE

You are the mighty protector of this small (but important) wooden structure. For reasons unknown, a bizarre gang of miscreants wish to vandalize, loot and otherwise destroy the little "half moon house." Your patrol craft has lasers and smart bombs to deal with this terror. From SSM with sound. Price: A



THE ALPHA JOYSTICK

ONLY \$39.95

© 1982 ALPHA Products

"If you purchase Alpha's Joystick you get the exquisite pleasure of enjoying (action games) to the limit of arcade-style realism."

-80 Microcomputing
80 Reviews, Jan '82

FEEL THE POWER...

- + Features the famous Atari Joystick
- + Works with all Model I or III systems
- + Compatible with any other accessories
- + Saves your keyboard from abuse
- + Experiment in BASIC Use A=INP(0)
- + Complete, ready to plug in and use
- + Model I, plugs into KB or E/I
- + Model III, plugs into 50 pin I/O bus

Price includes Joystick + Alpha Interface + Instructions + Demo Program listing. Please specify Model I or III.

14 DAY MONEY BACK GUARANTEE


Toll Free Order Line
800-221-0916

Orders Only, NY & Info call (212) 296-5916. Hours: 9-5 E.S.T.

TAPE: For Model I + III, 16K Level II
DISK: For Model I + III, 32K, 1 Disk
All games are joystick compatible or may be played using the arrow keys.


GAME PRICES

A: TAPE: \$15.95 • DISK: \$19.95
B: TAPE: \$19.95 • DISK: \$24.95
C: TAPE: \$24.95 • DISK: \$24.95



PANIK

Trapped at an enemy building site, your fate seems certain. Your laser is empty and evil Mzors are closing in. You'll have to climb ladders and think one step ahead of the various monsters. A challenging game for agile minds. From Fantastic Software with voice (Disk has larger vocabulary). Price: B



SEA DRAGON

Your submarine, the U.S.S. Sea Dragon, penetrates a mined enemy channel. Armed with missiles and torpedos, you engage the enemy while navigating unknown waters. Succeed or come to a salty end in this game. 29 screens of horizontally scrolling seascape and sound from Adventure International. Price: B

SAVE

10, 15, 20%

THE BEST FOR LESS

As you can see, all the best games from the top producers are joystick compatible. These games are fun without the joystick but we hope that you are one of the many thousands who enjoy the advantage of real joystick action.


Now you can deduct up to 20% on the price of games; buy any 2 games deduct 10%, buy any 3 games deduct 15%, buy any 4 games deduct 20% from game prices.

TOP TEN

1. SCARFMAN - All time favorite
2. ARMORED PATROL - Super 3D graphics
3. PENETRATOR - Rave reviews
4. STELLAR ESCORT - Fast and Challenging
5. CRAZY PAINTER - Unique game concept
6. PANIK - Remarkable Voices
7. DEFENSE COMMAND - Tough struggle
8. CATERPILLAR - Good rendition
9. ROBOT ATTACK - With voice
10. SEA DRAGON - Amazing "Seascape"


STELLAR ESCORT

The latest super action game from Big Five. As the Federation's top space fighter you've been chosen to escort what is possibly the most important shipment in Federation history. The enemy will send many squadrons of their best fighters to intercept. With sound. Disk version has voices. Price: A





ROBOT ATTACK

Talks without a voice synthesizer, through the cassette port. With just a hand laser in a remote space station, you encounter armed robots. Some march towards you, more wait around corners. Careful, the walls are electrified. Zap as many robots as you dare before escaping to a new section. More robots await you. Price: A




LUNAR LANDER

As a vast panoramic moonscape scrolls by, select one of many landing sights. The more perilous the spot, the more points scored -- if you land safely. You control LEM main engines and side thrusters. One of the best uses of TRS-80 graphics we have ever seen. From Adventure International. With sound. Price: A




GALAXY INVASION

The sound of the klaxon is calling you! Invaders have been spotted warping toward Earth. You shift right and left as you fire your lasers. A few break formation and fly straight at you! You place your finger on the fire button knowing that this shot must connect! With sound effects! Price: A




LASER DEFENSE

In this game of ICBM's, high-energy lasers and particle beams, you control the U.S. strategic defense satellite system. From your viewpoint high above the globe, you intercept Soviet nuclear missiles in flight and attempt to destroy their scattered missile silos. With sound from MED Systems. Price: B



CHICKEN

Will the chicken cross the road? That's up to you. Can you guide these helpless little chicks across the perilous 10 lane super highway to safety? Or will you bumble, littering the blacktop with a storm of chicken feathers? A humorous yet challenging game of nerves from SSM with sound. Price: A



PENETRATOR

Soar swiftly over jagged landscape, swooping high and low to avoid obstacles and enemy missile attacks. With miles of wild terrain and tunnels to penetrate, you're well armed with bombs and multiple forward missile capability. From Melbourne House. Features sound, trainer mode and customizing program. Price: C



ALPHA Products

79-04 Jamaica Ave., Woodhaven, NY 11421

ADD \$2.00 PER ORDER FOR SHIPPING AND HANDLING.
WE ACCEPT VISA, MASTERCARD, CHECKS, M.O.
C.O.D. ADD \$3.00 EXTRA.
NY RESIDENTS ADD SALES TAX.
OVERSEAS, FPO, APO: ADD 10%.
DEALER DISCOUNTS AVAILABLE.



To Copy Or Not To Copy

Whenever I receive my mail-order software and I find it is on a protected disk, I feel like I would if I had just bought a book but was told I could only keep it in a particular bookcase. Utilities are a special pain, since I like to spread them around in handy places on several disks.

A protected disk is only an aggravation until the company producing it turns belly-up and you can no longer buy a backup. Then it is a fraud.

One such product is the particularly sophisticated and excellent Super-Utility Plus from Powersoft Inc. It comes on one of the most locked-up of all locked disks, but its author has the audacity to include an unlocking routine for disks other than his own.


In the event that Powersoft Inc. should go the way of Braniff Airlines, I have devised a copying procedure for this valuable work that I will make available free for a stamped, self-addressed envelope. However, not wishing to rain on Powersoft's parade, I will not do so until they can no longer make available their \$5 copy. In the meantime, to all the persevering among you, rest assured that copying this baby is indeed possible. Just stick with it and in less time than you think you'll have lots of copies, just like I have.

If you've passed up purchasing this product because you too hate the prospect of eventually being stuck with a worn out disk and no way to get another, be concerned no longer.

This letter caused us a lot of consternation. To print or not to print? Those of us with a zest for the fray voted to side with the lunch-bucket computerist and publish, despite negative feedback from anti-piraters. Those of us with more conservative inclinations felt that to publish would be to condone and promote an illegal (and perhaps immoral) act.

So we compromised (some might say, chickened out). We decided to print the letter without the name, and let you readers tell us what we should do. We've also contacted several software manufacturers to get their views.

What do you think? Do you agree with the letter-writer about protected disks? Should the person offer to tell



Please do not submit any letters longer than 300 words for the Input, Aid, and Debug columns. *80 Micro* reserves the right to edit any letters submitted.—Eds.

other people how to break the lock? And should 80 Micro be the forum? Let us know; we'll publish a sampling of responses in a later issue.—Eds.

Profile Update

We are the authors of the Profile II and Profile+ programs, distributed by Radio Shack, which Craig Hilton reviewed in the April issue ("80 Reviews," pp. 48-50). We greatly appreciate his review. However, we noticed a few mistakes that we think may confuse readers.

First, the Profile+ program is not \$220 more than Profile II, just \$120. In fact, readers with Profile II who want the Plus features can buy a Plus enhancement package for \$120; Profile II users can upgrade their systems as their needs become more sophisticated, rather than be forced to buy new software and lose the data (and work) they'd put into their old systems.

Also, Profile+ is simply an enhanced Profile II, not a wholly new and different program. The review implied this by comparing them to each other instead of to other data base management programs.

Second, in the chart starting on page 48, the maximum number of 500-byte records on a four-drive system in Profile II is 1875, not 1800; the corresponding Profile+ number is 3000. There are five, not four, screen formats per file, and seven sort comparison criteria (add EQ and NE) for both programs. On page 50, Profile II has 1-6 line labels, not 6-99; and both systems can be expanded onto hard (fixed) disks. Also, page totals (sub-totals) can be generated in both pro-

grams; however, grand totals are then not generated. Under Speed, Profile+ has an indexing function which speeds up selection during inquire or update operations even more.

We have a few questions. What, for instance, does Mr. Hilton mean by "layered sort capability?" Does he mean sorting by multiple fields? Or does he mean disk-based sorting—doing sorts that are larger than memory? Both functions are available in our new Model II Profile extension program Prosort, available directly from us. (Prosort also allows 16-field selection and report and label-printing indexes.) Also, both Profiles can write to and be read by Basic programs.

We did not write the original Model I or III Profile programs, and neither is compatible with our Profile III+.

We agree that the documentation on Profile+ has been poor, but Radio Shack's new user's manual should solve that problem.

Howard Wolowitz,
President

The small Computer Company
New York, NY

Craig Hilton Replies

Thanks for the clarification. I'm glad to hear a new user manual is on the way. A system with these capabilities deserves broad-based documentation. In preparing the review, I used the first public release of Profile II+ (August), which did not include references to many of the benchmark standards used in the comparison.


A layered sort capability is disk-based sorting on nested multiple fields using standard Boolean comparisons. As this is a very useful option in powerful data base management systems, I am glad to learn you have added the capability in your Prosort enhancement. Although Profile II+ can read and write Basic programs, which is a very significant improvement over Profile II, it still cannot directly access non-Profile data files. However, from what I have seen of the fielding algorithms, there is no reason this feature cannot be added.—Craig Hilton

IRA Error

The Program Listing for Mr. Ryder's "Make a Fortune" letter (80 Input, June/July 1982, p. 17) certainly


NOW MODEL I AND MODEL III!

Now Model III users can take advantage of the ALPHA I/O system too. Our new MOD III/I BUS CONVERTER allows most port based Model I accessories (such as our ANALOG-80, INTERFACER 2 and INTERFACER-80) to connect to the Model III bus. MOD III/I BUS CONVERTER, complete with all connectors, only \$39.95.



PRINTSWITCH

Have 2 printers on line at all times and select printer 1 or 2 by means of a conveniently located switch. End the problem of constantly plugging and unplugging printer cables. PRINTSWITCH is a compact module that plugs onto the parallel printer port of your TRS-80 and provides an edge connector for each of your two printers. It works with any two types of printers: dot matrix, daisy wheel, plotters, TRS-80 converted electrics, etc. Assembled, tested, ready to use with connector and instructions. For Model I or III (please specify). ONLY...\$59.00




SUPERIOR QUALITY REPLACEMENT & EXTENSION CABLES

Highest quality cable and high force, gold plated contacts ensure the utmost in connection reliability.

- 1 KEYBOARD TO EXPANSION INTERFACE \$21.
- 2 DISK DRIVE CABLE FOR 1 OR 2 DRIVES \$32.
- 3 DISK DRIVE CABLE FOR 3 OR 4 DRIVES \$45.
- 4 DISK DRIVE CABLE EXTENDER \$22.
- 5 PRINTER CABLE EXTENDER \$24.
- 6 40 PIN BUS EXTENDER — 2 ft. ... \$22 4 ft. ... \$24.

Custom cable configurations are also available. Call us.



YOU ASKED FOR IT: "EXPANDABUS" X1, X2, X3 AND X4.


CONNECT ALL YOUR TRS-80 DEVICES SIMULTANEOUSLY on the 40 pin TRS-80 bus. Any device that normally plugs into the keyboard edge connector will also plug into the "EXPANDABUS". The "X4" is shown with protective covers (included). The TRS-80 keyboard contains the bus drivers (74LS367) for up to 20 devices, more than you will ever need. Using the E/I, it plugs either between KB and E/I or in the Screen Printer port. Professional quality, gold plated contacts. Computer grade 40 conductor ribbon cable. X2...\$29. X3...\$44. X4...\$59. X5...\$74. Custom configurations are also available. call us.



ANALOG-80: A WORLD OF NEW APPLICATIONS POSSIBLE.

8 DIGITAL MULTIMETERS PLUGGED INTO YOUR TRS-80!!! Measure Temperature, Voltage, Current, Light, Pressure, etc. Very easy to use: for example, let's read input channel #4: 10 OUT 0.4. Selects input #4 and also starts the conversion 20 A=INP(0) "Puts the result in variable "A" Voila! Specifications: Input range: 0-5V, to 0-500V. Each channel can be set to a different scale.

Resolution: 20mV (on 5V range). Accuracy: 8 bits (.5%). Port Address: jumper selectable. Plugs into keyboard bus or E/I (screen printer port). Assembled and tested 90 day warranty. Complete with power supply, connector, manual \$139.



TIMEDATE 80: REAL-TIME CLOCK/CALENDAR MODULE

Keeps quartz accurate time for 3 years on 2 replaceable AAA batteries (not included). Gives MO/DATE/YR, DAY OF WEEK, HR:MIN:SEC and AM/PM. Features INTELLIGENT CALENDAR and even provides for Leap Year. This compact module simply plugs into rear of Keyboard or side of Expansion Interface (may be slipped inside E/I). Includes cassette software for setting clock and patching to any DOS (including NEWDOS 80, 2.0). Optional "Y" connector allows for further expansion. For Model I. Fully assembled and tested. Complete with instructions and cassette. ONLY \$95.00 "Y" option, add \$12.00.

GREEN SCREEN WARNING

IBM and all the "biggies" are using green screen monitors. Its advantages are now widely advertised. We feel that every TRS-80 user should enjoy the benefits it provides. But **WARNING:** all Green Screens are not created equal. Here is what we found:

- Several are just a flat piece of standard colored Lucite. The green tint was not made for this purpose and is judged by many to be too dark. Increasing the brightness control will result in a fuzzy display.
- Some are simply a piece of thin plastic film taped onto a cardboard frame. The color is satisfactory but the wobbly film gives it a poor appearance.
- One "optical filter" is in fact plain acrylic sheeting.
- False claim: A few pretend to "reduce glare". In fact, their flat and shiny surfaces (both film and Lucite type) ADD their own reflections to the screen.
- A few laughs: One ad claims to "reduce screen contrast". Sorry gentleman but it's just the opposite. One of the Green Screen's major benefits is to increase the contrast between the text and the background.
- Drawbacks: Most are using adhesive strips to fasten their screen to the monitor. This method makes it awkward to remove for necessary periodical cleaning. All (except ours) are flat. Light pens will not work reliably because of the big gap between the screen and the tube.

Many companies have been manufacturing video filters for years. We are not the first (some think they are), but we have done our homework and we think we manufacture the best Green Screen. Here is why:

- It fits right onto the picture tube like a skin because it is the only **CURVED** screen **MOLDED** exactly to the picture tube curvature. It is Cut precisely to cover the exposed area of the picture tube. The fit is such that the static electricity is sufficient to keep it in place! We also include some invisible reusable tape for a more secure fastening.
- The filter material that we use is just right, not too dark nor too light. The result is a really eye pleasing display.

We are so sure that you will never take your Green screen off that we offer an unconditional money-back guaranty: try our Green Screen for 14 days. If for any reason you are not delighted with it, return it for a prompt refund.

A last word: We think that companies, like ours, who are selling mainly by mail should list their street address have a phone number (for questions and orders) accept CODs, not every one likes to send checks to a PO box offer the convenience of charging their purchase to major credit cards. How come we are the only green screen people doing it? Order your **ALPHA GREEN SCREEN** today...\$12.50




DISK DRIVE EXTENDER CABLE, FREE YOUR MINI-DRIVES.

End the daisy-chain mess once and for all. Fits all mini-drives: Percom, Aerocomp, Shugart, Micropolis, MTI, Vista, Pertec, Siemens, BASF. Easy to install: just remove the drive cover, plug in the EXTENDER CABLE and replace the cover.

Now you can change and move your drives without disassembly. Keep the cover on and the dust out. High reliability gold plated contacts, computer grade 34 conductor cable. Tested and guaranteed.

Get one for each drive ONLY \$8.95



INTERFACER-80: the most powerful Sense/Control module.

- 8 industrial grade relays: single pole double throw isolated contacts: 2 Amp @ 125 Volts. TTL latched outputs are also accessible to drive external solid state relays.
- 8 convenient LEDs constantly display the relay states.
- Simple "OUT" commands (in basic) control the 8 relays.
- 8 optically-isolated inputs for easy direct interfacing to external switches, photocells, keypads, sensors, etc. Simple "INP" commands read the status of the 8 inputs. Selectable port address. Clean, compact enclosed design. Assembled, tested, 90 days warranty. Price includes power supply, cable, connector, superb user's manual \$159.

ALPHA Products

79-04 Jamaca Ave., Woodhaven, N.Y. 11421

Info and order: (212) 296-5916

ADD \$2.50 PER ORDER FOR SHIPPING AND HANDLING
ALL ORDERS SHIPPED FIRST CLASS MAIL.
WE ACCEPT VISA, MASTER CHARGE, CHECKS, M.O.
COD: ADD \$2.00 EXTRA.
QUANTITY DISCOUNTS AVAILABLE.
N.Y. RESIDENTS ADD SALES TAX.



Error Trap

The Series 2000 UPS (from Exide Electronics), a small uninterruptible power supply system, which we listed in our August 1982 New Products section is *not* intended for home use or with personal microcomputers. It is intended for use with minicomputer systems.—Eds.

The Readers' Choice Awards in our August issue lists several programs for the Color Computer by MPP Graphics. This company is actually Superior Graphic Software, who publish a program called MPP Graphics (Motion Picture Programming). We apologize for any confusion this may have caused any of our readers.—Eds.

```
10 CLS:FOR I=0 TO 127:SET(I,1):NEXT I
20 PRINT@10,"IRA/SAVINGS/INVESTMENT ACCOUNT CALCULATOR ":PRINT:P
RINT:PRINT
30 'FOR MOD III ONLY
40 CLS:L=0:INPUT "MONTHLY INVESTMENT $":A
50 INPUT "ANNUAL INTEREST RATE PERCENTAGE":B
60 INPUT "NUMBER OF YEARS TO BE CALCULATED":C
75 G=C*12:H=((1+(B/100))[(1/12)]-1:L=A*(1+H)*((((1+H)[C]-1)/H)
90 PRINT"YOUR ACCOUNT BALANCE WILL BE $":L:PRINT
100 P=A*G:K=L-P:PRINT"YOUR TOTAL INVESTMENT WAS $":P
110 PRINT"INTEREST YOU EARNED WAS $":K:PRINT:PRINT
120 INPUT"HIT 'ENTER' FOR ANOTHER CALCULATION":A$
130 IFA$=""THENGOTO40ELSECLS:END
```

Program Listing 1a

```
10 CLS:FOR I=0 TO 127:SET(I,1):NEXT I
20 PRINT@10,"IRA/SAVINGS/INVESTMENT ACCOUNT CALCULATOR ":PRINT:P
RINT:PRINT
30 'FOR MOD III ONLY
40 CLS:L=0:INPUT "ANNUAL LUMP SUM DEPOSIT $":E
50 INPUT "ANNUAL INTEREST RATE PERCENTAGE":B
60 INPUT "NUMBER OF YEARS TO BE CALCULATED":C
70 F=B/100+1:FOR X=1 TO C
80 L=(E*F+(L*F)):NEXT X:PRINT
90 PRINT"YOUR ACCOUNT BALANCE WILL BE $":L:PRINT
100 P=E*C:K=L-P:PRINT"YOUR TOTAL INVESTMENT WAS $":P
110 PRINT"INTEREST YOU EARNED WAS $":K:PRINT:PRINT
120 INPUT"HIT 'ENTER' FOR ANOTHER CALCULATION":A$
130 IFA$=""THENGOTO40ELSECLS:END
```

Program Listing 1b

```
0 'THE ANNUAL INTEREST RATE HAS HISTORICALLY BEEN ABOUT 3% GREAT
ER THAN THE INFLATION RATE
1 'THIS PROGRAM SHOWS THE EFFECT OF INFLATION ON SAVINGS
2 'USE THE TYPICAL ANNUAL SALARY AS AN INDICATOR OF THE VALUE OF
YOUR SAVINGS
3 'THIS IS IN RESPONSE TO HOWARD D. RYDER JR.'S LETTER IN THE JU
NE/JULY ISSUE OF 80 MICRO
4 'ANDREW SHORTER
5 '2578 SYLVAN RD.
6 'CUYAHOGA FALLS, OH 44221
10 CLS:D$="SS###,###,###,##":PRINT@5,"IRA CALCULATOR":PRINT
40 BB=0:INPUT"MONTHLY INVESTMENT $":M
50 INPUT"ANNUAL INFLATION RATE (%):":R
55 INPUT"TYPICAL ANNUAL INCOME $":AI
60 INPUT"NUMBER OF YEARS TO BE CALCULATED":NY
70 A=M*12:PRINT"ASSUMED INTEREST RATE =":R+3:F=(R+3)/100+1:FOR Y=
1 TO NY
80 BB=A*F+BB*F:AI=AI*(1+R/100):NEXT Y:PRINT
90 PRINT"YOUR BANK BALANCE WILL BE":PRINT USING D$;BB
100 T=A*NY:I=BB-T:PRINT"YOUR TOTAL INVESTMENT WAS":PRINT USING D$;
T
110 PRINT"INTEREST EARNED WAS":PRINT USING D$;I
120 PRINT"TYPICAL ANNUAL INCOME AT END OF 'NY' YEARS IS":PRINT U
SING D$;AI:PRINT:INPUT"HIT ENTER FOR ANOTHER CALCULATION":A$
130 CLS:RUN
```

Program Listing 2

will make a fortune. Unfortunately, the banks won't pay what it calculates.

The calculation method is in error and as a result the program overstates the value of IRA.

Mr. Ryder's program shows a \$100 per month, 15 percent, 20 year IRA to be worth \$141,372.14. The actual value is somewhat less, \$132,707.34. People selling IRAs must, by law, be as accurate as possible.

Make the changes shown in Program Listing 1a; these changes cause the program to be accurate only for the following case: Investments where monthly deposits are made to an account that pays interest compounded annually and credited at least monthly. (Beginning of period payment is assumed.)

Some additional revisions of the input format and the formula make this program applicable to all IRAs.

G. Peter Czok
Dept. 'G' Software, Inc.
212 S. Oak St.
Owatonna, MN 55060

Ryder Replies

I received Mr. Czok's letter concerning the inaccuracy in my "Make a Fortune" program; and to him I say "I stand corrected."

My original program assumed that all monthly inputs would have the same interest. That's wrong; only deposits that have been invested one year will receive the annual interest percentage.

See Program Listing 1b for the corrections.

Howard D. Ryder, Jr.
6241 51st Terrace North
St. Petersburg, FL 33709

Infinite Inflation

I've written a program for the Color Computer that shows the effect of inflation on the value of your savings by also calculating a typical annual salary as the years go by (see Program Listing 2). This program is based on and prompted by Howard D. Ryder, Jr.'s program in the June/July 1982 80 Input column, page 17.

Andrew Shorter
2578 Sylvan Road
Cuyahoga Falls, OH 44221

HAPPINESS IS...NEWSCRIPT™

THE WORD PROCESSOR FOR BUSINESSMEN AND PROFESSIONALS

We offer you ongoing support by answering your questions and providing reasonably priced enhancements.

A FEW OF NEWSSCRIPT'S STANDARD FEATURES:

- *Form Letters with merging of names and addresses
- *Gives superb appearance to your final documents
- *Comprehensive manual with hundreds of examples
- *Centering, top/bottom titles, indents, pagination
- *Underlining, boldface, double-width, italics†
- *Sub-scripts, super-scripts, proportional pitch†
- *Generates Table of Contents, sorted Index
- *Allows block graphics, special symbols†
- *Search and replace globally or within a range
- *Block move, copy, delete, insert from other file
- *AUTOSAVE, WHOOPS, DIRECTORY, KILL, REPEAT
- *Based on IBM's "EDGAR" and "SCRIPT" systems
- *Supplied ready-to-run on "tiny" DOSPLUS
- *Easily transferred to NEWDOS, NEWDOS/80, LDOS, TRSDOS
- *Includes handy Quick Reference Card

NEWSSCRIPT CONTROLS THESE PRINTERS:

- *EPSON MX-80, MX-100: all 12 fonts, plus underlining and block graphics; italics with GRAFTRAX
- *Centronics 737, 739; Radio Shack L.P. IV, L.P. VIII, Prowriter, Daisy Wheel II, NEC PC-8023A, TEC 8500R, C.I.TOH 8510: Right-justified true proportional printing
- *Good support for: Diablo, Spinwriter, Starwriter, QUME, Microline, Anadex, modified Selectric, standard line printers

NOW AVAILABLE: right-justified true proportional support for Diablo, Spinwriter, Starwriter, and Qume (DaisyWheel Option)**

TYPICAL USER AND REVIEWER COMMENTS:

"There is a new word processor on the market that will change the way people think about the capabilities of the TRS-80. Imagine a powerful mainframe text editor running on a TRS-80, with virtual compatibility between the two versions...on-going support second to none, with superb documentation." (Jim Klapproth, 80-U.S. JOURNAL February, 1982)

the manual:

"It definitely rates the first '10' given to any documentation reviewed in this column." (A.A. Wicks, COMPUTRONICS, October, 1981)

the software: "An excellent Word Processor" (D.H.); "Absolutely fantastic" (S.E.S.); "You have features that I cannot duplicate on my \$14,000 system" (J.B.)

the support: "Your phone information system and the prompt and courteous staff that you provide to help your clients...are worth the cost of the system." (V.H.H.)

REQUIRED CONFIGURATION: 48K TRS-80 with one disk drive. Specify Model I or Model III.

† Some features work only if your printer has the mechanical capability.

** DaisyWheel proportional is extra-cost option.


TO ORDER, CALL NOW, TOLL-FREE:

(800) 824-7888, Operator 422
 CALIF: (800) 852-7777, Oper. 422
 ALASKA/HAWAII: (800) 824-7919
 FOR TECHNICAL INFORMATION CALL:
 (213) 764-3131, or write to us.

Order from your Software dealer, or from:

PROSOFT™

DEPT. C, BOX 560 • NO. HOLLYWOOD, CA 91603



NEWSSCRIPT 7.0:	\$124.95
MAILING LABELS OPTION:	29.95
Special: NEWSSCRIPT + LABELS:	139.95
Daisywheel Proportional Option:	49.95
"PENCIL"/"SCRIPSIT" File Convertor:	14.95
Manual Only (180 pages):	30.00
Reference Card Only:	2.50
Electric Webster + Correction Feature:	149.50
Graphics Editor and Programmer 2.1:	49.95
GEAP & Dotwriter (Hi-Res. letters) 1.5:	99.95
DOSPLUS 3.4:	149.95

TERMS: We accept VISA, Mastercard, checks, Money Orders, C.O.D. and even cash. We pay shipping via surface UPS inside U.S.A. Please add \$3.00 for Blue Label, 6% tax in California, and 15% outside North America (air shipment).

A Timely Directory

I welcomed with interest the article "Lost and Found" (80 Micro, June/July 1982) by Robert Athanasiou on a disk directory for the Model III. I've added two lines to the program to make it more useful.

```
3215 LPRINT "DIRECTORY PRINTED ";
LEFT$(TIME$,8):LPRINT
```

```
3425 LPRINT ":DIRECTORY PRINTED ";
LEFT$(TIME$,8):LPRINT
```

In this manner each printout is automatically dated with the current date (if it is put in correctly at the start of the day).

Alan P. Brockway
7146 Inca Way
Denver, CO 80221

Novices Turned Off

I applaud your new column "For the Novice" (80 Micro, June/July 1982). Unfortunately, if the first one is any indication, more novices will be turned off by them than will learn anything useful. Mr. Lemley's merge routine sounds extremely useful and would fill a need which everyone, novice or not, has from time to time.

As printed, however, the program does not work! After typing in the 16K routine, CSAVEing and verifying it, the Run command got only an "?OD ERROR IN 20" message. Counting the data items yielded 115 numbers. Subtracting 32595 from 32712 yields 117. This means the loop needs 118 numbers. Further checking revealed the same figures in the 32K and 48K routines. Changing the loop to read only 115 items allowed me to run the program but attempts to use it via the USR() call bombed out. When I tried to delete the garbage resulting from the unsuccessful USR call, the entire system crashed all the way to "MEM SIZE?".

You owe your readers something better than this. Some of us may be capable of correcting minor errors in a Basic listing, but for a machine-language listing, errors of this magnitude are inexcusable.

Bud Myers
2 Church St.

Box 498
Washburn, ME 04786

Bruised Routine

In reference to Jay Chidsey's article "For the Novice" (80 Micro, June/July 1982, p. 148), I've discovered an error. Line 20 reads: READ Y:POKE X,Y. For a 32K or 48K machine this line should be READ Y:POKE X-65536,Y.

William C. Hardin, Jr.
6613 Summerline Place
Charlotte, NC 28211

Jay Chidsey Replies

Mr. Myers and others who have written me directly are right. Only 115 items appear in the merge program as printed, and there should have been 118. Line 60 as printed occupies two

We have received many letters from readers and advertisers telling us that we forgot to include this program or that program in the Readers' Choice Awards (August 1982), so we have compiled an addendum to fill in some of the blanks.

A final addendum will be published with the results in the January 1983 issue.—Eds.

Program	Company	Machine	Category
ACCT-3	Micro Architect	I/III	Accounting
AR (Accounts Receivable)	Micro Architect	I/III	Accounting
Autofile	Snappware	III	Utility
Automap	Snappware	III	Utility
Billing System	Computer Shack	I/III	Accounting
Boss III	Soft Sector Marketing	III	Utility
CCA Data Management	F/S Associates	II	Business
Checkwriter	Computer Shack	I/III	Accounting
Color Accountant	Programmer's Institute	CC	Accounting
Color Wordclone	IMB	CC	Word Processor
COLORCOM/E	Eigen Systems	CC	Data Communications
Colorzap	Software Options	CC	Utility
COPSYS	Computronics	I/III	Utility
Copy-Tape	Modtec	I/III	Utility
Data Ace	Computer Software Design	II	Word Processor
Data Writer	Software Options	I/III	Data Base Manager
DSM	Racet Computes	I, II, III	Utility
DSMBLR	Misosys	I/III	Utility
Flex	Frank Hogg Laboratory	CC	Utility
Forthwrite	MMSFORTH	I/III	Word Processor
GL (General Ledger)	Micro Architect	I/III	Accounting
IDM	Micro Architect	I/III	Data Base Manager
Inventory Control System	Micro Architect	I/III	Business
Invoice System	Computer Shack	I/III	Accounting
KFS-80	Racet Computes	I, II, III	Utility
Microproof	Cornucopia	I/III	Spelling Checker
Money Manager	Acorn Software	I/III	Business
Payroll	Micro Architect	I/III	Accounting
Personal Finance	Radio Shack	CC	Business
Pilot	Barker Software	I/III	Utility
Postman Mass Mailing	Soft Sector Marketing	I/III	Business
Programmer's Program	Programmer's Institute	CC	Education
Remodel + Proload	Racet Computes	I/III	Utility
RSTERM	Radio Shack	I/III	Data Communications
Small Business Accounting	Howe Software	I/III	Accounting
Smart Terminal Program	Mumford Micro Systems	I/III	Data Communications
Stockchart-1	Micro Investment Software	I/III	Business
Super Directory	Computer Shack	I/III	Utility
Superscript	Acorn Software	I/III	Utility
System Three	Contract Services Associates	I/III	Business
Taxplan	Contract Services Associates	I, II, III	Business
The Stripper	Eigen Systems	CC	Utility
Versa Payroll	Computronics	I, II, III	Accounting
VisiCalc	VisiCorp	I/III	Business

Convert to CP/M and Save.

Unprecedented Sale for Model III Customers. Call for Details.

The Trouble with TRS-DOS.

Although TRS-DOS is an excellent operating system, it has one major disadvantage. When compared with CP/M, TRS-DOS locks you into a limited and possibly dead-end course. When you are ready to upgrade to a new computer, it is likely that none of your present software will run on the new machine. All of the time and money you have invested in TRS-DOS software will be lost.

CP/M for the TRS-80.

Converting to CP/M offers the TRS-80 owner many advantages. The TRS-80 immediately becomes capable of running twice the software of any other computer on the market. Perhaps more importantly, CP/M permits software portability. Unlike TRS-DOS programs, CP/M programs can be directly transferred to your next computer. The savings in time and software costs can be quite significant. CP/M conversion can easily pay for itself with the money saved on one or two software purchases. The sooner you convert to CP/M, the more you stand to save.

CP/M Acquires Unprecedented Support.

Over the past year, a number of powerful competitors have introduced new microcomputers. Most people will instantly recognize the names of Xerox, IBM, Hewlett-Packard, Digital Equipment and Zenith. The Japanese companies, Sony, NEC, Sanyo, Toshiba and Sharp, are equally well-known. Together, these companies have committed over a billion dollars to compete effectively in the micro market. TRS-80 owners should be aware that every one of these companies has chosen CP/M for their standard operating system. Over the next few years, these companies will sell millions of CP/M computers. Considering these facts, it is clear that CP/M is the operating system of the future.

Apple and Commodore Offer CP/M.

In a recent press conference, the Apple Computer Company stated, "The largest installed base CP/M system in the world today is the Apple II with the Z80 card from Microsoft." In a recent full page ad in the Wall Street Journal, Apple announced CP/M for the Apple III. Commodore, refusing to be left behind, has recently announced their "Emulator" series of computers that support CP/M. There are even rumors that the new Tandy 16 will support a version of CP/M.

Plan Ahead.

The Omikron "Mapper" offers the ideal step to upgrading to a newer, more powerful computer. With the "Mapper," your TRS-80 can run both CP/M programs and TRS-DOS. With CP/M, you can build a software library that's fully compatible with the newest CP/M business computers. All of the time and money you spend on selecting, purchasing, and learning CP/M software can be considered an investment in the future. In addition, your old TRS-80 can gain a new lease on life as a fully compatible back-up unit. Consider all these points carefully. The Omikron "Works" package offers the best solution for protecting your investment in the TRS-80. By choosing the "Works," you can purchase a "Mapper" and also receive over \$1,000 worth of top-quality CP/M software. Value, Utility, performance — Omikron offers you more than ever before.

COUGAR ... Omikron's Users Group.

CP/M has always been the standard for business and professional use. This market has always demanded high quality and high performance. The high prices for CP/M programs reflect the additional effort required to develop top-quality software products. To help our customers afford CP/M software, Omikron has formed Cougar, our official users group. Through Cougar, Omikron can purchase software products in large volume. This allows us to offer our customers some of the best CP/M software in the industry at greatly reduced prices.

Omikron Puts It All Together.

Omikron has sold more CP/M conversions than all of our competitors combined. Omikron was the first in the market with a CP/M conversion. Omikron has continued to lead the market for one simple reason — our total commitment to our customers. Only Omikron offers a "Works" type introductory package. Only Omikron has a "Cougar" type users group for long-term savings. Our hardware has always been designed with reliability first. Our software is well designed, complete, and bug free. Our technical hot line assists those with problems. Finally, our exchange policy has enabled our customers to upgrade to our new designs for much less than the cost to new customers. When you buy from Omikron, you buy from a company with a proven record of dedication and success.

OMIKRON

Products that set Precedents

1127 Hearst Street, Berkeley, CA 94702 (415) 845-8013

TRS-80™ Radio Shack/Tandy Corporation

✓50

Wordstar™ Micro Pro

CBASICII, CP/M™ Digital Research

MEM	SIZE	FOR X =	TO	POKE	DATA
16K	32649	32650	32767	138	127
32K	49033	-16502	-16385	138	191
48K	65417	-118	-1	138	255

Table 1

lines of type. The last three entries of the top line are 1, 174, 124. Insert the missing entries, 181, 40, 13 following these. The three entries following the missing ones are 175, 25, 229, on the second printed line of line 60.

James L. Friddle of Van Buren, AR, writes to protest that he is the original author of this program. It appeared in the May 1981 issue of Popular Electronics on pages 82-83 under his name. Thanks and profound apologies to Mr. Friddle. Apologies also to Ziff Davis, publishers of Popular Electronics.

Mr. Friddle has these tips for using the program. When you use the routine on a Model III change the last data item in line 50 from 66 to 67. He adds "Cassette tapes made under Disk Basic will not work unless you first CLOAD them and then CSAVE them again; this allows the TRS-80 to correct the addresses on the tape."

The problems with using the merge routine on 32K or 48K machines can be solved by reference to Table 1. MEM is the amount of RAM (Random Access Memory) in your computer. SIZE is the figure to be entered for MEMORY SIZE. FOR X = is the start number in line 10, and TO is the end number. For a 48K machine line 10 would read FOR X = -118 TO -1.

If you change the POKE addresses in line 80 from 16526 and 16527 to 16780 and 16781 you can use the Disk Basic Merge command, even though you do not have disks, instead of the USR command specified in my column. Just tee up your second, to-be-merged tape, depress the play key on the cassette recorder, and enter MERGE.

Jay Chidsey
205 East Adams St.
Green Springs, OH 44836

In a Loop

I purchased my TRS-80 (4K, Level I) when it had just hit the market. I chose the TRS-80 because I wanted to be able to expand and upgrade it for a future

small business. When I purchased the machine I was promised that any further hardware and software modifications would always be compatible with the Model I and that upgrading would be no problem.

After reading the open letter from Mr. Stein ("Expansion Interface Worries," 80 Input, June/July 1982) and the response from Mr. Juge, you can imagine my fix!

I would appreciate any information from you or readers regarding the pros and cons of expansion of my Model I system without Radio Shack's support. Should I take some microelectronics classes? How can I tell if a used expansion interface is good?

Carnella Gordon
171 Caine Ave.
San Francisco, CA 94112

We'll be looking in detail at hardware modifications for your TRS-80 in a future issue.—Eds.

CC Speaks?

I have heard, and know for a fact, that the Color Computer (with 16K and Extended Basic) has an internal program for voice synthesizing. I have heard this on Radio Shack's Slalom cartridge and I'm sure it uses machine language. How can I access this hidden voice and use it in my programs? Spectral Associates makes Compuvoice, but paying \$45 to access something that's already in the computer is a little steep.

Michael A. Hesser
21101 W. 71st Street
Shawnee, KS 66218

No, Michael, the Color Computer has no on-board voice synthesizer. Extended Color Basic does have sound and music commands, however, which can be used to simulate voice-like sounds. Obviously, this sound capability is built into the CC and can be accessed by machine-language routines in addition to the EC Basic commands.

But to obtain true voice synthesis, you will have to buy some additional hardware. By the way, look for an article on how to simulate voice with the CC in an up-coming issue.—Eds.

Faster Loc-Editor

Since there was an unexpected response to my program Loc-Editor (80 Micro, April 1982, p. 206) I wish to pass along a small fix to enhance execution speed.

Change the DIM in line 31000 to read DIM GJ%, L!, JU%, XP!, YP!, KU%, ZW!, BZ\$, UU\$, BS(145).

If you wish to renumber the program so you can use Loc-Editor with program lines higher than 32767 change the following: ZW to ZW! XP to XP! YP to YP! L to L!

Jon Mark O'Connor
56 Eustis Parkway
Waterville, ME 04901

Lazy Fingers

To use my program "Telephone Dialer" (80 Micro, June/July 1982, p. 161) on the Model III simply change OUT 255,4 to OUT 236,2 and OUT 255,0 to OUT 236,0.

Jim Hickey
P.O. Box 3123
Clearlake, CA 95422

Adding Lines

The article "Lost and Found," a disk directory for the Model III (80 Micro, June/July 1982, p. 294) needs two lines added to the program to achieve the desired results. These lines are 3215 POKE 16427,78 and 3425 POKE 16427,78.

The default value for paper width will result in printing on the roller if 8½-inch paper is in the printer. The columns will not line up under the headings without these additions.


Charles C. Wright
P.O. Box 1151
San Ysidro, CA 92073

Speed-up kit for Mod III

Since you have recently published some other correspondence about a 4MHz speed-up kit sold by Archbold Electronics for the Model I (80 Micro, June/July 1982), I would like to offer a

From Computer Plus to YOU...

PLUS after PLUS after PLUS



Model 16 128K
1 Drive \$4199
2 Drive \$4799




Color Computer 16K \$249
w/16K Ext. Basic \$335
w/32K Ext. Basic \$449



Model III 16K \$799
Model III 48K
2 Disk & RS232 c \$1899



Okidata 82A \$425



Color Computer Disk Drive
Drive 0 \$470 Drive 1 \$315



Smith Corona TPI
Daisy Wheel \$599

BUY DIRECT Here are just a few of our fine offers... call TOLL FREE for full information.

COMPUTERS

Model III 4K LEV I	\$599
MODEL III 16K	799
MODEL III 32K	856.50
*MODEL III 32K	831.50
MODEL III 48K	914
*MODEL III 48K	864
Model III 48K	
2 Disk & RS232 c	1899
Color Computer 16K	249
Color Computer 16K	
w/extended basic	335
Color Computer 32K	
w/extended basic	449
†Color Computer 32K-64K	
w/extended basic	510
Pocket Computer 2	230
Model 16 1DR 128K	4199
Model 16 2DR 128K	4799
DT-1 Data Terminal	599

MODEMS

Lynx Direct Connect MII/MIII	235
Hayes Smart Modem II	235
Telephone Interface II	169
R.S. Modem I D.C.	130
R.S. Modem II D.C.	210

PRINTERS

Daisy Wheel II	1715
DWP-410	1335
Smith Corona TPI Daisy Wheel	599
Epson MX80	599
Epson MX80 FT	549
Epson MX100	735
CGP-115	199
DMP-100	315
DMP-200	599
DMP-400	1029
DMP-500	1569
Microline 80	325
Microline 82A	425
Microline 83A	679
Microline 84 Parallel	1029
P. C. Plotter Printer	199

DISK DRIVES

R.S. Model III 1ST-Drive	679
Tandon 40 Track MI	289
Color Computer Drive 1	315
Color Computer Drive 0	470
Primary Hard Disk MII	3999
Primary Hard Disk MIII	1999

ETC.

CCP-81 recorder	52
C. C Joysticks	22
16K RAM N.E.C. 200 N.S. chips	25
64K Ram Chips	75
Color Computer Flex D.O.S.	99

Brand Name Software •

Send for listing.

R.S. Software 10% off list

*Computer Plus New Equipment,
with NEC RAM installed.
180 Day Computer Plus Warranty.

†Color Computer 64K requires
Disk 0 and Flex D.O.S.

TOLL FREE
1-800-343-8124

computer plus

P.O. Box 926
480 King Street
Littleton, MA 01460
617-486-3193

Write for your
free catalog

*We have the lowest possible
Fully Warranted Prices AND
a full complement of Radio Shack
Software.*

Prices subject to change without notice.
Not responsible for typographical errors.
TRS-80 is a registered trademark of Tandy Corp.



comment about speeding up the Model III. I've made a few inquiries about speed-up kits from various sources and found that some of them do not offer the ability to switch clock speed from the normal (approximately 2MHz) speed supplied by Tandy to the high speed supplied by the modification. Failure to provide this switch-controlled speed option apparently means that the user has to avoid using some of the popular disk operating systems that are not compatible with 4MHz.

J.E.S. Graphics, of Tulsa, OK, offers a 4MHz modification for the Model III that has this switch feature. Their three-position switch offers normal 2MHz operation, high-speed operation at all times, or high-speed operation except for during disk I/O. I have used one of these modifications supplied by J.E.S. Graphics for several months now. It has been very satisfactory, so much so that I would hate to have to go back to 2MHz operation. In fact, now that the warranty has run out on my second Model III, I have ordered a second 4MHz modification from J.E.S. Graphics for my other computer.

Thomas H. Ledford
2322 West Highmeadow Court
Baton Rouge, LA 70816

Cheater

The article "Cheater's Poker" by Richard Davies (80 Micro, December 1981, p. 356) is a very nice program to automatically generate data statements. I've added a small segment for those who don't own disassemblers yet.

Converting decimal memory values to hex code (so that you can do a manual disassembly) is, at best, boring and at worst, prone to error. My addition (Program Listing 3) does this task and sends the output to a line printer.

Lines 12 and 15 select the DATA MAKE segment (the original program) or the hex-equivalent add-on. In lines 20 and 30 I have added the "IF ASC(SS)>70" test to eliminate hex addresses beginning with G-Z. I added line 35. Line 65 selects the program sequence.

Line 240, GOSUB 10000, is where the PEEKed contents are converted to a four-character hex code. In lines 250-280 the two leading zeros are stripped and the resultant two-character code is printed, 20 to a printer line.

Nate Salisbury
608 Madam Moore's Lane
New Bern, NC 28560

Percom Disk Storage

Quality Percom products are available from the following authorized Percom retailers. If a retailer is not listed for your area, call Percom toll free at **1-800-527-1222** for the address of a nearby retailer, or to order directly from Percom.

ARKANSAS		
MICROCOMPUTER SYSTEMS, INC.	Hot Springs	(501) 623-5209
ARIZONA		
SIMUTEK	Tucson	(602) 323-9391
CALIFORNIA		
ALPHA BYTE STORES	Calabasas	(213) 883-8594
BERKELEY MICRO COMPUTERS	Berkeley	(415) 848-7122
COMPUTER INFORMATION EXCHANGE		
	San Luis Rey	(714) 757-4849
HOBBYWORLD	Northridge	(213) 886-9200
RAY'S AND DON'S COMPUTERS	Whittier	(213) 695-3248
DISTRICT OF COLUMBIA		
THE PROGRAM STORE	Washington	(202) 363-9797
FLORIDA		
EN-TRON, INC.	Largo	(813) 586-5012
HAWAII		
COMPUTER CENTER	Honolulu	(808) 488-2171
IDAHO		
OFFICE MAGIC COMPUTERS	Boise	(208) 376-4613
IDAHO MICROCOMPUTER	Buhl	(208) 543-6292
KANSAS		
BESCO ELECTRONICS	Shawnee	(913) 268-7633
SALES DATA	Hutchinson	(800) 835-0071
DATA SERVICES, INC.	Wichita	(316) 838-9021
MASSACHUSETTS		
THE BIT BUCKET	West Newton	(617) 964-3080
MARYLAND		
DAMASCUS C.B.	Damascus	(301) 253-2101
MICHIGAN		
ALTERNATE SOURCE	Lansing	(517) 482-8270
MINNESOTA		
THE CODE ROOM	Eden Prairie	(612) 934-1826
MISSOURI		
LEMBERGER CO.	Vienna	(314) 422-3353
NEBRASKA		
CURTRONICS	Lincoln	(402) 423-7771
NEW HAMPSHIRE		
THINK TANK	Portsmouth	(603) 431-1077
TSE HARDSIDE	Milford	(603) 673-5144
NEW JERSEY		
CHANNEL 1 RADIO SHACK	Medford	(609) 654-7454
DA & D SALES	Bloomfield	(201) 751-8444
NEW YORK		
H & E COMPUTRONICS	Spring Valley	(914) 425-1535
PROGRAMS UNLIMITED	Jericho	(800) 645-6038
STONY CLOVE	New York City	(212) 675-1046
DATASCAN COMPUTER SYSTEMS, INC.		
	Farmingville	(516) 698-6285
NORTH CAROLINA		
HOLLIDAY MFG.	Greensboro	(919) 274-6346
OHIO		
FELDMAN ENTERPRISES	Akron	(216) 724-5583
OKLAHOMA		
ONLINE COMPUTER CENTER	Oklahoma City	(405) 751-2796
OREGON		
PIONEER ELECTRONICS	Sandy	(503) 668-8666
PENNSYLVANIA		
COMPUTER ANALYSTS	New Brighton	(412) 846-9323
TEXAS		
PERCOM COMPUTER CENTER	Richardson	(214) 690-0207
COMPUTER TO GO	Austin	(512) 472-8926
UTAH		
MICRO MNEMONICS	Sunset	(801) 825-9317
VIRGINIA		
BURCO DISTRIBUTORS	Richmond	(804) 222-1481
WASHINGTON		
COMPUTER SERVICES	Kennewick	(509) 582-9759
NORTHWEST COMPUTER SERVICE	Bellvue	(206) 454-4979
WEST VIRGINIA		
BURCO DISTRIBUTORS	Huntington	(304) 453-6387
WISCONSIN		
BYTE SHOP MILWAUKEE	Greenfield	(414) 281-7004
FOREIGN DEALERS		
AUSTRALIA		
DICK SMITH ELECTRONICS	P.O. Box 321 North Ryde	NSW2113
CANADA		
ALPHA ONE	Edmonton	(403) 454-8409
VALERIOE AND ASSOC.	Guelph Ontario	(416) 624-4899
DRV COMPUTERS, LTD.	Surrey B.C.	(604) 576-8535
COTS MICROSYSTEMS, LTD.	Ottawa	(613) 741-7937
MICRO-COMP ENTERPRISES, INC.	Pickering	(416) 839-4561
MICRO MART	Montreal	(514) 731-9486
MEXICO		
COMPUTADORAS Y ASESORAMIENTO	Rio Panvco 14	Mexico 5 D.F.
DOMINICAN REPUBLIC		
RADIO SHACK	Santo Domingo	(809) 565-9121

```

1 REM      Supplement to "Cheater's Poker"
2 REM      80 Micro, December 1981
3 REM
4 REM      Nate Salisbury
5 REM      608 Madam Moore's Lane
6 REM      New Bern, NC 28560
7 REM
12 PRINT "(1) MAKE DATA STATEMENTS FROM MEMORY (2) PRINT HEX EQUIVALENTS"
15 PRINT: INPUT X1: IF X1<>1 AND X1<>2 THEN 12
20 LINEINPUT "START ADDRESS (DECIMAL OR HEX) = ";SS$: IFASC(SS$)>70 THEN 35 ELSE IF RIGHT$(SS$,1) = "H" THEN IN$ = LEFT$(SS$,LEN(SS$)-1): GOSUB 20000: SD=D: SH$=SS$: ELSE D = VAL(SS$): GOSUB 10000: SH$=BS$+"H": SD=D
30 LINEINPUT "END ADDRESS (DECIMAL OR HEX) = ";E$: IF ASC(E$)>70 THEN 35 ELSE E = VAL(E$): IF RIGHT$(E$,1) = "H" THEN IN$ = LEFT$(E$,LEN(E$)-1): GOSUB 20000: ED=D: EH$=E$ ELSE D = VAL(E$): GOSUB 10000: EH$=BS$+"H": ED=D
35 PRINT "ERROR - INVALID ADDRESS(ES)": GOTO 20
65 IF X1=2 THEN 200
200 INPUT "TURN ON PRINTER. HIT ENTER TO CONTINUE.":X$
210 LPRINT "STARTING ADDRESS = " SD "(" SH$ ")" ENDING ADDRESS = " ED "(" EH$ ")" :LPRINT:LPRINT
220 PA=SD
230 FOR C1=1 TO 20
240 D = PEEK(PA): GOSUB 10000
250 LPRINT " " RIGHT$(BS$,2) " " :
260 PA=PA+1: IF PA>ED THEN C1=20: NEXT C1: GOTO 290
270 NEXT C1
280 LPRINT: LPRINT: GOTO 230
290 PRINT "(1) MORE TO DO (2) FINISHED"
300 INPUT X: IF X=1 THEN 12 ELSE IF X<>2 THEN 290
310 END

```

Program Listing 3

TRS-80* COMPUTING EDITION

©1981 Percom Data Co., Inc.

The Percom Peripheral

35 cents

Percom's DOUBLER II[®] tolerates wide variations in media, drives

GARLAND, TEXAS — May 22, 1981 — Harold Mauch, president of Percom Data Company, announced here today that an improved version of the Company's innovative DOUBLER[®] adapter, a double-density plug-in module for TRS-80* Model I computers, is now available.

Reflecting design refinements based on both theoretical analyses and field testing, the DOUBLER II[®], so named, permits even greater tolerance in variations among media and drives than the previous design.

Like the original DOUBLER, the DOUBLER II plugs into the drive controller IC socket of a TRS-80 Model I Expansion Interface and permits a user to run either single- or double-density diskettes on a Model I.


With a DOUBLER II installed, over four times more formatted data — as much as 364 Kbytes — can be stored on one side of a five-inch diskette than can be stored using a standard Tandy Model I drive system.

Moreover, a DOUBLER II equips a Model I with the hardware required to run Model III diskettes.

(Ed. Note: See "OS-80[™]: Bridging the TRS-80* software compatibility gap" elsewhere on this page.)

The critical clock-data separation circuitry of the DOUBLER II is a proprietary design called a ROM-programmed digital phase-lock loop data separator.

According to Mauch, this design is more tolerant of differences from diskette to diskette and drive to drive, and also provides *immunity to performance degradation caused by circuit component aging*.



Percom DOUBLER II[®]

Mauch said "A DOUBLER II will operate just as reliably two years after it is installed as it will two days after installation."

The digital phase-lock loop also *eliminates the need for trimmer adjustments typical of analog phase-lock loop circuits*.

"You plug in a Percom DOUBLER II and then forget it," he said.

The DOUBLER II also features a refined Write Precompensation circuit that more effectively minimizes the phenomena of bit-and peak-shifting, a reliability-impairing characteristic of magnetic data recording.

The DOUBLER II, which is fully software compatible with the previous DOUBLER, is supplied with DBLDOS[™], a TRSDOS*-compatible disk operating system.

The DOUBLER II sells for \$29.95, including the DBLDOS diskette.

Now \$169.95!

The Percom DOUBLER II is available from authorized Percom retailers, or may be ordered direct from the factory. The factory toll-free order number is 1-800-527-1222.

Ed. note: Opening the TRS-80 Expansion Interface may void the Tandy limited 90-day warranty.

All that glitters is not gold

OS-80[™] Bridging the TRS-80* software compatibility gap

Compatibility between TRS-80* Model I diskettes and the new Model III is about as genuine as a gold-plated lead Krugerrand.

True, Model I TRSDOS* diskettes can be *read* on a Model III. But first they must be converted and re-recorded for Model III operation.

And you *cannot write* to a Model I TRSDOS* diskette. Not with a Model III. You cannot add a file. Delete a file. Or in any way modify a Model I TRSDOS diskette with a Model III computer.

Furthermore, your converted TRSDOS diskettes cannot be converted *back* for Model I operation.

TRSDOS is a one-way street. And there's no retreating. A point to consider before switching the company's payroll to your new Model III.

Real software compatibility should allow the *direct, immediate* interchangeability of Model I and Model III diskettes. No read-only limitations, no conversion/re-recording steps and no chance to be left high and dry with Model III diskettes that can't be run on a Model I.

What's the answer? The answer is Percom's OS-80[™] family of TRS-80 disk operating systems.

OS-80 programs allow *direct, immediate* interchangeability of Model I and Model III diskettes.

You can run Model I single-density diskettes on a Model III; install Percom's plug-in DOUBLER[™] adapter in your Model I, and you can run double-density Model III diskettes on a Model I.

There's no conversion, no re-recording.

Slip an OS-80 diskette out of your Model I and insert it directly in a Model III.

And vice-versa.

Just have the correct OS-80 disk operating system — OS-80, OS-80D or OS-80/III — in each computer.

Moreover, with OS-80 systems, you can add, delete, and update files. You can read and write diskettes regardless of the system of origin.

OS-80 is the original Percom TRS-80 DOS for BASIC programmers.

Even OS-80 utilities are written in BASIC.

OS-80 is the Percom system about which a user wrote, in Creative Computing magazine, "... the best \$30.00 you will ever spend."

Requiring only seven Kbytes of memory, OS-80 disk operating systems reside completely in RAM. There's no need to dedicate a drive exclusively for a system diskette.

And, unlike TRSDOS, you *can* work at the track sector level, defining and controlling data formats — in BASIC — to create simple or complex data structures that execute more quickly than TRSDOS files.

The Percom OS-80 DOS supports single-density operation of the Model I computer — price is \$29.95; the OS-80D supports double-density operation of Model I computers equipped with a DOUBLER or DOUBLER II; and, OS-80/III — for the Model III of course — supports both single- and double-density operation. OS-80D and OS-80/III each sell for \$49.95.

Circuit misapplication causes diskette read, format problems. High resolution key to reliable data separation

GARLAND, TEXAS — The Percom SEPARATOR[®] does very well for the Radio Shack TRS-80* Model I computer what the Tandy disk controller does poorly at best: *reliably* separates clock and data signals during disk-read operations.

Unreliable data-clock separation causes format verification failures and repeated read retries.

CRC ERROR—TRACK LOCKED OUT

The problem is most severe on high-number (high-density) inner file tracks.

As reported earlier, the clock-data separation problem was traced by Percom to misapplication of the internal separator of the 1771 drive controller IC used in the Model I.

The Percom Separator substitutes a *high-resolution* digital data separator circuit, one which operates at 16 megahertz, for the low-resolution one-megahertz circuit of the Tandy design.

Separator circuits that operate at lower frequencies — for example, two- or four-

megahertz — were found by Percom to provide only marginally improved performance over the original Tandy circuit.

The Percom solution is a simple adapter that plugs into the drive controller of the Expansion Interface (EI).

Not a kit — some vendors supply an untested separator kit of resistors, ICs and other paraphernalia that may be installed by modifying the computer — the Percom SEPARATOR is a fully assembled, fully tested plug-in module.

Installation involves merely plugging the SEPARATOR into the Model I EI disk controller chip socket, and plugging the controller chip into a socket on the SEPARATOR.

The SEPARATOR, which sells for only \$29.95, may be purchased from authorized Percom retailers or ordered directly from the factory. The factory toll-free order number is 1-800-527-1222.

Ed. note: Opening the TRS-80 Expansion Interface may void the Tandy limited 90-day warranty.

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

PRICES DO NOT INCLUDE HANDLING AND SHIPPING.

PERCOM DATA COMPANY, INC. 11220 Pagemill Road Dallas, Texas 75243 (214) 340-7081

*Trademark of Percom Data Company, Inc. *TRS-80 and TRSDOS are trademarks of Tandy Corporation which has no relationship to Percom Data Company. †Creative Computing Magazine, June, 1980, page 26.

✓ See List of Advertisers on Page 455

80 Micro, November 1982 • 25


Baud Rate Fix

While testing the programmable baud rate modification (80 Micro, May 1982, p. 306) in my recently built LNW system expansion board I discovered a small bug.

For some 74LS151 ICs it may not be necessary to keep the strobe input actively low, but for my 74LS151 it was. The absence of low at the strobe input blocks the multiplexer (and the clock signal to the UART).

The cure is simple; connect a wire between pin 7 (strobe) and pin 8 (ground) of the 74LS151.

W.N. Tijman
Gen. Spoorlaan 21
2111 WS Aerdenhout
The Netherlands



"Building the hardware interface is much easier if you know what the parts are."

are. The missing parts are listed in Table 1.

Some readers were having trouble with noise from the 555 (IC1). The problem can be reduced by connecting a 2.2 μ F tantalum capacitor across the power pins; connect the positive end to pin 8 and the negative end to pin 1. D1 and D2 are drawn backwards in Fig. 1. As shown they short out the power supply (+12). Reverse both of them.

One of the most often asked questions concerns the use of Radio Shack's Modem 1. This modem works with UTERM through the cassette port without using the special hardware adapter. The only restriction is that the XRXC cassette mod (if present) will have to be disabled (see 80 Micro, January 1982, p. 348).

There have to be at least 117 dots in A\$ in line 30 of Program Listing 2. The lines of data starting at line 290 must be entered with the letters in pairs. Do not indent or attempt to make the screen look like the magazine listing. After the REM, type: space letter letter space letter letter space letter letter and so on.

The HHC codes listed in Table 1 of the article are transposed. B should be coded as BD and not as DB, Z should be JE and not EJ. Use these codes if you want to change the sign-on message.

If you need help, feel free to write.

To ensure a speedy reply, include a stamped self-addressed envelope. If you want to save a lot of typing, send a blank disk or cassette and \$3 for the Basic loader and assembler source code. The program is still available on the Medford Forum-80 but you have to register a password before you can use the download feature (two phone calls required).

Bob Hart
2946 Merriman Road
Medford, OR 97501

Compiler Wanted

Is there a Basic/Fortran compiler for Z80 code that will run on an IBM 370 under MBS(DOS) or on VAX?

Richard Kainz
307 NE 5th St.
Gainesville, FL 32601

Tic-tac-beep

As soon as I ran the game featured in the article "You Light Up My Grid" (80 Micro, June/July 1982, p. 331) I realized that it was not accurate. When you enter 5 the middle square is processed twice, once by the vertical processor and once by the horizontal processor, which returns the middle square to its original state. This ruins most strategies I know of used for the game. The correction is simple. Change line 770 to read FOR X=16 TO 48 STEP 32. With this fixed, the Magic Square game is an excellent version of the original Merlin.

Adam Rose
5231 S. Dorchester Ave.
Chicago, IL 60637

Flesh It Out

Thanks to the mail and phone calls I've received, I now have a list of the omissions and errors and comments on "Bare Bones Communicator" (80 Micro, June/July 1982, p. 128).

Building the hardware interface is much easier if you know what the parts

Two Many

I found an error in Program Listing 2 of the "Tee For Six" program (80 Micro, August 1982, p. 164). Line 760 contains two 414s in the data statements. The first 414 should be 412.

Carl Bevington
1857 East Third St.
Salem, OH 44460

PHONFIND Fix

The program PHONFIND from the June/July 1982 issue (page 358) requires initialization before use. Simply run the following one-line program:

```
10 OPEN"O",1,"NUMBER/SEQ.BOB":
CLOSE:END
```

Then use PHONFIND exactly as printed in the magazine.

PHONFIND will run out of string space if you store long names and numbers. The following changes will also allow you to store more names:

```
25 CLEAR5000'For 48K, CLEAR 6384
1000 ?TAB(24)"SELECT FUNCTION"
```

Add line 3015 to prevent a Bad Subscript error in 3020.

```
3015 IFKK=200THEN?
"ArrayFull.":GOTO3040
```

Q1	2N3904 or RS 276-2034 (PNP silicon)
Q2	2N2222 or RS 276-2016 (NPN silicon)
D1, D2	1N914 (general purpose silicon signal diode)
R8	390 ohm 1/4 watt resistor

Table 1. Parts List

—Eds.

NEW!
ESF-III
NOW AVAILABLE!

SIMPLY AMAZING!

NEW LOW PRICE—\$99.50

How else can you describe the *Exatron Stringy Floppy* system? You could say that it's an under \$100, compact, reliable, robust, high-speed, computer-controlled, easy-to-use, well-supported alternative to disk drives, for a Model I or III TRS-80—*simply amazing!*

Amazing Technology

Based on a special endless-loop tape cartridge, called a Wafer, the ESF system was designed specifically for computer data storage. The direct-drive transport mechanism has only one moving part, and data is transferred to and from the tape at a rate of 7200 baud.

Amazing System

Thousands of ESF buyers have been amazed by 16K programs loading in less than 20 seconds; automatic verification of saved programs; up to 70K bytes, and 99 files, on a single Wafer; a ROM operating system (RAM based in Model III); no need for an expansion interface; and 1-year parts and labor warranty.

Amazing Support

With an ESF system you don't just get a piece of hardware, you get total support with hundreds of user workshops; dozens of high-quality, reasonably priced programs (such as Electric Pencil 2.0, Electric Spreadsheet, File Management System and Technical Word Processor); access to hundreds of FREE public-domain programs; an @NEWS user column in 80-US; @LOAD program magazine; and a toll-free information line.

Amaze Yourself

To see for yourself how amazing the ESF system is, or for more detailed information, call us toll-free at **800-538-8559** (inside California **408-737-7111**) and take advantage of our 30-day money-back return policy. Copies of the 80-page manual are available for \$4.95 (which you can credit towards an ESF), and while you're on the line ask about our equally amazing 64K RAM/ROM board for the Model I.



excellence in electronics

exatron

93

181 Commercial Street,
Sunnyvale, CA 94086

TRS-80 is a trademark of Tandy Corporation.
Stringy Floppy is a trademark of Exatron Corporation.

For Sale

I am writing in response to a plea for information regarding a card reader for a Model III ("80 Aid," March 1982). I don't know of any companies that produce such a product but I have built one on my own. I have also designed a 512K byte interface for the TRS-80 Model I. I also have developed a modification for the Model I that increases cassette I/O up to 5000 baud.

At the moment I am looking for a company that will produce these products at a low cost. Since I am only 15 and spend most of my time with my 512K Model I TRS-80 with one Winchester hard disk and five drives, I would never be able to hold a job that wasn't computer oriented. I will sell plans to all of the aforementioned items plus an operating system that I wrote last year and a speed-up modification that gets the Model I going at about 4.65 MHz. I am now working on a plotter-printer which uses a simple language to operate it.

If anyone is interested in any of my products, feel free to write me.

*Paul Posner
17 Durham Drive
Dix Hills, NY 11746*


Unwanted Spaces

I have a request for aid concerning TWOHAF: renumbering works well, but it adds one, two, or three spaces after each transfer statement (GOSUB, GOTO, and so on); it even adds them when the transfer is at the end of a line. How can I stop the renumbering from adding the spaces?

*Jack Baker
Rt. 1, Box 19-H
Morningview, KY 41063*

Missing Listing

It looks like the cutting room bugs are at work again! In "Tee For Six"



(August 1982, p. 156, Program Listing 5) the end of line 300 got hacked off. See Listing 1 for the rest of the listing.

*Joseph Cook
6618 Airline Ave.
Urbandale, IA 50322*

Paper Tiger Hunt

I would like information on interfacing a Model I to an IDS-125 printer (the Paper Tiger people). *Microcomputing* ran an article on interfacing an IDS-440, but the IDS-125 is slightly different. I would appreciate any help.

*Charles M. Greenawald
24 Bay View-Paradise Bay
Bradenton, FL 33507*

Replacement Parts Needed

I own a Base-2 Model 800 dot matrix printer. The belt that drives the print head's roller cam is worn and is in need of replacement. Unfortunately, Base-2 is no longer in business. Where can I find replacement parts for my printer?

*Bryan Headley
5808 Melstone Drive
Arlington, TX 76016*

10, 9, 8...

One of my hobbies is model rocketry. I'm having trouble devising a program for the Pocket Computer that finds the center of pressure and center of gravity in my rockets. Can anyone help?

*Rudy Arispe
139 Idell Ave.
San Antonio, TX 78223*

MX-80 Aid

MX-80 users have probably found that the form feed button doesn't advance the paper to where they want it. The solution is to use the line feed button to step paper to the stopping point wanted; turn the printer off, then on again. Presto! Form feed where you want it.

If anyone knows how to program the MX-80 to line-feed increments of 1/72", I would appreciate knowing how it's done.

*John Wilson
3 Kelldon Drive
Felton, CA 95018*

TRS-80 Interface Wanted

I am interested in a software/hardware modification and interface package which will make the TRS-80 Models I and III simulate an IBM 3278 CRT in a SNA and SDLC environment using dial-up facilities.

If anyone has such a modification or anticipates developing one, please contact me.

*Carl Hess
1105 Hamilton St.
Allentown, PA 18101*

Powerful Printing

I am responding to Al Peponis' letter "Automatic Troubles" ("80 Aid," June/July 1982, p. 23). The solution to his problem is to enter SX in the subsystem of Electric Pencil. This eliminates the extra line feed.

I've used the technique suggested by John Parker ("Print Whiz," 80 *Micro*, February 1982) with my Model I and MX-100 to send printer control codes to the printer while in Electric Pencil. It really works great for condensed or expanded print insertions, double strike, and so on.


I created a module describing the control functions, then zapped the hex values to the disk file using Disk Editor by Instant Software. I load this module first, then transfer the codes down to my text as I need them. Right justification and line length have to be forced by carriage returns because the program assumes normal word length. It gives more class and emphasis to a letter.

*R.G. Brooks
9701 Meadowview Road
Richmond, VA 23229*

```
300 FORI=58TO68STEP2:SET(I,13):NEXTI:A=34:FORI=34TO58STEP4:SET(I,A):SET(I+34,62-A):A=A-1:NEXTI:A=25:FORI=70TO78STEP4:SET(I,A):SET(I-21,48-A):A=A-1:NEXTI:A=20:FORI=90TO106STEP4:SET(I,A):SET(I-7,36-A):A=A-1:NEXTI
```

Program Listing 1

Words are not enough.



Experience goes beyond words. We believe adventures should too. The Asylum Series is Med Systems' premiere line of 3-D graphics adventures for the TRS-80 and IBM personal computers. What is an Asylum? An Asylum is a real-time simulation that takes place in a building with 1500 locations. Both are inhabited by crazed inmates, sadistic guards, and evil doctors. Your goal? ESCAPE!

Our 3-D graphics are recognized throughout the industry for their machine-language speed and clarity. Hallways recede into the screen as though you are actually there. Doors open and close. Beds, desks, and other inmates are drawn on the screen. Instantaneously!

Asylums understand **complete sentences**, not just choppy one and two word commands. Sentences like "Drop everything on the desk except the matches" are interpreted and acted on **instantly**. Further, the command "VOCABULARY" will show you the entire dictionary, eliminating the need to second-guess program designers you have never met.

But don't take our word for it. See the reviews in '80 *Microcomputing* (Feb. 1981, Aug. 1981, May 1982). And remember, Med Systems offers to refund your money if you aren't satisfied. Just return the game within 14 days of receipt.

Although Asylum II is the sequel to Asylum I, you need not have played one to play the other. Asylum I and Asylum II require at least 16K of RAM, and are available on tape or disk (please specify). Hint sheets are available for each Asylum for \$1.00.

Asylum I	
(cassette or diskette) . .	\$19.95
Asylum II	
(cassette or diskette) . .	\$19.95
Asylum I & Asylum II	
(one diskette)	\$34.95



MED SYSTEMS SOFTWARE

P.O. BOX 3558 CHAPEL HILL, NC 27514
TO ORDER, CALL 1-800-334-5470

Or see your dealer.

32 FLAVORS IN LOW COST COMPUTERS



CP/M 64K

The Mod III Plus C/140 system is an exciting new personal and small business computer that is both CPM & TRS-DOS compatible.

- 80 x 24 Display for CP/M
- 64K Bytes RAM Memory
- Microsoft BASIC language in ROM
- Internal Z80 ROM Diagnostic
- Z80 processor, 2MHz
- 4MHz speed up option
- 64 x 16 screen-TRS-DOS-,DOS+
- Cooling system
- Parallel printer interface included
- Anti-glare screen
- Cassette interface
- 2 Internal 40tk Disk Drives
- Compatible with TRS-80® Model III —RS-232 serial interface option.

CPM applications software such as Wordstar, Datastar and Mailmerge launch this computer system into the small business and word processing marketplace. Includes Software & Digital Research CP/M 2.2 & user's manual.

\$2699

Optional CP/M2.2

Mod. III Plus 140 CX

MOD III PLUS 140

Computer consists of 48K bytes memory and a double density, dual disk drive system. The system is fully compatible with the Radio Shack® DOS and peripherals. Get 178,000 bytes of memory storage per disk.

**PRICE TOO
LOW TO PRINT**

MOD III PLUS 240/280

Double or Quadruple your storage capacity to 700 or 1.4 megabytes. These machines have all of the features of the MOD III PLUS 140 and expanded storage. The 240 has double headed 40 track drives, while the MOD III PLUS 280 has double headed 80 track drives.

PRICES FROM \$1999

MOD III PLUS B/140

Especially designed for Business applications. Same as Model 140 and includes anti-glare screen, speed-up enhancement, RS-232 interface cooling unit and more. Also includes FREE business software package.

WORD PROCESSING

We are also offering a discount certificate entitling the purchaser to NEW SCRIPT by Pro Soft

FREE SOFTWARE ACCOUNTING PACKAGE

- | | | |
|-----------------------|--|----------------------|
| • ACCOUNTS RECEIVABLE | • INVENTORY/SALES | • GAMES |
| • ACCOUNTS PAYABLE | • ANALYSIS | • EDUCATION SOFTWARE |
| • GENERAL LEDGER | • PAYROLL | • DOS PLUS 3.3 |
| | • INCLUDING AUDIO SELF-LEARNING CASSETTE | |

WINCHESTER HARD DISK

Our desk top business computer system, with approximately 5.7 megabytes of on line storage. The system includes a 5 megabyte Winchester hard disk drive for ultra-fast business requirements. An 80 track dual head disk drive is used for backup and for conventional floppy disk operation.

\$4999

32 FLAVORS IN ADD-ONS AND KITS

MTI DOES IT. Our CP/M 64K turns your TRS-80 Model III into two computer systems, with memory upgrade to 64K and an 80" x 24" column video card, you will convert your computer to a CP/M base machine.

LIKE THE BIG BOYS. That means you can access the single largest body of microcomputer software used by companies like Xerox, Osborne, Eagle, Apple, Cromenco etc. What is better, is that you can switch back forth between TRS-DOS and CP/M modes, and our own Z-80 diagnostic monitor.

SIMPLE INSTALLATION. The CP/M 64K system plugs directly into the TRS-80 CPU board. You are ready to go!

HUNDREDS OF APPLICATIONS. You have available literally hundreds of programs written for many mini and micro computers under CP/M operating system.

CP/M-64K




CP/M 2.2

\$119

\$579

INTERNAL DISK DRIVE KITS


INCLUDES
DOS PLUS
OPERATING
SYSTEM
\$100 VALUE



\$499


A new low cost internal disk kit is available to expand your storage capability. With this kit, you may expand your 16K TRS-80® Mod III computer. Includes: 1-MTI 40 track, double density disk drive, power supply, controller, cables and DOS PLUS operating system.

EXTERNAL DISK DRIVES



Add-on disk drives for the Model I and III are available in 40 and 80 track, single and double head configurations. Contact MTI or a local authorized dealer.

ADD-ON WINCHESTERS



Add 5., 7. 5., or 11. megabyte hard disk drive to any Model III. The complete self contained unit includes a Winchester drive, controller, power supply cooling system and cables in an attractive enclosure.

**From
\$1999**


**OVER 100 AUTHORIZED SALES AND
SERVICE CENTERS
CALL 714-979-9923
for the center nearest you**



MICROCOMPUTER TECHNOLOGY INC.
3304 W. MACARTHUR, SANTA ANA, CA 92704
(714) 979-9923 • TWX 910-595-1902 MTISNA

U.S. PRICES F.O.B. SANTA ANA
CALIFORNIA AND MAY VARY BY AREA
CP/M is a registered trademark of Digital Research Inc.
TRS-80® is a registered trademark of Tandy Corp.
M.T.I. is a registered trademark of Microcomputer Technology, INC.

They came from beyond Missoula



So there we were, in Winthrop's old Ford Econoline van, with computers on top of computers in the back. We had trouble adjusting the weight load. To even things out, we bought another Model III and four more Color Computers. The dealer was so enthusiastic about our purchases that he threw in two Pocket Computers to boot. We put those in the glove compartment. I think they're still there.

With the van packed, we were on the road. As we traveled from Boston to Montana, we stopped at every software store on the way and bought every game imaginable. We took turns reading documentation and driving. We met lots of people on the way. We were pulled over 27 times by knowing motorists who spotted our bumper sticker, "Honk If You're a Beeper." We were honked at 1,249 times—1,248 for the bumper sticker and once for running a red light. That was in Chamberlain, SD. The kid on the bicycle who honked at us was wearing a cowboy outfit and a sheriff's badge. Not being sure of his range of authority, we kept going and didn't stop until we got to the Radio Shack store in the Rushmore Mall in Rapid City, SD.

We opened the first Gamer's Cafe in Missoula, MT. We picked a storefront location on South Higgins Ave. in the city's downtown section, parked at a meter in front of a sporting goods store, opened the back and side doors of the van, put a few card tables in the parking space behind us, plugged the computers into a diesel generator, and raised our grey and black Gamer's Cafe banner.

KGVO, a local radio station, interviewed us and ran a small piece about the cafe on their noon news. By 12:30 every computer was in use. The people waiting in line for a computer read our pamphlet describing the difference between adventure games, arcade-style games, strategy games, and simulations. By the time a computer was free,

they understood all they needed to know about playing games on our TRS-80s.

We were in business...for a short while.

* * * * *

While they played, Winthrop and I opened the mail:

Help!!!!!! I recently bought Balrog from Adventure International's Maces and Magic series for my Model III. As you probably know, you buy the Model I disk and use TRSDOS's Convert command to use it on the Model III.

The instructions for converting the first disk are good, but all they tell you for converting the second disk is, "Do the same for disk B." This is where the problem starts. There is a data file on disk B that is password protected and the instructions do not include the password needed. Can you help?

Tim McGrath

1617 Washington St.
Newton, MA 02165

Of course we can help. That's why we're here, no matter where "here" happens to be. Winthrop and I know more about TRS-80 games than Carter knows about peanuts.

Winthrop got right on this one, and called his secret connection in AI's technical department. This techie, Shallow Tongue, told Winthrop that you should have no problem converting the two files, Rooms and Situatio, using TRSDOS 1.2 or 1.3 if when the password is asked for you just press enter.

Adventure International has a technical assistance line. If Tongue's advice doesn't help, call (305) 830-8194, AI's technical line and they'll work the problem out with you.

* * * * *

Jim Daniel (no relation to Jack) (Winthrop made me put that in) sent us a patch for using the Alpha Products joystick with Leo Christopherson's (hail King Leo) (Winthrop again) Voy-

age of the Valkyrie. When keyed in this patch will let you use the Alpha joystick to control the arcade part of the game:

```
248 GOSUB10000: CLEAR: AA% = 20000:
GOSUB2000
10000 A = PEEK(16548) + 256*PEEK(16549) +
286: POKEA + 56, 219: POKEA + 57, 0: POKEA
+ 58, 47: POKEA + 60, 16: A = A + 382
10010 FORI = A + 5TOA + 61: READB: POKEI,
B: NEXT: RETURN
10020 DATA219, 0, 47, 230, 15, 14, 20, 254, 1, 202,
37, 64, 12, 254, 9, 202, 37, 64, 12, 254, 8, 202, 37, 64,
12, 254, 10, 202, 37, 64, 12, 254, 2, 202, 37, 64, 12, 254,
6, 202, 37, 64, 12, 254, 4, 202, 37, 64, 12, 254, 5, 202,
37, 64, 14, 15, 201
```

Jim tells us that if your joystick has not been modified, the 16 POKEd in line 10000 should be changed to a 3. And, of course, save the modified program before running it. Thanks Jim. Say hi to Jack.

* * * * *

Winthrop was laughing as he handed me this next letter:

I am struggling through my first adventure, Raaka-tu. It took me three weeks to get into the temple and get out with loot worth 25 points. What infuriates me is that doggone door in the second room. I can't get to it because of the snake pit in the way. The great bronze gates on the west wall are unopenable, too. I've tried everything I can think of. I'm getting desperate. Please help. I'm going crazy... crazy... crazy.

David Rood

Route 9 Box 265
Cumming, GA 30130

Now, Winthrop was laughing because he was once in the same predicament, but worked his way out of it. When we first opened the Gamer's Cafe, we decided not to hand-hold anyone through an adventure. Winthrop's argument was, "No one helped me." True. But there is only one Winthrop,

and sometimes normal people need help getting out of a tight situation.

Your problem is less of a problem than you think. The door and bronze gates are useless to you. Winthrop says you are sniffing up the wrong tree. Yeah, well, Winthrop also says that a penny earned is not much of a profit margin. Some day we might compile a book called *The Not Very Famous Sayings of Winthrop Luzerdraw*. Then again maybe we won't.

By the way, David, how would you like to double your points? After you get out of the temple go back to where you began the game. Then go west four times, and south another four times. Oh—Winthrop says that the dense, dark and damp jungle will get important to you at that point.

* * * * *

I think we're in trouble. The Gamer's Cafe van has attracted quite a crowd in the street and on the sidewalk. The police are talking to Winthrop about vendor's permits, creating a disturbance, and interfering with all sorts of things.

Common sense tells me we don't have much time, so quickly: Shallow Tongue told Winthrop about some new AI games in the works. Last Days of Saigon will be AI's first realistic adventure. It is based on the actual events leading up to the American withdrawal from Vietnam in the 1970s. Last Days of Saigon was written by Jyym Pearson, author of *Escape from Traam*, *Curse of Crowley Manor*, and *Earthquake: San Francisco 1906*.

Starflite fans (and there are many of us): AI will soon do a bit of customizing. Shallow Tongue tells us that the program will remain the same, but the packaging will be dressed up to include all kinds of goodies to make playing the game even more fun.

Also in the planning stages is an interactive story called *Nightwalker*—da dee dum dum. The plot places you at a drug-infested waterfront. Your assignment is to provide the local police with enough evidence to make a successful bust...

And speaking of busts, Winthrop and one of the police officers have struck an agreement. We can either fold our tent and go, or they'll fold our tent and take us. Winthrop wisely opted for the first choice. So it's off again, fellow game players. See you next month from somewhere in America. ■



YOUR TRS-80®...OUR BASIC BOOK, THE PERFECT COUPLE

LEARNING TRS-80 BASIC starts where the Radio Shack® getting started manuals end, fulfilling the needs of elementary and intermediate level users. If you own or have access to a Model I, II/16, or III, our 544 page BASIC book is a necessity.

IT'S SIMPLE

We receive testimonials every day commenting on the simplicity of this book.

- "very well organized... careful step-by-step progression"
—R.G., Oxnard, CA
- "extremely logical progression and excellent explanations"
—J.S., Pacifica, CA
- "easy reading style"—J.B., St. Louis Park, MN

In fact we think it is so simple that....

WE GUARANTEE IT

Try **LEARNING TRS-80 BASIC** free for 15 days and if you don't agree that it is as simple as we and users like yourself are saying, then send back the book in saleable condition and pay nothing.

Call and order today. (800) 854-6505 our 24 hour order hot line
(714) 588-0996 our Calif. (8am-5pm) order line

Please send me **LEARNING TRS-80 BASIC** on a 15 day **FREE** examination. At the end of that time, I will send payment, plus postage and handling, or return the book and owe nothing. On all prepaid orders, Visa or MasterCard charges, publisher pays postage and handling, send **\$19.95** only (Calif. residents add 6%) —same return guarantee. Offer good in USA only. Payment must accompany orders from P.O. Box numbers. Name of individual ordering must be filled in.

NAME _____

ADDRESS _____

CITY/STATE/ZIP _____

☐ CHECK ☐ VISA ☐ MASTERCARD

ENCLOSED ACCOUNT # _____

EXPIRATION DATE _____




COMPUFLOFT®
PUBLISHING

SIGNATURE _____

P.O. Box 19669 Dept. F San Diego, CA 92119

CompuSoft Books are available at your local computer and book stores. Allow 4 to 6 weeks for delivery.

TRS-80 and Radio Shack are registered Trademarks of Tandy Corporation




One of the most powerful features of Level II is the ability to format printing with a Print Using statement. As useful as this statement is, it does not allow left justification of a formatted number. The routine presented here illustrates one way of solving this problem.

The ROM Call 0FBEH formats the binary number loaded in the reserved area of RAM starting at 411DH, or 4121H if it is an integer. The type (length) of the binary number must be stored in 40AFH. Upon exit, the Print Using buffer that starts at 4030H contains the ASCII string. The accumulator contains the format information. The following table is a list of the format bits.

Bit	0	Exponential notation
Bit	1	Reserved
Bit	2	Trailing sign
Bit	3	Sign
Bit	4	Leading \$
Bit	5	Leading *
Bit	6	Commas
Bit	7	Edit

Setting the bits sets the edit option. You can experiment with different combinations by changing the appropriate data elements in your Basic program.



100% NEW

80's 3 in '83!

And to celebrate we're publishing a special
ANNIVERSARY ISSUE,

3-D
GLASSES
IN EVERY
ISSUE

containing

- * all new articles & programs.
- * over 500 pages of the same high 80 MICRO quality.
- * dozens of games and programs for your computer.
- * exclusive articles by well-known authors.
- * the most in-depth coverage of the Color Computer yet.
- * tutorials on having peripherals and software.
- * page after page of Christmas specials from 80's advertisers.
- * a 3-year 80 MICRO index—annotated and cross-referenced.

JUST IN
TIME FOR
CHRISTMAS

And in every issue of 80 MICRO you'll find the 1st and only

3-D COLOR STEREOSCOPIC COMPUTER GAME!

And to go with it—your very own pair of 3-D glasses will be bound into every issue. This is an anniversary issue you won't want to miss!

And this amazingly versatile Anniversary Issue can go anywhere* with you. Fits easily in your briefcase or your purse. Lies flat in your knapsack. Rolls up to fit snugly in your glove compartment. Stores on any bookshelf. Looks great on any coffee table.

You can also get the amazing Special Edition LOAD 80 Companion to the Anniversary Issue. All those games and programs, just waiting for you to load. No more keyboarding. No more debugging. No more hassles.

You'd expect special editions of this quality to cost you hundreds of dollars. (Well, maybe dozens.) But for a limited time only, you can get the 80 MICRO ANNIVERSARY ISSUE for only \$5.95. That's right—\$5.95 And the LOAD 80 Companion is just \$9.95 for cassette, \$19.95 for floppy disk.

Note: This is an extra issue and will not be included as part of your regular subscription. So call today and order your very own Anniversary Issue and LOAD 80 Companion. Or give them as gifts. Just fill in the attached reply cards and drop them in the mail. Or call toll free—1-800-258-5473.

1-800-258-5473

Call today!

Operators are standing by (during business hours, of course).
MasterCard and Visa accepted. (American Express, too.)

Your Anniversary Issue and LOAD-80 Companion will arrive by the end of November.

* Use of this product in the shower is not recommended by the publisher.

BUY
ONE
FOR A
FRIEND!

3-D COLOR
STEREOSCOPIC
COMPUTER
GAME

That's
That number again
That's

SFINKS 3.0 CHESS PROGRAM



PRIZE WINNER
1981 Paris
World
Microcomputer
Chess
Championship

the
finest
available!

See 80 U.S.
June 1982

- 32 book openings
- chess clock
- printer output
- problem mode
- audio alert
- thinking on
opponent's time
- infinite levels

32K
Model 1 (E.I.)
or Model 3
tape or disk
only
\$39.95

SFINKS 1.81 Plays Chess Pre-Chess and Transcendental Chess

PRIZE WINNER
1980 San Jose
U.S.
Microcomputer
Chess
Championship

- nine levels
- problem mode
- move suggestion
- move take back
- audio alert
- good
documentation

32K
Model 1 or 3
tape or disk
only
\$24.95

SFINKS CHESS TUTOR Learn to play chess

Step-by-Step
Programmed
Learning
for the
Newcomer

- tutor
- 3 level game
- problem mode
- audio alert
- printer output
- book openings
- superb graphics

32K
Model 1 or 3
disk only
only
\$19.95

Please specify
tape or disk and
Model 1 or 3
Include \$2.00
Shipping
WILLIAM FINK
SUITE 248
1105 N. MAIN ST.
GAINESVILLE, FL
32601

**EXCEPTIONAL
DEALER
DISCOUNTS**
(904) 377-4847



SOFT BITS

Program Listing 1

```

10 'PRINT USING FORMAT DEMO          BY ROGER FULLER   PUBLIC DOMAIN
20 GOSUB 100                          'LOAD MACHINE CODE
30 DEFUSR1 = VARPTR( A(0) )          'USE POKE FORMAT IF NOT DOS
40 '
50 A = RND(9) * 1000 - 1000 + RND(32767)/100
60 IF USR1(VARPTR(A)) THEN PRINT
70 GOTO 50
80 '
100 DIM A$(12)                        'RESERVES 52 BYTES
110 A = 0 : X = 0 : SUM = 0           'INITIALIZE VARIABLES
120 FOR X = 0 TO 51
121     READ A
122     SUM = SUM + A
123     POKE VARPTR( A(0) ) + X, A
124 NEXT
130 IF SUM <> 4775 THEN PRINT "ERROR" : STOP ELSE RETURN
200 DATA 205, 127, 10, 205, 177, 9, 205, 239, 10, 62
210 DATA 192: 'FORMAT TYPE
211 DATA 1
220 DATA 3 : 'DIGITS AFTER DECIMAL POINT INCLUDING POINT
230 DATA 5 ::d99 PRINT "NUMBER IS TOO LARGE PLEASE REENTER":GOT
O 220
240 CLS:PRINT "THE ANSWER IS ":S=15
250 FORN=1TOLEN(AS)
260 A#=VAL(MID$(AS,N,1))+C#:D#=#A# :A#=#A#/B#
270 IF A#=INT(A#) THEN C#=0:GOTO 300
280 IF A#<1 THEN C#=D#*10:A#=#0:GOTO 300
290 IF A#<>INT(A#) GOSUB 330
300 C$=STR$(A#):PRINT@S,RIGHT$(C$,1):S=S+1
310 NEXT
320 GOTO 370
330 A#=INT(A#)
340 C#=D#-(A#*B#)
350 C#=C#*10
360 RETURN
370 PRINT@S,".":S=S+1:A#=#0
380 A#=#A#+C#:D#=#A#
390 IF S=800 PRINT "THATS THE ANSWER TO 800 DIGITS!":END
400 A#=#A#/B#
410 IF A#=INT(A#) :C$=STR$(A#):PRINT@S,RIGHT$(C$,1):END
420 IF A#<>INT(A#)C$=STR$(INT(A#)):PRINT@S,RIGHT$(C$,1):S=S+1:C#
=D#-(INT(A#)*B# ):C#=#C#*10
430 A#=#0:GOTO 380
440 **** SUBTRACTION 1 DIGIT AT A TIME*****
450 DEFINIT A-Z:DIM A(105),B(105)
460 PRINT "ENTER ANY POSITIVE WHOLE NUMBER UP TO 105 DIGITS LONG
:"
470 INPUT AS
480 IF LEN(AS)>105 PRINT "THE FIRST NUMBER ENTERED IS LONGER THE
N 105 DIGITS PLEASE REENTER":GOTO 460
490 PRINT"ENTER THE SECOND POSITIVE WHOLE NUMBER UP TO 105 DIGIT
S LONG:"
500 INPUT BS
510 IF LEN(B$)>105 PRINT "THE SECOND NUMBER ENTERED IS LONGER TH
AN 105 DIGITS PLEASE REENTER": GOTO 490
520 IF LEN(AS)>LEN(B$) THEN B$=STRING$(LEN(AS)-LEN(B$),"0")+B$
530 IF LEN(B$)>LEN(AS) THEN AS=STRING$(LEN(B$)-LEN(AS),"0")+AS
540 FOR N=LEN(AS) TO 1 STEP-1
550 A(N)=VAL(MID$(AS,N,1))
560 B(N)=VAL(MID$(B$,N,1))
570 T=A(N)-B(N)-B
580 IF T<0 THEN B=1:T=T+10 ELSE B=#0
590 C$=RIGHT$(STR$(T),1)+C$
600 NEXT
610 IF B=1 THEN H$=AS:AS=B$:B$=H$:B=#0:C$="":S$="-":GOTO 540
620 PRINT "THE ANSWER IS "S$+C$
630 END
640 **** ADDITION 1 DIGIT AT A TIME (2 ARRAYS)*****
650 PRINT "ENTER THE FIRST POSITIVE WHOLE NUMBER UP TO 105 DIGIT
S LONG"
660 INPUT AS
670 IF LEN(AS)>105 PRINT "NUMBER IS TOO LARGE PLEASE REENTER":GO
TO 650
680 PRINT "ENTER THE SECOND POSITIVE WHOLE NUMBER UP TO 105 DIGI
TS LONG"
690 INPUT BS
700 IF LEN(B$)>105 PRINT "NUMBER IS TOO LARGE PLEASE REENTER":G
OTO 680
710 DEFINIT A-Z:DIM A(105),B(105)
720 IF LEN(AS)>LEN(B$) THEN B$=STRING$(LEN(AS)-LEN(B$),"0")+B$
730 IF LEN(B$)>LEN(AS) THEN AS=STRING$(LEN(B$)-LEN(AS),"0")+AS
740 FOR N=LEN(AS) TO 1 STEP -1
750 A(N)=VAL(MID$(AS,N,1))

```

Listing continues

Listing continued

```

760 B(N)=VAL(MID$(B$,N,1))
770 T=A(N)+B(N)+C
780 IF T>9 THEN T=T-10:C=1 ELSE C=0
790 C$=RIGHT$(STR$(T),1)+C$
800 NEXT
810 IF C=1 THEN C$="1"+C$
820 PRINT "THE ANSWER IS "C$
830 END
840 ***** MULTIPLICATION 15*90: METHOD 15*1 90 TIMES *****
850 DIM A$(90)
860 PRINT"ENTER THE FIRST POSITIVE WHOLE NUMBER UP TO 75 DIGITS
LONG"
870 INPUT A$
880 IF LEN(A$)>75 PRINT "NUMBER IS TOO LARGE PLEASE REENTER":GOT
O 860
890 PRINT "ENTER THE SECOND POSITIVE WHOLE NUMBER UP TO 30 DIGIT
S LONG"
900 INPUT B$:IF LEN(B$)>30 PRINT "NUMBER IS TOO LARGE PLEASE REE
NTER":GOTO 890
910 IF LEN(B$)>15 THEN F$=LEFT$(B$,LEN(B$)-15):B#=VAL(RIGHT$(B$,
15)):GOTO 930
920 F$="":B#=VAL(B$)
930 FOR N=LEN(A$) TO 1 STEP -1
940 A#(N)=VAL(MID$(A$,N,1))
950 NEXT
960 FOR N1=LEN(A$) TO 1 STEP -1
970 T#=#(N)*B#+C#
980 T$=STR$(T#)
990 C$=RIGHT$(T$,1)+C$
1000 C#=VAL(LEFT$(T$,LEN(T$)-1))
1010 NEXT
1020 C$=STR$(C#)+C$
1030 A$(X)=C$:X=X+1
1040 IF F$=""PRINT "THE ANSWER IS "C$:END
1050 IF F$="DONE" THEN A$=RIGHT$(A$(0),LEN(A$(0))-1):B#=RIGHT$(A
$(1),LEN(A$(1))-1)+STRING$(15,"0"):B#=0:T#=0:C$="":GOTO 710
1060 B#=VAL(F$):F$="DONE":C#=0:C$="":GOTO 960
1070 END
1080 ***** REVISED DOUBLE PREC ROOTS*****
1090 PRINT "ENTER ANY POSITIVE NUMBER UP TO 16 DIGITS LONG"
1100 INPUT A#
1110 IF A#>9 999 999 999 999 999 PRINT "NUMBER IS TOO LARGE PLEA
SE REENTER":GOTO 1090
1120 B#=A#/2
1130 T#=B#*B#
1140 IF T#>A# THEN B#=B#/2: GOTO 1130
1150 IF T#=A# PRINT "THE ANSWER IS " B#:END
1160 H#=B#*2
1170 L#=B#
1180 G#=(H#+L#)/2:T#=G#*G#
1190 IF G#=H# THEN L220
1200 IF T#>A# THEN H#=G#:GOTO 1180
1210 IF T#<A# THEN L#=G#:GOTO 1180
1220 PRINT "THE ANSWER IS "G#

```

	00010 ;	LEFT JUSTIFY PRINT USING DEMO	PUBLIC DOMAIN
0000	00020 ;	ORG 0H	;RELOCATABLE
0000	CD7F0A 00040	CALL 0A7FH	;GET VARPTR
0003	CDB109 00930	CALL 09B1H	;MOVE TO ARITH
0006	CDEF0A 00950	CALL 0AEFH	;SET SNG
0009	3EC0 00960	LD A,128+64	;FORMAT COMMAS
000B	010305 00970	LD BC,0503H	;FORMAT ##,###.##
000E	CDBE0F 00980	CALL 0FBEH	;FORMAT
0011	212F41 00990	LD HL,412FH	
0014	3E20 01000	LD A,' '	
0016	0609 01010	LD B,9	
0018	23 01020 CKSPS1	INC HL	
0019	BE 01030	CP (HL)	
001A	28FC 01040	JR Z,CKSPS1	
001C	CD3A03 01050 PRINT1	CALL 033AH	
001F	7E 01060	LD A,(HL)	
0020	05 01070	DEC B	
0021	B7 01080	OR A	;CHECK FOR ZERO
0022	2803 01090	JR Z,SPACE1	
0024	23 01100	INC HL	
0025	18F5 01110	JR PRINT1	
0027	B8 01120 SPACE1	CP B	
0028	2807 01130	JR Z,EXIT	
002A	3E20 01140	LD A,' '	
002C	CD3A03 01150 SPS1	CALL 033AH	
002F	10FB 01160	DJNZ SPS1	
0031	C39A0A 01450 EXIT	JP 0A9AH	;RETURN VALUE LAST CHAR
0000	01460	END	

Program Listing 2

NEW 1983 SOFTWARE FOR MODEL I/III



CONSUMER SOFTWARE AT WHOLESALE PRICES

"... OVER two years of research and development have gone into these sophisticated software selections."

MICRO-SCRIPT™, the professional word processor at an affordable price! For novice and speed typists alike. Bells & whistles? You bet! A serious masterpiece which fills the void in any program library \$24.95

MANAGEMENT SYSTEM II™, the full blown files & labels program with "Lightning Sort" is here! Files can be created, added, updated, listed, deleted or saved to tape or printer. Includes Merge, search total and label printing \$24.95

GENERATIONS™, the Genealogy Program. Trace your roots in the format recognized by genealogists worldwide. Create your family tree and compile information for all descendants on file \$19.95

FREE CATALOG Circle Reader Service NBR.

MICRO-SHORT™. Enjoy the convenience of programming shorthand, 27 statements and 9 commands at the stroke of a single key. A must for any programmer \$14.95

MICRO-MATH™, an educator endorsed program now available to the general public. Four basic math functions, hone skills of all ages. Unique graphics, full dimensional sound. Report card & wrong answer retrieval. Printer routines included \$16.95

SUPER-LOG™, the ultimate logkeeping system for amateur radio operators. Features column headings found in conventional radio logs, nothing is left out! FREE callsign duplicating program included \$19.95

AMATEUR RADIO THEORY REVIEWS™. Upgrade successfully! Pass the FCC Exam. Over 85% of our customers have passed! Experience an approach to learning even textbooks cannot provide. Specify License Class \$24.95

— MANY MORE —

MICRO-80™ INC.

E. 2665 Busby Road
Oak Harbor, WA 98277
1-206-675-6143

132

KITCHEN TABLE SOFTWARE, INC.

by David Busch

Kitchen Table Inc. first became well-known for its line of user-hostile hardware. Undocumented reset keys, monitors emitting x-rays at random intervals, and keyboards which sometimes became energized with 110 volts made the early model TLS-8E computers exciting to use.

Now, KTI has introduced another innovation whose time has passed: "manufacturer-friendly" business and utility software. For example, the KTI accounting package automatically generates a check payable to Kitchen Table Inc. and locks up the computer keyboard until the check clears.

Kitchen Table has also introduced a new release of DROSSDOS (Version 7.6) which gives a whole new meaning to the term "user support." Purchasers are expected to supply KTI with a telephone number the company can dial to reach the user if Kitchen Table has any problems or questions. You are required to develop your own documentation, help debug the operating system, and then share your efforts with the Kitchen Table research and development staff.

Single Dysfunction Operating Systems

One of the first of these "manufacturer-friendly" products is the new line of Kitchen Table "Single Function" Disk Operating Systems. Kitchen Table Inc. research has revealed most TRS-80 owners rarely can use or understand all of the sophisticated features of most modern DOSes, such as NEWDOS80, LDOS, or DROSSDOS. The average user needs nothing more than an operating system allowing booting and loading the latest implementation of Kangaroo or Dig Dug.

Single Function DOS was conceived by KTI's head programmer, Zero "One-Tooth" Ree, a transplanted Sri Lankan now living in the United States. His first effort was UNODOS, which has a single function, TRACE.

Other SFDOS products are equally simple to use. Each can only perform one function, so the user does not have to worry about complicated syntax or disk-cluttering system overlays. Compare a typical program copying session with NEWDOS80, DROSSDOS, and KTI's new COPYDOS:

NEWDOS80—COPY:1 TO:2



KTI pulls wraps off hostile-ware

11/12/82,NDMW,FMT,SPW =
PASSWORD,NDPW=SECRET,
KDN,KDD,SN=DISK1,CBF,
USR,/CMD,UPD,ILF,CFWO,
DDSL=17,DDGA=2

We won't waste time here explaining what all those options mean. I certainly don't understand them. If Apparatus was unable to provide a concise explanation in the NEWDOS80 documentation, there is little point in attempting it at this point.

DROSSDOS—COPY :1 TO :2,
PLEASE,NFSD,URTS,KTUPEE,
IPS,DUF,WDD,HDIBS,AGAR

These copy options are relatively straightforward:

- PLEASE—Mandatory obeisance to system.
- NFSD—No Format Source Disk.
- URTS—Use Recognizable Track Structure.
- KTUPEE—Keep Trying Until Parity Errors Eliminated.
- IPS—Ignore Protection Scheme.
- DUF—Delete Useless Files.
- WDD—Write Defective Directory.
- HDIBS—Hide Directory In Boot Sector.
- AGAR—Allocate Granules At Random.

With COPYDOS, the process is much simpler. The correct syntax is COPY. This is used for both full-disk and single file copying. There are abso-

lutely no options. The operating system will select a source and destination disk at random, choose a program (or group of programs) to COPY, and perform the function. We found this DOS to be a real time saver. Unfortunately, it cannot be used with systems having fewer than three drives.

Other Single Function DOSes are equally easy to use. DICODES does nothing but simulate the rolling of six-sided or n-sided dice. NANODOS is like MICRODOS, only smaller. NILDOS is tinier yet, while the oft-talked about NULLDOS has yet to be seen on the market.

User-Hostile Business Software

The first of these programs is "No Accounts," a comprehensive Very General Ledger/Accounts Payable-Receivable package. The program comes with a hardware interface to a BSR appliance controller module. I failed to see the need for such a feature, but blithely connected the controller, following KTI's instructions.

When the Accounts Payable module is initialized, the first thing it does is issue a check for \$249.95 payable to Kitchen Table Inc. Then, the program seizes control of the lights and appliances in your home (including air conditioners, the furnace, and your automatic garage door opener) until the check clears, and the proper entry has been made in the General Ledger.

I judged this to be a fairly fool-proof way of ensuring the software vendor is paid for his efforts. However, KTI has finally come up with a practical anti-piracy measure as well. Any time the program is copied, Accounts Payable senses this and issues another \$249.95 check.

No Accounts is the firm's first effort at penetrating the burgeoning small business market. Other less successful software companies have insisted on marketing packages conforming to accepted accounting practices. Kitchen Table did extensive market research and found most business users prized flexibility over accuracy.

All in all, No Accounts is an unusual package. It is designed for the small business person who has found it difficult to keep two sets of books using old-fashioned manual methods. These programs automate the task, provide

greater control, and lend an air of legitimacy to the phoney set of figures.

Eight programs make up the package. Four are used to generate the "public" set of books used for tax audit purposes. They are called "General Ledger," "Accounts Payable," "Accounts Receivable," and "Inventory Control."

Four other programs exist on the same disk, under the names "INVADERS/BAS," "HANGMAN," "WUMPUS," and "STARTREK/CMD." These may be made invisible in the disk directory if desired. They are actually just ordinary business accounting programs, except they encrypt all data files so that they are virtually unreadable, even by the programs themselves. Some additional self-destruction features have been built in, but we were unable to test them. The documentation advised having a fire extinguisher on hand, so we balked.

For partially debugged Basic code, the No Accounts programs worked well. Options abound. The operator may generate as many as six different audit trails for the same transaction.

Petty cash in amounts up to \$999,999.99 may be accounted for in several imaginative ways. Trial balances may be performed in reverse—the user can insert the desired trial balance, and the program will adjust all the other figures to match.

Posting to the General Ledger is extremely simple, and does not require operator intervention or time-consuming key entry. Instead, the program takes entries from the legitimate Accounts Payable file, and a certain percentage of the Accounts Receivable data, and generates a General Ledger entry that more or less cancels out. If desired, the operator can specify a small loss or profit for any given month, quarter, or fiscal year. Accounts Payable and Accounts Receivable files are also developed automatically.

Various dummy reports are also supplied, including a tongue-in-cheek breakeven analysis, balance sheet, and cash flow and budget analysis. Depreciation of non-existent assets is allowed.

I found the Owner Expense Ac-

count module to be very impressive. I supplied it with dummy data (which it prefers to the real thing) about an imaginary business trip to Walt Disney World in Florida. The program produced a plausible printout accounting for travel expenses (two Monorail rides), special clothing expenses (Mickey Mouse T-shirts), and a four hot-dog business luncheon with Walt Disney himself.

The Inventory Control module was most interesting. Entries may be made for "Number of Item On Hand," "Number of Item Really On Hand," "Lost Through Pilferage," "Lost To Brother-In-Law," and "Never Officially in Our Warehouse."

Feedback Welcome

Since my exposé on CompuServe's CB simulator in the June/July issue of *80 Micro*, I have been receiving a flood of e-mail from irate users of Kitchen Table products. You may continue to send these comments to me in care of User I.D. 70060,137. All will be ignored. ■

Do your own taxes like an expert with TAX/SAVER.™

TAX/SAVER.™ The tax help program for the layman and the professional.

- Privacy.
- Built-in tax aids. Answers questions like "Is my father my dependent?" and "Are my deductions reasonable?"
- Tax regulations programmed in by our team of accountants. Type in your figures and you've done your own tax return.
- Output to video or lineprinter. (Overlays available.)
- Tax deductible.
- Manual: Tax information, lists of deductions, tax glossary.
- **TAX/SAVER™ I:** completes long and short forms, itemized deductions, interest, dividends, income averaging.
- **TAX/SAVER™ II:** all features of **TAX/SAVER™ I** plus business income and capital gains.
- 40% Discount on yearly updates.

Reviews and Users' Comments:

About **TAX/FORECASTER™**:

"VERY HANDY!" — T. Pettibone, "Software Critic", Program Reviews for the "80's", 1982

About **TAX/SAVER™**:

"This is a very valuable tool!" — R. Perry, Personal Computing Magazine, "Tax Preparation Software", December 1981

"This is the perfect program for those doing taxes for others (. . . good for an individual, too!!)" — B.M., Missoula, MT (Professional Preparer)

*Registered trademark of Radio Shack

©Copyright 1981

TAX/FORECASTER™ converts **TAX/SAVER™** to a tax planner. Lets you see how financial decisions will affect your taxes. **TAX/FORECASTER™** can be used alone.

NEW! PROFESSIONAL TAX/FORECASTER™ adds disk storage of client files and income averaging.

Orders will be filled in late January to allow inclusion of new tax laws.

TO ORDER:

Call collect **203-324-3009** or **203-544-8777** or mail this coupon to: **Micromatic Programming Co.**
P.O. Box 158, Georgetown, CT 06829

Please enroll me in member's service and send:

- ☐ **TAX/SAVER™ I** @ \$89.95 Manual Included
- ☐ **TAX/SAVER™ II** @ \$139.95 Manual Included
- ☐ **TAX/FORECASTER™** @ \$59.95
- ☐ **PROFESSIONAL TAX/FORECASTER™** @ \$99.95 (requires 48K)

(\$15. off any **TAX/FORECASTER™** with any **TAX/SAVER™**)

- ☐ Tax Form Overlays (set of 5) @ \$39.95
- ☐ Please send me more information

Please check one:

- TRS-80* Model I ☐ 32K, 2 drives ☐ 48K, 2 drives
- TRS-80* Model III ☐ 32K, 2 drives ☐ 48K, 2 drives

Add \$3.50 for postage and handling, CT residents add 7½% sales tax.

Name _____

Address _____

City _____ State _____ Zip _____

☐ Check ☐ Master Charge ☐ Visa

Card No. _____ Exp. date _____

★★★★

Learning TRS-80 Basic for Models I, II/16 and III
by David A. Lien
CompuSoft Publishing
Box 19669
San Diego, CA 92119
softcover, 544 pp.
\$19.95

by Arthur Huston
80 Micro Staff

Learning TRS-80 Basic for Models I, II/16 and III will give the beginner an easy start into the Basic language. It is written by Dr. David A. Lien, the noted author of many computer books, including the *TRS-80 Level I User's Manual*, the revised Epson MX-80 printer manual, and *The Basic Handbook*. Dr. Lien is one of the best documentation writers in the business, and *Learning TRS-80 Basic* may be the best beginner's book for the TRS-80.

The book is written in an informal, humorous style and is liberally sprinkled with cartoons. It manages to be readable without being cute, yet it is thorough and precise without overdoing any one subject. The complex problems that might throw beginners are either treated very lightly or not gone over.

Organization

The table of contents provides details on five major sections. The first section is the meat of the book—420 pages of instruction on the Basic keywords and programming techniques. The second section contains answers to the exercises given in the first section. The third is 16 ready-to-use programs, each less than two pages long. The fourth is a series of appendices with information specific to the Model I, III, or II/16. And the fifth section is an index that cross-references the Basic commands and terms used in the book.

The organization of this book, into instruction to appendices and index, is what makes it useable; the nature of the instruction makes it enjoyable. Lien covers all the Basic keywords used in a TRS-80 Model I or III operating without Disk Basic. Each one is exam-

REVIEW CONTENTS

<i>Learning TRS-80 Basic for Models I, II/16, and III...</i>	40
Extended muMATH	42
CC Forth	45
Sole	48
Spectaculator	49
The Sprinter II	56
Finance-Loans & Investments	58
The Micro Mainframe Disk Controller	58
Smith-Corona TP-1	61
Fast Basic	62
Colorterm	63
Master Reversi /Odin	66
Spell 'N Fix	68
Review Digest	71

Look for our five-star rating system this month.

ined thoroughly: the ways to use it, and the ways to avoid misusing it. In each chapter, examples demonstrate how the keywords relate to each other in a Basic program.

The last 30 pages of the tutorial are devoted to program control. Lien covers flowcharting, and debugging programs. Included is a short memory test for times when the hardware seems to be at fault. These chapters alone are worth the price of the book. Too many books teach only the Basic keywords and nothing about programming; this book teaches you to write programs, and then what to do when they do not work correctly.

The answers to the 79 questions in the tutorial tend to be a little short. An English explanation of what is happening in the program could have been used more often than it was.

The Appendices

The ready-to-run programs serve as examples of what the Models I and III can do with competent programming. The appendices, however, are much

more useful. To some they may be of more use than the tutorial. Appendices A-H cover 68 pages and include separate ASCII Code Tables for the Model I/III and II/16, and explained listings of the error messages for the I/III and II/16.

The important parts of the appendices are tutorials on using disks and on setting up the hardware. Turning on the system, turning off the system, entering Disk Basic, returning to the DOS Ready prompt, and taking a directory are covered in five pages each for the Model I, II, and III. The appendix on setting up the Model I Expansion Interface is interesting for its thoroughness, as is the section on using the real-time clock without Disk Basic, information that is hard to find. Finally, a section on using two cassette recorders with the Model I is invaluable.

Also included is a section reviewing the Basic keywords that are peculiar to the Model II/16, essential to any book that purports to explain Basic for all TRS-80s, Color Computer excluded.

Weak Points

Learning TRS-80 Basic is not without flaws. Its biggest is that in trying to ease the beginner into computing it sometimes neglects the advanced programmer. Keywords like PEEK, POKE, USR, and VARPTR are covered too briefly.

Lien states that the book was written for the Model III, but that it can be used equally well on the Model I, II, and 16. I think it was written for the Model I and III with the II/16 thrown in as an afterthought. To his credit, Lien thoroughly documents the multitude of small differences between the machines in the margins of the book. I came away impressed with the book's completeness, but felt that the overall effect was a little busy.

The only Disk Basic commands documented are CMD'S' (return to the disk operating system), Save and Load. However, anyone with disk drives who is just learning Basic would still benefit greatly from this book.

Learning TRS-80 Basic is one of the best introductions to Basic you can buy. In readability and thoroughness it far surpasses the Model I, III, or II/16 Basic manuals. ■



DON'T TAKE OUR WORD FOR IT!

"Penetrator is a state-of-the-art game for the TRS80.†

"You are the sole survivor of a fighter squadron whose mission is to make it through four defense rings and blow up an illegal cache of neutron bombs.

"The landscape is as treacherous as your enemies... But this is where the best feature of Penetrator comes in: You may make custom landscapes to suit your ability. You can remove difficult areas and add or subtract missiles and radar bases.

"Another good feature is the training mode. You may play continuously until you get the hang of the game; it's as close to immortality as you'll get!

"The graphics are about as good as is possible on the TRS80... the display you get after destroying the bomb cache is something like Fourth of July fireworks.

"The sound is great; you get snappy little tunes at the beginning of each game and a triumphant number after blowing up the bomb cache.

"Penetrator is a very well done game program and worth the asking price."*

We didn't say that! 80 Micro did in its September issue. If you want to see PENETRATOR for yourself, see it at your favorite software dealer or order directly from Melbourne House Software Inc.

• 16K TRS Model I/III, two-cassette pack \$24.95

• 32K TRS Model I/III, protected diskette \$24.95

Write for complete catalogue. Other arcade games currently available include STRIKE FORCE - the ultimate in arcade action and GOBBLEMAN - a game to drive you bananas.

Please add \$1.50 per order for shipping, foreign orders add \$6.00.

Visa, Mastercharge accepted - write in with card number and expiration date.



Melbourne House Software Inc., 347 Reedwood Drive, Nashville, TN 37217

★★★★★

Extended muMATH
Microsoft
10700 Northup Way
Bellevue, WA 98004
Models I and III
\$250

by Bruce Powel Douglass

MuMATH is a symbolic mathematics package for microcomputers. An abbreviated version of this package has been available for some time, but it is much weaker than the CP/M version. Microsoft finally released their extended muMATH package and it is worth the wait!

muMATH uses symbolic mathematics and is written in muSIMP, an RLISP-like cortex parser for an internal Lisp structure. It performs exact arithmetic (to 611 digits) and does not normally attempt to reduce fractions— $3/7$ remains $3/7$, not some floating-point approximation like 0.4285714. Hence, muMATH arithmetic is *exact*. Extended muMATH can print answers in decimal notation to any number of digits you like. This presents the interesting possibility of essentially infinite-precision mathematics printed out either as a fraction or as a decimal number. It is very simple, using a Taylor series, to calculate $\ln(2)$ to 200-digit accuracy.

muMATH allows mathematical manipulation of symbols, like X , without assigning them a value (or binding). The use of unbound variables gives muMATH its great power. You can assign non-numeric values to a variable. You can bind A to $(X+2*Y)/Z-Q$. You can evaluate A by temporarily assigning X , Y , Z , and Q numerical values, using the EVAL or EVSUB functions. muMATH has this ability since it is essentially an implementation of Lisp, in which data and programs have the same format and are interchangeable.

The extended muMATH package has several enhancements to the original abbreviated TRS-80 version including:

- allowing decimal output of numerical results in addition to the standard rational arithmetic output;
- an enhanced integral calculus package for more sophisticated integration;
- fast loads and saves of muSIMP environments to and from disk;

- a Limit package to evaluate limits;
- a Sigma package to evaluate sums and products (including infinite sums and products when combined with the Limit package);
- a complete Matrix package including matrix addition, transposition, inversion, and division;
- an equation-solving package for solving various types of equations (including simultaneous equations when combined with the Matrix package);
- a Trace package used for debugging muSIMP and muMATH functions;
- EDIT80, a line and character-oriented editor for creation of your own function files for muMATH;
- interactive lessons on disk for learning to use muMATH;
- an improved manual; and
- all the files (with some updates) that came with the abbreviated TRS-80 version.

First, the manual is better than the one for the abbreviated TRS-80 version. It includes a complete listing with explanations of the muSIMP and muMATH functions, and the location for the jump vectors for interfacing machine-language programs. (The expanded version now honors protected memory, allowing you to put your machine-language programs there.) The manual also includes references for those interested in learning more about computer algebra and symbolic mathematics, a nice table of contents, and two indices.

A complete tutorial on muSIMP would be helpful as none are available anywhere on muSIMP or its cousin RLISP. And better distinction could have been made in the differences in usage between Function and Subroutine. The former is *call by value* and the latter is *call by name*. The manual will help the uninitiated, but advanced applications will have to be self-taught. (The folks at the Soft Warehouse, creators of muMATH, have been quite receptive and helpful to my queries for information.)

The Modular Approach

muSIMP, when you first get your four disks (for the Model I; two disks for the Model III), is uncombined with the parts to make the muMATH package work. Since there are many separate files, and they won't all fit into memory at once, you can create your own applications packages. The

manual explains the procedure quite well. muMATH users now have save and load functions for saving the current files in memory to disk in a special distilled format (D-code, just as it is stored in the computer's memory), rather than in the ASCII source-code format. The ASCII source-code format takes a long time to load in. (The creation of one particular package took half an hour to load the files, but once the environment is saved in D-code form, it takes about 10 seconds.) muMATH still lacks a function to save user-created functions to disk in ASCII form, hence the inclusion of the EDIT80 text editor.

The result of this modular approach is that I have several application versions of muMATH, one for solving equations, one for calculus applications, and one for matrix calculations, all of which can be easily and quickly loaded by muMATH. Also, much more user memory is available for user functions. Reclaim() is a function that forces a garbage collection to occur and returns the number of bytes of free space. Whereas in the abbreviated TRS-80 48K version only about 2,000 bytes are free for user programs, a typical amount of memory in my applications packages is 10K to 20K.

muMATH contains a decimal-output function controlled by the value of a variable called Point. When Point is false, rational arithmetic is displayed ($1/2 + 1/3 = 5/6$). When Point is true, the value of Point determines the number of digits displayed to the right of the decimal point. You may print out 300 decimal places with complete accuracy since the internal storage remains rational rather than floating point. This is a very valuable addition to muMATH, since $1755376/1928477$ is less meaningful than 0.91023953. Anyway, the capability is there and enhances the utility of muMATH considerably.

The Packages

The Trace facility is used for debugging functions and works much like the standard Lisp Trace function. The output is controlled by the variable Mathtrace; when Mathtrace is true, mathematical notation is used, when it is false, list notation is used. The output lists the names of the functions called with their passed arguments shown, and result in leaving each of

PRICE BREAKTHROUGH

Super Sale on New Disk Drives

Starting at \$ 199.95* complete!!
with Power Supply and Case.

single sided 40 track — dual sided 40 track — dual sided 80 track
for

**RADIO SHACK¹ — HEATH² — ZENITH² — S 100
& MOST OTHER COMPUTERS**

SPECIAL! Disk Drive Head Cleaning Kits . . . \$12.95

Drive a Hard Bargain!!*

5 M.B. - 10 M.B. with Power Supply Case, Cables & Software
Complete Systems starting from \$1,695.00

TOLL FREE ORDERING
1-800-343-8841

GENERAL and TECHNICAL
1-617-872-9090

Model III Internal Drive Kits starting at \$499.95
Diskettes of all sizes starting at \$23.00
Dot Matrix Printers \$Call
Word Processing Printers starting at \$895.00
Printer Buffers 8K to 64K starting at \$143.00
Disk Drive Cases and Power Supplies . . starting at \$49.95
DOSPLUS — 3.4 — \$Special Price
Filler pieces for Basf slimline drives \$6.98

***Ask about our Double Double Warranty.**

Dealer inquiries invited.

SOFTWARE SUPPORT/MICRO

TERMS:

M.C./Visa/Amex and personal
checks accepted at no extra charge.
C.O.D. Please add \$3.00.
Shipping: Please call for amount.

ONE STALKER LANE, FRAMINGHAM, MA 01701

(617) 872-9090

OPEN M-F 10-6

1 ~ TANDY CORPORATION

2 ~ ZENITH DATA SYSTEMS

✓327

EIGHTY SYSTEM NEWSLETTER

FOR TRS-80* USERS
(Mod. I/II/III/16/COLOR)

EIGHTY SYSTEM
NEWSLETTER



(Also for dealers, mfg. and
industry personnel.)

Published 52 times per year
and mailed First Class

- ☐ Latest TRS-80* System News
- ☐ Product Notes & Reports
- ☐ New Hardware & Software
- ☐ Industry Trends
- ☐ User Notes & Comments
- ☐ TRS-80* Article Summaries

RATES

\$39.00 Year - First Class
(US, Canada & Mexico)

\$75.00 Year - Foreign (Air)
(Must be in US Funds)

SAMPLE COPIES \$2.00

EIGHTY SYSTEM NEWSLETTER
3001 Route 27 Franklin Pk., NJ 08823

- ☐ \$39.00 (1-Year Subscription)
- ☐ \$75.00 (Foreign-Air-US Funds)
- ☐ \$ 2.00 (2 Sample Issues)

Name _____

Company _____

Address _____

City _____

State _____ Zip _____

(MC & VISA OK—Include card number,
expiration date & signature.)

*TRS-80 is a Registered Trademark of Tandy
Corporation/Radio Shack Div.

REVIEWS

these functions, complete with inden-
tation, to show the depth of the func-
tion calls.

The EQN/ALG and Solve/EQN
packages solve equations. A muMATH
equation is an expression with the =
symbol standing for the equal sign
within the expression. Thus A:
 $X^2-3 = 2/(X-10) + 3$ assigns the
equation on the right of the colon to
the now bound variable A. You can
solve the equation by entering the com-
mand Solve(A,X), where A is the equa-
tion and X is the variable for which the
equation is to be solved. Real and com-
plex roots are returned.

Sometimes division by zero occurs
because muMATH tries to cancel and
simplify as much as possible. mu-
MATH may occasionally divide by
some unbound variable that may later
turn out to be zero. So it pays to check
your answer.

The Array/ARI and Matrix/ARR
packages give muMATH the ability to
handle matrix algebra and matrix cal-
culus. Since the TRS-80 character gen-
erator does not have square and curly
brackets used in the CP/M version of
muMATH, << and < replace them.
Some of the operations programmed
into the matrix package include matrix
multiplication, addition, transposi-
tion, division, powers, and inversion.
These operations can be performed on
ragged matrices as well.

IDMAT() is a special function that
returns the identity matrix. To divide
matrix B by matrix A, you can simply
use the MDV command: A MDV B.
Solutions with parameters are returned
with singular matrices. The Matrix
package also includes a function to cal-
culate the determinant. It uses a Gaus-
sian elimination method that will
sometimes fail to adequately reduce
the expressions. The reason for this is
that this method requires extensive di-
vision, and muMATH will sometimes
miss simplifications. A better method
is minor expansions (although it is not
better in numerical mathematics), and
with the recursive power of muMATH,
it is easy to program. The only problem
with the expansion of minors is that it
takes a lot longer and uses more stack
space than the elimination method.

The Integral Calculus Package

The integral-calculus package is en-
hanced as well, with the inclusion of
INTMORE/INT. A function to per-

form definite integration (DEFINT) is
also provided. I found what I consider
to be a small bug in this DEFINT func-
tion. Even if the integration results in a
simple answer, if the control variable is
true it will try to use the Limit package
to evaluate the definite integral. It
should recognize the need for simple
substitution and evaluation. As it is,
you need only remember to set the con-
trol variable #LIM to false, if you
know the integral to be a proper one. A
true fix is printed in the Soft Ware-
house Newsletter #6.

You can use the Limit package to
help evaluate some integrals. The class
of integrands that muMATH can han-
dle is still limited, but it is significant.

A Taylor-series function is con-
tained in a separate package for the
evaluation of Taylor series truncated
to any number of terms desired. I have
rewritten the function to yield a solu-
tion based not on the number of terms
evaluated, but on the accuracy of the
answer. Both forms are easy to use and
program in muSIMP.

The Limit package, LIM/DIF, pro-
vides the ability to find the one-sided
limit of a mathematical expression as
one of its variables approaches some
value. It can be used to evaluate a vari-
able as it approaches a finite value of
either minus or positive infinity. You
may specify whether you wish to ap-
proach the value from the "left" or the
"right."

SIGMA/ALG provides closed-form
summation and products. Certain ap-
plications may require use of the
LIM/DIF package for the sum or
product to be evaluated, as with in-
finite limits. Noninfinite limits normal-
ly require the summation (or produc-
tion) and simplification of the terms,
something muMATH excels at.

The expanded version of muMATH
provides a number of other enhance-
ments. MEMORY(X,Y) is similar to
POKE X,Y. TRS-80 graphics func-
tions are supported including CLS to
clear the screen; Cursor to position the
cursor; Point, Set and Reset to test,
turn on, or turn off any graphics pixel
on the video screen. TRS-80 ROM rou-
tines can be called either by assigning
the jump vectors correctly, or with the
PUTD command. You should use this
capability with care however; the ROM
has many exits to Disk Basic, and if
one is taken, it's off to Nevernever-
land.

Conclusions

Overall, I am quite impressed with the expanded version. It is powerful and can handle more sophisticated integration problems, compute limits, finite or even infinite sums and products, and contains very powerful matrix manipulation abilities.

The package lacks a function to save ASCII files from the muMATH environment. This would let you debug functions within muMATH and then save them directly on disk. Further, it would be nice to be able to save the functions in the distilled D-code onto disk for quicker loading. Currently, single functions and entire packages must be loaded and are incrementally compiled during the load. The excep-

tion is entire muSIMP environments that can be saved and loaded.

Even with these reservations, the expanded version of muMATH is one of the few programs that, by itself, warrants purchasing a computer.

Who should buy this package? Parents and educators wanting to teach mathematics to students; students who want to learn more about mathematics in an interactive environment; professionals who work with mathematics on a daily basis, and would like to save time performing time-consuming mathematical manipulations; and the curious, who want to know more about the topics of artificial intelligence, computer algebra, structured programming, or symbolic mathematics. ■

★★★★

CCForth

Frank Hogg Laboratory Inc.
130 Midtown Plaza
Syracuse, NY 13210
Color Computer
\$99.95

by Jake Commander

Software support for the Color Computer is beginning to move. The CCForth package written by Chuck Eaker and published by Frank Hogg Laboratory Inc. is an example of the software beginning to appear for Color Computer users.

Forth is one of those languages with a following of fanatic programmers. It's a stack-oriented interpreter and is one of the lower-level languages around. Low level means that certain functions (such as floating-point numbers) aren't available as standard features in the language. This isn't as bad as it sounds and is outweighed by the speed advantages offered.

The lower-level language interpreters have less work to do interpreting and syntax-checking the programmer's code than high-level languages. They can therefore interpret the code faster and feel closer to machine code.

Stack-oriented means that the language is structured around a last-in, first-out (LIFO) stack as used in machine-code programs. Most number manipulations are performed on the stack, which is simply a list of bytes in

memory with the characteristic that the last number on the stack is the first removed.

Numbers are computed by pushing, pulling, and otherwise bullying the numbers in this list. Forth is dependent on the stack, and has many commands that allow simple manipulation of the numbers placed there. For example, there are commands that allow numbers to be duplicated, rotated, swapped, and other desirable functions.

Even though the stack has such a central importance in Forth, variables are easily defined and are used much as in Basic. Forth programmers, however, guard the stack's use and frown on the unnecessary use of variables when a stack technique could be used. This isn't just snobbery; speed is the advantage and Forth is a fast language. Neatly stacked numbers can be dealt with faster than an untidy list of variables that have to be searched and the desired variable fetched into a convenient position.

The fact that it's interpreted gives you the same advantages as languages such as Basic where you enter the code in a form readable by the programmer and it is then stepped through and interpreted by the language interpreter. Code can be entered, edited, tested, and debugged without converting it to machine code and handing it over to the processor. Thus, if your code contains a bug, it won't be wiped out by a crash (although in Forth, if you try hard, you can do it).

P&T CP/M® 2 is GROWING

TRS-80 MODEL II
\$185

Still the best CP/M for the Mod II with features like 596 Kb per diskette, typeahead, full serial port support, and more.

TRS-80 MODEL 16
\$220

Includes full support for thinline drives; gives 1.2 Mb per diskette for the Mod 16 (Z-80 mode) and Mod II's with double sided drives.

RADIO SHACK HARD DISK
\$250

Includes all the features of P&T CP/M 2 plus 8.7 Mb per hard disk drive.

CAMEO HARD DISK

Support for the standard Cameo hard disk system (\$250) or the multiplexer (for multiple computers) system \$400.

CORVUS HARD DISK
\$250

Support for a 5, 10, or 20 Mb Corvus hard disk system.

Start with a Model II floppy system and grow into a hard disk. Since all P&T CP/M 2 systems are fully compatible, you will have no conversion worries.

Special note: P&T hard disk systems allow you the user to configure logical drive assignments to your specifications. Write for more details.

Prepaid VISA, M/C, or COD orders accepted. All prices FOB Goleta and subject to change. CP/M is a registered trademark of Digital Research. TRS-80 is a trademark of Tandy Corp.


PICKLES & TROUT

P.O. BOX 1206
GOLETA, CA 93116
(805) 685-4641



290

Control Cash & Inventory at Check-out



NEW SYSTEM MAKES TRS-80 III A TOTAL CASH REGISTER & POINT-OF-SALE COMPUTER

Which performs all the normal functions of a computer and is specially programmed to....

- **COMPUTE** Sales Taxes, Discounts, Special Sales and Promotions
- **TRACKS** Sales by Type, such as Visa, Mastercard, Check, Charge, etc. and by Employee/Operator for up to 30 people
- **SELF-PROMPTING** to Cashiers
- Produces Audit Trails and **ACCOUNTING DATA** for entire operation
- **CONTROLS** up to 20,000 **INVENTORY** LINE ITEMS on our Hard Disk Drive
- **CONTROLS** up to 1,500 **INVENTORY** LINE ITEMS on your Floppy Drive
- Complete, Ready-to-Run **SOFTWARE** comes with Cash Control Drawer Unit
- **AUDIBLE SIGNAL** produced when any key is depressed by any operator
- **DRAWER** operates automatically or by manual override anytime
- Generates **RECEIPTS** on Printer
- Available to display in English, French, Spanish, or German Languages
- Operates on 110AC or 220AC...just plug it in
- **NO INTERFERENCE** with or modification of regular TRS-80 Mod III...plugs right into computer

FREE Specifications and Data Package or order complete Operating manual for \$15 from

ICR/Futuresoft
Box 1446 - Orange Park, Florida 32073
(904) 269-1918 for technical assistance
and Dealer Information

Integrated Cash Register Systems from
as low as \$449.

If you don't want to stick with the interpreter, you can drop down into machine code. For this purpose, CCForth contains a 6809 assembler enabling you to link machine code with the interpreted CCForth code.

The highlight of the Forth language is that you can define your own words and can enter them into the Forth dictionary and save them if required. Subsequent use of the new word causes it to be interpreted as if it were a standard feature. You could define a word that accomplished a floating-point conversion (for example) and use that word in your code every time you need floating point.

It doesn't stop there though; if you want to define another word, you can

*"The highlight
of the Forth language
is that you can define
your own words and can
enter them into
the Forth dictionary."*

use the word you just defined as part of the new definition. In effect, you can create your own language and in doing so, you raise the language from lower level to higher level. This gives you great power and flexibility. If you don't like something in Forth you can just rewrite it!

More than half the words used in CCForth can be redefined because they're provided in source code on the disk. The language can actually be used to write itself!

CCForth comes on disk with a user's manual. The disk contains the interpreter and some goodies to experiment with. These include games, music generators, an assembler, source listings for two editors, and various samples for a total of nearly 90 screens.

You call the CCForth interpreter by using Disk Basic's LOADM command followed by entering EXEC; CCForth then takes over.

The world of CCForth is now open to you with all the benefits I've described. Accomplished users of Forth find themselves on familiar ground as

CCForth was written around the Forth-79 standard published in late 1980. The only unfamiliar sight can be the use of screens 32 characters wide instead of the usual 64. This was the only sensible course in view of the Color Computer's screen limitations. Screens are the method Forth uses to store material on disk. If you've never used Forth before, you have a pleasurable learning experience ahead of you.

The user's manual is a gem. If you want a perfect example of technical writing, this is it. My small gripe is that although this manual is the right size (8½ x 11 inches), it comes as a bound book with the pages glued at the spine. It's impossible to insert updates, and Frank Hogg Labs are stuck with whatever errors crop up between the covers. To bear this out, within a week of reviewing this software, a new version was released with nowhere to insert the updates. In Forth fashion, I redefined the manual by slicing the pages away from the spine and punching holes for a three-ring binder.

Now for the best part; the style and layout are perfect. For beginners there are step-by-step explanations that teach the Forth techniques without becoming dull or boring and without insulting the reader's intelligence. There's a delightful touch of humor here and there that keeps the author in touch with the reader. Neither conciseness nor accuracy are compromised by this technique—just a twist here and there to enliven over 200 pages of text.

As you become more familiar with the language you can use the glossary at the back of the book instead of searching through the examples. In fact, the whole manual becomes more serious towards the latter half, a touch that makes the book functional as both a tutor and reference. The manual has five sections, going from preliminaries to the user's manual and glossaries at the end.

Frank Hogg Laboratory Inc. appears to have the best intentions as regards user support. As already stated, a second version was rushed to early purchasers of the package when it was realized some preproduction releases of the software had found their way onto the market. This bodes well for future support.

I heartily recommend this package. It will win a lot of support for the Forth language, and justly so. ■

ICR-Futuresoft →
Software of Tomorrow... Today 211

**TRS-80
+ 64K
+ CP/M 2.2
= POWER**

TRS-80 is a Trademark of Tandy Corp.

CP/M is a Trademark of Digital Research.

Now TRS-80 owners can enjoy the portability of CP/M combined with the power of a full 64K or RAM with the MM-16K from Martin Data Systems. The Model I and Model III units install in your TRS-80 computer without any etch cutting, soldering, drilling, or hacking. It is easily installed by removing the Z80 microprocessor chip, plugging the MM-16K unit. The "experts" at Martin Data Systems have taken the time to insure that non-technically oriented people are capable of implementing the MM-16K in their system.

Any TRS-80 Model I or Model III which has not been modified will accept the MM-16K. It is suggested that users running single density, 5 1/4" drives have a minimum of two drives. (The CP/M operating system and its utilities will practically fill one disk.) Versions of the MM-16K have been designed to work with the standard Model I, the Omikron Mapper II, the Percom Doubler II, and the Model III. (Please call for availability of the LNW Doubler version.)

TRSDOS, NEWDOS, and any other TRS-80 operating will run on the MM-16K without modification. After initial start-up, pressing the reset switch will offer the user three choices:

1: TRS-80 2: CP/M Warm Boot 3: CP/M Cold Boot

When in the TRS-80 mode, your computer has access to the TRS-80 ROMs and looks exactly like a normal TRS-80. In the CP/M mode, your machine has an extra 16K bytes of RAM, mapped at location 0, and will behave as a normal CP/M system.



**ONLY
\$349⁰⁰**

Please specify version

Cat No. 4282 Percom Doubler II

Cat No. 4293 TRS-80 Model I

Cat No. 4294 TRS-80 Model III

Cat No. 4295 Omikron Mapper II

Cat No. 4296 LNW 5/8 Doubler

DISKETTE SALE

VERBATIM DATALIFE

5 1/4" Soft-Sector

MD525-01(40 track,SS/DD)

Cat No. 1147

\$27.95

MD550-01(40 track,DS/DD)

Cat No. 1492

\$46.95

MD577-01(77/80 track,SS/DD)

Cat No. 2330

\$39.95

MD557-01(77/80 track,DS/DD)

Cat No. 4246

\$49.95

Dysan

5 1/4" Soft-Sector

#104/1D(40 track,SS/SD)

Cat No. 3966

\$34.95

#104/2D(40 track,SS/DD)

Cat No. 4192

\$39.95

HOW TO ORDER

Write or phone. Pay by check, M/C, VISA, or COD (add \$1.50 for COD). CREDIT CARD CUSTOMERS—please include your daytime phone number.

Outside Calif (800) 423-5387

Inside Calif (213) 886-9200

Offer expires Nov. 30, 1982

Mention this ad and WE PAY SHIPPING! (UPS ground only).

HWELECTRONICS

19511 Business Ctr. Dr.

Dept. V11

Northridge, CA 91324

WHEN IN SOUTHERN CALIFORNIA, VISIT RETAIL STORES

19511 Business Center Dr.

Northridge, CA 91324

2301 Artesia Blvd.

Redondo Beach, CA 90277

444 S. Indian Ave.

Palm Springs, CA 92262

★★★★★

Sole
Misosys
5904 Edgehill Drive
Alexandria, VA 22303
Model I with double density
\$25

by Charles Knight

Sole; sounds like something you'd shave file off, but it's actually the name of a new software package from Misosys for use with LDOS, the Model I, and an appropriate double-density adapter.

Sole eliminates the need for Model I double-density users under LDOS to use single-density disks throughout the entire booting process. With Sole, this shortcoming is a problem of the past.

The ROM bootstrap routine requires a disk be formatted in single density. It reads sector 0 from cylinder (track) 0, which contains the code to

load in the rest of the operating system (SYS0, CONFIG/SYS, and SYS1 in that order). The ROM doesn't under any circumstances read a double-density disk. It doesn't even present the user with the annoying no system or disk error messages. The way around this is to format cylinder 0 in single density and the rest of the disk in double density. The reason this hasn't been done sooner is related to the large variety of different hardware configurations supported by LDOS. For example, the Lobo interface boots on either single density or double density by reading in sector 1 of cylinder 0.

The problem is not solved by simply reformatting the track. The code loaded from the boot sector must be capable of reading double density, so a whole new boot routine must be written. In addition, SYS0 must be stored in only one extent. Sole takes care of the boot code, and the documentation allows you to take care of the other easily.

Once the disk is formatted in double

density, a program called SOLE1 runs on it, allocating the entire boot cylinder to the file BOOT/SYS. This ensures that no other file will occupy any part of cylinder 0 since it will later be reformatted in single density. Then the single-density system disk is backed up to the double-density disk. This is done by first backing up SYS0, then SYS6 and SYS7; using three separate back-up commands ensures these files are stored in the fewest extents possible. SYS0 must only occupy one extent or the system won't boot in either density. Then the rest of the single-density system disk is backed up with a fourth back-up command, after which a program called SOLE2 is run on the resulting disk. The result is a double-density disk that can be booted on the TRS-80 Model I.

Now, this sounds like a lot of trouble, and it is. But it only needs to be done once. After you create the first double-density booting disk, you can file SOLE1 away and forget it. To back up this disk, format a disk in the usual

NEW PRINTERS ADDED! FIND YOURS BELOW.		RIBBON SALE				EXACT REPLACEMENTS, LONG-LIFE, HEAVY INKING	
Good This Month RADIO SHACK-CENTRONICS-EPSON-ANADIX-BASE 2-HEWLETT PACKARD-MALIBU-IBM-NEC-C.ITOH-IDS							
PRINTER MAKE, MODEL NUMBER (Contact us if your printer is not listed. We can probably RELOAD your old cartridges.)	RIBBON SIZE Inches by Yards	INSERTS EZ-LOAD™ EXACT REPLACEMENTS made in our own shop feature Long-Life and Heavy Inking. Our instructions: DROP IN, NO WINDING! Cartridges NOT included			RELOADS You SEND your used CARTRIDGES to us. We RELOAD them for you.	NEW CARTRIDGES (from the various manufacturers. Subject to availability. *)	SILVER DOLLAR WIND TO LOAD WHY DO WE SELL THESE? This is the type ribbon you get if you order from our fellow advertisers. We sell them for less since we make them ourselves. Do you really like the mess and inconvenience of unwinding and dumping this type ribbon into a wastebasket or out on a newspaper and/or winding it into your cartridge? We don't know why these are being sold. Computers should simplify your life, not make it more complex just to save a few pennies. You are welcome to order these if you cannot afford our EZ-LOAD™ INSERTS, RELOADS, or NEW CARTRIDGES. But BEWARE! You now know how to avoid disappointment. One more caution: be sure to check the length of any ribbon BEFORE you buy it. For instance, an MX-100 ribbon should be 30 yards long, not 20 as in the MX-80.
ANADIX 9000 Series	1/2 x 30	\$21/3	\$78/12	\$10/1	\$9 ea./2 or more	* * *	
BASE 2	1/2 x 20	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more	\$30/2 \$87/6 \$168/12	
CENTRONICS 7 - MEG 702/703/704/753	5/16 x 70	-----	-----	\$11/1	\$10 ea./2 or more	\$25/2 \$72/6 \$140/12	
HP-MALIBU 2608-2631	3/4 x 60	-----	-----	\$20/1	\$18 ea./2 or more	* * *	
RADIO SHACK DAISY WHEEL II Carbon Film (26-1419)	1/4 x 145	\$25/6	\$48/12 \$270/72	\$15/3		\$18/3 \$70/12 \$408/72	
COLORS Red, Green Blue, Brown Long-Life Fabric (1449)	1/4 x 130	\$30/6	\$58/12 \$324/72	\$18/3		\$21/3 \$82/12 \$480/72	
LP I-III-IV 700 Zip-Pack (1413) 730/737/739/779	1/4 x 25 NOT EZ LOAD	\$24/3	\$47/6 \$90/12	\$9/1	\$8 ea./2 or more	\$20/2 \$58/6 \$112/12	
LP III-V (26-1414)	9/16 x 16	\$13/3	\$48/12	-----	-----	-----	
LP VI-VIII (26-1418)	1/2 x 16	\$18/3	JAM RESISTANT SUPER FABRIC \$66/12	\$9/1	\$8 ea./2 or more	\$25/2 \$75/6 \$150/12	\$12/3 \$44/12 \$252/72
LP VII (26-1424)	5/16 x 14	\$17/3	\$62/12	\$9/1	\$8 ea./2 or more	\$22/2 \$66/6 \$132/12	\$11/3 \$40/12 \$228/72
EPSON MX 70-80 IBM	Inker Loop	-----	-----	-----	-----	\$16/2 \$48/6 \$96/12	-----
MX 100	1/2 x 20	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more	\$20/2 \$58/6 \$108/12	\$12/3 \$44/12 \$252/72
C.ITOH Prowriter 1550-8510	1/2 x 30	\$21/3	\$78/12	\$10/1	\$9 ea./2 or more	* \$36/2 *	\$18/3 \$66/12 \$360/72
IDS Paper 450/460 Tiger 500 Series	1/2 x 16	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more		
DATA ROYAL 5000	1/2 x 35	-----	-----	\$11/1	\$10 ea./2 or more		
NEC 8023 Series	1/2 x 16	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more		
Spinwriter Fabric	1/2 x 16	\$18/3	\$66/12	\$9/1	\$8 ea./2 or more		
MS Carbon Film	1/4 x 145	\$25/6	\$48/12 \$270/72	\$15/3			
COLORS	1/4 x 130	\$30/6	\$58/12 \$324/72	\$18/3			

WORRIED ABOUT ORDERING BY MAIL? Relax. We've been in business for many years and can please the smallest and largest account. You receive some of the finest ribbons available made of our own exclusive IMAGE PLUS™ fabric and carbon film. Our ribbons fit your printer exactly. COMPARE but BEWARE! We order all our competitor's products and are amazed at what we get. Have you ever received a new fabric ribbon you had to unwind and dump out on the table before you could use it? We have. Or, carbon film inserts that had no end-of-ribbon sensor? Or, 7-meg cartridges with only HALF enough ribbon at full retail? Our only business is RIBBON manufacturing and distribution. We use the latest state-of-art production equipment and are blessed with a fine, dedicated staff. We fully guarantee all our products because we make them ourselves. You must be completely satisfied, period. Our ribbons are made fresh daily and shipped within 24 hours. Write for our brochure and newsletter "INK SPOTS". Dealers welcome

Bel Case President

MODEL II 8" GAME DISCS

Volume 1: Biorhythms, Trap, Rip Cord, Yacht Sea, Concentration & 4 more
Volume 2: Ugly, Bingo Towers, Blackjack, Farkle, Pony & 3 more

\$25 EACH

SEND CHECK, MONEY ORDER, or COD TO:

BCCOMPCO
800 South 17 Box 246
SUMMERSVILLE, MO 65571
(417) 932-4196

WE PAY UPS SHIPPING ON PREPAID ORDERS. PLEASE INCLUDE STREET ADDRESS FOR UPS DELIVERY. ADD \$1.00 FOR POSTAL OR ALASKA, HAWAII, CANADA, MEXICO. FOREIGN ADD 10%, U.S. FUNDS.

CALL FOR NET 30.

manner for double density, run SOLE2 on it, then use the back-up program in the normal way. Your disk now has 70K more free space than before and on drive 0 where you need it most.

If you need to reconfigure your `SYS-GEN` to change the `HIGH$`, run `SOLE2` again on the System disk afterward to prevent conflicts in memory usage during booting. This is not inconvenient, as the `SOLE2` program runs in about 10 seconds and only consumes 1.5K of your new disk space. (This is necessary only if you have done a `SYSTEM(SYS-GEN)` and wish to boot the disk.)

Making Back-ups

There is one bug in the Sole program system: You cannot back up a double-density System disk using only a single drive. If you have floppy disk drives you'll have to copy to another disk, and then copy it to the original's backside. This is a problem in the back-up utility rather than in Sole and presents

no problem at all to owners of two or more drives. The bug manifests itself when the back-up program says, "ALERT! That's not the same source disk" even though it is the same source disk. If you have a single-drive, double-density system, you can use LDOS in double density, but you'll have to borrow a drive to make back-ups of these system disks.

The documentation is short—only three pages—but meets the high standards of LDOS documentation. It presents its subject lucidly and discusses the program's technical aspects in an understandable manner. It even warns

★ ★ ★

**Spectaculator
Tandy/Radio Shack
Fort Worth, TX
Color Computer
\$39.95**


by Scott L. Norman

you that a particular section is a technical discussion and tells you where in the documentation to skip to if you're not interested.

Roy Soltoff is the author of *Sole* (he's also the author of *LDOS*) and he has certainly written a masterpiece. He offers a printed listing of the source of both *SOLE1* and *SOLE2* for an additional \$25.

At this writing, Radio Shack's double-density adapter is not available for testing. LDOS intends to support this adapter with a driver and there is no reason to believe Sole won't work correctly with that driver as well. ■


Spectaculator is an electronic spreadsheet for performing budgetary or other tabular calculations on the Color Computer. It comes in the familiar ROM pack format, and can be used with either 4, 16, or 32K machines. You need a cassette recorder if you want to reuse your work, and a printer is handy.



J. F. CONSULTING

GEAP DOT WRITER

Another GEAP expansion module for Epson Graftrax Owners
AND NOW — TRUE PROPORTIONAL PRINT ON YOUR EPSON!



**GEAP GRAPHICS EDITOR
AND PROGRAMMER**

FEATURES: GEAP CHARACTER FONTS • Create High Res Drawings without TRS-80 modifications or programming knowledge • Create or modify fonts • Print time options such as magnify, dot, spacing control, reverse and more • Library function allows saving to disk, printing or re-editing • proportional spacing and letters.

ACTUAL CHARACTER FONTS/SIZE

ABCD abcd ABCD abcd
ABCD abcd ABCD abcd

ABCDE ABCD abcd MICROPRINT

ADDITIONAL FONT SAMPLES

Computer Style ABCDE FGHIJKL

SAMPLES - High Res and Modified Characters

MINICUBES
SMALL ENHANCED

GEAP

"E" [hand pointing]

[bird] "A" [hand pointing]

[arrow] [checkmark]

Rx ↑ ↓ T RING

GEAP

DOT WRITER ? [hand pointing]

abcde fghijk

ABCDEFGHIJKLMN OPQRSTUVWXYZ 1234567890

ABCDEFGHIJKLMN OPQRSTUVWXYZ 1234567890 abcdefghijklmno pqrstuvwxyz

GEAP - The ULTIMATE in TRS-80 Graphics. GEAP 2.1 has instant graphic letters. Create your own screen graphics easily by: Magnifying, Reversing, Multiplying, Rotating, Merging and much more. Then let GEAP CREATE a BASIC program to recreate your graphic masterpiece! Numerous EXPANSION modules give GEAP limitless power: EPSON/OKIDATA / Radio Shack LPVI printer block graphics; Radio Shack LPIV graphics ready soon! QUICKCURSOR with 2, speed controllable cursors, instant line, rectangle and circle. NEWSRIPT interactive expansion module. Much more! There is NO other graphic utility on the market that is as POWERFUL, VERSATILE and EASY TO USE as GEAP 2.1

\$49.95

DOT WRITER - The UNDISPUTED leader in HIGH RESOLUTION graphics. Numerous Special Hi-Res Type Fonts for your Epson MX 80/100. Many more fonts being readied now or CREATE YOUR OWN type fonts or HI-RES graphics. No hardware or modifications needed! AND NOW, TRUE PROPORTIONAL PRINT using your Epson Printer. And, proportional print works with almost all of our SPECIAL type fonts! DOT WRITER + GEAP 2.1, turns your TRS-80 and EPSON into a Hi-Res Graphic TYPESETTER! Requires 48K, Disk and Epson MX 80/100 with Graftrax 80/100/PLUS. GRAFTRAX available for easy home installation. GEAP 2.1 + DOT WRITER \$99.95
 DOT WRITER 1.5 only (includes 11 fonts) \$69.95
 EXTRA Fonts Available - \$30 for disk of 7-10 fonts.
 We also carry NEWSRIPT 7.0, The best TRS-80 Word Processor. \$124.95; FASTER, BASIC code optimizer \$25.95 and RPM, Disk Speed monitoring program \$24.95.

West Coast
 74355 Buttonwood
 Palm Desert, Ca. 92260
 (714) 340-5471

East Coast
 221 Hirschfield Dr.
 Williamsville, NY 14221 ✓ 273
 (716) 634-3026

YOU CAN'T BEAT GEAP!

MOD I/III
MC/VISA

We've done it again!


Dual Drive Model III

SPECIAL

CUSTOM BUILT

***M321**

\$1795.00



Model 320\$1695.00
One S/S 40 Track Drive

*** Model 321\$1895.00**
Two S/S 40 Track Drive

FEATURES

DOS PLUS 3.3 Operating System
Winchester Expansion Option
Gold Plated Edge Cards
Fully Socketed Drive Controller
Switching Power Supply
System Dust Cover
Expansion Capabilities
90 Day Warranty
or
1 Year Warranty Available

Model 322\$2295.00
Two D/S 40 Track Drives

Model 324\$2595.00
Two D/S 80 Track Drives

Model 325\$3995.00
One TM602 Winchester &
One S/S 40 Track Drive


Model 326\$4495.00
One TM603 Winchester &
One D/S 80 Track Drive

P-31 Green Phosphor CRT\$89.00

All customized Model III systems from Computex now include at *no extra charge* DOSPLUS 3.3. A Computex customized system starts out as a basic Model III. 32K RAM is added to increase the storage to 48K. Ad to this our Model III drive controller with Winchester expansion option and the appropriate Tandon or MPI disk drives per your requirements. The system is then tested vigorously for 48 hours to assure you of peak performance when the system arrives at your doorstep.

MODEL III INTERNAL COMMUNICATIONS BOARD

NEW!



The newest addition to the Computex line of Model III add on kits is our **M3CB1 Communications board complete with RS232 and DIRECT CONNECT MODEM**. The kit can be supplied in either total kit form or as a partially assembled unit. The partially assembled unit only requires installation of the integrated circuits, all other components have been installed and tested. The **M3CB1** mounts in the same location as the Radio Shack RS232 board and installs easily in less than one hour.

FEATURES

- 300 to 1200 Baud RS232•
- 300 Baud Full Duplex Operation•
- Uses FSK Modulation Techniques•
- Supports Originate or Answer Modes•
- Will Operate DTE or DCE Equipment•

M3CB1-1	P.C.B. & Manual\$34.95
M3CB1-2	Assembled & Tested RS232\$69.95
M3CB1-3	Complete Kit\$129.95
M3CB1-4	Partially Assembled Kit\$169.95

MODEL III DISK CONTROLLER KITS

FEATURES INCLUDE


- Winchester Host Adaptor Option•Gold Plated Edge Card Connectors•Silkscreened and Soldermasked P.C.B.•Completely Socketed for ease in assembly and maintenance•Step by step assembly and installation manual written for the first time kit builder•Detailed test and troubleshooting instructions•Troubleshooting flowcharts and schematics included•Theoretical analysis of operation included•Switching power supply•Mounting brackets•Interface Cables•fully assembled•

Everything you need to install disk drives in your Model III except the disk drives.

SPECIAL \$279.95

MPI * Tandon

5.25" FLOPPY DISK DRIVES



- Single or Double Density Operation•
- 3 - 5 ms Track to Track Access Time•
- 48 Hr. Burn in with Pre/Post Testing•
- Compatible with TRS80®, Zenith, IBM•

All disk drives from Computex are fully tested for Radial Head Alignment, Track 0 Switch, Speed, Instantaneous Speed Variation ISV, Azimuth, then varified for data storage integrity, reliability and systems compatibility.

MPI Tandon

		Description	Price
B51	TM100-2	Single Sided 40 Track	\$219.95
B52	TM100-2	Double Sided 40 Track	\$299.95
B91	TM100-3	Single Sided 80 Track	\$299.95
B92	TM100-4	Double Sided 80 Track	\$399.95

Power Supply and Case\$49.95

VISA, MASTERCARD and AMERICAN EXPRESS
NET 30 TERMS AVAILABLE

- D & B Rated Firms, Universities and Government
- Net 30 Terms Require a 10% Handling Fee
- Prices quoted are available mail order only•
- Prices are subject to change without notice•


COMPUTEX

a subsidiary of Worldwide Data Systems Inc.

17321 El Camino Real
Houston, Texas 77058

(713) 488-8022

COMPLETE MODEL III DRIVE KITS



Complete Model III Disk Drive Kits include the Computex drive controller with capabilities of Winchester drive expansion. Virtually everything you will need to install disk drives in your Model III is included - We even include one of the most popular DOS systems available, DOS PLUS 3.3.

M3DK0 Drive Kit with 1 Single Sided 40 Track Drive
\$495.00

M3DK1 Drive Kit with 2 Single Sided 40 Track Drives
\$699.00

M3DK2 Drive Kit with 2 Double sided 40 Track Drives
\$995.00

M3DK4 Drive Kit with 2 Double Sided 80 Track Drives
\$1150.00

MDX-3 Interface Expansion Boards for your Model III from Micro-Design

•Floppy Disk Controller • Phone Modem •
•RS232 Port • Silkscreened & Soldermasked PCB •
COMPLETE KIT\$259.95

•Printed Circuit Board\$74.95
•Disk Controller Kit\$89.95
•Serial Interface Kit\$79.95
•Phone Modem Kit\$39.95

MDX-2 Interface Expansion Boards for your Model 1 from Micro-Design

COMPLETE KIT\$269.95

•MDX-2 printed circuit board\$74.95
•Onboard direct connect modem kit\$39.95
•2K/4K Eprom kit\$11.95
•RS232 mA serial interface\$24.95
•Real-time clock kit\$17.95
•32K RAM expansion kit (less RAM)\$17.95
•Floppy disk controller kit\$31.95
•Cassette port\$4.95
•Analog power supply\$29.95
•Hardware and socket kit\$29.95
•Centronic line printer port\$11.95

Our qualified technicians are available for technical questions at
[713] 488-8022 every day from 4:00 to 5:00 PM CST

DEALERS WELCOMED

(713) 488-8022

Call or Write for our Free Catalog

WE CARRY COMPONENTS FOR THE LNW & MDX KITS

7400 SERIES TTL		74LS00 SERIES		74LS00 SERIES		LINEAR		MEMORY	
Type	Price	Type	Price	Type	Price	Type	Price	Type	Price
7404	\$.25	74LS00	\$.26	74LS164	.92	75452	\$.35	FD1771B-01	\$23.95
7405	.29	74LS02	.27	74LS166	2.29	LM1488	1.10	FD1793B-01	39.95
7416	.29	74LS04	.31	74LS174	.71	LM1489	1.10	BR1941	6.95
7427	.25	74LS05	.29	74LS175	.71	uA7805/340T-5	.99	TR1602	4.95
7438	.38	74LS08	.27	74LS193	.87	uA7812/340T-12	.99	Z80A	9.95
7442	.29	74LS09	.32	74LS240	1.39	uA7912/320T-12	.99	Z80B	14.95
7451	.20	74LS10	.27	74LS241	1.39	79L12	1.25	MC1372	5.95
7474	.32	74LS11	.39	74LS244	1.39	78H05	5.95	MC6674	11.95
7486	.32	74LS13	.43	74LS245	2.20	TL084	.99	2716	6.95
7490	.44	74LS14	.71	74LS257	.76	MC1458	.58	2114	2.95
7492	.42	74LS15	.30	74LS273	1.75	MLM311P1	.90	2102	6.49
7493	.42	74LS20	.26	74LS367	.69	MC14412	14.95		
7495	.55	74LS21	.30	74LS368	.69				
74121	.32	74LS27	.30	74LS373	1.49				
74123	.55	74LS30	.26	74LS374	1.45				
74125	.47	74LS32	.37	74LS393	1.95				
74132	.60	74LS42	.65						
74151	.55	74LS74	.39						
74157	.60	74LS86	.41						
74161	.83	74LS93	.70						
74164	.83	74LS123	.92						
74165	.83	74LS124	1.35						
74166	.90	74LS132	.72						
74173	1.05	74LS138	.66						
74175	.65	74LS139	.66						
74176	.75	74LS153	.64						
74194	.73	74LS155	.85						
74195	.64	74LS157	.67						
74366	.64	74LS161	.87						
74367	.66	74LS163	.85						

We Also Carry
•CAPACITORS•
•RESISTORS•
•CONNECTORS•
•SWITCHES•
ETC.

Write or Call
For Complete
CATALOG

I.C. SOCKETS	
Type	Price
8 PIN S.T.	\$.12
14 PIN S.T.	.14
16 PIN S.T.	.16
18 PIN S.T.	.21
20 PIN S.T.	.23
22 PIN S.T.	.27
24 PIN S.T.	.30
40 PIN S.T.	.47

CRYSTALS	
Type	Price
1MHz	\$5.95
3.579MHz	2.50
4.0MHz	2.95
16.0MHz	2.95

Texas Digital

(713) 488-4501

17321 El Camino Real
Houston, Tx. 77058

450 a subsidiary of Worldwide Data Systems Inc.

VISA, MASTERCARD and AMERICAN EXPRESS
NET 30 TERMS AVAILABLE
D&B Rated Firms, Universities & Government
•Prices do not include shipping•
•Prices are subject to change without notice•



NEW
FROM THE MAKERS OF
SCARFMAN
for TRS-80® Models I & III

Bounceoids

WHOMMP!

Includes exclusive challenge mode.

Bounceoids come crashing down from space — and rebound across the screen. Blast them or they will smash you. You have a shield but its lifespan is limited so use it sparingly.

The commotion will attract alien natives with poison darts, off-world snakes and shaking bugs. Be on your guard. The longer you survive the harder it is to simply exist. Bounceoids start dropping from the sky in tiny clusters or with constantly changing outer dimensions.

Reach the exclusive challenge level and face the flying space flock in a tense challenge of strategy, coordination and targeting skills. Joystick compatible.

\$15.95 tape, \$19.95 disc plus \$1.50 shipping and handling charges. MasterCard & Visa orders accepted. Available at your software dealer.

The Cornsoft Group 308
6008 N. Keystone Ave., Indianapolis, IN 46220 • (317) 257-3227

The worksheet can be up to 99 columns wide by 99 rows deep.

Setting Up

Spectaculator comes with an 8½-by-11-inch, 43-page manual. The book leads you along very gently and can be read quickly. Almost half of it consists of sample sessions and command summaries. The Spectaculator vocabulary has 17 two-character commands, plus redefined meanings for a few individual keystrokes. The four arrow keys move the cursor over the worksheet for data entry or when you're defining formulas. The clear key backspaces the cursor and after you have entered a two-character command, the question mark displays a Help document on the screen. Two question marks cause an exit back to the worksheet. Finally, the break key returns you to the initial command mode.

Spectaculator "wakes up" in the command mode. The prompt is C>, accompanied by an orange block-cursor. Below the cursor, row and column identification numbers for the worksheet you are using are displayed.

When you turn the power on, the upper left-hand section of the sheet is shown on the screen. Normally, you will see 13 rows and as many columns as will fit the video display. You can specify column widths; the default value is seven spaces. When you move the cursor the row and column ID numbers change.

Table 1 shows the two-character commands. To enter numerical data, use the EN (enter numbers) command. It returns a prompt of EN with a dark blue cursor. You can now fill the worksheet with your data, using the arrow keys to move about as you like. To insert a number, just type the number and hit the enter key. The number will move from the command line to the marker position, while you stay in the EN mode. Entire rows and columns can be labelled with the ET (Enter Text) command.

A few peculiarities of the program become evident when you set out to spruce up a worksheet with labels. Numerical entries are right-justified when entered, while text entries are left-justified. Judicious use of the space bar is sometimes necessary to properly align column labels with the data they refer to. Also, with the ET command, text entries may exceed the width speci-

MM—Move marker
EN—Enter numbers
ET—Enter text
CF—Define column formula
RF—Define row formula
CA—Calculate (all formulas)
CC—Clear column of data
CR—Clear row of data
DC—Delete column (data + formula)
DR—Delete row (data + formula)
IC—Insert blank column
IR—Insert blank row
CW—Change column width
FR—Display free memory
SA—Save worksheet on tape
LO—Load worksheet from tape
LI—List worksheet to printer

Table 1. Spectaculator Commands

fication of the column they start in without affecting subsequent numerical entries. That's how you label worksheets with titles spanning several columns of data. You can create new blank rows and columns at any point with the IR and IC commands, so you always have the option of adding labels or data to an existing worksheet.

A shortcut to using the arrow keys to move about is the MM command. It lets you specify a location to jump to, in matrix notation: row, number, and column number (with no intervening spaces). When you press the enter key, the specified location appears at the upper left corner of the video window, with the entry marker in place. The row and column ID numbers are then updated to record your position. If you wish to return to the starting position at the upper left corner of the worksheet, the 1,1 position, type MM and hit enter twice.

If you make a mistake when entering data or text, just place the marker at the offending position and re-enter the correct information. If you have really fouled up, the CR and CC commands will wipe out all of the entries in the row or column in which the marker is situated. The DR and DC commands perform similar services for rows and columns whose entries were derived from programmed calculations. C commands erase numerical values; D commands not only erase numerical values, but any formulas associated with the row or column in question.

Worksheet Calculations

What makes electronic worksheets

so special is being able to use predefined formulas, with numerical entries, to compute new entries, all of which can be easily updated or manipulated.

This program uses a convenient, easy-to-learn syntax for setting up formulas and is geared to straightforward financial calculations; not elaborate analysis of scientific data.

A typical Spectaculator application involves identical calculations (sums, ratios, and so on) on the corresponding elements of rows in a worksheet, the results of which are displayed in a particular column. Calculations can also be carried out vertically, with elements in different rows being operated upon to yield a results row.

In the first case, the marker is moved to the column position to be used for results. The CF command is now used to set up the formula to define how items in the column are to be derived from other entries in the worksheet. When writing Spectaculator formulas, the entry in column number *n* of each row is symbolized by C_{*n*}; numerical constants are written as usual. Thus, if you want each row of column 3 to contain 125 percent of the sum of that row's entries from columns 1 and 2, just move the marker to column 3, enter CF, and type in the formula: 1.25*(C1 + C2).

This is a recipe, not an equation; there is no C3 = because the marker's position specifies that column 3 is to be used for the results. Unfortunately, additional spaces may not be used to enhance legibility.

Once a formula is entered, the CA command calculates the computations. If you want to see what changing one or more entries will do enter the new values and repeat the CA command.

Spectaculator will add, subtract, multiply and divide as well as calculate square roots. Parentheses may be used freely. It also offers a SUM and SMT function. The first is a short way of forming, for each row, the sum from a designated starting column up to the column to the left of the marker's position. It's handy, but can't be used when intervening columns are to be excluded from the summation. The SMT function, followed by a column designation, calculates the total of a specified column, and displays the running subtotals in the column where the marker is positioned. For example, if the marker is set in column 10 and the

formula SMT C5 is entered, the next CA will cause the first row of column 10 to contain the value from the first row of column 5; the second row of column 10 will contain the sum of the first two elements of column 5, and so on.

To differentiate those rows or columns in your worksheet that were computed, Spectaculator will display the associated formula whenever the entry marker is placed on such a row or column.

Normally, calculated results are displayed in a dollars and cents format with two decimal places. You can change this by prefixing formulas with an I for an integer display, or a D. The D causes calculations to be carried out to six decimal places, but only displays the results up to the first trailing zero. The program is inconsistent on this point; there are situations in which the first zero is displayed, and others in which it is suppressed. This makes worksheet formatting frustrating at times.

Spectaculator will automatically adjust the width of a results column, to fit as many as 10 digits (up to six to the right of the decimal point), to accommodate calculated values, even if you have predefined such a column's width.

All Spectaculator calculations can be carried out vertically across columns, as well as horizontally. To do this, place the marker somewhere on the desired results row, and define a formula as above, using Rn to denote a given column's entry in row number n. The two types of calculations can be used together in all sorts of financial work.

For example, the worksheet might contain budget information for a number of categories over several budgetary periods. If the categories are arranged vertically, calculating the sum across the rows would give the expenditures budgeted for each item for the entire time under study. If you calculated the sum down the columns, the total budgets for each of the time periods of interest would result.

In cases such as this, the CA command calculates the vertical and horizontal sums simultaneously. All results are displayed at once. If a number of columns are set up with different defining formulas, but all operate on the same initial data, then all results will be calculated and displayed simultaneously as well. There is one exception to be aware of, though.

Let's suppose that multiple results columns are set up, with one requiring the other for data. Suppose each row of column 5 is to contain the sum of that row's elements from columns 1 through 4, and column 6 is to express column 1's entry as a percentage of this total. The defining formulas would be: Column 5: SUMC1, Column 6: (C1/C5)*100. Here, everything would work just as described above, because the columns are defined in order, that is, everything is calculated before it is needed (if we read the columns from left to right). But suppose that the formula for column 5 called for a value from column 6, and column 6 was calculated from other data. Now, hitting CA would only give you the calculations for column 6. A second CA would be necessary to get column 5. Spectaculator seems to do what it can, skipping over those calculations for which the data is not yet available. This is preferable to getting an error message and having the program shut down, but it is something to keep in mind when changing an entry in the middle of a worksheet with such out-of-sequence calculations. To get all of the results updated properly in such a situation requires multiple CA commands.

This holds for row formulas, as well; the proper row sequence is from top to bottom. It is also true for larger numbers of out-of-sequence formulas than the two illustrated here. If you are accustomed to programming in Basic or other high-level languages you should have little trouble with this problem. Relative newcomers to programming, however, might have trouble, and it should be pointed out in the manual.

Other Features

Spectaculator worksheets can accommodate nearly 14,500 characters in a 16K computer, and nearly 31,000 in a 32K machine. You can save a worksheet to tape at any point, and reload it to resume work later. Data, labels, and defined formulas are all saved. You can assign a name to the tape file, and either use the name or ignore it when reloading (just as for Color Basic's CLOAD). One annoying point is that Spectaculator doesn't give any indication of the file name during the loading process.

Worksheets can be listed on a printer; the row and column numbers are automatically suppressed when this is

done making for a more polished printout. You can select any portion of the worksheet for printing, consistent with an 80-character line. Merely place the marker on the upper leftmost element that you want to have printed, and enter the LI command and the row and column coordinates of the lower rightmost element. Everything in between will be printed; there is no provision for selectively skipping rows or columns in a printout.

Pros and Cons

I found Spectaculator to be useful for fairly simple budgeting, in which a few columns of results are derived from several columns of data and both horizontal and vertical summations are required. Because of its limited mathematical functions, calculations requiring operations such as exponentiation become awkward. This means that compound interest expressions have to be written out explicitly as a series of multiplications. It also prevents the taking of roots other than the square root.

One of my real-world test jobs was a multiyear budget projection for a number of technical programs, in which I was interested in finding the sums for 22 rows and five columns. I would juggle individual entries in my worksheet to stay within guidelines for the total annual budgets, and recalculate the sums as needed. At the end, I called for a printout of that portion of the worksheet that I actually used. This one example exercised most of Spectaculator's commands.

The program was fairly slow. Calculation times ranged from six to eight seconds, and increased noticeably for larger worksheets.

Several aspects of the system only emerge when you give it an actual test case. It wasn't until I had it sum 22 rows of data that I realized there is no way to exclude individual columns from the sum if they contain numerical data. This meant that not only did I get the total annual budgets for my 22 programs, I also got the sum of the 22 program ID numbers! There is an easy fix for this particular case: just enter such identifying numbers as text, using the ET command.

Another shortcoming is the lack of a desk calculator mode for changing individual entries in the middle of a worksheet. If you want to examine the consequences of increasing an item by

TELEWRITERTM

the Color Computer Word Processor

TELEWRITER

Telewriter is the powerful word processor designed specifically for the Color Computer. It can handle almost any serious writing job and it is extremely easy to use. It has all the advanced features you need to create, edit, store, format and print any kind of text. With Telewriter you can quickly produce perfect, finished copy for letters, reports, term papers, articles, technical documentation, stories, novels, screenplays, newsletters. It is also a flexible and efficient way to take notes or organize ideas and plans.

51 x 24 DISPLAY

The Color Computer is an incredibly powerful and versatile computer, but for text editing it has some major drawbacks. The small 32 character by 16 line screen format shows you too little of the text and, combined with its lack of lower case letters, bears little resemblance to the way text really looks on the page. Reverse video in place of lower case just adds confusion.

Telewriter eliminates these shortcomings with **no hardware modifications required**. By using software alone, Telewriter creates a new character set that has **real lower case letters**, and puts 24 lines of 51 characters on the screen. That's more on-screen characters than Apple II, Atari or TRS-80 Model III. That's more than double the Color Computer's standard display.

FULL SCREEN EDITOR

The Telewriter editor is designed for maximum ease of use. The commands are single key (or single key plus control key), fast, and easy to remember. There is no need to switch between insert modes and delete modes and cursor movement modes. You simply type. What you type is inserted into the text at the cursor, on the screen. What you see on the screen is always the current state of your text. You can move quickly through the text with one key cursor movement in all 4 directions, or press the shift key simultaneously for fast, auto-repeat. You can jump to the top or bottom of the text, the beginning or end of a line, move forward or backward a page at a time, or scroll quickly up or down. When you type past the end of the line, the wordwrap feature moves you cleanly to the next.

You can copy, move or delete any size block of text, search repeatedly for any

... truly a state of the art word processor...
outstanding in every respect.

— The RAINBOW, Jan. 1982

The only one with all these features
for your TRS-80 Color:

51 column x 24 line screen display

Sophisticated full-screen editor

Real lower case characters

Powerful text formatter

Works with any printer

Special MX-80 driver

Runs in 16K or 32K

Disk & cassette I/O

**requires absolutely
no hardware modifications**

pattern of characters, then instantly delete it or replace it with another. Telewriter gives you a tab key, tells you how much space you have left in memory, and warns you when the buffer is full.

FORMAT FEATURES

When it comes time to print out the finished manuscript, Telewriter lets you specify: left, right, top, and bottom margins; line spacing and lines per page. These parameters can be set before printing or they can be dynamically modified during printing with simple format codes in the text.

Telewriter will automatically number pages (if you want) and automatically center lines. It can chain print any number of text files from cassette or disk without user intervention. You can tell it to start a new page anywhere in the text, pause at the bottom of the page, and set the Baud rate to any value (so you can run your printer at top speed).

You can print all or any part of the text buffer, abort the printing at any point, and there is a "Typewriter" feature which allows you to type straight to your printer. Because Telewriter lets you output numeric control codes directly (either from the menu or during printing), it works with any printer (LPVII, LPVIII, MX-80, Okidata, NEC 8023, C. Itoh 8510, Centronics, GE Terminet, Smith Corona TP-1, etc.). There's even a special driver for the Epson MX-80 that lets you simply select any of its 12 fonts and do underlining with a single underline character.

CASSETTE AND DISK I/O

Because Telewriter makes using cassette almost painless, you can still have a powerful word processor without the major additional cost of a disk. The advanced cassette handler will search in the forward direction till it finds the first valid file, so there's no need to keep retyping a load command when you are lost in your tape.

The Verify command checks your cassette saves to make sure they're good. You can save all or any part of the text buffer to disk or cassette and you can append pre-existing files from either medium to what you have in the buffer already.

The disk version can be simply customized to the precise number of drives in your system. From the disk menu, you can list any directory (including free space) to the screen or to the printer, rename or delete files, set the default drive and return to BASIC.

ASCII COMPATIBLE

Telewriter turns your Color Computer into the most powerful, lowest cost, word processor in the world today. But that's not all. The simple ASCII conversion program provided with Telewriter (for both cassette and disk) means you can use the full power of the Telewriter editor for creating and editing BASIC and assembly language programs. It means you can use Telewriter to prepare or edit text files used with any data communications program.

Telewriter costs \$49.95 on cassette and \$59.95 on disk. To order, send check or money order to:

Cognitec
704 Nob Ave.
Del Mar, CA 92014

Or check your local software store. If you have questions about Telewriter, call us at (714) 755-1258 weekdays, 7AM-4PM PST.

And now you can get a complete text processing/communications package direct from Cognitec.

Telemaster-1: gives you Telewriter along with Colorcom/E, the most flexible smart terminal program available for the Color Computer. Package price: \$94.95.

Telemaster-2: gives you Telewriter plus Spell 'n Fix—the professional FLEX spelling checker, now available for the Color Computer. Package Price: \$109.95.

Telemaster-3: includes Telewriter, Spell 'n Fix, and Colorcom/E—all 3 for \$154.95.

Please specify cassette or disk. For disk versions add \$10.00 to package price. Mastercard/Visa accepted. Allow 2-3 weeks for personal checks. Add \$2.00 for shipping and handling. California residents add 6% state tax. Send SASE for copies of reviews from major Color Computer and TRS-80 magazines.

... one of the best programs for the Color Computer I have seen ...

— Color Computer News, Jan. 1982

10 percent, you must figure out for yourself what 110 percent of the original is and re-enter the new number in the proper place in the worksheet. Then you can use the CA command to observe the impact on all your formula-derived quantities. Be aware, though, that even this manual updating will fail if you try to change an entry in a row or column that is itself found by calculation. The next CA command will cause the original defining calculation to be

rerun, and the old value of the item in question will come back to haunt you.

Spectaculator's operation has an asymmetry that deserves mention. That is, you can erase a derived column, formula and all, with the DC command; you can erase the data in a column with CC; but you can't leave the data and just erase the formula. Spectaculator also lacks the ability to copy a single row or column. I also miss something like Basic's Print Using

command. There really are times when you'd like calculated results to be displayed with exactly one decimal place, trailing zeroes or no!

In Conclusion

It is not for the elaborate analysis of scientific data, but if you need straightforward manipulations for home, business, or organization, give Spectaculator a try. ■

★ ★ ★ ½

The Sprinter II
Holmes Engineering
 3555 South 3200 West
 Salt Lake City, UT 84119
 \$99.50

by Richard C. McGarvey

The SPRINTER II is a speedup modification for the TRS-80 that requires no damaging alterations. With a few exceptions, you can plug in the Sprinter II and run it on your TRS-80, instantly giving you two variations of eight operating speeds. One variation contains wait states (pauses) that allow slower ROMs to keep up. The other is without wait states. The price on the Sprinter II may seem a bit high but that is because the kit includes the 6 MHz Z80B CPU.

Installation

The Sprinter II is simple to install. There are no traces to cut and no wires to solder. All you do is open your keyboard, pull out the Z80, and plug in the Sprinter II. After clipping four wires onto easy-to-find chips and resistors, the Sprinter II is ready to run. With luck you will get 5.33-MHz operation immediately.

Sprinter II is well made. There are a few minor problems, however, that may not be immediately evident.

Possible Difficulties

The first problems confronting most Sprinter II users is the need for high-speed memory. The 400-nanosecond Motorola memory present in most TRS-80s is not fast enough to handle the Sprinter II's acceleration. It is easy, however, to get 200-ns NEC chips that will rise to the challenge.

I had to replace my memory and so

did a friend who bought the Sprinter II on my advice. Another friend who also purchased the Sprinter II was able to operate it with his Radio Shack memory. If needed, the faster memory is available through Holmes Engineering for \$26 per 16K. Memory in the expansion interface is not usually a problem,

"If you want to tackle the job yourself, you can depend on Holmes for support. . . . they will be happy to supply you with any reasonable assistance."

but some obstacles emerge when you use an expansion interface.

In later versions of the expansion interface Radio Shack removed the buffered cable and installed a delay line (actually a chip). This chip causes problems when you try to speed up. As a result of this delay line, you will most likely need to replace that chip in the expansion interface with a modifying chip provided with the Sprinter II (at the additional cost of \$10). To find out if this modification is necessary, call Holmes Engineering.

A few other adjustments may be necessary. You may have to install resistors in the keyboard and in the expansion interface to help the memory keep up. At least two resistors are likely and the rest (about 16) are possibles. If after all of this modification you still can't get high speed, you may have to

cut a trace.

How to Modify

I made all the modifications myself. I needed the expansion interface modification and that was no trouble. I also installed resistors because I thought it wise while I had the boards open. If you don't want to do the work yourself, you can send the system to Holmes and they will make the computer run at 5.33 MHz for a small fee. Their work is guaranteed.


If you want to tackle the job yourself, you can depend on Holmes for support. They are good on the phone and they will be happy to supply you with any reasonable assistance. You can also call them before you buy to find out just which modifications you are likely to need.

Operating Options

An automatic slow down occurs when you access disk or cassette. This is the default, but it can be overridden. You can also decide whether you want the unit to start in the high-speed or normal-speed mode. Speed changes are software controlled by an OUT instruction to port 254. There are eight speeds, some slower than normal and others faster. Each has the option of operating with or without wait states to allow the slower ROMs to keep up. Top speed is 5.33 MHz without wait states, but a heavily modified computer is necessary to achieve this speed. The OUT254,12 instruction gives you 5.33 MHz with wait states. This speed should be available to everyone.

Holmes gives you a money-back guarantee. If you don't like the Sprinter for any reason, return it and get your money back, minus shipping charges. For this reason, they have an interest in your ability to get this little devil running to your satisfaction. ■

ARCADE EXCELLENCE



"Shows just how
fast machine
language can be."

"a challenge even after
several hundred plays"

"a super original
arcade game"

— Mark Renne,
'80 Microcomputing

Med Systems' staff of programmers is known for producing some of the finest software available today. Now we announce two arcade games worthy of the Med Systems name: **Laser Defense** and **Star Trap**. **Laser Defense**: a totally original action game, not just an arcade ripoff! And **Star Trap**: the first home arcade game to allow two players to compete **simultaneously!** Both feature state of the art graphics, sound, one or two player options, and high score saving.

But don't take our word for it. See the review in the August, 1982 issue of *'80 Microcomputing*. And remember, Med Systems offers to refund your money if you aren't satisfied. Just return the game within 14 days of receipt.

Laser Defense

Your laser satellites must defend helpless cities against nuclear attack while attacking and destroying the enemy's launch silos. Particle beam weapons, nuclear power stations, the eradicator, and a two-map graphics system combine to produce one of the finest arcade creations available.

Star Trap

The first **two player** arcade game!

Bouncing between two gigantic 3-D hypergrids are the stars of a thousand worlds. Capture as many as you can, or use your nova to annihilate them! **Simultaneous** two player option allows players to compete head-to-head in real time!

Laser Defense and **Star Trap** are available on cassette or diskette and require 16K of RAM.

Laser Defense	Cassette	\$15.95
	Diskette	\$18.95

Star Trap	Cassette	\$15.95
	Diskette	\$18.95

Please add \$2.00 for first class postage,
\$4.00 for overseas air mail.



MED SYSTEMS SOFTWARE

P.O. BOX 3558 CHAPEL HILL, NC 27514

TO ORDER, CALL 1-800-334-5470

✓ 83

OR SEE YOUR DEALER

★★★½

**Finance—Loans & Investments
Computerware
Box 668
Encinitas, CA 92024
Color Computer
16K Extended Color Basic
\$17.95 cassette
\$22.95 disk**

by Mark E. Renne

If you'd like your computer to figure interest on your loans or calculate how much you need to save to reach a goal, consider this program. Only three functions require a printer, so this utility is excellent for the beginner. It's good to see a program that uses the Color Computer as a computer and not as a video game.

Finance has two separate programs: Loans and Investments. Loans has nine separate functions dealing with often used loan calculations. Most functions calculate the missing variable. For example, if you are considering a two-year, 15 percent, \$2,000 loan, Finance will calculate your monthly payment. This works for any missing variable by supplying the remaining variables.

You can also calculate commercial paper discount, if you can find a bank these days with a discount. You need a printer for receiving a mortgage amortization table indicating payment, interest and principal. You also have the option of a printed declining-interest loan table. This program includes most of the common calculations involving loans. You can even show how much of a loan is interest as opposed to principal in the first years of home buying.

Investments, the second program in this package, contains nine separate calculations used in investments. You can calculate the future value of an investment by giving initial investments, interest rate, compounding periods, and number of years. This is handy for calculating the value of your IRA in 2098, or determining how much you can withdraw from an annuity without damaging the principal.

Another function calculates the effective interest rate given the current and future value and period. The only function that requires a printer is an earned-interest table.

These two programs are a good example of a computer's projection abili-

ties. Although they could be done on a hand calculator, the computer makes the process easy.

The program comes on a quality cassette with a program on each side or a disk. It loads with no problem and the programs are easily written and easy to

understand. There's an excellent introduction discussing copyrighted material in an intelligent fashion as opposed to stern warnings about duplication.

If you have a need for calculating loans and investments, I recommend these programs. ■

★★★

**Micro Mainframe Disk Controller
Micro Mainframe
2227 McGregor Ave.
Rancho Cordova, CA 95670
Model III
\$279.95**

by Jerry O'Dell

When I started shopping for disk drives for my Model III, I looked through the pages of this magazine to find the lowest possible price for the disk system.

To add one disk, you need a controller board, the drive itself, an installation kit, and 16K or 32K of extra memory. In addition, installation charges may enter the picture. I found prices from various sources as shown in Table 1.

My local computer shop, as the table indicates, has better prices than Radio Shack. The table's mail-order entries refer to the material prices I obtained from ads in *80 Micro*. As you can see, the mail price is \$560 less than the Tandy price. The Tandy installation prices are estimates. Two mail-order drives would save you \$734. If you can handle the service problems yourself, mail order is the way to go.

The chief contributor to the low mail-order price is the Micro Mainframe Model III floppy-disk controller. At \$279.95, it's about \$115 less than many other controllers listed in *80 Micro*. Micro Mainframe is not a well known company, but \$115 is a substantial price difference, so I decided to order their unit.

The first difficulty was finding a dealer that stocked the kits. Micro

Source	Controller	Drive	Memory	Install.	Total
Tandy	\$450	\$399	\$198	\$50	\$1,097
Local Dealer	\$395	\$235	\$50	\$30	\$710
Mail Order	\$280	\$225	\$32	---	\$573

Table 1




Photo 1. The Micro Mainframe Circuit Board

Convert your TRS-80* into a World Class Computer

ALSO...
UNIQUE
RED & BLUE
CRT'S
AVAILABLE
NOW!

NOW ALSO
AVAILABLE
FOR
MODEL I
AND
OTHER
12" MONITORS

that
**REDUCES EYE FATIGUE
AND DOESN'T FLICKER**



...with LSI's new **Soft-View™** Replacement CRT...

The black & white "TV Screen" CRT (picture tube) which came with your TRS-80* model II or III is an inexpensive rapid "P4" Phosphor CRT intended for TV use. The display is actually strobing 60 times a second. No amount of "green plastic" will stop this strobing or eliminate the eye fatigue it causes. But a new **Soft-View™** CRT display tube with a slower decaying, colored Phosphor will.

- Available in slow-decay green (similar to new IBM* and APPLE III* monitors) or medium decay "European Orange" (easy on the eyes, elegantly beautiful, and the standard for CRT displays in Europe)
- Lead glass stops X-ray emission
- Optional Anti-Glare Frosted Glass available to reduce eye strain from glare
- Easy installation — tube comes with pre-mounted hardware
- 30-Day Money-Back Guarantee
- Ideal for Word-Processing & Programming, fast enough for Games & Graphics
- Finest quality double-dark glass and phosphor fields make the letters seem to be coming out of black space

Try This Test:



Turn the brightness control on your TRS-80* all the way up. Wave your hand up and down in front of the screen. See how jerky it seems? Just like in front of a strobe light! That's because the screen actually is strobing at you. A slower-phosphor CRT will reduce that troublesome strobe effect. That's why most of the newer monitors, from IBM* to Apple III* are using the new slow-phosphor CRT's.

LSI's new **Soft-View™** CRT

LSI SYSTEMS **Soft-View™** CRT's:

80M-1182

- ☐ #GN42 Green Phosphor \$79.95
- ☐ #GN42G Green Phosphor with anti-glare \$89.95
- ☐ #OR34 Orange Phosphor \$89.95
- ☐ #OR34G Orange Phosphor with anti-glare \$99.95

ADD \$7 FOR PACKAGING AND UPS SHIPPING



Langley-St. Clair
Instrumentation
Systems, Inc.

To Order Call:
1-800-221-7070
Dealer Inquiries Invited

132 West 24th Street, New York, N.Y. 10011 212-989-6876

IBM, APPLE* and TRS-80* are trademarks of IBM, APPLE Computer & TANDY Corp.

REVIEWS

Mainframe in California put me in touch with three dealers. Two of them asked \$100 more than Micro Mainframe's advertised price. However, BT Enterprises of New York had them in stock at the same price. The unit was delivered one week after I placed the order.

My initial uncertainty about the MM controller kit proved to be unfounded. The circuit board (see Photo 1) is well made, and is obviously well designed. For \$279.95 you get the controller board, a switching power supply, almost all mounting hardware, all cables needed for installing two drives, and instructions. Only the four 32 by 1/4 mounting screws for the drives are not supplied. I bought a Tandon drive from Soft Sector Marketing; *The Model III Service Manual* contains service instructions for it.

James Schaefer describes installation of Model III drives in the January 1982 issue of *80 Micro* (page 172). There is little need to supplement his writing on the topic; however, I included a few figures to show special features of the Micro Mainframe system.

To begin installation, remove the Model III cabinet top, and an internal shield over the CPU board. Install the new memory chips in the sockets on the right side of the board. Insert them precisely like the original eight above them. At this point, turn on the computer to make certain that it still works. Then, remove the CPU board,

put in the disk controller board, install the hardware and cabling for the drives themselves, and reassemble the computer. It's a very simple job. The installation takes about an hour and a half. The instructions, unfortunately, are supplied on faded photocopies difficult to read. There are at least five serious errors, and the diagrams frequently don't match the text. For example, the instructions say to mount the power supply to the cabinet with the sticky tape on the bottom of the power supply; there wasn't any sticky tape on the bottom of the supply. You're supposed to install a long and a short mounting bracket, but they're both the same length. The cable diagrams are also incorrect. In spite of these errors, anyone with common sense can complete the installation.

There is one ambiguity in the instructions. This is with configuring the disk drive itself. The diagram in the instructions implies that the socket on the Tandon drive into which the shunt

is placed has seven positions. Actually, there are spaces for eight.

Figure 1 is a drawing of the drive board, showing how the connections are made. The connections shown are for drive zero, with shunts in positions 2 and 7, with all others open. Notice that no terminating resistors are plugged into the socket provided for them; they aren't required for internal drives. My dealer also cut the trace leading to pin 6 of the drive; according to Micro Mainframe's instructions, this isn't necessary, but the unit functions with or without the cut trace.

Photo 2 shows the completed installation. The drives fit well into the cut-outs of the Model III, and nothing is force-fitted into place.

The system worked immediately. Data transfer to and from the drives seems to work well; I haven't encountered any disk errors. I've found one commercial program that refuses to load, though it loads on a Tandy controller. The program uses tricky encoding techniques, however, and may not be a fair test. All the Radio Shack software I have loads perfectly.

There is one serious drawback. No service manual is available for the unit, and no schematic diagram. Service is available for a \$45 repair fee, but if you like to fix things yourself, you'll have to trace the circuit diagram on your own. Hopefully the company will change this troublesome policy as they gain experience. ■




Figure 1




Photo 2. The Completed Installation.

PUT YOUR COMPUTER TO WORK SAVING \$\$ EVERY TIME YOU BUY GROCERIES !!

QSORT

is a fast, menu driven assembly language program that keeps track of up to 1200 store coupons. Enter your shopping list and QSORT locates every usable coupon within seconds. A special filing system speeds physical retrieval of any coupon to a few seconds.

Comprehensive manual
Satisfaction Guaranteed or your Money Back.

Specify Model I or III
cassette or disc \$39.90 ppd.
(Calif. residents add 6%)

BV ENGINEERING ✓ 74

P.O. BOX 3351, RIVERSIDE, CA 92519
(714) 781-0252

★ ★ ★

Smith-Corona TP-1
Smith-Corona
65 Locust Ave.
New Canaan, CT 06840
\$895

by Terry Kepner

Smith-Corona, best known for their high-quality, low-price typewriters, will soon become well known for their low-cost, high-quality computer printers. The TP-1 has a suggested retail price of \$895, but I've seen it advertised in *80 Micro* for as low as \$650, making it the cheapest letter-quality printer available.

What do you get for your \$895? You get a well built, bare-bones, daisy-wheel printer. Most standard writing paper fits on the 13-inch paper carriage, but 15-inch computer paper won't. The actual writing line is 10.5 inches wide, giving you 105 printed characters with a 10-pitch printer, or 126 characters if you have the 12-pitch printer.

The line spacing can be set to 3, 4.5, or 6 lines per vertical inch, giving you 33, 49.5, or 66 lines per standard 11-inch-high paper. You can set the impression strength of the character-striking hammer to any one of five levels. The TP-1 supports the standard ASCII character set, but prints only 88 of them at the moment (the standard upper and lowercase alphabets, the numerals, and punctuation marks).

Special Features

The TP-1 has five special features: backspace, automatic underlining, programmable margins, programmable tab settings, and automatic forms control.

The backspace capability lets you overstrike a zero with a slash to differentiate zeros from the letter O, make boldface characters by backing up and restriking the same character, underline characters, or strike out characters.

There are two methods for underlining: using the backspace command to place the daisy wheel over the letter just typed, then typing an underline (recommended if you need only one letter underlined); or accessing the automatic underline feature, which underlines each character printed before

moving the daisy wheel to the next print position.

The margins can be set by positioning the print head to the desired point and sending a hex 11 (decimal 17). Setting the right margin is similar, except you send a hex 13 (decimal 19). To clear a margin, position the print head and send a hex 18 (decimal 24). This feature means you can set the number of printed columns on your paper without having to use DOS Forms commands or a special machine-language program.

Similarly the tabs can be set and cleared using the hex codes 12 and 14, respectively.

The forms control is a front panel switch. In the normal position, the printer prints all 66 lines on a page. In the Forms position the printer prints 58 lines, then skips eight lines to the next page. This provides simple pagination for program listings and word-processing documents.

The TP-1 doesn't support proportional spacing, reverse line feeds, half line feeds, or reverse half line feeds. Incremental spacing isn't available; you can advance or reverse the daisy wheel in increments of one character only. Neither can you change the pitch you're using.

If you have a 10-cpi (characters per inch) printer, you can't change the

print to 12 cpi. (You can put a 12-cpi daisy wheel on the 10-cpi printer, but you'll get only 10 characters printed per inch, which looks rather silly with a 12-cpi wheel.) The 10 cpi is equivalent to a pica typewriter and the 12-cpi printer is equivalent to an elite typewriter.

Compared with the more expensive daisy-wheel printers, the TP-1 seems slow, averaging 12 characters per second. (It sounds like a very fast typist at work.) Typing characters rarely used in English slows the unit down to about 10 cps, but typing more common characters, such as vowels, or repeating the same character lets the unit hit about 16 cps.

What are its advantages? It's inexpensive. It can be attached to almost any computer since it's available with either a standard Centronics parallel port or with an RS-232 port.

Setting the RS-232 port for stop bits is not required. The TP-1 will work with 1, 1½, or 2 stop bits; a 7 or 8-bit word length; and odd, even, or no parity. The data rate can be set to any one of 16 baud rates: 50, 75, 110, 134.5, 150, 300, 600, 1,200, 1,800, 2,000, 2,400, 3,600, 4,800, 7,200, 9,600, or 19,200.

Another advantage is that the inexpensive ribbons and print wheels are the same as those used on the Smith-



The TP-1

Corona Typetronic typewriter and are available through stores selling Smith-Corona electronic typewriters. The print wheels cost only \$4.95. (Tandy's Daisy Wheel II's wheel costs \$29.95.) One-time, 54,000-character, black-film ribbons retail for \$2.95, and the TP-1 multistrike mylar ribbons cost \$6.95, with a life of 250,000 characters. (Tandy's multistrike ribbons are three for \$24.95.) The TP-1 can handle up to four-part forms. If you use NCR carbonless paper, you can use six-part forms.

And last but not least, the TP-1 is simple to use. When I received mine, the print wheel and ribbon were already in place. All I did was remove the packing foam and bands, plug in my printer cable, plug the printer into the electric socket, load the paper, and I was in business. The ribbon and print wheel are easily accessible and simple

to change, and the manual is easy to understand. The TP-1 even includes a simple diagnostic routine that checks the motor every time you turn the printer on.

Disadvantages

At this moment there are two serious disadvantages to the TP-1. Because the print wheels were originally designed for the Typetronic typewriter they don't have the greater-than and less-than signs (left and right carets, <>). Since most Basic programs use the left and right carets in If... Then statements, this flaw practically eliminates the use of the TP-1 as a program-listing printer. I've been told by Daniel A. McCarthy, vice president of special markets at Smith-Corona, that ASCII print wheels will be available later this year.

The second problem is the lack of a tractor-feed mechanism for the printer. When running form-feed paper, what starts out as a nicely centered column on page one ends up printing on the left edge of the paper by page ten. Trying to print mailing labels was a complete disaster. I failed to print even one label with straight lines. This creeping also shows up in the vertical direction, but only if you're printing a few lines on each page with lots of repeating line feeds. McCarthy said he expects a tractor-feed mechanism to be available in the near future.

If you don't need proportional spacing or special features such as forward and reverse half line feeds that only more expensive printers can give you, consider the TP-1. It is an inexpensive letter-quality printer ideal for your personal correspondence or short documentation needs. ■

★★★★

Fast Basic

George and Thomas Gratzer

John Wiley Books

1 Wiley Drive

Somerset, NJ 08873

Softcover, 278 pp.

\$14.95

by Bruce Powel Douglass

Fast Basic is a book on using machine-language subroutines to enhance TRS-80 Basic on the Models I and III. If you understand Basic, integers, floating point, and strings, this book should be easy to follow.

The book focuses on teaching you to let Basic do what Basic is good at—functions like I/O and floating-point computations. But tasks that Basic doesn't do so well, machine-language subroutines should handle.

Fast Basic assumes you understand Basic well enough to use PEEK, POKE, and print statements. Each chapter has a summary and self-help questions. The first chapter discusses the representation of data and programs in memory, including binary and hexadecimal numbers. A program called Tutor (also available on disk) allows you to look at the contents of any byte in memory and its binary or hex representation.

Chapter 2 takes a closer look at what's in memory and the various for-

mats of Basic programs—how to PEEK and POKE to high addresses and the like. Chapter 3 discusses the organization of the TRS-80, as well as where and how Basic keeps the data tables, work areas, and address tables. The chapter

“The approach taken in writing Basic programs in Fast Basic is to first write them in a simplified form of Basic called Simple Basic.”

has a table of addresses for reference and a procedure for merging non-ASCII files, checking for printer status, changing drivers, and so on, with some interesting examples. It also gives a program that tightens the TRON function, so it doesn't destroy the video screen.

The book goes on to discuss how Basic operates, such as executing GOTOs, as well as recovering lost programs. The variable tables are discussed in detail, so you can get a variable out when you need it for Fast Basic. Chapter 5 talks about hardware, including devices, CPUs, and buses, with a tutorial on taking over the keyboard driver and programming other devices.

Chapter 6 begins the introduction to

Fast Basic with the Z80 and its registers and how to perform a load of the registers or memory. This chapter also includes one of the simplest introductions to Z80 programming I have seen.

USR, ROM, and DOS calls are discussed next. The chapter covers software accumulators for integer, single, and double-precision numbers and gives addresses. Then it gives an in-depth look at ROM subroutines for the math routines, such as locating, moving, and performing manipulations on various formats of numbers.

The rest of the book discusses the implementation of various functions in machine language, mostly using the ROM calls. Fast Basic provides a benchmark program (a bubble sort) showing the Basic and Fast Basic versions, complete with comments.

The approach taken in writing Basic programs into Fast Basic is to first write them in a simplified form of Basic called Simple Basic. Then, translate this form into USR calls and machine code. The book gives three methods of storing the machine code in memory, including POKEs into reserved memory, packing into arrays or strings, and packing into remark lines.

The last chapter tells how to enhance Fast Basic to be even faster. It gives the Block Search and Move commands of the Z80 instruction set along with applications, and it demonstrates simple ways to set and reset the video graphics

in machine language, as well as using the keyword jump table and how to take over the syntax-error routine to add commands directly to Basic.

The book also provides several appendices on entry points for a large

number of ROM routines, the Z80 instruction set, and the source code for a few utility programs.

This book is well written and provides many useful techniques to enhance Basic programs. It contains

much useful information on the organization of Basic, variable and work tables in the Basic environment, and how to properly enter and exit ROM subroutines. *Fast Basic* is well worth \$14.95. ■

★★★½

Colorterm
Martin Consulting
94 Macalester Bay
Winnipeg, Manitoba
R3T 2X5 Canada
\$34.95

by Scott L. Norman

Colorterm is a moderately priced cassette program that converts a 16 or 32K Color Computer into an intelligent terminal. It possesses an extremely important property: It lets you get "on the air" almost immediately by ignoring its advanced features. When used in this fashion, Colorterm is almost invisible, with no extensive set of commands to get in the way. Colorterm's advanced features can be learned at a later time. Be assured, this is a painless package to work with at almost any level of sophistication.

Bare-bones Features

Colorterm occupies less than 4,900 bytes of RAM, beginning at \$1C00. It requires a high-resolution (6144 byte) video screen for the software-defined character set, one of its most distinctive features. The display memory employed starts at \$400, so the Radio Shack disk system cannot be used in conjunction with the present version of the program.

That high-density character set featured in Colorterm's advertising gives you a true upper and lowercase display, 21 lines by either 51 or 64 characters (keyboard selectable). Lowercase characters have descenders. The 51-character display is somewhat less legible on my elderly black-and-white portable tv set than that used by my Telewriter word processor, even though the latter lacks descenders and crams 24 lines onto the screen. Colorterm uses the same characters for both line formats; spaces are just reduced for the higher-density display.

As you might expect, 64-character

lines are a chore to read on any tv receiver that is very far out of alignment. This mode is usable with a well tuned set, though, and I am looking forward to using it with a wideband monitor and baseband video.

The normal Colorterm display is black on a green background. This can be reversed from the keyboard, although the legibility suffers a bit. This feature is useful for highlighting particular lines of text, such as operator instructions.

The Colorterm character set can be patched into other programs to dress up their output. The manual contains the details on calling several I/O sub-

*"Be assured, this
 is a painless package
 to work with
 at almost any level..."*

routines from other Assembly-language programs; I assume that DEFUSR and USR calls would work from Basic. Martin Consulting makes the reasonable stipulation that you honor their copyright and restrict such applications to your own personal use.

Operation

As far as the fundamentals of operation are concerned, Colorterm comes configured for the most common ASCII data format: 300 baud, 7 data bits per word, even parity, and 1 stop bit. This is the format employed by CompuServe and Telenet, and I presume that it suffices for The Source and other major services. More in line with my interests, it is supported by the IBM TSO (time-sharing option) installations.

Should your requirements be different, any of these parameters can be

changed by loading (but not executing) Colorterm and then performing specific POKEs from Basic. The manual gives the relevant addresses, as well as the data for saving the modified program to tape. There is also a keyboard command for switching between full and half-duplex transmission; the default is half duplex.

Colorterm features auto-typing; if a key is held down for more than a second or so, it begins to repeat at a rapid rate. This function is also available for the four-way cursor control. The up, down, and left-arrow keys, together with the spacebar, are used to position the cursor, the right-arrow key being reserved as a special shift for Colorterm's advanced commands. A few keys are redefined when they are pressed at the same time as the regular shift.

Experimenters will quickly discover that there is a misprint in the Colorterm manual. The definitions of the shift, up-arrow and shift, down-arrow combinations are reversed. These give an underline and a left bracket, respectively. The underline is an independent character; it cannot actually be positioned under anything previously typed.

Advanced Features

When you're ready to use Colorterm, the right arrow gives you access to 18 predefined functions, each accessed by a single letter (upper or lowercase). In addition, you can define up to seven personalized functions using the arrow plus the letters T through Z; these functions generally take the form of ASCII control codes POKed into the appropriate locations.

I have described the functions that I use most often in accessing an IBM 3033 mainframe via TSO, my principal application of Colorterm. To give you some idea of how broad my Color Computer's horizons have now become, since acquiring Colorterm I have written programs for the mainframe in IBM's VS BASIC, Pascal, and

Fortran IV, as well as using Script, an IBM text-processing package!

In logging onto TSO, you must supply an ID code, generally public knowledge, and a password, which is confidential. Colorterm's D (duplex change) function allows you to maintain confidentiality. Start your log-on procedure in the normal half-duplex mode, in which each character is echoed on the screen when it is sent to the host computer. Before entering the password, enter the right arrow and D together to switch to full duplex, and subsequent characters will not be displayed. This is a toggled command, so it should be used again after you have finished your password in order to make subsequent entries visible.

When not concerned with confidentiality, I generally send my entire log-on code (ID, password, account number, and desired workspace size) to the host as a predefined macro message; this takes two keystrokes. Colorterm has two buffers reserved for frequently used macros, each of which may be up

to 128 characters long. The G command followed by the number of the buffer to be filled sets up the message-generation process; unfortunately, function commands such as right arrow, D cannot be embedded.

The M (macro send) command, plus the buffer number, transmits the mes-

*"One more interest
is the ability to scroll
through a mass of data
down-loaded from the
host to the
Color Computer."*

sage when desired. Again, once you have customized Colorterm in this fashion you have to store it on tape and be sure to use the appropriate version in future work.

It is sometimes useful to preserve a window of data on the screen while the rest of the display scrolls. Colorterm allows you to do this at the top of the screen. The procedure is simple: Once you have the desired information in position, place the cursor at the beginning of the next line and enter the right arrow and P simultaneously. Everything from the cursor to the end of the screen is cleared and is subsequently used for the scrolling display, leaving your data in place.

Highlighting the preserved message with reverse video can be effective, too. To do this, you merely use the F (color flip) command before the P command. The F changes the entire display from normal to reversed video; the P changes everything in the scrolling portion of the display back to normal.

My TSO connection involves a local telephone call, so I am not normally concerned about the duration of my connection to the host. Since this is not the case for everyone using a time-sharing service, Colorterm allows you to compose a file of useful size off line and then upload it in one shot. Colorterm normally uses nearly all of memory above decimal 12055 as a buffer for incoming data; this input buffer can be

limited to 512 bytes by the L command. Note, however, that a binary file of your own composition can be loaded above this buffer by a CLOADM command from Basic. This file can then be uploaded via the O (outsend) command. The file, which might have been prepared with an editor or text processor, can be about 3,500 bytes in length in a 16K computer, and nearly 20,000 bytes long in a 32K machine.

The whole process calls for close attention to loading offsets and addresses in general, a bit clumsy for my taste. You should be aware of the existence of this capability, though, because it is also employed in transmitting data from the buffer to a printer through the Color Computer's RS-232 port. To do this with any degree of grace requires a dual-port adaptor that allows both modem and printer to be hung on the port at once. The alternative is to switch connecting cables as needed, which can get a little frantic. None of this is Colorterm's fault but a limitation of the Color Computer.

One more interest is the ability to scroll through a mass of data down-loaded from the host to the Color Computer. You might want to receive data and go off line to examine it at your leisure, for example. Colorterm handles this easily. Before receiving the data, initialize the buffer with the right arrow, I command. Scrolling can be initiated with right arrow, S. The scrolling process starts at the beginning of the buffer, and can be interrupted and restarted in place by pressing any key; you may have to press a key several times in order to catch the attention of the keyboard scanning routine, however. Scrolling continues to the end of memory, or until the break key is pressed. Unfortunately, there is no provision for scrolling backwards.

All or part of the buffer can be saved to tape by returning to Basic with the reset button and executing a CSAVEM. Once again, the Colorterm manual contains the start, end, and transfer addresses for both 16 and 32K systems, as well as the PEEKs necessary to find the end of data in a partially filled buffer.

I have found Colorterm easy to use and quite flexible for my day-to-day requirements. It is moderately priced, and the text densities are high enough to allow doing some serious work. ■

COLOR HI-RES GRAPHICS FOR THE TRS-80™ MODEL I

Create spectacular color
graphic displays with your
TRS-80 Model I with
COLOR-GRAF

Connects to the expansion port of
your computer and uses your color
TV for the graphics display.

You control a color display that includes:

- 256 × 192 pixel resolution
- 15 colors plus transparent
- 4 graphics modes
- easily movable animated patterns

Complete documentation and software
allows you to set each pixel, create
patterns, draw lines, and much more!

COLOR-GRAF comes in a 7½" × 6" × 3"
cabinet complete with 40 pin connector,
power supply, RF modulator, documenta-
tion and software for \$260.

For information, or to order, write or call






Solelectronics

400 Asbury Ave., Evanston, IL 60202
(312) 866-8737

~322



RISING STARS



What some have called "the best kept secret in the game software industry". Unleashed here are six new software games blending advanced graphics with precise elements of playability, challenge and intense fun for every gamer's tastes. Beyond these six new games are 26 more for you to consider . . . all we believe are the best software values for your money!

LEGIONNAIRE—Real-time simulation of tactical combat in Caesar's time. YOU as Caesar command up to ten legions. Finest **full-color graphics** plus playability way beyond the state of the art! Cassette . . . \$35.00

V.C.—Faithfully recreates unconventional conflict in Viet Nam. YOU command chopper and artillery units, and face task of protecting civilian population where the enemy hides among the people. Cassette . . . \$20.00
Diskette . . . \$25.00

G.F.S. SORCERESS—Sci-Fi adventure game. YOU are Joe Justin trying to clear yourself of a false charge of mutiny and get back to the Galactic Federation Starship "Sorceress". Beautiful full-color manuals provide useful clues. Cassette . . . \$30.00 Diskette . . . \$35.00

ANDROMEDA CONQUEST—Vast scale space strategy game of galactic colonizing and conquest among unique star systems with strange life forms and alien technologies that provide exciting exploration and battle. Cassette . . . \$18.00 Diskette . . . \$23.00

MOON PATROL—Arcade Pak™ game of lunar invasion. Beats any quarter-gobbling game around! Four levels of increasing difficulty present new attackers to battle. Fast, furious and fun! Cassette . . . \$25.00

TELENGARD—Dungeon adventure in a mysterious underworld with 50 levels of ever-more-complex mazes to explore. Real time fantasy and role-playing game. Using wits, magic and fast thinking, gamers fight monsters and reap valuable rewards. Cassette . . . \$23.00
Diskette . . . \$28.00

* Trademarks for Apple Computer, Warner Communications, Tandy Corp., International Business Machines and Commodore International Ltd.

Available at finer
computer stores everywhere!



239

microcomputer games

* REGISTERED TRADEMARK OF MICROCOMPUTER GAMES, INC. DIVISION OF
The AVALON HILL Game Company

Avalon Hill MICROCOMPUTER GAMES
are compatible with the following computer systems:

Apple II®
Atari 4/800®
TRS-80 Models I/III & Color®
IBM P.C.®

Commodore VIC-20, CBM PET & 2001®

For specific information, such as
machine compatibility, memory requirements,
cassette or diskette availability and price,
call us toll-free 1-800-638-9292 and ask for
Operator 10 or write to:

Avalon Hill Microcomputer Games, Dept. C-10
4517 Harford Road, Baltimore, MD 21214



★★★★

Master Reversi
Instant Software Inc.
Peterborough, NH 03458
Models I and III
\$29.95

★★★★½

Odin
Odesta Publishing
930 Pitner
Evanston, IL 60202
Models I and III
\$34.95

by **Bruce Powel Douglass**

Master Reversi and Odin are two microcomputer versions of the popular board game Othello. The games, like Othello, are played on an 8-by-8 grid, similar to a chess board. Unlike chess, pieces are not moved after being set on the grid. Your object is to occupy territory by placing pieces on the board and trapping your oppo-

nent's pieces between them. Once trapped, an opponent's piece is flipped over reversing its color.

Master Reversi

Master Reversi requires a 32K Model I with one disk drive. It has nine skill levels, and an easy-to-understand manual. The game responds quickly

"Odin plays more competitively and beats me more often than Master Reversi. It doesn't, however, have the options found in Master Reversi..."

up to the fourth or fifth level; but the response time increases for the higher levels, typical of heuristic, tree-searching algorithms. You can change the level of play at any time during the game. Master Reversi has a tournament clock and lets you play the computer or another person.

This game uses the arrow keys for positioning the flashing cursor. I prefer this to Odin's method, which uses numbers to choose the square. Options include taking back the previous move, forcing the computer (with the affectionate name Aldaron) to move immediately, displaying available commands, displaying legal moves, sending the current screen to a graphics or nongraphics printer, requesting advice, passing on your move, changing your name on the screen, toggling the flashing of the cursor, saving or recalling a game, and quitting. The nicest option is the output to the printer.

Master Reversi's thinking mode lets you see what Aldaron is thinking. What you see ranges from the last board positions, to the moves Aldaron is considering and how highly he values them. Aldaron also lets you set up possible board positions and analyze them. In fact, you can have five different board positions in memory at once. You can display or review the moves made during the game, either in standard Reversi notation or with the

board itself.

Master Reversi's tournament mode is for serious players. In this mode, Aldaron thinks on your time, plays in accordance to tournament rules, and uses book openings. I prefer this mode.

Master Reversi plays a good game. Although its response time is slightly slower than Odin's, it is better than most Othello games I have seen.

Odin

Odin also requires a 32K Model I with a disk drive. Its well written manual includes a complete description of rules, history, and strategy. Interestingly, when you buy Odin you get a year's membership in the United States Othello Association and receive their quarterly magazine.

Odin automatically displays your possible legal moves when it is your turn and has a number of options, although not as many as Master Reversi. They include changing skill levels, changing sides during the game (with this option, Odin plays himself), starting a new game, displaying instructions, replaying the game, setting up new positions, a tutor mode, displaying the game record, taking back the last move, and an option called the principal variation.

The tutor mode displays all your moves, with Odin's opinion of their relative worth. This mode reflects Odin's opinion of the immediate situation without considering future moves, so it is of little help except to the novice. In the principal variation mode, Odin shows the move he thinks is best for you, what his counter move will be, and so on, for the number of moves equal to the depth of the search. Odin plays at levels 1-9, A-F, G, T, or X. The tournament level works only if you have a 3x speedup modification. Level B, however, plays approximately within the 25-minutes-per-player limit used in tournaments.

Odin plays more competitively and beats me more often than Master Reversi. It doesn't, however, have the options found in Master Reversi, and sorely lacks the printer-output option. I prefer Master Reversi's method of choosing squares for moves (moving the cursor with the arrow keys) to Odin's name-that-square approach. Both play a good, solid game and have ample skill levels to keep you busy for quite a while. ■

ARRANGER

100% Machine Language Disk Index
 Program for the TRS-80 Model I&III
 Automatically recognizes ALL major
 DOS's!

The Arranger is a master index system that automatically records the names of your programs, what disks those programs are on and type of DOS. Some of its features are:

- Automatic single and double density recognition
- Accepts LDOS, DOS+, TRSDOS, NEWDOS/80, DBLDOS
- Works interchangeably with Model III, I double density
- Capacity of 200 diskettes, 45 filenames/diskette
- Quickly locates any amount of free granules
- Finds a program in less than 30 seconds!
- Alphabetizes 1500 filenames in 40 secs.!
- Option to sort by any extension (/BAS, /CMD, /???)
- Easily updates diskettes previously added
- Backup function build in
- Uses 1 to 4 drives, 35, 40, or 80 tracks

Requires 32K, 1 disk min., \$29.95

Specify: TRS-80 Model number
 (If you've added double density to
 your Model I, please indicate)

Triple-D Software ✓ 489
 P.O. Box 642
 Layton, Utah 84041
 (801) 546-2833

VISA
 OR
 MASTERCARD

\$30 lets you take advanced VisiCalc® lessons from VisiCalc's creators.



Introducing SATN from Software Arts, creators of the VisiCalc program. SATN is a publication offering on-going support to all VisiCalc users.

SATN helps you discover the full power of VisiCalc, including advanced methods to help develop your own VisiCalc applications.

Each issue of SATN is filled with techniques and information to help you expand your understanding of VisiCalc functions.

Past issues include articles on mortgage calculations, playing "what if" with IRA's, internal rate of return calculations, scheduling with VisiCalc.

Bonus Subscription Offer

If you subscribe by Dec. 31, 1982, you'll receive a free issue of SATN. Just return the coupon or call our toll-free number to order.

Full Refund Policy

If you are not completely satisfied with your first issue of SATN, let us know within one month and we will refund your money.

SATN is your personal pipeline to the people at Software Arts who invented VisiCalc. Their knowledge and experience with VisiCalc will benefit you with each and every issue.

Act today!

**FOR FAST DELIVERY CALL TOLL FREE
800-257-7850 Op. 737 (In NJ 800-322-8650)**

SATN SUBSCRIPTIONS, P.O. Box 815, Quincy, MA 02169

Yes, please send me ☐ 7 issues at the 6-time rate of \$30.

(Outside U.S.—\$50.)

☐ 13 issues at the 12-time rate of \$50.

(Outside U.S.—\$90.)

☐ Check enclosed ☐ MasterCard ☐ Visa ☐ Bill Me

Credit Card #

Expiration Date

Signature

Name (please print)

Company

Address

City

State/Country

Zip/Postal Code

On what computer(s) do you run VisiCalc?

Please allow 6-8 weeks for delivery.

MCA

SATN.™ The Journal for VisiCalc Users.

The VisiCalc Program is copyrighted by Software Arts, Inc. SATN is a trademark of Software Arts, Inc.

VisiCalc is a registered trademark of Personal Software Inc., which is the exclusive world-wide publisher and distributor of the VisiCalc program.

★ ★ ★ ½

Spell 'N Fix

Star-Kits

P.O. Box 209

Mt. Kisco, NY 10549

\$69.29 cassette or disk

\$89.29 flex disk

by Scott Norman

Spell 'N Fix is a program for finding and correcting spelling errors in Color Computer text files. It compares each word with entries in a dictionary file, identifies words that do not appear there, and displays or prints them. You can mark suspect words for later correction in a new version of the text material, and you can customize the dictionary to reflect your vocabulary.

Spelling checkers are available for other computers, but to my knowledge Peter Stark of Star-Kits is the first to produce one for the Color Computer.

Spell 'N Fix is an adaptation of Magic Spell, a 6800-system program. It is unique in that it is also available in the Flex format; as devotees know, Color Computers with Radio Shack 32K conversions and fully functional 64K RAMs can be adapted to run under this popular operating system.

Spell 'N Fix operates on ASCII files, so it is compatible with most CC text processors. I have used it with Color Scripsit (using the print-to-tape option), CC Writer, Super Color Writer, and Telewriter. Telewriter doesn't produce ASCII material, but rather core-image (binary) files. Spell 'N Fix and the disk version of Telewriter include conversion programs to take care of the mismatch. I will frequently refer to tests with a particular Telewriter-generated text file.

I have used only the disk version of Spell 'N Fix. The cassette version is much less flexible, and I question its utility over the long haul; cassettes have too many restrictions for the kind of file shuffling that a program of this nature requires.

Preparing a File

My test file was just under 2,900 words (about 17,000 characters) long, typical of the material that I produce with my 32K machine.

I first converted my sample with BINCON, a Basic program included

on the Spell 'N Fix disk. There is a syntax error in early versions of BINCON. Line 220 should be changed from NEXT I to NEXT S; this problem has been corrected in newer versions. When you run BINCON, it asks for the names of the original file and the ASCII output file. It then chomps away with the text scrolling by in a jerky fashion as conversion proceeds. The disk drive cuts in and out as segments of the ASCII file are built up.

BINCON is slow. It converted my file in just under 13 minutes. This seems to eliminate Spell 'N Fix from use with Telewriter. Fortunately, Cognitec's Howard Cohen has included CONVERT/XXX, his own machine-language conversion routine, with the Telewriter disk. This ran my file in 40 seconds. Convert can switch ASCII material back to core-image format, so Telewriter's output formatting can be used after spelling corrections have been made to an ASCII file.

Convert has one drawback: It leads off with a PCLEAR and Clear combination that upsets my computer's version 1.0 Basic ROMs. The solution is to issue the commands from the keyboard, and delete them from Convert itself.

Running Spell 'N Fix

Spell 'N Fix is easy to run, although there are many options to declare. It is a rather chatty program, with lots of screen prompts and an excellent manual to lead the user along. The disk contains nine files, but only three are involved in an elementary spelling correction run: SPELLFIX/BAS, the loader and interface program; SPELLFIX/BIN, the machine-language spelling checker; and DICT/DAT, the dictionary file, which contains just under 20,000 words in a special compressed format.

When you load SPELLFIX/BAS and try to run it, you get a syntax error. This may arise from a bug in Basic itself, according to Peter Stark. The fix is trivial: Enter a second Run command.

```
10 GOTO 100
20 GOTO 110
30 GOTO 20
```

Now the machine-language program is called, and you are presented with the first option, which is the use of a

printer to record suspect words as you proceed.

Next, enter the text file name to be proofread. If you have a one-drive system, this is the first of several times you will have to switch disks (the text disk replaces the Spell 'N Fix disk). Things are more convenient for two-drive owners. Simply give the complete file-spec (name/extension:drive) in response to each prompt for a file name.

Once the text file is located and opened, there is one more prompt—you are asked to specify the kinds of words that Spell 'N Fix is to examine. The choices are any group of characters (excluding certain punctuation marks) enclosed by spaces or carriage returns, or only what the program considers reasonable words. The latter is a more restrictive category, and is not as useful when first scanning text for errors. It may be useful, however, when adding new words to a customized dictionary.

Now Spell 'N Fix is ready to work. It reads the text file, constructing in memory an alphabetized list of all distinct words to be compared with the dictionary. This is the key to processing large files. English text is very redundant; the number of different words in a large sample is much smaller than the total number of words. The manual claims that Spell 'N Fix can handle files of up to 400,000 characters (about 70,000 words) in a 32K system. The program read my test file in about 1 minute, 50 seconds.

Next, Spell 'N Fix asks for the name of the dictionary file to be used; in the early going, this is DICT, the stock dictionary. You usually have to switch disks again. You are given the option of adding new words to the dictionary at this time. The program reads as much of the dictionary as fits into memory along with the list of distinct words, and when it has done so, it compares the two.

Words that do not match the dictionary are printed on the screen (and on the printer, if that option was chosen) in alphabetical order. The process is repeated in steps until all of the dictionary has been read and compared with the input text.

Several options are presented when the first misspelled word is encountered. You can ignore a given word, mark it for future correction, or mark all such findings in the remainder of

A Computer That Writes Programs For You.

What will they think of next..?

Your computer is fantastically fast...once it knows what to do. You probably realize that a computer is really the combination of hardware and software, working together smoothly, to give you what you want. Either one alone is useless. Software is really the key...the "mind" of a computer system. Every project or task you want to do requires a new specific software application to make it behave exactly the way you desire.

Of course, you may be able to "force-fit" an application into some existing canned program you have, but to really get results, you need a separate application program to run on your computer.

Until now, that meant you were forced to pay money for application software off the shelf, or if you could afford it, have it custom written for you, or, if you are qualified, do it yourself...spending endless hours figuring it out and writing it. Now, your computer can write individual application programs for you. These programs are each separate, unique software programs that run in standard Basic on your computer.

A company named FutureSoft has developed this exciting and long awaited remarkable working tool for you. There are two versions called *Quikpro+Plus* and standard *Quikpro*. Both of them create unique separate Basic programs for you...to do exactly, precisely, what you want to do. And listen to this...you create a new program in minutes instead of hours.

You can quickly generate a new program when you want it. You can generate thousands of different unique programs, each one standing alone as a complete program that runs in Basic. Best of all, you do not have to be a programmer to do it. The *Quikpro* software becomes your personal programmer, waiting to do your work for you any time of day or night you choose to use it.

The custom programs you generate from this software provide for: Data Entry, Additions, Changes, Record Locating & Searches, great variety of Computations, and Report Printing (if you have a printer). It lets you decide what data to manipulate and how to manipulate it. It lets you decide the formats you want to appear on your screen and/or to print out in a report. It lets you use differing formats on the same data base. It lets you make calculations from data within records without altering the data base. It lets you report results with or without including the base data from which results were calculated.

All this is included in the ability/power of the program you create. You do it by simply answering questions that appear on your screen. Instantly, the *Quikpro* software instructs the computer to perform complex and



error free instructional sequences. You get the immediate benefits of professionally written software for your application.

The resulting custom program is truly a separate Basic program. You can list it, you can modify it, you can actually see what makes it tick. You can even ask it to print out its own operating instruction manual so others can run it for you. Finally, you can really tap the speed and power of your computer the way you really want. You can create new programs for every use you have in Business, Science, Education, and Hobby areas. And you can start now.

The software is available immediately from the creators. It comes in two versions. If you want to generate separate Basic programs with all the data handling plus Calculations and Report Printing features, you want *Quikpro+Plus*. Specify to run on TRS80 Model I and Model III at only \$149; to run on TRS80 Model II at \$189.

If you do not need Calculation ability or Report Printing in the separate Basic programs you will create from this program generating software, then standard *Quikpro* will do the job for you. Standard *Quikpro* to run on TRS80 Model I or Model III is \$89; to run on TRS80 Model II is \$129. (Later on you can always trade up to the Plus Versions for only the cost difference between the two).

Both programs are available to run on many other computers besides TRS80. Details are available by calling or writing.

You can order right now by phone or mail. If you have Visa/Mastercard, call toll-free from:

All States except CA-AL-HI	1-800-824-7888 OP# 441
From California call	1-800-852-7777 Op# 441
From Alaska/Hawaii call	1-800-824-7919 Op# 441

Operators on duty 24 hours daily. Operators can not answer technical questions. If you need technical information or want to order from Canada or other nations, call 1-904-269-1918 during office hours, Eastern Time, Mon.-Fri.

Send mail orders with check, money order or credit card information to: FutureSoft, P.O. Box 1446-D, Orange Park, Florida 32073. FutureSoft gives you a satisfaction or your money refunded guarantee for 10 days from delivery. You can run the software yourself on your own computer and see with your own eyes what it can do for you. Order now. ✓66

ADVERTISEMENT

the text. The latter option is as close as Spell 'N Fix comes to fully automatic operation; using it, my file was processed in just under two minutes. The other options call for an operator decision every time a misspelling is detected. The decision to ignore such a finding is not always easy; the program recognizes specialized technical jargon, but proper names and control codes sometimes cause confusion.

Suppose you choose the M (mark as incorrect) option for at least some of the words flagged by Spell 'N Fix. When the entire dictionary has been read, you are asked whether you wish to create a new text file with such words either changed or marked. (The alternative is to quit the program entirely.) Assuming that you do want the new file, another disk switch is in order. Your original text file must be available, because Spell 'N Fix must reread it to properly locate the misspelled words in its alphabetized list.

If you have chosen the Mark option for the entire file, the program reads

the old file and writes the new one alternately. This took just under three minutes for my sample. If you choose the Change option, it repeats the text up to and including the first marked word and then prompts you to enter the word correctly. This is repeated for every misspelling. The system returns to Basic when the last correction has been made.

If you examine a marked file, you find every misspelled word flagged by three asterisks. Unless you are a terrific speller, this provides a good reason not to push the limits of your computer's buffer capacity when composing your original material.

Operating Spell 'N Fix is not as cumbersome as it sounds. Here is a summary of the entire process for a one-drive system, assuming that an ASCII text file is available at the outset:

- Load Spell 'N Fix.
- Insert text file disk. Read in and process file.
- Insert Spell 'N Fix disk. Read in dictionary and prepare a list of misspellings.
- Insert text file disk. Reread original file and prepare a new one with errors changed or marked.

One step remains for Telewriter users at this point—conversion back to core-image format. Convert handled that job for me in less than 15 seconds for my sample. I was then able to use Telewriter's global editing feature to locate all strings of three asterisks to make the necessary corrections.

Customizing the Dictionary

The dictionary furnished with Spell 'N Fix contains not quite 20,000 words. This limit was originally chosen so there would be room for the user to construct a second customized copy on a dedicated dictionary disk.

Spell 'N Fix provides several ways to do this customization (with disks—cassette systems cannot have the required pair of files open simultaneously). Just before reading the dictionary file, it asks if you are going to build a new one. A Yes answer causes another pair of options to be available each time a misspelled word is detected in the source file. You may add the word to the dictionary as is, or add all flagged words. This gives you an easy way to merge a specialized vocabulary with the stock dictionary. Just construct a text file consisting of your specialized

vocabulary (properly spelled), and run it against the Spell 'N Fix dictionary under the D (add all words) option.

You have to be careful with this to strike a balance between having an all-inclusive dictionary and keeping the running time down to acceptable levels. There is little point in loading the dictionary with words that will only be used in a single piece of writing.

It is also possible to construct a specialized dictionary from scratch with the D option. Again, you start with a file of properly spelled words, but this time you add it to a blank dictionary file. A blank dictionary contains one entry—12 up arrows, recognized by Spell 'N Fix as an end marker. The Spell 'N Fix disk includes a utility program, Build, that you can use to set up such a file.

Other Utilities

The Spell 'N Fix disk contains a number of utility programs. In addition to Build and BINCON, there are SAMPLE/DAT, a short piece of text used for teaching the system; LIST/BAS, which prints the contents of ASCII text files (after marking words, for instance); RESET/BAS, which flushes everything and returns the computer to its normal wake-up state; EXPAND/BAS, which converts the Spell 'N Fix dictionary from its normal compressed form to an expanded form in which it can be edited. This is the only way to remove words from the dictionary, but the manual points out that Expand may take several hours to perform the complete conversion.

How Does It Work?

The time Spell 'N Fix takes to process one of my files is not unreasonable, although its use on a single-drive system is unnerving. One solution is to copy my working dictionary onto each disk used for text files. This minimizes the disk swapping, at the cost of 31 or 32 grams per disk.

Spell 'N Fix does its job and adds a little more professionalism to Color Computer text processing. ■

We inadvertently printed an incorrect address for Compulink in the September review of Sooperspooler. The correct address is: Compulink, 1840 Industrial Circle, Longmont, CO 80501—Eds.

DC/CMD DISK CATALOGUE

Finally, after more than nine months of development, a universal diskette management system. A software package designed to keep track of all of your diskettes and programs.

\$39.95

Contains...

- ★ Quick sort routine for sorting by program name, or program extension, or disk number, or a combination of inter-woven sorts.
- ★ 255 Disk/510 side storage capacity per data file.
- ★ Virtually unlimited printing and data access parameters.
- ★ Pays for itself the first week.

(TRS MODELS I & III Only)







Rainbow ²⁶⁵ TM

P & P CORPORATION

PO Box 362 • HADDONFIELD, N.J. 08033

CALL TOLL-FREE **800-257-6170**

in New Jersey 609-428-3900



REVIEW DIGEST

edited by Janet Fiderio

Color Logo, Radio Shack, 32K Color Computer disk version, \$99.

"The most interesting feature of Color Logo is its ability to create multiple (up to 255) turtles and have them send messages to each other. ...In general this looks like a nice Logo for children." *Byte*, August, p. 248.

Chextext, Apparat Inc., Denver, CO 80237, Model I or II, 32K, two disk drives, \$59.95.

"Chextext runs smoothly and...efficiently. ...We would feel more comfortable...if we could see the word in context during review of the suspect word list. Any word encountered in which context might be a factor can be flagged, however, and examined in context during the correction process." *Desktop Computing*, September, p. 52.

Electric Webster, Cornucopia Software Inc., Walnut Creek, CA 94596, \$80.50 TRSDOS standard, \$149.50 CP/M standard.

"**Electric Webster** is a program that can mature and grow under your direction. It learns your words and helps you to use them. I am impressed with its responsiveness and features." *InfoWorld*, August 30, p. 36.

The UPI-3 Serial Interface, Model I, Binary Devices, Noblesville, IN 46060, \$139.95.

"The interface is everything I expected and I am happier with this piece of hardware than any I have purchased for my TRS-80 Model I. Although the price may seem high, the product is excellent. Support from the manufacturer equals the excellence of the product. ...If you have the driver blues, the UPI-3 may be the best solution to your problem." *80 U.S.*, August, p. 101.

Space War, Spectral Associates, Tacoma, WA 98466, Col-or Computer, \$21.95.

"Even if you spend a lot of time (not to mention money) mastering arcade games, you'll have to start from scratch when you pick up the joysticks of this new Spectral Associates game. ...I recommend it for two players, although one player could probably do all right with a little practice." *80 U.S.*, August, p. 104.

Basic Programmer's Notebook, Earl R. Savage, Howard W. Sams & Co. Inc., Indianapolis, IN 46206, \$14.95.

"*The Basic Programmer's Notebook* is an excellent tool for people who want to learn shortcuts in programming to produce writing that is easier and, perhaps, even better than what they might write without using the book." *InfoWorld*, August 2, p. 15.

Basic Programs for Home and Financial Management, W.B. Goldsmith Jr., Prentice-Hall Inc., Englewood Cliffs, NJ 07632, 320 pp., hardcover \$18.95, softcover \$12.95.

"For anybody who might just need to computerize his entire home finances, this book provides a lengthy description of each program that includes background information, detailed documentation, and 'programming notes.' The writing is informal and simple enough for the near-beginner..." *Creative Computing*, September, p. 228.

Versafile, Radio Shack, Model I disk system, \$29.95.

"What makes Versafile so unique is its versatility—its name is very appropriate. ...If you are looking for something that will make your computer more useful, Versafile from Radio Shack may be for you." *Creative Computing*, September, p. 69.

TRS-80 Graphics for the Model I and III, Byte Books, Peterborough, NH 03458, \$12.95.

"*TRS-80 Graphics for the Model I and III* is an excellent introductory text to the field. Written in a breezy and generally conversational tone, this book, by authors David A. Kater and Susan J. Thomas, belongs on every TRS-80 owner's bookshelf. It's certainly the most fun computer book I've read in months." *80 U.S.*, September, p. 100.

The Basic Handbook, 2nd Edition, David Lien, Compu-Soft Publishing, El Cajon, CA 92020, softcover \$19.95.

"To the average TRS-80 owner, David Lien's name has become familiar. *The Basic Handbook, 2nd Edition*, will make it even more so. ...*The Basic Handbook* is an encyclopedia of the Basic language. It gives possible commands in alphabetical order with one or more pages devoted to what that command means." *80 U.S.*, September, p. 101.

Pascal Programs for Scientists and Engineers, Alan R. Miller, Sybex, Berkeley, CA 94710, paperback, 374 pp., \$16.95.

"This book shows how far the microcomputer industry has come from its game-playing origins. ...The programs in the book are written in Standard Pascal; this has some advantages and some disadvantages. The programs can be used on any computer that has a Pascal implementation, but they can't take advantage of special features (such as graphics) which make some versions of the language so attractive." *Micro-computing*, September, p. 134.

**TWO MILLION
PEOPLE COULD
USE YOUR
SOFTWARE.**

**TOO BAD
THEY'VE NEVER
HEARD OF YOU.**

At last count, more than a couple of million Americans owned personal computers. And that number is expected to triple by 1985.

That's a fertile environment for software sales. But a lot of personal computer software organizations are discovering it's not as easy as they might have thought.

The problems boil down to these:

Lack of awareness on the part of personal computer buyers. Lack of understanding on the part of personal computer salespeople. Lack of unlimited dollars to advertise in the myriad magazines that reach this small segment or that small segment of the total market.

If any of this sounds like a familiar frustration to you, we've got good news. *LIST* is here. And its advent heralds a new era in cost-effective software marketing.

LIST isn't another guide. It's not another directory. It's an informative new publication that puts software first. And puts you in touch—directly, inexpensively—with the fastest growing segments of

the personal computer market.

With *LIST*, you'll be able to reach business and professional people at a critical point in the purchase cycle—*before* they've bought their hardware.

At the same time, you'll be able to impact another significant market segment—those people who already own personal computers, and are eager to learn how they can do more with them.

To find out how *LIST* can expand the awareness of your software for less than \$200, send us this coupon. (Hurry! We go to press December 15.)

Or don't. And go on being less well known than you deserve to be.

LIST is published by Redgate Publishing Co., an affiliate of E. F. Hutton and Co.

1 800 327-1300

"I WANT TO MAKE MORE PEOPLE AWARE OF MY SOFTWARE."

☐ Please send me literature that explains how *LIST* can help.

☐ I don't want to wait on the mails. Call me right away.

Send to *LIST*, Redgate Publishing Co., 3407 Ocean Drive, Vero Beach, FL 32960. Or phone 1 800 327-1300.

NAME _____ TITLE _____


COMPANY _____ TELEPHONE _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

LISTTM

The Software Resource Book
For Personal Computer Users



Micros in Medicine

by G. Michael Vose

A micro with a bedside manner? Read how the medical profession is using micros to diagnose, educate, and gather information.

When "Bones" McCoy, the chief medical officer on *Star Trek's* Federation starship Enterprise, pulls a small tricorder sensor out of his pocket and scans the body of a fallen comrade to diagnose his injuries, he is using technology that doesn't exist today. But it may tomorrow.

The thrust of the engineering efforts in electronic design labs is to put more circuitry on a single silicon microchip. With each new breakthrough in microprocessor technology, the medical profession takes a step closer to the day when Dr. McCoy's tricorder will be a reality.

Of course, as Captain Kirk's good doctor has proven in times of interstellar crisis, technology will not replace the learned men of medicine nor will it make them infallible. But micropro-

cessor technology can and will add to the tools the physician of tomorrow will use to cure the bodily ills of mankind.

Microcomputers are already making significant contributions to the practice of medicine. From streamlining the paperwork hassles in record keeping, to warning physicians of dangerous drug interaction, to interpreting the clinical measurements taken by other instruments, the microcomputer is a modern day Dr. McCoy. If you stir in a few projections about the future, you brew a mixture in which the practice of the medical arts may become one of the most significant applications of microcomputer technology.

Today's Medical Applications

Today, microcomputers are being used primarily to manage the vast amounts of information needed by a physician and his staff. Patient accounts, clinical histories, records of reactions to medications, scheduling of office and hospital visits, and billing must all be recorded for every patient. Every physician must also have access to the latest information about new treatments. All this constitutes an information explosion that micros can help manage.

But, doctors are also beginning to discover how computers can help in the clinical process. In the last few years, a new breed of physician has appeared

—the physician programmer who identifies a clinical application and then writes a computer program for it. These physician programmers are adding a new dimension to their practices and are sharing these new tools and techniques with their colleagues.

The staffs of the hospitals where these programming physicians work are also learning the new technologies. Increasingly, microcomputers are being used to help plan diets, analyze medical tests, and monitor patients in intensive care units. In many hospital applications, computers are being used by nurses, dieticians, and administrators.


Medical Micros

Many physicians are excited about microcomputers because of their accessibility, user friendliness, and ability to back up valuable data. Drs. Lee Blumenthal and John Waterson of the Department of Pediatrics and Communicable Diseases at the University of Michigan have chosen a TRS-80 microcomputer as the data-entry station for a data-base management system used on a mainframe computer. Data is entered into the TRS-80, saved on disk, and later sent to the mainframe computer by telephone modem. Blumenthal and Waterson say that this system is superior in many ways.

First, the computer is always available for data entry. Second, correcting errors is simple; in fact, the system in its entirety is easy to use as compared to the timeshared mainframe. And third, data can be transferred at night when the mainframe system is more readily available.

Availability is the major factor that has spurred the growing use of micro-





computers by the medical community. In the Cystic Fibrosis Clinic at Children's Hospital in Pittsburgh, PA, doctors and their young cystic fibrosis patients use a microcomputer to help them assess the caloric value, food variety, and vitamin C and vitamin A content of the patients' daily diets. The system not only provides specific information for clinical purposes but also educates the patients. Patients as young as 6 and 7 years old type in a list of the foods eaten in the most recent 24-hour period, and the computer calculates a score corresponding to the four categories. For each category, the computer displays a broad smile, a partial smile or a frown, depending on the scores calculated. Repetitive use of the system has improved the dietary consciousness of the children who have been exposed to it.

The University of Michigan developed a similar application, to help plan diets for diabetic patients. A dietician records a diet history for each patient, stores the information on a floppy disk, and then sends the data to a mainframe computer, where a special program writes menus based on each patient's special needs.

A LaJolla, CA, company sells software to perform nutritional analysis. Nutri-Comp Inc.'s program uses a data base of 616 food items to calculate the percentage of protein; fat; carbohydrates; cholesterol; alcohol; vitamins A, D, E, C, B1, B2, niacin, B6, B12, and folacin; and the minerals calcium, magnesium, phosphorus, zinc, sodium, and potassium for any given daily food intake. The program com-

pares the daily percentages of these essential nutrients to the government's recommended daily allowance (RDA) and displays what percentage of the RDA for each nutrient the patient consumed that day.

Small Size—Big Capability

The small size of a microcomputer system makes it a versatile instrument in a clinical situation because it allows a doctor to perform tests that would otherwise require a special laboratory. At the Newark Beth Israel Medical Center in Newark, NJ, doctors use a microcomputer to perform pulmonary function tests—tests of the heart/lung machine at rest and during exercise. Using a microcomputer attached to monitoring devices via an analog-to-digital converter, the physician can do lung volume studies, single breath diffusion studies where the difference between the amount of particular gases inhaled and exhaled is calculated, and measurements of arterial blood gases. The system even has a remote unit, complete with its own terminal, connected to the microcomputer by acoustic modem. This setup makes it easy to perform tests on patients right in their hospital beds. (Scientists are using similar systems in biomechanical research—see the article about the Nike Shoe Company's research efforts on p. 188.

Microcomputers can help a physician solve immediate problems, as the Newark Beth Israel system shows, but the machines make their most significant contributions when they codify massive amounts of information. A Nashua, NH, surgical practice has de-

veloped a microcomputer data-base system to help surgeons review post-operative complications. After surgery, the surgeon prepares a report on any problems he met. The patient is monitored throughout post-operative recovery and any complications are recorded, as are any related treatments. Then, this information is added to the data base. Any surgeon may review the accumulated data at any time to anticipate potential problems with a particular surgical procedure.

One of the more serious problems in medicine is the possibility that two or more prescribed drugs will negatively interact. Compunet of Inglewood, CA, estimates that adverse reactions to drugs and combinations of drugs cause illness, death, and extended hospitalization to the tune of \$4.5 billion a year.

With a tremendous variety of drugs available to the modern physician, this potential for adverse drug interaction becomes a serious information problem. A computer system that flags dangerous interactions can save physicians time and effort, not to mention patient suffering. One commercially available system, MedSafe from Compunet, uses a data base developed over four years from 4 million prescriptions written for 400,000 patients. In its first month of commercial use, it alerted doctors to five potentially lethal prescriptions.

Of course, the truly monumental information problem faced by medical practitioners is the amount of paperwork for every patient. Medical histories, records of past illness and treatment, insurance information, government records and financial statements, and in-house records are all part of the increasing crunch. A micro- or mini-computer is no longer a luxury in a physician's office, but a necessity to manage this record-keeping nightmare.

Many major software companies offer packages for managing the modern doctor's and dentist's office. The Medical Office System from Radio Shack enables a TRS-80 to produce insurance forms and bills, and keep a general ledger; it also provides a module to maintain clinical records for the small to medium-sized medical practice.

Body and Soul?

While the microcomputer helps many doctors in the office, laboratory, and pharmacy, it is also finding a place in the offices of psychiatrists and psychologists. Two midwestern researchers, Dr. David H. Gustafson and Bruce J. Tianen, have developed a micro-

computer-based system for predicting the chance of death in a suicide attempt. The system was developed in conjunction with a study done for the University of Wisconsin's Departments of Psychiatry and Industrial Engineering. Using the data collected from clinical interviews of patients

with emotional problems, the program evaluates the probability that the patient will attempt suicide and the probability that a suicide attempt will succeed.

The Wisconsin study recognizes that many emotionally disturbed people attempt suicide but subconsciously do

not want to succeed. The program developed by the research team proved to be an accurate predictor of lethal suicide attempts when tested with historical profiles collected from several hospitals and clinics. The program may enable psychiatrists to identify potential suicides so that they can initiate therapy.

Dr. Myron L. Pulier of Teaneck, NJ, finds that a word processor is an invaluable tool in his psychiatric practice. Pulier records patient clinical information in a word processor-like Psychiatric Case Study file that is part of a commercial software package called Megatext (Megasoft Associates). The file contains all pertinent biographical information about a patient—the information can be entered by the psychiatrist, a nurse, or even the patient. After any therapy sessions, the file is updated to record the doctor's assessment of problems and treatment plans. The information can be printed out for hospital reports or third parties. Confidential information can be labeled so that it can be left out of printed reports.

In an ironic use of technology, the University of Minnesota has begun a program to help people who, alienated from one another in an increasingly isolated, technological society, have trouble interacting with other people. Learning to recognize and evaluate the facial expressions of others can help maintain domestic tranquility—so, one of the uses for the program is "husband-wife adjustment" (marriage counseling).

The Minnesota project, called ITT (Interpersonal Tracking Task), uses a video tape system and a microcomputer. Cameras record a patient's facial expressions during personal interactions. The participants type their reactions to questions about each situation into the computer. Then, the patient watches the video tapes of first himself and then his partner, and answers another series of questions posed on the computer screen. Finally, a therapist working with the patients compares and evaluates the two sets of responses.

The Computer as Stethoscope

At Texas Tech University, two medical researchers are using the microcomputer to help health care professionals treat patients in rural areas where frequent doctor visits are rare. When patients come to a clinic to be treated for a specific ailment, they are asked a battery of questions designed to discover secondary health problems. A micro

The Micro and the British Medical Profession

by Dr. Nicholas Robinson

Over the past year, general practitioners have shown a dramatic increase in interest in microcomputers and their use in family medicine. Increasing pressures from the computer industry, the government, and within the medical profession itself focus attention and increase confusion in the minds of the general practitioner.

Commercial pressures stem from the dozens of software and hardware firms in the market. The government has stepped in with the Information Technology Year 82 campaign, on which it has spent over a half million pounds. The campaign hopes to bring microchip technology into every aspect of modern life.

A special health section will be headed by Dr. John Dawson of the British Medical Association. Within the medical profession, General Practitioner User Groups, the Royal College of General Practitioners Working Party, the MEDIC Foundation, and the British Medical Association are all jostling for a say in what constitutes the proper use of computers in general practice.

What can a general practitioner gain from a computer in his surgery in terms of improved patient care and practice management? How can he best achieve these aims? Which equipment is most suitable for these purposes?

Before rushing out to buy a computer, the general practitioner needs to ask several basic questions about his practice: What does the practice do at present? How does it do it? How could it be improved? Would a computer make things better?

The computer can be applied to

three main areas: practice management, communications, and patient management. Practice management and communications are simple applications (in terms of the size of machine needed and the financial commitment), whereas patient management is more complex because of the amount of information required.

Simple applications allow the gradual introduction of new ideas and working methods, thereby reducing staff hostility and relieving fears of redundancy. Practice management applications cover the less glamorous side of general practice, but let staffers use the machine almost immediately on installation. Typical among these applications are word processing, staff wages and salaries, rosters, practice accounts and financial modeling (using tools such as VisiCalc), and in dispensing practices, drug stock control and label printing.

Communications between a practice computer and the new videotext systems like Viewdata or Prestel are an area in which great progress has been made. Several drug companies have set up teaching packages, information services, and drug data bases that can be accessed free by medical Prestel users.

Currently this traffic is one-way, from source to recipient, but new developments will permit two-way traffic. This could allow a general practitioner to access drug data bases and send in "yellow-card" side-effects information. Drug research could be carried out more quickly and effectively. The computer would ease storage and transfer of information, and there-

Continues on page 78

MEET THE WIZARD OF WALL STREET



Standard & Poor's STOCKPAK system can turn any investor into a whiz


Whether you're an active investor, or just considering the best ways to invest, STOCKPAK can turn you into a Wall Street Wizard.

Sophisticated software that's easy to use

STOCKPAK is a sophisticated software system that offers you an easy and economical way to obtain and evaluate important investment information to help you make better investment decisions. In fact, in virtually no time at all, you can put STOCKPAK to work for you performing a wide range of investment functions.

Screening power is at your command

Our Screen and Select system lets you apply your own investment criteria to a 900-company database. For example, you can tell STOCKPAK to find only large companies, or only small ones...only those with high earnings growth, or low P/E's, or high dividends...only those in certain industries, or on specific exchanges...only those above or below a certain price...or only those with high sales, or low debt, and so on.



In fact, you can draw from over 200 specific information items to compose a single screen. And, you can establish your own targets and cut-off points in each of these 200 areas. STOCKPAK will oblige by searching through the entire database to find only those companies that satisfy your criteria.

More feats of wizardry with STOCKPAK

Standard & Poor's time-tested software also lets you evaluate and manage actual or hypothetical portfolios of up to 100 stocks each. And, you can create your own customized reports—displayed the way you want them.

Whether you use STOCKPAK to help improve your investment decisions, or just for the fun of it, it's good to know the source of this wizardry: Standard & Poor's, one of the world's leading financial publishers with a 120-year reputation of service to the investment community.

Visit your local Radio Shack Computer Store today


STOCKPAK is designed exclusively for use on the TRS-80 Models III and I computers with 32K business systems and two disk drives. The basic software and sample database plus complete documentation is available from your Radio Shack computer store for only \$49.95. The STOCKPAK monthly updating service can be ordered directly from Standard & Poor's for only \$200 annually. Visit your local Radio Shack today for additional information and a demonstration.

STANDARD & POOR'S CORPORATION
25 BROADWAY, NEW YORK, N.Y. 10004


✓261

© STANDARD & POOR'S 1982


**We have THE
LOWEST PRICES
ON TRS-80™**



Model II 64K \$3049



Model III 16K \$829



Line Printer VII \$309

OKIDATA	Microline 80	\$394
	Microline 82	\$499
EPSON MX-70		\$369
EPSON MX-80		\$479

\$ SAVE \$

**MOST ORDERS
SHIPPED WITHIN
ONE BUSINESS DAY**
VERBATIM DATALIFE™ DISKETTES
5 1/4-inch (box of 10) \$25.95
8-inch Double-Density, \$43.95

*Above prices reflect a cash discount. Payment: Money Order, Cashier's Check, Certified Check. Personal Checks require 3 weeks to clear.

WRITE OR CALL FOR OUR COMPLETE PRICE LIST
CALL (602)-458-2477

1-800-762-6661

All prices are mail order only

RAND'S

2185 E. FRY BLVD.
and

101 W. FRY BLVD.

SIERRA VISTA, AZ 85635

TRS-80 is a trademark of Tandy Corporation

analyzes the answers while the patient is being treated for the primary ailment, and the physician gets the results just before the office visit ends.

According to Blair Rowley and Dwane Anderson, developers of the system, the procedure discovered secondary health problems in 56 percent of the patients for whom complete data was collected. These secondary problems ranged from dental problems to heart disease, and over 50 percent of them would have required 1 to 12 months to discover using conventional diagnostic techniques. The Blair/Anderson system not only is an effective medical tool but saves time and money as well.

At Children's Hospital in Philadelphia, doctors are using a microcomputer as a teaching aid. The system, called CAMPS (Computer-Assisted Medical Problem Solving), teaches medical trainees the problem-solving approach to medical diagnosis and treatment. The student studies medical history information, physical examination results, and laboratory test results for a hypothetical patient and then

asks the computer a number of questions before typing in his diagnosis. The diagnosis is compared to the correct answer and the student is graded. The student is evaluated not only on the basis of his final diagnosis but also on the questions asked and the reasoning involved.

Coming of Age

Can a computer help save someone's life? Computers can be valuable tools in the clinical and administrative setting. But can they make a difference in a crucial life or death situation?

Researchers at the University of California think so. They have developed a microcomputer "expert system" that can be used in hospital emergency rooms to help doctors analyze chest pain symptoms and quickly prescribe appropriate treatment.

Expert systems have evolved out of artificial intelligence research and use a rule-based, qualitative judgment approach to decision-making rather than numerical calculation. Using this system, UCLA computer scientists have created EMERGE to aid

Continued from page 76

by cut down on the phone bills.

"Post box" applications are also available; these facilitate rapid message transfer between subscribers. Hospitals are considering Viewdata computers for rapid access to bed states and discharge information.

Patient management applications revolve around repeat prescribing, records, patient recall, and audit. The general practitioner must decide whether the system should hold records on all patients or merely on selected groups. A system that holds only repeat prescriptions, children's vaccinations, and chronic-disease recall will clearly be smaller and cheaper than one that has complete records on every patient.

Finally, the general practitioner must consider how the records are to be input and the form they will take. Will the general practitioner type on a desktop VDU, or will he fill in a coding form for the secretary? Will he type, "Acute laryngitis," or code 2347? More importantly, for audit or screening purposes, disease definitions must

be agreed upon; a survey into the incidence of tonsillitis is valueless if different partners have different definitions of the disease.

Hardware

The minimum system for a one or two-man practice management must be disk based. (A cassette-based system is slow and not as reliable.) A more fitting system for practice management, repeat prescribing and limited records would be a 48K or 64K double floppy-disk micro, a printer and some software. This kind of system would accommodate single users only, though the machines can be linked together to form a small network.

Larger practices require multi-terminal systems and hard-disk storage (10 megabytes plus). These machines allow full records, practice audit, screening facilities, and built-in drug interaction data bases. They cost from £8,000 to £20,000. ■

Dr. Robinson is a physician at The Residency at the Northwick Park Hospital, Harrow, Middlesex, UK.

emergency room diagnoses of chest pain symptoms.

When the patient arrives in the ER, the staff immediately enters information about his symptoms into the computer. The computer will examine the first symptom, make a decision on what further data is needed, and then ask only for other necessary data. Once the program has enough data, it will prescribe the required drugs and procedures. The program will also offer to display an explanation of its conclusions.

The advantages of this kind of system are many. The computer not only helps the physician confirm a diagnosis, but in emergency room situations—where the doctor on call is often not an internal medicine specialist—it can be instrumental in making the correct diagnosis.

When it comes to making a diagnosis, there is no more difficult a place than 300 feet below the surface of the ocean. Thanks to a Tektronix microcomputer, however, this task will be easier for hospital corpsmen aboard the U.S. Navy's fleet of nuclear submarines. The Navy uses these computers, when they are not being used to plot the trajectory of nuclear warhead

missiles, to aid corpsmen in making health care decisions. In wartime in a submarine under attack, this technology could help to save a life.

"Can the tricorder be far behind?"

The Microcomputer as Dr. McCoy

In the *Star Trek* television series, millions of Americans became accustomed to seeing a patient's vital signs displayed graphically on a screen above the examination table in Dr. McCoy's sick bay. At the National Institute for Health in Bethesda, MD, a microcomputer is being used to produce such graphs. The system displays a variety of important data in single or multiple data representations. Temperature, pulse, respiration, and blood pressure can be shown on one graph for minutes, hours, or days, according to the needs of the physician. Other vital signs and laboratory data, such as blood leukocyte, hemoglobin, and

platelet counts, can also be graphed. These graphs can be displayed on the microcomputer's screen or can be printed out.

Can the tricorder be far behind?

Tomorrow

Medical research is on the verge of dramatic breakthroughs in the field of noninvasive techniques for examining internal bodily organs and tissues. Ultra-sound and laser-light technologies may bring Dr. McCoy's tricorder into the clinic sooner than any of us could have imagined five years ago.

The practice of medicine in the 20th century has been a microcosm of the explosive growth of scientific knowledge and engineering expertise in our culture. It is unquestionably moving in the direction of the science fiction dreamers of yesterday. The reality of tomorrow's medical tools will likely be even more dramatic than any one person's dreams. After all, the goal is noble—making life as long and comfortable for humankind as possible.

There can be no question that microcomputers will help to make it happen. ■

G. Michael Vose is a technical editor for 80 Micro.

If you compute values of feet & inches you can count on your fingers, but after ten you'll need...

FOOTMATH

- Manipulate feet, inches, and fractions in their written english form WITHOUT DECIMAL CONVERSIONS!
- Input & output is in WRITTEN ENGLISH FORMAT accurate to 1/64-inch! Ex: 12'-10-13/16 NOT 12.901'
- Perform addition/subtraction & multiplication/division by constants - Trig module coming soon!
- Architects, Contractors, Detailers - Solve dimensional problems, speed development of designs & layouts!
- Stores lists on disk, prints on 80-col. printer, allows editing, monitors input format, etc. - Very communicative!

Model I & III disk

\$99.⁹⁵

Tired of groping for programs? Try...

MENURITE menu generator

- Writes menus in Basic with NO USER PROGRAMMING!
- Spaces and centers display entries AUTOMATICALLY!
- Holds up to 21 BASIC files
- Downright simple to use!
- Display either FULL TITLES OR FILESPECS as desired!

Model I & III disk **\$24.⁹⁵**

Send check or money order and we ship prepaid. COD's shipped collect.
Texas residents add 5% sales tax



**Cheever
Microware**

TELEPHONE
(214) 832-4211

P.O. BOX 3834
WAKE VILLAGE, TEXAS 75501

microcomputers and software for the construction industry

✓ 326

The Color Computer on Parade—Part II

by William Barden, Jr.

In this segment, author Barden explains the Line, Circle, Draw, Paint, Get and Put commands, as well as how to change the VDG.

Line, Circle, Draw and Paint are powerful Extended Color Basic graphics commands. Line is a misnomer. It should be called, in a rush of breath, "LINEBOXFILLEDIN-BOX." Line will draw a line between any two points of any angle and length, as in

```
100 LINE (X1,Y1)-(X2,Y2),PSET
```

which draws the line in the foreground color.

Line should impress those who have tried to implement a line routine in Assembly language. My tests indicate that the average line is drawn in about 96 milliseconds and that the worst case is about 192 milliseconds, about 20 times faster than the fastest Basic line

drawing routine.

Line will also draw a box (rectangle) outline. In this case the two coordinates specify the opposing corners of the box. Line can also draw a filled-in box at speeds comparable to drawing four lines. The filled-in box (foreground color is used) takes slightly longer, over one second for large boxes.

Circle

Circle, the next Extended Color Basic command, was originally named CIRCLEELLIPSEARC, as it draws circles, ellipses, and arcs of circles or ellipses, as shown in Fig. 1.

The center must be within screen boundaries; this prevents all arcs from being drawn; an arc close to the edge of the screen, for example, is not possible, as the center of the circle or ellipse on which it lies is outside of screen bound-




Fig. 1. Circle Action




Fig. 2. Undrawable Arc

aries, as shown in Fig. 2.

Draw

The next Extended Basic command is Draw. It draws a series of line segments of any length in multiples of 45 degrees, as shown in Fig. 3. In addition Draw will position the cursor to a specific spot on the screen, change the color of the line segment, rotate a figure in 90 degree increments, execute a substring, and change the scale of the lines to be drawn.

To draw the letter M, follow the code in Fig. 4. In the code, the color is changed for different line segments with the C subcommand.

To rotate the M through 90 degrees, add an A (angle) subcommand as part of the string before the Draw string, as shown in Fig. 5.

To change the size of the M, add an S (scale) subcommand before the Draw string, as shown in Fig. 6. You can change the scale factor from 1/4 to




Fig. 3. Draw Line Segment Action

A\$ = DRAW "BM128, 96; C2; E15; R10; C1; D30; L12; C2; U18; G13; C3; H13; D18; C4; L12; U30; C2; R10; F15"




Fig. 4. Use of the Draw Command





100	A\$ = "BM128, 96; ..."	
110	DRAW "A0" + A\$	
120	DRAW "A1" + A\$	
130	DRAW "A2" + A\$	
140	DRAW "A3" + A\$	
	"A0"	 0 DEGREE ROTATION
	"A1"	 90 DEGREE ROTATION
	"A2"	 180 DEGREE ROTATION
	"A3"	 270 DEGREE ROTATION

Fig. 5. Rotation of Figures Using Draw

62/4 of the original size. This can be an advantage in generating all types of figures that change size.

Probably the most powerful feature of Draw is its ability to execute substrings. We could define figure 1 as string A\$, figure 2 as string B\$, and figure 3 as string C\$. A fourth string could then execute (by the X subcommand) the other strings to build composite figures, as shown in Fig. 7.

You can use Draw for applications such as defining different character sets for the Color Computer. With 256 pixels across the screen and 192 down, you can see how characters representing Greek, Latin, Kata-Kana or others

could be defined by working with matrices of 8 by 12 pixels (32 characters by 16 lines) or larger matrices.


Paint

The Paint command is well-named. Instead of drawing a figure, it paints an existing figure, as shown in Fig. 8. The command specifies a starting coordinate, a color to be painted, and a boundary color. The color to be painted fills the entire area until the boundary color is encountered. Paint is a convenient way to draw a figure with the outline commands such as Line, Circle, and Draw, and then to fill in the figures with color.

Get and Put

The last and most complicated commands are Get and Put. Put takes a portion of a graphics screen and stores it into a two-dimensional array. Later Get retrieves the information from the array and reconstructs the segment elsewhere on the screen. This can be done rapidly enough for moving large figures for animation. Figure 9 demonstrates the process.

Get and Put are ideal for animation or for saving blocks of graphics which you can later call to construct composite figures. Since the number of arrays is limited only by RAM, you can



INFOEX-80

Bulletin Board System

This Package contains all the software necessary to start your own bulletin board service. A bulletin board allows you to let people call your computer, leave and answer messages, download programs, leave comments, views and opinions and just about any other use you wish to put it to! This package also supports a chat mode which allows you to use the computer as a typewriter to talk to your caller!

This bulletin board system is designed to work on a TRS-80 Model I or Model 3. It will work on all major DOS's. This program requires 2 disk drives, with 32K ram, RS-232 interface, double density, and a direct connect auto-answer modem.

This package can be used for both business and personal use. Imagine, instead of your customer calling you while you are in the middle of a sale, he calls your BBS and leaves his question. Then when you have time, you answer HIS question and have two satisfied customers.

Regular Price \$149.95
INTRODUCTORY SPECIAL \$99.95

ULTRA TERM


A full featured communications system for TRS-80 Model 1 and 3

This TRS-80 communications system is one of the easiest to use and most versatile available. It will run on a model 1 or model 3 computer with virtually any TRS80S compatible operating system. It includes a full featured intelligent terminal program with direct file transfer functions, host program, and hex conversion utilities for bulletin board downloading. All at prices one half to one third of the competitors.

- Support for manual and auto dial modems (Including Radio Shack Modem 2, and Hayes Smart Modem).
- Exclusive direct disk file transfer mode with full control from the transmitting computer, allowing unattended reception at the receiving computer.
- Exclusive split screen feature allows simultaneous two way communications from terminal mode.
- Line printer support with 1K buffer allows use of printers on systems that don't send nulls after carriage returns, and printers that can't keep up with modem baud rates.

Regular Price \$79.95
INTRODUCTORY PRICE \$59.95

Dealer Inquiries Invited
Accepting software for review
24 hour BBS on line at
305/965-1044



UNITED SOFTWARE ASSOCIATES

734 Flamingo Way North Palm Beach, FL 33408 Voice Order Line 305/965-3496 332

have many different graphics blocks stored and available for display. The blocks could represent characters or a set of predefined figures. You could draw a logic diagram using one Put ar-

```
100 A$ = "BM128, 96, ...."
110 DRAW "S4" + A$
120 DRAW "S16" + A$
130 DRAW "S48" + A$
```




Fig. 6. Scaling with the Draw Command




Fig. 7. Substring Use in Draw




Fig. 8. Paint Command Use

ray as an AND gate, one as an OR gate, one as a NAND gate, and so forth.

Although Radio Shack documentation implies that the array must be the same size as the graphics block, thus eating up huge chunks of RAM, you can make the array smaller. A one-by-n array in the form AR(0,N), where N is determined by the method as shown in Fig. 10, can create much larger Get/Put areas in less space. Thanks to James Garon for this one.

Graphics Architecture

Figure 11 is a simplified diagram of the Color Computer graphics logic. You'll find a complete diagram in the Color Computer service manual.

The heart of the text and graphics generation is the Video Display Generator chip, the Motorola MC6847. This chip inputs RAM memory data from either the text or graphics page, converts it to a dot pattern of text or graphics, and outputs it to a color television via a video mixer chip and rf modulator.

The VDG is addressed indirectly, receiving its control signal from a Peripheral Interface Adapter (PIA) and a Synchronous Address Multiplexor (SAM) chip. These control signals determine the graphics mode. Data from RAM is received from eight additional inputs.

The SAM synchronizes all Color Computer system timing. It takes the master clock frequency and generates timing signals that control video display and refresh of the dynamic RAMs. It also acts as an address decoder that selects and enables ROM, RAM, or PIAs.

The SAM chip is set by a somewhat unique scheme, as shown in Fig. 12. Addressing locations \$FFC0-\$FFDF control SAM bits for map, type, memory size, CPU rate, page 1, display offset, and VDG mode. The only two fields that will concern us for graphics are display offset and VDG mode.

Even-numbered addresses for the SAM reset a SAM bit; odd-numbered addresses set a SAM bit. No actual zero or one is passed over data lines; the addressing action itself does the set or reset. The addressing can be done by a POKE (say, POKE \$FFC0,0 to reset V0) or by an Assembly language store (STA \$FFC0).

PIAs are general purpose input/output (I/O) devices that interface between the 6809E CPU and system internal devices or the outside world, such as cassette inputs and outputs. The PIAs used in the Color Computer have two sets of eight lines that you may program as inputs or outputs. Four additional lines control special functions. The PIA used with color graphics is a PIA with an address of \$FF22.




Fig. 9. Get/Put Action

DON'T JUDGE A COMPUTER BY IT'S COVER!!!

- ...If you were to have a
**Microcomputer operating at
4MHZ**
- ...If you were to have a **5
Megabyte Hard Drive built in**
- ...If you were to have a **floppy
disk drive built in**
- ...If you were to have an **Amber
Phosphor Monitor built in**
- ...If you had the **finest Hard
Disk Operating System**
available

**You would have the New
B.T. 4x5 Model III
microcomputer, the only one
in its class.**

Starting with a basic TRS-80 Model III, add one Tandon 40 Track Dual Sided Disk Drive, 48K of High Grade NEC Memory, the famous Micro Mainframes Disk Controller System, and the security of B.T. Enterprises engineering assuring long life and dependability!

Then we really get started include a 4 MHZ Module installed to make the Model III Microprocessor operate at twice the speed of a standard Radio Shack Model III. Also include the use of a Superdense Disk Drive for extra Floppy disk storage (360K). Then have installed a 5 Megabyte Hard Disk Drive (Winchester Technology). When the system is configured, the Hard Disk Drive contains the operating system and becomes the master (primary) drive. The Hard Disk has 40 times the speed of data transfer as compared to a normal floppy disk as well as containing the storage capacity of more than 30 standard floppy disk drives.

Each unit is built and tested in our Long Island New York assembly plant and delivered to your dealer complete with a Dos Plus 4.0 Disk Operating System which we consider to have the finest features of any Hard Disk Operating System available.

Price:

\$3995.00

Add \$20.00 shipping and handling



10B Carlough Rd.
Bohemia, N.Y. 11716
(516) 567-8155 (voice)
(516) 588-5836 (modem)
Dealer Inquiries Welcome
N.Y.S. Residents Add Tax

B.T. Hard Disks

We want you to have all the power that your TRS-80 is capable, at prices that have other manufacturers cross-eyed! These Five and Ten Megabyte units are easy to use, just plug them into the expansion buss of your Model I or Model III. Comes complete with the fantastic DOS PLUS 4.0 Operating System! Available in two configurations: 5 Megabyte Fixed, 10 Megabytes Fixed. Look at the incredible low prices of our systems!

SYSTEM PRICING

5 Megabyte Winchester Fixed Disk		
201505	Model I Version	\$2795.00
203505	Model III Version	\$2795.00
10 Megabyte Winchester Fixed Disk		
201510	Model I Version	\$3195.00
203510	Model III Version	\$3195.00
Add \$10.00 shipping and handling		

Upgrade Kit

Putting Disk drives into your TRS-80 Model III will turn it into the powerful computer it was designed to be. The B.T. Enterprises DISK DRIVE INSTALLATION KIT is easy to do and represents a substantial savings over the cost if done by Radio Shack.

The kit was designed to be installed by a non-technical person, and takes an average of 45 to 75 minutes to complete. The only tools necessary are a phillips and flat head screw driver and a pair of diagonal cutters. No cutting of traces or soldering is necessary. The full instruction procedure was the topic of a feature in 80 US Magazine in the May, 1982 issue, and was given high marks for ease of installation.

KIT CONSISTS OF:

- FDC III B* Micromainframe Controller Board assembled & tested
- Switching power supply
- Disk drive mounting brackets
- All cables and hardware
- Instructions with diagrams
- Drives are optional

*FDC III C Board optional at additional cost supports 8 inch external drives and extended density 5-1/4 inch drives (dual headed and 80 track)

203103	Disk Upgrade Kit B Version w/hardware	\$279.95
203104	Disk Upgrade Kit C Version w/hardware	\$329.95
203113	Disk Upgrade B Version w/2 40tk & 32K	\$ 799.95
203114	Disk Upgrade C Version w/2 40tk & 32K	\$ 849.95
203115	Disk Upgrade C Version w/2 40tk DH & 32K	\$1049.95
203116	Disk Upgrade C Version w/2 80tk & 32K	\$1049.95
203117	Disk Upgrade C Version w/2 80tk DH & 32K	\$1249.95
203003	FDC III B Controller Board only	\$ 139.95
203004	FDC III C Controller Board only	\$ 224.95
200500	Switching Power Supply (3 voltages)	\$ 99.95
203010	Controller Assembly Kit	\$ 75.00
203510	Controller Assy kit w/power Supply DH - Dual Headed	\$ 174.95



Radio Shack is a trademark of Tandy Corp.

Toll Free 800-645-1165

Prices subject to change

We will meet or beat any price in the U.S.A.

✓ 133

TRS-80 Model 16

by Radio Shack

NOW IN STOCK

Call For Prices

We will meet or beat any price you can find from an authorized dealer.



Apple II Plus 48K

SPECIAL SALE

Call For Prices

Pure Apple Memory



Microline 84 — Parallel

by Okidata

Reg. \$1395

\$977



Call for Special Sale Prices on Microline 80, 82A, and 83. Offer expires 11/30/82.

Price — We have the best price. Check the others, but call us.

Selection — ATARI • APPLE • TRS-80

• EPSON • OKIDATA • C. ITOH, etc.

Service — Most items in stock for immediate shipment.

Write or call for FREE Computer Catalog with pictures, specs, accessories and prices.

**CALL TOLL FREE:
800-526-5313**

Computer Discount of America

COMPUTER DISCOUNT OF AMERICA, INC.
15 Marshall Hill Road, West Milford Mall
West Milford, New Jersey 07480-2198
In New Jersey Call 201-728-8080

To output data to the graphics PIA at \$FF22, you must execute a POKE or Assembly language instruction. The normal sequence, however, is to leave the bits used for other functions in the PIA undisturbed. In Basic use

100 A = (PEEK(&HFF22) AND 7)

100 PMODE 3,1

110 GET (42,42)-(106,106),A,G

Steps:

- Find Elements in GET:

106	106
-42	-42
64	64
+1	+1
65 *	65 = 4225 elements

- Find divisor D:

PMODE "G" or not "G" Divisor

0	"G"	32
1 or 2	"G"	16
3 or 4	"G"	8
0	Not "G"	32
1 or 2	Not "G"	8
3 or 4	Not "G"	16

—This Example

- Divide the number of elements by divisor D:

$4225/8 = 528\frac{1}{8}$

- Round up the result:

$528\frac{1}{8}$ rounded up = 529

- Find DIM by dividing result by 5, rounding up (5 is the number of bytes in array entry):

$529/5 = 105\frac{4}{5}$, rounded up is 106

- Establish the array

DIM AR(0,106)

The first dimension is always zero. The second dimension is from the result.

Fig. 10. Calculating Get/Put Array Size

110 POKE \$FF22, (X*8 OR A)

where X is a value of 0-31 that corresponds to a VDG control value.

Changing the Display Offset

The display offset in the SAM determines which part of RAM will appear on the screen. If an alphanumeric mode is in force (by $V2 = V1 = V0 = 0$), then the display will be 512 bytes of a text page. If a graphics mode is in force, then the display will be the appropriate number of bytes of the graphic page. The Basic interpreter stores the proper address in the SAM depending upon the Screen command, the graphics page selected by PMODE, and the command mode or execution—command mode always returns to the text mode.

You can select any memory starting





Fig. 11. Simplified Block Diagram of Graphics Logic

Finally, a Spelling Checker that can SPELL!

Electric Webster™

The "Cadillac" of Spelling Checkers!

80 Microcomputing, 9/82



- **FAST and ACCURATE** — No other spelling checker comes close!
- **INTEGRATED** — Proofs and corrects from within all these popular word processing programs: Scribes, Newsprint, Lazy Writer, Electric Pencil, Superscript, and CopyArt.
- **SMART** — Finds and displays correct spellings instantly — no more clumsy dictionaries!
- **HYPHENATES** automatically — inserts discretionary hyphens with 100% accuracy. (optional)
- **COMPLETE** — One step proofing system with integrated Grammatical and Hyphenation features. (optional)

No other program can claim even one of these features.

EASY TO USE: Type your text using any of a number of popular word processing programs. When you are done, hit the appropriate key, and ELECTRIC WEBSTER proof-reads your document, displaying misspellings and typos on the screen.

Then, Correcting Electric Webster can display each error separately, requesting you to enter the correct spellings for each. You are given the options of displaying errors in context, adding words to ELECTRIC WEBSTER's 50,000 word dictionary, or even displaying the dictionary to find the correct spelling. If you think you know the correct spelling, Electric Webster will verify it for you.

Finally, Electric Webster CORRECTS YOUR TEXT, automatically inserts discretionary HYPHENS (optional), and points out GRAMMATICAL errors (optional), all with remarkable speed!

LOW PRICES: Standard Electric Webster is available for \$89.50 (TRS-80™ Model I & III, or Apple™) or \$149.50 (CP/M™, TRS-80™ Model II and all others.) The optional Correcting Feature can be added at any time (\$60) as can Hyphenation (\$50) and Grammatical (\$40). During the closing months of 1982 only, we are offering 6 W/P integration programs FREE (reg. \$35 each) with the purchase of Correcting Electric Webster.

REVIEWS OF MICROPROOF (EW's predecessor):

"There is simply no finer program available . . ."
Creative Computing, March 1982

"This is a very useful product and should be obtained by anyone who uses a word processor."
80 Microcomputing, August 1981

"The summary review of this program? One word—Excellent."
Computronics, September 1981

"In a comparative review of proofreading programs (with smaller dictionaries) MICROPROOF was found to be considerably faster than all the others, when tested against a 400 word sample document."
BYTE Magazine, November 1981

"A 1500 word document took 26 seconds to load, process and proof . . . it is very friendly and any person able to use a word processing program can master it in moments."
InfoWorld, January 1982

"By far, the most capable and efficient of these spelling checker programs."
Microcomputing, June 1982

AND NOW ELECTRIC WEBSTER:

"Actually, Electric Webster is faster than its predecessor (Microproof) . . . and spelling corrections are immediately verified against the dictionary before being accepted . . ."
Microcomputing, June 1982

"Electric Webster is the Cadillac of vocabulary programs."
80 Microcomputing, September 1982

The Ultimate PROOFING SYSTEM



CORNUCOPIA SOFTWARE

Post Office Box 6111 Albany, California 94706 • (415) 524-8098

NOW
AVAILABLE
FOR APPLE!

address on 512-byte boundaries (\$0000, \$0200, \$0400, and so on) by POKEing into locations \$FFC6-\$FFD3, as shown in Table 1. If you do this in the text mode, you can see any area of RAM or ROM displayed in color. The most interesting area is in page 0 (\$0000), which shows the changing working variables in Basic. Color debugging!

You can change this starting address dynamically to display different graphics areas even if you do not have Extended Color Basic.

Setting the VDG Modes

You can bypass the Basic interpreter to set the VDG modes by POKEs from Basic or your own Assembly language program. You can then set some of the unimplemented VDG modes to see what they look like and implement all VDG modes even with only Color Basic.

POKE Addresses

POKEing into odd location sets bit,
into even location resets bit

	FFD3,2	FFD1,0	FFCF,E	FFCD,C	FFCB,A	FFC9,8	FFC7,6
Seven most-significant bits of the display offset on the SAM chip	0 0 0 0 0 0 0	0 0 0 0 0 0 1	0 0 0 0 0 1 0	0 0 0 0 0 1 1	0 0 0 0 1 0 0	0 0 0 0 1 0 1	0 0 0 0 1 1 1
....							
....							
1 1 1 1 1 1 1							

Starting Display Address

Hex	Decimal
\$0000	0
\$0200	512
\$0400	1024
\$0600	1536
\$0800	2048
\$0A00	2560
\$0C00	3072
..	..
..	..
\$FE00	65024

The following program will set the starting display address to \$0600. The value POKEd in does not matter; the simple act of loading the location sets or resets a bit on the display offset.

```

10 'Reset first 5 bits
20 POKE &HFFD2,0:POKE &HFFD0,0:POKE &HFFCE,0:POKE &HFFCC,0:
   POKE &HFFCA,0
30 'Set last two bits
40 POKE &HFFC9,1:POKE &HFFC7,1

```

Table 1. Video RAM Starting Address

\$ADDRESS SET/RESET




Fig. 12. SAM Control Bits




Fig. 13. Unimplemented Graphics Modes

The three SAM outputs and five PIA \$FF22 bits control the VDG modes (see Table 2). In addition, in some modes the most significant bit of the RAM byte determines whether the data is text or graphics.

To set any mode, output the proper configuration to the SAM by POKEing into addresses \$FFC0-\$FFC5 as described above. Next, set the five PIA bits, carefully retaining the least significant three bits. In some cases, bit 3 of the PIA determines the color set, 0 or 1. You should see the data on the screen change to represent the mapping, colors, and area of the VDG

SAM Bits			PIA SFF22 Bits					Data Bits		Mode	
V2	V1	V0	7	6	5	4	3	7	6		
0	0	0	0	X	X	0	C	0	0	Alphanumeric	
0	0	0	0	X	X	0	C	0	1	Alphanumeric inverted	
0	0	0	0	X	X	0	X	1	X	Semigraphics-4	
0	0	0	0	X	X	1	C	1	X	Semigraphics-6	
0	1	0	0	X	X	0	X	1	X	Semigraphics-8	
1	0	0	0	X	X	0	X	1	X	Semigraphics-12	
1	1	0	0	X	X	0	X	1	X	Semigraphics-24	
0	0	1	1	0	0	0	C	X	X	64X64, 4 Color	
0	0	1	1	0	0	1	C	X	X	128X64, 2 Color	
0	1	0	1	0	1	0	C	X	X	128X64, 4 Color	
0	1	1	1	0	1	1	C	X	X	128X96, 2 Color	
1	0	0	1	1	1	0	0	C	X	X	128X96, 4 Color
1	0	1	1	1	0	1	C	X	X	128X192, 2 Color	
1	1	0	1	1	1	0	C	X	X	128X192, 4 Color	
1	1	0	1	1	1	1	C	X	X	256X192, 2 Color	
Set these by reference to Fig. 12.			Retain bits 2-0!					These bits are from data in video RAM.		X = Don't care C = Color set, 0 or 1	

Set these by reference to Fig. 12.

Retain bits 2-0!

These bits are from data in video RAM.

X = Don't care

C = Color set, 0 or 1

Table 2. VDG Mode Control




Fig. 14. Semigraphics 6, 8, 12 and 24 Character Position

mode you have set.

Semigraphics 24 Mode

The three unimplemented true (not Semigraphics) modes are 64 by 64 in four colors, 128 by 64 in two colors,






Fig. 15. Semigraphics 6 Mapping




Fig. 16. Semigraphics 8 Mapping




Fig. 17. Semigraphics 12 Mapping




Fig. 18. Semigraphics 24 Mapping

and 128 by 64 in four colors, as shown in Fig. 13. These use the same memory mapping as the other graphics modes and are simply lower resolution modes that save memory. I don't think that we're missing much by not having these modes included as part of the Extended Color Basic. You be the judge.

Semigraphics 6, 8, 12 and 24 Modes

If you loved the graphics mapping of the TRS-80 Model I/III, you will be ecstatic over the Semigraphics 6, 8, 12 and 24 modes. These modes offer two things: many colors and horrendous memory mapping.

The 6, 8, 12 and 24 suffix comes from the number of elements into which each character position is divided. The basic character position is 8 by 12 pixels; the 6, 8, 12 and 24 modes divide this basic unit into two columns of 3, 4, 6 or 12 rows (see Fig. 14).

The Semigraphics 6 mode is the easiest. There are two colors in this mode, controlled by the two most significant bits in each memory byte. The six elements of the character position are turned on or off to this color by a 0 or 1 bit in the remaining six bits of the RAM byte (see Fig. 15). Thus each consecutive byte in RAM controls one entire pixel position. A total of 512 bytes therefore control the display.

The Semigraphics 8 mode is a little harder. It has eight colors; each row is color programmable, as Fig. 16 shows. The remaining halves of the four bytes control the on/off status of the elements. This mode requires four consecutive bytes in RAM to control one character position, making the total number of required bytes 2048.

The Semigraphics 12 mode is harder still. Colors in each row are controlled by three bits in six bytes as shown in Fig. 17. The remaining halves of the bytes control the on/off status of the elements. This mode requires six con-

secutive bytes in RAM to control one character position, for a total of 512*6 or 3072 bytes.

The Semigraphics 24, or the "Jumbo" mode, is shown in Fig. 18. Here again, color for each row is controlled by a separate byte, with the remaining portion of the byte controlling the on/off status.

The Semigraphics 6, 8, 12 and 24 suffer from lack of horizontal resolution. Resolution is only 64 elements, and each set of two must be the same color. On the other hand, they offer eight colors in 12,288 pixels, which you will not find in the other graphics modes.

A complicated algorithm sets or resets each element. Remember that you are working outside of the bounds of the Basic interpreter and will have to calculate the RAM byte and bit for each element. This will slow down the display operations. These modes would be most useful for Assembly language subroutines where the set/reset action could be done at acceptable rates.

Where Do You Go From Here?


There is great potential in Extended Color Basic programs thanks to the high-speed graphics commands. For real-time displays, consider Assembly language graphics. You could generate games programs to rival any arcade game with a moderate amount of blood, sweat and numb typing fingers. (Just don't poach on my territory when you write your Great American Game—I'm doing "Tandy Tornado!")

William Barden Jr., (28122 Orsola, Mission Viejo, CA 92692), former "80 Assembly Line" columnist, has over 20 years programming experience.



HARVEST IN ON


New Low Prices for Percom Model III Disk Drives!



Complete First-Drive Systems
from \$449

Internally mounted drives that feature double- or single-density storage, comprehensive pre-delivery testing, 48-hour burn-in and, best of all, Percom's widely acclaimed disk controller. A First-Drive System includes the four-drive disk controller, one or two drives, power supplies, cables, a fully illustrated owners manual and DOSPLUS⁺ 3.4 disk operating system.

Note: If you prefer not to make the First-Drive System installation, we'll do it for only \$29.95 plus shipping. This includes a 48-hour operating burn-in of your Model III computer, installation of the drive system and final checkout of the expanded system.



Our Own Fully Tested Drives from only \$275

- Every Access Floppy Disk drive is electrically tested, mechanically tested and burned-in 48 hours under operating conditions. Look for the signed test list in the shipping carton.
- AFD drives are capable of either single- or double-density operation. Store up to 364 Kbytes (formatted) in double density. Store twice the data on a single diskette using AFD "flippy" drives."
- 15-day free trial offer...comprehensive 90-day limited warranty...unbeatable prices...AFD-100 @ \$275.00, -100F @ \$329.00, -200 @ \$429.95, -200F @ \$449.95.

How to order—Order by calling Access Unlimited toll-free on 1-800-527-3475. Or order by mail. Orders may be charged to a VISA or Master Card account, or paid by cashier's check, certified check or money order. Sorry, we cannot accept personal checks. We pay freight (surface only) and insurance charges for shipments in U.S. on orders over \$1,000.00. Add approximate insurance and shipping charges for orders under \$1,000.00. If in doubt about these charges, ask when you call in your order. Texas residents include 5% sales tax. Minimum mail order \$20.00. Allow 2 to 4 weeks for delivery.

◇ Texas: (214) 340-5366

Save! VISA and Master Card charges are not deposited until the day your order is shipped.

PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

Everybody's Favorites — for Less!


DOSPLUS⁺ 3.4	\$49.95*
Percom Data Separator	\$23.95
Green Screen I, II, or III	\$18.95
Head Cleaning Kit	\$24.95
Drive Numbering Tabs (pkg 0-3)	\$4.50
5 1/4" Flip-N-File	\$24.95
8" Flip-N-File	\$39.95

* With drive purchase

DISK DRIVE SAVINGS

Percom's Proven DOUBLER II[†]

Upgrade Your Model I to Double Density for only \$179.95



And not with some unproven hacker's kit, either. But with an assembled and fully tested *Percom DOUBLER-II[†]*. The DOUBLER II[†] simply plugs into the disk drive controller socket of your Expansion Interface. Then it lets you store over four times more on one side of a diskette, depending on the drive, than you can store on standard Tandy Model I drives. Other features: • Reads, writes and formats *either* single- or double-density • Includes DOSPLUS[‡] 3.4 disk-operating system • Runs TRSDOS*, NEWDOS^{††}, Percom OS-80[†] and other single-density software immediately. Change to double-density operation when convenient • Use Move 1-2-3 utility (\$29.95) or other appropriate software to read Model III programs on your Model I. • Includes on-card high-performance data separation and write precompensation circuitry.


Quick-Switch^{‡‡} from Arrick Products

Flick a switch to connect your TRS-80* printer port from device #1 to device #2. Or, switch a peripheral between computers. Quick-Switch models for RS-232 or Centronics interfacing. Includes box-mounted 34-pin card-edge plugs. From \$89.95. Cables from \$29.95.

^{‡‡} Trademark of Arrick Products Company.

Access Hard Disk Drives

- For Model II, Model III computers.
- 5-, 10-, 15- and 30-Megabyte drive units.
- Controller handles up to four drives.
- Works along with existing floppy disk drives.
- Includes host system support software.
- 15-day free trial period.



from **\$1795**

Save! Make Access your one-stop shopping center for supplies, software and accessories. Call our toll-free order number and ask for our new free catalog.

**Toll-Free
Order No.**

1-800-527-3475 ♦

(orders & literature only)

ACCESS UNLIMITED

401 N. Central Expressway #600
Richardson, Texas 75080
(214) 340-5366

*Trademark of Access Unlimited
†Trademark of Percom Data Company, Inc.

‡Trademark of Micro Systems Software, Inc.

††Trademark of Tandy Radio Shack Corporation.
‡‡Trademark of Apparat Corporation.

Family Medical History

by Miguel Diaz

Program Listing

```

10 REM"PROGRAM NAME (MEDHIST - VERSION 1.1 - 12/81)
20 REM"MIGUEL DIAZ : P.O. BOX 8475 : PONCE, P.R.
30 REM"PROGRAM INITIALIZATION
40 CLEAR15000:DEFINTB-Z:Q$=CHR$(13):M$="#####.##-":Z$=CHR$(191)
50 A$(1)=" 1. ENTER VACCINATION DATA":B$(1)="VACCINATION"
60 A$(2)=" 2. ENTER PEDIATRIST VISIT":B$(2)="PEDIATRIST"
70 A$(3)=" 3. HOSPITALIZATION DATA":B$(3)="HOSPITALIZATION"
80 A$(4)=" 4. HOME-STAY-ILLNESS DATA":B$(4)="HOME-STAY"
90 A$(5)=" 5. AMBULATORY-CARE DATA":B$(5)="AMBULATORY"
100 A$(6)=" 6. SELECTIVE FIELD DISPLAY"
110 A$(7)=" 7. PRINT COST-DATA SUMMARY"
120 A$(8)=" 8. PRINT HISTORICAL RECORD"
130 A$(9)=" 9. EXIT PROGRAM"
140 REM"DISPLAY PROGRAM MENU"
150 CLS:PRINTCHR$(23) " *** - PROGRAM SELECTOR - ***"
160 PRINTSTRINGS(31,176):PRINTZ$;TAB(30)Z$
170 FORL=1TO9:PRINTZ$;A$(L);TAB(30)Z$:NEXTL
180 PRINTSTRINGS(31,131)
190 LINEINPUT" ENTER YOUR OPTION > ";A$:IFAS$=""THEN150
200 Z=ASC(A$)-48:IFZ<1ORZ>9THEN150ELSEIFZ=9THEN1090
210 IFZ9=0THEN1210ELSECLS:PRINTMID$(A$(Z),5):IFZ<6THENGOSUB1120
220 ONZGOTO230,330,400,470,540,610,820,990
230 REM"VACCINATION DATA ENTRY"
240 LINEINPUT"VACCINATION TYPE : ";V$:IFV$=""THEN240
250 LINEINPUT"DOCTOR/NURSE ID. : ";DN$:IFDN$=""LETDN$="N/A"
260 LINEINPUT"REACTION (IF ANY) : ";R$:IFR$=""LETR$=" "
270 LINEINPUT"COST : ";C$:AL=VAL(C$):C0$=""
280 LINEINPUT"ADDITIONAL INFORMATION : ";I$:IFI$=""LETI$=" "
290 PRINT:LINEINPUT"CORRECT (Y/N) ";Y$:IFY$="N"THENGOSUB1170:GOT
0220
300 PRINT#1,Y;Z;F$;Q$;V$;Q$;DN$;Q$;R$;Q$;A1;I$;Q$;
310 Y=0:F$=""V$=""DN$=""R$=""A1=0:I$=""
320 CLOSE:GOTO1240
330 REM"PEDIATRIST VISIT DATA ENTRY"
340 LINEINPUT"REASON FOR VISIT : ";V$:IFV$=""THEN340
350 LINEINPUT"DOCTOR/NURSE ID. : ";DN$:IFDN$=""LETDN$="N/A"
360 LINEINPUT"SPECIAL TREATMENT : ";R$:IFR$=""LETR$=" "
370 LINEINPUT"COST : ";C$:AL=VAL(C$):C0$=""
380 LINEINPUT"ADDITIONAL INFORMATION : ";I$:IFI$=""LETI$=" "
390 GOTO290
400 REM"HOSPITALIZATION DATA ENTRY"
410 LINEINPUT"REASON FOR VISIT : ";V$:IFV$=""THEN410
420 LINEINPUT"DOCTOR/NURSE ID. : ";DN$:IFDN$=""LETDN$="N/A"
430 LINEINPUT"# OF DAYS STAYED : ";R$:IFR$=""LETR$=" "
440 LINEINPUT"COST : ";C$:AL=VAL(C$):C0$=""
450 LINEINPUT"ADDITIONAL INFORMATION : ";I$:IFI$=""LETI$=" "
460 GOTO290
470 REM"HOME-STAY-ILLNESS DATA ENTRY"
480 LINEINPUT"REASON FOR STAY : ";V$:IFV$=""THEN480
490 LINEINPUT"DOCTOR/NURSE ID. : ";DN$:IFDN$=""LETDN$="N/A"

```

Listing continues

Use your 80 and this program to keep track of chicken pox, tonsillectomies, and vaccinations.

How many people keep family medical histories, or know which vaccinations their children are missing? I computerized a medical history for each member of my family. The program, Medhist, keeps records, and through its record-tracing capabilities, shows tendencies and variations on illness incidence.

Medhist also stores cost data, telling you how much you've spent during

The Key Box

Model I or III
32K RAM
Disk Basic

Position	Description	Variable Name
1	Record Number	Y / Y1
2	Transaction Type	Z / Z1
3	Date	F\$
4	Diagnostic	V\$
5	Doctor/Nurse Name	DN\$
6	Treatment/Days Ill	R\$
7	Cost Incurred	A1
8	Additional information	I\$

Table 1

the year.

Medhist requires at least one disk drive; a printer is optional. It runs under NEWDOS, and requires one data file (DOCUMENTED). The file is defined in Table 1.

The names and dates of birth of each family member are included as data lines in the program. This saves a data file. The first data item on line 1260 indicates the number of data records to be read: one for the name and one for the date of birth. The program is menu driven. A printer is handy for options 7 and 8 (Table 1).

"The program keeps records, and shows tendencies and variations on illness incidence."

There are five data-entry options: vaccination data, visits to the pediatrician, hospitalizations, home-stay illness, and ambulance services.

Option 6 (Selective Field Display) reviews records for each data field. You may review one person's record or all available records for a selected field. You can route the cost report (option 7) for printer output in addition to screen display.

The OPEN E feature (line 1240) allows you to add records to a sequential file.

If you select to enter vaccination data, the program will prompt for a vaccination type (tetanus, smallpox, and so on). If a reaction to the vaccination or any medicine develops, you can enter that fact as additional information. Cost data should include such charges as drugs, wheys, medicines, doctors' fees, room and board charges, X-rays, and so on.

If you think the date of birth is not important, you may substitute this field with the blood type or any piece of information you consider vital. ■

Miguel Diaz (P.O. Box 8475, Ponce, PR 00732) is a hospital EDP manager.

Listing continued

```
500 LINEINPUT"# OF DAYS STAYED : ";R$:IFR$="LETR$=" "
510 LINEINPUT"COST : ";C$:A1=VAL(C$):C0$=""
520 LINEINPUT"ADDITIONAL INFORMATION : ";I$:IFI$="LETI$=" "
530 GOTO290
540 REM"AMBULATORY-CARE DATA ENTRY"
550 LINEINPUT"REASON FOR CARE SERVICE : ";V$:IFV$="THEN480
560 LINEINPUT"DOCTOR/NURSE ID. : ";DN$:IFDN$="LETDN$="N/A"
570 LINEINPUT"# OF DAYS : ";R$:IFR$="LETR$=" "
580 LINEINPUT"COST : ";C$:A1=VAL(C$):C0$=""
590 LINEINPUT"ADDITIONAL INFORMATION : ";I$:IFI$="LETI$=" "
600 GOTO290
610 REM"SELECTIVE FIELD DISPLAY"
620 CLS:PRINT"SELECTIVE FIELD DISPLAY":PRINTSTRING$(60,131)
630 PRINT"AVAILABLE FIELDS ARE :":PRINT
640 PRINTTAB(5)"1. VACCINATIONS":PRINTTAB(5)"2. PEDIATRIST VISIT
S"
650 PRINTTAB(5)"3. HOSPITALIZATIONS":PRINTTAB(5)"4. HOME-STAY CA
SES"
660 PRINTTAB(5)"5. AMBULATORY-CARE CASES":PRINT
670 LINEINPUT"ENTER YOUR OPTION : ";O$:O=VAL(O$)
680 IPO<LORO>5THEN610ELSECLS
690 LINEINPUT"DO YOU WISH ONLY ONE PATIENT'S RECORD? (Y/N) ";Y$
700 IFY$<>"Y"ANDY$<>"N"THEN690
710 IFY$="Y"LETY=0:GOSUB1120
720 CLOSE:OPEN"1",1,"DOCUMENTED"
730 IFEOF(1)THEN800ELSEINPUT#1,Y1,Z1,F$,V$,DN$,R$,A1,I$
740 IFY$="Y"ANDY1<>YTHEN730
750 IFZ1<>0THEN730 : REM"VARIABLE 0, NOT ZERO"
760 PRINTSTRING$(63,"=")
770 PRINTN$(Y1):PRINTF$,DN$:PRINTV$:PRINTR$
780 PRINT"COST : ";USINGM$;A1:PRINTI$
790 PRINT:LINEINPUT"HIT (ENTER) TO PROCEED ... ";P$:GOTO730
800 PRINT:LINEINPUT"END OF FILE... HIT (ENTER) TO PROCEED ";P$
810 Y$="":Y1=0:Z1=0:O=0:CLOSE:OPEN"E",1,"DOCUMENTED":GOTO150
820 REM"COST-DATA SUMMARY REPORT"
830 CLS:PRINT"COST-DATA SUMMARY REPORT":PRINTSTRING$(60,131)
840 LINEINPUT"DO YOU WISH OUTPUT TO PRINTER (Y/N) : ";S$
850 IFS$="Y"PRINT:PRINT"HIT (ENTER) WHEN PRINTER READY AND"
860 IFS$="Y"LINEINPUT"PAPER SET TO PROPER POSITION... ";P$
870 CLS:CLOSE:OPEN"1",1,"DOCUMENTED"
880 IFS$="Y"LPRI"PRINT"COST-DATA SUMMARY REPORT":LPRI"PRINT:GOSUB970
890 IFEOF(1)THEN940ELSEINPUT#1,Y1,Z1,F$,V$,DN$,R$,A1,I$
900 IFS$="Y"LPRI"PRINTN$(Y1);TAB(25)F$;TAB(35)B$(Z1);TAB(52)USINGM$;
A1
910 PRINTN$(Y1);TAB(25)F$;TAB(35)B$(Z1);TAB(52)USINGM$;A1
920 L0=L0+1:IFL0>50ANDS$="Y"GOSUB970
930 A2=A2+A1:GOTO890
940 IFS$="Y"LPRI"PRINT:LPRI"TOTALS";TAB(52)USINGM$;A2
950 PRINT:PRINT"TOTALS";TAB(52)USINGM$;A2
960 A2=0:L0=0:S$="":LINEINPUT"HIT (ENTER) TO PROCEED..";P$:GOTO8
10
970 LETL0=0:LPRI"PRINT"NAME";TAB(26)"DATE TYPE";TAB(55)"AMOUNT"
980 LPRI"PRINTSTRING$(62,"="):LPRI"PRINT:RETURN
990 REM"HISTORICAL DATA REPORT"
1000 CLS:PRINT"HISTORICAL REPORT...":GOSUB1120:CLOSE
1010 OPEN"1",1,"DOCUMENTED":LPRI"PRINT"HISTORICAL REPORT FOR ";N$(Y):LP
RINT
1020 IFEOF(1)THEN1080ELSEINPUT#1,Y1,Z1,F$,V$,DN$,R$,A1,I$
1030 IFY1<>YTHEN1020
1040 LPRI"PRINTSTRING$(60,"=")
1050 LPRI"PRINTB$(Z1):LPRI"PRINTF$;TAB(20);DN$
1060 LPRI"PRINTV$:LPRI"PRINTR$;TAB(20);C0$ : ";USINGM$;A1:LPRI"PRINTI$
1070 GOTO1020
1080 LPRI"PRINT:GOTO810
1090 REM"EXIT PROGRAM"
1100 CLOSE:CLEAR50:CLS:PRINT"THANK YOU ...":END
1110 REM"SELECT RECORD ROUTINE"
1120 PRINTSTRING$(60,131):FORL=1TOX:PRINTL;N$(L),D$(L):NEXTL
1130 PRINT:PRINTL:"RETURN TO MENU":PRINT
1140 LINEINPUT"ENTER CODE > ";A$
1150 Y=VAL(A$):IFY<LORO>LTHEN210
1160 IFY=LTHEN150ELSEIFZ>5PRINT:RETURN
1170 PRINT@128,CHR$(31);N$(Y),D$(Y):PRINTSTRING$(60,131)
1180 LINEINPUT"ENTER DATE (MM/DD/YY) OR (END) : ";F$
1190 IFF$="END"THEN150
1200 IFLEN(F$)<>8THEN1170ELSERETURN
1210 REM"DATA FILE INITIALIZATION"
1220 CLS:PRINT"DATA FILE INITIALIZATION"
1230 READX:DIMN$(X),D$(X):FORL=1TOX:READN$(L),D$(L):NEXTL
1240 OPEN"E",1,"DOCUMENTED":Z9=9:GOTO210
1250 REM"DATA LINES, EACH RECORD IS TWO DATA ITEMS : NAME & BIRT
HDATE
1260 DATA 5 : REM "THIS DATA ITEM REPRESENTS NUMBER OF RECORDS
1270 DATAMIGUEL,04/05/49,ANA,01/23/50,YANIRA,07/07/74
1280 DATAMICHAEL,11/07/75,JAVIER,11/21/77
```


Bit Smitten—Part IV

by Jay Chidsey

Use this real-estate program to learn about Basic's Read...Data function. It's easy to use, and can save you memory space and time.

People who are just getting started writing their own programs seem to avoid using the TRS-80's Read...Data functions for quite a while. When I was writing my first program called Clipper Ship Captain, I had many variable values to enter into memory, and I used A=27, B=35 and so on. Since my Clipper Ship called at eight different ports, and there were 20 different cargo values at each port, I used 160 variables and about twice as much memory space as the Read...Data function would have required.

There are a number of circumstances in which you can use the Read...Data function. Use it when you have a large number of variables and want to save memory. A second circumstance is illustrated both by Clipper Ship (where I had use for only one of the eight sets of cargo price data at a time) and a business program I've written in which I

want to access and screen data for any quarter or, for that matter, any three-month period. Use Read...Data when you want to get at different parts of the data in storage as the program progresses.

A third circumstance is illustrated by a poetry program of mine. The user inputs 10-1,000 each of nouns, verbs and adjectives, and the program randomly selects one of eight or 10 frameworks and then randomly selects nouns, verbs and adjectives as required to write the poem. It doesn't write very good poetry most of the time, but once in a while a gem appears. You can use the Read...Data function when you want to select one or several numbers or (especially) words at random out of a large number of same.

The simplest use of the Read...Data function is where you have a long list of similar entries that you want to scan through one by one, and select from that long list a few which meet some criterion. This might be a list of members of a PTA or a church or a computer club or of all the dwellings a small-town volunteer fire department may have to deal with or a list of *80 Micro* articles with your notes as to subject covered,

system usable on, and so on.

My real estate program shown in the listing illustrates this use of the Read...Data function. Lines 1-99 are reserved for programming, and listings are stored in data statements beyond line 100. There is no particular need to enter properties alphabetically by seller's last name, or to coordinate line number with listing number. Since most real estate offices already have card files alphabetized and have established listing numbers in a range of 100-300 per letter (300 numbers are reserved for C or S, 100 numbers are reserved for X,Y,Z for example), you can follow that pattern in entering the data. Give last names beginning with A listing numbers 101-300, Bs 301-500, Cs 501-800, and so on. Making line number identical to listing number makes locating listings easier when you want to alter or erase a listing.

The data for each listing of property, PTA or church or computer club member, dwelling, and so on can be entered in any order and in either letters or numbers on the same line, so long as each data line is consistent, and no commas are used inside the strings. If there are six or 16 or 60 entries in one listing, all must be occupied in every listing in every data line.

In your real estate listing you may be using only 10 entries: 1) listing number, 2) name and address of owner, 3) asking price in hundreds of dollars, 4) number of bedrooms, 5) number of baths, 6) frontage in feet, 7) lot size in

The Key Box
Cassette Basic
Model I or III
16K RAM

If You Do A Lot Of Editing Of Your BASIC Programs, Then This Is The Editor For You!!!

The Full Screen Text Editor for BASIC, we were the first to give the TRS-80 this indispensable ability. What ability? The ability to edit your BASIC program with the ease of word processing. It is a type of word processor specifically designed to handle BASIC programs instead of letters and documents.

■ **The capability to change, insert and delete a character or characters:**

Simply position the cursor over the character that you wish to change and type in the new one. Another handy feature is Insert Mode, this is used to add text in the middle of a program line.

■ **Extend a line or insert new lines:**

Extending a line is as simple as two keystrokes, instantly the cursor jumps to the end of the program line and the editor is placed in the insert mode.

■ **Delete, copy or move statements:**

All you have to do is mark the line or block of lines and then tell the editor where to move or copy them.

■ **Global Search and/or change any specified string:**

Have you ever needed to change a lot of PRINT statements to LPRINTs?

■ **Macro key facility:**

Macro keys can cut your programming time in half. You can define each of the 26 letter keys (A-Z) to represent BASIC keywords, or any letter or number combination up to 6 characters per key.

■ **Renumber commands:**

Whats so special about this renumber facility? Not only can it renumber selected portions of your program, it also checks all GOTO, GOSUB, THEN and ELSE statements and updates them as needed!

You may have seen other Editor programs advertized that give you one, maybe two of these features. You may have also seen some of these features sold as separate utility programs.

Only CAU offers a complete editing system, not just a word processor patched up to handle line numbers.

You can order the BASIC Editor directly from Computer Applications Unlimited or ask your local computer store.

Cat # 1210-20 for TRS-80 Mod 1 & 3...\$29.95

The Editor is supplied on tape with complete instructions to move it to disk. If you wish us to send the editor on disk please add \$5.00 and ask for a DISK DUMP.

Add \$2.00 for shipping in the U.S. and Canada, \$10.00 outside USA

N.Y. State Residents add applicable Sales Tax.

Dealer Inquiries Invited.



Computer Applications Unlimited
P.O. Box 214, Dept FSBE, Rye, N.Y. 10580
(914) 937-6286

120

COMPUTER APPLICATIONS UNLIMITED
a div. of CAU, Inc. TM

TRS-80 is a TM of Tandy Corp.

hundreds of square feet, 8) schools, 9) taxes, and 10) year constructed. There would be 10 or 15 more categories in an actual real estate computer listing, but these 10 illustrate data usage.

A sample entry (coded by the realtor) would look like this: 518 DATA 518, CALDERONE CHARLES 452 S ABERNATHY ST TIFFIN OH, 853, 4, 2, 127, 486, 8, 102, 48.

Note that there are no commas within the name and address entry. A comma would signal a new data unit entry. Charles wants \$85,300 for the property, and it has four bedrooms, two baths, is 127 feet on frontage and 48,600 square feet in total area. Other items are similarly coded.

It will help you in visualizing the data storage in your computer if you think of it as a high stack of information. The first data entry anywhere in the program is the topmost item on this stack, and the very last data item is the one on the bottom. Your TRS-80 reads this stack from top to bottom, in order, one item for each execution of a command. The data is read only as far down the stack as you provide for in your program. At any time, when you have found the datum or set of data you were searching for you can restore the stack to its original state through the program command Restore. The whole stack is available for reading again then from the top.

The Program Listing presents the operating program, plus one entry, that of Mr. Calderone. Lines 100-9999 are reserved for other such data entries of 10 items each. Line 10 identifies the program and clears the screen.

Line 20 reads the first data item by itself so that an ending data unit can be placed at line 10000 to bring the search to an end. Depending upon how many entries have been made, line 20 reads item 1, item 11, item 21, and so on. The last one read is 0, located at line 10000. Line 30 ends the search after all data entries have been read.

Line 40 reads the next nine entries after the listing number, and assigns these values to variable. Note that the alphabetic variable (Calderone's name and address) is read into a string variable, N\$, and the other eight numeric variables are read into variables A-H.

Line 50 is the heart of the program, and must be written anew for each search. We'll come back to it. If the data units read by line 40 match the criteria set up in line 50, the program GOSUBs to line 70 to put information on your screen or printer. Otherwise the program continues to line 60.

Line 60 sends the computer back to line 20 to check out the next set of ten data units. As each new alphabetic or numeric value is read into the variables (L, N\$, A, B and so on) the former content is erased and the new values are entered for testing at line 50. This saves you a lot of memory space.

Line 70 prints information about any listing that passed the If test at line 50. In this case, I have it set to print listing number, name and address, and asking price, but you could set it to print all or any part of the data. Note that asking price, which was coded in hundreds of dollars, is multiplied by 100 to give actual price. To output directly to your printer change the Print in line 70 to LPRINT.

Line 80 picks up the $X = X + 1$ from the line above and halts screen printing when 12 listings have been presented there. Pressing enter clears the screen and resumes the search. You can copy from the screen before pressing enter or use one of the screen dump routines I offered last month to copy the monitor screen to printer. Line 90 returns the successful search to line 50, and from there through line 60 to line 20, just like the unsuccessful search.

Line 518 is the specimen real estate listing; line number and listing number are the same—518. Line 10000 ends the search, no matter how many listings have been entered between lines 100-9999.

You must end line 50 with GOSUB 70 for the program to work, but the content of the If statement can be anything you like. Keep it simple by using only is greater than (>) or is less than (<) or equals (=). There are several other logical operators you can use, but start simply and go to more complicated statements later. If you're searching for a house that costs \$50,000 or less, has at least two bathrooms and at least three bedrooms, and has at least 200 feet of frontage then type in line 50 IF A<510 AND

C>1 AND B>2 AND D>199 GOSUB 70. That's for a house under \$51,000 with more than one bathroom, more than two bedrooms, and over 199 feet of property frontage on the street.

Let's look at a slightly more difficult case, one in which only a specific portion of the data is required by the program at a particular stage. This situation is commonly found in game programs. In my Clipper Ship Captain program only one of eight sets of data, each consisting of 20 items, is required at any one time. How do you get at it? Let's say that you want to get at and use data set 7. That means you have to peel off the overlying six sets consisting of 20 items each, 120 altogether, to get at the 20 you want to use in the program at this point.

Visualize that stack of data again. You want to peel off 120 data entries. Do it at line 700 FOR I=1 TO 120: READ A: NEXT: A=0. The first six sets of data are peeled off in short order. The A=0 nullifies the last reading in case A has been used as a variable somewhere else in the program. Now read off the 20 numeric variables for the Port of London: 710 READ A, B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T: RESTORE.

You can now print these variables in any form you wish, probably tabular. The Restore makes the stack of data ready once again to be read from the top on its next usage.

Random access to data, as in my poetry writing program, is more difficult still, and is best accomplished by spinning data into an array. I'll discuss this next month, and show you how easy it is to use the TRS-80's powerful array capability to put hundreds and even thousands of information units into memory the easy way. ■

Writer and businessman Chidsey uses his Model III in both activities. He can be reached at 205 E. Adams St., Green Springs, OH 44836.

```
10 CLS: PRINT @470, "PROGRAM NAME... YOUR NAME": PRINT @662, "":
: INPUT "PRESS ENTER TO CONTINUE": Y: CLS
20 READ L
30 IF L=0 THEN PRINT "SEARCH COMPLETE": END
40 READ N$, A, B, C, D, E, F, G, H
50 IF A<900 AND B>2 AND F=8 GOSUB 70
60 GOTO 20
70 PRINT L " " N$ " " A * 100: X = X + 1
80 IF X = 12 PRINT "": INPUT Y: CLS: X = 0
90 RETURN
518 DATA 518, CALDERONE CHARLES 452 S ABERNATHY ST TIFFIN OH, 8
53, 4, 2, 127, 486, 8, 102, 48
10000 DATA 0
```

Program Listing



Poor Man's Floppy

HIGH SPEED CASSETTE SYSTEM

Now for the TRS-80™ Color Computer

The JPC Products High Speed Cassette System, in operation for over 4 years, is now available for all versions of the Radio Shack Color Computer.

• TC-8C

The TC-8C plugs directly into the expansion port of your TRS-80 Color Computer. It is fully compatible with all versions of the Color Computer from the Standard 4K up to the Extended 32K systems.

• FAST

The TC-8C saves and loads files at more than twice the speed of the built in Color Computer system.

• RELIABLE

All of JPC Products high speed cassette systems have a proven reliability of less than one error in a million bits.

• TWO DRIVES

The TC-8C fully supports two cassette drives. Save and load through either drive by simple software selection. You can use standard Radio Shack CTR-80A tape recorders or their equivalent.

• ALL FILE TYPES

The CCCOS operating system allows you to save, load, verify or run both BASIC and machine language files. Data files are also supported.

• MOTOR CONTROL

On board relays are provided for both cassette ports on the TC-8C.

• SPARE EPROM SOCKET

The TC-8C has a spare EPROM socket on the board. You can install either 2716 or 2732 EPROM's. This memory space can be used for any of your application programs or you could install the optional JPC Products monitor program - JBUG.

• JBUG MONITOR

The JBUG Monitor is a 2K relocatable monitor program with fantastic features for the Color Computer user.

• ASSEMBLER

Line assemble any machine language program directly into memory using standard 6809 assembly language mnemonics.

• DIS-ASSEMBLER

Dis-assemble any memory resident program (ROM or RAM) directly on the screen.

• MEMORY MODIFY & LIST

Modify memory directly or list memory in both HEX and ASCII.

• BREAK POINT TRAPS

Set, clear or continue from break points.

• CASSETTE OR EPROM

The TC-8C is not required in order to use the JBUG Monitor. It is available on cassette or a 2732 EPROM.

• SUPERB DOCUMENTATION

The TC-8C and the JBUG Monitor come with complete and extensive user manuals (JPC's documentation is praised almost as highly as our hardware and software). Complete command descriptions and background information are provided. Examples and sample programs are provided to help the novice and experienced individual take full advantage of the TC-8C and the JBUG Monitor.

• READY TO GO

The TC-8C comes completely assembled and tested with the CCCOS operating system. It is backed with a 30 day Money Back Guarantee and a 90 day Full Warranty.

TC-8C	\$129.95
JBUG (EPROM)	\$34.95
JBUG (CASSETTE)	\$29.95

Terms: Cash, Master Card or Visa
Shipping & Handling \$ 3.50 (US)
\$5.50 (Canada) \$15.00 (Foreign)

Technical Inquiries: Phone 5:00 - 6:00 PM MST



JPC PRODUCTS CO.
Phone (505) 294-4623
12021 Paisano Ct. N.E.
Albuquerque, N.M. 87112

Practical Regression Analysis

by Delmar D. Hinrichs

Regression analysis lets you get the most from a set of data. Author Hinrichs will take you step by step through this useful technique.

Regression analysis is a powerful tool for getting a great deal of information from a set of data. When it is properly used, it can accurately find the interrelationships among many variables. The regression equation is a mathematical model that can be

used to predict results under conditions that were not actually used. In addition, the importance and significance of each "independent" variable in predicting the "dependent" variable can be determined.

What does all this mean? What kind

of data can be used, and how is it used? This article tries to answer these questions, and includes a flexible, comprehensive regression-analysis program.

Data

The data must be in the form of numbers with a group of observations, each having two or more variables. One of the variables is designated as the dependent variable, and the rest are called the independent variables. Actually, regression analysis does not determine cause and effect (as the terms "independent" and "dependent" imply), but only finds relationships among the variables. Therefore, you need to know something about the real relationships in the system that the data represents before you can run a meaningful regression analysis on it.

A regression analysis fits the data to an equation of the form:

$$a + b(1)*V(1) + b(2)*V(2) = V(3)$$

where a is a constant, $V(1)$ and $V(2)$ are the independent variables, $V(3)$ is the dependent variable, and $b(1)$ and $b(2)$ are the equation coefficients. In a real regression analysis, the number of variables (V s) may range from two to several dozen. In the equation above, $V(1)$, $V(2)$, and $V(3)$ are data variables, while a , $b(1)$, and $b(2)$ are calculated by the regression-analysis program.

This equation is linear in form, but it

Mean: Arithmetic average of a data variable.

Standard Deviation: Measure of the variability of a data variable. About 68 percent of all data points lie within plus or minus one standard deviation of the mean, assuming a normal distribution.

Correlation Coefficient: Range, -1 to $+1$. Perfect negative correlation to no correlation (0) to perfect positive correlation between any two variables. Ignores the effects of all other variables.

Matrix: A two-dimensional array of numbers formed from the variables, that represents relationships between them.

Inverse Matrix: The form that the original correlation coefficient matrix becomes after the process of matrix inversion.

Partial Correlation Coefficient: Similar to correlation coefficient, except corrects for the effects of all other variables.

Standard Error of Estimate: Ranges downward from the standard deviation of the dependent variable, the lower the better. Best measure of the significance of the fit of the regression equation to the data.

R Squared: Range, 0 to 1 , the higher the better. No predictive value to perfect predictive value. Square of the multiple correlation coefficient. Measures the fraction of

the variation of the dependent variable that is explained by the regression equation.

F Ratio: Range, zero to infinity, the higher the better. A test of the significance of an independent variable, or of the whole regression equation.

Probability: Range, 0 – 1 , the higher the better. Indicates confidence, from none to certainty (based on the F ratio), that the regression equation or the individual coefficient could *not* have been obtained by chance from random data.

Beta Coefficient: Range, -1 to $+1$. A normalized equation coefficient, measuring the importance of its variable in affecting the value of the dependent variable. Also, the independent to dependent variable correlation, after correcting for (eliminating) the effects of all of the other independent variables. Sometimes called the "standard partial regression coefficient."

Inverse Diagonal: Range, one to infinity, the lower the better. Diagonal elements of the inverse matrix. Values above two indicate increasing error in the beta coefficients, and in the coefficient F ratios and probabilities of the affected variables. High values are caused by too much correlation between the supposedly "independent" variables.

Table 1. Explanations of Some of the Statistical Terms Used in the Article and Program

The Key Box

Model I & III
16K RAM
Cassette Basic (CMD'T' for disk)
Printer

may be used to fit non-linear data by using non-linear transformations (logarithm, square root, and so on) on the data before they are entered into the regression analysis. A good regression-analysis program will run these preliminary transformations on the data before running the regression, so

you do not have to do them manually. The regression-analysis program fits the equation to the data by a least-squares method. That is, the values of a, b(1), and b(2) are calculated so that the sum of the squares of the deviations of the estimated value of V(3) from its measured value is minimized. In order

Variable #1 "Length"	Variable #2 "Width"	Variable #3 "Height"
2	5	15
13	6	22
7	1	12
5	10	8
14	3	12
6	5	19
16	1	0
1	9	3
4	4	15
15	8	20
0	0	5
10	6	21
11	7	22
12	9	20
3	2	12
9	4	18

Table 2. Sample Data for the Regression-Analysis Program

Program Listing

```

10 CLS :PRINT,"MULTIVARIABLE REGRESSION ANALYSIS"
20 PRINT,"(C) BY DELMER D. HINRICH 1981"
30 CLEAR 0 :A=(MEM-1400)/8 :H=100 :OUT254,1
40 FOR I=1 TO 10
50   M=(H+L)/2 :B=5*M*M :IF A>B THEN L=M ELSE H=M
60   NEXT I :M=INT(M) :POKE16554,M :CLEAR M*10+200
70 DEFINT I-N :DEFDBL P-Y :MV=PEEK(16554) :I=MV-1
80 DIM ID(49),R(I),SC(I,I),SD(I),SM(I),V(MV),VNS(I)
90 PRINT :PRINT"DO YOU WANT TO:" :PRINT
100 PRINT" 1. LOAD MATRIX FROM TAPE"
110 PRINT" 2. LOAD RAW DATA FROM TAPE"
120 PRINT" 3. ENTER RAW DATA FROM KEYBOARD" :GOSUB 2930
130 ON M GOTO 1340,150,150
140 GOSUB 3430 :GOTO 90
150 OS="USE TRANSFORMATIONS ON RAW DATA" :GOSUB 2890
160 IF Z$="Y" THEN IT=1 :GOTO 3460
170 IF M=2 THEN IR=1 :GOTO 400
180 OS="ENTER TITLE FOR OUTPUTS" :GOSUB 2890
190 IF Z$="N" PRINT :GOTO 230
200 PRINT OS;" , UP TO 63 CHARACTERS"
210 INPUT TLS :L=LEN(TLS) :IF L<64 PRINT :L=(64-L)/2 :GOTO 230
220 PRINT"TITLE TOO LONG" :GOTO 200
230 PRINT"MAXIMUM NO. OF RAW OR TRANSFORMED VARIABLES =" ;MV
240 PRINT :INPUT"NO. OF RAW VARIABLES " ;Z$
250 M=VAL(Z$) :NR=M-1 :IF M<2 GOTO 3350
260 IF M>MV GOSUB 3430 :GOTO 230
270 OS="NAME RAW VARIABLES TO BE ENTERED" :GOSUB 2890
280 IF Z$="N" GOTO 330
290 CLS :PRINT"PUT DEPENDENT VARIABLE LAST" :PRINT
300 FOR I=0 TO NR
310   PRINT"RAW VARIABLE NO. ";I+1,"NAME = " ; :GOSUB 3000
320   NEXT I :CLS
330 OS="SAVE RAW DATA ON TAPE" :GOSUB 2890 :IF Z$="N" GOTO 550
340 IS=1 :K=0 :OS="RECORD" :GOSUB 3130 :PRINT"SAVING TITLE"
350 PRINT#-1,"DATA" :PRINT#-1, L,NR,TLS :PRINT@ 7,"NAMES"
360 FOR I=0 TO NR
370   BS(K)=VNS(I) :K=K+1 :IF K>9 GOSUB 3190
380   NEXT I :IF K GOSUB 3190
390 GOTO 550
400 ' READ DATA FROM TAPE
410 OS="DELETE SOME OBS. FROM DATA" :GOSUB 2890
420 IF Z$="N" GOTO 490
430 CLS :PRINT"UP TO 50 OBS. MAY BE DELETED" :GOSUB 3330
440 FOR I=0 TO 49 :Z$=""

```

Listing continues

MODEL II USERS: Access DEC with REFORMATTER™

ReformatTter conversion software lets you read and write DEC RT-11 single density diskettes on your Model II under TRSDOS or CP/M.

ReformatTter is ideal if you want:

- Access to large system data bases
- Distributed data processing
- Offline program development
- Database conversion

With ReformatTter, you have:

- Automatic file conversion between Model II and DEC RT-11 single density diskettes.
- Complete DEC file reorganization and maintenance facilities.
- Access to RSTS/E, RSX11-M and VAX/VMS via DEC resident utilities reading RT-11.

Customers like Memorex, Upjohn, Arthur Young & Co., the U.N., Stanford U., and Sandia Labs enjoy the benefits of ReformatTter. So can you. Specify the version of ReformatTter for your operating system:

TRSDOS ↔ DEC

CP/M ↔ DEC

TRSDOS version runs on one drive. CP/M version requires two.


Other Model II versions of ReformatTter conversion software include:

TRSDOS ↔ CP/M

TRSDOS ↔ IBM*

CP/M ↔ IBM

Order ReformatTter today at \$249 each version.



*Available exclusively from Radio Shack, Cat. #26-4714.

✓ 380

(415) 324-9114

TWX: 910-370-7457

467 Hamilton Ave., Suite 2, Palo Alto, CA 94301

Please send complete information on the following versions of ReformatTter

Please send ReformatTter ☐ TRSDOS↔DEC ☐ CP/M↔DEC.

My check for \$249 (plus \$5 shipping. Cal res. add 6 1/2% sales tax).

☐ Charge to my ☐ Visa ☐ MasterCard.

_____ exp. date _____

Signature _____

Name _____

Company _____

Street _____

City _____

State _____ Zip _____

Mail to MicroTech Exports, Inc.
467 Hamilton Ave., Palo Alto, CA 94301

4 MHz FOR THE MOD 3

PC BOARD & DOC. ONLY \$19.95

THIS EASY TO INSTALL KIT WILL
DOUBLE THE SPEED OF YOUR MOD-
EL III COMPUTER.

COMPLETE KIT **\$59.95**

ASSEMBLED & TESTED **\$99.95**

CALL OR WRITE
J.E.S. GRAPHICS
P.O. BOX 2752
TULSA, OK. 74101

PHONE (918) 742-7104 ✓202

IEEE-488 TO TRS-80* INTERFACE

Everything needed to add powerful
BASIC GPIB-488 controller capability
to TRS-80 Model 1 or 3, Level 2 or
DOS with a minimum of 16K.

488-80B
For Model 1
Operation



488-80C
For Model 3
Operation

Model 488-80B or 488-80C Price: \$375.
+ shipping, insurance & tax

WHEN ORDERING SPECIFY DISK OR TAPE


SCIENTIFIC ENGINEERING LABORATORIES

11 Neil Drive • Old Bethpage, NY 11804
Telephone: (516) 694-3370

*Trademark of Tandy Corp. ✓203

There is no affiliation between Scientific
Engineering Laboratories and Tandy Corp. or
Radio Shack.

DO YOU HAVE 2 PRINTERS?



Now you can have **2 PRINTERS ON-LINE** at all
times. Our MODEL 80 LINE PRINTER SWITCH is
designed specifically for the TRS-80 computer to allow
the user to easily select between two printers by
means of a conveniently located switch without
changing cables. Our compact module connects to the
parallel printer port of your Model I, Model II, or Model
III through a printer port extension cable and provides a
card-edge connector for each of your two printers.
Gold plated contacts ensure excellent connection
reliability and ends the problem of constantly plugging
and unplugging printer cables. And, it works with any
type of printer that could normally be connected to the
TRS-80 printer port. Our Model 80 switch comes
assembled, tested, and ready to use for the low cost
of \$40 including shipping to any U.S. destination. An
18' printer port extension cable is available from us at
a cost of \$12.50 for the Model I / Model III or \$20 for
the Model II. Call or write now for more information
and request application note AN-821 for Model I/III
use or AN-822 for Model II use.

hf signalling inc.

Administrative and Engineering Offices - P.O. Box 17510
Kansas City, MO 64130 - phone: (816) 931-4448

Listing continued

```

450 INPUT"OBS. NO. TO BE DELETED";Z$
460 IF Z$="" GOTO 490
470 ID(I)=VAL(Z$) :ID=I
480 NEXT I
490 K=10 :O$="PLAY" :GOSUB 3130 :PRINT"READING" :INPUT#-1, O$
500 IF O$<>"DATA" PRINT"*** WRONG FILE ***" :GOTO 490
510 PRINT@ 8,"TITLE" :INPUT#-1, L,NR,TL$ :PRINT@ 8,"NAMES"
520 FOR I=0 TO NR :IF K>9 GOSUB 3210
530 VN$(I)=B$(K) :K=K+1
540 NEXT I :IF IC=1 GOTO 2360
550 CLS :NT=NR :IF IT=0 GOTO 590
560 PRINT"NO. OF TRANSFORMED VARIABLES NOW =" ;NT+1,"NEW = ";
570 INPUT Z$ :M=VAL(Z$) :NT=M-1
580 IF M<2 OR M>MV GOSUB 3430 :GOTO 560
590 PRINT :PRINT"PRINT DATA ON PRINTER?" :PRINT
600 PRINT" 1. RAW DATA"
610 PRINT" 2. TRANSFORMED DATA"
620 PRINT" 3. DO NOT PRINT DATA" :GOSUB 2930
630 ON M GOTO 650,650,680
640 GOSUB 3430 :GOTO 590
650 GOSUB 3070 :IF IP=0 THEN M=3 :GOTO 680
660 LPRINTTAB(L) TL$ :LPRINT :IF M=2 GOTO 680
670 LPRINTTAB(20)"NAMES OF RAW VARIABLES:" :NZ=NR :GOSUB 3170
680 G$="DATA FOR EACH OBSERVATION:" :IF M<3 LPRINTTAB(20) G$
690 N=N+1 :JD=0 :IF IR GOTO 800 ELSE IF IC GOTO 810
700 CLS :PRINT"ENTER " ;G$ :GOSUB 3330
710 PRINT"OBS. NO. ";N
720 FOR I=1 TO NR+1 :Z$="" :IF IX GOTO 750
730 PRINT" VAR. NO. ";I," ";VN$(I-1)," ";VALUE = " ;INPUT Z$
740 IF Z$="" PRINT"QUIT DATA ENTRY" :V(1)=-9999 :IX=1 :I=2
750 V(I)=VAL(Z$)
760 NEXT I :IF IX=0 OR NO>NT+1 GOTO 780
770 PRINT"TOO FEW OBS. MINIMUM =" ;NT+2 :IX=0 :GOTO 710
780 O$="CHANGE DATA FOR THIS OBS." :GOSUB 2890
790 IF Z$="Y" CLS :IX=0 :PRINT"ENTER " ;O$ :PRINT :GOTO 710
800 IF IR=0 GOTO 870 ELSE CLS :PRINT"READING OBS. NO. ";N
810 K=10
820 FOR I=1 TO NR+1 :IF K>9 GOSUB 3310
830 V(I)=T(K) :K=K+1
840 NEXT I :IF V(1)=-9999 THEN IX=1
850 FOR I=0 TO ID :IF ID(I)=N THEN JD=1
860 NEXT I :IF IC GOTO 2410
870 IF IP=0 GOTO 900
880 LPRINT"OBS. NO. ";N, :IF JD LPRINT"DELETED" :GOTO 690
890 IF M=1 THEN NZ=NR :GOSUB 3240
900 IF JD GOTO 690
910 IF IS=0 GOTO 960
920 K=0 :CLS :PRINT"SAVING DATA"
930 FOR I=1 TO NR+1
940 T(K)=V(I) :K=K+1 :IF K>9 GOSUB 3290
950 NEXT I :IF K GOSUB 3290
960 CLS :IF IX GOTO 1090
970 PRINT"UPDATING MATRIX"
980 IF IT GOSUB 5000
990 IF M=2 THEN NZ=NT :GOSUB 3240
1000 NO=NO+1 :R=CDBL(NO-1)/CDBL(NO)
1010 FOR I=0 TO NT
1020 R(I)=V(I+1)-SM(I) :SM(I)=SM(I)+R(I)/NO
1030 NEXT I
1040 FOR J=0 TO NT
1050 FOR K=J TO NT
1060 SC(J,K)=SC(J,K)+R(J)*R(K)*R
1070 NEXT K
1080 NEXT J :CLS :GOTO 690
1090 IF IT=0 GOTO 1160
1100 O$="CHANGE TRANSFORMED VARIABLE NAMES" :GOSUB 2890
1110 CLS :IF Z$="N" GOTO 1160
1120 FOR I=0 TO NT
1130 PRINT"VAR. NO. ";I+1,"NOW = " ;VN$(I)," ";NEW = " ;
1140 GOSUB 3000
1150 NEXT I
1160 IF M<2 GOTO 1190
1170 LPRINT :LPRINTTAB(20)"NAMES OF TRANSFORMED VARIABLES:"
1180 NZ=NT :GOSUB 3170
1190 IF IP LPRINT STRING$(8,138)
1200 CLS :PRINT"CALCULATING"
1210 FOR I=0 TO NT :PRINT@ 13, I+1
1220 R=SC(I,I)/(NO-1) :S=SQR(R)
1230 IF R=0 PRINT"VARIABLE";I+1;"IS CONSTANT" :OUT254,0 :STOP
1240 Q=S :S=(R/Q+Q)/2 :IF Q<>S GOTO 1240
1250 SD(I)=S
1260 NEXT I
1270 FOR J=0 TO NT-1 :PRINT@ 13, J+1
1280 FOR K=J+1 TO NT :PRINT@ 17, K+1
1290 R=SC(J,J)*SC(K,K) :S=SQR(R)
1300 Q=S :S=(R/Q+Q)/2 :IF Q<>S GOTO 1300
1310 SC(J,K)=SC(J,K)/S :SC(K,J)=SC(J,K)

```

Listing continues

Let's get personal...

try out the in-stock selection of Heath/Zenith microcomputers, peripherals, accessories and software.

Now available at your nearby Heathkit Electronic Center, or through the Heathkit mail order catalog.

You get more with a Heath/Zenith personal microcomputer system! We offer:

1. Proven high-performance hardware: Thousands of our microcomputers prove themselves daily, in the field.

2. Vast software library: Three operating systems (including CP/M), languages, word processors, an electronic spreadsheet, versatile utilities and the 500-program Heath Users' Group software library.

3. Self-instruction courses: Evaluation and programming courses from Heathkit/Zenith Educational Systems.


4. Service support: Before and after the sale — consultation by phone, carry-in service by trained technicians.

Test run one of our microcomputers at any of the more than 60 convenient Heathkit Electronic Centers in the U.S.

Heathkit[®] 47 ELECTRONIC CENTERS*


See the white pages of your telephone book for store locations and telephone numbers.

*Units of Veritechnology Electronics Corporation in the U.S.



SUPER PRICES & FREE SHIPPING

COMPUTERS



Complete MODEL III COMPUTER

Model III with 48K memory, 2 disk drives, 370K storage, and ready to run with TRSDOS 1.3 and manual. 120 day Simutek warranty parts and labor. Compatible with all Radio Shack software \$1899.99

Model III with 48K, 2 double sided 40 track disk drives with 750K storage. Comes with MULTIDOS and manual. 120 day Simutek warranty parts and labor. Compatible with Radio Shack software. Complete and ready to run \$2195.99

MODEL III INTERNAL DISK DRIVE KITS

If you can use a phillips screwdriver, you can easily install Simutek's Model III disk drives and controller in less than an hour. Absolutely NO SOLDERING, TRACE CUTTING OR TECHNICAL KNOWLEDGE REQUIRED! The J & M controller is the best on the market today. We've tried others and found J & M's the finest and easiest to install. We warranty the J & M controller for 120 days against defects in workmanship.

ONE 40 TRACK TANDON DISK DRIVE WITH 185K STORAGE, and J & M controller. Radio Shack DOS, manual. No soldering or trace cutting required. Ready to install with instructions \$589.99

TWO 40 TRACK TANDON DISK DRIVES 370K STORAGE, with J & M controller Radio Shack DOS, manual. No soldering or trace cutting. Ready to install and run. Instructions \$849.99

TWO DOUBLE SIDED 40 TRACK DISK DRIVES with 750K storage and J & M controller MULTIDOS and manual and Model III DOS. No soldering or trace cutting. Ready to install and run. Full instructions \$999.99

MODEL III HARD DISK DRIVES

FIVE MEGABYTE hard disk with LDOS disk operating system, all cables, connectors, ready to plug in \$1799.99

TEN MEGABYTE Hard disk with LDOS, all cables, connectors ready to plug in \$1999.99

PRINTERS

DAISY WHEEL PRINTERS:

NEW SMITH CORONA DAISY WHEEL 12 CPS \$699.99

NEW BROTHER DAISY WHEEL 16 CPS \$1199.95

TRACTOR FEED FOR BROTHER \$250.00

C-ITOH STARWRITER II F-10. 40 CPS \$1649.99

C-ITOH STARWRITER III F-10 55CPS \$1999.99

TRACTOR FEED FOR STARWRITERS \$250.00

HIGH QUALITY DOT MATRIX:

C-ITOH PROWRITER I 8510A .2K BUFF. . . PRL. ONLY \$499.99

C-ITOH PROWRITER I 8510ACD . . . 2K BUFF. SER/PRL \$649.99

C-ITOH PROWRITER II 1550 . . . 15 INCH . . . 3K BUFFER \$799.99

EPSON MX-80 WITH GRAFTRAX \$479.99

EPSON MX-80/FT WITH GRAFTRAX \$549.99

EPSON MX-100 \$799.99

OKIDATA MICROLINE 80. (80 CPS) \$369.99

OKIDATA MICROLINE 82A (125 CPS) W/TRACTOR \$499.99

OKIDATA MICROLINE 83A (125 CPS) W/TRACTOR \$749.99

OKIDATA MICROLINE 84 (200 CPS) W/TRACTOR \$1199.95

PRINTER CABLE FOR MOD I EXPANSION INTERFACE OR MODEL III (SPECIFY) \$29.95

PROWRITER RIBBONS \$12.99

EPSON MX-80 OR FT RIBBONS \$9.99

OKIDATA RIBBONS . . . (80, 82A, 83A) \$3.49

DISK DRIVES

MODEL I DISK DRIVES

ONE TEC DISK DRIVE 40 TRACK DISK DRIVE with 5ms track to track access time, with power supply chassis, extender cable and shipping for TRS-80. One year warranty on parts and labor. Ten day money back guarantee.

Model I or III \$279.00

ONE TEAC 40 TRACK DISK DRIVE, 30 ms track to track, with P/S and chassis, ready to run as drive 0-4. 10 day money guarantee. One year warranty \$279.00

ONE TANDON 40 TRACK DISK DRIVE, 5 ms track to track, with P/S and chassis, ready to run as drive 0-4 or Model III external. 10 day money back warranty \$279.00

ONE 2 DRIVE cable for Model I or III. (Specify) \$25.00

ONE 4 DRIVE cable for Model I only \$35.00

ACCESSORIES/ SOFTWARE, ETC.

16K MEMORY UPGRADE FOR MOD I, III OR COLOR 4K. UNCONDITIONALLY GUARANTEED FOR 2 YEARS \$15.95

DISK OPERATING SYSTEMS

NEWDOS 80 VER. 2 \$139.95

LDOS \$129.95

DOSPLUS \$139.99

MULTIDOS. BEST BUY! SPECIFY DOUBLE OR SINGLE DENS \$79.95

DOUBLE DENSITY MOD I

PERCOM DOUBLER II. (NEW LOW PRICE!) \$139.99

DISKETTE STORAGE

HARD PLASTIC HOLDS 50 DISKETTES \$21.95

HARD BOX HOLD TEN \$3.99



MODEMS

LYNX MODEM FOR MOD I OR III \$239.95

OMNITERM SMART TERMINAL PROGRAM \$99.99

SUPER BOOKS FROM IJG

MICROSOFT BASIC DECODED AND OTHER MYSTERIES \$29.95

TRS-80 DISK AND OTHER \$22.50

MYSTERIES

BASIC FASTER AND BETTER AND OTHER MYSTERIES \$29.95

BASIC FASTER AND BETTER PROGRAMS ON DISKETTE \$19.95

CUSTOM TRS-80 AND OTHER MYSTERIES \$29.95

MONITORS

OLD MOD I SCREEN STARTING TO GIVE YOU HEADACHES? TRY ONE OF THESE HIGH RESOLUTION MONITORS AT SUPER LOW PRICES...

ZENITH GREEN SCREEN 12" \$139.95

BMC 12 INCH GREEN SCREEN \$109.95

BMC 13 INCH COLOR \$299.99

AMDEK 12" BLACK AND WHITE \$97.50

OCI AMBER SCREEN MONITOR 12" \$189.95


CABLE TO CONNECT MONITORS TO MODEL I COMPUTER \$14.95

C.O.D.'S \$5.00 EXTRA. NO C.O.D.'S FOR MODEL III COMPUTERS OR PARCELS THAT CANNOT BE SHIPPED UNITED PARCEL SERVICE. ALL C.O.D.'S REQUIRE CASH OR CERTIFIED CHECK AT TIME OF COLLECTION.

CALL TOLL FREE to order:

1-800-528-1149

WE ACCEPT AMERICAN EXPRESS, VISA and MASTERCARD. NO SURCHARGE FOR CREDIT CARD ORDERS!
SORRY, PERSONAL CHECKS REQUIRE 4-5 WEEKS TO CLEAR.



TRS-80 TM of Radio Shack a Tandy corp.

SIMUTEK

Computer Products Inc.

4897 E. SPEEDWAY BLVD., TUCSON, AZ 85712, (602) 323-9391

Listing continued

```

1320 NEXT K : SC(J,J)=1
1330 NEXT J : SC(NT,NT)=1 : GOTO 1530
1340 ' READ MATRIX FROM TAPE
1350 OS="PLAY" : GOSUB 3130 : PRINT "READING" : INPUT#-1, OS
1360 IF OS<>"MATRIX" PRINT "*** WRONG FILE ***" : GOTO 1350
1370 PRINT@ 8, "TITLE" : INPUT#-1, IT, L, NO, NT, TL$
1380 IM=1 : K=10 : PRINT@ 8, "NAMES"
1390 FOR I=0 TO NT : IF K>9 GOSUB 3210
1400 VN$(I)=B$(K) : K=K+1
1410 NEXT I : K=10 : PRINT@ 8, "MEANS"
1420 FOR I=0 TO NT : IF K>9 GOSUB 3310
1430 SM(I)=T(K) : K=K+1
1440 NEXT I : K=10 : PRINT@ 8, "STD. DEV."
1450 FOR I=0 TO NT : IF K>9 GOSUB 3310
1460 SD(I)=T(K) : K=K+1
1470 NEXT I : K=10 : PRINT@ 8, "MATRIX"
1480 FOR I=0 TO NT-1
1490 FOR J=I+1 TO NT : IF K>9 GOSUB 3310
1500 SC(I,J)=T(K) : SC(J,I)=T(K) : K=K+1
1510 NEXT J : SC(I,I)=1
1520 NEXT I : SC(NT,NT)=1
1530 CLS : PRINTTAB(L) TL$
1540 HS="VAR. NO.          VAR. NAME          MEAN          STD. DE
VIATION"
1550 PRINT HS
1560 FS="####          %          #####.####          #####.#
####"
1570 FOR I=0 TO NT
1580 H=(I+2)/15 : IF INT(H)=H GOSUB 3040
1590 PRINTUSING FS; I+1, VN$(I), SM(I), SD(I)
1600 NEXT I : GOSUB 2870 : IF Z$="N" GOTO 1660
1610 GOSUB 3070 : IF IP=0 GOTO 1660
1620 LPRINTTAB(L) TL$ : LPRINT HS
1630 FOR I=0 TO NT
1640 LPRINTUSING FS; I+1, VN$(I), SM(I), SD(I)
1650 NEXT I : LPRINT STRING$(8,138)
1660 OS="VIEW MATRIX, INVERSE, PARTIALS" : GOSUB 2890
1670 IF Z$="N" GOTO 1700 ELSE IV=1
1680 GS="CORRELATION COEFFICIENT MATRIX" : IE=NT
1690 FS="##### " : HS="SIMPLE "+GS : GOSUB 2590
1700 IF IM GOTO 1930
1710 OS="SAVE COEF. MATRIX ON TAPE" : GOSUB 2890
1720 IF Z$="N" GOTO 1930
1730 K=0 : OS="RECORD" : GOSUB 3130
1740 PRINT "SAVING" : PRINT#-1, "MATRIX" : PRINT@ 7, "TITLE"
1750 PRINT#-1, IT, L, NO, NT, TL$ : PRINT@ 7, "NAMES"
1760 FOR I=0 TO NT
1770 B$(K)=VN$(I) : K=K+1 : IF K>9 GOSUB 3190
1780 NEXT I : IF K GOSUB 3190
1790 PRINT@ 7, "MEANS"
1800 FOR I=0 TO NT
1810 T(K)=SM(I) : K=K+1 : IF K>9 GOSUB 3290
1820 NEXT I : IF K GOSUB 3290
1830 PRINT@ 7, "STD. DEV."
1840 FOR I=0 TO NT
1850 T(K)=SD(I) : K=K+1 : IF K>9 GOSUB 3290
1860 NEXT I : IF K GOSUB 3290
1870 PRINT@ 7, "MATRIX"
1880 FOR I=0 TO NT-1
1890 FOR J=I+1 TO NT
1900 T(K)=SC(I,J) : K=K+1 : IF K>9 GOSUB 3290
1910 NEXT J
1920 NEXT I : IF K GOSUB 3290
1930 CLS : PRINT "INVERTING MATRIX"
1940 FOR I=0 TO NT-1 : PRINT@ 18, I+1; CHR$(30) : IF I=0 GOTO 1980
1950 IF SC(I,I)<=0 PRINT "MATRIX SINGULAR" : OUT254,0 : STOP
1960 X=1/SC(I,I) : SC(I,I)=1
1970 FOR J=0 TO NT : SC(I,J)=X*SC(I,J) : NEXT J
1980 FOR K=0 TO NT-1 : PRINT@ 22, K+1 : IF K=I GOTO 2010
1990 X=SC(K,I) : SC(K,I)=0
2000 FOR J=0 TO NT : SC(K,J)=SC(K,J)-X*SC(I,J) : NEXT J
2010 NEXT K
2020 NEXT I : IF IV=0 GOTO 2050
2030 HS="INVERSE OF MATRIX PLUS BETA COEFFICIENTS" : GOSUB 2590
2040 HS="PARTIAL "+GS : IZ=1 : IE=NT-1 : GOSUB 2590
2050 ' REGRESSION RESULTS
2060 CLS : IE=NT-1 : PRINTTAB(L) TL$
2070 FOR I=0 TO IE : R2=R2+SC(NT,I)*SC(I,NT) : NEXT I : D2=NO-NT-1
2080 DR=(1-R2)/D2 : EE=SD(NT)*SQR(DR*(NO-1)) : FR=R2/DR/NT : F=FR
2090 FS="NO. IND. VAR.=### DEP. VAR.=### %          NO. OB
S.=#####"
2100 PRINTUSING FS; NT, NT+1, VN$(NT), NO : D1=NT : GOSUB 2790 : D1=1
2110 DS=" R SQ.=##### EQ.F=##### PROB.=#.####"
2120 PRINT "S.E.EST.="; EE; USING DS; R2, FR, FP
2130 GS="NO. VAR. NAME BETA COEF. EQ. COEF. COEF.F PROB.
INV. DIAG"
2140 PRINT GS;

```

Listing continues

TM TRS80 color

From the January 1981 issue of the CSRA Computer Club newsletter:

There was some amusement at the November meeting when the Radio Shack representatives stated that the software in the ROM cartridges could not be copied. This month's 68 Micro Journal reported they had disassembled the programs on ROM by covering some of the connector pins with tape. They promise details next month. Never tell a hobbyist something can't be done! This magazine seems to be the only source so far of technical information on the TRS-80 color computer. Devoted to SS-50 6800 and 6809 machines up to now, 68 Micro Journal plans to include the TRS-80 6809 unit in future issues.

To get the MOST from your 6809 CPU - This is the BEST SOURCE! The ONLY Magazine for the 6809 Computer. Months Ahead of All Others!

68 MICRO JOURNAL

5900 Cassandra Smith Rd.
Hixson, TN 37343

USA
1 Yr.—\$24.50 2 Yr.—\$42.50 3 Yr.—\$64.50
*Foreign Surface Add \$12 Yr. to USA Price
*Foreign Air Mail Add \$35 Yr. to USA Price
*Canada & Mexico Add \$5.50 Yr. to USA Price

✓213

RATFOR

Rational Fortran

Structured programming for FORTRAN. The best implementation of Ratfor available anywhere! Full Standard Ratfor, plus strings, conditional compilation, and more. Includes pretty printer for automatic indentation of source programs. Complete tutorial User's Manual. Totally compatible with all Microsoft Fortrans (not included!).

- TRS-80 Model I/III: \$74.00
- CP/M, IBM-PC (MS-DOS), or
- TRS-80 Mod II: \$139.00

✓316

Aspen Software Co.

P.O. Box 339 Tijeras, NM 87059
(505) 281-1634




MEMOREX FLEXIBLE DISCS

WE WILL NOT BE UNDER-
SOLD!! Call Free (800)235-4137
for prices and information. Dealer
inquiries invited and C.O.D.'s
accepted



PACIFIC
EXCHANGES

100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800)592-5935 or
(805)543-1037



✓207

Unlimited Scripsit* Backup

Version 3.2 on Model III TRSDOS1.3

Why Pay More?

For Just **\$5** You Can Copy Your
SCRIPSIT As Many Times As You Like

Send \$5 With
Your Name and Address to:
LANGIN-HOOPER ASSOCIATES
18 MARVIN LANE
PISCATAWAY
NEW JERSEY, 08854

(201) 463-0189 9a.m.-9p.m. daily

*trademarks of Tandy Corporation

340

WILDCAT

Copyright © 1981 by Donald M. Fielding

Remarkable Disk Directory Catalog System

For use on Radio Shack TRS-80 Model
1 and 3 microcomputers.

Unique abstract feature permits positive file identification. Catalog includes a first line remark from each type file. Includes human readable remarks from machine code files. Contains ID, name, date, free space, filesize, and remark.

Read any size directory from any size disk of any density with any number of tracks and any number of sides. Sort by any field. Multi-format print in any sorted order. Single sheet or continuous forms. Save to disk option. Very fast machine code. Self-prompts. User friendly. Complete easy to understand documentation.

Please specify MODEL and DOS when ordering.

Requires two drives MIN and 48 K RAM.


Satisfaction Guaranteed — Ten day return privilege.

\$2.95 + \$2.00 Shipping & Handling

Check Money Order Visa Mastercharge

Don Fielding

2207 N.W. 61 Place □ Margate, FL 33063
(305) 972-6744



Subscription Problem?

80 Micro does not keep subscription records on the premises, therefore calling us only adds time and doesn't solve the problem.

Please send a description of the problem and your most recent address label to:

80micro
Subscription Dept.
PO Box 981
Farmingdale, NY 11737

Thank you and enjoy your subscription.

Listing continued

```

2150 H$=" " & #####.#####.#####.#####.###.###
#####.###"
2160 E$=" EQUATION CONSTANT =#####.#####"
2170 FOR I=0 TO IE
2180 SD(I)=SC(I,NT)*SD(NT)/SD(I) : SM(NT)=SM(NT)-SD(I)*SM(I)
2190 SM(I)=(SC(I,NT)/SQR(DR*SC(I,I)))[2 : F=SM(I) : GOSUB 2790
2200 H=(I+4)/15 : IF INT(H)=H GOSUB 3040
2210 PRINTUSING H$;I+1,VN$(I),SC(I,NT),SD(I),SM(I),FP,SC(I,I)
2220 NEXT I : PRINTUSING E$; SM(NT)
2230 GOSUB 2870 : IF Z$="N" GOTO 2310
2240 GOSUB 3070 : IF IP=0 GOTO 2310
2250 LPRINTTAB(L) TL$ : LPRINTUSING F$; NT,NT+1,VN$(NT),NO
2260 D1=NT : F=FR : GOSUB 2790
2270 LPRINT"S.E.EST.";EE; USING D$; R2,FR,FP : LPRINT G$ : D1=1
2280 FOR I=0 TO IE : F=SM(I) : GOSUB 2790
2290 LPRINTUSINGH$;I+1,VN$(I),SC(I,NT),SD(I),SM(I),FP,SC(I,I)
2300 NEXT I : LPRINTUSING E$; SM(NT) : LPRINT STRING$(8,138)
2310 CLS : G$="RESIDUALS OF DATA VS. ESTIMATES"
2320 O$="CHECK " + G$ : GOSUB 2890 : IF Z$="N" GOTO 2560
2330 IC=1 : IP=0 : O$="PRINT " + G$ : GOSUB 2890 : IF Z$="N" GOTO 2350
2340 GOSUB 3070
2350 PRINT : PRINT"YOU MUST REREAD RAW DATA FROM TAPE" : GOTO 490
2360 IX=0 : N=0 : IR=0 : F$="#### " : CLS
2370 H$="OBS.# DEP.VAR. EST.DEP.VAR. RESIDUAL NORMAL
IZED"
2380 PRINTTAB(L) TL$ : PRINT, G$ : PRINT H$
2390 IF IP LPRINTTAB(L) TL$ : LPRINT, G$ : LPRINT H$
2400 GOTO 690
2410 IF IX GOTO 2520
2420 PRINTUSING F$; N; : IF IP LPRINTUSING F$; N;
2430 IF JD PRINT"DELETED" : IF IP LPRINT"DELETED"
2440 IF JD GOTO 690
2450 IF IT GOSUB 5000
2460 R=SM(NT) : FOR I=0 TO IE : R=R+SD(I)*V(I+1) : NEXT I
2470 RE=V(NT+1)-R : RS=RS+RE : EN=RE/EE
2480 PRINT CSNG(V(NT+1)),CSNG(R),CSNG(RE),EN
2490 IF IP LPRINT CSNG(V(NT+1)),CSNG(R),CSNG(RE),EN
2500 H=(N+3)/15 : IF INT(H)=H AND IP=0 GOSUB 3040
2510 GOTO 690
2520 F$="SUM OF RESIDUALS = "
2530 PRINTTAB(13) F$; CSNG(RS)
2540 IF IP LPRINTTAB(13) F$; CSNG(RS); STRING$(8,138)
2550 GOSUB 3040
2560 OUT254,0 : IF JP*IT LPRINTTAB(L) TL$ : CLEAR 50 : LLIST 5000-
2570 CLS : CLEAR 50 : PRINT"REGRESSION DONE"
2580 END
2590 ' PRINT MATRIX
2600 CLS : PRINTTAB(L) TL$ : PRINTTAB(13) H$ : I=2
2610 FOR J=0 TO IE : M=0
2620 FOR K=J+IZ TO IE : IF K>IE GOTO 2670
2630 H=(M/4+I)/15 : IF INT(H)=H GOSUB 3040 : M=0 : I=0
2640 GOSUB 2770
2650 PRINTUSING F$; RIGHT$(STR$(J+1),2),RIGHT$(STR$(K+1),2),
Z;
2660 M=M+1
2670 NEXT K : I=I+(M+3)/4 : H=(IE-J-IZ+1)/4 : IF INT(H)<>H PRINT
2680 NEXT J : GOSUB 2870 : IF Z$="N" RETURN
2690 GOSUB 3070 : IF IP=0 RETURN
2700 LPRINTTAB(L+8) TL$ : LPRINTTAB(21) H$
2710 FOR J=0 TO IE
2720 FOR K=J+IZ TO IE : IF K>IE GOTO 2750
2730 GOSUB 2770
2740 LPRINTUSING F$; RIGHT$(STR$(J+1),2),RIGHT$(STR$(K+1),2)
,Z;
2750 NEXT K : H=(IE-J-IZ+1)/5 : IF INT(H)<>H LPRINT
2760 NEXT J : LPRINT STRING$(8,138) : RETURN
2770 Z=SC(J,K) : IF IZ THEN Z=-Z/SQR(SC(J,J)*SC(K,K))
2780 RETURN
2790 ' PROB
2800 DX=D1 : DY=D2 : FF=F : IF F<1 THEN DY=D1 : DX=D2 : FF=1/F
2810 DX=2/9/DX : DY=2/9/DY
2820 DD=ABS(FF[(1/3)*(1-DY)+DX-1])/SQR(FF[(2/3)*DY+DX])
2830 IF D2<4 THEN DD=DD*(.08*DX[4/D2[3+1])
2840 FP=.5/(1+DD*(.19685+DD*(.11519+DD*(.000344+DD*.01953))))[4
2850 IF F>1 THEN FP=1-FP
2860 RETURN
2870 ' PRINT?
2880 O$="PRINT THESE RESULTS" : IP=0
2890 ' (Y/N)
2900 PRINT"DO YOU WANT TO ";O$;" (Y/N)? "; CHR$(95); CHR$(24);
2910 GOSUB 2960 : IF Z$="Y" OR Z$="N" RETURN
2920 GOSUB 3430 : GOTO 2890
2930 ' CHOICE
2940 PRINT : PRINT"YOUR CHOICE? "; CHR$(95); CHR$(24);
2950 GOSUB 2960 : M=VAL(Z$) : CLS : RETURN
2960 ' GET CHAR
2970 Z$=INKEY$ : IF Z$="" GOTO 2970

```

Listing continues

Listing continued

```

2980 IF ASC(Z$)=13 THEN Z$="N"
2990 PRINT Z$:RETURN
3000 ' VAR NAMES
3010 PRINT STRING$(12,46)+STRING$(12,24); :INPUT VN$(I)
3020 IF LEN(VN$(I))<11 RETURN
3030 PRINT"NAME IS TOO LONG","NAME = "; :GOTO 3010
3040 ' PAUSE
3050 PRINT"PRESS ANY KEY TO CONTINUE";
3060 GOSUB 2960 :PRINT CHR$(27); CHR$(30); :RETURN
3070 ' READY?
3080 IF PEEK(14312)<128 LPRINT CHR$(30) :IP=1 :JP=1 :RETURN
3090 O$="ABORT, AS PRINTER IS NOT READY" :GOSUB 2890
3100 IF Z$="Y" RETURN
3110 PRINT"THEN GET PRINTER READY AND PRESS <ENTER>"
3120 GOSUB 3060 :GOTO 3070
3130 ' PROMPT
3140 PRINT :PRINT"GET TAPE READY, PRESS '";O$;"', THEN <ENTER>"
3150 GOSUB 2960 :CLS :RETURN
3160 ' WRITE OR READ NAMES
3170 FOR I=0 TO NZ :LPRINT I+1; VN$(I); :GOSUB 3270 :NEXT I
3180 LPRINT CHR$(138) :RETURN
3190 PRINT #-1, B$(0),B$(1),B$(2),B$(3),B$(4),B$(5),B$(6),B$(7),
    B$(8),B$(9)
3200 FOR MI=0 TO 9 :B$(MI)=" " :NEXT MI :K=0 :RETURN
3210 INPUT #-1, B$(0),B$(1),B$(2),B$(3),B$(4),B$(5),B$(6),B$(7),
    B$(8),B$(9)
3220 K=0 :RETURN
3230 ' WRITE OR READ DATA
3240 FOR I=1 TO NZ :A=V(I) :LPRINT I; A;
3250 IF LEN(STR$(A))<11 GOSUB 3270
3260 NEXT I :LPRINT NZ+1; CSNG(V(NZ+1)) :RETURN
3270 H=(I+1)/5 :IF INT(H)=H THEN LPRINT ELSE LPRINT,
3280 RETURN
3290 PRINT#-1,T(0),T(1),T(2),T(3),T(4),T(5),T(6),T(7),T(8),T(9)
3300 FOR MI=0 TO 9 :T(MI)=0 :NEXT MI :K=0 :RETURN
3310 INPUT#-1,T(0),T(1),T(2),T(3),T(4),T(5),T(6),T(7),T(8),T(9)
3320 K=0 :RETURN
3330 ' QUIT
3340 PRINT"(PRESS <ENTER> TO QUIT)" :PRINT :RETURN
3350 ' # RAW VAR
3360 GOSUB 3430 :PRINTTAB(25)"RAW VARIABLES" :PRINT
3370 PRINT"THE NUMBER OF VARIABLES TO ENTER IS THE NUMBER OF RAW
    VARIABLES,";
3380 PRINT"INCLUDING BOTH INDEPENDENT AND DEPENDENT VARIABLES, B
    UT WITHOUT"
3390 PRINT"COUNTING THE DERIVED VARIABLES THAT MAY BE FORMED LAT
    ER BY USING";
3400 PRINT"THE TRANSFORMATION ROUTINES. THE MAXIMUM NUMBER OF
    VARIABLES"
3410 PRINT"THAT CAN BE USED IS LIMITED BY THE AVAILABLE MEMORY T
    O ";MV;". "
3420 PRINT :GOTO 240
3430 CLS ' ERROR
3440 PRINT"YOUR ENTRY OF '";Z$;"' IS ILLEGAL"
3450 PRINT :RETURN
3460 ' TRANS INSTR
3470 O$="ENTER NEW TRANSFORMATIONS" :GOSUB 2890
3480 IF Z$="N" GOTO 170
3490 CLS :PRINTTAB(24)"TRANSFORMATIONS" :PRINT
3500 PRINT"TRANSFORMATIONS ARE ANY CALCULATIONS PERFORMED UPON T
    HE DATA TO"
3510 PRINT"CHANGE ITS FORM. INCLUDED ARE SUCH THINGS AS SQUARE
    S AND CUBES";
3520 PRINT"OF THE VARIABLES, CROSS PRODUCTS, SQUARE ROOTS, LOGAR
    ITHMS, ETC.";
3530 PRINT"TO PERFORM THESE CALCULATIONS AUTOMATICALLY ON EACH O
    BSERVATION"
3540 PRINT"ENTERED, THE APPROPRIATE 'BASIC' STATEMENTS MUST BE E
    NTERED INTO";
3550 PRINT"THE SUBROUTINE THAT STARTS AT PROGRAM LINE 5000."
3560 PRINT"BOTH RAW AND TRANSFORMED VARIABLES ARE SUBSCRIPTED VA
    RIABLE 'V.'";
3570 PRINT"I.E., TO ADD VARIABLE 3 TO VARIABLE 4 TO MAKE VARIABLE
    5 USE:"
3580 PRINTTAB(20)"V(5)=V(3)+V(4)"
3590 PRINT"THE NUMBER OF TRANSFORMED VARIABLES MAY BE GREATER TH
    AN OR LESS"
3600 PRINT"THAN THE NUMBER OF ORIGINAL RAW VARIABLES. DEPENDEN
    T VARIABLE"
3610 PRINT"MUST BE LAST. YOU WILL NOW BE SHOWN THE OLD TRANSFO
    RMATIONS,"
3620 PRINT"AND RETURNED TO 'BASIC' TO ENTER YOUR NEW TRANSFORMAT
    IONS."
3630 GOSUB 3040 :CLS :OUT254,0 :LIST 5000-
5000 ' TRANSFORMATION SUBROUTINE
5010 V(6)=V(3) :V(5)=(V(1)-7)*(V(2)-4.5) :V(4)=(V(2)-5)/2 :V(3)=
    V(2) :V(2)=(V(1)-8)/2
9000 RETURN

```

Listing continues

REMSoft, INC.

Let Your TRS-80® Teach You ASSEMBLY LANGUAGE

Tired of buying book after book on assembly language programming and still not knowing your POP from your PUSH?

REMSoft proudly announces a more efficient way, using your own TRS-80® to learn the fundamentals of assembly language programming . . . at YOUR pace and YOUR convenience.

Our unique package, "INTRODUCTION TO TRS-80® ASSEMBLY PROGRAMMING", will provide you with the following:

- Ten 45-minute lessons on audio cassettes
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- A display program for each lesson to provide illustration and reinforcement for what you are hearing.
- Step-by-step dissection of complete and useful routines to test memory and to gain direct control over the keyboard, video monitor, and printer.
- How to access and use powerful routines in your Level II ROM.

for Model 1

REMASSEM-1 (tape) only \$69.95

REMASSEM-1 (disk) only \$74.95

NOW AVAILABLE FOR MODEL 3

REMASSEM-3 (tape) \$74.95

REMASSEM-3 (disk) \$79.95

LEARN TRS-80® ASSEMBLY LANGUAGE DISK I/O

Your disk system and you can really step out with REMSoft's Educational Module. REMDISK-1, a "short course" revealing the details of DISK I/O PROGRAMMING using assembly language. Intended for the student with experience in assembly language.

COURSE INCLUDES:

- Two 45-minute lessons on audio cassette
- A driver program to make your TRS-80® video monitor serve as a blackboard for the instructor.
- A display program for each lesson to provide illustration and reinforcement for what you are hearing.
- A booklet of comprehensive, fully commented program listings illustrating sequential file I/O random-access file I/O, and track and sector I/O.
- A diskette with machine-readable source codes for all programs discussed, in both Radio Shack EDTASM and Macro formats.
- Routines to convert from one assembler format to the other.

Presently available for model 1 only
REMDISK-1 only \$29.95

Dealer inquiries invited

These courses were developed and recorded by Joseph E. Willis and are based on the successful series of courses he has taught at Meta Technologies Corporation, the Radio Shack Computer Center, and other locations in Northern Ohio. The minimum system required is a Level II 16K RAM.



REMSoft, INC.

571 E. 185 St.
Euclid, Ohio 44119
(216) 531-1338



SHIPPING CHARGES:
\$2.50 WITHIN UNITED STATES
\$5.00 CANADA AND MEXICO
OTHER FOREIGN ORDERS ADD 20%
OHIO RESIDENTS ADD 6 1/2% SALES TAX

✓129

TRS-80® IS A TRADEMARK OF TANDY CORP.

DO YOU WANT TO:

1. LOAD MATRIX FROM TAPE
2. LOAD RAW DATA FROM TAPE
3. ENTER RAW DATA FROM KEYBOARD

YOUR CHOICE? _

Fig. 1. The Initial Prompt

```
DO YOU WANT TO USE TRANSFORMATIONS ON RAW DATA (Y/N)? N
DO YOU WANT TO ENTER TITLE FOR OUTPUTS (Y/N)? Y
ENTER TITLE FOR OUTPUTS, UP TO 63 CHARACTERS
? REGRESSION ANALYSIS TRIALS

MAXIMUM NO. OF RAW OR TRANSFORMED VARIABLES = 13

NO. OF RAW VARIABLES ? 0_
```

Fig. 2. Next Prompts

YOUR ENTRY OF '0' IS ILLEGAL

RAW VARIABLES

THE NUMBER OF VARIABLES TO ENTER IS THE NUMBER OF RAW VARIABLES, INCLUDING BOTH INDEPENDENT AND DEPENDENT VARIABLES, BUT WITHOUT COUNTING THE DERIVED VARIABLES THAT MAY BE FORMED LATER BY USING THE TRANSFORMATION ROUTINES. THE MAXIMUM NUMBER OF VARIABLES THAT CAN BE USED IS LIMITED BY THE AVAILABLE MEMORY TO 13.

NO. OF RAW VARIABLES ? 3_

Fig. 3. Due to the previous illegal entry, instructions on the "No. of Raw Variables" to enter are given and you get a second chance to make your entry.

Announcing STOCKVUE

The first comprehensive "what if" program designed just for the stock market investor.

STOCKVUE confers enormous decision-making ability to anyone who trades in stock and/or options.

Basically the program provides, in spread sheet format, calculations of dividends, interest (margined trades), trade commissions (based on user's choice of full-service or discount broker), and exact opening cost according to SEC rules on margin requirements.

You provide information related to the opening trade plus a couple of hypothetical figures: a future date for closing the position and a likely price for the stock on that date. The program quickly posts all the details and the bottom line—net return on investment.

Then other variations are easy to consider, just by moving to the input variable of your choice and changing it. STOCKVUE instantly recalculates and displays the new answer—like VISICALC!

Versions available: IBM PC, TRS-80 III, CP/M. Price \$129.95, tax-deductable. VISA and MasterCard welcome.

Other programs available from Star Value Software: OPTIONVUE—for trading option spreads, straddles, and combinations; OPVALU—for assessing the fair market value of call and put options.

Call or write for more information:

STAR VALUE SOFTWARE

12218 Scribe Drive, Austin, TX 78759
Phone 512/837-5498

—346

to do this, it is necessary that the number of observations be greater than the number of variables in each observation.

In addition to the regression equation, the program calculates various statistics on the data, and on the goodness of fit of the regression equation.

tion to the data. See Table 1 for a brief explanation of these statistics.

Sample Problem

The easiest way to show this is by an example. Table 2 shows 16 observations of three variables each. These variables are arbitrarily called length, width, and height. Length and width are designated as independent variables, and height is the dependent variable.

Now load the Program Listing. When run, the program presents the prompt shown in Fig. 1. Since we have nothing on tape yet, we press 3. Then answer the following prompts shown in Fig. 2, N (no transformations) and Y (enter title). Throughout the program, for all Y/N questions, pressing enter without any entry means N.

After we enter the title, the program checks the amount of memory available, and tells us that we can use up to 13 variables in the regression (for a 16K TRS-80). At this point, we enter zero (or a letter, or just press enter), and get the explanation of Fig. 3, and another chance to key in the number of raw (non-transformed) variables that we wish to enter.

After entering 3 in the original prompt, we have a chance to assign names to each of the variables. As shown in Fig. 4, each variable name may have up to 10 characters, as defined by the string of 10 periods. The dependent variable must be put last (either now, or moved to last later by using the transformations).

Normally, we will want to save the raw data on tape so it won't have to be keyed in again for later use. Also, it is necessary to have the data on tape to run a residuals analysis, a comparison of the actual and estimated values of the dependent variable.

The variables for each observation are entered in the form shown in Fig. 5; the observation number, variable number, and variable name are specified by the prompt, so you always know exactly which data you should enter. After the data for each observation are entered, you may check them for accuracy, and if necessary, change them. Pressing enter without entry of any number terminates data entry (with, of course, a chance for you to recover if enter was pressed by mistake).

After data for each observation are entered, they may be saved on tape or listed on a printer (Fig. 6), in addition to being used to update a matrix saved in memory. After the last observation has been saved on tape, the value of -9999 is written on tape as an end-of-data

marker.

When all data have been entered, the program does some calculations, then displays a table of means and standard deviations for all variables. This and all subsequent display tables may be printed out. You may also display (and print) tables of correlation coefficients, the inverse matrix, and partial correlation coefficients (see Table 1 for explanations).

The correlation coefficient matrix must be inverted before the regression-analysis results can be calculated. Matrix inversion is analogous to taking a reciprocal, and like trying to take the reciprocal of zero, sometimes fails. If this occurs, a "matrix singular" message is given and the program halts. This may be caused by errors in data entry or in transformations; these may leave one variable that is actually constant, or two variables that are the same, or three variables that add up to a constant, and so on.

Both the preliminary calculations and the matrix inversion display changing numbers on the video display, representing the variables being worked upon, to reassure you that the program hasn't hung up. For large prob-

lems, these calculations may take several minutes.

Now back to our sample problem: The data that we have just entered appear amenable to a three-variable regression analysis, so let's try it. As shown in Fig. 7, this doesn't work very well; the standard error of estimate of 6.7 is almost the same as the standard deviation of 7.0 of the dependent variable (the "standard error" before the regression was run). An R squared

of 0.21 shows very poor predictive ability, and an F ratio of 1.7 (probability of 0.78) indicates a 22 percent chance that equally good results could have been obtained from random data.

What do we do now? Well, we ran a linear regression, and most real data are not linear. One of the easiest ways to introduce non-linearity into the regression is to add power terms; in this case, let's try adding the squares of each of the two independent variables, making a

PUT DEPENDENT VARIABLE LAST

RAW VARIABLE NO. 1	NAME = ? LENGTH....
RAW VARIABLE NO. 2	NAME = ? WIDTH.....
RAW VARIABLE NO. 3	NAME = ?

Fig. 4. If you choose to assign "Variable Names" to the raw variables, you receive these prompts.

ENTER DATA FOR EACH OBSERVATION: (PRESS <ENTER> TO QUIT)

OBS. NO. 1		
VAR. NO. 1	'LENGTH'	VALUE = ? 2
VAR. NO. 2	'WIDTH'	VALUE = ? 5
VAR. NO. 3	'HEIGHT'	VALUE = ? 15
DO YOU WANT TO CHANGE DATA FOR THIS OBS. (Y/N)? _		

Fig. 5. The data entry prompt shows the observation number, the variable number, and the variable name for each number to be entered.

ULTIMATE SOFTWARE

Ability:

Library Commands

1. All of TRS-DOS commands
2. Lower case options
3. Variable track support (35-80)
4. Plus many more . . .

Utility Command

1. All of TRS-DOS commands
2. Purge all files not needed
3. Terminal control as to communication with another terminal
4. Plus many more . . .

Languages

1. Extended basic
2. Edtase - Editor Assembly
3. Plus many more . . .

Write or call us now for the best investment of your life.
POS MODEL I, II, and III . \$85.00



THE GREATEST OPERATING SYSTEM UNDER THE SUN

All application program provide introductory discount - 20% off.

POS is truly the operating system that has the other DOS beat in price and ability.

Other available Software for MOD I, II, and III

- | | |
|---|--------|
| 1. A/R Osborne | \$350. |
| 2. A/P Osborne | \$350. |
| 3. G/L Osborne | \$350. |
| 4. P/R Osborne | \$400. |
| 5. ACT I - A/R, A/P, G/L | \$850. |
| 6. ACT II - A/R, A/P, G/L, P/R | 1200. |
| 7. Inventory Control I | \$150. |
| 8. Inventory Control II | \$250. |
| 9. F/M (creates programs) | \$80. |
| 10. Wordit (mailing list and word processing) | \$150. |
| 11. Letterit (word processor) | \$35. |
| 12. Sort | \$45. |
| 13. And much more . . . | Call |

As an introductory offer you can try POS for 10 days for only \$25.00. If your not satisfied, return the Diskette and manual for a refund, or send \$60.00 for the Master Diskette which can be backed up.

10 day trial Diskette w/manual	\$25
Master POS	\$60.
Or just pay	\$85.

USAGE SOFTWARE GROUP

SOFTWARE with SUPPORT

1008 Shadow Run Drive
Lakeland, FL 33803
(813)-644-2038



✓509

five-variable regression. To do this, we use transformations. If we rerun the program and answer Y, we want to use

transformations, and Y, we want to enter new transformations, we are shown the set of instructions in Fig. 8.

If we then replace line 5010 with something like:

```
5010 V(5)=V(3):V(4)=V(2)*V(2):V(3)=V(2)
      :V(2)=V(1)*V(1)
```

we are ready to go, using the raw data that we have already saved on tape. Since we are now using transformations, we are changing the variables that are to be used, and are given a chance to rename the variables (see Fig. 9).

Does this solve the problem? Well, no. As shown in Fig. 10, we have improved the standard error of estimate, the R squared, and the probability. However, the very high values for the inverse diagonal mean that we can't determine the importance (beta coefficients) or the significance (F ratios, probability) of the different variables.

What do we do now? The problem is that the way in which we formed the square terms caused them to be highly correlated with the original variables. If we can eliminate this correlation, we should be all right. One way to do this is to subtract the approximate mean from each variable before squaring it. The ideal value to subtract depends upon the variable's distribution, but that's another story. On this data, it so happens (was planned that way) that subtracting the mean does the trick. That is, make line 5010 in the transformation subroutine look like:

```
5010 V(5)=V(3):V(4)=(V(2)-5)^2
      :V(3)=V(2):V(2)=(V(1)-8)^2
```

Now we get the regression-analysis results shown in Fig. 11. The overall equation statistics are essentially the same, but now the low values for the inverse diagonal show that the beta coefficients and coefficient F ratios (and probabilities) actually give the importance and the significance of their respective individual variables.

Is this the best we can do? There is one more thing that sometimes helps: Check for interactions. See if the effect of one independent variable depends upon the level of another independent variable. To do this we form the product of the two variables and use the product as an additional independent variable. As before, we should subtract the approximate mean from each variable prior to multiplication to reduce the correlation between each variable and its product. The transformation equations to form this six-variable regression from the original three variables are shown in the Program Listing, line 5010. Note that the best values to subtract are slightly different

Regression Analysis Trials				
NAMES OF RAW VARIABLES:				
1 LENGTH	2 WIDTH	3 HEIGHT		
DATA FOR EACH OBSERVATION:				
OBS. NO. 1	1 2	2 5	3 15	
OBS. NO. 2	1 13	2 6	3 22	
OBS. NO. 3	1 7	2 1	3 12	
OBS. NO. 4	1 5	2 10	3 8	
OBS. NO. 5	1 14	2 3	3 12	
OBS. NO. 6	1 6	2 5	3 19	
OBS. NO. 7	1 16	2 1	3 0	
OBS. NO. 8	1 1	2 9	3 3	
OBS. NO. 9	1 4	2 4	3 15	
OBS. NO. 10	1 15	2 8	3 20	
OBS. NO. 11	1 0	2 0	3 5	
OBS. NO. 12	1 10	2 6	3 21	
OBS. NO. 13	1 11	2 7	3 22	
OBS. NO. 14	1 12	2 9	3 20	
OBS. NO. 15	1 3	2 2	3 12	
OBS. NO. 16	1 9	2 4	3 18	
OBS. NO. 17	1 -9999	2 0	3 0	

Fig. 6. The title, variable names, and data for each observation may be printed out as the data are entered, or as they are being read from tape. The raw data are shown here, but the transformed data could be printed instead. Note that a dummy observation No. 17 has been added to the sample data, with the -9999 end-of-data marker.

```
Regression Analysis Trials
NO.IND.VAR.= 2    DEP.VAR.= 3 HEIGHT    NO.OBS.= 16
S.E.EST.= 6.69786 R SQ.=.209760 EQ.F= 1.725 PROB.=0.784
NO. VAR.NAME BETA COEF. EQ. COEF. COEF.F PROB. INV.DIAG
1 LENGTH 0.300947 0.404752 1.474 0.755 1.011
2 WIDTH 0.315592 0.714453 1.621 0.776 1.011
EQUATION CONSTANT = 7.189723
```

Fig. 8. The transformation instructions and the current transformation subroutine are shown if you want to enter a different set of transformations.

```
TRANSFORMATIONS

TRANSFORMATIONS ARE ANY CALCULATIONS PERFORMED UPON THE DATA TO
CHANGE ITS FORM. INCLUDED ARE SUCH THINGS AS SQUARES AND CUBES
OF THE VARIABLES, CROSS PRODUCTS, SQUARE ROOTS, LOGARITHMS, ETC.
TO PERFORM THESE CALCULATIONS AUTOMATICALLY ON EACH OBSERVATION
ENTERED, THE APPROPRIATE 'BASIC' STATEMENTS MUST BE ENTERED INTO
THE SUBROUTINE THAT STARTS AT PROGRAM LINE 5000.
BOTH RAW AND TRANSFORMED VARIABLES ARE SUBSCRIPTED VARIABLE 'V'.
I.E., TO ADD VARIABLE 3 TO VARIABLE 4 TO MAKE VARIABLE 5 USE:
V(5)=V(3)+V(4)
THE NUMBER OF TRANSFORMED VARIABLES MAY BE GREATER THAN OR LESS
THAN THE NUMBER OF ORIGINAL RAW VARIABLES. DEPENDENT VARIABLE
MUST BE LAST. YOU WILL NOW BE SHOWN THE OLD TRANSFORMATIONS,
AND RETURNED TO 'BASIC' TO ENTER YOUR NEW TRANSFORMATIONS.
PRESS ANY KEY TO CONTINUE

5000 * TRANSFORMATION SUBROUTINE
5010 V(6)=V(3) :V(5)=(V(1)-7)*(V(2)-4.5) :V(4)=(V(2)-5)^2 :V(3)=
      :V(2) :V(2)=(V(1)-8)^2
9000 RETURN
READY
>
```

Fig. 7. A first, three-variable regression trial of the sample data, showing very poor fit to the data and poor significance.

```
VAR. NO. 1 NOW = 'LENGTH'    NEW = ? .....
VAR. NO. 2 NOW = 'WIDTH'     NEW = ? LENGTH SQ.
VAR. NO. 3 NOW = 'HEIGHT'    NEW = ? WIDTH.....
VAR. NO. 4 NOW = ''          NEW = ? WIDTH SQ..
VAR. NO. 5 NOW = ''          NEW = ? HEIGHT....
```

Fig. 9. If transformations are used, the variable names given when the data were entered will no longer be correct. You are therefore given a chance to change the variable names. If a name does not need to be changed, just press enter and that name will be left unchanged.

Slaying Monsters Is No Game.

Role-playing games are a serious business. They take thought and strategy, skill and luck. Your computer role-playing games should help you, not slow you down. In this day and age, there is no excuse for games written in BASIC. No reason to put up with endless delays for disk I/O. No tolerance for looking up data in books. That's why Med Systems does role-playing right. The Warrior of RAS games are entirely implemented in 48K, with machine language speed and dungeon-master complexity. If you take your gaming seriously, why settle for anything less? The Warrior of RAS trilogy. Don't just play games. Master a universe.

Each volume of the Warrior of RAS trilogy is a self-contained game. Characters from one game can be loaded into all others. They require 48K of RAM on the TRS-80 Model I or Model III.



Volume I: DUNZHIN

Tape or Disk.....\$29.95

Volume II: KAIV

Tape or Disk.....\$29.95

Volume III: THE WYLDE

Tape or Disk.....\$29.95

MED SYSTEMS SOFTWARE • P.O. Box 3558 • Chapel Hill, NC 27514
To order call 1-800-334-5470

Please add \$2.00 for first class postage, \$4.00 for overseas orders. Mastercard and VISA accepted.

Regression Analysis Trials

NO. IND. VAR. = 4	DEP. VAR. = 5 HEIGHT	NO. OBS. = 16
S.E. EST. = 4.40458	R SQ. = .710835	EQ. F = 6.760
PROB. = 0.994		
NO. VAR. NAME	BETA COEF.	EQ. COEF.
1 LENGTH	1.630431	2.192807
2 LENGTH SQ	-1.477005	-0.120116
3 WIDTH	1.942440	4.397385
4 WIDTH SQ	-1.775188	-0.386407
EQUATION CONSTANT =	-1.641156	

Fig. 10. A second, five-variable regression trial of the sample data, showing a better fit than Fig. 7 due to the addition of non-linear "square" terms to the independent variables.

Regression Analysis Trials

NO. IND. VAR. = 4	DEP. VAR. = 5 HEIGHT	NO. OBS. = 16
S.E. EST. = 4.40458	R SQ. = .710835	EQ. F = 6.760
PROB. = 0.994		
NO. VAR. NAME	BETA COEF.	EQ. COEF.
1 LENGTH	0.201460	0.270948
2 LENGTH SQ	-0.373613	-0.120116
3 WIDTH	0.235581	0.533318
4 WIDTH SQ	-0.487776	-0.386407
EQUATION CONSTANT =	15.706446	

Fig. 11. A third, five-variable regression trial of the sample data, showing reasonable inverse diagonal values and accurate statistics on the variables.

Regression Analysis Trials

VAR. NO.	VAR. NAME	MEAN	STD. DEVIATION
1	LENGTH	8.00000	5.21536
2	LENGTH SQ	25.50000	21.81743
3	WIDTH	5.00000	3.09839
4	WIDTH SQ	9.00000	8.85438
5	LEN X WID	2.06250	17.27800
6	HEIGHT	14.00000	7.01427


Fig. 12. Final, six-variable regression results, showing the means and standard deviations of each variable. An interaction or cross-product term has been added, LEN X WID.

for the interaction term than for the square terms.

The final regression-analysis results are shown in Figs. 12, 13, 14, 15, and 16. The correlation coefficients in Fig. 13 show that there is zero correlation between each original independent variable and its square, and low correlation between each original independent variable and its product. Each variable is, of course, perfectly correlated to itself. The partial correlation coefficients of Fig. 15 show the difference between correcting for the effects of other variables versus ignoring them (Fig. 13).

The actual regression analysis, Fig. 16, shows far better results than any previous trial. The standard error of estimate is now less than 1.0 (versus 4.4 previously), and the R squared of 0.98 shows that over 98 percent of the variation of the dependent variable is now explained by the regression equation (versus 71 percent on the previous trial). The inverse diagonal elements are still near 1.0, indicating that the beta coefficients, coefficient F ratios, and probabilities are reliable.

Now that we have a good regression analysis of this data, we should check the residuals to see if any individual



EPSON MX-80 AND MX-100 OWNERS

MXPLUS™ GIVES YOU
CONTROL OF YOUR PRINTOUT

- SELECT CONDENSED, **BOLD**, OR WIDE PRINT **INSTANTLY** USING THE PRINTER PANEL BUTTONS. (NO COMPUTER CONTROL CODES REQUIRED)
- ACTIVATE PERF-SKIP AND LEFT MARGIN INDENT TO **AUTOMATICALLY** FORMAT YOUR PRINTOUT INTO NEAT PAGES THAT CAN BE PUNCHED AND BOUND.

MXPLUS™ INSTALLS IN MINUTES, NO SOLDERING!

MXPLUS IS A PLUG-IN MODULE FOR ALL EPSON MX-80/100 PRINTERS AND IS COMPATIBLE WITH ALL INTERFACE BOARDS. MXPLUS HAS A 1 YEAR WARRANTY.

ORDER TODAY

ORDERS CALL 24 HR. 800-835-2246 x441
INFORMATION CALL 213-969-2250

DRESSLHAUS COMPUTER PRODUCTS
BOX 929
AZUSA, CALIFORNIA 91702

✓353

ONLY
\$49.95

POSTPAID CALIF. ADD 6%

SAME DAY SHIPPING
WITH MC/VISA



DAISY WHEEL PRINTERS...

- SMITH CORONA TPI
- COMRITER CR-1
- DAISYWRITER 2000
- DIABLO 620/630 KSR
- QUME SPRINT 9 KSR

COMPUTER SYSTEMS...

- EPSON HX-20
- TRS-80 MODEL III

\$\$\$ CALL FOR PRICE \$\$\$

You won't believe it!!!

Rainbow

P & P CORPORATION

PO BOX 362 • HADDONFIELD, NJ 08033

800-257-6170 in NJ call 609-428-3900

✓264

observation is in error. It is always possible that the value recorded for some variable is incorrect. To check this, let's examine the residuals, Fig. 17. To get these results, the program must reread the original raw data from tape and calculate the dependent variable as estimated from the regression equation. The residual is the difference between the measured and estimated values of the dependent variable, while the normalized residual divides the difference by the standard error of estimate, to put the residuals into a normal distribution scale. This should have 68 percent of its values between -1 and $+1$, 95.5 percent between -2 and $+2$, and only 0.3 percent outside the -3 to $+3$ range.

As you can see by looking at the last column in Fig. 17, approximately the correct number of normalized residuals (four versus an ideal five) are outside the -1 to $+1$ range, and none are very large. This is quite reasonable for this small number of observations.

Ideally, the sum of all the residuals should be zero. Since computer calculations are not perfectly accurate, we can only expect the sum of residuals to be a very small number. The -14 exponent to the sum of residuals in Fig. 17 does

show that the value is close to zero. (The decimal point of the number must be moved 14 places to the left.)

After the residuals analysis is complete, the listing of the transformations used is printed out, see Fig. 17 (if both

printer and transformations were used).

Evaluating Regression Results


In this sample problem, we had to add variables to the regression in order to get a satisfactory result. It is equally

Regression Analysis Trials											
SIMPLE CORRELATION COEFFICIENT MATRIX											
1 1	1.000000	1 2	0.000000	1 3	0.103140	1 4	-0.220881	1 5	-0.011837		
1 6	0.333498										
2 2	1.000000	2 3	-0.241621	2 4	0.388240	2 5	-0.069945	2 6	-0.619909		
3 3	1.000000	3 4	0.000000	3 5	0.004359	3 6	0.346632				
4 4	1.000000	4 5	-0.002832	4 6	-0.677326						
5 5	1.000000	5 6	0.550364								
6 6	1.000000										

Fig. 13. Final, six-variable regression results, showing correlation coefficients of all pairs of variables. Note that the correlation of each original variable with its square is zero, and that the correlation of each original variable with its cross-product is low, due to the subtracting of constants before forming these terms.

Regression Analysis Trials											
INVERSE OF MATRIX PLUS BETA COEFFICIENTS											
1 1	1.080990	1 2	-0.150953	1 3	-0.147984	1 4	0.297387	1 5	0.003725		
1 6	0.203412										
2 2	1.292870	2 3	0.327581	2 4	-0.535043	2 5	0.085700	2 6	-0.328689		
3 3	1.094340	3 4	-0.159821	3 5	0.015939	3 6	0.243936				
4 4	1.273330	4 5	-0.029600	4 6	-0.503292						
5 5	1.005890	5 6	0.527293								
6 6	1.000000										

Fig. 14. Final, six-variable regression results, showing inverse matrix of the independent variables plus the beta coefficients. Note that the values are of roughly similar magnitude, indicating a well conditioned matrix.



We Have Done It Again! ! ! We said we had the best system, and now . . . 8 inch double density is here for the Model III!

FEATURES

- 568K of storage on a single sided 8 inch drive, when used with our controller & speedup MOD and DOS plus 3.4.
- The maximum storage capacity of your Model 3 will be 4.544 Megabytes - without a hard disk.
- One 5 1/4 single sided and one 8 inch single sided drive will store 676K, with a full blown DOS plus 3.4.
- One 5 1/4 single sided and one 8 inch double sided drive will store 1.244 Megabytes, with a full blown DOS plus 3.4.
- Mix and match 5 1/4 and 8 inch drives, in any density, single or double sided. - All under software control.

We will also be able to provide DOS plus 3.4 on 8 inch diskettes. (Final price being negotiated).

- | | |
|--|-------|
| 1. Speedup for 8 inch drives only | \$ 89 |
| 2. General purpose speed-up, which also works with 8 inch drives | \$129 |

Here's three good reasons to buy our system:

1. VERSATILITY

Our own proven, dependable drive controller will give you the hardware to run almost any drive configuration you can imagine:

- 5 1/4 and 8 inch drives in any combination.
- Internal/external drive combinations (Up to all 4 drives external).
- Single - and dual - headed drive combinations.

2. QUALITY

- We use quality drives - MPI and now new generation Siemens.
- We construct our own disk drive installation kits of heavy steel - no shielding Problems!
- We are now using a field proven switching supply.

3. PRICE (including installation and 90 day warranty)

- | | |
|---|-------|
| • Drive controller kit with first drive | \$679 |
| • Second (internal drive) | \$279 |
| • Third drive (5 1/4 floppy with cable) | \$359 |
| • Fourth drive (5 1/4 floppy) | \$329 |

If these sound like good deals, but you don't have the Model III yet, we've got the answer.

- | | |
|---|--------|
| TRS-80 Model III, 48K TRS DOS, 2 drives | \$1899 |
| TRS-80 Model III, 48K, TRS DOS, 2 drives, Epson MX-80 | \$2428 |
| Model III, 32K | \$ 899 |



Process Control Technology

8030 Lorraine Ave., Suite 328 • Stockton, California 95210 • (209) 952-6576

We Accept Visa & Mastercard
DEALERS, WE HAVE DEALS FOR YOU TOO!

✓ 288

common to delete variables. But how do we know which variables to delete? That is easy; just look at the F ratio for each coefficient. If it is less than 1.00, that variable should always be deleted, as its inclusion will increase the standard error of estimate (even though it will *always* improve the R squared).

If it is greater than 1.00, you must use your judgement: How confident are you that the variable is actually significant? If you want to be 90 percent sure, use only those variables whose probability is 0.900 or higher. If it's lower, delete that variable and rerun the regression. Now aren't you glad that you saved the original data on tape? A num-

ber of runs may be needed to finally get a satisfactory regression.

Sometimes we have variables to evaluate that are not readily expressed as numbers—four different types of treatment, for example. How do we handle that? We could call them treatments 1, 2, 3, and 4, and then use linear, square, and cubic terms. A much better way is to set up three dummy variables, and then consider one of the treatments as "standard." Then if treatment 1 is used, all three dummy variables are set to zero; if treatment 2 is used, the first dummy variable is set to one, and the others zero. If treatment 3 is used, the second dummy variable is set to one,

and the others zero. If treatment 4 is used, the third dummy variable is set to one, and the others zero. This can be done easily by using the transformation subroutine. Then the magnitude and significance of the difference of each of the other treatments from the "standard" treatment 1 is readily determined.

On your own problems, if some individual observations are outliers (have very large residuals), and appear to be in error, you may wish to rerun the regression analysis without them. To make this easier, it is possible to delete up to 50 different observations as the data are being read from the tape. These observations are noted as deleted on all outputs.

Now that we have a good regression, what do we do with it? We can look at the beta coefficients to see which independent variables are important to the dependent variable (have greatest effect). A beta coefficient of 0.5 indicates that as that independent variable moves one standard deviation, the dependent variable will move 0.5 of its standard deviation. (A beta coefficient greater than 1.0 indicates an error in how the regression was run.) The coefficient F ratio and its probability then measure the significance of the effect shown by the beta coefficient. It is possible to have high importance with low significance, or the opposite.

Perhaps you want to see what value the dependent variable is estimated to have at some level (or levels) of the independent variables. You could calculate this manually, adding the equation constant, plus variable one times equation coefficient one, plus variable two times equation coefficient two, and so on.

This becomes tedious and error prone, especially if transformations were used. Why not let your computer do it? It's much simpler to key in synthetic data with the desired values for the independent variables, and save it on tape as a raw data file. Then use this synthetic data in place of the real data for a residuals analysis. While the other values will be meaningless, the Estimated Dependent Variable column will have the desired values.

A plot of the sample problem made in this way is shown in Fig. 18. Now you can visualize what the data mean.

A caution: Assuming that your regression equation is quite significant with an overall probability of nearly 1.0, interpolation (predictions with values within your data set) is fairly reliable. However, extrapolation (predictions using values beyond those included in your data set) becomes

Regression Analysis Trials									
PARTIAL CORRELATION COEFFICIENT MATRIX									
1 2	0.127689	1 3	0.136059	1 4	-0.253478	1 5	-0.003572		
2 3	-0.275400	2 4	0.417005	2 5	-0.075150				
3 4	0.135390	3 5	-0.015191						
4 5	0.026155								

Fig. 15. Final, six-variable regression results, showing partial correlation coefficients of all pairs of independent variables. Note that these differ somewhat from those shown in Fig. 13, due to the complex interrelationship between variables.

Regression Analysis Trials						
NO. IND. VAR. = 5	DEP. VAR. = 6 HEIGHT	NO. OBS. = 16				
S.E. EST. = .970175	R SQ. = .987246	EQ. F = 154.815	PROB. = 1.000			
NO. VAR. NAME	BETA COEF.	EQ. COEF.	COEF. F	PROB.	INV. DIAG	
1 LENGTH	0.203412	0.273574	30.011	1.000	1.081	
2 LENGTH SQ	-0.328687	-0.105673	65.520	1.000	1.293	
3 WIDTH	0.243936	0.552233	42.634	1.000	1.094	
4 WIDTH SQ	-0.503292	-0.398697	155.976	1.000	1.273	
5 LEN X WID	0.527293	0.214063	216.726	1.000	1.006	
EQUATION CONSTANT =		14.891686				

Fig. 16. Final, six-variable regression results, showing very good fit of the regression equation to the data, and very good significance of independent variables. Note that a probability of 1.000 does not mean certainty that the results could not have been obtained by chance from random data, but only better than a 0.9995 probability (due to rounding).

Regression Analysis Trials				
RESIDUALS OF DATA VS. ESTIMATES				
OBS. #	DEP. VAR.	EST. DEP. VAR.	RESIDUAL	NORMALIZED
1	15	13.8606	1.13938	1.17441
2	22	20.6476	1.35241	1.39399
3	12	10.8741	1.12591	1.16053
4	8	8.50867	-.508673	-.524311
5	12	12.7317	-.731744	-.754239
6	19	18.7646	.235427	.242664
7	0	-.0641159	.0641159	.066087
8	3	2.79851	.201489	.207683
9	15	16.4265	-1.42654	-1.4704
10	20	20.6407	-.640652	-.660347
11	5	4.90412	.0958779	.0988254
12	21	21.0827	-.0827178	-.0852607
13	22	21.3614	.638591	.658223
14	20	19.8911	.108861	.112208
15	12	12.7274	-.727388	-.749749
16	18	18.8444	-.844352	-.870309
SUM OF RESIDUALS =			-3.59712E-14	
Regression Analysis Trials				
TRANSFORMATION SUBROUTINE				
5010 V(6)=V(3) : V(5)=(V(1)-7)*V(2)-4.5) : V(4)=(V(2)-5) : V(3)=V(2) : V(2)=(V(1)-8) : V(1)=V(1)-8				
9000 RETURN				

Fig. 17. Final, six-variable regression results, showing comparison between the actual values of the dependent variable and those predicted from the regression equation, Fig. 16. Note that the transformation subroutine is printed following the last regression printout to give a permanent record.

increasingly uncertain as you leave your known area.

Program Limits

Up to 9999 observations may be used. This limit is due to the formatted space for printing the observation number, not to a calculation limit. I thought that few users would wish to key in over 9999 observations!

On a 16K TRS-80, up to 13 variables (including the dependent variable) may be entered, or formed by using the transformations. If you need more, and do not wish to use transformations, you may delete lines 3350-9000 of the program, then enter up to 18 variables. If that still isn't enough, you may use the standard program compression techniques, such as deleting all spaces within the program and deleting all remarks. However, do not delete the lines containing the remarks, as they are referenced by GOTOs and GOSUBs.

A 32K TRS-80 tape system can accommodate up to 45 variables, and a 48K up to 63 variables. Disk systems hold fewer variables: 53 for a 48K disk system.

Actually, it would not be too practical to key in and run such large problems directly, due to the time delay to update the matrix after each observation has been entered. With 13 variables, it takes about four seconds to update the matrix for each observation. This time increases approximately as the square of the number of variables, to nearly a minute for 45 variables. A better way

*"This program checks
the available memory,
then dimensions
arrays and clears
string space to fit."*

would be to use the transformation option to form a dummy three-variable matrix from your 45 variables while you are keying them in and recording them on tape. Then you can be doing something else while the program reads in all of the observations from tape and forms the matrix you will use.

Matrix inversion also takes appreciable time for large problems. While a 13-variable matrix will invert in only about 75 seconds, a 45-variable matrix requires nearly an hour; the time increases approximately as the cube of the number of variables.

Calculation accuracy should not be a problem with this program.

Calculations

The calculation of regression analyses is very subject to error. On ordinary-looking data, the results may end up

having *no* significant digits accuracy. This is due to the very large number of calculations involved, especially those of subtraction. If even a little inaccuracy occurs during each calculation, a substantial error can accumulate.

If two numbers of widely varying magnitude are subtracted, the result is accurate only to the extent that the significant digits of the two numbers overlap. Conversely, if two numbers that are almost identical are subtracted, the result is accurate only to the extent that the leading digits of the two numbers are different.

In this program, two methods are used to improve accuracy: The most obvious is to use double-precision calculations. This increases the accuracy potential from six to 16 digits. In addition, accurate algorithms are employed. These methods seem self-evident, but are often ignored.

As an example of more accurate algorithms, this program does *not* accumulate a sums-of-squares-and-cross-products matrix, then try to invert it. Instead, the matrix is adjusted for each added observation, then converted to a correlation coefficient matrix before inversion. This minimizes both subtraction inaccuracies mentioned above.

In calculating standard deviations and correlation coefficients, it is necessary to find double-precision square roots. Since the Basic functions are only single precision, an iterative routine based on Newton's method is used to correct the square roots to 16-digit accuracy.

Though most calculations are in double precision, many results are given in single precision for output formatting; even though two to six digits accuracy are commonly lost during calculations, the results given will be correct.

For convenience, this program checks the available memory, then dimensions arrays and clears string space (for names of variables) to fit. This not only allows the program to be used unchanged for 16K, 32K, and 48K TRS-80s, but it also automatically adjusts for any machine-language printer driver, long transformation subroutine, and so on that you may be using.

The CLEAR 50 statement in lines 2560 and 2570 reduces the string space back to normal so the next program won't crash. ■




Fig. 18. Contour plot of the surface generated by the regression equation of Fig. 16. This gives a visual indication of what the sample data represented and shows why the preliminary trials failed to fit the data.

Delmar Hinrichs (2116 S.E. 377 Ave., Washougal, WA 98671) is a research chemist.

This month add 32K RAM.

Hardware Hacker—Part II

Philip M. Van Praag
1630 West Jagged Rock Road
Tucson, AZ 85704

Add 32K memory to your 16K RAM Model I, Level II TRS-80 for a full 64K TRS-80: 16K of ROM, video memory, and reserved/keyboard addresses; and 48K of RAM. Combine this project with the Centronics-compatible printer interface (presented last month) or disk controller projects (to be presented next month) or use it alone with the TRS-80 to enhance the operation of your favorite programs.

Consider Scripsit: While Radio Shack advertises that the tape version of Scripsit functions with a 16K Level II system, they do not mention that 16K allows only about one page of text in resident memory at a time. You can output each text page

to cassette as you type to accrue many pages, but manipulative ability (for example, global commands) is limited to the text currently in RAM. With this modification, you can store over eight pages of text in memory using Scripsit.

All circuitry for the modification (except the power supply) is contained on a single printed circuit (PC) board plugged into the 40-pin keyboard connector. You do not need to cut any TRS-80 circuit traces. If you have the older style keyboard (identified by key tops parallel to the desk top rather than contoured toward the operator) you may mount the circuit board inside the keyboard cabinet. The modification requires 16K of resident RAM; the 4K RAM addressing scheme is incompatible with this circuit. You can also install 1/2 the total RAM capacity now (doubling existing 16K RAM) and add the other half later.

How the Circuit Works

The heart of this circuit is the 4116 random access memory (RAM) device. It is arranged in a 16K bit (actually 16,384 bit) by 1 bit pattern and has 16K storage bins for single binary bits. By applying a particular address to

the 4116's seven address lines (A0–A6) we can access any individual storage bin. We may store a logic high or logic low bit at this address (i.e., write into this location) or see what is already stored there (read from this location). Since there are eight bits per byte in the TRS-80 eight RAMs allow 16K storage bins for the eight bit words.

To minimize the number of pins on the 4116 integrated circuit (IC), a multiplexing scheme

is used for addressing. Storage bin selection is arranged in a column and row matrix. Figure 1 illustrates this arrangement. The row decoder decodes the row address coming from A0–A6 when told to do so by the row address strobe (RAS) signal. Seven address lines allow 128 possible binary combinations; each combination activates one of the 128 row decoder output lines. The column decoder activates the appropriate column output line.




Fig. 1. Multiplexed addressing of the 4116 RAM

The Key Box

Basic Level II
Model I
16K RAM

RAM Group	Lowest binary address for each group																Highest binary address for each group																Equivalent Decimal Address Range (Base 10)
	MSB																LSB																
	A15	A14	A13	A12	A11	A10	A9	A8	A7	A6	A5	A4	A3	A2	A1	A0	A15	A14	A13	A12	A11	A10	A9	A8	A7	A6	A5	A4	A3	A2	A1	A0	
(R/S Provided)	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	16384–32767	
Lower (New)	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	1	1	1	1	1	1	1	1	1	32768–49151	
Upper (New)	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	49152–65535	

Table 1. A14/A15 status with respect to RAM group selection

Learn it in a **FLASH**

michael shroyer's

ELECTRIC

pencil

word processing system

- **Easy to Learn** – Like lightning you will be up and running with a comprehensive and sophisticated word processor. Our manual says you can be an expert in one hour, our users tell us it takes less than 30 minutes. The manual's 128 pages are packed with figures, illustrations and examples for the beginner and "old pro".
- **Easy to Use** – With the ELECTRIC PENCIL you process words, not commands. ELECTRIC PENCIL's menus and simple two keystroke commands keeps your mind on your work, NOT on your manual. ELECTRIC PENCIL is so easy to use your secretary will WANT to use it... so sophisticated you'll be glad she did. David Ahl, the editor of Creative Computing says, "ELECTRIC PENCIL 2.0 is the most user friendly word processing package available."
- **Features** – ELECTRIC PENCIL has a 36k+ text buffer (48k disk system), supports disk, tape and Stringy Floppy files (disk version)* and has every major feature you want in a word processor. It is "bullet proof" – Data recovery is a built-in feature. The exclusive DICT-A-MATIC[†] feature gives your office the flexibility of dictation-word processing without fancy equipment. Your dictation playback is controlled from the computer keyboard.
- **Flexible** – It is the only word processing system that is designed like an operating system. You can add new programs and features to ELECTRIC PENCIL, such as RED and BLUE PENCIL dictionary/correction – with a 50,000 word dictionary (sold separately) – without patches and upgrades. Simply press one of the control key combinations and new additions to your system are instantly available. Add automatic proofing, spelling correction, dynamic print formatting, proportional printing, communications, graphics and typesetting and many other add-on features when you need them.
- **Versatile** – ELECTRIC PENCIL runs on TRS-80 model I and model III computers under all versions of TRSDOS, and NEWDOS without modification or patching (Patches required for other operating systems). It also supports parallel and serial printers as well as single and double density disk systems.

ELECTRIC PENCIL is the choice of thousands - make it yours for only \$89.95 (disk version) or \$79.95 (tape and Stringy Floppy versions). Manual only \$24.95.

ELECTRIC PENCIL is available at computer stores, selected B. Dalton Booksellers and selected independent book dealers. If your dealer is out of stock, order direct (specify disk tape or Stringy Floppy version). Include \$4.00 for shipping and handling. Foreign residents add \$11.00 plus purchase price, in U.S. funds.

*Tape and Stringy Floppy versions support tape and stringy files only

Stringy Floppy trademark EXATRON Corp.
NEWDOS trademark APPARAT, Inc.

TRS80, TRSDOS trademark TANDY Corp.

† trademark IJG, Inc.



1953 West
11th Street
Upland, CA
91786 (714)
946-5805

Table 2. Parts List

32K Memory Board

U1-U16	TMS-25 or equivalent (use of "super fast" versions is not recommended)
U17,25	74LS367 IC
U18	74LS32 IC
U19	74LS00 IC
U20,26	74LS157 IC
U24	74LS139 IC
U27	74LS175 IC
R1-R4	4.7K ohm, 1/4 W resistor
R12-19,22	1K ohm, 1/4 W resistor
C15,18,21	10 uF, 16 V, tantalum capacitor
C11-14,16,17,19,20,22	.1 uF, 50 V, mylar capacitor
C23,24,25,26	.1 uF, 50 V, ceramic disc capacitor
R20	270 ohm, 1/4 W resistor
R21	470 ohm, 1/4 W resistor

Power Supply

U21	LM340T-5 IC
U22	LM311N IC (do not substitute)
U23	LM340T-12 IC
SCR1	R122B (R/S 276-1067 or equivalent) SCR
LED1	diffused, red (Digikey NSL5053 or equivalent) LED
Z1	5.1 V, 5%, 1/2 W (1N5231B) zener diode
Z2	4.3 V, 5%, 1/2 W (1N5229B) zener diode
Z3	6.2 V, 5%, 1 W (1N4735) zener diode
C1	4700 uF, 25 V, electrolytic capacitor (or (2) 2200uF caps.)
C2	220 uF, 25 V, electrolytic capacitor
C3	220 uF, 10 V, electrolytic capacitor
C4	4.7 uF, 10 V, electrolytic capacitor
C5	.001 uF, 25 V, mylar capacitor
C6-C9	.1 uF, 50 V, ceramic disc capacitor
C10	10 uF, 25 V, electrolytic capacitor
R5,6	390 ohm, 1/2 W resistor
R7	2.2K ohm, 1/4 W resistor
R8	1.2K ohm, 1/4 W resistor
R9,11	1K ohm, 1/4 W resistor
R10	100K ohm, 1/4 W resistor
R23,24	10K ohm, 1/4 W resistor
D1-D3	1A, 100 PIV, diode (1N4002 or equivalent)
T1	25 VAC, 2A center-tapped transformer
F1	1A, 3AG (fast acting) fuse
X1	MPS3705 transistor (general purpose, NPN)
S1	SPST switch

Miscellaneous

PC boards,* power supply cabinet, in-line fuse holder, 5-pin DIN plug/jack, ac line cord, IC sockets (optional—see text), hardware, heat sinks.

*Readers of 80 Micro are welcome to use the etch patterns contained in this article to construct the memory add-on for their own personal use only.

Each PC board set consists of etched and drilled epoxy-glass PC boards for the memory add-on and the power supply. (The memory add-on PC board

has plated-through holes to facilitate soldering and allow use of sockets.) The cost for each set is \$32.95 postpaid in the U.S.

A complete kit of parts is also available, including PC boards (but without sockets due to keyboard cabinet height restrictions) as follows: \$127.95 for the 32K memory mod; \$114.95 for the 16K version, both postpaid in the U.S. These kits are tailored for the older style keyboards, which allow the memory mod PC board to be mounted inside the keyboard cabinet. If you have the newer style keyboard, you may purchase either kit without the power supply cabinet since you will have to provide a larger cabinet to house the memory mod PC board. Simply deduct \$3.50 from the appropriate kit price. The cabinet provided in the kit is not pre-drilled.

PVP Industries, P.O. Box 35667, Tucson, AZ 85740.

Arizona residents add 4 percent sales tax.

CONNECTOR PIN NUMBER	32K MEM BD	TRS-80 LOGIC BOARD IC	PIN
25	A0	Z33	8
27	A1	Z33	7
40	A2	Z33	6
34	A3	Z33	5
31	A4	Z33	4
35	A5	Z33	3
38	A6	Z33	2
36	A7	Z33	1
11	A8	Z33	23
17	A9	Z33	22
4	A10	Z33	19
9	A11	Z33	18
5	A12	Z33	21
6	A13	Z35	3
10	A14	Z38	11
7	A15	Z38	9
30	D0	Z68	9
22	D1	Z68	3
32	D2	Z68	5
26	D3	Z68	7
18	D4	Z67	9
28	D5	Z67	3
24	D6	Z67	5
20	D7	Z67	7
15	RD	Z49	5
1	RAS	Z68	14
13	WR	Z49	14
8	GND		

Table 3. TRS-80 logic function cross reference for memory board interface.

TRS 80™ Model I & III External Mini Disk Drives

CompuAdd Corp.

13010 Research Blvd.
Suite 207
Austin, Texas 78750
1-(512)-250-1523

**ORDER NOW
TOLL FREE**

- | | |
|---|-------------------------------|
| • Tandon TM 100-1 Bare Drive
5 1/4", single sided, 40trk, 48tpi. Capable of single or double density recording making it fully compatible with TRS80™ Model I or III. | \$209
Free Shipping |
| • Tandon TM 100-1 w/chassis & pwr supply
Fully assembled silver chassis with external card edge connector for easy cable installation. | \$249
Free Shipping |
| • Tandon TM 100-2 Bare Drive
5 1/4", double sided, 40trk, 48tpi. Capable of single or double density recording making it fully compatible with TRS80™ Model I or III. | \$289
Free Shipping |
| • Tandon TM 100-2 w/chassis & pwr supply
Fully assembled silver chassis with external card edge connector for easy cable installation. | \$329
Free Shipping |

How to order — Order by calling CompuAdd Toll Free on 1-800-531-5255 (if outside of Texas) or 1-800-252-9146 (if in Texas). Ask for extension 811. You can also order by mail. Orders may be charged to a Master Card or Visa account or paid by Cashier's Check or Money Order. Sorry, but we cannot accept personal checks. We pay shipping and handling on orders delivered in continental U.S.A. Add 5% sales tax if Texas resident.

All hardware has a 120 Day Limited Warranty.

✓252

TRS 80 is a Trademark of Tandy Corp.

STRIKE GOLD

with the most sophisticated TRS-80 operating system available!



LDOS can't really turn your TRS-80 gold, but you'll think you've made the LDOS strike of the decade when you turn your micro on to LDOS. You'll find a bonanza of features like full keyboard type-ahead; a true background spooler; file backup by date, class, and between different drive types; hard disk support; data transportability between Model I and III; and a complete communications utility including disk file send and receive. Support for Radio Shack's Doubler and selected others is also provided. With our Job Control Language, you get true "hands off" running of your application programs - give a single command and then walk away. The 400 page manual includes examples of all commands and utilities. The Operator's Guide gives you step by step instructions on how to use LDOS with your applications. Stop running with only "half" a computer! Let LDOS provide the missing features to speed up and simplify your TRS-80 computer system! Visit a dealer or contact LSI for more information on the most popular sophisticated operating system for your TRS-80.

LDOS is available worldwide through thousands of dealers for just \$129.

TRS-80 is a trademark of Tandy Corporation. LDOS is available for the TRS-80 Model-I and Model-III. Prices and specifications subject to change without notice. LDOS is a product of Logical Systems, Inc.

Logical Systems, Inc., 11520 N. Port Washington Rd., Mequon, Wis. 53092 (414) 241-3066

**LOGICAL
SYSTEMS
INC.** ✓251
□•□•□•□

PRO FOOTBALL FANS: WHY NOT WIN?

★73% IN 1980 — 67% IN 1981! ★

If you have never heard about handicapping professional football using your computer let me tell you about PRO FOOTBALL — THE GOLD EDITION.

We have been selling pro football handicapping programs for 4 years with many happy users. In fact in 1980 our program was 73% against the line (44 wins, 16 losses) and in 1981 it was 67% (40 wins, 20 losses) for its upset predictions. One of our users last year won \$60,000 using our program. Imagine the pay-offs from betting football cards! Another amazing fact is that in 1981 taking every game from the first regular season game to the last, our program out-performed the winner of the prestigious Castaways \$100,000 handicapping contest against the consensus Las Vegas line.

The Gold Edition represents the state of the art in sports prediction systems. It is the finest on the market today and is for the handicapper who expects the best, and demands a system with a solid history of success. The Gold Edition has more features than any similar program on the market. These features include: • POINT SPREAD AND OVER-UNDER PREDICTIONS • AUTOMATIC SCHEDULING OF THE ENTIRE SEASON — 1982 IS INCLUDED. (Enter your own schedule file next year — no need to purchase it each year.) • 7 TYPES OF REPORTS AND GRAPHS GENERATED TO A PRINTER (Allows for easy tracking of technical trends) • 50 PAGE LEATHER-BOUND COMPREHENSIVE MANUAL • COMPLETE DATA FILES FOR 1980 AND 1981 (Run any week or a whole season with a keystroke and verify the power of The Gold Edition).

Computer Sports Systems has been in the personal computer software business for 4 years as "Joe Computer" and we have proven our dependability.

Pro Football — The Gold Edition. Available for TRS-80* Mod I or III, IBM PC, or Apple II — \$195.00
California residents add 6% sales tax.

Computer Sports Systems also carries horse-race handicapping programs such as Dr. Quirin's for \$49.95 & PHD-1 for \$29.95. We also have books on beating horses, Blackjack, and Roulette by computer.

SEND FOR FREE CATALOG.
DEALERS: QUANTITY PRICES AVAILABLE.

MasterCard & Visa accepted.



COMPUTER SPORTS SYSTEMS

22458 Ventura Blvd., Ste. E
Woodland Hills, CA 91364
(213) 992-0514

*TRS-80 is a trademark of Tandy Corporation

Internal latching of the row address retains the row information while the column address is applied. The intersection of activated row and column lines is the desired address location. A one-of-two selection at the array output completes the selection process. Thus we have 128 times 64 times 2 (16384) possible address combinations using only seven input address lines.

See Fig. 2 for a block diagram and Fig. 3 for a schematic diagram of the memory add-on circuit. The address lines are common to all 16 RAMs, as are the RAS and write (WR) command lines. The RAMs are arranged in two groups of eight, each group operating over a different range of 16,384 addresses. Two col-

umn address strobe (CAS) inputs are supplied to the RAMs, one common to each group. This provides the means for selecting a particular group. This group selection technique and the 4116's tristate (capable of high, low, or high impedance states) output characteristic allow the data input and output lines to be paralleled between the two groups. The DO data line is connected in parallel to the DO RAM data input in both groups. All other data input and output lines are connected in a similar fashion.

The TRS-80 address bus is interfaced to the new RAMs via U20 and U26. These devices, called "quadruple 2-line to 1-line data selectors/multiplexers,"





Fig. 2. 32K memory logic circuitry block

QWERTY DAISYWHEEL II



At last! QWERTY 3.0 is available for the DAISY WHEEL II! Finally, owners of the Daisy Wheel II can make their printers do what they were **designed** to do. Produce scores of special symbols and accents! Add footnotes and borders to text! Bold print, double underline, even underline spaces! Print superscripts and subscripts, simultaneously! Print a single page of text without resorting to copy-markers! Stop printing to change wheels or insert text!

Once you use DAISY, you'll wonder how you worked without it. We **guarantee** you will agree! If not, return DAISY within fourteen days for a prompt refund. That's how confident we are!

DAISY FEATURES

Easy transition between the three print pitches. One command changes pitch and resets formats for optimum appearance in that pitch.

Over 100 new symbols, including foreign language accents, Greek letters, and mathematical symbols, all using the standard Courier wheel. Allows tildes, carats, and overbars to be placed over any character.

Any character can be used as a superscript or subscript, singly or simultaneously. Extra high superscripts for integrals. Fine space controls to make superscripts and subscripts look perfect.

Underlining, double underlining, and bold printing, with or without underlining of spaces.


Special provision for printing ratios of one long expression over another (as in algebra).

Provision for putting FOOTNOTES on a page in such a way that they remain on that page despite later editing.

TABLE and MABLE commands enable exact positioning of the print head anywhere on the line. Invaluable in printing neat data tables, columnar material, etc.

PRETTY command enables one to print repetitions of a chosen character; combined with TABLE or MABLE, it becomes easy to produce attractive borders, even in headers and footers.

PAGE END allows the user to discover where pages will end, when they are printed, without actually printing.



Special commands allow the printing of a single page anywhere in the text, with correct page number, footer, and header, without the use of copy-markers. A special command will reset the default format parameters, to allow use of copymarkers without having to insert a format line to adjust for format changes.

FOLIO format enables one to produce print-outs in two or three columns per page, as for newsletters, indices, etc. FOOTNOTES, footers, headers, and PAGE END will work correctly.

Access to disk directory and ability to kill files from within DAISY, without losing any text.

Special code in the text will stop printing until user restarts it; use it to change print wheels. One can insert up to 60 characters of text at this point, as for form letters.

Special print-outs allow one to keep records of DAISY commands used to create a certain effect.

Flaws in SCRIPTSIT's widow suppress are corrected. SCRIPTSIT's problem with typing two spaces after a period is fixed. SCRIPTSIT's scrolling speed is doubled, with instructions for user modification.



CAUTIOUS BUYERS: We invite you to buy the DAISY manual. This is without a doubt one of the clearest, most well-written manuals ever produced for **any** piece of software. Over 110 pages. **Indexed**. In a custom 3-ring binder. We will credit the full \$10.00 price when you decide to buy DAISY.

DAISY REQUIRES: A TRS-80 Model I or Model III with 48K, at least one disk drive, and a copy of **Model I SCRIPTSIT**. Please specify which machine and how many drives in your system.


QWERTY 3.0 is also available for the Centronics 737, 739, and Lineprinter IV.

DAISY complete package. \$74.95
DAISY manual alone. 10.00
QWERTY 3.0 complete package. . . . 74.95
QWERTY 3.0 manual alone. 10.00

Please add \$2.00 for shipping and handling. Add \$4.00 for first class postage or UPS. Overseas orders add \$4.00 for surface mail, \$12.00 for air mail.



MED SYSTEMS SOFTWARE
P.O. BOX 3558 CHAPEL HILL, NC 27514
TO ORDER, CALL 1-800-334-5470



* SEE TEXT

NOT SHOWN:

DATA LINE	RAM NO.	OUTPUT BUFFER U17 (PIN NOS)		
		INPUT FROM RAMS	OUTPUT TO TRS-80	ENABLE
D2	U5, U6	12	11	15
D3	U7, U8	14	13	15
D4	U9, U10	2	3	1
D5	U11, U12	4	5	1
D6	U13, U14	6	7	1

Fig. 3. 32K memory logic circuitry schematic




Fig. 4. Power supply schematic

Your Software Department Store...

THE
ALTERNATE
SOURCE

Put together your order,
& call for our best price!

INFORMATION DEPARTMENT

TAS Programmer's Journal • Past Issues
TAS Volume I & II (both book form)
Model III TRSDOS Commented
Model III ROM Commented
Disk Interfacing Guide • Inside Level II
BASIC Decoded • BASIC Faster & Better
Disk Mysteries • Custom TRS-80

DOSes & DISKS

Allenbach disks: box (10), bank (10), bulk
NEWDOS/80 Version 2.0 • DOSPLUS
LDOS

GAME DEPARTMENT

Fortress • Space Castle • Eliminator
Alien Defense • Adventures 1-12
Missile Attack • Lunar Lander • FLY
Caterpillar • Star Fighter • Planetoids
Defense Command • Space Intruders

WORD PROCESSING DEPT.

Lazy Writer • Electric Pencil 2.0
Hexspell 2.0 • Quill Driver

HARDWARE DEPARTMENT

Epson Ribbons & Reloads • Sprinter II
LNW Interface • Disk & Printer Cables
Smith Corona Printers • Epson Printers
Cassettes (10-20-30) • Cassette Labels
Disk Banks • Joystick Kits • Memory
Comp/Set* Typesetter Interface to I/III

UTILITY DEPARTMENT

TASMON • KBE • TRAKCESS
STOPPER • TASORT • MODEM 80
ADVENTURE SYSTEM • DDSD • ISAR
EDITOR ASSEMBLER PLUS • INTASM
SUPER UTILITY • ZAPSIT • FASTER

COMING SOON

EDM, the programmable editor!
TRAKCESS for the Model III

ASK FOR

Information sheets • Games flyer
Current flyer • Inventory Listing
Listing of closeout specials

PLEASE NOTE:

We carry software products by all of the companies listed below, not just what you see here. Put together the best order you can, and give us a call! We'll give you the best discount we can! We'll be happy to meet or beat other offers you find.

Adventure International • Cornsoft
Big Five • Med Systems • Soft Sector
MISOSYS • Racet Computes • IJG
Breeze/QSD • Microsoft • Acorn
Instant Software • Hayden • Mumford

We actively support and
serve Model I and III TRS-80
owners - check our bingo
number for a free flyer, or
send your name and address
on a postcard for immediate
SERVICE!

704 North Pennsylvania Avenue
Lansing, Michigan 48906

Ph. 800-248-0284
Ph. 517-482-8270 ✓69

Add \$3 shipping charges, \$1.75 COD.
Visa & Master Card welcome.

*Comp/Set is a trademark of AM International.




Photo 1. Piggy-back RAM wiring detail




Photo 2. Typical component placement in the power supply cabinet




Photo 3. Typical placement of noise-suppression components




Fig. 5a. Memory board etch pattern, component side




Fig. 5b. Memory board etch pattern, reverse side

THE LEMON™ SOURS SURGES



Our crop-The Lemon™, The Lime™, and The Orange™ are designed to eliminate undetected submicrosecond overvoltage transients from electrical circuits. Commonly referred to as "spikes", or "glitches", these transients can cause hardware and software damage to unprotected circuits.

Today's electronic products are often microprocessor controlled - mini and micro computers, televisions, video cassette recorders - to name a few. Each of these products is sensitive to fluctuations in electrical power lines. Power switching devices such as refrigerators coming on and off or air conditioners starting up can be responsible for a momentary surge or spike of electricity in a circuit. Even your local

utility stepping-up transformers to add power at peak load times or an electrical storm passing through can trigger surges. Such surges can cause equipment to falter at times, not to work at peak performance or fail completely. An entire data base can be lost.

Now you can prevent this from happening to you with an AC Surge Protector from Electronic Protection Devices. Each Protector is a solid state clamping device with 6 outlets utilizing modern high speed semiconductor technology. Using our Protectors is as simple as plugging it into any standard three wire duplex outlet then plugging what needs protection into it. Each Protector exceeds the IEEE 587-1980 Guide for Surge Voltages in Low

Voltage AC Power Circuits.

When you compare the cost of computer hardware, software and your time with the price of a Protector (from \$59.95 to \$139.95), you'll want to sour your surges with one of the AC Surge Protectors from EPD, which are available through your local dealer.

Electronic Protection Devices
5 Central Avenue
Waltham, Massachusetts 02154

In Massachusetts Call:
(617) 891-6602

Outside Massachusetts Call:
1-800-343-1813

Dealer Inquiries Invited




Fig. 6a. Memory board parts placement and external connections. See Fig. 6b for U27 placement. Drill a 5/16-inch hole at the + location to allow passage of a keyboard housing post through the board. The large donut in the lower right corner denotes a board attachment site if the 32K mod will not be housed in the keyboard cabinet. Note that pin 1 orientation of IC's U9-U16 is opposite to that of the other ICs.

act like switches. For U20, picture the output pins 4, 7 and 9 as wipers of a 3-pole, double-throw (3PDT) switch. Similarly, picture U26 pins 4, 7, 9, and 12 as wipers of a 4PDT switch. Pin 1 of these ICs controls the position of the switches; since these pins are tied together U20 and U26 function together as a 7PDT switch. The multiplex (MUX) signal alternately provides the RAM address input terminals with A0-A6, then A7-A13. The lower address lines are selected when the MUX line is low, occurring at RAS time. The upper address lines are selected with MUX high, at CAS time.

The RAS input from the TRS-80 is buffered through U25, then directly connected to all RAMs. The CAS and MUX lines

are not used due to potential noise and distorted signals by the time they reach the memory add-on board. Instead, new CAS and MUX signals are generated by U27 using existing WR and read (RD), plus a "borrowed" clock signal (more about the clock signal later). U27 is a quad D latch in which three sections effectively produce two delayed versions of the RAS signal. The first to appear is used as the MUX signal, the second is the CAS signal. A section of U19 prevents generation of the MUX and CAS signals unless either WR or RD signals are present. The frequency of the clock source determines the delay between RAS, MUX and CAS.

The new CAS input is divided into two signals. One enables

the lower and the other enables the upper RAM group. U24 and U18 perform this function. U24 decodes the A14 and A15 address lines to determine when to enable one of the new RAM groups. The Radio Shack 8-RAM group is enabled for addresses 16384 through 32767. For these addresses A14 is high and A15 is low; thus neither of the new RAM groups are enabled. For addresses 32768 through 49151, A14 is low and A15 is high, enabling the lower RAM group. Addresses 49152 through 65535 result in A14 and A15 high, enabling the upper RAM group. Table 1 illustrates the binary/decimal relationships in these address ranges.

The RD input from the TRS-80 is inverted, then gated through

U19 pin 8 before being directed to the enable input of all RAM data output buffers. The gating function prevents either RAM group from outputting data when addresses below 32768 are present. The data lines are bi-directional, providing data to RAMs during the write cycle, and directing data from RAMs during the read cycle.

The power supply is shown in Fig. 4. U22, X1, and SCR1 form a protection circuit for the RAM ICs. The 4116 RAM data sheet states that the -5 volt (V) supply must be applied before and removed after the +12 and +5V supplies. Otherwise, excessive dissipation may destroy the device. During powerup this situation is satisfied by the shorter delay time through the relatively simple -5V supply. During powerdown the very small load current on this supply allows it to drain off slower than the +12 and +5V supplies. But what if the -5V supply fails? The protection circuit provides the answer by sensing impending failure and immediately shutting down the +12 and +5V supplies via an SCR shunt. U22 and X1 function as an extremely fast logic level slicer detecting the falling supply at -4.3V and triggering the SCR.

Construction

The parts list for this project is in Table 2. I recommend a PC board for the 32K memory circuitry. While you could hand-wire or wire-wrap the circuit the wiring is rather complex. Wiring errors might be difficult to troubleshoot dynamically, and could cause IC failures. The power supply wiring is not critical, although the PC board will speed things up a bit.

Figure 5 contains a full-size etch pattern for the memory board (a double-sided PC board). If you decide to build your own include plated-through holes. This facilitates soldering and allows use of IC sockets. If you install the complete 32K RAM, a keyboard cabinet clearance problem could occur unless you use low profile sockets and very careful piggy-back solder techniques to assure minimum height. Do not attempt to install sockets on the memory board if



The experts are excited about GRAMMATIKTM

Seldom does a new software product receive the universal praise from the experts of major microcomputer magazines that Grammatik has. Read for yourself:

Alan R. Miller, *Interface Age*, May 1982:

"The entire manuscript of my Fortran book was given to Grammatik. Grammatik flagged many locations throughout the book. Several doubled words were correctly flagged. Other flagged passages truly needed attention." "Grammatik found a very important pattern; the expression 'in this case' appeared 66 times. This phrase expressed four different concepts, and most of the examples were reworded." "Profile can be used to determine the frequency of word usage in a document." "Grammatik is a useful aid for professional writers. It is the perfect complement to a spelling checker."

A.A. Wicks, *Computronics*, June 1982:

"The manual for Grammatik is better than average. The general text and explanations are thorough, detailed, and concise." "When the program was 'test run' on some old articles of mine still on disk, I was embarrassed by some of the over-worked, wordy, or trite phrases that I had used. Nevertheless, I had to agree with what Grammatik was saying, and vow to avoid these pitfalls in the future." "This is one of the most interesting and useful programs that I have had the pleasure to review. All functions operated as stated with no problems, or even a hint of a problem. And no guessing was required about exactly what some of the directions implied. Anyone involved with word processing in any way, whether writing manuals, letters, brochures, news copy, reports, etc. is encouraged to get this excellent program."

Stephen Kimmel, *Creative Computing*, June 1982:

"I don't get excited about many programs. I am excited about Grammatik." "It is difficult to imagine the program being any easier to use." "I had decided that the program would be useful to a professional writer if only because it checks for double words." "I have a higher enthusiasm threshold than that. Grammatik can also be expanded to include phrases of parti-

cular significance to you. It can become your personal editor and English coach. I love to start sentences with 'and'. That's not a particularly good idea. So I added the phrase 'And' with the note to be careful not to overuse it. Now I get a reminder every time I do it. There are other words that I use too often. My copy of Grammatik checks for them, too, and gently tells me to watch out." "I like Grammatik a great deal. It is a worthy and useful addition to your word processing software."

Bob Loudon, *InfoWorld*, December 7, 1981:

"Grammatik is the next step beyond spelling checking for serious word processors. Grammatik analyzes writing style at the word and sentence level while, at the same time, it checks for subtle spelling and typographical errors that go beyond the capabilities of conventional spelling-checking programs. If you use a word processor and a spelling checker, then you should investigate the unique capabilities of this program." "Although skeptical at first, I proceeded to run several of my published articles through Grammatik. None were free of errors." "Grammatik is a surprisingly fast and easy tool for analyzing writing style and punctuation."

Dona Z. Meilach, *Interface Age*, May 1982:

"The programs together (Aspen Software's spelling checker Proofreader and Grammatik) offer a dynamic tool for comprehensive editing beyond spelling corrections. It can begin where your college English teacher left off and help you analyze your documents in a way you may never have thought possible."

Eric Balkan, *The Computer Consultant*, Vol 2 No 9:

"As a reviewer, I'm impressed the most with the imagination that went into this product. With all the me-too software on the market, it's good to see something original come out. It's also good to see that the program author allowed the user as much freedom as he did — you can use your own imagination to extend the uses of the program."

GRAMMATIKTM + PROOFREADERTM = NO ERRORS

Together, Grammatik and the Aspen Software Company spelling checker Proofreader form an unequalled document proofreading system. Proofreader features an official version of the RANDOM HOUSE® Dictionary for a word list that you can trust! It also features immediate on-line access to the dictionary for spelling help while making corrections interactively. Proofreader is the best spelling checker available. Write or call for more details. (On-line dictionary not available on TRS-80 version.)

CP/M and IBM-PC DOS: Grammatik - \$150.00; Proofreader - \$129.00; Both - \$250.00 TRS-80 Model II: Grammatik - \$99.00; Proofreader - \$99.00; Both - \$179.00 TRS-80 Model I/III: Grammatik - \$59.00; Proofreader - \$89.00; Both - \$139.00 Manuals only \$8.00 each, \$15.00 both.

IMPORTANT ORDERING INFORMATION: You MUST specify computer model, operating system, memory size and format and number of disk drives when ordering either software or manuals alone. All U.S., Canada and Mexico orders include first class shipping in price. We accept cash, check, money order, VISA and Master Card. Cost on manual only orders can be credited to final purchase. NM residents add 4% sales tax. (Dealer and OEM inquiries welcome)

Random House is a registered trademark of Random House, Inc. Other registered trademarks: CP/M, Digital Research, TRS-80, Tandy Corp., MS-DOS, Microsoft, IBM, Proofreader, Grammatik, Aspen Software Co.

Distributed By:

SOFTWARE
SOFTWARE
DIGITAL MARKETING
DIGITAL MARKETINGTM



DIGITAL MARKETING CORPORATION

2670 CHERRY LANE • WALNUT CREEK • CALIFORNIA • 94596
(415) 938-2880 • Telex 7-1852 (DIGMKTG WNCX)



Aspen Software Co.

P.O. Box 339-M Tijeras, NM 87059 - (505) 281-1634 ✓ 65

CRAZY PAINTER

NEW
FROM THE MAKERS OF
SCARFMAN
For TRS-80® Computers

**Become a "Crazy Painter"
and create a masterpiece
...if you can.**

A mischievous puppy, snakes and poisonous turpentine buckets force changes in your painting. In higher skill levels, "paint eaters" start chewing up your work. Suddenly, everyone's a critic. Can you overcome them?

And on top of it all, in the **Exclusive Challenge Mode**, you have to catch an army of runaway puppies. Crazy Painter is **Joystick compatible**.

\$15.95 tape, \$19.95 disc plus \$1.50 shipping and handling charges. Indiana residents add 4% sales tax. Master Card or Visa orders accepted. Also available at your software dealer.

The Cornsoft Group

6008 N. Keystone Ave., Indianapolis, IN 46220 • (317) 257-3227

319

it does not have plated-through holes; there would be no way to solder the pads on the component side. Without plated-through holes, insert a wire into all pads that do not contain component leads and solder the wire on both sides of the board. (This means of transferring the conductor path from one side to the other would otherwise be handled by the plated-through holes.) Figure 6 is a parts layout guide for the component side of the memory board. You must add several noise suppression components on the other side, as will be shown later. Carefully note the pin-1 orientation of the ICs before soldering. If you use sockets, line up the dot or notch on the socket with Fig. 6 to aid subsequent IC insertion. The RAMs are metal oxide semiconductor (MOS) devices, and must be carefully handled to avoid static electricity. Leave the RAMs in their conductive packaging until you are ready to insert them in the board. Use a grounded soldering iron and avoid shuffling your feet on the carpet.

The RAMs are piggy-backed in groups of two on the circuit board, saving space, and minimizing wiring complexity. (Before installing the upper group of RAMs complete all other construction, installation, and testing to be sure that you have not made any catastrophic errors. This limits your initial liability to eight instead of 16 RAMs.) Once you have plugged in (or soldered) the lower group of RAMs, slightly bend the leads of each upper-group RAM inward to form a snug fit when placed over each lower-group RAM. The only exception is pin 15 of each upper-group RAM, which must be carefully bent outward, perpendicular to the other leads. Once properly oriented over the lower group of RAMs, carefully solder all corresponding pin pairs except pin 15. Use only a minimum of solder (.030 inch or thinner, and a fine-tipped iron) to avoid bridging between adjacent pins. Interconnect pin 15 of all upper-group RAMs using fine gauge (#30 or 28 American wire gauge solid) insulated hook-up wire. Route this common connection to the component-side "donut"

pad in Fig. 6. (Photo 1 shows a detail of the piggy-back/pin 15 wiring.) Then connect a jumper from the pad adjacent to U15/16 pin 2 to the pad adjacent to the D7 data line input as shown in Fig. 6a.

You may add short pieces of insulated sleeving on some of the capacitor leads (depending on size and shape) before installation to prevent leads from shorting against adjacent copper foil traces.

After installing all components shown on Fig. 6a, proceed to Fig. 6b. This figure shows the connections for U27. U27 is piggy-backed over U25, but only pins 8 and 16 (ground and +5V, respectively) are actually sol-

dered to U25. Carefully bend all other pins outward before soldering U27 in place. Pins 2, 3, 7, 11, and 14, not connected to anything, may be trimmed off about one-eighth inch from the IC body. The jumper wire connections going to the MUX and CAS pads are the new MUX and CAS signals generated by U27. It is possible to make the memory mod work properly using TRS-80-generated MUX and CAS signals, but more reliable operation uses the U27 circuitry.

Figure 7 illustrates three methods of obtaining the U27 clock signal. Use the TRS-80 clock source if the memory mod is to be installed in the keyboard cabinet; use the disk controller

clock source if the memory mod is to be constructed together with the disk controller (to be presented next month). If the memory mod is housed in its own cabinet, you must build a separate oscillator. Figure 7 is an example—just about any TTL-level oscillator in that frequency range should work.

Figure 8 contains a full-size etch pattern for the power supply board. Parts placement is shown in Fig. 9. U21 and U23 require heat sinking but SCRI does not. The U23 heat sink should allow about 4 watts dissipation. U21 and U23 may be directly mounted to the cabinet to provide the necessary heat sinking. Take care when mounting






Fig. 6b. Detail connections for U27. The coaxial cable brings clock signal to U27. Avoid shorting the coax leads to adjacent board pattern. If using the TRS-80 or disk controller clock source (see Fig. 7), do not connect the coax shield at the memory mod board end of the cable.




LOWER RIGHT CORNER OF TRS-80 LOGIC BOARD

a. TRS-80 clock source



DISK CONTROLLER CLOCK SOURCE

b. Disk controller clock source



TYPICAL "SEPARATE CABINET STYLE" CLOCK SOURCE

c. Typical "separate cabinet-style" clock source

Fig. 7. Clock signal sources for U27. Miniature coaxial cable such as RG174 is the preferred means of transferring the clock signal to the memory mod.

the rectifiers, polarized capacitors, ICs, SCR, transistor, LED and zener diodes that the orientation matches that of Fig. 9. R5 and R6 should be mounted about one-quarter inch above

tation matches that of Fig. 9. R5 and R6 should be mounted about one-quarter inch above

the PC board to aid heat dissipation.

Cabinetry for the power supply should be metal for shielding purposes. Photo 2 shows typical placement of the transformer, PC board, LED, and cabling. Mount a solder lug on one of the transformer screws to provide a ground connection from the circuit board to the cabinet. To avoid a ground loop, the power supply ground is isolated from its own 117VAC source, and rather, is tied to the main TRS-80 ground potential.

I chose a 5-pin DIN connector to provide the +5, -5, +12V supplies and ground to the logic board. Capacitors C15, 18, and 21 are memory board filters for local power supply; their values are based on a 30 inch cable length between the power supply and the logic board. Longer cable lengths may necessitate larger capacitance values.

Installation

Do not perform disassembly or internal work of any kind

while the TRS-80 is connected to the ac line. Even with the keyboard power switch turned off, ac and dc voltages are present in the keyboard housing as long as its external supply is plugged in. Check the no-load power supply voltages at the bare-wire end of the memory mod supply cable with a voltmeter before connection to the memory board. Faulty supply voltages or crossed wires can destroy the IC's; double-check these critical voltages through the entire system up to memory board connection.

Connections to the memory board consist of a power supply cable and a 40-conductor ribbon cable. All memory board connection points are identified in Fig. 6a. Solder appropriate power supply cable wires to the -5V, +5V, +12V, and ground pads. Refer to Fig. 10 and Table 3 to aid installation. Figure 10 shows the proper ribbon cable conductor usage. Only 28 of the 40 conductors are used. Table 3 lists the TRS-80 keyboard connector pin numbers and logic board destinations. After soldering these cables install the noise-suppression components as shown in Fig. 11 and Photo 3. These components include resistors R12 through R22 and capacitors C23 through C26. The memory board fits over one of the keyboard housing posts. No mounting is required, but be certain the cables are dressed to prevent pinching or shorting of the wires.

Operation

This circuit is an integral part of the computer memory hard-





Fig. 8. Power supply etch pattern

PRESERVE 80micro BINDERS & FILE CASES



Keep your issues of 80 Micro together, handy and protected in handsome and durable library files or binders. Both styles bound in dark green leatherette with the magazine logo stamped in gold.

Files: Each file holds 6 issues, spines visible for easy reference, \$5.95 each, 3 for \$17.00, 6 for \$30.00

Binders: Each binder holds 6 issues and opens flat for easy reading, \$7.50 each, 3 for \$21.75, 6 for \$42.00 (Postage paid in USA. Foreign orders include \$2.50 per item)

Please state years: 1980 to 1983

Send check or money order to:

JESSE JONES BOX CORP.

P.O. Box 5120

Philadelphia, PA 19141

Please allow 6-8 weeks for delivery




Fig. 9. Power supply parts placement

ware. After powerup the PRINT MEM command should reply with about 31956 for a 16K add-on, and 48340 for a 32K add-on. If it does not, shut down the power immediately and find the cause.

The TRS-80 power switch does not de-activate power to the memory board or completely de-activate power in the TRS-80.

All computer-related power cords should be plugged into a common switchable ac power strip, off when the computer is not in use. Do not apply power to the memory add-on by plugging in the ac connector. Power is often connected and disconnected rapidly several times before the plug is fully inserted, causing detrimental voltage

transients and conceivably fooling the -5V protection circuitry into firing the SCR. Instead, use a power switch on the power supply cabinet.

Leave it in the off position if you do not need the additional memory during a particular session. The powerup routine in the TRS-80 includes a subroutine to see how much RAM is available

for use; subsequently, the TRS-80 ignores any additional memory switched-in via the memory mod power switch. Turn on the memory mod before powering up the TRS-80 whenever you might need the additional storage space.

The power supply LED should always be lit when the memory mod power switch is on, regard-

BEYOND-BASIC

```

10 REM          Beyond-BASIC In Action
20 GOSUB "CLEAR SCREEN"      ' See line 200
30 RESTORE 40 : DIM A(5) : MAT READ A
40 DATA 5,4,3,2,1          ' Data for array A
50 NU$="0123456789."        ' Allow digits only
60 INPUT LEN=3, USING NU$, "ACROSS":X
70 INPUT LEN=2, USING NU$, "DOWN":Y
80 PLOT (0,0)-(X,Y)          ' Draw a line
90 SHAPE$="PDPDRPRPUPULP"    ' Define small square
100 INPUT USING NU$, "SCALE":A ' <1=small, >1=large
110 INPUT USING NU$, "ROTATE":R ' 0-360 degrees
120 PLOT (X,Y), S=A,R=0, SHAPE$ ' Draw the shape
130 DEF FNI (LO, HI, LOCAL N) ' Define a function
140 INPUT "ENTER A NUMBER":IN ' to be this entire
150 IF N<LO OR N>HI THEN 140 ' subroutine
160 RETURN N : FNEND
170 PRINT FNI(1,10)+FNI(X,Y) ' Input 2 nums, add
180 SORT A : PRINT "SORTED ARRAY: "
190 MAT PRINT A : DOS         ' Return to TRSDOS
200 'CLEAR SCREEN'           ' Named subroutine
210 CLS : POKE 3000H, "BEYOND-BASIC DEMO"
220 MAT 1                     ' Ignore A(0) in MAT
230 RETURN
240 END

```

At last, a truly complete **Extended BASIC** for the TRS-80!

Beyond-BASIC Package I includes...

Line labels, RESTORE to any line, structured loops with WHILE/WEXIT/WEND, command shorthand, multiple programs in memory, and much, much more

Disk **\$49.99** Tape **\$39.99**

Beyond-BASIC Package II includes...

All this plus super graphics, multi-statement user functions, extended line editor, DIR from BASIC and more

Disk **\$64.99** Tape **\$49.99**

Beyond-BASIC Package III includes...

Everything in I and II plus array operations (including multi-key sort), cross reference, renumber

Disk **\$79.99** Tape **\$59.99**

Beyond-BASIC includes our 100+ page manual with index and summary

Please write for additional information

TRS 80 is a trademark of Tandy Corp

Specify Model I or III, disk or tape version when ordering
Send check, money order or MC Visa number to

EXCALIBUR SOFTWARE

3336 Cascadia Ave S
Seattle WA 98144

Ribbon cable connections to the mem mod board, with cable and board oriented as shown, from top to bottom:




Fig. 10. Ribbon cable conductor usage. Using an insulation-displacement type connector (see the parts list), clamp cable to the connector using an ordinary vise. Total cable length should be 30 inches. The MUX and CAS ribbon wires are not connected to the board. However, MUX and CAS pads are provided on the board and must be skipped over when connecting the ribbon cable. Double-check Fig. 6b for the location of these pads.

Successful construction of this project does not require an extensive background in electronics or computer theory. However, it assumes a basic familiarity with electronic components and careful attention to detail. The importance of careful soldering and visual check-out after soldering cannot be overstated. Follow the instructions in the construction section with regard to RAM installation. Using good lighting and a magnifying glass, inspect each solder connection of the piggyback RAMs to be certain that no solder bridging exists from lead-to-lead or lead-to-copper foil.

less of the operating state of the TRS-80. If the LED is off when ac power is applied the power supply has failed or the memory board is short-circuiting the power supply output. In either case, remove ac power immediately. As with the TRS-80, do not connect or disconnect the memory mod's DIN power supply plug when ac power is applied.

The 32K memory board greatly enhances the power of your TRS-80 for both program and data storage. Welcome to the world of expanded RAM memory! ■






Fig. 11. Noise-suppression component placement. Install these after soldering ribbon cable to the other side of the PC board. Install C23-C26 close to PC board, keeping leads very short.



CYBORG A TRS-80 Classic by Bill Dunlevy and Doug Frayer. "Incredible graphics". The screen slides smoothly in all directions. "Mind boggling speed" put your Anti Grav sled in fourth and you will see what fast graphics are. This is not a worked over arcade game: it is something totally new. This game has more new features then any arcade game ever written for the TRS-80.

TAPE \$15.95 **DISK** \$19.95

JOVIAN Another hit from Dunlevy and Frayer using the fantastic new graphic techniques developed in CYBORG and expanded upon in JOVIAN! Mission: Destroy Jovian space stations while fighting alien space ships and dodging asteroids and space mines.

ARACHNID Written by Charles Quante. A real time arcade game with great graphics and sound. You must shoot the spiders before they get you! Arachnid comes in a special arcade package with two other programs. BAJA a car race game and WARZONE a strategy game. Three excellent and totally different games for only. \$24.95 disk or tape.

Order from you favorite dealer or call Toll Free:
1-800-392-8881

COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054 (313) 673-2224

The Calculating Genius— Part I

by Rick Cook

Charles Babbage invented the speedometer, the railway cowcatcher, and the occulting lighthouse—as well as the first digital computer.

Pick up any general book on computers and you will find Charles Babbage mentioned in the first chapter. Over and over the books will tell you this 19th-century British mathematician spent 50 years and thousands of pounds attempting to build a mechanical digital computer, but died with his machine unfinished. If you see a picture of one of Babbage's creations, you can easily believe that Babbage was doomed from the start by the complexity of his machine.

Most computer books don't discuss much more about Babbage. After all, Babbage's work led nowhere. When computers were developed, they were built as electrical devices rather than mechanical ones. Babbage is interesting, but he is not part of the mainstream of computer evolution. Questions nag at the curiosity, though. What sort of man was Babbage? How did he propose to build something as complex as a digital computer without electricity? Why did he want to do it? And most tantalizing of all, could it have worked?

The answers range from simple to complex. But one conviction emerges—he was one of the most original and modern thinkers of Victorian science.

Charles Babbage's secret was his modern approach to the science and engineering of the 19th century. His writings contain constant surprises.

A short note at the end of a religious tract outlines the science of dendrochronology (tree-ring dating). A couple of pages in his autobiography give the

basic rules for teaching a computer to play a game. A few paragraphs in another book discuss the oxygen process for steel making. In another place he describes how he instrumented a railway carriage to gain information on the roadbed and the forces acting on trains in motion. On the next page he proposes fitting trip recorders to all locomotives to provide a record in case of accidents and to improve economy of operation.

And yet none of it goes anywhere. As brilliant and far-seeing as these notions are, they are not the foundation of later work. Although Babbage was a well known scientist and his books were widely read by other scientists, there was no further development of most of his ideas.

If we limit ourselves to what Babbage actually did and ignore what he conceived, we find his achievements limited to inventing the speedometer, the railway cowcatcher, the opthalmoscope, the occulting lighthouse, and helping to reform British mathematics. That is a respectable list of accomplishments and it earned him a secure niche in the history of science, but it falls far short of what he proposed.

The nature of Babbage's genius is one of the keys to his failures. Like a modern engineer, and unlike most of his contemporaries, Babbage understood the importance of quantifying knowledge, and much of his effort was devoted to doing just that. At a time when most engineering was cut-and-try

and most scientists were only beginning to appreciate the advantages of controlled, repeated experiments, his method was not only revolutionary, it was nearly incomprehensible.

Babbage's other problem was that he kept answering questions no one was asking yet. The people around him couldn't understand what the fuss was about. This lack of comprehension plagued all his projects, especially his Analytical Engine.

Only a few of his contemporaries could understand the potential of a digital computer and they were not in any position to help him.

Early Life

Charles Babbage was born December 26, 1791, in London. His father was a member of a merchant banking firm and the family was well off. Young Charles was educated first by a series of tutors and then at a private school. By his early teens he had developed a considerable taste for mathematics, and by the time he entered Cambridge in October, 1810, he was familiar with all three of the notations used for calculus in his day.

There were three notations because three men working independently had developed calculus. Newton and Leibnitz had invented it more or less simultaneously and Lagrange had later gone back to first principles and tried to eliminate some intuitive concepts and make it more rigorous.

One result was that to be fully literate in calculus, you had to be able to work in Leibnitz's notation (dx), Newton's fluxions (\dot{x}), and Lagrange's system (\bar{x}). This was particularly hard on British mathematicians because they were trained in Newton's system and the most important work was being done in Leibnitz's notation.

This was a thoroughly unsatisfactory situation and Babbage and some of his friends resolved to do something about it. Babbage, George Peacock, John Herschel and several others formed the Analytical Society for the purpose of promoting Leibnitz's differential notation at Cambridge and making it the universal system of notation in England. The group published several books and papers, including Babbage's translation of Lacroix's *Differential and Integral Calculus*.

The Analytical Society won a major victory in 1817 when Peacock was appointed as one of the moderators for the mathematics examination at Cambridge. He prepared all the calculus questions in differential notation and anyone who wanted to pass the exam had to know the notation. The faculty conservatives didn't like it, but there was nothing they could do.

Eventually differential notation came to be universally accepted in the English-speaking world.

Continental ideas were free to flow into the musty world of British mathematics, and within his lifetime, Babbage saw the flowering of the field under such workers as Boole.

By the time Peacock pulled his coup, Babbage was no longer at Cambridge. He graduated in 1814 with a first in mathematics from Peterhouse College, and in June of that year he married Georgiana Whitmore, the daughter of a country squire. In November the couple moved to London where Babbage made his home for the rest of his life.

Over the next five years Babbage was involved in a number of projects. He did a study of the cost of mail service that convinced him that one-price postage was feasible—one of the first examples of what we now call operations research. He contributed an article on submarine navigation to the *Encyclopaedia Metropolitana* that included a description of a military submarine. His work was diverse, ingenious—and unprofitable.

Babbage decided not to enter his father's bank, and looked instead for an academic position. He was repeatedly disappointed because he could not or would not bring the influence of highly placed friends to bear. He was a firm believer in advancement by merit and was rather shocked by the part connections played in obtaining such positions. He was hardly poor, but took his failures in bad grace and began to show signs of the streak of bitterness and cynicism that grew broader and deeper as the years went on.

COMPUTER SHACK

All our games are \$15.95 for tape \$19.95 for disk except the Penetrator that is \$24.95 for both disk and tape and Panik which is \$19.95 tape and \$24.95 Disk.

SPECIAL 10% DISCOUNT IF YOU ORDER TWO OR MORE.

Simon and Merfinkle

A new game by Kyle Hoyt... An excellent game for kids from 6 to 60. Easy to learn fun to play. Based on the game Simon. Play music with flashing graphics and you must repeat the graphics or the music. Two different games.... **\$15.95**

New Games!

OUTHOUSE a hilarious new arcade game by SoftSector. The first funny arcade game. You must zap the bad guys before they steal the toilet paper out of your outhouse. Highly recommended.

CYBORG our reviewers all said it is the best arcade game they have played.

PANIK

A new arcade game by William Demas. He has taken Donkey Kong, and made it into a Space type real time arcade game. A very nice game.

DEMON SEED a great new game by two unknown Michigan Kids. The game is based on the arcade game PHOENIX and it has many outstanding graphics. This is a fast action packed arcade game that comes highly recommended.

Oldies but goodies!

VENTURE a great arcade type game from Horizon software. Exciting and fun to play. Great graphics and sound.

PENETRATOR, a dazzling space type shoot 'em up game with some new wrinkles never seen before on a TRS-80. This game by Melbourne House should be in every collection.

ALIEN DEFENSE Has exciting graphics, was the fastest game for the TRS-80 until Cyborg. A must for any serious gamer.

GREYMOON if arcade games aren't your style try GREYMOON this is a thinking man's game based on your being the ruler of a Middle age kingdom. Fun, interesting and very well written.

DEFENSE COMMAND protect your fuel cans from invading monsters. Good graphics and well written.

NOVEMBER TOP TEN

1. **CYBORG** Computer Shack.
2. **PENETRATOR** Melbourne House
3. **DEMON SEED** Trend Software
4. **OUTHOUSE** Soft Sector
5. **PANIK** Fantastic Software
6. **CATAPILLAR** Soft Sector
7. **ALIEN DEFENSE** Soft Sector
8. **VENTURE** Horizon Software
9. **SCARFMAN** Cornsoft Group
10. **ELIMINATOR** Adventure Int.

We have a panel of expert game players who will give a monthly rating of the best games on the market. It will change monthly, so look every month. If you would like to send in your top ten games we would be glad to have it.

Dungeon Escape

A truly exciting game based on Dungeon and Dragons™ it has real time action, graphics, great sound and best of all it has a totally random drawn dungeon so the game is completely different every time you play. Rated in the top ten for the last three months (This is Computer Shacks best selling game).

NEW LOWER PRICE only \$15.95 for tape and \$19.95 for disk.

STARFIRE Our favorite game for the COCO based on the arcade game DEFENDER™ only..... **\$19.95**

DFT now for the COCO see our ad in the Modern section, a terminal program for only \$19.95

GHOST GOBBERS \$19.50
A very good Pac Man™ type game.

Color Intensifier for Color TV makes colors on color games deeper & brighter 13 X 10 size **\$19.95**
Other sizes by special order.

★ COLOR TAPE COPY ★

This tape will copy any tape machine language, basic or data files on the color computer. Only..... **\$15.95**

COLOR SCARFMAN

New 4K Color Scarfman tape.... **\$19.50**

MASTER CONTROL

For Color Computer only..... **\$19.95**

COLOR BONANZA

50 Programs from Soft Sector LIST \$49.95..... **SALE \$39.95**

COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054 Info: (313) 673-2224 Orders: (800)392-8881
Master charge and Visa OK. Please add \$3.00 for shipping in U.S.A. \$5.00 for Canada or Mexico.
Proper postage outside of U.S. Canada Mexico.

Dealers: We are distributors for all items in this ad. Write for our catalog and price list.

Later in his life he was offered a knighthood and a baronetcy and turned both of them down, in part because they were marks of favor and not accomplishment.

In 1820 Babbage helped found the Royal Astronomical Society and served on the committee to draw up its rules. Then, along with his college classmate John Herschel, he was appointed to calculate some astronomical tables for the Society. The experience was the genesis of his life's work.

Tables and the Difference Engine

There are two stories of how Babbage came to the idea of his first calculating machine—both involve mathematical tables.

According to Babbage in his autobiography, he was sitting in the Analytical Society's room at Cambridge one day in 1812, dozing over a book of logarithms. Another member came in and asked what he was dreaming about.

"I am thinking how all these tables might be calculated by machinery," Babbage replied.

The other and somewhat more authoritative version goes to the work that Babbage and Herschel did for the Royal Astronomical Society. At one point in

"His work was diverse, ingenious—and unprofitable."

the tedious business of checking their calculations, Babbage looked up and said in exasperation, "I wish to God these calculations had been executed by steam!"

"It is quite possible," Herschel replied.

Whatever the origin of the idea, it was shortly after his work with Herschel that Babbage turned his mind seriously to the problem of building a machine that would calculate and record tables automatically.

Unlike most of Babbage's ideas, the use of this one was apparent to his contemporaries. The period between 1770 and 1850 was marked by the birth or wide acceptance of disciplines that demanded tables of continuous functions—more of them and more elaborate ones every year. In

spite of the ingenious methods adopted to calculate them, mathematicians were in danger of falling behind the demand.

The growth of mathematical literacy went hand in hand with increased commerce and banking. Merchants needed tables of compound interest. Engineering was emerging as a profession and engineers needed log and trig tables for their work. More land was being surveyed scientifically and surveyors needed their books of tables too. Astronomers needed tables of the motions of newly discovered planets and asteroids; mathematicians needed tables of new functions.

But for the average Englishman, the most important need for tables came from mariners. The art of celestial navigation was increasingly practiced and this called for tables by the hundreds.

Every heavenly body used for navigation required a set of tables to show the navigator where it was at every instant. Theoretically, he could work from just one star or planet and get his position. In practice he needed tables for as many heavenly bodies as he could get. A single body might be below the horizon, obscured by clouds, or otherwise invisible for long periods of time. What's more, accurate navigation required double and triple-checking by comparing the sights taken on several bodies. To 19th-century England, which lived by commerce on the seas, accurate navigation and its attendant mass of tables was a matter of national importance.

Everyone made blunders in compiling tables. Calculators checked and rechecked their work before sending it to the printers, but the volumes still emerged festooned with errata notices. Frequently, there would follow further errata notices pointing out errors in the corrections and sometimes there would be corrections to the corrections of the corrections.

Babbage proposed to remedy the situation with a machine that would calculate the tables and prepare printing plates automatically. Nearly all the tables needed were for continuous functions or functions that were continuous within predetermined limits (sines and cosines, for example). In practice these were calculated by difference methods rather than successive computations from the formulas. Using differences, the calculations were reduced to a series of simple additions.

The French mathematician Prony took advantage of this during the 18th century when he set out to prepare a massive set of log and trig tables for the

NEW TRS-80* PROGRAM LETS YOU CHART STOCKS LIKE A WALL STREET PRO.

The Wall Street TAP is a powerful, professional stock market trading tool. It employs the same charting methods used by successful market experts to buy, sell and hold stocks.

Now, you can make these time-sensitive decisions yourself and make more money on the market.


Point and figure, moving average and on balance volume charts are at your fingertips to spot trends and compare the performance of two stocks instantly.

Easy to use, the Wall Street TAP is self-documented, user friendly, self-prompting with virtual error-free entry and batch updating. You need a TRS-80 Model I or III 48K and 1 disk drive.

*TRS-80 is a trademark of Tandy Corp.

WALL STREET TAP*

* Technical Analysis Package.



SPECIAL EXTRA INTRODUCTORY BONUS.
FREE Book included if you order today!
Understanding Wall Street. "One of those rare publications that delivers exactly what it promises..." Barron's.

Chart Stocks, Commodities & Currencies 3 Ways.

**FOR MORE PROFIT & BIGGER GAINS
ORDER YOUR WALL STREET TAP TODAY!**

- ☐ **Yes.** I want to start charting stocks on my TRS-80 today. Please send my Wall Street TAP tape immediately. US \$199.95 is enclosed. I understand postage, handling, documentation, sample printouts, help desk support and FREE Bonus is included.
- ☐ Send documentation only. US \$29.95 plus \$2 postage and handling. (\$29.95 refundable if you purchase package later.)

Name _____
Address _____
City _____ State/Zip _____
Payment \$ _____ ☐ Check ☐ Money Order
☐ Visa ☐ MasterCard M1
Card No. _____
Expiry _____ Signature _____

Fill-In & Mail Coupon To: Think Software Inc.,
572 - 810 W. Broadway, Vancouver, B.C. Canada
V5Z 4C9 Or Phone For Faster Delivery. Card users
only, call 24 hours (604) 261-7261. Dealer
Inquiries Welcome.

post-revolutionary French government.

Two skilled mathematicians were given the job of calculating the different formulas, six or seven highly trained calculators translated those formulas into numbers and 80 or so people who knew the rudiments of arithmetic did the actual calculation. It was this last group that Babbage proposed to replace with his Difference Engine. As he explained in his autobiography:

"...The method of differences supplied a general principle by which all tables might be computed through limited intervals by one uniform process. Again, the method of differences required the use of a mechanism for addition only. In order, however, to ensure the accuracy of the printed tables it was necessary that the machine which computed the printed tables should set them in type, or else supply a mold in which stereotype plates of these tables could be cast.

I now began to sketch out arrangements for accomplishing the several partial processes which were required."

The Method of Differences

Babbage's machine was designed to use the fact that each succeeding value in any continuous function on an interval can be approximated as closely as necessary by adding the appropriate differences to the value immediately previous.

Take for example the function $Y = X^2 + X$ (see Table 1). If you subtract each value of Y from the succeeding value, you get a regular progression called the first difference. Subtract each first difference from the succeeding difference and you get the second difference. If you continue this process long enough you get a constant. By adding that constant to the differences so obtained and that total to the previous value of the function you get either the next value or a number very close to it. How many differences it takes to get a constant depends on the highest power in the original polynomial function. In Table 1 the highest power is two (X^2), so the constant is obtained on the second difference.

To make the difference method work you do not need to know the polynomial. All you need is a sufficient number of successive values of the function and you can extract the difference.

Of more interest to small-computer users is the ability to save memory and computing time when working out successive values of a function. This is especially useful where the function is quite involved or you need to find the next value quickly, in computer graphics for instance.

COMPUTER SHACK

1st TRS-80 SWEEPSTAKES / GIVEAWAY

Dozens of Gifts!

Lazy Writer

Super Utility

Z BASIC

To Celebrate Computer Shacks 1st anniversary, we have tested many hardware and software products and have selected these outstanding values to be given away in a drawing on December 15th. All gifts will be delivered by Christmas.

Our Grand Prize will be a Super Spooler by COMPULINK. The best 16k print buffer on the market. (List price \$349.00) The next two lucky winners will receive copies of LazyWriter, the finest word processor for the TRS-80. (List price \$175.00). We also have two copies of MULTIDOS, the Dos with the BEST BASIC (List price \$79.95). Two Copies of SUPERUTILITY PLUS The original disk fixer upper (Retail \$79) One copy of Z Basic the best compiler. Four copies of SuperDirectory the best Directory. Boxes of WABASH FLIPPY DISKS the first flippys made by a Major disk manufacture. Plus many games and other programs.

Thousands of Dollars worth of gifts!

Multi Dos

Wabash Disks

Super Directory

Any person who buys a product, or orders a catalog, from Computer Shack between now and Dec. 15, has a chance to receive some of these great prizes.

We at Computer Shack are trying to be the best mail order computer supplier there is. During the month of August we filled over 90% of our orders within 24 hours. We strive to give you good service, good quality and good prices. We will never advertise or sell any product unless we test it and it meets our standards. All of our products are sold with a money back guarantee to work as advertised and you must be happy with it or you can send it back. (10% charge for restocking.)

TERS... PRINTERS... PRINTERS... PRIN

Due to Popular request we at Computer Shack have tested many brands of printers and have picked four different printers to carry.

The EPSON MX-80 The most popular and best selling printer in American History. What can we say about success.

CS PRICE \$459.95

We recommend the C. ITOH PROWRITER. This is the same printer as the NEC but with a newer and better ROM chips. This enables the printer to print at 120 cps (MX-80 is 80cps, the NEC 100cps). It has print quality comparable to the MX-80 and three different styles of type. Pica, Elite, or Proportional. The print type can be condensed, emphasised, or double size type. The PROWRITER has FRICTION FEED, REVERSE LINE FEED, true PROPORTIONAL SPACING, excellent dot addressable graphics and a replaceable print head, all at no extra cost. This is the best printer on the market for under \$800 dollars. List price \$795.00 CS PRICE only \$499.95

15 INCH PROWRITER

List price \$995.00 CS PRICE \$799.95

We also include a special book showing how to set up and run your PROWRITER with a TRS-80 model I or III. This shows all the codes and short cuts to making graphics with the TRS-80 and Prowriter.

For those who want the best in DAISY WHEEL printers we recommend the CITO H F10. A true 40 CPS with excellent quality.

List Price \$1995.00 CS PRICE \$1399.95

All the C. Itoh printers are GUARANTEED for 1 full year. That's 9 months longer than most other printers.

PRINT BUFFERS

These two items will pay for themselves in a very short while in time saved. Why tie up a \$4000 computer waiting for the printer to finish the printout?

Practical Peripherals Epson 16K buffer only \$149.95

The Compulink SuperSpooler with 16k memory, LED readout, space compression and more only \$329.00

COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054

Info: (313) 673-2224 • Orders: (800) 392-8881

201

Master charge and Visa OK. Please add \$3.00 for shipping in U.S.A. - \$5.00 for Canada or Mexico

- Proper postage, outside of U.S. - Canada - Mexico.

DEALERS: We are distributors for all items in this ad. Write for our catalog and price list.

X	Y	One Difference	Two Differences
1	2	4	
2	6	6	2
3	12	8	2
4	20	10	2
5	30		

Table 1

If you do use difference methods, there are two things you need to watch out for. These are problems that also explain something of the nature of Babbage's design for his Difference Engine.

First, the method often only approximates the correct answer. In these cases the cumulative error builds up until it reaches an unacceptable level. When this happens, you need to change the constant difference used in the calculations. Typically, it has to be incremented or decremented by one. The higher the power of the approximating polynomial, the more accurate the approximation—and the more differences you have to take to get a constant difference.

The other thing is that you need sufficient precision in the numbers you are calculating. If you try this method with, say, a standard five-piece trig table, you will find that the final difference fluctuates at irregular intervals. This is the result of rounding off the values in making the tables. The more places you work to, the less chance there is of having this problem.

Design of the Difference Engine

The process of addition might be simple, but building a machine that would work to Babbage's exacting standards wasn't simple at all. For maximum utility it would have to be able to work to as many differences as possible, and to prevent problems with round-off error, it would have to work to as many decimal places as possible. These requirements took it very much out of the run of ordinary mechanical adding machines.

There had been mechanical adders before, of course (notably Pascal's four-function machine built around the middle of the 17th century). But most of them were just gear trains with numbers on the gears, the type that can be built into a child's pencil box today.

This type of mechanism was unsatisfactory on several grounds. For one thing, all the gears are constantly engaged, resulting in very long gear trains with a cumulative backlash that could cause errors in a machine the size Babbage

envisioned. For another, the force needed to drive such trains is excessive, causing heavy wear on the parts and making backlash errors even more likely. Since Babbage was thinking in terms of a machine that worked in 15 places through six differences, these were major difficulties.

There was also the matter of speed. Babbage wanted something that had at least some advantage over a trained calculator. Rapid starting and stopping of long gear trains would mean large accelerations of the parts, making them even more prone to failure.

These were all problems that plagued the designers of mechanical office machines at the end of the 19th century. Babbage's solutions were, on the whole, more elegant and carefully thought out than the ones adopted by business-machine makers half a century later.

The definitive version of Babbage's machine met these difficulties by splitting the process of addition into subtasks. Intelligent design kept the masses to be put in motion at any one time small and the chains of driven parts short. There were never more than six moving parts in a driven chain; the motions required were small and masses light. Babbage paid special attention to compensating for wear and designed fail-safe mechanisms to prevent the machine from giving wrong answers due to misalignment.

To get maximum speed and keep down the masses in motion simultaneously, Babbage resorted to an ingenious method of phasing the motions together. Each cycle of operation was divided into four equal sections with tasks divided among the sections in the same way a computer divides the task of addition over several clock pulses.

To help him keep it all straight Babbage developed a sophisticated system of mechanical notation that allowed him to describe exactly the states and relationships of any mechanical device at any instant. It is a pity that this system was never popularly adopted because it is very difficult to describe how the Difference Engine operated without it.

Probably the best description of the

fully developed engine is found in Dr. Dionysius Lardner's 1834 article in the *Edinburgh Review* (reprinted in *Charles Babbage and His Calculating Engines*—see bibliography).

The machine Dr. Lardner described was capable of working with 18 places of figures to six differences. This meant there were seven sets of figures displayed, counting the result or table figure.

Physically, the machine would have fit into a large closet. A person opening the door of the closet would have found himself facing a mass of gears and mechanism with seven columns of disks ranged one beside the other. Each disk was about five inches in diameter and 1½ inches high with the numbers zero to nine engraved on the edge. These were the display wheels and each column represented a number. The column furthest to the left was the difference column where the constant difference used in the calculation was set. Since it was used only to enter a number, it had no adding mechanism.

In operation the Difference Engine was as impressive as a pinball machine or an old Linotype. Something was happening constantly as parts moved, stopped, and moved again in response to the machine's program.

The machine added and carried in separate operations with the even columns working while the odd columns received the results of their work. As the main driving wheel moved from zero to 90 degrees, columns 1, 3, and 5 (counting from the right) moved, adding and entering the results in the even columns, but not carrying tens should any carriages be needed. From 90 to 180 degrees, the carriages for this sequence were performed. From 180 to 270 degrees, the even-numbered columns added to the odd columns and from 270 to 360 degrees, the carriages for this series of operations were carried out.

However, all the wheels in a column did not start moving at once. The ones on the bottom (units) row started first and each succeeding row started a little behind the one below it. The carriages were made the same way. This decreased the number of parts that had to be put in motion at any one time, making the operation smoother and cutting down on wear.

The result was that the machine added and carried in ripples, starting from the lower left corner (the units wheel in the constant difference column) and working up and to the right. The entire operation of calculating and printing a table entry was carried out in one cycle

of the main driving wheel no matter how many differences or carriages were involved.

It would have been a sight to see in operation!

In spite of its complexity, the machine was composed of one fairly simple subassembly repeated over and over. Each column was composed of 19 such subassemblies stacked on top of each other and attached to the same three shafts. The shafts for each column were arranged one behind the other with the rear shaft carrying 19 metal fingers mounted in a spiral. These fingers, one per subassembly, provided the initial impulse on each cycle of the machine's operation. Arranging the fingers in a spiral provided the basic timing for operations in each column.

The heart of each subassembly was the counter mechanism on the middle shaft. This consisted of a pair of gears with teeth around the circum-

"In spite of its complexity, the machine was composed of one fairly simple subassembly repeated over and over."

ference and on one side, bottom side for the top gear and top side for the bottom gear. There was also a bolt that could be slid in between the side teeth by the action of the finger on the third shaft, and a cam on one of the gears that would slide the bolt back out again at a given point in the mechanism's rotation. Although the shaft all this rode on was turning, the counter mechanism itself didn't turn under its power until the bolt was slid home.

The front shaft carried the display wheel and part of the carry mechanism. Both addition and carriage were done in stages, Set and Execute. When a display wheel passed from nine to zero, it cocked a ratchet-sear mechanism mounted on the frame next to it. When the Carry part of the cycle was reached, the sear on the subassembly above would be tripped and the display wheel and associated

COMPUTER SHACK

MULTI DOS

Quotes from 80 Micro, May 1982.

"MULTIDOS'S" Super Basic is more feature packed than any other TRS-80 basic"... "It has many practical and Unique features"... "MULTIDOS is exceptionally fast"... "MULTIDOS is OUTSTANDING"... "MULTIDOS'S Basic is unequalled"... "These days the big buzz phrase is userfriendly. That description is probably more applicable to MULTIDOS than to any other DOS".

Why pay twice as much for an operating system that's complicated and hard to use. Multi Do's is the Dos written for the average TRS-80 user.

MULTI DOS\$79.95

SPECIALS

MULTI DOS with Aerocomp Doubler ... \$209.95
MULTI DOS with Super D & Doubler ... \$229.95
L DOS..... \$119.95

MULTI DOS with Super Directory..... \$99.95
DOS PLUS 3.4..... \$129.95
AEROCOMP DOUBLER\$139.95

- SUPER DIRECTORY-

- Automatic density recognition - - Automatic track count recognition -
- Automatic dos recognition - - The Best Directory On The Market! -

- By Mark Feldman -

A Great new Directory program with its own operating system written by Vernon Hestor. This one program will read any dos as it is delivered by it's publishers except for Tandy's new model I double density operating system. There is even compatibility between Model I and III. The Model I SuperDir can read most Model III disks and the Model III SuperDir can read most Model I disks. SuperDir can even read double density 80 track disks.

Now with version 23 You can SEARCH the catalog by program name, disc number, extension (/cmd), or even do a STRING SEARCH (find all occurrences of any combination of letters). It will SORT (in seconds) on disc number, program name, remarks, extensions, or catagories. You can even add a 25 character description of each program. SPECIAL PRINT ROUTINES for Different printers. DISPLAY SCROLLS up and down by line or by the entire screen. It has a direct SCREEN EDITOR that almost eliminates typing. SuperDir keeps track of the FREE SPACE on your disks. SuperDir is the FASTEST, the EASIEST to use and the ONLY directory able to read multiple dos's on the market.

INFO-EX BULLETIN BOARD

A complete download and bulletin board system (the first 20 are \$99.00 then it will be the regular price of \$150.00.) Write for complete details.

..... intro price **\$99.00**

TAPE DOWNLOAD SYSTEM (TDS)

Ability to download and upload machine language, basic and text files with no conversion, and save them on tape or disk. Full parallel printer support. Full access to all BASIC and DISK commands while in terminal mode at the touch of a key. Prompt mode transmission capability. Best Tape Smart Term Program on the Market. Write for complete details.

DDS (disk) \$75.95 TDS (Tape) \$39.95 TRS-80 Model I or III

Direct File Transfer (DFT) for COCO, I or III


Direct File Transfer (DFT) is a modem program which will handle the direct uploading and downloading of machine language and basic programs directly from disk to disk. DFT also has a chat mode, and has software controlled half and/or full duplex. Disk version \$24.95 Tape version \$19.95.

The version for the Color Computer can download programs from bulletin boards designed for the Model I and III and converts them to COCO use.

Hayes Smart Modem\$239.95

ULTRA TERM

It can upload (send) ASCII files, basic programs, text files, or machine language programs directly from dist to disk. It can even send multiple programs to an unattended computer! It will auto dial any auto dial modem even Radio Shack's. It has a split screen so you can type out on the bottom and read what is coming in on the top. You can talk to Mainframes and it even includes a Host program so if you have a computer at work and one at home you can send programs and information back and forth for the price of one program. UT/TERM list price \$79.00 **special introductory price only \$59.00**



COMPUTER SHACK

1691 Eason • Pontiac, Michigan 48054

Info: (313) 673-2224 • Orders: (800) 392-8881


Master charge and Visa OK. Please add \$3.00 for shipping in U.S.A. - \$5.00 for Canada or Mexico - Proper postage outside of U.S. - Canada - Mexico.

DEALERS: We are distributors for all items in this ad. Write for our catalog and price list.

SPIKE-SPIKERS™

Protect-Control-Organize

Computers & sensitive electronic equipment.
Helps prevent software "glitches", unexplained
memory loss, and equipment damage



Deluxe Power Console

\$79.95

2-Socket Plug-In Models

MINI-I

Transient absorber only

\$34.95

MINI-II

Transient absorber plus
3-stage RFI "Hash" filter

\$44.95

4-Socket Plug-In Model with Light

QUAD-I

Transient absorber only

\$49.95

QUAD-II

Transient absorber plus
dual 3-stage RFI "Hash" filter

\$59.95

Order Factory Direct

215-865-0006

Out of State Order Toll Free

800-523-9685



485

Electronics Co. Inc.

Colony Drive Ind. Park

6584 Ruch Rd., Dept. MC

Bethlehem, PA 18017



PA Res. add 6%




COD Add 3.00 + Shipping

Dealers Invited

PROTECTS with transient
absorber & dual five-stage
filter. Absorbs power line
transients & filters out RFI
"hash."

CONTROLS with 8 individu-
ally switched 120 vac
grounded outlets. Main on-
off switch, fuse & indicator
light.

ORGANIZE your computer
& other equip. power cords.
No more overloaded octopus
cube taps.



mechanism would advance.

An addition operation in a subassem-
bly actually started during the previous
addition segment of a machine cycle.
That is, if the subassembly was in an
odd column, it started during the even
part of the cycle. As the display wheel in
the even column advanced, it moved the
lower gear in the counter mechanism in
the column to its right (an odd column)
forward by the appropriate number of
places. If the display wheel showed a
three, for instance, the lower gear in the
adjacent column would move ahead
three places. This had no immediate ef-
fect on the rest of the subassembly, but
it entered the number in "memory"
ready to be added to the number show-
ing on the display wheel during the ap-
propriate part of the cycle.

The upper wheel of the counter
mechanism was geared directly to the
display wheel, and its position reflected
the number appearing on the display
wheel of that subassembly.

As the addition cycle progressed, the
finger on the third shaft would come in-
to position and force the bolt home,
locking the upper and lower gears to-
gether and both of them to the turning
shaft. The wheels would advance to-
gether, advancing the display wheel and
the lower gear in the counting mecha-
nism to the right. After the counter
mechanism had advanced the appropri-
ate number of places, the cam on the
lower gear would slide the bolt out, end-
ing the addition.

The printing mechanism, which was
attached to the final (or table) column,
was equally ingenious. The printer used
a lever to read a snail cam at the top of
each subassembly in this column suc-
cessively. The lever controlled the motion
of a frame shaped like a sector of a cir-
cle, which in turn contained punches
bearing figures from zero to nine.

The position of the cam controlled
the position of the sector, and therefore
which punch was presented to an im-
pression lever. The impression lever
pressed against the punch and forced it
into a copper plate mounted on a plat-
en. The read lever moved down to the
next cam, a spring withdrew the punch
and the process was repeated. The plat-
en could be used as a printing plate or
stereotypes could be made from it.

In addition to this basic mecha-
nism, the Difference Engine included a
system for alerting the operator when a
preset number had been reached. This
let the calculator preset the mechanism
to the interval required by the differ-
ence formula.

Babbage discovered that he could use

this feature to let the machine find the
rational root of an equation by trial and
error. It could also tell if the roots of an
equation were imaginary. This discov-
ery set him thinking about an Analytical
Engine.

Developing the Difference Engine

When Babbage started designing in
1820, he didn't have anything this ele-
gant in mind. His first model had three
display wheels in the table column, two
for the first difference column and one
for the second difference. He had the
parts constructed and assembled them
himself. He had to rebuild the frame to
make it stronger and had a new set of
gears cut, but in 1822 he produced a
machine capable of calculating 44 dif-
ferences a minute and driven by a fall-
ing weight.

Forty-four calculations a minute
wasn't any faster than a human could
work, but it proved his principle.

On June 14, 1822, Babbage read a
paper describing his work to the Royal
Astronomical Society. He also pro-
posed a much larger machine to calcu-
late useful tables. The response from
the members was overwhelmingly
favorable.

On July 3 of the same year he wrote
Sir Humphrey Davy, the president of
the Royal Society, explaining his work
in greater detail and asking Davy's aid
in obtaining backing for his larger ver-
sion. In his letter, Babbage mentioned
he had designed several other calculat-
ing machines, including a device for do-
ing multiplication, a machine for con-
structing tables that had no constant
difference, and most intriguing of all, a
machine that would calculate all the
primes between one and 10,000,000.
But Babbage told Davy that the Differ-
ence Engine was the furthest along of
his designs and probably the most use-
ful.

Babbage said that while the Differ-
ence Engine would be useful, it was un-
likely ever to be a paying proposition.
He said his personal resources weren't
enough to build it and outside help
would be needed.

Shortly after he wrote Davy, Bab-
bage wrote to the Treasury asking for
support to build the Difference Engine.
The Lords of the Treasury kicked the
matter back to the Royal Society, and
that body established a committee to
look into the proposal. On May 1, 1823,
the committee reported they considered
that Babbage's machine could be con-
structed and that it would be worth-
while. They urged that the government
support the project.

IT'S HERE!

COLOR COMPUTER BUSINESS & HOME SOFTWARE

50 CASSETTES ONLY \$8.95-\$29.95

that will knock your

"MAINFRAME" out

FREE CATALOG

(Specify for TRS-80 Color Computer)

Including-

THE ACCOUNTANT	\$29.95
THE BILLING SOLVER	\$19.95
THE CLIENT TICKLER	\$19.95
BUSINESS INVENTORY	\$18.95
THE BIDDER	\$14.95
DEAR DIARY	\$12.95
THE TICKER TAPE	\$16.95
THE MAILMAN	\$13.95
VICKY-CALC.	\$12.95
THE INVESTMENT ANALYST	\$12.95
THE PHONE DIRECTORY	\$9.95
CHECKBOOK BOOKY	\$12.95
THE BUDGETER	\$15.95
SUPER SHOPPER	\$12.95
JOGGER'S LOGGER	\$12.95
LIGHTENING SORT	\$14.95
THE INCOME AND EXPENSER	\$14.95
MEDICAL RECORDS	\$14.95
and many more...	

TSASA, INC.

2 CHIPLEY RUN

WEST BERLIN, N.J. 08091

(609) 346-3063

✓449

"MIGHTY 'T' TO THE RESCUE"

The committee's verdict was not surprising. After all, Davy was solidly behind Babbage and most of the committee members were his friends. However, it was highly unusual.

It was almost unheard of in 1823 for any government to provide financial support for an inventor. The closest that the British government usually came to funding research and development was to offer prizes for useful inventions, but these were supposed to be granted only after the device was complete and tested.

Neither the government nor Babbage had any experience at making development agreements, and that was at the root of much of the trouble that followed.

In July, 1823, Babbage received a gold medal from the Royal Society for his work. That same month, he had an interview with Frederick J. Robinson, Chancellor of the Exchequer, on getting

"Babbage expected to finish the Difference Engine in three to five years at a cost of 3,000 to 5,000 pounds."

money for the Difference Engine. Incredibly, the results of that meeting were never reduced to writing and apparently there was never a complete understanding between them. Both of them later had different versions of what had been decided.

Babbage thought the government had agreed to pay the cost of building a Difference Engine, which would then be government property. Robinson thought the government had agreed to grant Babbage a fixed sum to let him build his engine and that that was the end of the government's obligation. Worst of all, neither Robinson nor Babbage realized at the time that there was a misunderstanding.

At the time it didn't seem to matter. Babbage expected to finish the Difference Engine in three to five years at a cost of 3,000 to 5,000 pounds. The Treasury had agreed to advance him 1,500 pounds, and he didn't expect to need more until after the machine was completed.

Even if things had gone well, Bab-

EASYPRO WORDPROCESSOR

*FEATURES

- *4 way cursor control. Repeat key. Scrolling. Machine language operation.
- *Continuous indication of line no., cursor position, and end of file.
- *Insert/delete character to end of paragraph. Insert/delete line or block.
- *Block copy. Block move. Global find. Compressed ASCII data storage.
- *Partial/complete saves to disk or tape. Load and insert from disk or tape.
- *Large data files can be processed with next command. Edit ASCII Basic files.
- *Upper/lower case printout. Printout separates line at nearest word.
- *Printout of specified lines to specified spacing, margins, line length.
- *Control of printer with control characters. Headers. Page length control.

*ORDERING INFORMATION

*Send \$29.95 plus \$3.00 for handling to: _____ FGA Software
191 Woburn St.
Reading, Mass. 01867
(617) 942-0558

Check or Money order accepted.

For Model I or III 32K or 48K Disk or Tape ✓ 166


DATAMAN™

Data Manager

- MULTI-PURPOSE FILE HANDLER
- BUILD FILE IN MINUTES
- UNLIMITED BACKUP
- AUTO SCREEN FORMAT
- AUTO TOTALS & SUBTOTALS
- HANDLES NEARLY 3000 RECORDS
- FIELD TESTED OVER 1 YR
- MODEL I OR III
- COMPATIBLE WITH MAJOR DOS
- SYSTEM REQ: 2 DRIVES, 48K
- ABSOLUTELY NO PROGRAMMING
- MULTIPLE FILES ON 1 DISK
- COMPLETELY USER FRIENDLY
- AUTO PRINT FORMAT
- MENU DRIVEN
- SORTS IN MINUTES-NOT HOURS
- USERS GUIDE ON DISK
- SUPPORTS EPSON, OKIDATA, RS PRINTERS
- SUPPLIED WITHOUT DOS
- STATE MODEL & DOS WHEN ORDERING
- INFO/INQ 305-351-0428
- ORDERS ONLY 800-327-6590
- VISA OR M/C ACCEPTED
- \$69.95
- FLORIDA RESIDENTS ADD 5%

String Systems ✓443
1446 HAGEN LN, ROCKLEDGE, FL 32955

This Smart Little Program Lets You Talk Back To Big Computers.



TRS-80™ users now have an easy way to talk with Source™, Compuserve™, other computers and a variety of bulletin board systems. COMMWHIZ® is so simple to use, you'll wonder why it hasn't been done before. Yet it offers professional terminal capabilities to Mod I and Mod III users who have 32K with one disk or more. And at \$79.95 post-paid, talk is cheap. Specify Mod I or III. VISA, M/C accepted. (VA residents add 4% sales tax.) All popular DOSs/Cassette Vers. Avail./Includes free auto file xfer program. From Dr. Dobbs Journal review: "We recommend COMMWHIZ... both powerful and easy to learn... a fine and truly 'smart' terminal program which we will continue to use... its creators are responsive, helpful and available." Source - TCV527. Compuserve - 70220,235.

Fall Discount Combo: Hayes Smartmodem & COMMWHIZ — \$299 plus shipping.

VolksMicro Computer Systems Inc. ✓549

202 Packets Court, Suite C, Williamsburg, Virginia 23185 804-220-0005

TRS-80 and Scriptsit are TMs of the Tandy Corp. Electric Pencil is the TM of Michael Strayer Software Inc.

AT LAST

A TRS-80* Model 1 & 3 integrated accounting package that's loaded with features found on larger Micro-systems.

General Ledger—

● Full financial report includes: Monthly totals, year-to-date totals, this month last year totals, last year, year-to-date totals, budgets for month and year-to-date

● Summary of operations ● balance sheet ● chart of accounts ● owner/member concept allows accounts to be grouped ● up to 350 accounts per disk ● utility program included that produces data input forms

Journaling—

● Included in each package ● automatic posting to G/L, A/R, A/P, ● up to 2788 entries (transactions) per disk ● entries can be added, deleted, changed, displayed, printed

Accounts Receivable—

● Up to 347 accounts in customer file per disk ● full formatted displays of each account ● full printouts of customer file including dates of last purchase or payment ● customer billing statements ● aging

Accounts Payable—

● Up to 347 accounts in vendor file per disk ● full formatted displays of each account ● full printouts of vendor file ● included check-writing program (available separately) ● aging

All Software Written in Machine Language

● Minimum system required—32K, 1 disk
● Free samples available of printouts and reports
● Manuals available separately at \$15.00 each
● Prices are \$149.95 for each module (G/L or A/R or A/P, \$39.95 for the check writer
● Please include \$3.00 postage and handling for each software package and/or manual.

*TRS-80 is a trademark of Tandy Corp.

HOFFMAN ASSOCIATES

5 Sussex Ave.
Cherry Hill, N.J.
08003



✓ 447
For More
Info. Call
(609) 795-9467

FINALLY


Your cassette based TRS-80* can handle data files!

RAMFILE is the answer. It will allow you to write BASIC programs that will efficiently store data in the Random Access Memory of your computer. You will be able to sort and selectively retrieve, update and delete the data and store it on tape for future use, at a speed and efficiency that you never thought possible. RAMFILE runs with 16K or larger Level II or Model III BASIC.

RAMFILE and demonstration BASIC program on cassette tape and manual. \$59.95.

Postage paid in U.S.A. Foreign orders include \$2.50. Ill. Residents include 5% sales tax.

Send orders to:

 **INDIVIDUAL SYSTEMS INC.**
P.O. BOX 343
Downers Grove, Illinois 60515

*Trademark of Tandy Corp.

✓ 424

"Babbage suffered from a chronic case of designitis—the inability to quit tinkering with a design."

bage's estimates of time and money were extremely optimistic. The first problem Babbage faced was working out the design fully. He quickly learned the folly of trying to skimp on this step. Several times he rushed ahead to construct parts of the mechanism, only to have to discard them because they were unworkable or superseded by a better way of doing things.

Although it is usual to speak of Babbage's Difference Engine as a single machine, the name actually refers to a succession of machines designed in overlapping sequence from 1832 to 1834. Much of this was justified as Babbage attempted to overcome design problems and to make the machine more efficient. But Babbage also suffered from a chronic case of designitis—the inability to quit tinkering with a design. It is an ailment not unknown to modern engineers, but unlike modern engineers, no one warned Babbage of the consequences: cost-overruns and schedule slippage.

While the design work was going on, Babbage employed Joseph Clement, one of the pioneers in the design and construction of machine tools, to help build the engine. Clement spent most of his time on the project building tools to make the parts. Babbage's indexing mechanism for the stereotype plates was adapted and applied to a crude shaping machine. A turret lathe was invented. Work was done on precision grinding of parts. A system of pressure casting was worked out to make gears for the machine.

Clement was a good match for Babbage. He was brilliant in his own right and famous for his ability to work to close tolerances. One of the men Clement employed on the project was Joseph Whitworth, who later made major contributions of his own to modern industry, including the first standardized system for nuts and bolts. Later, Babbage was fond of saying that he made Whitworth, and through him, modern industry. There is probably some truth in that.

But the work took time. Clement and his men could probably work as accurately as today's average machine shop,

but not nearly as quickly. Not only were they inventing techniques as they went along, but metallurgy was in its infancy and high-speed steel hadn't even been thought of yet. The Difference Engine was being built to gauged standards—another first—but much of the final work had to be done by hand.

The End of the Difference Engine

By 1827, rumors were circulating in London that the engine was a failure, or worse, a fake. Babbage had his supporters, but even they had to admit the work was going slowly.

In August 1827, Babbage's work on the Difference Engine stopped completely. His wife, pregnant with their seventh child, died in childbirth.

The previous January Babbage's father had died, and before the year was out, two of his children died as well. Coming on top of the strain of his work and the growing mutterings, it was all too much. Babbage suffered a nervous breakdown and took an extended trip to continental Europe.

Babbage's sojourn on the Continent may have been good for his nerves and it certainly provided him with material for several books and scientific papers, but it was the kiss of death for the Difference Engine. Work continued after a fashion as Babbage corresponded with Clement about the project, but it was much slowed and the rumors continued to grow.

While Babbage was in Europe, an article appeared in the *Record* criticizing his handling of the work. The writer claimed that Babbage had been given money by the government to finish his engine and that it was long overdue. The writer demanded an accounting from Babbage or his friends.

John Herschel answered for Babbage in the *Times*, saying he was overseeing the project in Babbage's absence. Enormous progress had been made, Herschel said, and none of the money had been wasted. It was a forceful rebuttal and probably accurate, but the fact remained there was little to show for nearly six years of work.

Before Babbage returned to England in 1828 he came to the conclusion that more money would be needed. Accord-

Everybody's making money selling microcomputers. Somebody's going to make money servicing them.

New NRI Home Study Course Shows You How to Make Money Servicing, Repairing, and Programming Personal and Small Business Computers

Seems like every time you turn around, somebody comes along with a new computer for home or business use. And what's made it all possible is the amazing microprocessor, the tiny little chip that's a computer in itself.

Using this new technology, the industry is offering compact, affordable computers that handle things like payrolls, billing, inventory, and other jobs for businesses of every size... perform household functions including budgeting, environmental systems control, indexing recipes. And thousands of hobbyists are already owners, experimenting and developing their own programs.

Growing Demand for Computer Technicians

This is only one of the growth factors influencing the increasing opportunities for qualified computer technicians. The U.S. Department of Labor projects over a 100% increase in job openings for the decade through 1985. Most of them *new* jobs created by the expanding world of the computer.

Learn at Home in Your Spare Time

NRI can train you for this exciting, rewarding field. Train you at home to service not only microcomputers, but word processors and data terminals, too. Train you at your convenience, with clearly written "bite-size" lessons that you do evenings or weekends, without going to classes or quitting your present job.

Your training is built around the latest model of the world's most popular computer. It's the amazing TRS-80™ Model III, with capabilities and features to perform a host of personal and business functions. No other small computer has so much software available for it, no other is used and relied on by so many people. And it's yours to keep for personal or business use.

You get plenty of practical experience. Using the NRI Discovery Lab® that also comes as part of your course, you build and study circuits ranging from the simplest to the most advanced. You analyze and troubleshoot using the professional 4-function LCD digital multimeter you keep to use later in your work. Then you use the lab and meter to actually access the interior of your computer... build special circuits and write programs to control them. You "see" your computer at work and demonstrate its power.

(TRS-80 is a trademark
of the Radio Shack
division of Tandy Corp.)



Computer Assisted Instruction

Your TRS-80 even helps train you. You receive 4 special lesson tapes in BASIC computer language. Using them in your microcomputer, you "talk" to it as you progress. Errors are explained, graphics and animation drive home key points. Within a matter of minutes, you'll be able to write simple programs yourself.

Become the Complete Computer Person

In addition to training in BASIC and advanced machine language, you gain hands-on experience in the operation and application of computers to business and personal jobs. You're trained to become the fully rounded, new breed of technician who can interface with the operational, programming and service facets of today's computers. You're ready to take your place in the new electronic age.

Other Opportunities

NRI has been giving ambitious people new electronic skills since 1914. Today's offerings also include TV/Audio/Video Systems servicing with training on our exclusive Heath/Zenith computer-programmable

25" diagonal color TV... Industrial Electronics, Design Technology... and other state-of-the-art courses.

Rush Coupon for Free Catalog... No Salesman Will Call

Send the coupon for our 100-page catalog showing all courses with equipment and complete lesson plans. There's no obligation other than to yourself. See how NRI can help you grow with the most exciting and important new field of the 80's. If coupon has been removed, please write to NRI Schools, 3939 Wisconsin Ave., Washington, D.C. 20016.



NRI Schools
McGraw-Hill Continuing
Education Center
3939 Wisconsin Avenue
Washington, D.C. 20016

We'll give you tomorrow.

NO SALESMAN WILL CALL.

Please check for one free catalog only.

- ☐ Computer Electronics including Microcomputers
- ☐ Color TV, Audio, and Video System Servicing
- ☐ Electronics Design Technology
- ☐ Digital Electronics
- ☐ Communications Electronics • FCC Licenses • Mobile CB • Aircraft • Marine

- ☐ Industrial Electronics
- ☐ Basic Electronics
- ☐ Small Engine Servicing
- ☐ Appliance Servicing
- ☐ Automotive Servicing
- ☐ Auto Air Conditioning
- ☐ Air Conditioning, Heating, Refrigeration, & Solar Technology
- ☐ Building Construction



All career courses
approved under GI bill.
☐ Check for details

Name _____ (Please Print) Age _____
Street _____
City/State/Zip _____
Accredited by the Accrediting Commission of the National Home Study Council

179-112

ingly, he wrote his brother-in-law, Wolryche Whitmore, a member of Parliament, asking him to talk to Robinson (now Lord Goderich) about another grant.

Now the confusion about the original agreement surfaced. Robinson refused to advance any more money and denied any obligation to do so. When Babbage returned to England, he went to see the Chancellor himself, but to no avail.

Babbage's next step was to apply to the Prime Minister, the Duke of Wellington, for help. Although the Duke was somewhat anti-intellectual, Babbage and Wellington seem to have gotten along very well and Babbage got his money.

But first another committee of the Royal Society was appointed to look into the state of the project. The group inspected the drawings, tools, and plans and came to the conclusion that the work was about 60 percent completed and could probably be completed in another three years. The project was unquestionably worthwhile, the committee said, and they expressed admiration for the work that had been done. Babbage's old friend John Herschel was the chairman of the committee.

On the basis of the report, the government granted another 1,500 pounds, but that was just a drop in the bucket. Babbage estimated he had spent 6,000 pounds of his own money up to that point.

In May of 1829, a group of Babbage's friends and supporters, including Herschel and the Duke of Somerset, met to discuss the work and Babbage's relations with the government. They came to the conclusion that it would cost at least 4,000 pounds more to complete the project and that the money ought, in justice, to come from the government. They decided to apply again to the Duke of Wellington.

The Duke inspected the work and recommended that the government pay out another 3,000 pounds. At the same time, Babbage sought to clearly establish just who had what rights and duties in respect to the engine.

After some negotiation, the government was willing to advance another 3,000 pounds, but they could not guarantee to complete the project. On the other hand, once the Difference Engine was finished, the government would be willing to consider any claims for additional compensation that Babbage might put forward.

This was better than the original agreement, but it did not completely settle the question of ownership and

"After 1834 the Difference Engine was dead."

therefore left Babbage's role in the project unclear. Babbage believed he was acting as prime contractor for a government project, while the government officials still considered the Difference Engine Babbage's private project that was receiving government support.

For Babbage, a more immediate problem was the process of paying the bills. Under the scheme set up by the government, Clement submitted his bills to Babbage, who turned them over to a firm of government-appointed engineers for checking. The engineers returned the bills to Babbage, who forwarded them to the Treasury, which would issue a draft to Babbage, who would then pay Clement. Since there was no provision for advance payments, and the process could take months, Clement's pay was constantly in arrears.

The matter came to a head in 1833 when the workshop, offices, and fireproof storage building the government had constructed near Babbage's house were ready. When the time came to move everything, Babbage told Clement that from now on, he would not advance money for the work. This did not sit at all well with Clement and he demanded hefty compensation for moving the work out of his own shops and into the new buildings. Babbage felt the demands were exorbitant and refused to pay. Clement then shut down work on the project and dismissed the men.

In a letter to Babbage on March 26, 1833, Clement set out his case. He had dealt with no one except Babbage, he wrote, and as far as he was concerned, it was up to Babbage to see that he got paid on time. Babbage's arrangements with the government were none of his concern and unless Babbage or someone would be responsible for paying him on time, there would be no further work.

Clement's most ruinous step was to keep all the special tools and fixtures built to aid the project. Since these represented most of the work and much of the money spent so far, Clement's ac-

tion effectively killed the Difference Engine.

Under the law of the time, Clement was within his rights. A workman owned any tools he had constructed, no matter who had paid for them. Before the century was out the law would be changed, but once again Babbage paid the price for being too far ahead of his time.

Babbage tried to salvage something from the situation. First he tried to set up a new payment scheme with the Treasury to get the bills paid more promptly. The government was agreeable but Clement wasn't. Then he tried to buy the tools and drawings for them back from Clement. Clement wouldn't sell at Babbage's price.

There the matter lay. After 1834 the Difference Engine was dead.

Babbage used some of the completed subassemblies to put together a small working model of the machine. The model, which worked to three differences of six places each, was used by Babbage for some preliminary calculations. Later it was placed in the Science Museum in London. This is the machine usually described as "part of Babbage's Difference Engine."

Dr. Lardner's description of the machine appeared in the July 1834 issue of *Edinburgh Review*. Several others made a stab at building the machine. An English clergyman built a small difference engine for his own amusement. Swedish printer and publisher Pehr Georg Scheutz built a machine that would work to four differences with 14 figures in each place and print the results on lead tape, which could be cut to length and used to make stereotype plates. It took Scheutz and his son nearly 20 years to finish their machine—its final design was very different from Babbage's.

When the Swedish machine was announced in 1855, Babbage did everything he could to promote it. He was instrumental in seeing that the machine was awarded a gold medal by the French government when it was shown at the Paris Exhibition that year. ■

This is the first of a two-part series. Part one covers Babbage's achievements through the Difference Engine. Part two will discuss his attempts to build the Analytical Engine.

Rick Cook can be reached at Box 15193, Phoenix, AZ 85060.



WHAT REVIEWERS ARE SAYING ABOUT **LAZY WRITER**:

"Author David Welsh has packed every feature he could think of into the program and the result is a highly sophisticated piece of software in both Model I and Model III versions . . . For complex printing tasks, LAZY WRITER is hard to beat." - **Dan Robinson, 80 micro**

"This program enjoys some of the best manufacturer support I've encountered . . . LAZY WRITER is one of the most sophisticated TRS-80 word processing packages around. It has excellent features, documentation and support, and can be expected to provide ongoing utility for even the most demanding user." - **T. A. Daneliuk, InfoWorld**

"LAZY WRITER is proof that simple and powerful can coexist. It is among the easier word processing packages to learn. It's one of the few that allow you to sit down and begin entering text a few minutes after loading the software." - **David D. Busch, Interface Age**

LAZY WRITER GIVES YOU:

- **Z80 CODE**, for fast execution of commands.
- Control codes **ANYWHERE** in text to let you get compressed or expanded type, super/subscripts, etc.
- Page breaks **BEFORE** you print.
- **CUSTOMIZED** printer defaults, cursor size, shape, speed, etc.
- **DISK DIRECTORY** plus kill or verify files without going to **DOS**.
- **LONG DOCUMENTS** print automatically, while preserving page numbering and titling.
- **10 USER DEFINABLE** function keys.
- **BACK OUT** of inserts and deletes.
- A **NEWSLETTER** for users.
- **SET TABS, CHANGE CASE**, move or delete **NAMED** blocks of text.
- **MEMORY KEY** returns cursor to a screen & cursor position.

LAZY WRITER Model I & III-\$175.00

NEW EXTENSIONS MAKE LAZY WRITER EVEN MORE POWERFUL!

- **LAZYDOC** — Standard Legal forms are a snap! Let **LAZYDOC** prompt you for the changes, then automatically insert those changes into your document. Many features; send for more information **\$59.95**
- **LAZYCALC** — Use LAZY WRITER to create reports with numerical data, then total your figures with **LAZYCALC**. If you work with figures, you'll find this a powerful addition to word processing **\$29.95**
 - **LAZYTAB** — It's easy to enter data in tabbed columns, but **LAZYTAB** aligns decimals too ! **\$15.00**
 - **LAZYDRAW** — Create graphics on the screen, then send the results to your printer; works with any printer that supports TRS-80 block graphics.
 - **LAZYDO** — Automatically load LAZY WRITER and any text file, set printer commands, even print text! **LAZYDRAW + LAZYDO** **\$19.95**
- **SPECIAL: LAZYTAB, LAZYCALC, LAZYDRAW and LAZYDO** **\$39.95**

Ask your dealer for **LAZY WRITER** or call us direct.

✓ 476

ABC SALES, 13349 MICHIGAN AVE., DEARBORN, MI 48126 (313) 581-2896

CC EDTASM +

by William Barden, Jr.

There's a new member of the family—EDTASM + for the Color Computer. Bill Barden got his hands on a copy, and he's ready to tell all.

★ ★ ★ ½

EDTASM +
Radio Shack
cat. #26-3250
Color Computer
\$49.95 cassette

EDTASM + for the Color Computer is the offspring of EDTASM + for the Model I. It has a subset of the features found in its dad, but unfortunately, is not much like the old man.

Any \$49.95 Color Computer editor/assembler sold by Radio Shack that is reasonably well done is going to sell. EDTASM + is reasonably well done, if not very well done. If you don't have a disk system, chances are EDTASM + will be your editor/assembler.

EDTASM + comes in a ROM cartridge. Its \$49.95 price probably prevents all but the most dedicated hacker from relocating it to a RAM file on his 64K system.

EDTASM + is made up of three parts: the editor, the assembler, and a debug package called ZBUG.

The Editor

The editor contains standard Radio Shack editing commands, such as the ones in Extended Color Basic:

- D100:200—Deletes lines 100-200
- E100—Starts edit line 100
- FLEAX—Finds string "LEAX"
- H100:200—Prints out copy
- I121,1—Inserts line 121 and increments by one

- L FILE—Loads file "File" from cassette
- N100,10—Renumbers lines from 100 with an increment of 10
- P100:200—Displays lines 100-200 on screen
- Q—Returns to Basic
- R100—Replaces a line
- T100:200—Like H, but prints without line numbers
- V FILE—Verifies like Basic's SKIPF command
- Z—Goes to ZBUG.

The editor also contains two interesting commands not seen on other Radio Shack editors: C, which copies a block of lines; and M, which moves a block of lines. These are handy commands that should be in all editors.

Once in the edit mode (the E command), there are subcommands as in Extended Color Basic to manipulate the characters in the line—Change, Insert, List, and so forth.

Is this a good editor? Yes, I think so. It's compatible with the Basic editor (more or less) and contains 90 percent of what should be in an ultimate editor. One thing that might have been added is a replace on a string basis.

The Assembler

The assembler uses 6809E mnemonics only. This is not a detriment unless you have existing 6800 code that could be converted to a 6809E system, and that is not easily done given the configuration differences between systems.

The 6809E mnemonics are standard Motorola mnemonics for the instruc-

tion set. Pseudo-ops are also standard Motorola mnemonics.

The assembler uses the following pseudo-ops (for those of you who are new to Assembly language, pseudo-ops are simple commands to the assembler that instruct it to generate data or perform other functions):

- END—End program
- EQU—Equate label to expression
- FCB—Forms a constant byte (generates one data byte)
- FCC—Generates a text string
- FDB—Forms a double byte (generates one data word)
- ORG—Set origin
- RMB—Reserve memory bytes (reserves space)
- SET—Similar to EQU, but can be redefined
- SETDP—Sets DP (direct page) register.

These are all unexciting pseudo-ops that are standard for all assemblers (with the exception of SETDP, a 6809E-related pseudo-op).

One glaring deficiency is the lack of multiple arguments for FCB and FDB. In other words, to build a table, you would have:

```
TABLE FCB $82 ;A to D sine wave values
      FCB $92
      FCB $AA
      FCB $DA
```

instead of simply:

```
TABLE FCB $82, $92, $AA, $DA,...
```

There are a large number of operators that you can use in the assembler. You cannot only do things like:

```
TABLE FCB $80+2
      FCB $80+23
      FCB $80+9
TABLESZ EQU --TABLE ;get table size
```

and use addition and subtraction, but you can also do shifting:

```
LOCA FDB MSB<8+LSB ;MSB*256+LSB
```

The Best Arcade Simulation Software for Your Money, Brought to you by Soft Sector Marketing, Inc.



ALIEN DEFENSE

by Larry Ashmun

Piloting your ship across the horizontally moving terrain, you must battle the various enemy spacecraft. You are under attack almost constantly from missiles and bombs, to make matters worse, your ground patrol people are being picked up by the alien landers. To save them you must shoot the landers and swoop down to "catch" the falling man. This fast-action game requires skill and rapid reflexes. The Model III version makes excellent use of that model's special graphic features and both Mod I and Mod III disk versions TALK. Arcade simulation 1982.



CATERPILLAR

by Larry Ashmun

You are being attacked by a raging caterpillar. As he creeps down the valley, you must destroy it or be destroyed. If you escape from the first you will have only survived to fight another. Beware of the trained killer moth and tumblebugs. Another arcade simulation brought to you by Soft Sector Marketing, Inc.



FORTRESS

by Larry Ashmun

A super-fast paced arcade game. Defend your fortress from alien fighters, but watch out for the sneak attack. The game starts out slow but speeds up very quickly.


Prices per game:

TRS-80 16K Level II Mod I/Mod III Cass. \$15.95
TRS-80 16K Level II Mod I/Mod III Disk. \$19.95

10% discount for 2 items, 15% for 3 or more.

Talking and sound effects are playable through the cassette AUX plug. High scores are automatically saved after each game on disk versions.

Call or write us for our complete catalog!



SUPER VADERS

by Larry Ashmun

First there was Invaders Plus. Updated and even more challenging was TRS-Super Invaders.

AND NOW, for those who thought Space Invaders was mastered once and for all, there is SUPER VADERS. The game got tougher! 2 Players - 10 levels. Scores to 16,000. Demonstration mode. Move and fire at the same time! The war has only just begun! 1982 rated the best Space Invaders game.



SKY SWEEP

by Mark Barlow

You are flying above an ever changing terrain. Missile after missile is launched at you from below, while you battle oncoming gun fire, only to enter an ominous cave where danger is tripled. Only skill will guide you through.




OUTHOUSE

by Factory Programming

Is there no place sacred? Even the outhouse has been invaded. Ward off intruders who creep up to the outhouse to snatch the paper supply. At the same time you must defend yourself from their firing ships in the sky. Be very careful, when your paper supply is gone... so are you! With sound and disk version talks.

CHICKEN
Coming Soon!



- DEALER INQUIRIES WELCOME -

✓ 86

SSM SOFT SECTOR MARKETING,
INCORPORATED

6250 Middlebelt • Garden City, Michigan 48135
Order Line **800-521-6504**
Michigan Orders & Questions 313-425-4020



PAYMENT—payment accepted by charge, personal check or C.O.D. only, under the following conditions. **Charges** processed when shipped, usually within 48 hours. **Personal Checks** delay shipping, pending 3 weeks to clear. **C.O.D.**

orders are certified check or cash only, add \$1.50. MI residents must add 4% sales tax. **SHIPPING & HANDLING**—Shipping Charges: Send the larger amount, 2% or \$2.50, unless stipulated otherwise. Any order received without shipping and handling will be shipped **freight collect**. Air Mail Shipping outside of North America, please send the larger amount, 10% or \$10.00. Overpayment will be refunded.

division and multiplication:

```
TABLE  FDB  ADDR.DIV.256      ;get page
                                number
                                ;align field
                                FCB  FLD*16+3
```

modulus:

```
TABLEC  FCB  HRS.MOD.60      ;get minutes
```

and logical operations:

```
LOCB   LDA  #NXTWDP.AND.$F8  ;mask off 3 1s
                                bits
                                LDB  #LSTWDP.OR.4      ;set bit 2
```

In-memory Assembly

The most powerful feature that the assembler portion of EDTASM+ gives you is the ability to do in-memory assembly.

In-memory assembly lets you take the source code in the edit buffer, assemble it, and store the resulting object code in memory. The object code is stored after the edit buffer and symbol table, properly relocated without your having to specify any absolute origins.

After the Assembly listing on the screen, you'll see a dump of the symbol table, such as:

```
BASCN  098A
CDFIN   097C
TABL1   0C0C
TABL2   0CEC
```

Of course, you'll also have the symbols on any listing printout you have. You can use the symbols in ZBUG for symbolic references.

This in-memory assembly makes for very rapid debugging. Typically, you'd follow these steps to debug an Assembly-language program in many larger computer installations:

- Load the editor
- Key in your latest version and create a source file
- Load in the assembler
- Assemble. If errors, go to 1, otherwise create object file
- Load object file and debug package
- Debug and patch. When enough patching has been done, go to step one to get a new assembly, and so on.

With integrated editor/assembler/debug packages such as EDTASM+, though, you can go directly from one function to another. You don't have to laboriously patch the program, but you can simply type E, enter the editor, make the changes, type A/IM to assemble in memory, type Z to enter ZBUG, and voila! The object is there.

EDTASM+ is highly interactive, to say the least. I wish I'd had such a system 10 years ago on the Redcor RC-70.

Shortcomings

Sins of Omission Department: What happened to that beautiful macro capability of the Model I EDTASM+? There may be good reasons for not including macro capability in EDTASM+ (memory constraints? too sophisticated for most CC owners? \$1,000 extra from Microsoft?), but I wish it had been left in.

For you beginners, macros are defined sets of instructions that can be invoked by a single macro call. Suppose you needed a macro for a disk I/O operation. You could define a macro like this:

```
DISKIO  MACRO  !ARG1,!ARG2,!ARG3,!ARG4,!ARG5
        LDA    #ARG1
        STA    DRIVE
        LDA    #ARG2
        STA    SECTOR
        LDA    #ARG3
        STA    TRACK
        LDA    #ARG4
        STA    FUNCT
        LDX    #ARG5
        STX    BUFFER
        LBSR   DISKIO
        ENDM
```

Thereafter, to call the macro, you'd have something like:

```
LOCN                                DISKIO 1,5,10,READ,$4000
```

The arguments in the DISKIO call would be put into the proper places in the macro definition, and the 11 instructions in the macro would be generated in-line.

You can get along without macros very well, but I'd be willing to pay double just to have the capability.

Another thing that would have been nice is conditional assembly. Conditional assembly lets you assemble bracketed code segments conditionally. If you had a cassette and a disk version of a program, for example, you might have an equate:

```
CDFLAG EQU 0 ;0=cassette, 1=disk
```

Later in the source code, you'd have:

```
IF      CDFLAG ;assemble this part if cassette
LDA     #12    ;for header
BSR     SETHD  ;write header
ENDIF
```

This is more of a frill, but on the other hand, including conditional assembly would not take much coding effort or memory.

Another feature that would have been nice is a pretty printing capability—things like Title, Page (to skip a page), and other amenities.

There are other features found in big assemblers, but the addition of these items would have the typical Assembly-language programmer less grouchy in the mornings.

Is the assembler a good assembler? Yes, except for the single arguments on the FCB and FDB. I haven't forgiven them for the macros, either.

ZBUG

The third segment of EDTASM+ is ZBUG, a debug package. ZBUG does a lot. Among other things, it gives you a disassembly capability that allows you to list any data area in memory, with the assumption that it contains 6809E instructions; the output is the equivalent 6809E mnemonics. Here is a sample listing:

```
#A7BD/   TRF A,B
0A7BF/   JSR<9F
0A7C1/   CMPB#00AA
```

Given the disassembly and several hundred hours, you too can uncover the secrets of the Extended Color Basic ROM.

Here's an overview of the ZBUG commands:

- C—Continue after breakpoint
- D—Display all breakpoints
- E—Re-enter editor
- G1000—Execute address 1000
- LNAME—Load machine-language file name from cassette
- PNAME 1000 1400 1000—Dump memory from 1000–1400 as cassette file name with start address 1000
- R—Display all registers
- T1000 1010—Display locations 1000–1010
- TH1000 1010—Print locations 1000–1010
- U1000 1200 100—Copy block at 1000–10FF to 1200 area
- VNAME—Verify file name on cassette
- X1000—Set a breakpoint at location 1000
- Y1000—Reset breakpoint at location 1000.

With the exception of the U command, these are all standard debug commands you'd find in most debuggers.

One command I'd like to see that is not included, is a Find command. This lets you find a specified byte or address value.

I implied previously that symbolic debugging was a powerful feature. It is. Imagine having a table called TABL1 in your source program. With the symbolic capability of ZBUG, you can examine the location by entering: #TABL1/ OFF. Furthermore, you can refer to locations TABL1-34, TABL1+\$17, TABL1.DIV.2, or TABL1.AND.\$FFFE. If the symbol is in your Assembly listing, ZBUG will

find it from the symbol table and use it in any expression with any allowable operators.

You can also input in symbolic form. If you wanted to change a location that currently pointed to TABL1 to TABL1+2, for example, you'd have:

POINT/ TABL1 TABL1+2.

ZBUG allows a great deal of flexibility in input and output formats. You can display memory in the byte mode (one byte at a time), word mode (two bytes at a time, as in addresses), mnemonic mode (disassembly), or ASCII mode, and in numeric form or symbolic form. The input and output number bases can be octal (base 8, not too useful), decimal, or hexadecimal. You can enter data in mixed formats. ZBUG shines in this area.

With the exception of the Find command, I can't think of much to add to ZBUG. Oh, sure there are big system features such as tracing and snapshots that might be helpful, but the current features fulfill most Assembly-language needs.

Cassette-based System

If you have a cassette-based system, I definitely recommend EDTASM+, with no restrictions. It will be the standard for the Color Computer.

If you are a beginner, you'll find the EDTASM+ manual adequate in the operation of EDTASM+, but completely inadequate in descriptions of the 6809E instruction set and how to program. You'll need a good CC-oriented Assembly-language book on 6809E

programming.

If you are an intermediate-level Assembly-language programmer, you'll find the EDTASM+ easy to work with, highly interactive, and generally adequate.

If you are an advanced programmer on a cassette-based system, you will be continually griping about EDTASM+'s omissions but you'll use it anyway.

Disk-based Systems

I hope Radio Shack comes out with a disk-based version of EDTASM+ by the time this hits the stands. If not you can always check out other editor/assemblers or use the inevitable patches to EDTASM+ to provide a disk capability (as Apparat did to the original EDTASM for the Model I).

THE SPECIALS COLUMN

C. ITOH F-10 \$1339

5 MEG HARD DISK
W/DOS (MOD III ONLY)
\$1649

Offer Ends October 31, 1982

FOR ORDER ONLY CALL TOLL FREE
1-800-633-2252
EXT. 720

BARGAIN

EXPANSION INTERFACES

LNW RESEARCH:	
BARE BOARD \$69	W/GOLD \$95
METAL CASE	\$55
ASSM/TST/GOLD/CABLE/CASE	\$349

MICRO DESIGN:	
MDX-2 BARE \$69	ASSM/TST \$349
MDX-3 BARE \$69	ASSM/TST \$299
ALUM. CASE FOR MDX-2	\$45

HOLMES ENG. ADD-IN MEMORY:	
32K W/RAM \$79	48K W/RAM \$129

DISK DRIVES	
BASF 40 TRACK S/S	\$215
TANDON 100-1 40 TRACK S/S	\$225

AM ELECTRONICS:	
5 MEG HARD DISC W/DOS	\$1679

PRINTERS	
CENTRONICS 739	\$499
C. ITOH F-10 PAR	\$1365
C. ITOH PROWRITER PAR	\$469
EPSON MX-80 \$435	MX-80/FT \$559

MICHIGAN RESIDENTS ADD 4% TAX — CALL FOR POSTAGE — PRICES ARE DISCOUNTED FOR CASH AND MONEY ORDERS (NOW CERTIFIED CHECKS ALLOW 3 WEEKS TO CLEAR) — MASTERCARD & VISA ADD 3% — NO C.O.D. — MAIL ORDER ONLY.

PRICES !

NEC 8023	CALL
SMITH CORONA TP-1	\$695

CRT MONITORS	
AMDEK	
B & W 100	\$89
GREEN	\$159
COLOR	\$359
RGB	\$439

MODEMS	
MICROPERIPHERAL:	
MODEL I/III/COLOR	\$189

ANCHOR AUTOMATION:	
SIGNALMAN DIR CONN	\$8

TRS-80 COMPATIBLES	
PMC-81	\$565
LNW-80	\$1295

SOFTWARE	
LAZY WRITER	\$159
ELECTRIC WEBSTER	\$149
MAXI MANAGER	\$89

VESPA COMPUTER OUTLET ✓518
16727 Patton, Detroit, MI 48219, (313) 538-1112

WELCOME TO THE NEW KID ON THE BLOCK!

BAUDY HOUSE COMPUTER PRODUCTS

GRAND OPENING SPECIALS

DOSPLUS	single or double density	\$115.00
SUPER UT +	MOD 1/3	35.00

NOW HOW ABOUT GAMES

		Disc	Tape
ALIEN DEFENSE	MOD 1/3	\$17.95	\$14.95
BOUNCEOIDS	MOD 1/3	17.95	14.95
ASYLUM	MOD 1/3	15.95	13.95
FORBIDDEN PLANET	MOD 1/3	32.95	N/A
FORBIDDEN CITY	MOD 1/3	32.95	N/A

OR HOW ABOUT BOOKS

DOS RANDOM ACCESS AND BASIC FILES	\$24.95
MOD III ROM COMMENTED	19.95
TRSDOS COMMENTED	19.95


MX-80 Ribbons NEW!!!	14.00 each
----------------------	------------

We have a full line of color computer programs.

CALL
313-683-8388 Order Line
313-683-5076 Data Line
MI residents add 4% sales tax

WRITE
BAUDY HOUSE COMPUTER PRODUCTS
950 Scott Lake Road
Pontiac, MI 48054

All orders add \$3.00 for shipping and handling.



The facts.
And nothing but the facts.

Epson.

Our MX Series printers are the best-selling dot matrix printers in the entire world. This is why.

Fact One: We've got your type.

Epson invented correspondence quality printing. And we still do it better than anybody.

But more importantly, we do *more* of it than anybody. On every Epson MX printer, you get a choice of *sixty-six* different type styles, including italics, a handy subscript and superscript for scientific notation and small print, enough international symbols to print most Western languages, and one-pass underscore. All in a tack-sharp, easy-to-read 9x9 matrix with full descenders.

If print quality is important to you, your next printer is an Epson.

Fact Two: Ultra-high resolution graphics.

There simply is no higher resolution graphics than GRAFTRAX-PLUS. And it comes standard on every MX.

You get bit image graphics free of wander, walk and jitter; graphics with blacker blacks and better definition because you can precisely place a dot at any of 25,920 positions inside a square inch (that's 120 DPI h x 216 DPI v); graphics that make our printers rival plotters.

If graphics is what you want, your next printer is an Epson.

Fact Three: Feature shock.

The Epson MX Series is packed with the features printer fanatics want most. A bidirectional print head with logical seeking of the shortest line. Programmable tab, form length and right margin. Top of forms recognition. Skip over perf. Software printer reset. True

backspace. Self test. The world's only disposable print head. And more. Lots more. On our MX-100 and MX-80 F/T, you even get both friction *and* tractor paper feed.

If you want performance, your next printer is an Epson.

Fact Four: Incredible reliability.

Epson MX Series printers are the most reliable printers ever made. And the reason is precision.

Take a look inside one and you'll understand. Notice the simplicity, the fit, the finish. That's why Epson has an out-of-box reliability rate others can only envy: 98%. And why our mean cycles between failures (MCBF) is over five million lines.

The whole package is neatly wrapped in a rugged plastic injection-molded case designed to look good — and stay looking good.

If you want a printer that works, and keeps on working, your next printer is an Epson.

Fact Five: World's best seller. Period.

Within months after we introduced the Epson MX-80, it was the best selling dot matrix printer in the world. It still is. Not because of anything *we* said, but because tens of thousands of computer enthusiasts went out and did some serious comparison shopping. *They* decided it was the best printer for the money they could buy. And who are we to argue?

If you want the world's best seller, your next printer is an Epson.

Fact Six: Quality doesn't cost more.

Don't take our word for it. Check it out. Look at what they give you. Then look at what we give you. Then look at the price.

There is only one logical choice. Epson. And that's the truth.

*"In my judgment,
this is the
best printer
you can buy."*



Your next printer.

EPSON
EPSON AMERICA, INC. 97
COMPUTER PRODUCTS DIVISION

3415 Kashiwa Street
Torrance, California 90505
(213) 539-9140

Heat Stress Index

by Donald B. Heckenlively

T. Adams

S. R. Heisey

S. Mingela

Does your job get you hot under the collar? This program determines whether the heat from your workplace is harmful to your health.

Many workplaces impose a physiologically stressful heat load. Sometimes the stress is subtle—rooms on the south side of a glass-walled building can be exposed to enough solar thermal radiation to make them uncomfortable. More often, though, the heat load is obvious—high temperatures “come with the territory” for bakeries, steelworks, glass factories, and similar industries. People exposed to these conditions should know when their environment is merely uncomfortable and when it is thermally hazardous.

The Heat Stress Index (HSI) was developed by Belding and Hatch (*Heating, Piping, and Air Conditioning*, vol. 27, pp. 129–136, 1955) to assess levels of human heat stress using easily measured

environmental factors and an estimate of work rate.

Application of the index is cumbersome, because its calculations are complicated, so programming the calculations was an obvious step.

The HSI program described here offers diagnostic and optimization graphing.

Background Information

A stable body temperature results from a dynamic balance between factors of heat gain and heat loss, so that:

$$\Delta H = M \pm CD \pm CV \pm RD - E$$

where

- ΔH = change in body heat content
- M = metabolic heat production due to work
- CD = thermal conduction
- CV = thermal convection
- RD = thermal radiation
- E = evaporative heat loss.

When $\Delta H = 0$, body temperature is constant, and the person is in thermal

balance. Physical work and exercise produce heat (M), which can be a significant source of heat stress during prolonged or intensive exertion.

Heat is transferred by conduction (CD) between objects in contact with one another, if they are at different temperatures. For example, if the surface of an object is cooler than that part of the body with which it is in contact, then the person loses heat. If the object is warmer, then the person gains heat, even to the point of raising tissue temperature enough to produce damage and pain. Heat exchange by conduction isn't evaluated in the HSI, because it usually is not a major factor for heat stress in humans.

Convection (CV) differs from conduction in that air that has been heated by the body can rise to be replaced by cooler air. Forcibly circulating air that is cooler than skin plays an important role in body heat loss by convection. It can be a significant source of heat gain if the air is warmer than the skin.

Radiation (RD) is the exchange of heat as infrared energy from a warm surface to a cooler one. It is an important source of heat gain for steelworkers, for example, who are exposed to hot surfaces of furnaces.

Evaporation (E) is only a means of heat loss, because heat is absorbed as a fluid changes from a liquid to a gas. For this reason, the evaporation of sweat (or any other liquid on the body

The Key Box

Model I or III
16K, 32K
Cassette or Disk Basic

surface) carries away heat. Evaporation requires, however, that the vapor pressure of the air be less than that at the body surface. Most people have experienced the discomfort of a muggy day when sweat doesn't evaporate readily. Many factors interact to influence net heat exchange. For example, increasing air flow not only increases heat transfer by convection, but it also increases evaporation, as felt by the increased cooling effects of a fan, even on a humid day.

Calculations for the HSI assume that evaporative heat loss must offset heat loading from other sources to maintain a stable body temperature, that is: $E = M + RD + CV$, and

$$HSI = 100 \cdot \frac{\text{Evaporation needed for stable body temp.}}{\text{Evaporation possible under the conditions}}$$

The HSI is calculated on the basis of five factors: dry-bulb (ambient) temperature, wet-bulb temperature, globe

temperature (a measurement of thermal radiation), air flow, and heat production due to physical work (see Fig. 1).

Figure 2 relates an HSI score to the severity of the physiological strain. If the HSI is less than 100, an individual may be uncomfortable but is still able to maintain body temperature. If HSI exceeds 100, heat cannot be lost fast enough to keep body temperature constant, and safe exposure time is limited.

Using the Program

When you execute the program, the first video screen panel gives an introductory statement and then requests either metric or English units. Subsequent input prompts and the output are consistent with the declared units system, although there are opportunities later in the program for redesignating units. Input data are assumed to be based on actual measurements, so error traps are minimal at this stage. Figure 3 shows the input for a typical evaluation.

Output (Fig. 4) is divided into three video screen panels. The first panel summarizes test conditions, presents the HSI, and describes its severity. If the HSI exceeds 100, a nominal safe exposure time is given. At the end of the first panel, options are provided for either continuing to the second panel, terminating output, or recycling to the input phase. The second panel shows the relative importance of each avenue of heat transfer and its percentage of the total heat load. The third panel presents a diagnostic analysis of the test and recommendations for reducing heat strain.

Optimization Graphing

After the diagnostics output, the program provides an option for assessing the effect of each of its factors. HSI can be plotted as a function of air flow, relative humidity, or radiant temperature. Individually plotting each environmental factor provides a basis for predicting optimal changes that will alleviate net heat stress. For example, in Fig. 5a, increases in air flow above 600 ft./min. would have little additional effect on reducing HSI.

Error traps set a range for each variable. For example, minimum air flow is 20 ft./min. (0.12 m./sec.). Maximum air flow is checked only to ensure that it is greater than this so the graphing routine functions properly. Rela-




Fig. 1. Typical heat production rates for an adult male. Modified from The Etiology, Prevention, Diagnosis, and Treatment of Adverse Effects of Heat. TB MED 157/NAVMED p-5052-S/AFOSH, Std. 161-162, Washington, DC, 1978.




Fig. 2. Heat Stress Index (HSI) evaluation. Modified from Belding and Hatch (Heating, Piping, and Air Conditioning, 27:129-136, 1955).

FOR TRS-80 MODEL I OR III IBM PERSONAL COMPUTER

- ★ **MORE SPEED**
10-20 times faster than interpreted BASIC.
- ★ **MORE ROOM**
Very compact compiled code plus VIRTUAL MEMORY makes your RAM act larger. Variable number of block buffers. 31-char. unique wordnames use only 4 bytes in header!
- ★ **MORE INSTRUCTIONS**
Add YOUR commands to its 79-STANDARD-plus instruction set!
Far more complete than most Forths: single & double precision, arrays, string-handling, clock, graphics (IBM low-res. gives B/W and 16 color or 200 tint color display).
- ★ **MORE EASE**
Excellent full-screen Editor, structured & modular programming
Word search utility
THE NOTEPAD letter writer
Optimized for your TRS-80 or IBM with keyboard repeats, upper/lower case display driver, full ASCII.
- ★ **MORE POWER**
Forth operating system
Concurrent Interpreter AND Compiler
VIRTUAL I/O for video and printer, disk and tape (10-Megabyte hard disk available)
Full 8080 or 8088 Assembler aboard
(Z80 Assembler also available for TRS-80)
Intermix 35- to 80-track disk drives
IBM can read, write and run M.3 disks
M.3 can read, write and run M.1 disks

MMS FORTH

THE PROFESSIONAL FORTH SYSTEM FOR TRS-80 & IBM PC

(Thousands of systems in use)

MMSFORTH Disk System (requires 1 disk drive, 32K RAM)
V2.0 for Radio Shack TRS-80 Model I or III \$129.95*
V2.1 for IBM Personal Computer (80-col. screen) \$249.95*

AND MMS GIVES IT PROFESSIONAL SUPPORT

Source code provided
MMSFORTH Newsletter
Many demo programs aboard
MMSFORTH User Groups
Inexpensive upgrades to latest version
Programming staff can provide advice, modifications and custom programs, to fit YOUR needs.

MMSFORTH UTILITIES DISKETTE: includes FLOATING POINT MATH (BASIC ROM routines plus Complex numbers, Rectangular-Polar coordinate conversions, Degrees mode, more); a powerful CROSS-REFERENCER to list Forth words by block and line, plus (TRS-80) a full Forth-style Z80 assembler (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$39.95*

FORTHCOM: communications package provides RS-232 driver, dumb terminal mode, transfer of FORTH blocks, and host mode to operate a remote FORTHCOM system (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$39.95*

THE DATAHANDLER: a very fast database management system operable by non-programmers (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$59.95*

FORTHWRITE: fast, powerful word processor weasy key-strokes, Help screens, manual & demo files. Full proportional w/abs. outdenting. Include other blocks, documents, keyboard inputs, & DATAHANDLER fields—ideal for form letters (requires MMSFORTH V2.0, 2 drives & 48K RAM) \$175.00*

MMSFORTH GAMES DISKETTE: real-time graphics & board games w/source code. Includes BREAKFORTH, CRASH-FORTH, CRYPTOQUOTE, FREEWAY (TRS-80), OTHELLO & TICTACFORTH (requires MMSFORTH V2.0, 1 drive & 32K RAM) \$39.95*

Other MMSFORTH products under development

FORTH BOOKS AVAILABLE

MMSFORTH USERS MANUAL - w/o Appendices \$17.50*
STARTING FORTH - best! \$15.95*
THREADED INTERPRETIVE LANGUAGES - advanced, analysis of FORTH internals \$16.95*
PROGRAM DESIGN & CONSTRUCTION - intro. to structured programming, good for Forth \$16.00*
FORTH-79 STANDARD MANUAL - official reference to 79-STANDARD word set, etc \$13.95*
FORTH SPECIAL ISSUE, BYTE Magazine (Aug. 1980) - A collector's item for Forth users and beginners \$4.00*

* - ORDERING INFORMATION: Software prices include manuals and require signing of a single computer license for one-person support. Describe your hardware. Add \$2.00 S/H plus \$3.00 per MMSFORTH and \$1.00 per additional book. Mass. orders add 5% tax. Foreign orders add 20%. UPS COD, VISA and M/C accepted, no unpaid purchase orders or refunds.

Send SASE for free MMSFORTH information
Good dealers sought

Get MMSFORTH products from your
computer dealer or

MILLER MICROCOMPUTER SERVICES
61 Lake Shore Road, Natick, MA 01760
(617) 653-6136

✓ 137

Program Listing

- 100 ' HUMAN HEAT STRESS INDEX (HSI)
110 ' D. B. HECKENLIVELY, T. ADAMS, S. R. HEISEY, & S. MINGELA
HILLSDALE COLLEGE, MICHIGAN STATE UNIVERSITY, AND FORD
MOTOR CO.
VERSION II.2 - 9/81
120 ' ADAPTED AND EXPANDED FOR TRS-80 FROM A PROGRAM FOR THE
HP 41C BY ADAMS, MINGELA, AND HEISEY
NO. 00755C, HP USER'S LIBRARY
130 ' CORRESPONDENCE ON PROGRAM DIRECTED TO:
DR. D. B. HECKENLIVELY
HILLSDALE COLLEGE, HILLSDALE, MI 49242
140 ' PROVIDES "HEAT STRESS INDEX" (HSI) AND NOMINAL
EXPOSURE TIME, AS WELL AS CERTAIN INTERMEDIATE
CALCULATIONS AND PROJECTIONS OF CHANGES IN
PARAMETERS
150 ' PRINCIPAL REFERENCE:
BELDING & HATCH, 1955. INDEX FOR EVALUATING HEAT STRESS
IN TERMS OF RESULTING PHYSIOLOGICAL STRAIN. HEATING,
PIPING, AND AIR COND. 27:129-136.
160 '

Listing continues

(a.) Introductory panel calling for units and input:

HUMAN HEAT STRESS

THIS PROGRAM CALCULATES A 'HEAT STRESS INDEX' (HSI) AND NOMINAL EXPOSURE TIME FOR A PARTICULAR SET OF ENVIRONMENTAL AND WORK CONDITIONS.

DATA MAY BE ENTERED IN METRIC OR ENGLISH UNITS.
(SPECIFY: <M>ETRIC OR <E>NGLISH)? E

ENTER DRY BULB TEMPERATURE (DEG. F)? 85
ENTER WET BULB TEMPERATURE (DEG. F)? 80
ENTER GLOBE TEMPERATURE (DEG. F)? 90
ENTER AIR VELOCITY (FT/MIN)? 50
DO YOU NEED HELP TO ESTIMATE WORK RATE?
(ENTER: <Y>ES OR <N>O)? Y

(b.) Optional table of work in BTU/hr or Watts:

BTU/HR	WATTS	** ACTIVITY **
2400	700	* HARDEST SUSTAINED WORK
2000	600	* INTERMITTENT HEAVY WORK (LIFTING, SHOVING, PULLING)
1600	500	
1200	400	* STANDING, MODERATE WORK (MODERATE LIFTING, ETC.)
800	300	* SITTING, HEAVY ARM & LEG MOVEMENT
400	200	* STANDING, LIGHT WORK
	200	* SITTING, LIGHT WORK (E.G., DRIVING)
	100	* SITTING QUIETLY
200		* SLEEPING (PUSH SPACE BAR TO CONTINUE)

(c.) Continuation of input to get work rate:

DRY BULB TEMPERATURE 85 (DEG. F)
WET BULB TEMPERATURE 80 (DEG. F)
GLOBE TEMPERATURE 90 (DEG. F)
AIR VELOCITY 50 (FT/MIN)
ENTER ESTIMATED WORK RATE (BTU/HR)? 700

Fig. 3. Input for a representative case study. These conditions might be encountered in a commercial kitchen with poor ventilation. Water vapor given off by the cooking would elevate relative humidity. Air flow is low due to poor ventilation and air temperature is high. Stoves and ovens present a radiant heat load.



After three years of selling my Model I and Model III programs, I've earned back my development costs. So I can lower the price.

Now I'm offering my Model I and Model III programs for \$75 each.

They've been checked out by thousands of TRS-80* users, most of whom get in touch with me, Irwin Taranto. Thousands of phone calls later, these systems are completely developed, checked out, glitch-free.

When people call, we've heard all the questions and we can answer them right off. I don't have to get on the phone and work through problems like I used to.

Since I'm getting off so easy, the least I can do is drop the price—50% for General Ledger, 25% for the rest.

These are my Model I and Model III programs:

Accounts Payable It links to the General Ledger, calculates and prints checks and makes reports. It's an invoice-linked system.

Accounts Receivable It keeps track of billed and unbilled invoices, open and closed items and aging. It prints statements and links to the General Ledger.

General Ledger It keeps track of data by month, quarter, year and the previous three quarters. It even includes a Cash Journal.

Inventory Control It gives an immediate read-out on any item inquiry, including quantity and dollar total.

Invoicing It prints your detailed invoices and links to Accounts Receivable and the General Ledger.

Payroll It keeps the files, computes pay and deductions, prints forms and checks, figures taxes, overtime and piecework pay in any state tax routine, and prints the 941-A and W-2 forms.

They're all yours, for \$75 each. You also need documentation when you run our systems. The Osborne books—one for Accounts Payable and Receivable, one for General Ledger, one for Payroll—cost \$20 each. Our invoicing book costs \$10.

Just send me the coupon, or call us toll free. We'll ship within 48 hours.

Please send me the following programs at \$75 each:

book ☒

Accounts Payable		
Accounts Receivable		
General Ledger		
Inventory Control		
Invoicing		
Payroll		
Add \$4.50 per order for handling		
6% tax (California only)		
AMOUNT ENCLOSED		

If you need the books, add \$20 each. The invoicing book is \$10.

Mastercharge ☐ Visa ☐ No. _____ Expires _____

☐ Please send me information on other Taranto business programs, including TRS-80 Model II accounting systems.

Your name _____

Company name _____

Address _____

City/State/Zip _____

Taranto
& ASSOCIATES, INC.

The Total System Store,™ 121 Paul Drive, San Rafael, CA 94903. Mail inquiries to P.O. Box 6216, San Rafael, CA 94903. Outside California, toll free (800) 227-2868. In California, (415) 472-2670.

*A trademark of the Tandy Corporation

70

What's After Basic?

If you ever wished that you had a better programming language, PASCAL 80 may be the language you dream about. It is a compiled language, faster, more accurate and easier to modify than Basic. Yet it is so easy to use that you can forget the hassles and diskette spinning of other compiled languages, including other versions of Pascal.

Now you can create your own command files that execute from DOS without having to load a language into the computer first, but do it with far less work than machine language. You can sell your compiled programs without any royalty payments!

Although designed for teaching and ideal for that purpose, PASCAL 80 also allows serious applications with a full fourteen digits of accuracy, even on log and trig functions!

Both random and sequential access files are supported, without cumbersome format statements.

PASCAL 80 offers most of the features of ISO Standard Pascal as well as a number of useful extensions, including CLS, PEEK, POKE, CALL and graphics commands. Pascal 80 extensions include the use of READ and WRITE with record oriented files, ELSE in CASE statements, and other useful features.

PASCAL 80 allows you to create files on the TRS-80® Model I, Model III, LNW-80, PMC-80, or LOBO MAX-80 that will run on any of the other machines under TRS-DOS®, LDOS, NewDOS, NewDOS 80, DBL-DOS or DOS Plus.

PASCAL-80

PASCAL 80 is used in dozens of High Schools, Colleges, and Technical Schools, and has been favorably reviewed in Byte, Creative Computing, and other magazines.

You get all of this at a bargain price of only \$99 plus \$2 shipping. If you call and order by MasterCard or VISA, we will even credit you \$1 for the phone call. Call or send your check today!

NEW CLASSICS SOFTWARE



239 Fox Hill Road
Denville, NJ 07834
(201) 625-8838

✓255



TRS-80® and TRS-DOS are trademarks of Radio Shack. LNW-80 of LNW Research, PMC-80 of Personal Micro Computers, LOBO, LDOS, and MAX-80 of Lobo Systems. DOS-Plus of Micro Systems Software, NewDOS and NewDOS 80 of Apparat, and DBL-DOS of Percom. PASCAL 80 is a trademark of New Classics Software. Pointer Variables, Variant Records, NEW, DISPOSE, WITH, GET, and PUT are not implemented in PASCAL 80.

Listing continued

INITIALIZE

```
170 DIM TDB(2),TWB(2),TG(2),VEL(2),M(2),CV(2),RD(2),EREQ(2),
    EMAX(2),TP$(2),VL$(2),WK$(2),VL(2),VH(2),V7(2),V8(2),TL(2),
    TH(2),T7(2),T8(2),T5(2),T6(2)
180 TP$(1)="DEG. C": TP$(2)="DEG. F"
190 VL$(1)="M/SEC": VL$(2)="FT/MIN"
200 WK$(1)="WATTS": WK$(2)="BTU/HR"
210 W1$="####.# %": W2$="####.## %": W3$="####.# %"
220 B$=CHR$(135)+STRING$(4,131): B1$=CHR$(135)+STRING$(8,131)+CH
    R$(139)
230 A1$=CHR$(149): A2$=STRING$(4,45)+CHR$(43):
    A3$=CHR$(157): A4$=STRING$(4,140)+CHR$(156)
240 '
```

INTRODUCTION & INPUT

```
250 CLS: PRINT,"HUMAN HEAT STRESS"
260 PRINT"THIS PROGRAM CALCULATES A 'HEAT STRESS INDEX' (HSI) AN
    D NOMINAL
    EXPOSURE TIME FOR A PARTICULAR SET OF ENVIRONMENTAL AND WORK
    CONDITIONS.":PRINT
270 PRINT"DATA MAY BE ENTERED IN METRIC OR ENGLISH UNITS."
```


Listing continues

(a.) Summary of the conditions, with HSI and exposure time:

CONDITIONS

DB TEMP:	85.0 DEG. F	WB TEMP:	80.0 DEG. F
GLOBE TEMP:	90.0 DEG. F	AIR VELOCITY:	50.0 FT/MIN
WORK RATE:	700.0 BTU/HR		

HEAT STRESS INDEX (HSI) = 145.01



EXPOSURE: EXCEEDS MAXIMUM TOLERANCE

EXPOSURE TIME: 1 HR 17 MIN

DO YOU WANT INTERMEDIATE CALCULATIONS?

(ENTER: <Y>ES OR <N>O)? Y

(b.) Intermediate calculations and partitioning of heat load:

INTERMEDIATE CALCULATIONS

EVAPORATIVE HEAT LOSS REQUIRED FOR THERMAL BALANCE	626.0 BTU/HR
MAXIMUM EVAPORATIVE LOSS FOR CONDITIONS:	431.7 BTU/HR
RADIANT HEAT LOSS	-6.1 BTU/HR
CONVECTIVE HEAT LOSS	-68.0 BTU/HR
INTERNAL HEAT	700.0 BTU/HR
RELATIVE HUMIDITY	80.5%
PARTITION OF HEAT LOAD:	
DUE TO RADIANT EXCHANGE	-1.0%
DUE TO CONVECTIVE EXCHANGE	-10.9%
DUE TO WORK LOAD	111.8%

(HIT SPACE BAR FOR DIAGNOSTICS)

(c.) Diagnostics output with recommendations:

ANALYSIS AND DIAGNOSTICS

RELATIVE HUMIDITY IS VERY HIGH, AMBIENT TEMPERATURE MAY BE CALLED WARM, WORK LEVEL IS MODERATE, AND AIR FLOW IS SLIGHT. THE RESULTING HSI (145.01) IS IN AN INTOLERABLE RANGE.

CONDITIONS MAY BE IMPROVED BY:

REDUCING RELATIVE HUMIDITY
REDUCING AMBIENT TEMPERATURE
INCREASING AIR FLOW

OPTIONS FOR FURTHER ANALYSIS:


(0) = END ANALYSIS

(1) = SYSTEMATICALLY VARY ONE CONDITION

(2) = CHANGE CONDITIONS AND TRY ANOTHER ANALYSIS

(ENTER: 0, 1, OR 2)? 1

Fig. 4. Output Panels for the Case Study in Fig. 3



**I've paid off
the costs on my
Model II TRSDOS*
systems, too.**

**So now they're 50%
cheaper.**

A couple of months ago, I realized I'd paid off the development costs on my Model I and Model III programs. I could lower the price without cutting back one bit on my support.

The response was fantastic. Enough so that I can do the same for the TRSDOS versions of my Model II/16 programs.

These are my systems, and my new prices.

General Ledger

It gives year-to-year comparisons in dollars and percentages. It figures budgets and even has a report generator. It was \$299, it's now \$150.

Accounts Payable/Purchase Order

It generates purchase orders and posts the items to payable when the goods come in. It calculates and prints checks and aged ledger reports, linking fully to the General Ledger. Was \$349, now \$175.

Accounts Receivable

You can choose either an open item system or a balance forward system which works on a cash or an accrual basis. The open item system does invoicing and sales analysis by product code and

figure in salesmen's commissions. They both generate mailing lists by customer code and zip code for up to 2000 customers. Open Item/Invoicing was \$349, it's now \$175. Balance Forward was \$399, it's now \$200.

Payroll/Job Costing

A huge capacity. It accommodates up to 300 employees in multiple departments, with any state tax routine. It also figures piecework, overtime and tips. Was \$299, now \$150. With job costing option, was \$399, now \$200.

Inventory Control

It stores up to 5000 items. It reports by vendor, tells you when you're out of stock, or when you need to reorder. It updates price or cost automatically and integrates fully with my invoicing system. Originally \$399, now \$200.

These programs all work with one, two, three or four-drive and hard disk systems. They're designed to integrate with the General Ledger, and, where it helps, with each other.

They also get what I firmly believe is the most thorough support in the microcomputer industry. If you have a problem, call us and we'll straighten it out. Even if I have to do it myself, personally, right there on the phone.

Michael Tannenbaum, the "80 Accountant" thought my systems were "a very impressive product at a very reasonable price." Even when they cost twice as much as they do now.

Just call, and take advantage of me.

✓70

Taranto
& ASSOCIATES, INC.

121 Paul Drive, San Rafael CA 94903
Outside California, toll free (800) 227-2868. In California, (415) 472-2670.

*A trademark of the Tandy Corporation.

1-800-621-4372

or call 1-313-648-2341 collect (FREE CALL)
FREE CALL!!! COMPARE PRICES!!! CALL TODAY!!!

~~~~~  
> The <  
> COMPUTER <  
> Place <  
~~~~~

GRAND OPENING

36 North Elk Sandusky MI. 48471
PARTIAL LISTING! CALL FOR ANYTHING

* Order *	Description	** Retail **	** YOUR *
* Code # *	of item	** price **	** COST *

01001C	Color Space Invaders	\$21.95	17.95
01002C	Space War	\$21.95	17.95
01003C	Meteoroids	\$21.95	17.95
01004C	Battle Fleet	\$21.95	17.95
01005C	Space Trader	\$14.95	12.95
01006C	Madness and the Min	\$19.95	15.95
01007C	Ghost Gobbler	\$21.95	17.95
01008C	Color Scarfman	\$19.95	15.95
01009C	Lothar's Labyrinth	\$14.95	12.95
01010C	Alcatraz II	\$11.95	9.95
01011C	Laser Command	\$10.95	8.95
01012C	Cosmic Super Bowl	\$14.95	12.95
01013C	Color Bonanza	\$49.95	39.95
01501C	Typing Tutor (tape utility)	\$19.95	15.95
01502C	Master Control (tape utility)	\$24.95	19.95
01503C	Master Control II (disk)	\$29.95	24.95
01504C	Tape Directory (tape utility)	\$14.95	12.95
01505C	Disassembler 6809 (tape)	\$14.95	12.95
01801C	Lower Case Option (hardware)	\$79.95	69.95
01801C	MX-80 Ribbons (in case)	\$14.95	7.95

** MODEL I & III *	MODEL I & III	** MODEL I & III **
018014	Lynx Telephone Modem	\$299 239
015014	Bug + (tape utility)	\$14.95 12.95
015024	Tape Copy (tape utility)	\$14.95 12.95
015034	TCIB/MAKE VC (disk)	\$49.95 42.95
015044	Postman 2.0 (mail utility)	\$125 99
015064	MX-PRO (disk)	\$24.95 19.95

Games - Games - Games - Games - Games - Games - Games

010014	Caterpillar (D)19.95/17.95 (T)15.95/13.95
010024	Alien Defense (D)19.95/17.95 (T)15.95/13.95
010034	Fortress (D)19.95/17.95 (T)15.95/13.95
010044	Super Vaders (D)19.95/17.95 (T)15.95/13.95
010054	Super Nova (D)19.95/17.95 (T)15.95/13.95
010064	Galaxy Invasion (D)19.95/17.95 (T)15.95/13.95
010074	Cosmic Fighter (D)19.95/17.95 (T)15.95/13.95

1-800-621-4372

*** COLOR COMPUTER - MODELS I/III - MODEL II - MODEL 16 ***

CALL US - WE GET TO YOU WHAT YOU WANT - FAST - GUARANTEED

MAJOR CREDIT CARDS WELCOME, CHECK, C.O.D., or MONEY ORDER
PRICES SUBJECT TO CHANGE WITHOUT NOTICE 3.00 SHIPPING
FREE CALL!!! COMPARE PRICES!!! CALL TODAY!!!

✓367

Listing continued

```

280 INPUT"(SPECIFY: <M>ETRIC OR <E>NGLISH)";US
290 IF LEFT$(US,1)="M" THEN UF=1: GOTO 320 'UF = UNITS FLAG
300 IF LEFT$(US,1)="E" THEN UF=2: GOTO 320
310 PRINT"ENTER EITHER 'M' OR 'E'...TRY AGAIN": GOTO 280
320 PRINT
330 PRINT"ENTER DRY BULB TEMPERATURE (";TP$(UF);")";
340 INPUT TDB(UF)
350 PRINT"ENTER WET BULB TEMPERATURE (";TP$(UF);")";
360 INPUT TWB(UF)
370 PRINT"ENTER GLOBE TEMPERATURE (";TP$(UF);")";
380 INPUT TG(UF)
390 PRINT"ENTER AIR VELOCITY (";VL$(UF);")";
400 INPUT VEL(UF)
410 PRINT"DO YOU NEED HELP TO ESTIMATE WORK RATE?"
420 INPUT"(ENTER: <Y>ES OR <N>O)";YIS
430 IF LEFT$(YIS,1)="Y" THEN GOSUB 2830
440 PRINT"ENTER ESTIMATED WORK RATE (";WKS(UF);")";
450 INPUT M(UF)
460


```

CONVERT UNITS FOR CALCULATIONS

470 IF UF=1 THEN 480 ELSE 540


Listing continues

a. The Heat Stress Index as a Function of Air Flow:




(<1>= ANOTHER PLOT, <2>= END PLOT ANALYSIS)? 1

b. The Heat Stress Index as a Function of Relative Humidity:



(<1>= ANOTHER PLOT, <2>= END PLOT ANALYSIS)? 1

c. The Heat Stress Index as a Function of Radiant Temperature:



(<1>= ANOTHER PLOT, <2>= END PLOT ANALYSIS)? 1

Fig. 5. Optimization graphing of HSI as a function of environmental conditions. In each case, all variables are kept constant at the values determined by the input in Fig. 3 except the factor being varied.

Listing continued.

```

480 TDB(2)=(9*TDB(1)/5)+32      'METRIC
490 TWB(2)=(9*TWB(1)/5)+32      'TO
500 TG(2)=(9*TG(1)/5)+32       'ENGLISH
510 VEL(2)=VEL(1)/.00508
520 M(2)=M(1)*3.4144
530   GOTO 590
540 TDB(1)=(TDB(2)-32)*5/9      'ENGLISH
550 TWB(1)=(TWB(2)-32)*5/9      'TO
560 TG(1)=(TG(2)-32)*5/9       'METRIC
570 VEL(1)=VEL(2)*.00508
580 M(1)=M(2)/3.4144
590 IF VEL(2) < 20
    THEN VEL(2)=20:
    VEL(1)=VEL(2)*.00508      'STILL AIR = 20 FT/MIN
600 '
    CALCULATIONS
    (WATER VAPOR PRESSURES FIRST)
610 T1=TWB(1)+273.16
620 CN=LOG(10)                  'CONVERTS LN TO LOG
630 LW=28.59051-8.2*LOG(T1)/CN+.00248*T1-3142.31/T1
640 LW=LW*CN                    'CONVERT LOG TO LN
650 PWB=EXP(LW)*1E3             'WET BULB H2O PRESS
660 T2=TDB(1)+273.16
670 LD=28.59051-8.2*LOG(T2)/CN+.00248*T2-3142.31/T2
680 LD=LD*CN
690 PDB=EXP(LD)*1E3             'DRY BULB H2O PRESS
700 PH20=PWB-.674825*(TDB(1)-TWB(1))
710 PV=.75*PH20                'VAPOR PRESSURE, MM HG
720 RH=100*PH20/PDB            'RELATIVE HUMIDITY
730 IF PV >= 42 THEN FL=1 ELSE FL=0
740 '
    (EREQ & EMAX & INTERMEDIATES)
750 MRT=TG(2)+(TG(2)-TDB(2))*0.13*VEL(2) [.5
760 RD(2)=15*(MRT-95):
    RD(1)=RD(2)/3.4144          'RADIANT LOAD
770 CV(2)=0.65*VEL(2) [.6*(TDB(2)-95):
    CV(1)=CV(2)/3.4144         'CONVECTIVE LOAD
780 EREQ(2)=M(2)+CV(2)+RD(2):
    EREQ(1)=EREQ(2)/3.4144     'TOTAL HEAT LOAD
790 EMAX(2)=2.4*VEL(2) [.6*(42-PV)
800 IF EMAX(2) > 2400 THEN EMAX(2)=2400 'MAX. POSSIBLE EVAP.
810 EMAX(1)=EMAX(2)/3.4144
820 HSI=100*EREQ(2)/EMAX(2)    'HEAT STRESS INDEX
830 IF HSI >= 100
    THEN XPT=250/(EREQ(2)-EMAX(2)) ELSE XPT= -1
840 IF XPT < 0 THEN 860
850 X1PT=INT(XPT):
    X2PT=INT((XPT-X1PT)*60)    'EXPOSURE TIME, HR, MIN
860 '
    (PARTITION HEAT LOAD)
870 PRD=100*RD(2)/EREQ(2)      '% RADIANT LOAD
880 PCV=100*CV(2)/EREQ(2)      '% CONVECTIVE LOAD
890 PM=100*M(2)/EREQ(2)        '% WORK (INTERNAL)
900 '
    TABULAR OUTPUT
910 CLS: PRINTTAB(23)"** CONDITIONS **"
920 PRINT"DB TEMP:";TAB(13);USING W1$;TDB(UF);TP$(UF);
930 PRINTTAB(35)"WB TEMP:";TAB(49);USING W1$;TWB(UF);TP$(UF)
940 PRINT"GLOBE TEMP:";TAB(13);USING W1$;TG(UF);TP$(UF);
950 PRINTTAB(35)"AIR VELOCITY:";TAB(49);USING W1$;VEL(UF);VL$(UF)
960 PRINT"WORK RATE:";TAB(13);USING W1$;M(UF);WK$(UF)
970 PRINT
980 IF FL=0 THEN PRINT"HEAT STRESS INDEX (HSI) = ";USING W2$;HSI
990 IF FL=1 THEN PRINT"HEAT STRESS INDEX (HSI) CANNOT BE CALCULATED"
1000 PRINTTAB(3);:
    FOR I=1 TO 10: PRINT B$;: NEXT I: PRINT B1$
1010 FOR I=0 TO 10: PRINT@449+I*5,I*10;: NEXT I
1020 PRINT@515,CHR$(157);
1030 FOR I=1 TO 58
1040   IF I=5 OR I=15 OR I=30 OR I=50
    THEN PRINT@515+I,CHR$(156); ELSE PRINT@515+I,CHR$(140);
1050 NEXT I: PRINT CHR$(174)
1060 X9=INT(HSI/2+.5): IF X9 > 58 THEN X9=58
1070 IF FL=1 THEN PRINT@540,"(NOT SCALED)";:PRINT@640,"";:GOTO 1160
1080 PRINT@515+X9,"I";:PRINT@640,"";
1090 PRINT"EXPOSURE:";
1100 IF HSI < 10 THEN PRINT"MINIMAL": GOTO 1150
1110 IF HSI < 30 THEN PRINT"MILD": GOTO 1150
1120 IF HSI < 60 THEN PRINT"SEVERE": GOTO 1150
1130 IF HSI < 100 THEN PRINT"VERY SEVERE": GOTO 1150

```

Listing continues

tive humidity is limited to 0-100, since it is expressed as a percentage.

Radiant temperature is checked to ensure that the upper temperature is higher than the lower one. If inappropriate values are chosen for radiant temperature, HSI calculations will be off scale, resulting in empty axes. When this happens, radiant temperature graphing is simply repeated with higher or lower limits.

At the end of optimization graphing, the program provides an option to recycle to the input phase to enter new data.

Program Notes

Variables that might be expressed as either English or metric units are subscripted. The dimension statement at line 170 declares these variables as two-element arrays (e.g., DIM TDB(2)). The program would function properly without the dimension statement, since Level II Basic allows subscripting by default for up to 10 elements for any variable, but explicit declaration of variables is a cleaner programming style.

Declaration of units at the start of the program sets a units flag (UF=1 for metric, UF=2 for English) that governs which subscript element will be used, including unit labels in the output. For example, unit labels for temperature are defined:

180 TP\$(1)="DEG. C": TP\$(2)="DEG. F"

and input of temperature data is then coded:


```

330 PRINT"ENTER DRY BULB TEMPERATURE (";TP$(UF);)";
340 INPUT TDB(UF)
350 PRINT"ENTER WET BULB TEMPERATURE (";TP$(UF);)";
360 INPUT TWB(UF)
370 PRINT"ENTER GLOBE TEMPERATURE (";TP$(UF);)";
380 INPUT TG(UF)

```

If the units flag is set for metric (UF=1), then line 330 labels the request for dry-bulb temperature with TP\$(1), or "DEG. C." In the following line, the units flag causes the data to be entered into TDB(1). The same strategy is used for all the input values.

Calculations for the HSI require a mixture of English and metric units (Table 1), so some unit conversions are necessary regardless of the input units. All the input variables are converted so that they are available in both English and metric units for the calculations and output. The units flag controls the direction of the conversions:



EPROM Storage Alternative to Tapes and Discs

Need reliable turn-key
operation for your TRS-80*?

Can't afford tap/disc problems?

Plug Bug Systems has the cure!

15 day money back guarantee

THE IDEA

A Modularized REPROGRAMMABLE EPROM** memory system for user creation of up to 24K "burned" in BASIC or MACHINE LANGUAGE programs, instantly accessible without tapes or discs. For Model 1 and III, 48K options available. No soldering or EPROM handling: all units have their own power supplies!

THE SYSTEM

A CONTROLLER MODULE is plugged into the TRS-80*. Individual "unburned" 12K or 6K EPROM memory packs are then plugged into the controller. Under direction of our system software, the user loads his target program and "burns" it into 1 or 2 packs, thus providing up to 24K storage. The CONTROLLER MODULE also provides the interface for transferring the "burned" programs or data into RAM avoiding tape and disc load errors! BASIC and MACHINE LANGUAGE programs/data can be called up by file name and start executing immediately. Disc and cassette functions still valid.

OR

Programs can be executed directly from a pack without the CONTROLLER MODULE by plugging them into the TRS-80* (Model I 16K, 32K) keyboard connector bus.

SYSTEM SUPPORT

Plug Bug RAM

6K static read/write memory for program development includes a write protect switch, thereby simulating EPROMs. Programs executed directly or accessed via CONTROLLER MODULE.

Software

PRBURN cassette system control program supervises burn, verify and filespec naming of programs. Can be transferred to disc.

Documentation

Complete, straightforward instructions. Machine language knowledge not required.

Burn Service

We provide a reprogramming service for your Plug Bug packs (non-disclosure agreement provided).

PLUG BUG PACKS

6K (EPROM)	\$84.95
12K (EPROM)	\$94.95
48K (EPROM SYSTEM)	INQUIRE
6K (RAM)	\$94.95
CONTROLLER MODULE	\$119.50
"BURN" SERVICE PACK	\$14.95

To order, send cashiers check or money order to:

PLUG BUG SYSTEMS

RF0 3, Box 300
Mt. Kisco, N.Y. 10549
914 666-7672

C.O.D. on request;
add \$3.00 for shipping and handling
add \$5.00 for Canada and Mexico
* Trade Mark Tandy Radio Shack Corp.
** Packs erasable with ultra-violet lamp.

Listing continued

```

1140 PRINT"EXCEEDS MAXIMUM TOLERANCE"
1150 IF HSI >=100
    THEN PRINT"EXPOSURE TIME: ";X1PT;"HR";X2PT;"MIN"
    ELSE PRINT"EXPOSURE TIME: UNDEFINED"
1160 PRINT:PRINT"DO YOU WANT INTERMEDIATE CALCULATIONS?"
1170 INPUT"(ENTER: <Y>ES OR <N>O)";Y$
1180 IF LEFT$(Y$,1)="Y" THEN 1230
1190 PRINT"DO YOU WANT TO TRY ANOTHER COMBINATION OF CONDITIONS?"
"
1200 INPUT"(ENTER: <Y>ES OR <N>O)";Y2$
1210 IF LEFT$(Y2$,1)="Y" THEN CLS:GOTO 280 ELSE 3080
1220 '

```

INTERMEDIATE CALCULATIONS OUTPUT

```

1230 CLS:PRINT,"INTERMEDIATE CALCULATIONS"
1240 PRINT"EVAPORATIVE HEAT LOSS":
    PRINTTAB(5)"REQUIRED FOR THERMAL BALANCE";
    TAB(45);USING W1$;EREQ(UF);WK$(UF)
1250 IF FL=1 THEN 1270
1260 PRINT"MAXIMUM EVAPORATIVE LOSS FOR CONDITIONS:";
    TAB(45);USING W1$;EMAX(UF);WK$(UF)
1270 PRINTTAB(5)"RADIANT HEAT ";:
    IF RD(UF) > 0 THEN PRINT"GAIN"; ELSE PRINT"LOSS";
1280 PRINTTAB(45);USING W1$;RD(UF);WK$(UF)
1290 PRINTTAB(5)"CONVECTIVE HEAT ";:
    IF CV(UF) > 0 THEN PRINT"GAIN"; ELSE PRINT"LOSS";
1300 PRINTTAB(45);USING W1$;CV(UF);WK$(UF)
1310 PRINTTAB(5)"INTERNAL HEAT";TAB(45);USING W1$;M(UF);WK$(UF)
1320 PRINT"RELATIVE HUMIDITY";TAB(40);USING W3$;RH
1330 PRINT"PARTITION OF HEAT LOAD:"
1340 PRINT,"DUE TO RADIANT EXCHANGE";TAB(45);USING W3$;PRD
1350 PRINT,"DUE TO CONVECTIVE EXCHANGE";TAB(45);USING W3$;PCV
1360 PRINT,"DUE TO WORK LOAD";TAB(45);USING W3$;PM
1370 PRINT:PRINT"(HIT SPACE BAR FOR DIAGNOSTICS)"
1380 Z1$=INKEY$: IF Z1$=" " THEN 1400 ELSE 1380
1390 '

```

DIAGNOSTICS OUTPUT

```

1400 CLS:PRINT,"ANALYSIS AND DIAGNOSTICS"
1410 PRINT"RELATIVE HUMIDITY IS ";
1420 IF RH < 20 THEN PRINT"VERY LOW";: GOTO 1480
1430 IF RH < 40 THEN PRINT"LOW";: GOTO 1480
1440 IF RH < 60 THEN PRINT"NORMAL";: GOTO 1480
1450 IF RH < 80 THEN PRINT"SOMEWHAT HIGH";: GOTO 1480
1460 IF RH < 90 THEN PRINT"VERY HIGH";: GOTO 1480
1470 PRINT"EXTREMELY HIGH";
1480 PRINT", AMBIENT TEMPERATURE MAY BE
CALLED ";
1490 IF TDB(2) < 40 THEN PRINT"COLD";: GOTO 1560
1500 IF TDB(2) < 60 THEN PRINT"CHILLY";: GOTO 1560
1510 IF TDB(2) < 70 THEN PRINT"COOL";: GOTO 1560
1520 IF TDB(2) < 80 THEN PRINT"COMFORTABLE";: GOTO 1560
1530 IF TDB(2) < 90 THEN PRINT"WARM";: GOTO 1560
1540 IF TDB(2) < 95 THEN PRINT"UNCOMFORTABLY HOT";: GOTO 1560
1550 PRINT "OPPRESSIVELY HOT";
1560 PRINT", WORK LEVEL IS ";
1570 IF M(2) < 400 THEN PRINT"MINIMAL";: GOTO 1620
1580 IF M(2) < 650 THEN PRINT"LIGHT";: GOTO 1620
1590 IF M(2) < 1300 THEN PRINT"MODERATE";: GOTO 1620
1600 IF M(2) < 2000 THEN PRINT"HEAVY";: GOTO 1620
1610 PRINT"VERY HEAVY";
1620 PRINT", AND AIR
FLOW IS ";
1630 IF VEL(2) < 20 THEN PRINT"MINIMAL.";: GOTO 1680
1640 IF VEL(2) < 100 THEN PRINT"SLIGHT.";: GOTO 1680
1650 IF VEL(2) < 400 THEN PRINT"MODERATE.";: GOTO 1680
1660 IF VEL(2) < 700 THEN PRINT"BREEZY.";: GOTO 1680
1670 PRINT"STRONG."
1680 IF FL=1
    THEN PRINT"CONDITIONS ARE OUTSIDE THE CALCULABLE RANGE FOR
HSI.":
    GOTO 1780
1690 PRINT"THE RESULTING HSI (",INT(HSI*100)/100,") IS IN A";
1700 IF HSI < 10 THEN PRINT" MINIMAL RANGE.";: GOTO 1750
1710 IF HSI < 30 THEN PRINT" MILD RANGE.";: GOTO 1750
1720 IF HSI < 60 THEN PRINT" SEVERE RANGE.";: GOTO 1750
1730 IF HSI < 100 THEN PRINT" VERY SEVERE RANGE.";: GOTO 1750
1740 PRINT"N INTOLERABLE RANGE."
1750 IF HSI < 45 THEN 1760 ELSE 1770
1760 PRINT"THE HSI INDICATES TOLERABLE AND REASONABLE CONDITIONS
THAT
MAY NOT BE COST EFFECTIVE TO REDUCE FURTHER."
1770 IF HSI >= 45 THEN 1780 ELSE 1840
1780 PRINT"CONDITIONS MAY BE IMPROVED BY:"
1790 IF RH > 70 THEN PRINTTAB(5)"REDUCING RELATIVE HUMIDITY"

```

Listing continues

Listing continued

```

1800 IF TDB(2) > 80 THEN PRINTTAB(5)"REDUCING AMBIENT TEMPERATUR
E"
1810 IF VEL(2) < 400 THEN PRINTTAB(5)"INCREASING AIR FLOW"
1820 IF TG(2) > 95 THEN PRINTTAB(5)"REDUCING RADIANT TEMPERATURE
"
1830 IF FL=1 THEN 1190
1840 PRINT: PRINT"OPTIONS FOR FURTHER ANALYSIS:
      (0)= END ANALYSIS
      (1)= SYSTEMATICALLY VARY ONE CONDITION
      (2)= CHANGE CONDITIONS AND TRY ANOTHER ANALYSIS
1850 INPUT"ENTER: 0, 1, OR 2";A9
1860 IF A9+1<1 OR A9+1>3 OR A9+1<>INT(A9+1) THEN 1850
1870 IF A9=0 THEN 3080

```

Listing continues

T' =	Wet-bulb Temperature, °K $T' = T_{wb}^{\circ C} + 273.16$	
P_{wb} =	Saturated Water-vapor Pressure at Wet-bulb Temp, mbar $\log P_{wb} = 28.59051 - 8.2 \log T' + .00248 T' - 3142.31/T'$ $P_{wb} = \text{antilog}(\log P_{wb}) * 1000$	
T'' =	Dry-bulb Temperature, °K $T'' = T_{db}^{\circ C} + 273.16$	
P_{db} =	Saturated Water-vapor Pressure at Dry-bulb Temp, mbar $\log P_{db} = 28.59051 - 8.2 \log T'' + .00248 T'' - 3142.31/T''$ $P_{db} = \text{antilog}(\log P_{db}) * 1000$	
P_{H_2O} or PV =	Prevailing Water-vapor Pressure, mbar or mm Hg $P_{H_2O} = P_{wb} - .274825(T_{db}^{\circ C} - T_{wb}^{\circ C})$ $PV = 0.75(P_{H_2O})$	(mbar) (mm Hg)
MRT =	Mean Radiant Temperature, °F $MRT = T_g^{\circ F} + 0.13(\text{air vel})^{-.5}(T_g^{\circ F} - T_{db}^{\circ F})$	
RD =	Radiant Heat Exchange, BTU/hr or watts $RD = 15(MRT - 95)$ $RD' = RD/3.4144$	(BTU/hr) (watts)
CV =	Convective Heat Exchange, BTU/hr or watts $CV = 0.65(\text{air vel})^{.6}(T_{db}^{\circ F} - 95)$ $CV' = CV/3.4144$	(BTU/hr) (watts)
E_{req} =	Evaporative Heat Loss Required for Thermal Balance, BTU/hr or watts $E_{req} = M \pm RD \pm CV$ $E_{req}' = E_{req}/3.4144$	(BTU/hr) (watts)
E_{max} =	Maximum Evaporative Heat Loss, BTU/hr or watts* $E_{max} = 2.4(\text{air vel})^{.6}(42 - PV)$ $E_{max}' = E_{max}/3.4144$	(BTU/hr) (watts)
HSI =	Heat Stress Index, percent $HSI = 100 * \frac{E_{req}}{E_{max}}$	
t_{exp} =	Nominal Exposure Time, hrs (only if HSI>100) $t_{exp} = \frac{250}{E_{req} - E_{max}}$	
RH =	Relative Humidity, percent $RH = 100 * \left(\frac{P_{H_2O}}{P_{db}} \right)$	

Partitioning Heat Load:

Percent Radiation, %RD = $100 * (RD/E_{req})$
 Percent Convection, %CV = $100 * (CV/E_{req})$
 Percent Work, %M = $100 * (M/E_{req})$

*Maximum possible E_{max} is 2400 BTU/hr

Table 1. Variables and calculations for the Heat Stress Index. Units in the calculations: Dry-bulb temperature is in both Fahrenheit and Celsius ($T_{db}^{\circ F}$ or $T_{db}^{\circ C}$); wet-bulb temperature is in Celsius ($T_{wb}^{\circ C}$); globe temperature is in Fahrenheit ($T_g^{\circ F}$); air velocity is in ft./min.; water-vapor pressures are in either mbar or mm Hg; and heat is expressed as BTU/hr (English) or watts (metric).

```

470 IF UF=1 THEN 480 ELSE 540
480 TDB(2)=(9*TDB(1)/5)+32 'METRIC
490 TWB(2)=(9*TWB(1)/5)+32 'TO
500 TG(2)=(9*TG(1)/5)+32 'ENGLISH
510 VEL(2)=VEL(1)/.00508
520 M(2)=M(1)*3.4144
530 GOTO 590
540 TDB(1)=(TDB(2)-32)*5/9 'ENGLISH
550 TWB(1)=(TWB(2)-32)*5/9 'TO
560 TG(1)=(TG(2)-32)*5/9 'ENGLISH
570 VEL(1)=VEL(2)*.00508
580 M(1)=M(2)/3.4144

```

Table 1 summarizes the calculations required for the HSI. Most of the equations translate directly into Basic. One exception might be the calculations for saturated water-vapor pressures from wet and dry-bulb temperatures. The computer uses base-e logarithms (ln), while vapor pressure calculations are in base-10 logs. To take base-10 logs of dry-bulb and wet-bulb temperatures (°K), the program uses the base-conversion strategy:

$$\log_x Y = \frac{\log_e Y}{\log_e X} = \frac{\ln Y}{\ln X}$$

To extract the antilog, the $\log_x Y$ value is converted back to base-e by multiplying back through by $\ln X$. The antilog is then obtained with the EXP function for raising e to a power, since $e^{\ln X} = X$. This sequence for saturated water-vapor pressure at the wet-bulb temperature (P_{wb} —compare Table 1) looks like:

```

610 T1=TWB(1)+273.16      'T1=Twb*K
620 CN=LOG(10)             'actually ln(10)
630 LW=28.59051-(8.2*LOG(T1)/CN)+
    (.00248*T1)-(3142.31/T1) 'LW=log(Pwb)
640 LW=LW*CN              'now LW=ln(Pwb)
650 PWB=EXP(LW)*1E3       'antilog=Pwb

```

The procedure is the same for saturated water-vapor pressure at dry bulb temperature (P_{db}).

HSI calculations reveal some interesting properties of heat transfer. Although normal body temperature is between 98° and 99°F (the core temperature, measured with a rectal thermometer), the body surface is usually several degrees cooler. Most environmental heat exchange depends upon a temperature difference between the environment and the body surface, not the core. The equations for body heat exchange are based on a nominal body (skin) temperature of 95°F.

Mean radiant temperature (MRT) varies as a function of the square root of the air velocity and the difference between globe temperature and dry air temperature:


```

1880 IF A9=1 THEN 1910
1890 IF A9=2 THEN CLS: GOTO 280
1900 '
      OPTIMIZATION GRAPHING

1910 CLS: PRINT"HEAT STRESS INDEX (HSI) MAY BE EXAMINED AS A FUN
CTION
OF THE FOLLOWING:"
1920 PRINT" (1) AIR FLOW
      (2) RELATIVE HUMIDITY
      (3) RADIANT TEMPERATURE"
1930 INPUT"(ENTER: 1, 2, 3, OR 0 TO END ANALYSIS)";A8
1940 IF A8+1 <1 OR A8+1 > 4 OR A8+1 <> INT(A8+1) THEN 1930
1950 IF A8=0 THEN 3080
1960 ON A8 GOSUB 2030,2220,2380
1970 PRINT@896,"";
1980 INPUT"<1>= ANOTHER PLOT, <2>= END PLOT ANALYSIS)";A4
1990 IF A4<1 OR A4>2 OR A4<>INT(A4) THEN 1970
2000 IF A4=1 THEN 1910
2010 IF A4=2 THEN CLS: GOTO 1840
2020 '
      (AIR FLOW)
2030 VL(1)= 20*.00508: VL(2)=20:
      VH(1)= 1000*.00508: VH(2)=1000
2040 CLS: PRINT"RECOMMENDED RANGE FOR AIR FLOW IS BETWEEN ";VL(U
F);"
      AND ";VH(UF);" ";VL$(UF)
2050 INPUT"ENTER LOWER LIMIT FOR AIR FLOW";V7(UF)
2060 IF UF=1 THEN V7(2) = V7(1)/.00508
      ELSE V7(1) = V7(2)*.00508
2070 IF V7(2) < 20 THEN PRINT"STILL AIR IS";VL(UF);" ";VL$(UF):
      GOTO 2050
2080 INPUT "ENTER UPPER LIMIT FOR AIR FLOW";V8(UF)
2090 IF UF=1 THEN V8(2)=V8(1)/.00508
      ELSE V8(1)=V8(2)*.00508
2100 IF V8(UF) <= V7(UF) THEN PRINT"IT WON'T WORK...TRY AGAIN":
      GOTO 2050
2110 RG=V8(2)-V7(2) 'RANGE FOR CALCULATIONS
2120 X7=V7(UF) 'MIN. FOR GRAPH LABEL
2130 X6=(V8(UF)-V7(UF))/5 'FOR GRAPH LABELS
2140 X8=V7(2) 'MIN. FOR CALCULATIONS
2150 GOSUB 2700 'DRAW AXES & LABEL
2160 PRINT @ 852,"AIR FLOW (";VL$(UF);")";
2170 X2 = V7(2) 'X2 & X3 ARE LOOP LIMITS
2180 X3 = V8(2)
2190 GOSUB 2550 'GENERAL LOOP
2200 RETURN
2210 '
      (RELATIVE HUMIDITY)
2220 CLS:PRINT"RECOMMENDED RANGE FOR RELATIVE HUMIDITY IS BETWEE
N 20
AND 100 PERCENT."
2230 INPUT"ENTER LOWER LIMIT FOR RELATIVE HUMIDITY";LR
2240 IF LR < 0 THEN PRINT"IMPOSSIBLE ... TRY AGAIN": GOTO 2230
2250 INPUT"ENTER UPPER LIMIT FOR RELATIVE HUMIDITY";UR
2260 IF UR > 100 THEN PRINT"IMPOSSIBLE ... TRY AGAIN": GOTO 2250
2270 IF UR <= LR THEN PRINT"IT WON'T WORK... TRY AGAIN": GOTO 22
30
2280 RG=UR-LR

```

Listing continues

$$MRT = T_{g^{\circ}F} + 0.13 (\text{air vel})^{-.5} (T_{g^{\circ}F} - T_{db^{\circ}F})$$

The radiant heat exchange (RD) depends upon the difference between mean radiant temperature and skin temperature:

$$RD = 15(MRT - 95).$$

Convective heat exchange varies as a function of the 0.6 power of the air velocity and the difference between dry air temperature and skin temperature:

$$CV = 0.65(\text{air vel})^{.6} (T_{db^{\circ}F} - 95).$$

The total heat load that has to be dissipated by evaporation (E_{req}) is the sum of the internal heat being produced by work (M) plus radiant and convective heat exchange:

$$E_{req} = M + RD + CV.$$

If either radiant or convective transfer is a heat loss, E_{req} is reduced.

The maximum possible evaporation (E_{max}) varies with the 0.6 power of air velocity and the water vapor pressure difference between the skin and the air:

$$E_{max} = 2.4(\text{air vel})^{.6} (42 - PV)$$

where PV = ambient vapor pressure and 42 is the saturated water-vapor pressure at 95 °F. The maximum possible E_{max} is 2400 BTU/hr.

Optimization graphing is handled as modular subroutines that are called from a menu (lines 1910-2010). Separate subroutines are used for air flow, relative humidity, and globe temperature to input minimum and maximum values for each. Two modules require unit conversions, since calculations for air flow and globe temperature are mostly in English units. If the program is being used in metric, input of graphing limits is taken in metric, and

GENERAL GRAPHING LOOP

X9 = Variable Being Changed

FOR X9 = X2 TO X3 STEP, RG/100

The flag (A8) for choice of factors to be varied determines branching to the appropriate calculation for each intermediate variable.

(GOSUB TO PLOT POINTS)

NEXT X9

AIR FLOW (VEL)

(A8 = 1)

X2 = Min. flow (ft/min)

X3 = Max. flow (ft/min)

RG = X3 - X2

M9 = TG(2) + .13*X9*.5*(TG(2) - TDB(2))

R9 = 15*(M9 - 95)

C9 = .65*X9*.6*(TDB(2) - 95)

E9 = M(2) + C9 + R9

P9 = PV

E8 = 2.4*X9*.6*(42 - P9)

Y9 = 100*ABS(E9/E8)

RELATIVE HUMIDITY (RH)

(A8 = 3)

X2 = Min. RH (%)

X3 = Max. RH (%)

RG = X3 - X2

M9 = MRT

R9 = 15*(M9 - 95)

C9 = .65*VEL(2)*.6*(TDB(2) - 95)

E9 = M(2) + C9 + R9

P9 = .75*(X9 * PDB/100)

E8 = 2.4*VEL(2)*.6*(42 - P9)

Y9 = 100*ABS(E9/E8)

GLOBE TEMPERATURE (TG)

(A8 = 3)

X2 = Min. $T_{g^{\circ}F}$ X3 = Max. $T_{g^{\circ}F}$

RG = X3 - X2

M9 = X9 + .13*VEL(2)*.5*(X9 - TDB(2))

R9 = 15*(M9 - 95)

C9 = .65*VEL(2)*.6*(TDB(2) - 95)

E9 = M(2) + C9 + R9

P9 = PV

E8 = 2.4*VEL(2)*.6*(42 - P9)

Y9 = 100*ABS(E9/E8)

Fig. 6. Partitioning of the general graphing loop (lines 2470-2610). In each case, X9, the loop counter, is substituted into the equations involving the factor being varied. Equivalence for the intermediate variables: M9 = Mean radiant temperature (°F), R9 = Radiant heat exchange, C9 = Convective heat exchange, E9 = Evaporation required to dispel the heat load, E8 = Maximum evaporation for the conditions, P9 = Prevailing vapor pressure (mm Hg), and Y9 = Heat Stress Index. The graphing subroutine plots Y9 as a function of X9.


When You Opt For **M D** by MICRO DESIGN You Get All The Options

INTERFACE EXPANSION SYSTEMS FOR THE TRS-80* COMPUTERS

The MDX Series Interface Expansion Boards provide a wide range of features for the TRS-80* Computers. Fully assembled units offer immediate, inexpensive expansion; or choose the bare or partially assembled units for even more savings. Since assembly of the board in sections is possible, you can build in the features you need, as you need them! P.C. Boards are solder-masked and silkscreened for easy assembly; each comes with the illustrated *User's Manual*.

TRS-80* Model I EXPANSION

Our MDX-1 and MDX-2 Interface Expansion Boards are field tested/field proven and offer more options for the Model I than any on the market. Also compatible with the PMC-80 and LNW-80 Computers. Custom Case Available for MDX-2.



FEATURES:

- MEMORY EXPANSION to 48K
- ON-BOARD SUPPLY, fully protected
- PHONE MODEM, 0-600 baud, direct connect, "answer" and "originate" modes
- REAL TIME CLOCK, software programmable
- PARALLEL PRINTER PORT
- SERIAL PORT—RS232 and 20ma loop compatible
- EPROM OPTION for user firmware
- DUAL CASSETTE LINE
- FLOPPY DISK CONTROLLER: The MDX-2 has all the features of the MDX-1 plus Floppy Disk Controller. The Controller is compatible with any single or double-sided floppy disk drive that is configured for use with the TRS-80 computer.

MDX-1 MDX-2

✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓
✓	✓

ALL MDX SERIES BOARDS ARE WARRANTED AND SERVICE IS AVAILABLE.

TRS-80* Model III EXPANSION

The MDX-3 Interface Expansion Board is designed to mount inside the Model III Computer. Connectors provide external access to the Floppy Disk Controller (for external drives) and RS232 port.

FEATURES:

- DOUBLE-DENSITY FLOPPY DISK CONTROLLER—1.8 times the normal single density storage; digital data separation; controls up to 4 drives.
- SERIAL PORT—RS232 and 20ma loop compatible, 110-19,200 baud
- PHONE MODEM—0-600 baud—direct connect—"answer" and "originate" modes.
- FULLY COMPATIBLE with all Model III software.

MDX-5: Also for the TRS-80* Model III

For the user who already has disk we offer the MDX-5. This board mounts next to the Floppy Disk Controller Board in the Model III.

FEATURES:

- SERIAL PORT—RS232 and 20ma loop compatible, 110-19,200 baud
- PHONE MODEM—0-600 baud—direct connect—"answer" and "originate" modes.
- Fully compatible with all Model III Software

PHONE MODEM

The MDX-4 Phone Modem utilizes the same Direct Connect, 0-600 baud design as used in the other MDX series boards and: answer/originate modes; solder-masked & silkscreened; on-board power supply. Compatible with any RS232 port.

*TRS-80 is a trademark of Tandy Corporation.



Accepted


For a free brochure contact:

Our Expensive Expansions Are Not Cheap, They Are Inexpensive.

	MDX-1	MDX-2	MDX-3	MDX-4	MDX-5
Bare P.C. Board & User's Manual	\$ 69.95	\$ 74.95	\$ 74.95	\$ 29.95	\$ 49.95
Fully Assembled		\$469.95*	\$299.95	N/A	\$224.95
Installation Kit for Model III Drive			\$119.95		
Custom Case		\$45.00			
Any manual ordered separately, \$5.95 plus \$3.00 postage & handling.					
All board orders, add \$5.00 for postage & handling. (Texas residents add 5% tax.)					
*W. Case and power transformer-minor assembly required.					



OUR BUSINESS IS EXPANDING
EXPAND WITH US




6301 Manchaca Rd. Suite I
Austin, TX 78745

Dealer inquiries welcomed.

• Try Our Hotline (512) 282-0225
Texas Res. only (512) 441-7890

RAPID

The eye is
still faster
than the
hand, true.
But when
RAPID



passes its hand, you have the
most reliable backup in less than
45 seconds, with Verify AND
Error Correct.

TRS-80 Model II w/2 disk + 64K
\$48

ALDEVCO (513) 561-7671
5725 Dragon Way
Cincinnati, Ohio 45227

Eight good reasons for using a Mod III:

1. Minibiz[™] General Ledger
Accounting System
2. Accounts Receivable
3. Accounts Payable
4. Full-Service Payroll
5. Order Entry & Invoicing
-with Inventory Interface
-with Accts. Rec. Interface
6. Fixed Assets Accounting
7. Job Cost Accounting
8. Cost Estimating Systems
-for Manufacturing
-for Food Service

At selected Dealers or
from the publisher

Nepenthe Programs

44 Third Ave., Ste. F
Chula Vista, CA 92010

714-425-5501

✓496

E&G UMLOR ENTERPRISES
RFD #1, BOX 48A
(RT# 119 EAST)
FITZWILLIAM, NH 03447
(603) 585-3142

MODIII 48K DUAL DISK DRIVE

For RS-232-C add \$100.00
\$1750.00 40 TRK Single/Side
\$2000.00 40 TRK Double/Side
\$2200.00 80 TRK Double/Side

All orders prepaid
Shipment in 4 weeks

**** 180 DAY WARRANTY ****

VISA/MC users add 4%

shipping extra

Other products and services
available on request

✓401

Listing continued

```

2290 X7=LR
2300 X8=LR
2310 X6=(UR-LR)/5
2320 GOSUB 2700 'AXES AND LABELS
2330 PRINT @ 852,"RELATIVE HUMIDITY (%)";
2340 X2=LR: X3=UR
2350 GOSUB 2550 'GENERAL LOOP
2360 RETURN
2370 '
      (RADIANT (GLOBE) TEMPERATURE)
2380 TL(1)=(65-32)*5/9: TL(2)=65:
      TH(1)=(150-32)*5/9: TH(2)=150
2390 CLS: PRINT"RECOMMENDED RANGE FOR GLOBE TEMPERATURE IS BETWE
EN",TL(UF);"
AND ",TH(UF);" ";TP$(UF)
2400 INPUT"ENTER LOWER LIMIT OF GLOBE TEMPERATURE";T7(UF)
2410 IF UF=1 THEN T7(2)=(9*T7(1)/5)+32
      ELSE T7(1)=(T7(2)-32)*5/9
2420 INPUT"ENTER UPPER LIMIT OF GLOBE TEMPERATURE";T8(UF)
2430 IF UF=1 THEN T8(2)=(9*T8(1)/5)+32
      ELSE T8(1)=(T8(2)-32)*5/9
2440 IF T8(UF) <= T7(UF) THEN PRINT"IMPOSSIBLE... TRY AGAIN":GOT
O 2400
2450 RG=T8(2)-T7(2)
2460 X7=T7(UF)
2470 X6=(T8(UF)-T7(UF))/5
2480 X8=T7(2)
2490 GOSUB 2700 'AXES AND LABELS
2500 PRINT @ 852,"GLOBE TEMPERATURE (";TP$(UF)");"
2510 X2=T7(2): X3=T8(2)
2520 GOSUB 2550 'GENERAL LOOP
2530 RETURN
2540 '
      GENERAL GRAPHING LOOP
2550 FOR X9 = X2 TO X3 STEP RG/100
2560 IF A8=1 THEN M9=TG(2)+.13*X9[.5*(TG(2)-TDB(2))
2570 IF A8=2 THEN M9=MRT
2580 IF A8=3 THEN M9=X9+.13*VEL(2)[.5*(X9-TDB(2))
2590 R9=15*(M9-95)
2600 IF A8=1 THEN C9=.65*X9[.6*(TDB(2)-95)
      ELSE C9=.65*VEL(2)[.6*(TDB(2)-95)
2610 E9=M(2)+C9+R9
2620 IF A8=2 THEN P9=.75*(X9*PDB/100) ELSE P9=PV
2630 IF A8=1 THEN E8=2.4*X9[.6*(42-P9)
      ELSE E8=2.4*VEL(2)[.6*(42-P9)
2640 IF E8>2400 THEN E8=2400
2650 Y9=100*E9/E8
2660 GOSUB 2770 'PLOT POINTS
2670 NEXT X9
2680 RETURN
2690 '
      SUBROUTINE FOR GRAPH AXES
2700 CLS
2710 FOR I=1 TO 11:
PRINTTAB(10)A1$;:
FOR J=1 TO 10: PRINT A2$;: NEXT J:
PRINT:
NEXT I
2720 PRINTTAB(10)A3$;:
FOR J=1 TO 10: PRINT A4$;: NEXT J:
PRINT
2730 H9=200:
FOR I=68 TO 646 STEP 64:
PRINT @ I,H9;TAB(9)"-";: H9=H9-20:
NEXT I:
PRINT @ 256,"HSI";
2740 KJ=0:
FOR J=776 TO 826 STEP 10:
PRINT@J,INT((X7+KJ)*100)/100;: KJ = KJ+X6:
NEXT J
2750 PRINT@832,"";: RETURN
2760 '
      PLOTTING SUBROUTINE -- X,Y ENTERED AS X9,Y9
2770 YP=34-(33*Y9/200)
2780 XP=20+(X9-X8)*100/RG
2790 IF XP < 0 OR XP > 120 OR YP < 0 OR YP > 34 THEN 2810
2800 SET(XP,YP)
2810 RETURN
2820 '
      SUBROUTINE FOR WORK ESTIMATE TABLE
2830 CLS: PRINTTAB(5)"BTU/HR";TAB(14)"WATTS";TAB(29)"** ACTIVITY
**"
2840 PRINTTAB(5)2400;TAB(14)700;TAB(22)"* HARDEST SUSTAINED WORK
"

```

Listing continues

We've grown on you

Because Our Programs Deliver
What They Promise.

From Our Most- Requested List For TRS-80 I & III

Astroball

By John Allen

More features, thrills and sound than even our famous Pinball! With a flying saucer, moving spaceships, meteors... even black holes that can swallow the ball. 5 skill levels.

16K Tape or Disk, \$19.95*




Space Rocks

By Steven Kearns

Avoid and destroy gigantic space rocks. Fast game with sound.

16K Tape or Disk, \$19.95*



Pinball

By John Allen

Lots of sound, machine language speed and flashing graphics make it **very** realistic! 5 speeds. The all-time favorite!

16K Tape, \$14.95*

16K Disk, \$20.95*

Invaders from Space

By Carl Miller

The classic, possibly addictive, space game. Aliens move, drop bombs and overrun your bases while you move and **simultaneously** fire at the invaders.


16K Tape, \$14.95*

16K Disk, \$20.95*

*plus \$2.00 shipping and handling

"Fun-tastic" Collection of Arcade Games! Our Very Newest Plus Familiar Favorites.

New!



Evade


By Tim Knight

You're in charge of the USS Krestan, a tri-ship on interstellar exploration. You must defend yourself against groups of enemy aliens, each requiring a different strategy. Then you can go for the big points by docking with another ship. Be careful, or your ship will be vaporized! **Now** you're ready for the evil Malicians... and the meteor showers. Not for the faint-hearted!

16K Tape or 32K Disk: TRS-80 I & III.

\$19.95 plus \$2.00 shipping and handling

New!



King of the Jungle


By Patrik Vandewalle

An unusual combination of fast pinball action plus the challenges and dangers of an arcade game. Score points as you maneuver your ball from obstacle to obstacle, while moving through the jungle searching for the hidden crown. You start with 5 balls and get another for each 10,000 points. Choice of 3 screens; Joystick compatible.

16K Tape or Disk: TRS-80 I & III.

\$19.95 plus \$2.00 shipping and handling

New!



Demise


By P. Case

Shoot down the enemy ships which are coming—and firing—at you. After obliterating them all, you must carefully navigate a tunnel before you are in the clear. You can move your ship left, right, up, down and diagonally; your weapons include a laser cannon and "smart bombs" that render **all** ships on the screen impotent. You start with 5 ships and get another ship and "smart bomb" for each 10,000 points. 3 levels of play; great sound effects.

16K Tape or Disk: TRS-80 I & III.

\$19.95 plus \$2.00 shipping and handling

New!



Enemy Evasion

By Raul Rivera

An original fast-paced arcade style game requiring quick mental and physical reflexes. You must control your Rover to avoid oncoming Rovelan Ramcraft. You gain points for each successful pass through the "death lanes", but the Ramcraft speed increases as you play. If you reach the double bonus mode, watch out for the land pellets they drop! Joystick compatible.

32K Disk: TRS-80 I & III.

\$19.95 plus \$2.00 shipping and handling



Acorn Software
Products, Inc.

634 North Carolina Avenue, S.E. Washington, D.C. 20003

✓79

We've Grown On You.

To Order By Phone CALL: (202) 544-4259

Dealer Inquiries **Only**, Call Computer Software Distributors: (800) 424-3708

Please send these Acorn Programs:

☐ Please send your catalog

Charge to:

☐ VISA ☐ MASTERCARD ☐ CHECK ENCLOSED

TOTAL: \$

CARD NO.

EXP. DATE

T-11

Name

Address

City

State

Zip


```

2850 PRINT: PRINTTAB(5)2000;TAB(14)600;TAB(22)"* INTERMITTENT HE
AVY WORK"
2860 PRINTTAB(24)"(LIFTING, SHOVING, PULLING)"
2870 PRINTTAB(5)1600;TAB(14)500
2880 PRINT: PRINTTAB(14)400;TAB(22)"* STANDING, MODERATE WORK"
2890 PRINTTAB(5)1200;TAB(24)"(MODERATE LIFTING, ETC.)"
2900 PRINTTAB(14)300;TAB(22)"* SITTING, HEAVY ARM & LEG MOVEMENT
"
2910 PRINTTAB(5)800;TAB(22)"* STANDING, LIGHT WORK"
2920 PRINTTAB(14)200;TAB(22)"* SITTING, LIGHT WORK (E.G., DRIVIN
G)"
2930 PRINTTAB(5)400;TAB(22)"* SITTING QUIETLY"
2940 PRINTTAB(14)100
2950 PRINTTAB(22)"* SLEEPING"
2960 PRINTTAB(5)200;
2970 FOR J = 3 TO 46: SET(23,J): NEXT J
2980 SET(22,3): SET(22,10): SET(22,17): SET(22,24):
SET(22,31): SET(22,38): SET(22,45)
2990 SET(24,41): SET(24,34): SET(24,28): SET(24,21):
SET(24,15): SET(24,9): SET(24,3)
3000 PRINT @ 936,"(PUSH SPACE BAR)";
3010 PRINT @ 1001,"( TO CONTINUE )";
3020 X1$ = INKEY$: IF X1$=" " THEN 3030 ELSE 3020
3030 CLS: PRINT "DRY BULB TEMPERATURE ";TDB(UF);" (";TP$(UF);")"
3040 PRINT "WET BULB TEMPERATURE ";TWB(UF);" (";TP$(UF);")"
3050 PRINT "GLOBE TEMPERATURE ";TG(UF);" (";TP$(UF);")"
3060 PRINT "AIR VELOCITY ";VEL(UF);" (";VL$(UF);")"
3070 RETURN
3080 END

```

the graph is labeled in metric, but calculations are done in converted English units.

All the input modules call the same subroutines for constructing and labeling the graph axes (lines 2700-2750) and for calculations (the general graphing loop, lines 2550-2680). All three modules use X2 for the minimum, X3 for the maximum, and RG for the range going into the general graphing loop.

Figure 6 provides a breakdown of the branching in the general graphing loop to partition calculations according to which factor is being varied. The choice of factors from the menu sets a flag (A8) that determines the branching in the general graphing loop. The points are actually plotted in a separate subroutine (lines 2770-2810) that is called from within the general graphing loop.

Limitations of the Program

The HSI program was written on a Model I TRS-80, but it is compatible with a Model III, except that output is entirely uppercase. The program is large, over 13K, and is a tight fit on a 16K machine, causing a slight degradation in response time.

The program coding style is only moderately compact—a compromise between clean, readable style and effective use of memory. You can improve response time slightly by omitting some documentation, shortening all variable names to two characters, and using more multiple-statement lines.

The HSI has limitations when humidity is very high, because water cannot then evaporate. HSI calculations are not designed for such a condition and an appropriate flag (FL) is correspondingly set in our program. Some diagnostics are possible, but optimization graphing is not. Figure 7 shows output for these conditions.

Tolerance to heat stress varies widely among people depending on age, physical condition, and other personal characteristics. Also, if someone works in the heat for several weeks, his body adjusts to improve his heat tolerance. For these reasons, the HSI cannot be accurately or safely used to predict thermal tolerance for a specific person. The index is more useful as a guide in comparing the influence of different environmental factors and work rate on heat stress. ■

Donald Heckenlively (Hillsdale College, Hillsdale, MI 49242), a zoologist, enjoys railroad history and opera.


OUTPUT WHEN CONDITIONS EXCEED CALCULABLE RANGE FOR HSI:

```

**CONDITIONS**
DB TEMP:          98.0 DEG. F      WB TEMP:          96.5 DEG. F
GLOBE TEMP:       94.0 DEG. F      AIR VELOCITY:      200.0 FT/MIN
WORK RATE:        200.0 BTU/HR

```

HEAT STRESS INDEX (HSI) CANNOT BE CALCULATED



DO YOU WANT INTERMEDIATE CALCULATIONS?
(ENTER: <Y>ES OR <N>O)? Y

INTERMEDIATE CALCULATIONS

```

EVAPORATIVE HEAT LOSS
REQUIRED FOR THERMAL BALANCE          121.5 BTU/HR
RADIANT HEAT LOSS                     -125.3 BTU/HR
CONVECTIVE HEAT GAIN                   46.8 BTU/HR
INTERNAL HEAT                          200.0 BTU/HR
RELATIVE HUMIDITY                      94.6%
PARTITION OF HEAT LOAD:
DUE TO RADIANT EXCHANGE                -103.1%
DUE TO CONVECTIVE EXCHANGE              38.5%
DUE TO WORK LOAD                       164.6%

```

(HIT SPACE BAR FOR DIAGNOSTICS)

ANALYSIS AND DIAGNOSTICS

RELATIVE HUMIDITY IS EXTREMELY HIGH, AMBIENT TEMPERATURE MAY BE CALLED OPPRESSIVELY HOT, WORK LEVEL IS MINIMAL, AND AIR FLOW IS MODERATE.

CONDITIONS ARE OUTSIDE THE CALCULABLE RANGE FOR HSI.

CONDITIONS MAY BE IMPROVED BY:

```

REDUCING RELATIVE HUMIDITY
REDUCING AMBIENT TEMPERATURE
INCREASING AIR FLOW

```

DO YOU WANT TO TRY ANOTHER COMBINATION OF CONDITIONS?

(ENTER: <Y>ES OR <N>O)? N

Fig. 7. Typical Output for High-Temperature, High-Humidity Environmental Conditions Exceeding Calculable Range for HSI

Expensive Expansion



EXPENSIVE – The *LNW System Expansion II* and built-in comes with a full 32K of 200ns RAM; RS232c 20 MA current loop serial interface. That's for starters. Next, consider our heavy gauge steel case, power indicator lamp, gold-plated connectors, FR-2 glass epoxy circuit board with solder mask and silk screen legends. Then there is the parallel printer port, screen printer port, real time clock, and extra heavy duty onboard power supply with over current protection, over voltage protection and thermal shutdown. If that's not enough then there is the floppy disk controller, guaranteed operation at a 4MHz CPU speed and our 6 month warranty. Every one of these features is *STANDARD*. This is true system expansion. You get every 'expensive' feature without spending more.

CHEAP – Our price is \$399.95. Any way you compare, features or price, *LNW's System Expansion II* is the clear winner. The *LNW System* has been field tested for over two years with thousands of users. It works with any DOS, is 100% TRS-80 Model I compatible and it works 'right out of the box'. If there is any doubt in your mind as to whether you should buy ours or the 'other guys', just ask an *LNW* owner!

WE ARE #1 – Number one in price, features, reliability, performance and delivery. *LNW* is committed to 'expensive' features and quality at reasonable prices. *LNW* is committed to support, thorough documentation, and reliability.

LNW Research Corp.

2620 WALNUT Tustin, CA. 92680

(714) 641-8850 (714) 544-5744

This has made us the number one manufacturer of system expansion units and accessories for the Model I computer. **EXPANSION OPTION** – 8-inch drive capability is as easy as plugging in the *LNDoubler 5/8* option*. Now you can have any combination of single- or double-density, single- or double-sided, 8" and/or 5" disks on-line! 8-inch disk storage increased to 591,360 bytes – 77-track single-sided, double-density or 1,182,720 bytes – 77-track double-density, double-sided.

The *LNDoubler's* unique 5/8 switch allows you to boot from 5- or 8-inch system disks and it's accessible from outside the interface. The \$219.95 *LNDoubler 5/8* comes with a double-density disk operating system (DOS+ 3.3.9), complete with BASIC and utility programs... ready to run your software.

Each of your present 40-track, single-sided 5-inch drives will store up to 184,320 bytes (formatted storage) – that's an 80% increase in storage capacity for only half the cost of just one disk drive. With three 8-inch double-density, double-sided drives your Model I will have 3.75 Megabytes of online storage – that's more storage than a Model II or Model III!



*8" drive operation requires special cable, 8" double-density requires 3.55MHz CPU speed-up modification or LNW-80 4MHz computer.

Make those Model I games more fun.

More Color Conversions

Jimmy L. Freeman
PSC Box 1025
APO New York, NY 09289

Being in the Air Force has some definite disadvantages. One was being sent to a country (Turkey) where my favorite hobby (amateur radio) is not permitted. And my daughters couldn't watch tv for amusement—they couldn't understand a word.

I finally invested in a Color Computer. I kept busy, converting Model I programs, and my daughters have new games to play.

First, Some Work

Converting Model I or III programs without graphics was simple. I just had to change the line length to fit the 32-character screen and add some "hit enter to continue" routines to make up for lost print space.

Programs with graphics presented another problem. First, I cut everything in half. Then I adapted for the joysticks and added a few simple sound routines. The programs came to life—in color!

Now, Some Play

Program Listing 1, Subdestroy, was written by John Cominio (*80 Micro*, June 1981). This program does not require joysticks and is basically the same as it appeared originally. I opted for contact depth charges instead of setting them for depth. I also moved the score and charges remaining information above the destroyer to prevent the data from being momentarily erased when a depth charge is dropped.

Program Listing 2, Lunar Lander, was written by John Beringer (*80 Micro*, June 1981). In the original program, the PEEK routine looked at the keyboard scanning matrix

to get the burn rate for the rocket motors. I simply used the joysticks to determine the burn rate of the rocket motors.

Program Listing 4, Missiles from Mars, was written by Charles E. Gillen (*80 Micro*, January 1982). I deleted one of the cities due to space limitations on the Color Computer screen. You could put it back in, but virtually every missile that made it past your defenses would score. I also lowered the total number of hits required to finish the game because my daughters found it almost impossible to obtain 25 hits before losing both missile bases or the entire population. In the original program, John filled the screen with character strings so a trail would be left by the attacking missiles. I left this feature out but it could be easily added by changing line 330. Instead of resetting the graphics symbol that represents the missile, set it to a different color.

If you don't have joysticks and would still like to try Lunar Lander make the changes shown in Listing 3. This allows you to use keys 1-5 for your rocket motors and the <> keys for lateral movement. For Missiles from Mars delete line 340 and change lines 350-390 and 690 as shown in Listing 5.

To speed up the action, POKE 65495,0 before running these programs. The pitch of the sound routine increases but I have not experienced any difficulties with the action of the programs themselves. Remember, you must slow the clock down (by pushing reset) before saving a program on tape or loading a new one.

I hope these color conversions prompt more of them. It's not too hard after you get started—give it a try! ■

Jimmy Freeman enjoys his Color Computer as well as amateur radio.

Program Listing 1. Subdestroy

```

10 ' SUB DESTROY
20 ' ORIGINAL BY JOHN COMINIO
30 ' FOR TRS-80 MODEL I
40 ' PUBLISHED BY
50 ' 80 MICROCOMPUTING
60 ' JUNE 1981
70 ' TRS-80 COLOR COMPUTER
80 ' CONVERSION BY
90 ' JIM FREEMAN
100 CLEAR400
110 CLS
120 PRINT "--- S U B   D E S T R O Y ---":PRINT:PRINT:PRINT "DO
YOU WANT INSTRUCTION (Y/N)?"
130 RS=INKEY$:IFRS=""THEN130
140 IFRS="Y"THEN1160ELSEIFRS="N"THENCLS(0):GOTO150ELSE130
150 Q=33:J1=20
160 GOSUB170:GOTO300
170 E1$=CHR$(128)+CHR$(128)+CHR$(128)+CHR$(128)
180 E2$=CHR$(128)+CHR$(128)+CHR$(128)+CHR$(128)+CHR$(128)+CHR$(1
28)
190 A=RND(95):S=A+RND(150)
200 Z=RND(512):IFZ>480ORZ<192THEN190
210 IFZ+A>512ORZ+A<192THEN190
220 IFZ+A+S>512ORZ+A+S<192THEN190
230 X=480
240 L$=CHR$(62)
250 B2$=CHR$(243)+CHR$(247)+CHR$(255)+CHR$(251)+CHR$(243)
260 B$=CHR$(131)+CHR$(135)+CHR$(139)+CHR$(131)
270 B1$=CHR$(147)+CHR$(151)+CHR$(155)+CHR$(147)

```

Listing 1 continues

The Key Box

Color Computer
Color Basic
16K RAM

```

280 SS=CHR$(179)+CHR$(179)+CHR$(183)+CHR$(187)+CHR$(183)+CHR$(17
9)
290 RETURN
300 GOSUB310:GOTO330
310 FOR W=64 TO 95:PRINT@W,CHR$(172);:NEXT:RETURN
320 A$=INKEY$:IFA$=""THEN GOSUB310
330 IFA$=CHR$(32) THEN Q1=0:J1=J1-1:SOUND 200,2:GOSUB430
340 GOSUB380
350 GOSUB 320
360 END
370 RETURN
380 IFQ>58 THEN Q=33:PRINT@58,E2$+CHR$(128);
390 GOSUB720
400 GOSUB470
410 PRINT@Q-1,E1$;:PRINT@Q,SS;:Q=Q+1:RETURN
420 GOTO720
430 IF Q+Q1+32>480 THEN PRINT @Q+Q1,"****";:SOUND 1,10:PRINT @ Q
+Q1, E1$;:RETURN ELSE 440
440 GOSUB640:PRINT@Q+Q1+32,CHR$(177);
450 GOSUB470
460 PRINT@Q+Q1+32,CHR$(128);:Q1=Q1+33:GOTO430
470 PRINT@Z+4,B$;:Z=Z+1
480 PRINT@Z-1,E1$;
490 IFZ+A+S>500 THEN S50
500 PRINT@Z+S+A+4,B2$;:S=S+1
510 PRINT@Z+S+A-1,E1$;
520 PRINT@Z+A+4,B1$;:A=A+1
530 PRINT@Z+A-1,E1$;
540 RETURN
550 FOR W=480 TO 510:PRINT@W,CHR$(128);:NEXT
560 PRINT@Z+3,E1$;
570 PRINT@Z+A+2,E1$;
580 IF Q+Q1+32<480 THEN PRINT @ Q+Q1+32, CHR$(128);:ELSE GOTO590
590 GOSUB640
600 Z=0:A=0:S=0:Z=RND(504):IFZ>384 OR Z<192 THEN G600
610 A=RND(95):S=RND(75)
620 IFZ+A>384 OR Z+A<192 THEN G600
630 IFZ+A+S>504 OR Z+A+S<192 THEN G610

```

Listing 1 Continues

FREE

If we can't meet or beat any currently advertised price for TRS-80 software, you get a free diskette or cassette with your purchase. Just for calling or writing, you get a free 6 month subscription to "COMPUTER TIMES" the up-to-date review of all the latest software and hardware including handy-hints for beginning and advanced users.



CompuWaire

P.O. Box 7622, Long Beach, CA 90807
(213) 548-6647
Micronet No. 70635,365
Master Card/Visa Accepted
L DOS \$99.95

484

MARATHON
SOFTWARE



PIK'EM
1982



64%
ACCURATE

AGAINST
POINTS SPREAD
FOR 1981
SEASON
(Games 2-16)

A COMPLETE FOOTBALL PREDICTION PROGRAM FOR THE
1982 NFL PROFESSIONAL REGULAR SEASON STARTING SEPT. 12, 1982*

★ ★ ★ ★ ★ ★

ONLY 20 MIN. DATA INPUT PER WEEK WILL GIVE YOU THE EDGE ON EVERYONE**

CAN BE UPDATED FOR 1983



PHONE
LINES
OPEN

24-HOURS — 7-DAYS



NAME _____
ADDRESS _____
CITY _____ ST _____ ZIP _____
PIKEM 24⁹⁵ PAYMENT ENCL ☐
VISA ☐ MASTERCARD ☐ AC# _____
MY CARD EXPIRES: ☐☐ ☐☐

\$24⁹⁵ INCLUDES:
DATA DISKETTE
COMPLETE INSTRUCTIONS

SPECIFY:

TRS80 MODEL I/III
AT LEAST 32K

DATA NEEDED TO RUN PROGRAM
AVAILABLE IN LOCAL NEWSPAPERS.

DEALER INQUIRIES INVITED

STAT SERVICE AVAILABLE
FOR ALL 16 WEEKS OF SEASON

—FEATURES—

- DISPLAYS PREDICTED SCORES 210 GAMES
- DISPLAYS ACCUMULATED STATS EACH TEAM
- DISPLAYS AVERAGE STATS EACH TEAM
- GIVES PRINTOUT: PREDICTIONS—STATS—AVE
- AUTOMATICALLY STORES DATA — NO 'SAVE'

* IF PROGRAM IS BOUGHT AFTER SEASON STARTS — ALL PREVIOUS STATISTICS WILL BE INCLUDED — NO CHARGE.

FOR MORE INFORMATION CONTACT:

MARATHON SOFTWARE DEPT. M
P. O. BOX 1493
JACKSONVILLE, TEXAS 75766
(214) 586-8212

411

STOCK MARKET DATA over 20 YEARS on DISK or TAPE

NOW AVAILABLE-

OVER 20 YEARS OF WEEKLY OR DAILY
CLOSING PRICE DATA ON DISK OR TAPE
FOR THESE PROVEN MARKET INDICATORS

1962 - 1982

- DOW JONES INDUSTRIAL
- DOW JONES TRANSPORTATION
- DOW JONES UTILITY
- STANDARD AND POOR'S 500

ALSO INCLUDES-

PROGRAMS TO MAINTAIN THESE FILES,
CREATE FILES FOR YOUR OWN STOCKS,
AND SAMPLE PROGRAMS ILLUSTRATING
RUNNING AVERAGE AND CYCLIC MARKET
ANALYSIS TECHNIQUES.

WEEKLY DATA

- ☐ 101 MODEL I/III CASSETTE...\$34.99
- ☐ 102 MODEL III DISKETTE...\$34.99
- ☐ 103 HARDCOPY PRINTOUT...\$22.99

DAILY DATA

- ☐ 104 MODEL I/III CASSETTE...\$44.99
- ☐ 105 MODEL III DISKETTE...\$44.99
- ☐ 106 HARDCOPY PRINTOUT...\$32.99

FREE SHIPPING WITHIN CONTINENTAL USA
(ADD 10% FOR SHIPPING ELSEWHERE)

24-HOUR TOLL-FREE ORDER LINE

1-800-227-3800 EXT. 942

YOUNG IDEAS, INC.

✓ 172

555 N. NEW BALLAS • SUITE 310
ST. LOUIS, MO 63141


Listing 1 continued

```


640 GOTO650
650 Z2=Z+A+S+4:Z1=Z+A+4:Z4=Z+4
660 Q3=Q+Q1+32:Q3=Q3+32
670 IFQ3>=XANDQ3<=X+32THEN680ELSERETURN
680 IFQ3>=Z4-1ANDQ3<=Z4+4THENJ=J+5:GOSUB890:GOTO710ELSE690
690 IFQ3>=Z1-1ANDQ3<=Z1+4THENJ=J+10:GOSUB980:GOTO710ELSE700
700 IFQ3>=Z2-1ANDQ3<=Z2+5THENJ=J+30:GOSUB1070:GOTO710ELSERETURN
710 Q1=0:Z2=0:Z1=0:Z4=0:A$="":GOSUB720:FOR=1TO1000:NEXTT:GOTO32
0
720 PRINT@0,"score";J;:PRINT@15,"charges";CHR$(128);"left";J1;:P
RINT@22,CHR$(128);
730 IFJ1=0THEN750ELSERETURN
740 Q1=0
750 GOTO770
760 GOTO760
770 CLS
780 IFJ<35THENPRINT@0,"THE GAME IS OVER, YOU HAD";J+JA;:PRINT "T
OTAL POINTS.";:GOTO1360ELSE790
790 IFJ>34ANDJ<=150THENJ1=2
800 IFJ>150ANDJ<200THENJ1=6
810 IFJ>200ANDJ<300THENJ1=9
820 IFJ>300ANDJ<=500THENJ1=14
830 IF J>500THENJ1=20
840 PRINT@0,"THE GAME IS OVER, BUT YOU ARE LUCKY."
850 PRINT"YOUR SCORE WAS";J;"AND THAT":PRINT "ENTITLES YOU TO";J
1;"BONUS"
860 PRINT "DEPTH CHARGES."
870 PRINT "CREDIT GAME WILL RESUME WHEN THETIMER REACHES ZERO."
880 FORR=500TO1STEP-1:PRINT@270,R;:NEXTR:CLS(0):Q=33:JA=J:J=0:GO
TO170
890 SOUND 1,10:FORP=10TO110 STEP 10:PRINT@Z4-32,"glug";:SOUND P,
1
900 IFZ4>=503THENPRINT@Z4-32,E2$;:RETURN
910 PRINT@Z4,B$;
920 FORR=1TO100:NEXTR
930 PRINT@Z4-32,E1$;
940 PRINT@Z4-1,E1$+CHR$(128);
950 FORR=1TO100:NEXTR
960 Z4=Z4+32
970 NEXTP
980 SOUND 1,10:FORP=10TO110 STEP 10:PRINT@Z1-32,"glug";:SOUND P,
1
990 IFZ1>=503THENPRINT@Z1-32,E2$;:RETURN
1000 PRINT@Z1,B1$;
1010 FORR=1TO100:NEXTR
1020 PRINT@Z1-32,E1$;
1030 PRINT@Z1-1,E1$+CHR$(128);
1040 FORR=1TO100:NEXTR
1050 Z1=Z1+32
1060 NEXTP
1070 SOUND 1,10:FORP=10TO110 STEP 10:PRINT@Z2-32,"glug";:SOUND P,
1
1080 IFZ2>=503THENPRINT@Z2-32,E2$;:RETURN
1090 PRINT@Z2,B2$;
1100 FORR=1TO100:NEXTR
1110 PRINT@Z2-32,E1$;
1120 PRINT@Z2-2,E2$+CHR$(128)+CHR$(128);
1130 FORR=1TO100:NEXTR
1140 Z2=Z2+32
1150 NEXTP
1160 CLS:PRINT "**** S U B D E S T R O Y ****"
1170 PRINT:PRINT "THE OBJECT OF THIS GAME IS TO TRY AND SINK T
HE SUBMARINES"
1180 PRINT "TRAVELING BELOW YOU. YOU CAN ACCOMPLISH THIS BY D
ROPPING"
1190 PRINT "DEPTH CHARGES FROM YOUR DESTROY-ER SHIP CRUISING AT
THE SURFACE"
1200 PRINT "OF THE OCEAN."
1210 PRINT
1220 PRINT "TO DROP YOUR CHARGES JUST PRESS THE SPACE BAR."
1230 PRINT:PRINT "(HIT -ENTER- TO CONTINUE)";:INPUT R$
1240 CLS
1250 PRINT " SCORING IS AS FOLLOWS:"
1260 PRINT
1270 PRINT "30 POINTS FOR THE ORANGE SUB"
1280 PRINT "10 POINTS FOR THE YELLOW SUB"
1290 PRINT "5 POINTS FOR THE GREEN SUB"
1300 PRINT
1310 PRINT " IF YOU SCORE WELL ENOUGH YOU WILL RECEIVE BON
US CHARGES.";
1320 PRINT
1330 PRINT "THE HIGHER YOU SCORE THE MORE BONUS CHARGES YOU WI
LL RECEIVE.":PRINT "REMEMBER, YOU ONLY HAVE 20 CHARGES TO S
TART WITH. PRESS ENTER WHEN READY.";
1340 R$=INKEY$:IFR$=" "THEN1340
1350 IFR$=CHR$(13)THENCLS(0):GOTO150:60ELSE1340
1360 PRINT:PRINT "HIT <ENTER> FOR NEW GAME";:INPUT R$:IFR$=" "THE
N 110

```

Pe/Tek announces two great new
machine language arcade games w/sound
for TRS-80 MOD I or III, disc or tape



You're a rabbit trying to get to your cove! Cross
highways and rivers-dodge moving cars and trucks-jump
from boat to boat - an incredible journey. Gets harder
and harder and... High scores saved on disc version.



Play fast paced indoor soccer against a
friend or the computer. Dribble, pass, steal the
ball, use the boards-control the whole team!!
When you're done, lay down-exhausted. ✓ 324

Pe/Tek
P.O. BOX 1026
SOUTHAMPTON
PENNA. 18966
215-947-2334

- * Specify Mod I or III, disc (32)
or tape (16k)
- * Add \$2.00 postage and handling
- * Phone or mail / & accepted
- * Dealers inquiries welcome
- * Pa. residents add 6% sales tax

Program Listing 2. Lunar Lander

```

10 'LUNAR LANDER
20 'ORIGINAL BY JOHN BERINGER
30 'FOR TRS-80 MODEL I
40 'PUBLISHED BY
50 '80 MICROCOMPUTING
60 'JUNE 1981
70 'TRS-80 COLOR COMPUTER
80 'CONVERSION BY
90 'JIM FREEMAN
100 GD=0:BD=0
110 CLS:PRINT@74, "REAL TIME":PRINT@137,"LUNAR LANDER":PRINT:PRI
NT"YOUR NAME, CAPTAIN";:INPUT NAS
120 IF Y<1 THEN Y=1
130 CLS
140 PRINT@8,"A L E R T !":PRINT:PRINT"EMERGENCY, CAPTAIN ";NAS:P
RINT:PRINT"NAVIGATIONAL COMPUTER FAILURE":PRINT:PRINT"YOU WILL H
AVE TO LAND BY THE SEAT OF YOUR PANTS!"
150 PRINT"LAND AS NEAR THE BASE AS POSSIBLE":PRINT:PRINT"
PRESS ANY KEY TO START"
160 FOR N=1TO50:NEXT N:PRINT@8,"";:FOR N=1TO50:NEXTN:
SOUND100,1:PRINT@8,"A L E R T !";:IF INKEY$="" GOTO 160
170 CLS(0)
180 PRINT@172,CHR$(247);:PRINT@173,CHR$(251);
190 PRINT@203,CHR$(247);:PRINT@204,CHR$(255);:PRINT@205,CHR$(255
);:PRINT@206,CHR$(251);:PRINT@212,CHR$(247);:PRINT@213,CHR$(251)
;
200 PRINT@234,CHR$(247);:FORX=235TO238:PRINT@X,CHR$(255);:NEXT:P
RINT@239,CHR$(251);:PRINT@242,CHR$(247);:FORX=243TO245:PRINT@X,C
HR$(255);:NEXT:PRINT@246,CHR$(251);
210 PRINT@263,CHR$(247);:FORX=264TO271:PRINT@X,CHR$(255);:NEXT:P
RINT@272,CHR$(251);:PRINT@273,CHR$(247);:FORX=274TO278:PRINT@X,C
HR$(255);:NEXT:PRINT@279,CHR$(251);
220 PRINT@294,CHR$(247);:FORX=295TO311:PRINT@X,CHR$(255);:NEXT:P
RINT@312,CHR$(251);
230 PRINT@324,CHR$(247);:FORX=325TO344:PRINT@X,CHR$(255);:NEXT:P
RINT@345,CHR$(251);
240 PRINT@353,CHR$(247);:FORX=354TO377:PRINT@X,CHR$(255);:NEXT:P
RINT@378,CHR$(251);:
250 PRINT@384,CHR$(247);:FORX=385TO410:PRINT@X,CHR$(255);:NEXT:P
RINT@411,CHR$(251);:FORX=412TO415:PRINT@X,CHR$(179);:NEXT
260 GRAV=6.4
270 VEL=RND(25)+10
280 TIME=.5:FUEL=600
290 IF GD>4 AND GD<10 THEN FUEL=550 ELSE IF GD>9 THEN FUEL =500
300 PIC=0
310 LY=2:LX=2:X=2:ALT=430
320 HI=0
330 PRINT@416,"FUEL":PRINT@448,"VELOCITY":PRINT@480,"ALTITUDE:
";:PRINT@444,"BASE";
340 IF FUEL>0 THEN GOTO 350 ELSE BURN=0:GOTO 360
350 ZZ=JOYSTK(0):BURN=JOYSTK(1)/6
360 FUEL=INT(FUEL-BURN*TIME):IF FUEL<1 THEN FUEL =0
370 PRINT @423,FUEL;:VEL=INT(VEL-BURN*TIME+GRAV*TIME*TIME):PRINT
@459,VEL;:ALT=INT(ALT-VEL*TIME):IF ALT<1 THEN ALT=0
380 PRINT@491,ALT-10;:Y=43-INT(ALT/10)
390 IF ALT>0 GOTO 660
400 IF Y<1 THEN Y=1
410 IF VEL>15 GOTO 600 ELSE IF VEL>5 GOTO 500
420 IF VEL<=0 GOTO 670
430 IF Y=41 THEN Y=42
440 RESET(LX,LY):RESET(LX+1,LY-1):RESET(LX+2,LY):SET(X,Y,5):SET(
X+1,Y-1,5):SET(X+2,Y,5)
450 IFLX>55ANDLX<62THENGOSUB780:FOR=1TO1000:NEXTT:CLS:PRINT"NIC
E LANDING, SPORT":ELSEIFVEL>0THEN500ELSEGOTO410
460 G=RND(3):ON G GOSUB 470,480,490:GOTO800
470 PRINT"RIGHT ON THE MONEY!":RETURN
480 PRINT"PROMOTION ON THE WAY!":RETURN
490 PRINT"YOU'RE A NATURAL":PRINT"STAR PILOT":RETURN
500 IF Y=41 THEN Y=42
510 RESET(LX,LY):RESET(LX+1,LY-1):RESET(LX+2,LY):SET(X,Y+1,5):SE
T(X+1,Y,5):SET(X+1,Y+1,5):SET(X+2,Y+1,5)
520 IF X>0 THENSET(X-1,Y,5)
530 IF X<60 THEN SET(X+3,Y,5)
540 FOR=1TO3:FORI=150TO175:SOUND1,1:NEXTI:NEXTT:FOR=1TO1000:NE
XTT:CLS:G=RND(4):ON G GOSUB 560,570,580,590:FOR=0TO1000:NEXT
550 IF LX>55ANDLX<62THENGOSUB780:PRINT@32,"AND YOU HIT THE BASE!
1";:GOTO 790 ELSE GOTO790
560 PRINT@64,"YOU SAVED THE CARGO";:PRINT@96,"BUT YOU SMASHED TH
E CREW!";:RETURN
570 PRINT@64,"YOU SAVED THE CREW";:PRINT@96,"BUT YOU SMASHED THE
CARGO!";:RETURN
580 PRINT@64,"UFF!";:PRINT@96,"SHE'LL NEVER FLY AGAIN!";:RETURN
590 PRINT@32,"NOT SO GOOD,":PRINT@64,"L I E U T E N A N T !!";:
RETURN

```

Listing 2 Continues

TRS-80*
Models
I & III



Discount
Prices!

Do you have these best sellers?!

Business	Your Cost Tape/Disk
Mail List (Precision Proto.)	- /71.90
Form Letter (Precision Proto.)	- /31.90
Maxi Manager & Util (Adv. Int.)	-/119.90
Newsprint 7.0 (Prosoft)	- /99.90
Newsprint & Labels (Prosoft)	-/111.90

Games	Your Cost Tape/Disk
Defense Command (Big Five)	12.70/15.90
Stellar Escort (Big Five)	12.70/15.90
Galaxy Invasion (Big Five)	12.70/15.90
Cosmic Fighter (Big Five)	12.70/15.90
Robot Attack (Big Five)	12.70/15.90
Star Fighter (Adv. Int.)	19.90/23.90
Eliminator (Adv. Int.)	15.90/19.90
Dunzhin (Med Sys.)	23.90/23.90
Asylum II (Med Sys.)	15.90/18.30
Laser Defense (Med Sys.)	11.90/14.30


Home/Education	Your Cost Tape/Disk
Little Red Riding Hood (Adv. Int.)	11.90/ -
Old McDonald's Farm (Adv. Int.)	11.90/ -
Money Master (Med Sys.)	11.90/14.30
The Playful Professor (Med Sys.)	11.90/14.30
Personal Check Mgr. (Adv. Int.)	- /19.90

Check reader service for our catalog.

RIMES COMPUTER PRODUCTS

262 Tracey, Dept. 11A
Grand Island, N.Y. 14072 480
(716) 773-2519

Add \$1.50 for shipping. Add \$1.50 for COD.
For fastest service send M.O. or cert. check.
Mastercard/Visa also accepted.
Allow 2 weeks for personal checks.
New York Residents add sales tax.
*TRS-80 is a trademark of Tandy Corp.



Decision Science Software

OPERATIONS RESEARCH	STATISTICAL PACKAGE	ECOPAK
LP	REGRESS	FUTURE VALUE
DYNAM	MULTI-REG	ANNUITY
NETWORK	MATRIX	EFFECTIVE I
PERT	FUTURE	DEPR
EQO	FORECASTING	SALVAGE
LOT SIZING	MARKOV	NET PRESENT
FORECASTING	QUEUE	VALUE
DECIDE	SIMULATION	DCF RATE OF
MRP		RETURN
TRANSPORTATION		

TRS-80* model I and III

APPLE II

16K-I Disk Drive

-minimum system requirement

\$29.95 to 249.95

DISCOUNTS AVAILABLE ON MULTIPLE ORDERS
for information:

DECISION SCIENCE SOFTWARE

865 Castle Ridge Road
Austin, Texas 78746

(512) 327-1463



*trademark of the Tandy Corp.

394

**MODEL III
PROFILE!**

Users, would you like?

Fast, indexed access to records?
Enhanced search capabilities?
Multiple report formats?
Multiple-line reports?
Mailing labels?

**PRODEX
CAN PROVIDE IT!**

\$59.95 (NO, COD, Check-2wks to clr)
Maine residents add 5% sales tax

For more information, call or write:

DowneastMicrocomputing
P.O. Box 68
Columbia Falls, Me. 04623
(207) 483-4400 (6pm-10pm)

*PROFILE is a tm of Tandy Corp.

✓483

MODEL I/III

Owners!

WE HAVE ANALOG TO DIGITAL
AND DIGITAL TO ANALOG
CONVERTERS TO GET YOU
STARTED IN HARDWARE


ADC-kit \$59
DAC-kit \$59
Other kits available

DAYTON-MICROSUPPORT
P.O. BOX 482 W.B. BR.
DAYTON, OH 45409

✓445



Solve your disc problems, buy 100% surface
tested Dysan diskettes. All orders shipped
from stock, within 24 hours. Call toll FREE
(800) 235-4137 for prices and information.
Visa and Master Card accepted.



**PACIFIC
EXCHANGES**
100 Foothill Blvd.
San Luis Obispo, CA
93401. (In Cal call
(805) 543-1037.)

✓207

Listing 2 Continued

```
600 RESET(LX,LY):RESET(LX+1,LY-1):RESET(LX+2,LY):RESET(X+1,Y):Y=
Y+1:SET(X,Y-1,5):SET(X+2,Y-1,5):RESET(X,Y):RESET(X+2,Y):RESET(X+
1,Y-1)
610 IF X>0 THEN SET(X-1,Y-2,5)
620 IF X<60 THENSET(X+3,Y-2,5)
630 IF POINT(X+1,Y)=0 THEN SET(X+1,Y,5)
640 SOUND1,22:FORT=1TO1000:NEXTT:CLS:IFX<55ANDX>0THENPRINT"COULD
N'T YOU SEE THAT":PRINT"MOUNTAIN, ";NAS;"?":GOTO790ELSEPRINT"YOU
DESTROYED THE BASE!":PRINT"NOTE THE NEW LUNAR FORMATION...":PR
INT"IT IS THE CRATER OF ";NAS
650 PRINT "WERE YOU TRYING TO DRILL A":PRINT "TUNNEL TO THE OTHE
R SIDE?":GOTO790
660 RESET(BX,BY):IF Y<0 GOTO 680 ELSE IF POINT(X,Y+2)<>0 OR POIN
T(X+2,Y+1)<>0 OR POINT(X+2,Y+2)<>0 GOTO 770
670 RESET(BX,BY)
680 IF Y<2 THEN RESET(LX,LY):RESET(LX+1,LY-1):RESET(LX+2,LY)
690 IF FUEL<5 GOTO 710 ELSE IF ZZ>50 THEN X=X+1:FUEL=FUEL-5 ELSE
IF ZZ<15 THEN X=X-1:FUEL=FUEL-5
700 IF X>60 THEN X=1 ELSE IF X<0 THEN X=X+1
710 IF X=LX AND Y=LY GOTO 760 ELSE IF Y<1 GOTO 760
720 RESET(LX,LY):RESET(LX+1,LY-1):RESET(LX+2,LY)
730 IF PIC<>0 THEN SET(LX+1,LY+1,5)
740 SET(X,Y,5):SET(X+1,Y-1,5):SET(X+2,Y,5):LX=X:LY=Y:BX=X+1:BY=Y
+1
750 PIC=POINT(BX,BY):IF BURN>1 THEN SET(BX,BY,5)
760 GOTO 340
770 IF ALT<440 GOTO 400 ELSE GOTO 680
780 FORX=1TO20:SOUND200,1:SOUND100,1:NEXT:RETURN
790 BD=BD+1:GOTO 810
800 GD=GD+1
810 IF FUEL=0THENPRINT:PRINT"NEXT TIME, CAPTAIN ";NAS;"":PRINT"
WATCH YOUR FUEL MORE CLOSELY!!!"
820 PRINT:PRINT:PRINT"GOOD LANDINGS SO FAR - ";GD:PRINT:PRINT"B
AD LANDINGS SO FAR - ";BD:PRINT:PRINT"TRY YOUR LUCK AGAIN? (Y/N)
?"
830 RS=INKEY$
840 IF RS="Y" THEN 170 ELSE IF RS="N" THEN 850 ELSE GOTO 830
850 PRINT:PRINT "HOW ABOUT ANOTHER CAPTAIN? (Y/N)";
860 RS=INKEY$
870 IF RS="Y" THEN RUN ELSE IF RS="N" THEN END ELSE GOTO 860
880 END
```

```
350 IF PEEK(339)=239THENBURN=1:GOTO360
351 IF PEEK(340)=239THENBURN=2:GOTO360
352 IF PEEK(341)=239THENBURN=4:GOTO360
353 IF PEEK(342)=239THENBURN=8:GOTO360
354 IF PEEK(343)=239THENBURN=12:GOTO360
355 BURN=0
690 IF FUEL<5 GOTO 710 ELSE IF PEEK(344)=247 THEN X=X+1:FUEL=FUE
L-5 ELSE IF PEEK(343)=247 THEN X=X-1:FUEL=FUEL-5
```

Program Listing 3. Lunar Lander

Program Listing 4. Missiles from Mars

```
10 'MISSILES FROM MARS
20 'ORIGINAL BY CHARLES GILLEN
30 'FOR TRS-80 MODEL I
40 'PUBLISHED BY
50 '80 MICROCOMPUTING
60 'JANUARY 1982
70 'TRS-80 COLOR COMPUTER
80 'CONVERSION BY
90 'JIM FREEMAN - APRIL 1982
100 CLS:GOSUB660
120 CLEAR200:LN=100:MW=LN:LN$="LONDON":MW$="MOSCOW":CO$="CAIRO":
DI$="DELHI":BL$=CHR$(191)+CHR$(191)+CHR$(191)+CHR$(191)+CHR$(191
)+CHR$(191):E$=CHR$(128)+CHR$(128):B$=" "
130 SS=CHR$(94):SB$="<>":K$=CHR$(236)+CHR$(236)
135 EL$=CHR$(128)+CHR$(128)+CHR$(128)+CHR$(128)+CHR$(128)
140 CLS0
150 PRINT@384,CHR$(165);:PRINT@386,CHR$(162);:PRINT@388,CHR$(161
);:PRINT@410,CHR$(162);CHR$(170);CHR$(161);CHR$(170);
160 PRINT@416,CHR$(167);CHR$(175);CHR$(171);CHR$(167);CHR$(175);
CHR$(175);CHR$(163);CHR$(163);CHR$(163);CHR$(163);CHR$(163);SS;C
HR$(163);CHR$(163);CHR$(163);CHR$(163);CHR$(163);CHR$(163);CHR$(
163);SS;
165 PRINT CHR$(163);CHR$(163);CHR$(163);CHR$(163);CHR$(163);CHR$(
163);
170 PRINT@442,CHR$(175);CHR$(175);CHR$(167);CHR$(171);CHR$(167);
```

Listing 4 Continues

YOU'VE JUST FOUND THE MISSING LINK!



Computer Shopper is *your link* to individuals who buy, sell and trade computer equipment and software among themselves nationwide. No other magazine fills this void in the marketplace chain.

Thousands of cost-conscious computer enthusiasts save by shopping in Computer Shopper every month through hundreds of classified ads. And new equipment advertisers offer some of the lowest prices in the nation.

Computer Shopper's unbiased articles make for some unique reading among magazines and there's a "help" column to answer difficult problems you may have with interfacing, etc.

For a *limited time* you can subscribe to Computer Shopper with a 6 month trial for \$6 or 12 months for \$10.

You risk nothing, because if you're not 100% satisfied after receiving the first issue, you may cancel and receive a full refund. No questions asked!

If you want faster service, call in your subscription and charge on your MasterCard or VISA account.

Our business office is open from 8 a.m. to 5 p.m. Monday through Friday. Call for charge card orders or send your check or money order TODAY while the offer is still good.

6 month trial, \$6 or 12 months for \$10

 **COMPUTER SHOPPER**
P.O. Box F-324 • Titusville, FL 32780
305-269-3211

SECURE PROGRAMS

AND ASCII FILES

WITH
CODE 4

COMES WITH
LIST SOURCE
AND BRUN UTILITY

\$19.95

SEND CHECK OR
MONEY ORDER TO

HPB VECTOR CO.

130 CENTER ST.
EAST STROUDSBURG
PENNSYLVANIA 18301

ALLOW TWO WEEKS DELIVERY

TRS-80 COMPUTER DISCOUNTS

- Factory Direct
- Best Prices Anywhere
- No Out-of-State Taxes
- 100% Radio Shack Warranty
- Free Price List

SCOTT TASSO

Owner
Radio Shack Associate Store #7053

175 E North Delsea Drive
Vineland, N.J. 08360

800-257-0426
NJ 609-691-7100

TRS-80 MODEL I T.M.* GOLDPLUG - 80

Eliminate disk re-boots and data loss due to poor contact problems at card edge connectors. The GOLD PLUG - 80 solders to the board card edge. Use your existing cables.

CPU/keyboard to expansion interface. . . . \$18.95
Expansion interface to disk, printer, RS232, screen printer (specify) \$9.95 ea
Full set, six connectors. . . \$54.95



EAP COMPANY
P.O. Box 14, Keller, TX 76248
(817) 498-4242

*TRS-80 is a trademark of Tandy Corp.

Listing 4 continued


```
CHR$(175);
180 PRINT@448, LNS; TAB(9); CO$; TAB(17); DI$; TAB(25); MW$; " ";
200 PRINT@0, " MISSILES FROM MARS "; MK; " HITS ";
210 IF LN<0 THEN LN=0
220 IF MW<0 THEN MW=0
230 IF LN>0 THEN PRINT@480, LN; ELSE PRINT@480, EL$;
240 IF MW>0 THEN PRINT@506, MW; ELSE PRINT@506, EL$;
250 FORTD=0 TO 950: NEXT: FORI=1 TO 3: FORTDF=15 TO 20: NEXT: NEXT
260 RV=0: FORTD=1 TORND(500): NEXT: X=1+RND(45)
270 IFX<30 THEN Z=1 ELSE IFX>40 THEN Z=-1
280 R=200: FORY=4 TO 26: R=R+1
290 IFY<18 THEN Z=330
300 IFRND(10)>3 THEN RV=1
310 IFRV=0 AND Z=-1 THEN Z=1: RV=1: GOTO 330
320 IF RV=0 AND Z=1 THEN Z=-1: RV=1
330 SET(X,Y,4): SOUND R,1: RESET(X,Y): X=X+Z
340 P=JOYSTK(0)
350 IFS=0 THEN P$=JOYSTK(1): IF P$<20 THEN SA$=SB$: PP=320+RND(30): PRINT@PP, SA$; S=1
360 IFS=1 THEN P$=JOYSTK(0)
370 IF P<10 THEN PRINT@PP, E$; PP=PP-2: IF PP<320 THEN PP=320: GOTO 390
380 IF P>53 THEN PRINT@PP, E$; PP=PP+2: IF PP>350 THEN PP=350
390 P$=JOYSTK(1): IF P$>43 THEN SA$=K$: K=1
400 IFS=1 THEN PRINT@PP, SA$;
410 IF POINT(X,Y+1)=7 THEN GOTO 430
420 NEXT Y: GOTO 440
430 MK=MK+1: SOUND 1,10: PRINT@PP, E$; S=0: IF MK=>21 THEN 61 ELSE 180
440 IFX=6 ORX=7 THEN LN$="": LN=0: GOTO 510
450 IFX=57 ORX=58 THEN MW$="": MW=0: GOTO 490
460 IFX>20 ANDX<25 THEN CO$="": GOSUB 560: PRINT@427, CHR$(179);: SO=1: PRINT@457, B$;
470 IFX>36 ANDX<41 THEN DI$="": GOSUB 560: PRINT@435, CHR$(179);: SL=1: PRINT@465, B$;
480 IFSO=1 AND SL=1 THEN 570
490 IFX>52 THEN MW=MW-(10+RND(10)): GOSUB 560
500 IF MW<1 THEN MW$="": PRINT@441, BL$;: PRINT@473, B$;
510 IFX<12 THEN LN=LN-(10+RND(10)): GOSUB 560
520 IF LN<1 THEN LN$="": PRINT@416, BL$;: PRINT@448, B$;
530 IF LN=0 AND MW=0 THEN 600
540 SOUND 100,10
550 IFS=1 THEN PRINT@PP, E$; S=0: SA$="": GOTO 180 ELSE 180
560 FORTT=1 TO 7: SOUND 25,2: SOUND 20,2: NEXT: RETURN
570 FORT=1 TO 15: SOUND 150,1: SOUND 200,1: NEXT: PRINT@96, "BOTH OF YOUR KILLER-SATELLITE BASES WERE DESTROYED BY THE MARTIAN MISSILES."
580 PC=INT(((LN+MW)/200)*100): PRINT"HOWEVER", PC; "PERCENT OF EARTH'S": PRINT"POPULATION SURVIVED TO REBUILD AND FIGHT ON."
590 GOTO 640
600 FORX=1 TO 15: SOUND 100,1: SOUND 150,1: NEXT: PRINT@96, "ALL OUR CITIES WERE DESTROYED BY THE MISSILE MEN FROM THE RED PLANET. YOU CONTINUED FIGHTING TO THE LAST, BUT THE MARTIANS FINALLY CONQUERED THE EARTH.": GOTO 640
610 FORX=1 TO 15: SOUND 100,1: SOUND 200,1: NEXT: PRINT@96, "YOUR ANTI-MISSILES BLASTED 21 OF THE DREADED MARTIAN INVADERS OUT OF EARTH'S SKIES. CONSIDERING THE DAMAGE SUFFERED BY OUR CITIES, YOU'RE FINAL RATING IS: ";
620 FR=MK*1000+((LN+MW)*1000): IFSO=1 OR SL=1 THEN FR=INT(FR/2)
630 PRINT FR
640 PRINT: PRINT"HIT <ENTER> FOR NEW WAVE"
650 IF INKEY$<>CHR$(13) THEN 650 ELSE RUN
660 PRINT" MISSILES FROM MARS"
670 PRINT: PRINT" A FLEET OF INVADING MISSILES FROM THE RED PLANET IS APPROACHING EARTH AT HIGH SPEED."
680 PRINT" THE CONTROLS OF YOUR KILLER-SATELLITE BASES ARE: "
690 PRINT: PRINT" PUSH UP TO LAUNCH KILLER PUSH DOWN TO ARM KILLER PUSH LEFT/RIGHT TO MOVE"
700 PRINT: PRINT"INTERCEPT THE MARTIANS AND SAVE EARTH. PLEASE!!!"
710 IF INKEY$=" " THEN 710 ELSE RETURN
```

```
350 IFS=0 THEN P$=INKEY$: IF P$=S$ THEN SA$=SB$: PP=320+RND(30): PRINT@PP, SA$; S=1
360 IFS=1 THEN P$=PEEK(343): IF P$=247 THEN PRINT@PP, E$; PP=PP-2: IF PP<320 THEN PP=320: GOTO 390
370 IFS=1 THEN P$=PEEK(344): IF P$=247 THEN PRINT@PP, E$; PP=PP+2: IF PP>350 THEN PP=350
380 IF P$=CHR$(9) THEN PRINT@PP, E$; PP=PP+2: IF PP>350 THEN PP=350
390 P=PEEK(342): IF P=247 THEN SA$=K$: K=1
690 PRINT: PRINT" UP ARROW LAUNCH KILLER DOWN ARROW
ARM KILLER LEFT ARROW MOVE LEFT RIGHT ARROW
MOVE RIGHT"
```

Program Listing 5. Missiles from Mars

MICROSETTE

DISKETTES CASSETTES



We now offer 5 1/4-inch single sided, soft sector, single or double density diskettes, in addition to our quality short length cassettes.

Our Prices Include Boxes and Shipping

CASSETTES

Item	10 Pack	50 Pack
C-10	\$ 7.50	\$ 32.50
C-20	9.00	39.00
C-60	11.00	50.00
C-90	15.00	70.00

DISKETTES 5 1/4-inch

MD-5	\$25.00	\$110.00
------	---------	----------

* UPS shipment in continental U.S.A. only.
We cannot ship to P. O. Boxes.

Item	Qty.	Price	Total
SUBTOTAL			
Calif. Cust. add Sales Tax			
TOTAL			

Shipping address enclosed ☐
 Check or money order enclosed ☐
 Charge to: Visa ☐ MasterCard ☐
 Account No. _____
 Expiration Date _____
 Signature _____

MICROSETTE CO.

475 Ellis St., Mt. View,
CA 94043 (415) 968-1604

✓312

PMC SOFTWARE

Proven Software Solutions
for the TRS-80, PMC-80 & 81 User
At VERY Special Prices

GAMES

Title	List	Our Price	Title	List	Our Price	Title	List	Our Price
Advanced Operating Systems			SCOTT ADAMS' ADV. #1: #2 & #3			Big 5		
+ VOYAGE OF THE VALKYRIE			D 32K I & III	39.95	31.00	ATTACK FORCE		
D 32K I & III	39.95	32.00	SCOTT ADAMS' ADV. #4, #5 & #6			D 32K I & III	19.95	15.00
T 16K I & III	29.95	24.00	D 32K I & III	39.95	31.00	T 16K I & III	15.95	12.00
Adventure International			SCOTT ADAMS' ADV. #7, #8 & #9			COSMIC FIGHTER		
ARMOR PATROL			D 32K I & III	39.95	31.00	D 32K I & III	19.95	15.00
D 32K I & III	24.95	19.00	SCOTT ADAMS' ADV. #10, #11 & #12			T 16K I & III	15.95	12.00
T 16K I & III	19.95	15.00	D 32K I & III	39.95	31.00	DEFENSE COMMAND		
COMBAT			D 32K I & III	39.95	31.00	D 32K I & III	19.95	15.00
D 32K I & III	20.95	16.00	SEA DRAGON			T 16K I & III	15.95	12.00
T 16K I & III	19.95	15.00	D 32K I & III	24.95	19.00	GALAXY INVASION		
CONQUEST OF CHESTERWOOD			T 16K I & III	19.95	15.00	D 32K I & III	19.95	15.00
D 32K I & III	20.95	16.00	SHOWDOWN			T 16K I & III	15.95	12.00
T 16K I & III	19.95	15.00	D 32K I & III	20.95	16.00	METEOR MISSION		
+ DEMON VENTURE #1-			T 16K I & III	14.95	12.00	D 32K I & III	19.95	15.00
REIGN OF THE RED DRAGON			+ SILVER FLASH-PINBALL 1			T 16K I & III	15.95	12.00
D 32K I & III	24.95	19.00	D 32K I & III	19.95	15.00	ROBOT ATTACK		
ELIMINATOR			T 16K I & III	14.95	12.00	D 32K I & III	19.95	15.00
D 32K I & III	24.95	19.00	SKY WARRIOR			T 16K I & III	15.95	12.00
T 16K I & III	19.95	15.00	D 32K I & III	20.95	16.00	+ STELLAR ESCORT		
GALACTIC EMPIRE			T 16K I & III	14.95	11.00	D 32K I & III	19.95	15.00
D 32K I & III	14.95	12.00	SPACE INTRUDERS			T 16K I & III	15.95	12.00
GALACTIC REVOLUTION			D 32K I & III	20.95	16.00	SUPER NOVA		
T 16K I & III	14.95	12.00	T 16K I & III	19.95	15.00	D 32K I & III	19.95	15.00
GALACTIC TRADER			STAR FIGHTER			T 16K I & III	15.95	12.00
D 32K I & III	14.95	12.00	D 32K I & III	29.95	23.00	Cornsoft		
+ GALACTIC TRILOGY			T 16K I & III	24.95	19.00	+ BOUNCEBOIDS		
D 32K I & III	39.95	30.00	STAR TREK 3.5			D 32K I & III	19.95	15.00
D 32K I & III	20.95	16.00	D 32K I & III	19.95	15.00	T 16K I & III	15.95	12.00
T 16K I & III	14.95	11.00	T 16K I & III	14.95	11.00	SCARFMAN		
MACES & MAGIC #1—BARLOG			STAR TREK 3.5			D 32K I & III	19.95	15.00
D 32K I & III	29.95	23.00	D 32K I & III	19.95	15.00	T 16K I & III	15.95	12.00
STONE OF SISYPHUS			T 16K I & III	14.95	11.00	SPACE CASTLE		
D 32K I & III	29.95	23.00	Automated Simulations (EPYX)			D 32K I & III	19.95	15.00
MACES & MAGIC #3—			CRUSH, CRUMBLE & CHOMP			T 16K I & III	15.95	12.00
MORTON'S FORK			D 32K I & III	29.95	23.00	ASYLUM		
D 32K I & III	29.95	23.00	T 16K I & III	29.95	23.00	D 32K I & III	22.95	18.00
MISSILE ATTACK			DUNJONQUEST—			T 16K I & III	19.95	15.00
D 32K I & III	20.95	16.00	HELLFIRE WARRIOR			+ ASYLUM II		
T 16K I & III	14.95	11.00	D 32K I & III	39.95	30.00	D 32K I & III	22.95	18.00
OTHER VENTURE #2—			T 16K I & III	39.95	30.00	T 16K I & III	19.95	15.00
CROWLEY MANOR			DUNJONQUEST—			DEATHMAZE 5000		
D 32K I & III	20.95	16.00	KEYS OF ACHERON			D 32K I & III	17.95	14.00
T 16K I & III	19.95	15.00	D 32K I & III	19.95	15.00	T 16K I & III	14.95	11.00
OTHER VENTURE #3—			DUNJONQUEST—			LABYRINTH		
ESCAPE FROM TRAAM			DUNJONQUEST—			D 32K I & III	17.95	14.00
D 32K I & III	20.95	16.00	SORCERER OF SIVA			T 16K I & III	14.95	11.00
T 16K I & III	19.95	15.00	D 32K I & III	29.95	23.00	WARRIOR OF RAS—		
OTHER VENTURE #4—			T 16K I & III	29.95	23.00	DUNZHIN		
EARTHQUAKE SF 1908			DUNJONQUEST—			D 48K I & III	29.95	23.00
D 32K I & III	20.95	16.00	TEMPLE OF APASHAI			T 16K I & III	29.95	23.00
T 16K I & III	19.95	15.00	D 32K I & III	39.95	30.00	WARRIOR OF RAS—		
OTHER VENTURE #5—			T 16K I & III	39.95	30.00	KAIV		
DEATH PLANET			DUNJONQUEST—			D 48K I & III	29.95	23.00
T 16K I & III	19.95	15.00	UPPER REACHES OF APASHAI			T 48K I & III	29.95	23.00
PLANETOLDS			D 32K I & III	19.95	15.00	WARRIORS OF RAS—		
D 32K I & III	20.95	16.00	T 16K I & III	19.95	15.00	THE WYLDE		
T 16K I & III	19.95	15.00	+ RICHOCHE			D 48K I & III	29.95	23.00
Automated Simulations (EPYX)			D 32K I & III	19.95	15.00	T 48K I & III	29.95	23.00
JABBERTALKY			T 16K I & III	19.95	15.00	Melbourne House Software		
D 32K I & III	29.95	23.00	INFO. PROCESSING			PENETRATOR		
T 16K I & III	29.95	23.00	Adventure International			D 32K I & III	24.95	20.00
BUSINESS			+ MAXI CRAS			T 16K I & III	24.95	20.00
Small Business Systems Group			D 48K I & III	99.95	79.00			
ACCOUNTS PAYABLE			MAXI MANAGER					
D 48K I & III	195.00	155.00	D 48K I & III	99.95	79.00			
ACCOUNTS RECEIVABLE			+ MAXI MANAGER UTILITY PACK #1					
D 48K I & III	195.00	155.00	D 48K I & III	49.95	39.00			
GENERAL LEDGER			+ MAXI STAT					
D 48K I & III	195.00	155.00	D 48K I & III	199.95	147.00			
INVENTORY CONTROL			Auk's					
D 48K I & III	195.00	155.00	+ COMPUTER FILING SYSTEM (CFS)					
PAYROLL			D 32K I & III	69.00	55.00			
D 48K I & III	195.00	155.00	D 32K I & III	69.95	65.00			
			ELECTRIC SPREADSHEET					
			D 32K I & III	34.95	30.00			

Now Twice As Many Programs!

EDUCATION	WORD PROCESSING	OPERATING SYS.
Advanced Operating Systems	Aspen Software	Micro Systems Software
MOSTLY BASIC	GRAMMATIK	DOS PLUS V3.35
EDUCATIONAL PKG. 7 PRG.	D 32K I	D 32K I
T 16K I & III	PROOF EDIT	100.00
20.00	D 32K I	80.00
MOSTLY BASIC	PROOFREADER	
SCIENTIFIC PKG. 7 PRG.	D 32K I	
T 16K I & III	SOFT-SCREEN	
20.00	D 48K I	
TIME DUNGEON—	SOFT-TEXT	
AMERICAN HISTORY	D 48K I	
T 16K I & III	20.00	
20.00	Michael Shrayar Software	
TIME DUNGEON—	ELECTRIC PENCIL	
WORLD HISTORY	T 16K I	
+ T 16K I & III	100.00	
20.00	INFO. PROCESSING	
Automated Simulations (EPYX)	Adventure International	
D 32K I & III	+ MAXI CRAS	
T 16K I & III	D 48K I & III	
29.95	99.95	
23.00	79.00	
BUSINESS	MAXI MANAGER	
Small Business Systems Group	D 48K I & III	
ACCOUNTS PAYABLE	+ MAXI MANAGER UTILITY PACK #1	
D 48K I & III	D 48K I & III	
195.00	49.95	
155.00	39.00	
ACCOUNTS RECEIVABLE	+ MAXI STAT	
D 48K I & III	D 48K I & III	
195.00	199.95	
155.00	147.00	
GENERAL LEDGER	Auk's	
D 48K I & III	+ COMPUTER FILING SYSTEM (CFS)	
195.00	D 32K I & III	
155.00	69.00	
INVENTORY CONTROL	D 32K I & III	
D 48K I & III	69.95	
195.00	65.00	
PAYROLL	ELECTRIC SPREADSHEET	
D 48K I & III	D 32K I & III	
195.00	34.95	
155.00	30.00	


PMC SOFTWARE

475 Ellis St., Mt. View, CA 94043

Orders: (415) 962-0318 Information: (415) 962-0220

✓242

Terms: FOR FAST DELIVERY, send certified checks, money orders, VISA or MasterCard number and expiration date. Personal checks require 3 weeks.
U.S.A. sales only. PRICES INCLUDE UPS continental delivery (do not use P.O. Box). CALIFORNIA customers add 6 1/2% tax. Prices subject to change.



DISPLAYED VIDEO IS DRIVING DOWN PRICES ON DISKS!

DISPLAYED VIDEO is now offering TRS-80* MODEL III with TANDON disk drives, one of the most reliable disk drive systems on the market, for incredibly low prices.

MODEL III with 48K, dual 40 track double density disk drives, complete systems with TRSDOS and ONE BOX OF DISKETTES

PLUG IT IN AND GO..... \$1,749.00

MODEL III with 48K, dual 40/40 track double density disk drives, complete systems with NEWDOS 80 and ONE BOX OF DISKETTES

PLUG IT IN AND GO..... \$2,149.00

MODEL III with 48K, dual 80 track double density disk drives, complete systems with NEWDOS 80 and ONE BOX OF DISKETTES

PLUG IT IN AND GO..... \$2,149.00

MODEL III with 48K, dual 80/80 track double density disk drives, complete systems with NEWDOS 80 and ONE BOX OF DISKETTES

PLUG IT IN AND GO..... \$2,449.00

MODEL III 16K w/Free Shipping..... **\$839.00**

16K Color Computer..... **\$459.00**

MODEL III Internal Drive Kit: Includes controller board, dual drive mounting bracket, dual power supply, all hardware cables and connectors (gold plated)..... **\$359.00**

MODEL 16 w/1 drive /w/2 drives..... **CALL**



IMMEDIATE DELIVERY
120 Days Parts and Labor Warranty
DEALER INQUIRIES INVITED

Free Shipping in the U.S.
48 Contiguous States

**Visit Our Two
NEW RETAIL LOCATIONS:**

886 Ecorse Road, Ypsilanti, MI 48197
(313) 426-5086/ (313) 482-4424

111 Marshall Street, Litchfield, MI 49252
(517) 542-3280

Grand Opening of our Radio Shack Authorized Dealership at:

111 Marshall Street, Litchfield, Michigan 49252


#P142

To Order: Call (313) 426-5086 or (313) 482-4424 or (517) 542-3280 or write DISPLAYED VIDEO,
886 Ecorse Road, Ypsilanti, Michigan 48197


*TRS-80 is a trademark of the Tandy Corporation

Prices subject to change without notice

DISPLAYED VIDEO'S DONE IT AGAIN!!!



**"DV'S"
COLOR
COMPUTER
FIRST
DRIVE
"\$425.00"**



**"PRICE"
"CUT"**

DISPLAYED VIDEO IS DRIVING DOWN PRICES ON DISKS!

80 TRACK TEAC DISK DRIVE W/CASE & POWER SUPPLY*

\$279.00

40 TRACK TEAC DISK DRIVE W/CASE & POWER SUPPLY

\$239.00

TWO DRIVE CABLE \$23.99

With Gold Plated Connectors

NEWDOS 80 \$115.00 MODEL I OR III

Bare Drives & Cases Available Upon Request

By the time you see this ad, DISPLAYED VIDEO's *Hard Disk* will be available to you.

Call for the Lowest Prices Available

VERBATIM CLEANING KIT

\$19.95

EPSON PRICES

We're not going to make you call for prices.

Here they are in black and white!!

MX 80 (W/GRAPHTRAX) PLUS \$459.00

MX80FT (W/GRAPHTRAX) PLUS \$565.00

MX100 (W/GRAPHTRAX) PLUS \$719.00

PRINTER CABLE \$23.99

With Gold Plated Connectors

We Carry A Full Line of OKIDATA Printers

Stop in to our Two New Retail Locations:

886 Ecorse Road, Ypsilanti, MI 48197
(313) 426-5086/ (313) 482-4424

or
111 Marshall Street, Litchfield, MI 49252
(517) 542-3280

✓62



IMMEDIATE DELIVERY
90 Days Parts and Labor Warranty
DEALER INQUIRIES INVITED

*Free Shipping in the U.S.
48 Contiguous States*

Grand Opening of our Radio Shack Authorized Dealership at:

111 Marshall Street, Litchfield, Michigan 49252 #P142

To Order: Call (313) 426-5086 or (313) 482-4424 or (517) 542-3280 or write DISPLAYED VIDEO,
886 Ecorse Road, Ypsilanti, Michigan 48197

*TRS-80 is a trademark of the Tandy Corporation

Prices subject to change without notice

Micros in the Lab

by Tom Hager

Microcomputers are not yet used extensively in scientific exploration, but some pioneering scientists are leading a micro revolution.

Dr. Howard Whitlock is a respected research chemist, a member of the faculty at the University of Wisconsin, Madison, and a self-described "underground computer guerrilla." He, and a new breed of scientists like him, are pioneering the use of microcomputers in the laboratory. They are finding new ways to tie Apples to astronomy and PETs to paleontology. They are testing the power of computers against the secrets of nature.

And it looks like the micros are winning.

"It's had an incredible effect on our productivity," says Whitlock, describing a microcomputer system he and his students pieced together to improve the efficiency of a common laboratory instrument.

Not long ago, graduate students working in his lab would sit interminably in front of a spectrophotometer, an instrument used to measure the light

passing through a solution. First they would analyze a test sample; then, on the same machine, they would manipulate their newly-obtained data. One researcher doing one experiment could tie up the spectrophotometer for hours. Work began to bottleneck. Short of buying more of the costly instruments, Whitlock's junior researchers had no choice but to line up and wait.

Not any more. Whitlock now uses an Apple to separate data acquisition, still done on the spectrophotometer, from data manipulation, now done on the microcomputer. While one investigator is conducting an experiment, another is analyzing data and putting it into readable form on the Apple.

"Relaying data from measuring instruments to higher machines has tripled our efficiency," says Whitlock. "This sort of thing is duck soup with micros."

And it's a major reason more and more scientists are buying them. Tedious, repetitive testing composes much of research science. Whitlock and a number of other ground-breaking scientists around the country are freeing lab personnel from this monotony by hooking laboratory equipment into microcomputers. The micros not only work long hours without complaining, they also record the data accurately and play it back to the investigator in whatever form is desired. A British personal computer company labels its product "The ideal lab assistant," and, to hear some scientists talking, that's an understatement.

But, there are problems. Connecting a microcomputer to a spectrophotometer may be duck soup for a computer fan like Whitlock, but other scientists, not so well versed in computer lore, have been slow to take advantage of this new technology. In fact, scientific use of microcomputers is still in its infancy.

This is not what you'd expect. Theoretically, scientists, constantly concerned with staying on the cutting edge of knowledge, should be the first to put micros to work. But, in fact, people doing active scientific research spend most

of their waking hours reading about developments in their field, devising experiments, and writing grant proposals. This doesn't leave much time for taking an introductory microcomputer class or perusing *80 Micro*.

Steeped in narrow disciplines, trained on equipment common twenty years ago, and hampered by a lack of computer systems and software designed to fit their needs, most scientists have ignored this potentially valuable tool. It is ironic that the premier technological advance of the last decade has found wider use in the entertainment, business, and military fields than in the sciences; it is sobering that certain kinds of advanced microprocessor technology are more common in video game arcades than in the laboratory.

"A few ingenious scientists are interfacing off-the-shelf micros with their research equipment."

But this is beginning to change. A few ingenious scientists are interfacing off-the-shelf micros with their research equipment. Some are taking advantage of a rapidly growing number of laboratory instruments with built-in microprocessors called "smart machines." Still others are buying entire micro-based systems, complete with software, designed specifically for scientific applications.

Last year the prestigious science journal *Nature* introduced a special issue devoted to computers by telling its readers that "computers can wring more out of an experiment, or a series of observations, than is possible with more traditional techniques of data handling." About microcomputers, the journal said, "the benefits are certainty, speed, and the saving of a research assistant's time. The cost is often small." And, it should have added that microcomputers can also improve a scientist's teaching effectiveness as well as speed up his ability to communicate with other researchers.

The micro revolution in the sciences is just beginning. A look at some of the first "computer guerrillas" in the field

"I BOUGHT IT"
"My biggest loss
of programming
time using
Snappware's
EXTENDED BASIC
is spent
inserting
my diskette."

SCOTT ADAMS - PRES. OF ADVENTURE INTL.



Reduce your programming time significantly with Snappware's EXTENDED BASIC. The program is written entirely in machine language for super fast execution and is fully integrated into the TRSDOS* BASIC interpreter, requiring no user memory. Here are just some of the ways EXTENDED BASIC can make your programming task easier:

- Quick way to recover BASIC program following a New, System or Accidental re-boot.
- Single character abbreviations for the most frequently used commands.
- Six single key stroke commands to list the first, last, previous, next or current program line. Even edit current line.
- A powerful cross-reference facility with output to display and/or printer.
- Ability to trace a variable through the code.
- Determine easily if a variable is in use.
- Permits programmer to display and/or print the value of any or all program variables.
- Identifies the variable type for all variables.
- Lists each element of any array separately.
- Program line renumbering facilities allowing for specification of an upper limit of the block of lines to be renumbered, relocation of renumbered blocks of code and duplication of blocks of code.
- Cross reference facility for key words and character strings including global replacement of key words.
- Compresses your BASIC program to an absolute minimum by removing extraneous information.
- Merge lines.
- Deletes statements that could not be executed.

If you consider your programming time to be worth money, call us and let us show you how to get more of it.

*TRSDOS™ Tandy Corporation

MODEL II \$200.00
 MODEL III \$125.00

Time saving power
at your fingertips.

CALL TOLL FREE:

1-800-543-4628

OHIO RESIDENTS CALL
 COLLECT: (513) 891-4496
 3719 Mantell
 Cinti., Ohio 45236



SNAPPWARE
 SNAPPWARE
 SNAPPWARE
 SNAPPWARE
 SNAPPWARE

may show where it is taking us.

Some Examples


Dr. William Riedel, Chairman of the Geological Research Committee at the University of California, San Diego, is trying to put together a family tree. Unfortunately for Dr. Riedel, the family he's interested in has hundreds of members. Some have been extinct for millions of years. None can be easily seen without a microscope.

They are radiolarians, tiny, one-celled organisms that float in fresh and salt waters around the world. Some of them build incredibly intricate exoskeletons out of silica. These exoskeletons sink when they die, gradually building up a radiolarian ooze that, over millions of years, is compressed into stone.

Scientists need to know one radiolarian from another because the fossilized remains are used in geological dating. But only a handful of the hundreds of living and extinct species have been well studied. Dr. Riedel is trying to change that—with the help of a microcomputer. He and his co-workers are digitizing tv images of magnified radiolarians and feeding the digitized pictures into a microcomputer. A string of descriptive terms for the organisms is

fed in at the same time. Now, when a scientist wants to know which radiolarians have, for example, x number of spikes on the y portion of their exoskeleton, the computer can tell him.

The microcomputer is making it possible for Riedel and his lab workers to look at radiolarians in terms of common characteristics rather than depend on outdated, sketchy taxonomic listings. Fossil radiolarians can be compared to living radiolarians, and fresh water organisms can be compared with those that live in the ocean. Microcomputers are changing the way scientists look at the radiolarian family tree.



Riedel's technique, though effective, is fairly simple. Feeding in masses of data and then searching for common items is old hat for computers. To find a more ingenious method of using micros, you have to travel 1,000 miles up the coast, to Eugene, OR.

Dr. Michael Posner, a nationally renowned research psychologist, wants to know how thought processes occur at a very basic level, and microcomputers are his primary research tools. He has programmed his machines to run simple psychological tests that help him build a picture of how the brain works. His laboratory at the University of Oregon is dominated by a closet-sized black plastic cubicle that, on any work day, contains a tv screen on a table, a chair, and an experimental subject. The subject sits on the chair, head immobilized and pressed against a viewer, electrodes attached near the eyes, fingers on a response button. Posner's microcomputer flashes patterns on the tv screen. The subject's eyes dance in response. The electrodes pick up the movement and feed the data to the microcomputer. The computer gives a different cue, and the subject's finger punches the response key.



\$ HORSERACING \$



The **KEL-CO SYSTEM**, developed by Dr. A.S. Kelsey, Professor of Mathematics, and Mike Cox, an expert in horse race handicapping, has been available separately for Thoroughbred and Harness racing since the late 1960's and has increased in popularity as the technical presentation of it has improved.

The in depth analysis of 10,000 races for each of Thoroughbred and Harness racing was conducted to determine which measurable variables were most predictive and which of the intangibles could be organized into a workable form.

CANNELLA SALES CORP. NOW INTRODUCES TWO KEL-CO SOFTWARE PACKAGES FOR ANALYSING THOROUGHBRED AND HARNESS HORSES!

THE PROGRAMS

Because of Computer technology, a novice need only learn how to interpret the racing papers (clear instructions included) to operate these programs. You'll enjoy becoming a Railbird!

THOROUGHBRED PROGRAM (RS-5): Horses' ratings reflect **True Class** levels. The Program takes into account the levels of racing at all North American racetracks so that ratings always remain consistent; **Fitness** of the horse is also a major element brought out in the analysis. Ratings may then be adjusted in consideration of factors like **Distance, Weight, Surface** etc.

INPUT/OUTPUT — The Programs operate on the basis of prompts where the user responds with material from the racing papers, and in some cases personal judgement.

Results may be produced one horse at a time or for complete races; horses are rated, ranked and qualified on a list (screen copy or hard copy). Wagering guidelines for **Straight-Win, Place, Show and Combination Bets**, eg. **Daily Doubles, Exactas** — are given in the Programs. These rules are applied in accordance with the horses' ratings and qualifications.

IMMEDIATE DELIVERY ON CASH AND CREDIT CARD ORDERS — Send Money Orders; Personal Cheques (must clear before delivery); VISA, MasterCard, (American Express-USA only) - send Acct. No., Expiry Date

TELEPHONE CREDIT CARD ORDERS!

IN USA: \$200. Each Program
CANNELLA SALES CORP.
420 E. Genesee St.
Syracuse, New York 13202
1-800-448-5713
(NY State 315-476-1430)
NY Residents add sales tax.

STUDY

A formal Study using the Thoroughbred System in New York, New Jersey and Canada showed a profit of 24% over 372 potential races. Copies of the Study may be obtained for \$1.00 each from either our U.S. or Canadian office. **Call Now and Order These Two Programs.**

IN CANADA: \$225. Cdn. Each Program
EQUINE MANAGEMENT & INNOVATIONS
P.O. Box 2214, Station D
Ottawa, Ontario K1P 5W4
Toronto 281-3568
Ottawa 523-4202
Vancouver 228-9091

Specifications: TRS-80™ I & III, 48K; Apple II™ with DOS 3.3, 48K; enquire about others!

✓ 177

The computer stores the new data.

Posner is using this system to answer some simple questions. For instance: When you try to recall the letter A, does your mind "see" A first, or does it "say" A? To answer this, Posner programmed his microcomputer to flash pairs of letters on the tv screen. Some of the pairs were identical visual matches (AA), others were identical verbal matches, but differed visually (Aa). Subjects watching the screen were instructed to press the response key as quickly as possible when either match came up.

Posner found that subjects responded to the visually identical pair 80 to 100 milliseconds faster than they did to the pair that was the same in name only. It appears from such experiments that visual cues are more accessible in

*"Microcomputers are
helping Posner
look into
the human mind."*

the brain than verbal cues. You have to rummage deeper in your mind for the names of things than you do for their shapes.

This kind of split-second work—which helped Posner win the 1981 Distinguished Scientific Contribution Award from the American Psychological Association—would be nearly impossible without microcomputers.


While microcomputers are helping Posner look into the human mind, another scientist is using them to track pollution in wilderness lakes. Dr. Stanley Burden and his students at Taylor University in Upland, IN, are examining the effects of a recent oil discovery, and the subsequent population growth, on some pristine lakes in northern Michigan. Burden's group collects water samples from the lakes and tests them with electrodes that can detect very small quantities of pollution-related ions. These finicky electrodes once had to be hand-calibrated before each experiment. Now, the microcomputer does that automatically, besides performing a complex analysis of pollutants in the water.

Not only does his Apple-based sys-

"I BOUGHT IT"

"My biggest loss
of programming
time using
Snappware's
EXTENDED BUILT IN
FUNCTIONS is
spent inserting
my diskette."

SCOTT ADAMS - PRES. OF ADVENTURE INTL.



Snappware's EXTENDED BUILT IN FUNCTIONS is a collection of much needed additions to the TRSDOS* BASIC interpreter which greatly extends its convenience and utility. The following features become part of your BASIC language and provide the enhancements without requiring any additional memory. The most important component of EXTENDED BUILT IN FUNCTIONS is an in-memory sort routine, guaranteed to be the fastest general purpose in-memory sort on the market. Along with this you also receive other EXTENDED BUILT IN FUNCTIONS. Here is a sampling:

SRT—Sorts one or more arrays into a specified sequence

FMT—Arranges data into a string variable as with PRINT USING

PDAT/UDATS—Permits user to do arithmetic on dates.

PKS/UPKS—Compresses strings to save disk space.

ETIMS—Shows the difference between two times.

CLEAR—Specifies the number of file blocks to be allocated when you specify high memory and string space.

DELETE—Allows you to dynamically remove portions of a BASIC program.

In addition to these, there are functions unique to Model II and to Model III. The exclusives to Model II are long error messages and PEEK/POKE. The exclusives to Model III are:

SWAP—Supports exchange of variables with a single statement.

HEXS—Converts numbers to hexadecimal strings.

RESTORE—Allows you to set READ pointer to location of choice.

If you consider your programming time to be worth money, call us and let us show you how to get more of it.

MODEL II \$100.00
MODEL III \$ 75.00

*TRSDOS™ Tandy Corporation

SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE

**Time saving power
at your fingertips.**

CALL TOLL FREE:

1-800-543-4628

**OHIO RESIDENTS CALL
COLLECT: (513) 891-4496**

**3719 Mantell
Cinti., Ohio 45236**



tem make gathering data easier, Burden says, but the color graphics capability makes it possible for him to display his results more effectively. "This setup represents a huge saving in terms of operator time," he says, "and it improves the quality of time for upper-class students by freeing them from the simple logging of data."

The era of pale laboratory assistants keeping night-long vigils over laboratory instruments may soon be over. But it's not going to happen right away. Unfortunately, many scientists still see this kind of work as too specialized for micros, which are viewed in some labs as toys, or, at best, as fancied calculators.

Not John Zimmerman. This Wabash University (Crawfordsville, IN) chemist has just finished a study on the usefulness of commercially available microcomputers in laboratory work. He cites the limited 8-bit resolution of most micros as the main reason they haven't found more niches in research.

"Apart from teaching, 8 bits just doesn't do it for a chemist," he says.

But he's quick to add that newer microcomputers with greater resolution have all the power needed for scientific applications.

"We're getting to the point where serious work can be done with off-the-shelf items, which you couldn't do a few years ago," he says.

Amateur astronomer David Skillman has been running an Apple-controlled observatory in his back yard for the last two years. Skillman programmed his microcomputer to keep track of specific stars as they wheel

overhead at night. The computer orders Skillman's homemade telescope to turn an appropriate number of degrees, keeping the star in its sights for hours. So far, the system has worked well.

Even with amateurs showing the way, many scientists have neither the skill nor the inclination to concoct their own laboratory microcomputer systems. But they're still interested in the benefits micros can offer. To tap this market, microcomputer entrepreneurs are offering science packages, complete with hardware and software, for specific research applications.

Two years ago a group of former Massachusetts Institute of Technology (MIT) men started Laboratory Computer Systems in Boston. They've designed a microcomputer package that measures the volume of small biological structures by "reading" pictures from a microscope and then computing three-dimensional volume from the two-dimensional data. Biovolume is an important measurement in many


studies, but until now its estimation has been too time-consuming to be practical.

Another company is selling a complete microcomputer system that monitors a classic behavioral psychology experiment: The running of rats through a maze. Columbus Instruments Inc. has hooked an Apple II to infrared sensors that tell the computer the time a rat spends travelling, resting, even turning in circles while negotiating a maze. The company's software converts the data to a printout that once took a researcher hours to prepare. The company has also developed a Skinner Box package in which the microcomputer delivers electric shocks or rewards to an animal, and then analyzes their response data.

Microcomputers that can do it all—conduct an experiment, gather the data, and then analyze it—may be the coming thing. As John Zimmerman says, "We're gradually moving toward a system where the whole lab is under a sort of computer control."

But that's still in the future. Right now, microprocessor technology is making its biggest scientific impact on a much smaller scale. The new laboratory fad this season is the microcomputer's little brother—the smart machine.

This new type of equipment is simply a standard laboratory instrument—a spectrophotometer, a column chromatograph, or a scintillation counter—souped up with a built-in microprocessor. All this requires is removing the CPU heart of a microcomputer and transplanting it into another machine. The result: A relatively inex-




C & S Electronics Mart Ltd.

Dealer R-491

32 E. Main Street, Milan, Michigan 48160

Telephone (313) 439-1400 — 439-1508

26-1061 Model III 4K Lev. I	\$ 650.00
26-1062 Model III 16K Lev. II	805.00
26-1065 Model III 48K 1 disk	1660.00
26-1066 Mod. III 48K 2 disk/RS-232	2050.00
26-4002 64K Model II 1 disk	2995.00
26-3001 Color Comp. 4K Lev. I	300.00
26-3002 Color Comp. 16K Lev. II ext.	450.00
26-3003 Color Comp. 32K Lev. II ext.	590.00
26-3022 O-Drive for C.C.	520.00
26-3023 1-3 Drives for C.C.	340.00
26-5000 Videotext 4K	320.00
26-5001 Videotext 16K	420.00
26-3501 Pocket Comp.	135.00
26-3503 Interface	26.00
26-3505 Printer/Interface	115.00



Medical, Legal & other softwares available.

Colter

48 K 2 disk drive 40 track	\$1800.00
48 K 2 disk/RS-232	1875.00
48 K 2 disk/80 track	1950.00
48 K 2 disk/80 track/RS-232	2025.00

Printers

Comet Printer	340.00
Smith Corona TP-1	695.00
Line Printer V	1595.00
C Itoh 8510	700.00
Line Printer VI	950.00
Line Printer VII	280.00
Line Printer VIII	670.00
Daisy Wheel II	1675.00
Quick Printer	275.00
Quick Printer II	170.00
Plotter	1320.00

Pnces can change without notification All pnces are cash pnces, there will be a 4% handling charge for credit card use

✓ 138

pensive instrument that can be programmed for desired activity sequences and is much easier to run than a full microcomputer.

There are disadvantages. Smart machines are inherently limited in function and scope, and the machine's abilities cannot be expanded. But scientists with no programming or hardware skills can at least have the luxury of some computer power, so the smart machines' popularity is understandable. As Zimmerman says, "You don't buy an instrument any more without a micro inside."

In science, the most precious commodity is new knowledge. Next to making a discovery (and getting grant money), the most important task for a scientist is to keep current with other research in the field. This is done primarily through scholarly scientific journals, refereed by panels of experts who decide which findings are worthy of printing. Getting published in a journal can be a lengthy process. More than a year can pass between the time of a discovery and its publication.

Enter Comtex, a small two-year-old company that is planning this fall to offer the first electronic journal for scientists. Comtex president Frederick Plotkin plans to have submissions judged and on line in the breathtakingly short span of six to eight weeks. The research papers will be stored in a central computer with reports available, for a fee, to any scientist in North America equipped with a phone line and a microcomputer.

Feelings about the planned system are mixed. One editor of an established biology journal has already called Comtex "an electronic garbage heap." But others are more enthusiastic. The prospect of getting new information within weeks of discovery rather than months means that research as a whole can move ahead faster.

Despite these positive trends, almost everyone involved in the scientific use of microcomputers points to one central problem that blocks their full incorporation: inadequate education. Older investigators need to be introduced to the technology. Younger researchers must be taught the easiest, most productive ways to integrate micros into their labs. And science students from grade school through college should be taught about the uses of microcomputers in all fields.

Steps are being taken in this direction. In the last few years the National Science Foundation, the nation's largest source of money for scientific re-

"I BOUGHT IT"

"My biggest loss of programming time using Snappware's AUTOMAP and AUTOFILE is spent inserting my diskette."

SCOTT ADAMS - PRES. OF ADVENTURE INTL.



When working with direct files or creating a formatted screen, Autofile and Automap are indispensable aids.

Autofile is designed to automate for the BASIC programmer the task of moving data elements to and from a direct file. Previously, this was a time consuming chore because the FIELDed variables may not be directly referenced by user logic. The FIELD statement was eliminated, thereby relieving you of the guessing game as to where the FIELDed variable is. In addition, the LSET and the CVx functions are performed automatically. The software, when installed, becomes part of your BASIC interpreter providing the enhancements without additional memory.

Automap is designed to automate for the BASIC programmer the task of presenting information on the video display and accepting information from the keyboard operator. The software consists of two main components: the OFF-LINE COMPONENT used to describe to the system the screen formats and the ON-LINE COMPONENT from within your BASIC program to initialize a screen, send data to the video display and receive data from the keyboard operator. This facility when installed, becomes part of your BASIC interpreter.

Both products complement one another and, if used in conjunction, can save a significant amount of programming time.

If you consider your programming time to be worth money, call us and let us show you how to get more of it.

Automap	MODEL II	\$100.00
	MODEL III	\$ 75.00
Autofile	MODEL II	\$ 75.00
	MODEL III	\$ 60.00

SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE

Time saving power at your fingertips.

CALL TOLL FREE:

1-800-543-4628

OHIO RESIDENTS CALL COLLECT: (513) 891-4496

3719 Mantell Cinti., Ohio 45236



search, has funded dozens of programs using microcomputers in science educations.

One of these, at the University of Mississippi, is designed to teach primary and secondary school science teachers how to use microcomputers in the classroom. Jean Shaw, organizer of the program, grew enthusiastic about microcomputing after joining a TRS-80 club. Shaw believes that more and more children will have access to personal computers in the home, and she wants to make sure that science teachers keep up with the youngsters.

"The teachers coming through the program will at least be familiar with what they'll be surrounded with when they're out teaching," she says.

David Moursund, editor of *The Computing Teacher*, agrees that micros will have an important effect on science education, although he sees teachers, not students, as the moving force.

"Our educational system is completely dependent on how teachers view the world," he says. "If teachers can't adjust to using computers, to this change in the world, then it's going to be very, very hard for the kids to adjust to it."

Whether it's led by students or teachers, the move to bring micros into science education is growing. Chemistry teachers are using microcomputer graphics to show moving three-dimensional chemical diagrams (in color) to their students. Psychology teachers program microcomputers to give their students the same kind of psycholog-

"Our educational system is completely dependent on how teachers view the world."

al tests given to their patients. The students not only learn about psychology, they learn about themselves, and have fun doing it. Physics professors teach complex numerical analysis to college students with a microcomputer program that simulates the decreasing orbit of a spaceship near a black hole.


Biology professors have developed programs in which students try to save herds of bison or pods of whales from extinction in the face of environmental changes. Other biology programs simulate the effects of various pollutants on water ecosystems.

Computer-assisted instruction of this sort is exciting for the students, but it doesn't teach them how to use microcomputers in the lab. To do that, you need a class like the one developed by Bruce Rafert and R.C. Nicklin at Appalachian State University in Boone, NC. These two physics professors teach their students how to interface a KIM-1 microcomputer board to common laboratory equipment. They avoid programming language and diagramming details as much as possible, concentrating instead on hands-on wiring and getting systems to work. Their conclusion after successfully running the class: "...micros should be as common as voltmeters and scopes at all levels."

Why Not More?


Microcomputers. Their potential seems unlimited, they're cheap, and they're available. So why doesn't every science laboratory have one?

"Double Density Adapter" \$129.50



Double Density, 8", and is compatible with CPM adapters. Includes "state-of-the-art" LSI Data Separator for fewer read errors. Available for Expansion Interface®, Holmes DX-1S, and other single density disc controllers.

"Mainframe Replaces Interface"




Includes power supply, gold connectors, buffers for high speed operation, and room for four peripherals.

Mainframe \$99.50

"NEW! Plug-in products add Speed, 80-Column Video, Memory and other quality features to your TRS-80"

Model I/III "80 Character Video"




"Memory mapped" (allows peek & poke) — NO SOFTWARE DRIVERS. COMPATIBLE W/TRS-DOS® & others.

Model I VX-1 \$179.00
Model III VX-3 \$199.00

holmes
engineering inc.

Peripherals Division
3555 South 3200 West
Salt Lake City, Utah 84119 • (801) 967-2324 ✓153

"Model III Speed-up" \$99.50




Runs up to double speed. Automatically runs disc & cassette at normal speed (defeatable). Includes fast Z80B.

*Other products available or under development.


DX-1S Single Density Disc Controller \$148.50
w/Double Density Adapter \$219.00
Extend Memory
Call or write for details.

"Model I Speed-up" \$99.50



8 Software - Selectable commands for 2/3 to 3 times normal speed. Runs disc & cassette at normal speed (defeatable). Parallel printer port for \$24.50. Includes fast Z80B for reliable high speed performance.

"48 K Memory without an Interface"



Adds Memory inside keyboard up to 48K. Cures expansion interface® reboot/noise problems.

IM-2 includes 32K RAM \$139.50
IM-1 includes 16K RAM \$ 86.00
IM-2 P 32K RAM (for PMC) \$139.50

One year warranty on all products. Add Shipping/Handling - Mainframe \$9.00 U.S., \$15.00 Canada, Overseas \$30.00. Other products - \$5.00 U.S. & Canada. All others add 15%. Prices subject to change without notice. Dealer Inquiries Invited. For information send Self-Addressed Stamped Envelope. Reader Service takes 8 weeks.



The most obvious reason is inertia. Contrary to popular conception, scientists fear new and complex technologies almost as much as anyone else. Scientific research moves ahead at a dizzying pace already, and microcomputers threaten to speed the process even more. Some scientists fear that the little machines will make them outmoded. They're scared.

Those who decide to take the plunge and buy a micro for the lab face another problem. Retail computer dealers are notoriously ignorant of scientific needs. They may be able to talk for hours about the latest video game, but they're woefully ignorant of ways to hook their machines into lab sensors. Support for scientists is therefore poor, and well-documented interfacing material is rare. None of that would matter much if adequate scientific software existed, but it doesn't. While microcomputer hardware is, or soon will be, adequate for most laboratory applications, good software is lagging far behind—a problem not limited solely to science.

But all these problems are slowly being solved. There's a feeling across the field that we're on the edge of a microcomputer explosion in the sciences. More science students are becoming computer literate. More micros are being built with the power needed for research. More firms are designing microcomputer systems for the sciences. Software is gradually being developed by scientists who can't wait for computer companies to catch up. As more important data is collected through the use of micros, resistance should gradually die down.

Soon every science department in every school may resemble the Chemistry Department at the University of Wisconsin, Madison, where 35 Apples and PETs are scattered among the faculty. Pockets of activity like this will grow, says computer guerrilla Howard Whitlock, even though there may be resistance at the highest levels.


"The most interesting part of microcomputers in the University is that the school administration is scared to death of them," he says. "Most people in the University don't know anything about computers. They hear the drums beating in the bush, and they see a few guerrilla raids here and there, but they don't know there's a revolution—yet." ■

Tom Hager can be reached at 868 W. 10th Ave., Eugene, OR 97402.

"I BOUGHT IT"

"My biggest loss of programming time using Snappware's COLLEGE EDUCATED GARBAGE COLLECTOR is spent inserting my diskette."

SCOTT ADAMS - PRES. OF ADVENTURE INTL.



The Snappware College Educated Garbage Collector (SNAPP-VI) is an intelligent processing function which greatly improves performance of typical BASIC applications. And here's why.

Microsoft uses a 'variable length string' in the BASIC interpreter. Each time the string is assigned a new value, it is relocated in a string pool. Periodically the string pool must be reorganized and condensed into a single contiguous area. Performing this string space reclamation is time consuming and inefficient because this approach evaluates and collects each string individually. The time required is roughly proportional to the square of the number of active strings in the resident program. During reclamation the system seems to 'lock-up' and does not respond to the operator until the process is completed.

This time consuming approach requires a better solution. Snappware has developed a solution which takes advantage of the auxiliary memory available. SNAPP-VI requires only four bytes per active string as a work area. When free storage space is available, our system temporarily borrows, uses and returns the space to the free storage pool when completed. If storage is not available, our system will temporarily transfer out to disk enough of the BASIC program to make room for our work area and return the 'paged out' information to its correct location when completed.

Benchmarked times show, in some situations, SNAPP-VI performs one hundred times as fast as the Microsoft approach.

If you consider your programming time to be worth money, call us and let us show you how to get more of it.

MODEL II	\$100.00
MODEL III	\$ 75.00

*TRSDOS™ Tandy Corporation

SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE

Time saving power at your fingertips.

CALL TOLL FREE:

1-800-543-4628

**OHIO RESIDENTS CALL
COLLECT: (513) 891-4496**

**3719 Mantell
Cinti., Ohio 45236**



Control your Model II's cursor.

Curse You, Cursor!

Joseph L. Frese
The Software Service Company
37W829 Pine Needles Court
Batavia, IL 60510

demands attention, appropriate when special attention is required for an unusual situation (an error condition, for example). When you write information on a partial screen rather than a line at a time, the cursor should be turned off so it doesn't flicker annoyingly while moving about the screen.

Different cursor sizes are ap-

fect you intended. It is often helpful to adapt the cursor format to the situation.

Model II Basic and TRSDOS give cursor control limited to having the cursor blink, not blink, or not show. That's helpful, but really not enough. And then the system is always trying to change back to the standard format when you least want it.

which tailor the controller chip for a given application.

The ability to set register number 10 provides all capabilities discussed above. Table 1 shows the layout of the bits in register 10. Control the cursor by choosing a particular combination of bits and putting them into that register.

However, TRSDOS 2.0 and other programs have the nasty habit of putting their own bits into the register every so often. (They are just making sure that the cursor is turned "on.") Therefore, to do the job right, you must also modify the byte which TRSDOS and these other programs will put into register 10. This magic byte is stored in memory location 06B1H (in TRSDOS 2.0). It is sent to the CRT controller just before every TRSDOS Ready command prompt, and also when you call the Cursor (SVC 26) operating system call with a non-zero argument.

Ron Balewski's article "Block That Cursor" in the April 1981 issue of *80 Microcomputing* scored a real hit with me. I, too, find a non-blinking block cursor more comfortable than the standard TRS-80 cursor.

Ron's Model I solution couldn't be applied directly to my Model II system. Fortunately, an entirely different solution proved easy to implement on the Model II. This method has some other interesting applications as well, and now I wouldn't be without it in my collection of systems subroutines.

Why Control Your Cursor?

The cursor is an important part of the interface between the computer and its user. A blinking cursor calls attention to its position on the screen, while a non-blinking cursor seems less insistent. A fast-blinking cursor

appropriate for different situations. For example, when filling in a large number of blank spaces indicated by underscore characters, a non-blinking underscore cursor is not a preferred shape. Or, when entering data into a reverse video field (black characters on a white background), a block cursor creates the illusion of two reverse video fields separated by a space or white on black character. This probably is not the ef-

The subroutine below gives nearly total cursor control, can be loaded anywhere without modifying the code, uses only 16 bytes of memory, and it's free. Such a deal!

Method of Operation

The Model II uses a Motorola MC6845 CRT Controller to operate the display. This controller contains 19 registers or high speed memory locations, accessible via the system bus,

Bit 7 (Most Significant)	—Not Used			
Bits 6-5	—Cursor Display Mode			
	Bits	Byte	Byte	
	Binary	Hex	Decimal	Meaning:
	00	00	00	Non-blinking cursor
	01	20	32	No cursor displayed
	10	40	64	Blink double speed
	11	60	96	Blink normal speed
Bits 4-0	—Cursor Start Line (within the 7 by 10 dot matrix of a character)			
	The value is from 0-9:			
	0 gives a full block cursor.			
	9 gives an underline cursor.			

Note: TRSDOS normal value for this byte is decimal 101 or hex 65.

Table 1. Register 10 layout

Set It and Forget It

To change the cursor permanently for a given application, just PATCH location 06B1H on

The Key Box

Model II
32K RAM
TRSDOS 2.0

Call or Write Your Nearest Snappware Distributor

MICRO-80
284 Goodwood Road
Clarence Park
Adelaide South Australia
Ph-(08) 2117224

DIGI-TEK SYSTEMS
65 Thornridge Circle
Kitchener Ontario N2M-4V9
Ph-(519) 742-8205

STRAWFLOWER ELECTRONICS
50 North Cabrillo
Half Moon Bay
California 94019
Ph-(415) 726-9128

COMPUTER MAGIC
115 Wiltshire Avenue
Louisville, Kentucky 40207
Ph-(502) 893-9334

E-C DATA
Tornevangsvej 88
P.O.B. 116
DK-3460
Birkeroed, Denmark
Ph +45/2/81/ 81 91

SYSTEM SOFT
49, Dunvegan Drive
Rise Park
Nottingham, England
NG5 5Dx
Ph-(0602) 275559

CUSTOM COMPUTING
104 Bushwick Rd.
Poughkeepsie, NY 12603
Ph-(914)-471-9318

AEROCOMP
Redbird Airport
Hanger 8
Dallas, Texas 75232
Ph-(214) 339-5104

NOTICE

Snappware Goes On Trial! You Be The Judge!

Snappware knows your programming time is valuable. That's why we are offering a trial package that will cut your programming time up to 75%!

This unprecedented offer allows you to judge for yourself the value of our software using *your* hardware at *your* convenience. Our five best selling products: EXTENDED BASIC, EXTENDED BUILT IN FUNCTIONS, COLLEGE EDUCATED GARBAGE COLLECTOR, AUTOMAP and AUTOFILE, are all available to you on a trial basis for only \$50.00 for the Model II and \$35.00 for the Model III. We're convinced that after you see how well our software helps you perform programming tasks, you will purchase them like thousands of others have.

Our trial package consists of a master diskette which may be used to create one working copy. Your purchase price for the trial package will be credited toward the purchase of any software Snappware sells.

If for any reason you are not satisfied, just return the trial diskette and working copy and we will refund your money, no questions asked. With an unconditional guarantee like this, you can't lose.

Call our toll free number 800-543-4628 to put us on trial. We're sure your verdict will be: Snappware saves you time and money.

MODEL II Trial Package \$50.00
MODEL III Trial Package \$35.00

SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE
SNAPPWARE

**Time saving power
at your fingertips.**

CALL TOLL FREE:

1-800-543-4628

**OHIO RESIDENTS CALL
COLLECT: (513) 891-4496**

**3719 Mantell
Cinti., Ohio 45236**




```

00110 ; THIS SUBROUTINE ALLOWS USERS OF BASIC ON THE TRS-80 MODEL II TO TAKE
00120 ; FULL CONTROL OF THEIR CURSOR.
00130 ; WRITTEN BY J. L. FRESE, (312) 879-9335, ON MAY 24, 1981.
00140 ;
00150 ; THE ROUTINE IS SELF-RELOCATING - THAT IS TO SAY IT MAY BE LOADED AT
00160 ; ANY DESIRED MEMORY LOCATION WITHOUT MODIFYING THE MACHINE CODE.
00170 ;
00180 ; WHEN CALLED FROM BASIC, THE SINGLE PARAMETER IS AN INTEGER (16-BITS).
00190 ; THE LEAST SIGNIFICANT BYTE OF THIS INTEGER IS THEN OUTPUT TO THE CRT
00200 ; CONTROLLER REGISTER 10, WHERE THE FOLLOWING BIT FIELDS CONTROL THE
00210 ; CONTROLLER ACTIONS DESCRIBED BELOW:
00220 ;         BIT 7 (MOST SIGNIFICANT) -- NOT USED
00230 ;         BITS 6-5 -- CURSOR DISPLAY MODE
00240 ;                     00 = NON-BLINK
00250 ;                     01 = NON-DISPLAY
00260 ;                     10 = BLINK, 2X SPEED
00270 ;                     11 = BLINK, NORMAL SPEED
00280 ;         BITS 4-0 -- CURSOR START LINE (0 TO 9)
00290 ;                     0 MEANS BLOCK CURSOR; 9
00300 ;                     MEANS UNDERLINE AS CURSOR
00310 ;
00320 ; AT ENTRY FROM BASIC:
00330 ;     REGISTER A -- TYPE CODE OF PASSED PARAMETER (2 FOR INTEGER)
00340 ;     REGISTERS HL -- ADDRESS OF INTEGER IN THE ARGUMENT STORAGE AREA
00350 ;     INTEGER IS STORED IN NORMAL 2-80 ORDER, LEAST
00360 ;     SIGNIFICANT BYTE FIRST.
00370 ;
00380 ; UPON RETURN TO BASIC:
00390 ;     REGISTERS AND THE ARG STORAGE AREA ARE NOT MODIFIED.
00400 ;     THE VALUE RETURNED IS THE CALLER'S ARGUMENT.
00410 ;
00420 ; OPERATING SYSTEM DEPENDENCIES:
00430 ;     THE ORG IN LINE 470 AND THE LOAD TO MEMORY LOCATION 04B1H IN
00440 ;     LINE 580 DEPEND UPON THE USE OF TRSDOS 2.0.
00450 ;
00460 ;
F000 00470 ORG 0F000H ;ORIGIN OK FOR TRSDOS 2.0 IF YOU ARE NOT USING
00480 ;ANY HIGH MEMORY COMMUNICATIONS ROUTINE.
00490 ;TRSDOS 2.0 PROTECTS MEMORY DOWN TO 0F000H FROM
00500 ;THE BASIC INTERPRETER.
F000 FE02 00510 SETCSR CP 2 ;TEST FOR INTEGER ARGUMENT
F002 C0 00520 RET NZ ;IF INVALID, RETURN WITHOUT ACTION
F003 F5 00530 PUSH AF ;SAVE AF
F004 3E0A 00540 LD A,10 ;ADDRESS CRT CONTROLLER REG 10
F006 D3FC 00550 OUT (OFCH),A ;INFORM CRT CONTROLLER
F008 7E 00560 LD A,(HL) ;GET CONTROL BITS FROM USER PROGRAM
F009 D3FD 00570 OUT (OFDH),A ;MOVE TO CRT CONTROLLER REG 10
F00B 32B106 00580 LD (04B1H),A ;ALSO MODIFY MEMORY WHICH TRSDOS 2.0
00590 ;AND OTHERS USE TO RESET CURSOR "ON".
00600 ;NOTE: THE PREVIOUS INSTRUCTION MAY BE OMITTED. THIS WILL CAUSE
00610 ;YOUR CURSOR MODIFICATION TO BE ONLY TEMPORARY. TRSDOS
00620 ;AND SOME OTHER PROGRAMS WILL UNDO YOUR CHANGE BY WRITING THE
00630 ;CONTENTS OF LOCATION 04B1H TO THE CRT CONTROLLER WHEN THEY GET
00640 ;AN OPPORTUNITY TO DO SO. (I.E. THEY WILL EXECUTE THE "CURSOR"
00650 ;SVC WITH AN "ON" ARGUMENT.)
F00E F1 00660 POP AF ;RESTORE AF
F00F C9 00670 RET ;FINISHED SO RETURN
0000 00680 END
00000 TOTAL ERRORS

```

Program Listing 1. SETCSR

the System disk used to load TRSDOS 2.0 for that application. The change will take effect the next time you reload the system (at power up, or at reset time) using the patched System disk. Figure 1 shows how to make the patch setting a non-blinking full block cursor. Obtain other cursor formats with different values (as shown in Table 1) for the C parameter on the PATCH command. As in Fig. 1, I always build a DO file containing each patch applied to TRSDOS. This documents exactly what was changed, and simplifies later removal, if that becomes desirable. Removal is especially easy if you have a program like UNPATCH/BAS by Ken Snapp, Jr. (April 1981, *TRS-80 Microcomputer News*). His program reverses the F and C values on the PATCH commands in a DO file to undo a patch.

Change It at Will

Perhaps you need a more dynamic method for controlling your cursor. In that case, use the SETCSR subroutine in Program Listing 1 to adjust your cursor from a Basic program or from Basic command level. Notice that any integer passed to the subroutine will be sent out to the CRT controller. You can't do any real harm with some strange value, although you may have an unusual cursor for a while. SETCSR is also self-relocating; load its 16 bytes at any available address without modifying the SETCSR code.

Also notice that the memory address given above applies to TRSDOS 2.0 only. It is quite

-ATTENTION ALL TRS-80® OWNERS-

No matter how your Model I, II or III is used, whether it be business or pleasure, this product can benefit you.

The **FATIGUE FIGHTER™** reduces the operator fatigue (irritated, watery eyes and headaches) caused by the harsh white video display thereby making computer use more efficient and/or enjoyable. The graph at the right will help explain how it works. Superimposed on the standard eye sensitivity curve is the band pass curve of the **FATIGUE FIGHTER™** as recorded by a spectrophotometer. A marker is also on the graph at the ideal psychological tolerance color. As you can see, the green color of the **FATIGUE FIGHTER™** takes advantage of both eye sensitivity and psychological tolerance to make the display less irritating.

The **FATIGUE FIGHTER™** is made of tough 1/4 inch thick acrylic sheet which adds absolutely no distortion or fuzziness to the display and is industry proven to be an excellent material for optical filtering (e.g. lenses for laser safety goggles). It installs easily on all three TRS-80® models with a pressure sensitive adhesive which will not let the filter fall off yet allows easy removal if necessary. Finally, the black and silver border design makes it a perfect match for the computer styling.

If you want a **FATIGUE FIGHTER™** of your own but prefer not to order by mail, check with your local computer stores to see if they have them in stock. Otherwise follow the ordering instructions below.

TO ORDER:

Send Name & Address Typed or Clearly Printed with Check or Money Order (U.S. FUNDS) for \$14.95 Each, Including Shipping. Canadian Orders add \$1.00 Each. All Other Foreign Orders Add \$2.00 Each for Shipping. NO CREDIT CARD ORDERS. COD'S (U.S. ORDERS ONLY) are \$2.50 Additional Per Order & are Accepted by Mail or by Calling 904-378-2494 9-5 M-F. Florida Residents Add 4% Sales Tax. MAIL ORDERS MUST BE SENT TO THE U.S. ADDRESS.

TRS-80 IS A TANDY CORP. TRADEMARK.




SOUTHERN INNOVATIVE DESIGN
1520 NORTHEAST 12TH STREET
GAINESVILLE, FLORIDA 32601 ✓35


-CANADIAN DEALERS ONLY-

For pricing and ordering information contact:
MICRO-COMP ENTERPRISES INC., 955 Brock Rd. S., Unit 3
Pickering, Ontario L1W 2X9 Phone: 416-839-4561

-DEALER INQUIRIES INVITED-



Teach Your TRS-80® A Second Language.



Your TRS-80 Model III already speaks BASIC and now you can teach it APL too, thanks to STSC's APL★PLUS®/80 Application Development System. Once you've run APL on your TRS-80, we're sure you'll both think of it as your first language.

Our APL★PLUS system features increase the well-known power and productivity of the APL language. You'll develop and maintain programs in one-fourth to one-tenth the time needed with BASIC, and you'll write applications you'd have thought twice about attempting in any other language.

Take a look at the following example. How long would it have taken you to program it in BASIC?

Develop a subroutine which enumerates all the combinations of N things taken from a population P. Its result is a table showing each of the possible combinations in a different row. Examples:

```

3 COMB 4      2 COMB 4      4 COMB 5
1 2 3          1 2          1 2 3 4
1 2 4          1 3          1 2 3 5
1 3 4          1 4          1 2 4 5
2 3 4          2 3          1 3 4 5
                2 4          2 3 4 5
                3 4
V S←N COMB P;R
[1] * MAKE SETS OF N ITEMS FROM P CHOICES
[2] * RECURSIVE ALGORITHM BY ALLEN J ROSE
[3] * ((N=P)→R←N-1)P L ← S←(R+1,P)P L ← 0
[4] L: S←1+(0,(N-1)COMB P-1),[1]N COMB P-1
V

```

This example is found in the textbook provided with the APL★PLUS/80, *APL: An Interactive Approach*, by Leonard Gilman and Allen J. Rose. A detailed explanation of this APL solution is included in our free information package.

Your programming may not include a task such as this, but it will certainly benefit from APL's power in expressing algorithms.

Worried that a language with this much power is hard to learn? Don't be. APL is *easy*! The programs have simple structure — the power comes from many built-in functions and operators. And our complete documentation gives you everything you need to make yourself *and* your TRS-80 bilingual. You get *APL is Easy!* (an introductory tutorial), an APL textbook, a set of four detailed user's guides and reference manuals, and two reference cards. That's everything you need, whether you're a beginning user or an experienced APL programmer.

When you buy the APL★PLUS/80, you're getting a complete application development system which includes:

- complete APL language and system features, upwards compatible with our mainframe APL systems
- powerful output formatter

- array-oriented file system
- access to regular TRSDOS® files and subroutines
- communications as a "simple" terminal *and* under APL program control
- traditional APL symbols *or* mnemonic keywords
- utility program libraries
- convenient access to many TRS-80 features.

So if you want to develop and deliver solutions faster and better for yourself or for clients, teach your TRS-80 a second language — APL.

Mail in the coupon below with your payment and we'll send you the APL★PLUS/80 Application Development System — all you need to run APL today on your TRS-80 Model III. If you'd like more details, check the box on the coupon and we'll send you our free information package.

We're STSC, Inc., the leading supplier of professional quality APL software and services in the United States. Our APL★PLUS systems have been serving the business and professional world for more than 12 years.

APL★PLUS/80 runs under TRSDOS 1.3 or LDOS® 5.1 on a 48K RAM TRS-80 Model III with two disk drives. The APL★PLUS/80 comes with custom APL character ROM.

stsc

Attn: APL★PLUS/80 Distribution ✓266

STSC, Inc., 2115 East Jefferson Street
Rockville, Maryland 20852

(301) 984-5000 (orders only)

Yes, send me the APL★PLUS/80 System (\$295* in U.S. and Canada).

☐ My check is enclosed. (Postpaid in continental U.S.)

☐ Charge my MasterCard Account # _____

MasterCard Bank # _____

☐ Charge my VISA Account # _____

MasterCard/VISA expiration date _____

Credit card customers add \$4.00 postage and handling in continental U.S.

*Add state sales tax in MD (5%), FL (4%), and CT (7½%).

I'd like to know more about the APL★PLUS/80 System.

☐ Send me your free information package.

Name _____

Address _____

City _____

State _____

Zip _____

Phone (_____) _____

80-1182

APL★PLUS is a service mark and trademark of STSC, Inc., registered in the United States Patent and Trademark Office. TRS-80 and TRSDOS are registered trademarks of Tandy Corporation. LDOS is a registered trademark of Logical Systems Corporation.

At TRSDOS Ready type the following lines:

```
BUILD BLKCURSR<Enter>
PAUSE THIS PATCH MODIFIES TRSDOS 2.0 TO USE A BLOCK CURSOR. <Enter>
<Enter>
PAUSE PRESS "BREAK" TO ABORT, OR "ENTER" TO PATCH. <Enter>
<Enter>
PATCH SYSRES/SYS {A=06B1,F=65,C=00} <Enter>
<Enter>
<Enter>
DO BLKCURSR<Enter>
```

Fig. 1. Block cursor installation

At TRSDOS Ready type the following lines:

```
DEBUG ON<Enter>
DEBUG<Enter>
MF000<F1>
FE 02 C0 F5 3E 0A D3 FC 7E D3 FD 32 B1 06 F1 C9<F2>
O
DUMP SETCSR (START = F000,END = F00F,PORT = R)<Enter>
```

Fig. 2. SETCSR installation

possible that it will change in other versions.

Installing and Testing SETCSR

Installing a small machine-language subroutine without using an assembler program involves just two steps on the

Model II. The first step gets the correct numbers into memory; the second writes the numbers to disk in a format which TRSDOS can load as a program later.

One way to do step one uses the Debug program to enter

```
10 REM SAMPLE PROGRAM TO DEMONSTRATE USE OF THE SETCSR SUBROUTINE
20 REM
30 REM INSERT CLEAR COMMAND HERE IF NEEDED FOR YOUR LOAD ADDRESS.
40 SYSTEM "LOAD SETCSR"
50 DEFUSR0=6HF000: 'TELL BASIC WHERE SETCSR IS TO BE ENTERED
60 X% = USR0(96) 'SET BLINKING BLOCK CURSOR
70 GOSUB 190
80 X% = USR0(0) 'SET NONBLINKING BLOCK CURSOR
90 GOSUB 190
100 X% = USR0(96+9) 'SET BLINKING UNDERLINE AS CURSOR
110 GOSUB 190
120 X% = USR0(64+5) 'SET TRSDOS CURSOR WITH FAST BLINK
130 GOSUB 190
140 X% = USR0(32) 'TURN CURSOR OFF
150 GOSUB 190
160 X% = USR0(96+5) 'RESTORE NORMAL TRSDOS CURSOR BEFORE STOPPING
170 GOSUB 190
180 STOP
190 Y%=0:FOR X%=1 TO 5000:Y%=Y%+1:NEXT X%:RETURN 'DELAY AWHILE
```

Program Listing 2. Sample program



numbers into memory. Then the Dump command performs step two. Figure 2 shows both steps for SETCSR. TRSDOS and Debug prompts and responses are *not* shown in the figure for simplicity. <F1> and <F2> denote the function keys F1 and F2.

The short Basic program in Listing 2 demonstrates different cursor formats. It also verifies that SETCSR is on disk and can be accessed by Basic. The colon in line 50 is intentional; otherwise, Basic gets a syntax error.

Happy Controlling


I hope you enjoy complete control of your cursor. If you, as I, would like to see more utility and systems-oriented articles for the Model II, let this discussion stimulate you to share your ideas. ■

Joe Frese has been programming one computer or another since 1967. The interface between people and computers especially interests him.



DEMON SEED

By Jeffrey Sorensen and Philip MacKenzie



THE NEW
ARCADE
SMASH

The end is near; the demonic forces have invaded our galaxy. It is up to you to defend the galaxy from destruction. At your command is a powerful star cruiser equipped with high-energy missiles and defensive shields. Only with practice and patience will you be able to defeat the many waves of demon attacks and reach the three special challenge levels that will test your mental and physical dexterity. (Disk version saves high scores.)



TREND Software Company

245 Chestnut Circle, Bloomfield Hills, MI 48013

(313) 540-8143

258

Model I/III Tape \$14.95
Model I/III Disk \$19.95
Add \$1.75 for postage and handling
Michigan Residents add sales tax
Dealer Discounts Available

Level IV Products Is Expanding Again! 3 Locations To Serve You...

HEADQUARTERS

32429 SCHOOLCRAFT ROAD
LIVONIA, MICHIGAN 48150
(313) 525-6200

(MAIL ORDER, WHOLESALE, SERVICE)

COMPUTER CENTER

182 NORTH 20th STREET
BATTLE CREEK, MICHIGAN 49015
(616) 963-2212

(DISCOUNT COMPUTER SHOW ROOM)

R/S STORE #P-130

134 SOUTH FRONT STREET
DOWAGIAC, MICHIGAN 49047
(616) 782-6600

(FULL R/S PRODUCT LINES AT DISCOUNT)

PUT A PROFESSIONAL TEAM TO WORK FOR YOU, WE OFFER "IN-HOUSE" TECHNICAL SERVICE, AND A PROGRAMMING STAFF TO ASSIST YOU WHEN HARDWARE OR SOFTWARE HELP IS NEEDED.

WE CARRY OVER 900 HARDWARE AND SOFTWARE ITEMS, MOST IN STOCK, IF YOU DON'T CHECK OUR PRICES AND DELIVERIES, YOU MAY FIND THAT YOU PAID MORE AND WAITED LONGER.

THE PURCHASING POWER OF \$5,000,000.00 PLUS SALES INSURES YOU THE VERY BEST OF DISCOUNTS, AND PRODUCT QUALITY, WE DON'T HAVE TO "CUT CORNERS" IN OUR SELECTION OF OFFERINGS, OR CONSTRUCTION COMPONENTS.

WE SERVICE EVERYTHING WE SELL, WE'LL ALSO SERVICE YOUR MODIFIED EQUIPMENT (PROVIDED DOCUMENTATION IS AVAILABLE), AT REASONABLE SERVICE RATES.

TYPICAL PRICES (PARTIAL LISTING)

TRS-80* MODEL III 48k (2) M.P.I. OR TANDON 40 TRACK DRIVES..... (FULLY R/S COMPATIBLE).....	\$1749.00
TRS-80* COLOR COMPUTER 16k EXTENDED BASIC.....	\$ 449.00
TRS-80* MODEL II 64k.....	\$3249.00
COLOR DRIVE 0 ASSEMBLY.....	\$ 459.00
M.P.I. OR TANDON DRIVES FOR COLOR, MOD I, MOD III, RAM (FROM \$199.00) COMPLETE (FROM \$259.00).....	\$ CALL
M.P.I. OR TANDON 3" DRIVES FOR MOD II, MOD 16, RAM (FROM \$499.00) COMPLETE (FROM \$649.00).....	\$ CALL
PRINTERS, R/S, EPSON, CITOM, MICROLINE, & OTHERS.....	\$ CALL
WINCHESTER DRIVES FOR MOD III, 6.4 meg, COMPLETE WITH DOS & INTERFACE, PLUS IT IN AND RUN.....	\$1995.00
WINCHESTER DRIVES FOR MOD III, 14.5 meg, COMPLETE AS ABOVE.....	\$2395.00
TRS-80* MODEL 16, 128k, 256k, 384k, 512k, SINGLE & DUAL DRIVES.....	\$ CALL
UPGRADE YOUR PRESENT SYSTEM, (7 TECHNICIANS ON STAFF FOR PROMPT RELIABLE SERVICE)..... (CALL FOR A QUOTE).....	\$ 24/HOUR
ALL POPULAR R/S AND OTHER SOFTWARE AT COMPARABLE DISCOUNT PRICES.....	\$ CALL

WARRANTY POLICY:

TO HAVE THE R/S 90 DAY WARRANTY IN EFFECT, REQUIRES CONSTRUCTION FROM R/S SUPPLIED COMPONENTS, AT SLIGHTLY HIGHER PRICES.

EQUIPMENT CONSTRUCTED WITH COMPONENTS PURCHASED DIRECTLY FROM THE MANUFACTURER IS COVERED BY A SIX MONTH PARTS AND LABOR WARRANTY BY LEVEL IV PRODUCTS, INC.

YOU MUST SPECIFY WHEN ORDERING TO ASSURE THE LEVEL OF COVERAGE YOU REQUIRE.

TERMS OF SALE:

A 2% DISCOUNT IS ALLOWED ON CASH PRE-PAID ORDERS, PERSONAL CHECKS REQUIRE 2 WEEKS FOR BANK CLEARANCE.

VISA, MASTER CHARGE, C.O.D., AND WIRE TRANSFERS ARE ACCEPTABLE, DEPOSITS ARE REQUIRED FOR ALL SPECIAL ORDER AND ASSEMBLED ITEMS.

A CHARGE OF \$10.00 WILL BE MADE FOR ALL RETURNED CHECKS.

SHIPPING:

FOREIGN ORDERS AND LARGE ITEMS ARE SHIPPED BEST-WAY FREIGHT COLLECT, MOST OTHERS ARE SHIPPED PROMPTLY FROM STOCK VIA U.P.S.

DOMESTIC SHIPMENTS OF ITEMS IN THE U.P.S. SIZE AND WEIGHT RANGE YOU MAY ADD 1.5% OF THE ORDER VALUE TO COVER CHARGES FOR SHIPPING, HANDLING, AND INSURANCE. (MINIMUM IS \$2.50)

ADD \$1.50 FOR ALL C.O.D. SHIPMENTS.

DEALER'S NOTE: Some key areas are still available for both re-sale and servicing dealerships, contact our Headquarters Division for Details.

TOLL FREE ORDER HOT LINE
800-521-3305

HARDWARE/SOFTWARE
Service Line
313 / 525-6200

Your One Stop Computer Shopping Center

*TRADEMARK OF RADIO SHACK, A DIVISION OF TANDY CORPORATION



Nike Sport Research Lab

by J. L. Larsen

When Alberto Salazar ran the New York Marathon in 1981, he had one thing on his mind: time. In particular he wanted to save time—enough time over the 26.2 mile course to establish a new world record.

Speed is important to the scientific process, too. Sometimes it is necessary to collect and analyze data at almost the same instant an event transpires. Left to pencil and paper calculations, important data can be lost. Even if all the important data is recorded, analyzing it may take too long. Some computers provide a tool to increase the speed of data collection and reduce the time of subsequent analysis.

An experiment conducted recently at the Nike Sport Research Lab dealt with in-shoe temperature as a factor in the formation of blisters. By examining how a microcomputer was used in this experiment, we can demonstrate that it can serve as a catalyst in the scientific process.

Observation

Salazar no doubt developed a blister or two on his run for the record.

Blistering is a cause of concern to shoe makers as well as athletes, since the blame is placed on the shoe. A survey conducted at the 1982 Boston Marathon showed that 36 percent of the runners surveyed had developed blisters. Many people mentioned either abrasion or heat build-up as a contributing factor.

Scientific research benefits from using microcomputers for data collection and analysis.

Hypothesis

As there was little quantitative data regarding temperature and how it effects the blistering process, we decided to investigate the temperature at various locations in the shoe while a subject ran at a set pace on a treadmill. Our working hypothesis was that there is a temperature threshold at which blistering is a natural consequence.

Experiment

Our hardware consists of a copper-constantine thermocouple connected to an Omni I thermocouple amplifier (both from Omega Engineering, Inc.). The Omni amplifier is then connected to an amplifier/filter with variable gain and offset. The output from this amplifier is then passed to an analog-to-digital (A/D) converter and into the microcomputer.

The most important piece of hardware is an analog-to-digital converter. This A/D converter does exactly what

the name implies. It takes an analog signal, the output by the thermocouple, and converts it to a representative digital value that the computer can use. Our system uses an Interactive Structures AI-02, an A/D converter that outputs an 8-bit number between 0 and 256.

The A/D converter interfaces any instrument that outputs a voltage signal. Most laboratory instruments come equipped with this output capability or can be adapted to output such a signal. For example, at the Nike Sport Research Lab, an oxygen analyzer, a carbon dioxide analyzer, and a Parkinson-Cowen flowmeter, all of which are used in exercise physiology studies, output a 0-5-volt signal that can be converted and sampled by the above-mentioned setup.

The converted digital value is often read by PEEKing variable storage memory, if the event being monitored is slow enough. When speed is a factor, we use a machine-language subroutine instead. Example routines demonstrating both instances are described later.

Another important piece of hardware is the amplifier/filter. This amplifier conditions signals to read a range of values within a desired resolution. In the case of the thermocouples, the Omni I amplifier is adjusted to output a signal between 0 and 90 millivolts (mV) corresponding to a temperature range of 20-40 degrees Celsius. The 8-bit A/D converter re-

RIBBONS

Low Price • FREE Shipping
SATISFACTION GUARANTEED

MX-80 Cartridge

price each in quantity of

1-2	3-5	6-11	12-23	24-47
8.95	8.41	7.90	7.43	6.99

RIBBON LOOPS

new ribbon for your old cartridge
top quality nylon • standard matrix ink

price each in quantity of

	1-2	3-5	6-11	12-23	24-47
MX-70/MX-80/MX-100	3.95	3.63	3.34	3.08	2.83
MX-100 double length	7.86	7.23	6.65	6.12	5.63
Decwriter LA34	2.92	2.69	2.47	2.27	2.09
Radio Shack 26-1418	2.26	2.08	1.91	1.76	1.62

New cartridges are available in black ink only.
Loops are available in blue or black ink (same price).
You may mix any combination for quantity price breaks.
Ribbon loops include DO-IT-YOURSELF INSTRUCTIONS.


DATA SYSTEMS

VISA MasterCard ✓99
(305) 788-2145 • Box 99 • Fern Park, FL 32730

NEW for the Color Computer TRS-80

'COCOCASSETTE' SUBSCRIPTION SOFTWARE

*TRS 80 IS A TRADEMARK OF TANDY COMPANY



ENJOY A MONTHLY COLLECTION OF 8-10 PROGRAMS!

Including games, education, home finance and more:
on cassette for as low as \$5.00 a month! Add some ac-
tion and imagination to your Color Computer... Best of
all, we do the work!

PRICES

1 YR (12 ISSUES)	\$55.00
6 MO (6 ISSUES)	\$30.00
SINGLE COPIES	\$ 6.00

—MICHIGAN RESIDENTS ADD 4% TO ORDER
—OVERSEAS ADD \$10.00 TO SUBSCRIPTION AND \$1.00 TO
SINGLE COPIES

616 396-7577



PROGRAMS ARE FOR
EXTENDED BASIC
MODEL ONLY. ISSUES
ARE SENT FIRST CLASS

408 SUBSCRIPTION SOFTWARE



SEND CHECK OR MONEY ORDER TO:

VISA*

T & D SOFTWARE P.O. BOX 256-C • HOLLAND, MICH 49423

quires a voltage of 20 mV to register a change of one on its scale of 0-256 (total voltage range 0-5 volts). We expected in-shoe temperatures to range between 20° and 70°C. To attain an accuracy of .2°C, the signal from the Omni I must be amplified by a factor of 50. A low-pass filter is built into the amplifier to remove noise that might result from amplification of the signal or from sources outside the immediate system.

By substituting various sized resistors, this basic amplifier circuit can be used to condition signals from other laboratory instruments as well. For example, our carbon dioxide and oxygen analyzers, from Applied Electrochemistry, output a 0-5-volt signal. These signals are amplified by a factor of 2 and 5 over a concentration range of 0-6 percent and 15-21 percent, respectively.

The offset in the circuit is used in conjunction with the gain to define a range of values between 0 and 5 volts (lower and upper end) to aid in achieving maximum resolution.

Hardware is useless without software to direct it. We use two subroutines, one in Basic, the other in machine language, depending on the particular study. Our pilot studies have shown that, for our

needs, a sample every five seconds is sufficient to monitor any temperature change that takes place. Typically we sample every five seconds, plot a point on the monitor, and print out the reading. A subject runs for 30-60 minutes at a varied pace (five, six, and seven minutes per mile). As the experiment progresses, we track the average and maximum temperature for every minute. Any blistering that occurs ends the session. The time and temperature at which blistering occurs is then the last time and temperature recorded. Maximum temperature, minute averages, and time to blister, if any occurred, were stored in a disk file for later statistical analysis.

Further studies will include varied shoe conditions in order to obtain an expanded picture of the blistering problem, as there are many other factors influencing in-shoe temperature and blistering, including the materials that the shoe is made of, total time of run, and even foot type.

As mentioned earlier, if sampling speed is important, a machine-language sampling routine is necessary. The fastest rate at which we have sampled one channel of converted data (our A/D converter has 16 possible channels), is

10,000 per second. The temperature study did not require such speed but studies using the air/gas analyzer and flowmeter mentioned earlier can only be undertaken with machine-language drivers. The program requires a timer or clock capable of interrupts. This routine samples two channels every second and stores the values in memory locations accessible by other routines. From this skeleton, a control program can be fleshed out to handle and monitor a multitude of analog signal events.

Conclusion

Although speed is not important in all phases of the scientific process, it is essential in some.

A slower pace is helpful, for example, when allowing an idea to build and when forming a hypothesis. But once data collection starts, speed is a primary concern, and microcomputers can provide an important service. In our temperature study, for instance, a microcomputer allowed us to collect the data and analyze it much faster than alternate methods. ■

J. L. Larsen (156 Front St., Exeter, NH 03833) enjoys studying birds, rocks, and apples.

Trick Your ROM

by Bob Boothe

Are you frustrated with your printer driver? These programs let you use **CHR\$(0)** for simple and speedy bit-graphics on your printer.

The original designers of ROM must have thought anybody sending a **CHR\$(0)** to the printer was in error.

Program listings don't use it. Word processors don't use it. Screen dumps don't use it. But those of us who have modern printers with fancy options need zero all the time.

I made a three-dimensional paraboloid with 288,960 points combined into 41,280 bytes. Of those 41,280 bytes, 16,830 are zeros.

I knew I would run into problems using the **LPRINT** statement, so instead I used a very slow process of **PEEKing** the printer address. When it was clear I **POKEd** my values into it one at a time.

Zero is not the only problem with the ROM printer driver. The designers must have thought anyone sending a

CHR\$(10) to the printer meant to send a **CHR\$(13)**, and so the helpful ROM changes any 10 to a 13.

I have another design, the Mirror, which uses a 10 twice on every line. More about this design later.

If you are desperate for a 10, send an 11 or 12. ROM intercepts your 11 or 12 and gives you 66 tens instead, a good trade if you're changing money, but a disaster when doing bit graphics.

Solutions

Naturally, there are plenty of ways to trick the ROM. First, let's take a look at the printer driver.

The keyboard, video display, and printer all have device control blocks in RAM. The printer device control block starts at 16421. I use decimal instead of hexadecimal here, so we can do a little **PEEKing** and **POKEing**.

Address 16421 contains a six as the DCB type. I don't think the six matters, but to play it safe leave it alone. The next address, 16422, contains a 141; **POKE** 140 into it. This disables the printer by exchanging the printer

058D	79	LD	A,C
058E	B7	OR	A
058F	2840	JR	Z,05D1H
0591	FE0B	CP	0BH
0593	280A	JR	Z,059FH
0595	FE0C	CP	0CH
0597	201B	JR	NZ,05B4H
0599	AF	XOR	A
059A	DDB603	OR	(IX+03H)
059D	2815	JR	Z,05B4H
059F	DD7E03	LD	A,(IX+03H)
05A2	DD9604	SUB	(IX+04H)
05A5	47	LD	B,A
05A6	CDD105	CALL	05D1H
05A9	20FB	JR	NZ,05A6H
05AB	3E0A	LD	A,0AH
05AD	32E837	LD	(37E8H),A
05B0	10F4	DJNZ	05A6H
05B2	1818	JR	05CCH
05B4	F5	PUSH	AF
05B5	CDD105	CALL	05D1H
05B8	20FB	JR	NZ,05B5H
05BA	F1	POP	AF
05BB	32E837	LD	(37E8H),A
05BE	FE0D	CP	0DH
05C0	C0	RET	NZ
05C1	DD3404	INC	(IX+04H)
05C4	DD7E04	LD	A,(IX+04H)
05C7	DDBE03	CP	(IX+03H)
05CA	79	LD	A,C
05CB	C0	RET	NZ
05CC	DD360400	LD	(IX+04H),00H
05D0	C9	RET	
05D1	3AE837	LD	A,(37E8H)
05D4	E6F0	AND	0F0H
05D6	FE30	CP	30H
05D8	C9	RET	

Table 1. Disassembled ROM Printer Driver

The Key Box
Basic Level II
Model I
Printer

MAILING LIST SYSTEM \$119.95

For TRS-80 (Tandy Trademark) Model I and III

WHAT SETS OUR SYSTEM APART?...

- Our system is configured specifically for large mailing lists (or small) on **floppy disk drives**. Some other major systems **run** on floppies but are really intended for use on hard disk drives. Such a system assumes that you have vast amounts of on line disk storage capacity...the continuity of the data is limited to what you can have on line at one time. To get the real benefit of such a system, one usually has to purchase expanded track/density floppy disk drives and even then the problem occurs when all the drives are filled with data. We have neatly solved this problem by allowing all your data disks to be maintained in continuous order...even though, due to the limitations of your drives, the list may be too large to all be "on line" at one time. Thus our system accomodates extremely large lists using your existing drives and yet avoids the "segmented" data problems of the hard disk approach.
- While it is fashionable to advertise all-machine-code systems, our system is primarily written in BASIC...with embedded machine code for the speed sensitive areas. What this means is that our system is **easy** to **modify**, yet extremely fast. This is very important since many users like to have custom modifications made (either by them or us) so as to fit some unique requirement. Our manual has a section devoted exclusively to such modifications...Remember all-machine-code systems are extremely difficult to modify.
- Continuity of the ordered data (even data spanning many disks) is not limited to a "session", but is permanent.
- Optional "backing up" of your data as-you-go is an integral part of the system and is not restricted to the end of a session. This is true even for deletions.
- The length of our data fields are more than adequate to accomodate even your longest names/addresses.
- Adjusts to a 32K memory although full use is made of a 48K memory...Can be used with any DOS including TRSDOS.
- The program disk does not have to stay on line, thus freeing more space for data storage.
- Load and scroll through entire entries or selected fields. Edit as you scroll or go directly (takes about 2 sec.) to a specific entry and edit or delete.
- Our automatic repeat feature allows often used names/addresses to be entered with a single key stroke.
- Each disk entry optionally "remembers" how many mailings have been made for that particular entry...Can be tied in with purge/select.
- Continuing **expert** support just a phone call away. You will be able to discuss your problems/modifications with the authors.
- **Money back guarantee if not fully satisfied.**

ADDITIONAL FEATURES:

- Simple to use, even for the novice...menu oriented.
- Permits **2260** names "on-line" with 40 track double density drives and almost **5000** names with 80 track drives. The older 35 single density drives permit 1025 on-line entries...made possible with our unique data compression techniques.
- Super fast sort by alph. or zip order (8 sec. for 1000 entries). Both orders can exist **simultaneously** on disk.
- High speed recovery of entries from disk...speed of sort is meaningless if retrieval from disk is slow. Ours pulls in over 11 per sec!
- Master list printout of your list is several formats (not just a rehash of labels)...extremely useful.
- Zip order is "sub-alphabetized".
- Less than 5 digit zips have leading 0's appended.
- Supports 9 digit zips, **Canadian zips**, and foreign abbrev.
- Optional second address line.
- Optional reversal of names about commas. This permits disk storage in last-name-first order to facilitate meaningful order-

- ing while the printout will be in "natural" order.
- Permits telephone, account, and/or serial numbers, etc.
- Prints on envelopes or labels 1, 2, 3, or 4 across.
- Can print individual labels at time of creation or editing.
- Test label/envelope printing allows you to make vertical and horizontal adjustments with ease...
- Transfers old files to our system.
- Selective printout by specific zips or zip ranges.
- Plenty of user defined fields with provisions for simultaneously purging and/or selecting the printout...even allows for inequalities...Powerful and easy to use.
- Editing is simple and fast...direct access or automatic search...Batch transfer of edited entries to backup disks.
- Optionally provides for duplicate labels.
- Deleted entries have "holes" on disk filled automatically and alph. order is still maintained!
- All labels optionally support an "Attn." line with provisions for multiple entries. This permits mail to be sent to several people at given addresses...conserves disk space.
- All 0's in address labels are replaced by easier to read O's.
- Continuous display of number of labels/envelopes printed.
- Extensive use of error traps...even recovers from a power failure during a printout.
- Extensive documentation manual.
- Hardware requirements...32K, printer, and 1 or 2 drives.

FORM LETTER (Use with Mail List System) \$39.95

Create letters and store on disk with provisions for later retrieval and additions. Then print your letters using your mailing list.

- Same select and purge features as mailing list system.
- Select either continuous fanfold or "cut sheet" paper.
- Selectable tabing, test printing, and paging.
- Allows regular or legal size pages.
- Greetings are selectable by codes on mailing list. Options include Mr./Mrs., First/Last Name, global, or user defined.

REPORT (use with Mail List System) \$39.95

The Mail List System provides its own multi-optional master list printout; however, Report additionally allows you to **selectively** pull records from disk and then print with a **customized** format. Also included are two more "standard" format printouts.

SUBSET (use with Mail List System) \$39.95

Selectively pulls records from a current file to produce a subset file on another disk.

SUMMARY (use with Mail List System) \$39.95

Gives summarizing totals of the various categories of all entries on disk. You specify categories according to codes, zips, etc.

Limited Offer -- Save \$30 and purchase all three above for \$89.95.

FOOTBALL SCOUT (disk only) \$89.95

Charge local schools up to \$1000 per season for these sophisticated reports. Analyze the tendencies of opposing teams...Equivalent to that used by the pros.

<input type="checkbox"/> Mailing List System	<input type="checkbox"/> Report	<input type="checkbox"/> Subset
<input type="checkbox"/> Form Letter	<input type="checkbox"/> Football Scout	<input type="checkbox"/> Summary
<input type="checkbox"/> Model I		<input type="checkbox"/> Model III

Total (Add \$3.00 for Shipping & Handling) \$ _____

Check ☐ C.O.D. ☐ Visa ☐ MC ☐

Card No. _____ /Exp. _____

Name _____

Address _____


City, State, & Zip _____

PRECISION PROTOTYPES 63

410 E. Roca Refugio, TX. 78377 (512)526-4758


Scotch Diskettes

Rely on Scotch® diskettes to keep your valuable data safe. Dependable Scotch diskettes are tested and guaranteed error-free. The low abrasivity saves your read/write heads. They're compatible with most diskette drives.



(800)235-4137

MASTERCARD
VISA
Dealer Inquiries
Invited



PACIFIC
EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401 In Cal call
(800) 592-5935 or
(805) 543-1037

✓ 207

LARGE CAPACITY MAILIST for MODEL I/III

*Easily holds 3000 names
and addresses on just 2
drives. Delete function to
automatically find
duplicate names.*


*Fast operation
4 machine language
sub-routines*

\$129

RED WING SOFTWARE
8809 S. Penn
Oklahoma City, OK 73159

✓ 498

Maxell Diskettes



The floppy disks that meet
or exceed every standard
of quality. Dealer inquiries
invited.

**Call Toll Free
1-800-237-8931.**

**In Florida, call
813-577-2794.**



Tech Data Corporation
3251 Tech Drive North
St. Petersburg, FL 33702

✓ 440

driver with a return statement.

Address 16423 contains a five; the five and the 141 point to the ROM printer driver at address 1421. Table 1 shows a disassembled listing of the offending code. The 76-byte routine includes lines for almost everything from ignoring zeros to making form feeds from elevens and twelves.

In this routine, lines using the number 37E8H either check the status or output the byte to the printer.

Now is the time to replace the ROM routine. Unfortunately we cannot change the ROM, but the device control block does allow us to put our own routine in RAM. Normally, small machine-language routines are put in high memory, protected when the computer asks for memory size. That's annoying when you want more than one program in the same place. To circumvent this standard procedure, I wrote a short program to tally the different numbers in the reserved RAM area (16405-17128). Since 249 never occurred, I filled the entire section with 249s from a machine-language routine. Then I booted the system and exercised commands forcing the computer to use its reserved memory. I PEEKed through this memory section and wrote down all continuous sections still containing 249s (see Table 2).

These are *apparently* unused ad-

```
16554-16577
16571-16594
16610-16613
16668-16672
16678-16687
16697-16721
```

Table 2. Unused Reserved RAM

resses. There's a good chance some odd command will use them, but I use the open section 16571-16594 without any problem. If you decide not to fix the printer driver, you still might relocate the keyboard debounce routine into one of these low sections. If you don't want to risk having the new printer driver destroyed in low memory, move it to high memory. The code is relocatable.

The Programs

Printer driver 1 (Program Listing 1) takes only nine bytes of memory. With this in memory send a CHR\$(0) to the printer and get a CHR\$(0) printed. Send an 11 and you get an 11; a 12 prints a 12. Try sending a 10—you'll get a 13.

Your 10 becomes a 13 long before the printer driver; the ROM changes it to a 13.

Enter printer driver 2 (Program Listing 2). Somewhat larger than Program 1, this program takes up 15 bytes of memory. The extra six bytes allow the program to constantly scan the break key. With this feature you can stop the printer quickly.

Next comes printer driver 3 (Program Listing 3). This one is for the conservationists: It uses a miniscule four bytes of memory. It moves the print character from C to A and then jumps to the end of the ROM printer driver. This printer driver also can't tell a 13 that looks like a 13 from a 10 that looks like a 13.

Basic Tricks

Many printers use seven bits and ignore the last one. A common trick to get numbers past the ROM on seven-bit machines is to add 128 to all the numbers. The ROM then passes the numbers through to the printer.

```
{ {xy}          00100 ;PROGRAM 1  STANDARD PRINTER DRIVER
4026            00110      ORG      16422      ;DRIVER ADDR
ESS
4026 BB40       00120      DEFW      START      ;LATCH IN NE
W DRIVER
40BB            00130      ORG      16571      ;NICE BIG PL
ACE TO PUT IT
40BB 21E837     00140 START  LD      HL,37E8H    ;LINE PRINTE
R ADDRESS
40BE CB7E       00150 LOOP  BIT      7,(HL)      ;CHECK STATU
S
40C0 20FC       00160      JR      NZ,LOOP      ;LOOP UNTIL
READY
40C2 71         00170      LD      (HL),C        ;OUTPUT BYTE

40C3 C9         00180      RET
0000            00190      END
00000 TOTAL ERRORS
```

Program Listing 1

I use an Epson MX-80 with the Grafrax-80 graphics ROM update. It's an eight-bit machine and requires some tricks to pass zeros. The easiest but slowest way is to just POKE numbers to the printer address.

Printer driver 4 makes an eight-bit printer function like a seven-bit printer (Program Listing 4). It takes the numbers passing through and erases bit 7 (bits are numbered 0-7), if there is one. In other words, if you

```

00100 ;PROGRAM 2    PRINTER DRIVER THAT CHECKS BREA
K KEY
4026                00110      ORG      16422      ;DRIVER ADDR
ESS
4026 BB40           00120      DEFW     START      ;LATCH IN NE
W DRIVER
40BB                00130      ORG      16571      ;NICE BIG PL
ACE TO PUT IT
40BB 21403B         00140 START  LD      HL,3B40H   ;BREAK KEY A
DDRESS
40BE CB56           00150      BIT      2,(HL)     ;TEST KEY
40C0 C0             00160      RET      NZ         ;IF BREAK RE
TURN
40C1 21E837         00170      LD      HL,37E8H   ;LINE PRINTE
R ADDRESS
40C4 CB7E           00180      BIT      7,(HL)     ;CHECK STATU
S
40C6 20F3           00190      JR      NZ,START    ;LOOP UNTIL
READY
40C8 71             00200      LD      (HL),C      ;OUTPUT BYTE

40C9 C9             00210      RET
0000                00220      END

```

Program Listing 2

```

00100 ;PROGRAM 3    PRINTER DRIVER THAT USES PART O
F ROM (BOO)
4026                00110      ORG      16422      ;DRIVER ADDR
ESS
4026 BB40           00120      DEFW     START      ;LATCH IN NE
W DRIVER
40BB                00130      ORG      16571      ;NICE BIG PL
ACE TO PUT IT
40BB 79             00140 START  LD      A,C        ;THIS IS THE
SHORTEST FIX
40BC C3B405         00150      JP      05B4H      ;LAST HALF O
F ROM ROUTINE
0000                00160      END
00000 TOTAL ERRORS

```

Program Listing 3

```

00100 ;PROGRAM 4    PRINTER DRIVER TO MASK OUT BIT
SEVEN
4026                00110      ORG      16422      ;DRIVER ADDR
ESS
4026 BB40           00120      DEFW     START      ;LATCH IN NE
W DRIVER
40BB                00130      ORG      16571      ;NICE BIG PL
ACE TO PUT IT
40BB 21E837         00140 START  LD      HL,37E8H   ;LINE PRINTE
R ADDRESS
40BE CB7E           00150 LOOP   BIT      7,(HL)     ;CHECK STATU
S
40C0 20FC           00160      JR      NZ,LOOP     ;LOOP UNTIL
READY
40C2 3E7F           00170      LD      A,7FH      ;MASK 0111 1
111
40C4 A1             00180      AND      C          ;COMBINE BYT
E
40C5 77             00190      LD      (HL),A      ;OUTPUT BYTE

40C6 C9             00200      RET
0000                00210      END
00000 TOTAL ERRORS

```

Program Listing 4

SAT*

Krell's College Board

SAT*

Preparation Series

NEW FOR '82

A COMPREHENSIVE PREPARATION PACKAGE / 30 PROGRAMS

1. Diagnostic analysis
2. Prescription of individual study plans
3. Coverage of all SAT* skills
4. Unlimited drill and practice
5. SAT* Exam Question simulator
6. All questions in SAT* format and at SAT* difficulty level
7. Instantaneous answers, explanations and scoring for problems
8. Worksheet generation and performance monitoring - (optional)
9. A complete record management system - (optional)
10. Systematic instruction in pertinent math, verbal & test taking skills - (optional)

Krell's unique logical design provides personalized instruction for each student according to individual needs.

Krell's College Board SAT* 81/82 Prep. Series has demonstrated a mean combined math and verbal score increase of more than 100 points by using sophisticated drill & practice techniques alone. This new series is much expanded and updated. In addition extra cost options are now available to provide worksheet generation, record management, and systematic instruction in all math and verbal areas tested by the SAT*.

All versions of Krell College Board SAT* Preparation Series provide answers, explanations and instantaneous raw scoring. Standard package \$299.95

APPLE, ATARI, COMMODORE, CP/M, IBM, AND RADIO SHACK*

ALSO AVAILABLE

Time Traveler / Odyssey in Time
Competency/Proficiency Series
Pythagoras and the Dragon
Isaac and F. G. Newton / Micro Deutsch
Super Star Baseball / Sword of Zedek
Krell Game Pack

CALL FOR DETAILS AND PRICES

✓ 51

KRELL®

SOFTWARE CORP.

The state of the art in educational computing
1320 Stony Brook Road / Stony Brook NY 11790
Telephone 516-751-5139

Krell Software Corp. has no official ties with the College Entrance Examination Board or the Educational Testing Service. Krell is, however, a supplier of products to the E.T.S.

*Trademarks of Apple Comp. Corp., Tandy Corp., Commodore Corp., Digital Research Corp., I.B.M., Atari Corp.

PROGRAMS AVAILABLE FOR THE TRS-80, APPLE II, PET & ATARI

N.Y.S. residents add sales tax



send a 138 the printer gets a 10. If you send a 49 the printer gets a 49. Of course a 10 still comes out as a 13. We finally have a way to get a ten to the printer. The big disadvantage is losing many eight-bit capabilities. This driver is useful for using seven-bit programs on an eight-bit machine. An excellent article, "A Turn of the Screw," (80 Micro, April 1981) includes bit graphics for seven-bit machines.

The only problem left is getting the 10 to the printer as a 10. Since it is changed deep in the catacombs beyond trackable distance, it took a long time. I checked all the registers. I disassembled code, searched memory, and considered pouring dye on the CPU to trace its path. Finally, I found it 17 bytes up on the stack. I immediately pulled out the editor/assembler and wrote printer driver 5 (Listing 5). It uses 16 bytes of memory.

Listing 5 is different from other printer drivers that print the value from the C register. This program ignores its input, looking 17 bytes up from the start of the stack. It sends whatever it finds to the printer. For Basic programs this approach has never

failed. A problem arises when using machine-language programs such as EDTASM. EDTASM doesn't leave the output bytes 17 bytes up the stack. This is no big problem for graphics, because EDTASM doesn't use bit graphics on its printouts. Remember to reset the computer when switching from printer driver 5 to EDTASM. The JKL function of NEWDOS also doesn't work with driver 5.

All the drivers work when LListing programs although they're not needed for this.

The advantages of my printer drivers for graphics are speed and simplicity. For example, in executing a Basic program called The Mirror, the old POKE routine took nine minutes to print its design. Converted to use printer driver 5, the program is half the length and prints the design in 2

minutes and 15 seconds—a 75 percent time reduction.

Last Program

Program Listing 6 is a Basic loader for any printer driver. I set it to load printer driver 5 into memory. To change it, put all data in hexadecimal form on line 120. I use hexadecimal because the assembler uses it. The remainder of the program converts the data and POKes it into memory starting at 16571. Lines 210 and 220 change the device control block to link into the new printer driver. To change the location, change lines 135, 210 and 220. ■

Bob Boothe is majoring in Computer Science at the University of California at San Diego. He can be reached at 4651 Browndeer Lane, Rolling Hills Estates, CA 90274.

MODEL 3* CHARACTERS

for Model 1* and LNW-80**

Kit includes character generator with Model 3 like characters and lower case letters with true descenders. software allows access to special characters in a manner identical to Model 3 from BASIC.

Two alternate character sets that are software selectable in LNW and hardware selectable in MODEL 1.

KT-1 for LNW-80 69.95
KT-1A for Model 1 69.95
Assembled & tested add 15.00
RS232 Board provides switches and Baud Rate Generator for LNW-80
BD-3 12.95
Complex Sound Generator Board for any 80
BD-5 15.95

THE MAINE SOFTWARE LIBRARY
P.O. BOX 197
STANDISH, ME 04084

*Model 1 and Model 3 are products of Radio Shack
**LNW-80 is a product of LNW Research

```

ER FROM STACK      00100 ;PROGRAM 5  PRINTER DRIVER THAT GETS CHARACT
                    00110 ;          ***** THIS IS THE BEST ONE *****
                    00120 ;DOES NOT WORK OUTSIDE OF BASIC (EDTASM, JKL
)
4026                00130          ORG      16422          ;DRIVER ADDR
ESS
4026 BB40           00140          DEFW    START          ;LATCH IN NE
W DRIVER
40BB                00150          ORG      16571          ;NICE BIG PL
ACE TO PUT IT
40BB 21E837         00160 START  LD      HL,37E8H          ;LINE PRINTE
R ADDRESS
40BE CB7E           00170 LOOP  BIT     7,(HL)            ;CHECK STATU
S
40C0 20FC           00180          JR      NZ,LOOP          ;LOOP UNTIL
READY
40C2 211100         00190          LD      HL,17            ;ADD 17 TO S
TACK POINTER
40C5 39             00200          ADD     HL,SP            ;RESULT IN H
L
40C6 7E             00210          LD      A,(HL)           ;GET ORIGIAN
AL BYTE
40C7 32E837         00220          LD      (37E8H),A        ;SEND IT TO
THE PRINTER
40CA C9             00230          RET
0000                00240          END
00000 TOTAL ERRORS

```

Program Listing 5


```

100 REM      LOADER PROGRAM FOR ANY PRINTER DRIVER
110 REM      PUT DATA IN HEXIDECIMAL FORM IN LINE 120
120 DATA 21E837CB7E20FC211100397E32E837C9
125 REM      EXAMPLE IS PRINTER DRIVER 5
130 READ B$
135 A=16571
140 FOR P = 1 TO LEN(B$) STEP 2
150   B=ASC(MID$(B$,P,1))-48
160   IF B>9 THEN B=B-7
170   T=ASC(MID$(B$,P+1,1))-48
180   IF T>9 THEN T=T-7
190   POKE A,B*16+T
195   A=A+1
200 NEXT P
210 POKE 16422,187
220 POKE 16423,64
230 END

```

Program Listing 6

Finally, a
magazine as
good as your Apple*



From Wayne Green, Inc.—publishers of *80 Micro*, *Microcomputing* and *Desktop Computing*—comes...

inCider

Not just another Apple magazine—but a comprehensive system specific monthly filled with...

- programs
- software applications
- hardware modifications
- reviews
- new product announcements
- advertising
- tutorials
- games

...written by technically competent editors and columnists. *inCider* is designed to provide you with the *newest* and *best* for your Apple.

Want to know the easiest way to get the kinks out of your programs? *inCider* will show you. Want to know which peripherals have the best history and the brightest future? *inCider* will tell you. Want to expand your knowledge

inCider premieres this winter and will expand the limits of your Apple like 80 Micro has blown the lid off the TRS-80.

of hardware? Or become an expert programmer? Want to discover which word processors give you the most for your money? Or how your Apple can better manage your financial affairs? *inCider* will answer these and many other questions each month.

The inaugural issue of *inCider* will be available in early December. And you can become a Charter Subscriber to *inCider* for only \$19.97! Fill out the attached reply card and drop it in the mail, or use the coupon below. Or call toll free

1-800-258-5473

And here's a special bonus offer: enclose payment (check or credit card #) with your order and you'll receive a 13th issue of *inCider* absolutely free!

Be an *inCider* and get more useable information for your Apple than you ever dreamed possible.

Subscribe to *inCider* today.

*Apple is a trademark of Apple Computer Inc.



YES, I want to be an inCider. Send me 12 issues for only \$19.97.

☐ CHECK ☐ MC ☐ VISA ☐ AE ☐ BILL ME ☐ I have enclosed payment—please put me down for my free 13th issue.

Card# _____

Interbank _____ Exp. date _____

Signature _____

Name _____

Address _____

City _____ State _____ Zip _____

Canada & Mexico—\$27.97, 1 year only, US funds
Foreign Surface—\$44.97 1 year only, US funds drawn on U.S. bank
You will receive your first issue in mid-December

inCider
PO Box 911
Farmingdale, NY 11737

32NC8

FOUR GREAT NAMES & ONE TERRIFIC NEWCOMER

All at One Low, Low Price!

Scotch MEMOREX BASF Verbatim SHANNON

To give you the chance to try Shannon Plus, Shannon Magnetics is offering a fantastic deal on Scotch, Memorex, BASF and Verbatim mini-diskettes. Buy one box of Shannon Plus for \$24.95 and get 2 boxes of brand name diskettes for the same price. You can't afford to let this deal go by!

Mini Diskettes

Box of 10 \$24.95 minimum 3 boxes
Soft-sectored 5 1/4" double density, single sided, mini disks in shrink wrapped boxes of ten with jackets, labels and tabs. Fully guaranteed for one year against defects.

Headcleaner Kit

Reg. \$24.95 Now \$17.95
Verifin kit contains two cleaning disks with instructions to assure proper operation of all types of 5 1/4" disk drives. Removes dirt and debris which can cause read/write errors and lost data without harsh chemicals.

Diskette/Headcleaner Combo

\$40.90
Combo special includes any box of 10 diskettes and Verifin headcleaner kit as described above.

Diskette File Box

\$19.95
Flipsort file box with capacity for fifty 5 1/4" diskettes.

Tandon Disk Drives for TRS-80 Model I or Model III

Single drive with cabinet \$269.00
and power supply

Printer Stilts

Reg. \$14.95 Now \$9.95
Specially priced printer stilts for any desktop microcomputer. Keeps space utilized efficiently and promotes organized paper-feed systems without brand-name expense.

Plastic Library Cases

Holds 10 Diskettes \$2.95

Mailing Labels

Box of 5000 \$15.95

TYVEK Diskette Jackets

Package of 100 blank white \$10.00

Diskette Boxes

Package of 25 blank white cardboard \$10.00

Call for Prices on 80 Track and Double Sided Diskettes!

We carry the line of LNW Research products, including . . .
computers.
expansion interfaces.
doubblers.

Shannon Magnetics

304 Elati Street
Denver, Colorado 80223 ✓ 16

To order call toll free: 800/525-8419

Mastercard and Visa welcome
Checks & Money Order also accepted
Orders shipped UPS free.

Colorado residents add
6 1/2 per cent sales tax
Attractive discount to dealers

Scotch is a registered brand name of 3M, 3M Center, St. Paul, MN 55144.
Memorex is a registered brand name of the Memorex Corporation in Santa Clara, CA.
BASF is a registered brand name of BASF Systems Corporation, Bedford, MA 01730.
Verbatim is a registered brand name of the Verbatim Corporation of Sunnyvale, CA 94086.

TRS-80 Laboratory

by Wynne Keller

If you are thinking about purchasing a computer for your laboratory, this article describes the options you may want to consider.

In 1979, buying a TRS-80 Model I was an unorthodox approach to clinical laboratory management. Since then, it has become more widely accepted that both private and hospital labs can benefit from a microcomputer. Laboratory application software is becoming available, and many standardized programs can also be used in a lab. A TRS-80 in the lab is a cost-efficient management tool. The experiences of a small lab that has had a TRS-80 for several years may help other laboratories considering this purchase to appreciate the problems and benefits that can result.

The Purchase

When the laboratory manager of a 92-bed hospital in Skowhegan, ME, approached the administration about buying a TRS-80, he already had first-hand knowledge of the machines through the purchase of one for his home. He argued that he could program the machine himself and use it for a number of time-consuming lab tasks, some of which were being done by outside firms for a fee. He also pointed out uses in other areas of the hospital, and persuaded the adminis-

tration to try a minimal system.

The initial equipment consisted of a Model I with 32K, one drive, and a printer. The system cost about \$2,700, which in today's market would buy considerably more computer power.

The equipment as purchased soon proved to be inadequate. They eventually added 16K more memory, another disk drive, a lowercase mod, and double density.

It is impractical to use a one-drive system in a laboratory, not only because the capacity is small, but also because such daily routines as making backups are extremely time consuming with only one drive. Any lab considering a TRS-80 should purchase at least two drives, 48K, and preferably double density.

Of course, what I have just described is the standard Model III computer, and it can be obtained, with a dot-matrix printer, for approximately the same money as the Skowhegan lab spent on their early, limited-capacity Model I.

Use in Other Departments

A number of other departments in the hospital became interested in com-

puterizing various projects.

One department that made successful use of the computer was the business office. Their problem required a custom program, but the program was often used. An early version of the program written for them, "Procedures Pricing," was published in *80 Micro* in December, 1981. A version of this program is still being used today. It automates price changes, so that when the cost of any item in a hospital procedure changes, all procedures using that item are updated.

Data Base Managers

A data base program is very useful in a laboratory. This type of program stores information of many different kinds in a flexible manner, so any data may be changed, added, deleted, sorted, or printed. All data base programs use the words field, record, and file.

A field is a category of information such as the name, the cost, the quantity. A record contains all the field information for one item. For example, one record in an inventory might contain this: rubber bands (name field), \$1 (cost field), 200 (quantity field). Finally, a file is the largest unit. All the records on a subject are stored in a single file on the disk.

There are two common types of data base managers. One is the in-memory type, which requires that all records fit in the memory of the computer at one time. As might be expected, this type of data base has a small capacity. The other type, random access, uses the

PABSoft

Excellence in Technical Software

LINEAR CIRCUIT ANALYSIS

DC Analysis.....	\$17
AC Analysis.....	\$17
State Variable Analysis.....	\$17
All Three.....	\$40

DIGITAL FILTER DESIGN

Butterworth & Chebychev I.....	\$17
Chebychev II.....	\$17
Elliptic.....	\$17
All Three.....	\$40

- Professional Programmers
- Fast Machine Language
- Tape or Disk (Specify)
Tape Assumes Non-DOS System
For Disk Specify DOS
- Model I or III (Specify)
Minimum 48K RAM
- Output to Video or Printer or Both
- Catalog Available Nov 82
- Update PABSoft Software to
Different Computer for 1/3
the Price

PAB Software, Inc.
P.O. Box 15397
Fort Wayne, Indiana 46885

✓321

disk to file each record as a separate, retrievable unit. This type is not dependent on computer memory, and is the most useful type for a laboratory.

One obvious use of a data base is for inventory control, but many more fields are needed than were given in the example above. Such fields as manufacturer name, product number, reorder date, reorder quantity, quantity on hand, and price discount might all be included.

This program application has saved the lab between \$300 and \$1,000 per month. Keeping track of discount information is the key to these savings. The laboratory receives many of its reagents at discount. These discounts are often not reflected in the invoices for any particular batch of reagents. By checking all invoices with the price information in the computer, errors are quickly noticed.

The data base manager is used for many other projects, such as mailing and slide labels. A data base is even used in microbiology to accumulate data on changes in the sensitivity of microorganisms to antibiotics.

Another planned use of the data base manager is a classification scheme

for autopsies. By entering autopsy results in the data base, the pathologist hopes to spot statistical trends in the frequency of occurrence of disease types. All these uses are for a single program. Data base programs, because of their flexibility, are one of the most important software purchases for a laboratory.

Word Processors

Apart from the obvious uses in such areas as correspondence, autopsy reports, and personnel job descriptions, a word processor may also be used to create a manual of test procedures. All labs maintain such manuals, which are difficult to update. With a word processor, all test procedures may be typed into the computer, saved on disk as one or more files, and easily corrected and reprinted whenever necessary.

A spelling checker is a useful program to run in conjunction with a word processor. Choose one capable of learning the specialized vocabulary that laboratory work requires. One final note on word processors: If the medical records department ever discovers you have one, you may never see your computer again.

VisiCalc

The third general-purpose program is VisiCalc. When discussing data bases and word processors, I did not mention the names of any particular product because there are many good ones and it would be unfair to single out one or two. There is, however, only one VisiCalc. It is a unique financial management tool. The Skowhegan lab currently uses it at the end of the year to evaluate the workload data.

The program allows a lab manager to take a hard look at personnel productivity in the current year as opposed to prior years. At budget preparation time, VisiCalc helps the manager predict future needs based on current growth rates. The comptroller for the hospital used VisiCalc constantly for a month to prepare the budget.

As consultants for laboratories, we have sometimes been asked to write custom programs for various applications. Some of these problems don't need a specialized program; they can be solved with VisiCalc. The program has tremendous potential, but requires a lot of creative thought to be used effectively.

Specialized Programs

Specialized programs have been

ESTATE PLANNING MODEL

SAVE TIME AND MONEY

by using your TRS-80* Model II, 64 K computer for professional estate analysis.

- ☆ **Marital Deduction Formula Analysis Reports** analyze six formula bequests for both husband and wife for both orders of death.
- ☆ **Estate Tax Return Report** computerizes estate tax planning for decedents' estates.
- ☆ **Client-Ready Reports** printed.
- ☆ **State (Ohio) and Federal Taxes** computed.
- ☆ **Free Updates** to reflect legislative changes for one year.
- ☆ **Sold and maintained by author:** an attorney and estate planning professional.
- ☆ **ALREADY REVISED** to comply with 1981 TAX REDUCTION ACT.

YES, please send me more information on the Estate Planning Model.

Name _____
Name of Firm _____
Street _____
City _____ State _____ Zip _____

Mail to: Beard Software Development Co.
59 Skyline Avenue
Canfield, Ohio 44406

* TRS-80 is a trademark of Tandy Radio Shack.

✓134

slow coming on the market for laboratories. Three new laboratory programs will be released this fall by Downeast Digital as part of their new LabManager series. The three will be Workload/Finance, Quality Control, and Test Pricing. Two others, a program on Blood Gas Analysis and an Inventory Control program, are planned for next year.

LabManager Workload/Finance is a new, more sophisticated version of a program that has been on the market two years. It stores year-to-date and current workload values and quantities for inpatient, outpatient, quality control, and non-chargeables, and prints a complete workload report organized by department, with a one-page summary. Up to 50 departments are now allowed, which means larger hospitals can separate data by shifts, with a subtotal for each shift. The program includes a financial report of revenues charged for inpatient and outpatient tests.

The LabManager Quality Control stores QC data for current month, previous month, and year to date. It provides continuous display and update of the mean, coefficient of variation, number of assays, and upper and lower limits. It graphs the data using a Levy-

Jennings plot. It performs precision, shift, and trend analysis, and allows multiple control levels per test. Reports are compatible with the requirements of laboratory computer data centers. Many labs currently spend much money to have quality control done by outside firms. This new program could help justify the purchase of a computer for your lab.

Test Pricing allows the lab manager to rapidly and accurately determine the cost of each test. With this information, he can set test prices at realistic levels, and keep prices correct when costs change. A calculator mode is included so that various purchasing decisions can be compared for their effect on prices.

What of the software that is needed but not on the market? Serious thought should be given to having at least one employee trained in Basic programming. Many small but very useful programs can be written in house. Having a programmer on the staff is definitely helpful.

Problems

Some of the problems encountered by the Skowhegan lab have already been briefly mentioned. The three big-

gest have been access to the computer, program turnover, and reliability. Other problems, such as lack of computer experience, are rapidly overcome as one gains familiarity with the machine.

Access to the computer has been a continuous problem, and has increased as other departments have also wanted to use the machine. In order to facilitate access within the lab, a wheeled table was recently purchased. Unfortunately, the table also made it easier for the comptroller to borrow the computer at budget time.

The ultimate solution is to persuade other departments to buy their own computer. Since the first TRS-80 arrived in 1979, three additional microcomputers have been purchased for this hospital: an Apple, a Model III, and a Hewlett-Packard. (The latter was for the comptroller, and is used almost exclusively to run VisiCalc. The Hewlett-Packard has an advantage over the TRS-80 for this application because of its greater memory size.) Another TRS-80 will also be purchased for the lab so that one machine may be interfaced with lab equipment without jeopardizing computer access for employees.

PROGRESSIVE

ELECTRONICS

DOUBLER



LATEST TECHNOLOGY
USING LONG and SHORT
TERM TIMING CORRECTION
FOR SUPERIOR DATA-
SEPERATION **\$99.95**
MD-80 for the MDX-2
DD-80 for the TRS-80


Model-I \$18.95
Character Generator

UPPER-lower Case

TRUE DECENDERS

643 E.CHESTNUT ST.
LANCASTER, OHIO 43130
Ph. 614-687-1019
M.C. & VISA

the *CURE*



NOW!! SUPERIOR
DATA SEPERATION
FOR MODEL-III's.
WITH NON-RADIO
SHACK DISK-
CONTROLLERS
\$39.95

Board and Manual

Parts Kit

Assembled and Tested

32k Ram; Disk; Printer; Serial; Modem; Enclosure

ENCLOSURES for the MDX-2 \$45.00

SUPER SPECIAL
\$399.00 MODEL-III DISK DRIVE KIT
INCLUDES

1-40 TRACK 5ms STEP DRIVE

1-MDX-6 Controller Board with built in "CURE"

1-POWER SUPPLY, mounting brackets, and cables

NOTHING ELSE NEEDED

2nd Drive "Internal" **\$219.00**
-with power supply; case **\$259.00**

MICRO-DESIGN » sales and service

	MDX-2	MDX-3	MDX-4	MDX-5	MDX-6
Board and Manual	\$74.95	\$74.95	\$29.95	\$49.95	\$49.95
Parts Kit	\$199.95	\$169.95	\$39.95	\$79.95	\$59.95
Assembled and Tested	\$399.95	\$299.95	\$99.95	\$159.95	\$129.95

READY TO RUN MODEL-I, MDX-2, E/I \$469.00

Radio Shack, TRS-80 are Trademarks of TANDY Corp.

✓143

Program turnover has been an occasional problem, from the point of view of the employees who had to learn a new program method. Data base programs have been particularly susceptible to turnover: Three have been purchased in a two-year period. Because there is a programmer in the lab, it has not been necessary to re-enter all the data each time a change was made, but the programs all use different screen and key controls, and employees, especially those who don't use the program often, may be unable to remember how to make a program work.

In a lab without a programmer, software changes should be approached with great caution. Even if the new program is better, if it is necessary to retype all the data that the old program stored, the change may not be worth the effort. To a novice it may be hard to imagine why anyone would want a new program to do the same thing the old one did. However, programs today are far more sophisticated than yesterday's, and such factors as speed, print-out sophistication, and ease of operation may make a new program a worthwhile investment.

The greatest problem is reliability. TRS-80 Model Is are notorious for re-

booting or freezing up at the worst possible moments. Recently a product called a Gold Plug has been introduced by E.A.P. Company. This simple device is soldered to the edge connectors on the Model I and prevents the corrosion that causes freeze-up. We have applied Gold Plugs to every Model I we own and recommend it to anyone who suffers from this problem. It has (finally) made the Model I a reliable machine.

Any computer may need occasional repairs and down time is a serious problem. Ultimately the solution is more than one computer. Until that is possible, a reasonable intermediate step is to have one extra drive, because that is the most likely unit to need repair. Also, if other departments in the hospital buy the same brand of computer, they can serve as back-ups to each other. Such internal consistency should be strongly encouraged, not just for the equipment, but also because employees can share knowledge they have gained by experience.

Expansion

What place will the TRS-80 have in the lab's future plans? The next goal is to interface a TRS-80 with the Centri-

fichem. An interface is being made by Baker Instruments.

Many laboratory instruments are now being built with an RS-232 port, and any such instrument can be easily connected to the TRS-80. The manufacturer can often construct an interface if the RS-232 does not exist. Some companies are providing microcomputers with their equipment. If the micro comes with a major instrument purchase, it can be used for other purposes when the instrument is not in use. Be certain before making such a purchase, however, that the computer is a brand you want. Very little laboratory software exists, and what there is usually runs on the TRS-80 or Apple microcomputers.


Computerizing the Skowhegan lab has not always been easy, but it has resulted in substantial savings and more efficient use of employee time. Both the hospital administration and the laboratory are pleased with the results and plan to increase the number of computers and the breadth of applications. ■

Wynne Keller, RD 1 Box 4130, Solon, ME 04979, enjoys computing and mineral collecting.

Mayday™ IS NOW SMART

Mayday has established itself as the best protection against power interruptions to most mini /micro-computers.

Mayday now has all the features you asked for!



- Constant voltage regulated output
- I/O port which tells computer when AC is off
- High, low and charge LED indicators
- Low battery audible alarms and UPS shutdown
- High start up capability for hard disk
- Zero crossing DC feature that handles any type of computer power supply
- New three stage sense circuit that protects from all types of power failure-including rapid inductive kickback

...protection you can afford!



SUN RESEARCH, INC.
BOX 210 OLD BAY ROAD
NEW DURHAM, NH 03855
(603) 859-7110 TWX 510-297-4444


285

OUR PRICES, SELECTION AND SAME-DAY SHIPPING MAKE US COMPETITIVE. OUR PEOPLE MAKE US EXPERTS.

Red Baron. Home of the Nation's Largest Computer Printer Inventory.

NEC 8023

Outstanding Graphics, Print
Quality & Performance




144 x 160 dots/inch • Proportional Spacing
• Lower case descenders • N x 9 dot matrix
• 8 character sizes • 5 unique alphabets
• Greek character set • Graphic symbols
• 100 CPS print speed • Bi-directional logic-
seeking • Adjustable tractors • Single-sheet
friction feed • Vertical & horizontal tabbing

NEC 8023
Dot Matrix List \$795 **\$Call**

IDS Prism 80/132

Affordable Color, Speed




Dot Resolution Graphics • 9-wire staggered
printhead • Lowercase decenders • Over
150 CPS • Bi-directional, logic-seeking
• 8 character sizes • 80-132 columns
• Proportional spacing • Text justifications
• Optional Color

Prism 80 Base List \$999 **\$Call**
Prism 132 Base List \$1,299 **\$Call**

Smith-Corona TP-1

Daisy Wheel Printer For Under \$900



Letter quality • Standard serial or parallel data
interface • Drop-in ribbon • 144 WPM • Various
fonts available • Loads paper like typewriter •
Handles single sheets for forms

Smith-Corona TP-1 List \$895 **\$Call**

Televideo CRT's



Price, Performance & Reliability

910 List \$699 **\$Call**
925 List \$995 **For low**
950 List \$1195 **Prices**

The Epson Series

High-Quality Printers
at a Low Price.


FREE
GRAFXTRAX
PLUS



Epson MX80 List \$645
Epson MX80FT List \$745 **\$Call**
Epson MX-100 List \$995

Full Line of Epson Accessories.

The Okidata Series Hi-Res & TRS 80 Block Graphics



120 CPS • 9 x 9 Matrix • Bidirectional logic
seeking printing • Lower case descenders
• Four print styles • Optional Hi-Res Graphics

Okidata 82A List \$649
Okidata 83A (w/Tractor) . List \$995 **\$Call**

Other Quality Printers at Red Baron

	List	Discount
Anadex DP-9501A	\$1725	\$Call
Anadex DP-9620A	\$1845	\$Call
Anadex WP-6000	\$3250	\$Call
C. Itoh 8510 Prowriter	\$845	\$Call
IDS Microprism 480	\$799	\$Call
Diablo 630/6	\$2995	\$2570
NEC Spinwriter RO		
Serial Parallel 77xx	\$3055	\$2500
Parallel 35xx	\$2290	\$1900

Interface Equipment

Complete Stock of Options,
Cables and Accessories.

GRAPPLER + APPLE INTERFACE \$175
CCS APPLE SERIAL Interface & Cable \$150
ORANGE INTERFACE for Apple II
Parallel Interface Board and Cable .. \$90
NOVATION D-CAT
direct connect modem \$180
Novation Cat Acoustic Coupler \$175
COMPLETE STOCK OF EPSON
ACCESSORIES **\$Call**
CUSTOM PRINTER CABLES FOR Apple,
Atari, IBM, TRS-80 (all models) **\$Call**
HAYES MICROMODEM II \$300
PRINTER STANDS: Large \$99
Small \$25
PRINTER RIBBONS—Most Types **\$Call**



Our People, Our Product: Both Are Specialized.

Red Baron is an organization of computer printer specialists. They know the capabilities of each printer, and how to match one to your exact need. Call for expert consultation today!



Here's How To Order:

Phone orders are welcome; same-day shipment on orders placed before 11:00 a.m. Free use of MasterCard and Visa. COD's accepted. Personal checks require 2 weeks clearance. Manufacturer's warranty included on all equipment. Prices subject to revision. APO/FPO Orders Welcome.

Call For Free Catalog:

(800) 854-8275
CA, AK, HI (714) 630-3322

Red Baron
COMPUTER PRODUCTS
1100 N. TUSTIN #207
ANAHEIM, CA 92807

MAXI STAT Is The Most Versatile Statistical Analysis Program Available . . . On Any Micro.

Dr. Steven E. Mayer, PhD., Industrial Psychologist — Maxi User

Focus On: Maxi Stat

Who can use Maxi Stat?

Anyone who needs an analysis of statistical data. Maxi Stat has successfully replaced dedicated mainframe and time-sharing statistics programs for business, financial and marketing researchers, educational administrators, hospitals, medical schools and medical research facilities, agricultural testing, and social scientists.

What does it do?

If you're familiar with SPSS (Statistical Package for the Social Sciences) and what it can do on a mainframe, you have a good idea of what Maxi Stat will do for your TRS-80.

Maxi Stat offers many of the best features of SPSS (modified for microcomputers) as well as features you can't get in any other system, at any price. Maxi Stat is one of the most useful analysis packages available — anywhere.

Read on to discover what this remarkable new tool can do for you . . .

Maxi Stat offers:

- menu-driven operation
- user-created codebook
- the ability to handle up to 255 variables
- machine language code allowing speedy data entry
- fast and easy editing
- hundreds of tasks performed at one time
- reports you can custom design for your specific needs
- ample screen prompts to guide user
- frequent automatic backup of data to help protect against power failures and system crashes
- all phases of research analysis, including:
 - write subfiles
 - frequency distribution
 - descriptive statistics
 - crosstabs & chi-square
 - correlation and linear regression
 - t-test
 - multiple linear regression
 - analysis of variance
 - multiple variable response


Summary

See for yourself what hundreds of other professionals have already discovered — Maxi Stat is THE solution to your analysis problems, and it's never further away than your TRS-80. Pull the plug on your time-sharing system and discover the power and convenience of Maxi Stat today!

Look who's already using it!

University of Alaska, Fairbanks, AK • Florida Hospital, Orlando, FL • Capital Research Services, Topeka, KA • Center for Financial Studies and Development, Claremont, CA • U.S. Army Psychological Testing Unit, Wahiawa, HI • University of Nottingham Dept. of Social Administration, Nottingham, U.K. • Defense Intelligence School, Washington, D.C. • Dept. of Recreation and Park Administration, University of Missouri, Columbia, MO • Children's Hospital of Philadelphia, Philadelphia, PA • Kingston City Schools, Kingston, N.Y. • Universidad de Monterrey, Monterrey, Mexico • University of Michigan, Dept. of Pediatrics, Ann Arbor, MI • Kodak Camera (Australia, Asia), Coburg, Victoria, Australia • The Williams Group Advertising and P.R., Dallas, TX • Medical College of Pennsylvania, Philadelphia, PA • Parkway Day School, Philadelphia, PA • University of Illinois, Chicago, IL • Selkirk Health District, Nelson, B.C. Canada • Human Communications Systems, Reston, VA • California Research Center, Los Angeles, CA • WaltRich Marketing Consultants, Orlando, FL • Rutgers University, Piscataway, N.J. • Bethel Theological Seminary, Brooklyn Park, MN • Seton Hall University, Stillman School of Business, S. Orange, N.J. • Plan-Test Associates, Phoenix, AZ • General Mills Corporation, Minneapolis, MN • Shearson, Hayden Stone Investments, Hollywood, CA • Energy Systems Research Institute, Raleigh, N.C. • Minnesota Historical Society, St. Paul, MN • Purdue University, W. Lafayette, ID • Nova Scotia Agricultural College, Truro, N.S., Canada • Agrico-Chemical Co., Wilmington, DL • Marketing Associates, Charlotte, N.C. • University of Ottawa, School of Psychology, Ottawa, Ont., Canada • Rock House Publishing, Kowloon, Hong Kong • Center for Applied Social Sciences, Boston, MA • Blake and Dickinson Marketing Research, Manchester, N.H. • United Nations, New York, N.Y., and hundreds more!

Maxi Stat prints many different report styles.




By David Walonick

Maxi Stat is available now for TRS-80 Models I and III with 2 disk drives, 48K RAM, and printer.

\$199.95

Soon to be available for IBM PC

ORDER FROM YOUR FAVORITE DEALER or CALL TOLL FREE (800) 327-7172 (ORDERS ONLY PLEASE)
SHIPPING & HANDLING ARE EXTRA - PRICES SUBJECT TO CHANGE WITHOUT NOTICE
BOX 3435, LONGWOOD, FL 32750, (305) 830-8194 (QUESTIONS)



PLEASE ANSWER THESE 5 QUESTIONS

1. Do you have information that must be kept organized and accessible?
2. Do you ever need to perform statistical analyses?
3. Would you like to have a tool that will allow you greater flexibility in managing your own or your company's money?
4. Could you use a mail list program that will be easy to use, maintain an unlimited number of names, allow you great sorting flexibility, and even interact with a word processor?
5. Do you own or have access to a TRS-80 microcomputer?

YES NO

<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>

If you answered "yes" to any of these questions, we can be of assistance to you. Our Maxi Series of applications programs are designed to give you maximum versatility with a minimum of hassle. These programs were created for business use, but you'll find yourself using them for personal applications as well.

Thorough support — Of course, each program comes with in-depth, user-oriented documentation, and is menu-driven to make it easy to use. When necessary, the Maxi programs are compatible with each other, and, whenever pertinent, are interactive with the major word processing and spreadsheet programs published by other manufacturers. Also, we maintain a telephone support line to provide you with any assistance you might require.

Maxi Manager by Dale Kubler

Maxi Manager is a remarkable data base manager. Its fast machine language sort complements its large data storage capacity. The sophistication of its data entry, management, and printing capabilities makes Maxi Manager a versatile tool for many applications.

The program now includes Maxi Utility, which allows you to rescue files on diskettes that have been damaged by excessive wear or misuse and lets you expand, add, or delete fields from an existing data base. Let the unmatched capabilities of Maxi Manager handle your data management!

Model I & Model III. Minimum 1 disk drive required . 012-0196 \$149.99

Maxi Mail by Dale Kubler

Maxi Mail is a powerful mail list management system that:

1. Is easy to use.
2. Has virtually unlimited storage capacity.
3. Interfaces with the major word processors to generate form letters and other text.
4. Prints mailing labels up to four-across in any format desired.
5. Has virtually unlimited coding capabilities with thirteen fields of information for each record.

Maxi Mail is the most sophisticated user-oriented mail list program available.

TRS-80 Model III only. 2 disk drives required . 012-0148 \$99.95

Maxi Cras by Dale Kubler

(Check Register Accounting System)

Maxi Cras is a system that will computerize check writing, recording and analysis for business and personal finance. The system features 223 income and expense accounts, each of which will handle an unlimited number of transactions. Extensive register and report printing capabilities make Maxi CRAS an indispensable tool for managing money effectively.

Model I & Model III. Minimum 2 drives required . 012-0145 \$99.95


Maxi Stat by David Walonick

Maxi Stat is the most useful statistical analysis package on the market today. It was developed to allow maximum flexibility in designing customized analysis. Maxi Stat handles the three main components of statistical analysis:

1. Complete menu-driven codebook creation and editing.
2. Menu-assisted data entry.
3. User-created control files to describe the statistical analyses to be performed and printed out on the variables of your choice.

Model I & Model III. Minimum 2 drives required . 012-0153 \$199.95

A Division of
Scott Adams, Inc.



Send \$1.00 for our 16 page booklet
"Getting The Most From Your
Micro" All 16 pages are packed with
indepth explanations and printout
samples from the Maxi Series of ap-
plications programs.

THE BUSINESS DIVISION
BOX 3435
LONGWOOD, FL 32750
(305) 830-8194

COMPUTER BOOKS FOR BEGINNERS

Everything you need to get started programming your own personal computer. These handy books of programs, and about programming, are loaded with easy-to-understand info for beginners. The books include hundreds of ready-to-type-and-run programs as well as hundreds of program-writing tips, tricks, hints, shortcuts, secrets, techniques. We offer books covering the 13 most popular computers for beginners: TRS-80 Color Computer, Atari 400, Atari 800, Apple II, Sinclair ZX-81, Timex 1000, Micro Ace, IBM Personal Computer, Casio FX-702P pocket computer, Sharp PC-1211 and PC-1500 pocket computers and TRS-80 PC-1 and PC-2 pocket computers.

TRS-80/Sharp/Casio Pocket Computers

99 Tips & Tricks for the New Pocket Computers, all new programs, using tremendous power of TRS-80, PC-2/Sharp PC-1500, LCD graphics, printer/plotter graphics, useful business and home software, includes 99 complete type-and-run programs, learn full range of expanded BASIC, 128 pages **\$7.95**

Pocket Computer Programming Made Easy, fast new, easy read-and-learn way to quickly understand the BASIC programming language, how to make TRS-80 PC-1/PC-2, Sharp PC-1211/PC-1500 & Casio FX-702P computers work for you, 128 pages **\$8.95**

101 Pocket Computer Programming Tips & Tricks, secrets, hints, shortcuts, techniques from a master programmer, includes 101 ready-to-run programs, for TRS-80 PC-1 and PC-2 and Sharp PC-1211 and PC-1500, 128 pages **\$7.95**

50 Programs in BASIC for Home, School & Office, useful ready-to-run software for PC-1/PC-2/PC-1211/PC-1500, 96 pages **\$9.95**

50 MORE Programs in BASIC for Home, School & Office, book of tested software for PC-1/PC-2/PC-1211/PC-1500, 96 pages **\$9.95**

Murder In The Mansion and Other Computer Adventures, mystery, space adventure, games, 24 programs for PC-1/PC-2/PC-1211/PC-1500, 96 pages **\$6.95**

35 Practical Programs for the Casio Pocket Computer, useful type-and-run software for the FX-702P, 96 pages **\$8.95**

Atari 400/800 Computers

101 ATARI Computer Programming Tips & Tricks, learn-by-doing instruction, hints, secrets, shortcuts, techniques for Atari 400 and 800 computers, includes 101 ready-to-run programs, 128 pages **\$8.95**

31 New ATARI Computer Programs for Home, School & Office, practical type-and-run software for Atari 400 and 800, 96 pages **\$8.95**

Timex 1000/Sinclair ZX-81

101 TIMEX 1000/Sinclair ZX-81 Programming Tips & Tricks, secrets, hints, shortcuts, learn-by-doing instruction, techniques for the ZX-81, MicroAce and Timex 1000 computers, includes 101 ready-to-run programs, 128 pages **\$7.95**

37 TIMEX 1000/Sinclair ZX-81 Computer Programs for Home, School & Office, practical type-and-run software for ZX-81, Timex 1000 and MicroAce, 96 pages **\$8.95**

TRS-80 Color Computer

Color Computer Graphics, complete guide loaded with instruction, how to make the most of TRS-80 Color Computer video graphics, many complete programs, 128 pages **\$9.95**

The Color Computer Songbook, 40 favorite pop, folk, classical, seasonal songs arranged for play on TRS-80 Color Computer, type-and-run music programs, 96 pages **\$7.95**

101 Color Computer Programming Tips & Tricks, learn-by-doing instructions, hints, secrets, techniques, insights, for TRS-80 Color Computer, includes 101 programs, 128 pages **\$7.95**

55 Color Computer Programs for Home, School & Office, practical ready-to-run software, colorful graphics, for TRS-80 Color Computer, 128 pages **\$9.95**

55 MORE Color Computer Programs for Home, School & Office, handy companion volume packed with different useful type-and-run software, colorful graphics, for TRS-80 Color Computer, 112 pages **\$9.95**

My Buttons Are Blue and Other Love Poems from the Digital Heart of An Electronic Computer, for poetry lovers, computer fans, a high-tech classic, 66 heartwarming poems written by a TRS-80 Color Computer, 96 pages **\$4.95**

Apple Computer

101 APPLE Computer Programming Tips & Tricks, secrets, hints, insights, 101 ready-to-run programs for Apple II, 128 pages **\$8.95**

33 New APPLE Computer Programs for Home, School & Office, practical type-and-run software for Apple II, 96 pages **\$8.95**

Program Worksheets

Tablets of handy printed forms make writing BASIC software easy and fun. Customized for computer systems, or use the universal form good for any BASIC computer. 40-sheet pads.

Color Computer BASIC Coding Form	\$2.95
Pocket Computer BASIC Coding Form	\$2.95
APPLE Computer BASIC Coding Form	\$2.95
TIMEX/Sinclair BASIC Coding Form	\$2.95
IBM Personal Computer Coding Form	\$2.95
ATARI Computer BASIC Coding Form	\$2.95
Universal BASIC Coding Form	\$2.95

Order direct from this ad. Send check, money order, or MasterCard or VISA account number and expiration date. Include \$1 shipping for each item ordered up to a maximum of \$3. Or write for our free catalog. Mail to:

ARCsoft Publishers

Post Office Box 132 L
Woodsboro, Maryland 21798

(301) 663-4444

Customers wanting airmail send \$4 postage per item ordered. Foreign customers pay in U.S. dollars. Maryland residents add 5% sales tax. Sorry, no COD. ✓6



Astrodynamics for Beginners

by John D. Fowler, Jr.

Has gravity got you down? Here's a program that lets you use your 80 to explore Sir Isaac Newton's basic laws of gravitation.

Want to create your own star system? How about three suns orbiting a solitary planet? Or twin planets orbiting each other while moving around a single sun? Or...

Your computer can calculate orbits like the big machines at NASA. And you can actually try out the systems mentioned above, or any others you might think of.

Astrodynamics is the study of how objects move under the influence of gravity. This includes planets, comets, asteroids, space probes, moons, galaxies, and the apple that fell on Sir Isaac Newton's head.

Orbital mechanics has allowed NASA scientists to predict the motions of space probes with great accuracy. To land a spacecraft on Mars, for instance, you must know not only where Mars will be at the right time, but also how the path of the probe itself will be affected as it nears the target. The regularity of planetary motions, along with

centuries of celestial observation, have led to precise predictions of their positions in the sky. Detailed orbits of multibody systems, however, require numerical calculations.

The problem of the motion of two bodies under the force of mutual gravitational attraction can be solved exactly. The path of one relative to the other is an ellipse, a parabola, or a hyperbola. The size and type are determined by the starting positions and relative velocities of the two objects. Bodies that are in closed orbits travel in ellipses. An object that has just achieved escape velocity takes a parabolic path, and faster objects travel on hyperbolas.

The three-or-more-body problem has no exact solution. There is no equation that can be written to describe the motion of three or more bodies under gravitational attraction, except for a few special cases. The *only* way to get a solution for more than two objects is by number-crunching numerical calculations. Enter the computer.

We need a law—the law that governs the motions of objects under mutual gravitational attraction. Notice that I said “mutual gravitational *attraction*.” Why not repulsion? Anything with mass possesses an attraction for everything else with mass. Usually the force of attraction is so small as to be unno-

ticed. The exceptions are large objects, such as planets or stars.

The law that describes this basic, universal interaction between matter was discovered by Sir Isaac Newton. The law says that the force between two bodies due to gravity is attractive, and is proportional to the product of their masses and the inverse of the square of the distance separating them. The formula is Equation 1:

$$F = Gm_1m_2/r^2$$

The symbol G is the constant of proportionality. It is called the universal gravitational constant because it is believed to have the same value everywhere in the universe. The numerical value of G depends on which system of units you use. Several systems, with corresponding values of G , are shown in Table 1. Notice that G is quite small. This is why gravitational forces are apparent only between objects where at least one has an extremely large mass.

The force F can also be made large by making the distance of separation, r , very small.

The Universal Law of Gravitation is formulated in terms of interactions between *pairs* of objects only. So what do we do if we have three or more objects? If we have, say, a sun, a planet, and a comet (call them S , P , and C), you can apply the law to the system one pair at a time and then add the resulting forces on each object. In our example, we have the interactions: sun and planet (SP), sun and comet (SC), planet and comet (PC), planet and sun (PS), comet and

The Key Box

Color Computer
16K RAM
Extended Color Basic

sun (CS), and comet and planet (CP). The sum of forces on the comet, for instance, is CP + CS. The sum of forces on the sun is SP + SC, and the sum on the planet is PS + PC. In general, for a system of N objects there will be N-1 pairs of forces for each object, for a total of N*(N-1) pairs of forces representing the sum of all forces between all pairs of objects in the system.

Only half these pairs have to be calculated, however, due to another handy law from Sir Isaac. But first, you have to learn how to go from the Law of Gravitation to the actual description of the orbits or trajectories of the objects in the system. For this you must use the formidable-sounding process of numerical integration of the equations of motion.

Let's go back and sample a few more of Newton's Laws. The first law says that an object will move in a straight line at constant speed until acted on by an outside force—an object won't change its direction or speed unless it is pushed or pulled on. The second law, which deals with the pushing and pulling, says that the acceleration of an object is proportional to its force: $F = ma$ (Equation 2), where m is the mass of the object. (No one has ever proved that this mass, which is called the inertial mass, is the same as the mass used in Equation 1, which is the gravitational mass, but they are believed to be the same.)

So, if we know the force on an object (Equation 1), we can use Equation 2 to find the acceleration by dividing both

sides by the object's mass. Combining Equation 2 and Equation 1, the acceleration due to gravity on object 1 due to object 2 is:

$$a = F_{12}/m_1 = Gm_2/r^2$$

F_{12} is the force on object 1 due to object 2. Newton's third law states that for every action there is an equal and opposite reaction. From this law, you can infer something about the force on object 2 due to object 1, namely that:

$$F_{21} = -F_{12}$$

Thus, when you calculate the force on object 1 due to object 2, you also automatically know the force on object 2 due to object 1: It is equal but with the opposite sign. You can use this information to reduce the calculational burden on the program. When half the forces have been calculated, the other half are known.

Once you know the acceleration, the next step is to find the object's velocity. If the acceleration is constant over the time interval t, the object's velocity at the end of that interval is Equation 3:

$$v = v_0 + at$$

where v_0 is the velocity at the start of the interval. Another way to put it is that the change in velocity ($v - v_0$) equals the product of acceleration and the time interval.

Remember, though, that for this formula to be valid, the acceleration *must*

not change over the time interval. This seems to be a problem because looking at Equation 1, as the separation r changes, the force changes, and from Equation 2, as the force changes, the acceleration changes. Therefore, we can't use Equation 3 to find the velocity, right?

Well, suppose that we made the time interval small enough that the acceleration didn't change much over that interval. Then the conditions would be approximately right. The symbol for this small time increment is dt. Correspondingly, the velocity increment symbol associated with the interval dt is dv. Thus, Equation 3 becomes $dv = a \cdot dt$ (Equation 4).

All that remains is to get the positions from the velocities. For this we use Equation 5:

$$s = s_0 + v_{av} \cdot dt$$

This is just the formula: distance = rate * time, with s the position at the end of the time interval dt, s_0 the beginning position, and v_{av} the average velocity (rate) during the interval. To find the position, you must know the average velocity during the interval. This is given by half the sum of the velocities at the start of the interval and at the end (Equation 6):

$$v_{av} = (v + v_0)/2 = v_0 + dv/2.$$

So the average velocity is just the starting velocity plus half the velocity increment during the interval. Combining equations 5, 6, 4, 2, and 1, you finally get the equation for the position in terms of starting separation, position, velocity, and mass (Equation 7):

$$s = s_0 + v_0 + \frac{1}{2}at^2$$

Remember that the acceleration a is found by adding all the individual accelerations due to all the other objects in the system. For object number 1:

$$a_1 = F_{12}/m_1 + F_{13}/m_1 + F_{14}/m_1 + \dots, \text{ or} \\ a_1 = G(m_2/r_{12}^2 + m_3/r_{13}^2 + m_4/r_{14}^2 + \dots)$$

The symbol r_{ij} denotes the distance between object i and object j.


We have established a chain leading from the law of motion, Equation 1, down to the positions, in Equation 5 or 7. The only assumption was that the time interval dt must be small enough that the acceleration is approximately constant during that interval.

To calculate over long time intervals,

Set of Units	Mass Unit	Length Unit	Velocity Unit	Time Unit	Gravitational Constant, G (Unit)
mks	1 kilogram (kg)	1 meter (m)	1 meter/second (m/s)	1 second (s)	6.67E-11 (m ³ /s ² -kg)
fps	1 pound (lb)	1 foot (ft)	1 foot/second (ft/s)	1 second (s)	1.07E-9 (ft ³ /s ² -lb)
AU-EM-Te	1 Earth Mass (EM) 5.98E24kg	1 Astronomical Unit (AU) 1.496E11 m	1 AU Temp 29,770 m/s	1 Temp (Te) 5.025E6 s	3.01E-6 (AU ³ /Te ² -EM)

Table 1. Units for input data and gravitational constant. A consistent set of length-mass-time units must be chosen to use the formulas developed in this article. Several sets are presented above, with corresponding values of the gravitational constant G. (You should place the appropriate value for G in line 40 of the program.) The first set is based on the widely used meter-kilogram-second system used by most scientists. The second set uses the foot-pound-second system. The third set uses the Astronomical Unit-Earth Mass-Temp system. I made up the Temp, which is determined so that the Earth's velocity around the sun is 1 A.U. per Temp. The advantage of this last system is that it allows the use of smaller numbers for input. But remember that the variable TIME (line 320) will be in Temps. So pick a line (mks, fps, or AU-EM-Te) and stick with it for a given run.

INTRODUCING 64K CP/M 2.2 FOR MODEL III \$299.



Now you can run WordStar, SuperCalc, SpellGuard, MailMerge and other CP/M based software on your TRS-80 Model III.

And walk away with incredible savings. Memory Merchant's new Shuffleboard III is the first and only 64K CP/M 2.2 system available for your Model III.

SOPHISTICATED DESIGN

The Shuffleboard III's advanced design includes 16K of RAM, giving your Model III the power of full 64K CP/M 2.2, without interference of the ROM or the video memory.

COMPLETE CP/M SYSTEM

The Shuffleboard III is not a kit, nor a skeleton. You will receive a top quality, high performance system that is shipped to you completely assembled, burned-in, tested and insured with one of the industry's best warranties.

EASY INSTALLATION & USE

Illustrated step-by-step instructions insure fail-safe installation and reliable operation. No permanent modifications, cut traces or soldering is required.

The Shuffleboard III easily plugs into two existing sockets inside your Model III. Simple keyboard commands switch between CP/M and normal TRS-80 operation.

NO RISK TRIAL

We are so convinced that you will be absolutely delighted with your Shuffleboard III system that we offer a no risk trial. After purchasing the Shuffleboard III system, you may return it (intact) for any reason within 15 days after shipment and we will refund the purchase price (less shipping).

SHIPPED DIRECT FROM STOCK

The Shuffleboard III is shipped to you direct from stock, normally within 48 hours after receipt of your order.

INTRODUCTORY PRICE

For a limited time, Memory Merchant is offering the Shuffleboard III with CP/M 2.2 at an introductory price of only \$299.

1 YEAR LIMITED WARRANTY

The Shuffleboard III's reliability, through quality controlled production and proven performance, has enabled us to offer a full 1 year limited warranty.

HOW TO ORDER

Please send check, money order, VISA or MASTERCHARGE (add ICA #) with your order. Sorry, no C.O.D's. Specify quantity desired. Shipping and handling charge is \$5.00 per board (\$9.00 outside USA & Canada)* California residents add 6% or 6½% Sales Tax where applicable. Credit card purchases may be telephoned to (415) 483-1008. Order Today!

OEM and DEALER inquiries invited.

*Air Mail shipments to Canada & all other countries.

Memory Merchant

14666 Doolittle Dr., San Leandro, CA 94577
Telephone (415) 483-1008

you only have to calculate over a lot of small time intervals. The trick is to use the newly found velocities and positions from the most recent time interval to update the starting separations for the current time interval. You must update the values of r in Equation 1 from the new positions s , and calculate a new cycle. You can continue this procedure over as many cycles as desired. They can add to as long a time interval as you wish.

Before discussing the program, let's look at how the separations are updated from the new positions that are calcu-

lated each time cycle.

Everything so far has been presented in one dimension. Real space has three dimensions, usually referred to as x , y , and z . The orbits of the two-body problem discussed earlier must exist in the two dimensions needed to draw an ellipse, parabola, or hyperbola. In what follows, consider only two dimensions, x and y , because your screen is best at displaying two-dimensional images. You can generalize the results to three dimensions yourself without much trouble.

Every point on a two-dimensional

surface has two components. You can keep track of the positions of the objects in our program by calculating the x component of position and the y component. Those two components specify a point, which is the position of the object. To get the separation between two objects in terms of their four-position components, you get an x separation and a y separation, and apply Pythagoras' theorem.

The x and y separations are just the differences between the corresponding components of the two objects. If x_{12} is the x separation between objects 1 and 2, and y_{12} the y separation, then:

$$x_{12} = x_2 - x_1 \text{ and } y_{12} = y_2 - y_1$$

where x_1 and y_1 are the coordinates of object 1, and x_2 and y_2 are the coordinates of object 2. The separation is then the hypotenuse of the right triangle formed by x_{12} and y_{12} (see Fig. 1). Pythagoras' theorem in geometry says that the separation, r , is given by the square root of the sums of the squares of the sides, or:

$$r_{12} = \text{SQR}(x_{12}^2 + y_{12}^2), \text{ or} \\ r_{12} = \text{SQR}((x_1 - x_2)^2 + (y_1 - y_2)^2).$$

So the separations between pairs of objects are found from the coordinates for the positions using the above formula.

The components of acceleration are found by scaling as follows:

$$a_{x12} = \frac{a \cdot (x_2 - x_1)}{r}$$

$$a_{y12} = \frac{a \cdot (y_2 - y_1)}{r}$$

where the first equation is the x component of acceleration due to the force between objects 1 and 2, and the second equation is the y component.

Program Listing 1 was written for the Color Computer, but with the exception of the plotting subroutine (lines 520-610), it should run on other machines as well. The doubly subscripted variables A , S , and V are the accelerations, positions, and velocities, respectively. The second subscript specifies the component (1 for x , 2 for y). The program asks you to input the number of objects and starting positions and velocities for each. Remember to use consistent units, as shown in Table 1. If you don't use meters, kilograms, and seconds, you should change the value of G in line 40.

The program then asks you for a horizontal scale factor. This is used in the plotting subroutine to scale the graph-

```

10 INPUT "HOW MANY OBJECTS";N
20 DIM M(N),A(N,2),S(N,2),V(N,2),LP(N),LQ(N)
30 TIME=0
40 G=6.67E-11
50 FOR I=1 TO N
60 PRINT "MASS OF NUMBER" I "?"
70 INPUT M(I)
80 PRINT "X AND Y OF NUMBER" I "?"
90 INPUT S(I,1),S(I,2)
100 PRINT "VX AND VY OF NUMBER" I "?"
110 INPUT V(I,1),V(I,2)
120 NEXT I
130 INPUT "SCALE FACTOR FOR X";SX
140 SY=.85*SX
150 INPUT "TIME STEP";DT
160 PMODE 4,1:PCLS:SCREEN 1,0
170 GOSUB 360
180 FOR I=1 TO N
190 V(I,1)=V(I,1)-.5*A(I,1)*DT
200 V(I,2)=V(I,2)-.5*A(I,2)*DT
210 NEXT I
220 FOR I=1 TO N
230 CX=.5*A(I,1)*DT
240 CY=.5*A(I,2)*DT
250 VX=V(I,1)+CX
260 VY=V(I,2)+CY
270 S(I,1)=(CX+VX)*DT+S(I,1)
280 S(I,2)=(CY+VY)*DT+S(I,2)
290 V(I,1)=VX+CX
300 V(I,2)=VY+CY
310 NEXT I
320 TIME=TIME+DT
330 GOSUB 520
340 GOSUB 360
350 GOTO 220
360 FOR I=1 TO N
370 A(I,1)=0
380 A(I,2)=0
390 NEXT I
400 FOR I=1 TO N-1
410 FOR J=I+1 TO N
420 RD=((S(I,1)-S(J,1))^2+(S(I,2)-S(J,2))^2)^.5
430 A1=G*M(J)*(S(J,1)-S(I,1))/RD
440 A2=G*M(J)*(S(J,2)-S(I,2))/RD
450 A(I,1)=A(I,1)+A1
460 A(I,2)=A(I,2)+A2
470 A(J,1)=A(J,1)-A1*M(I)/M(J)
480 A(J,2)=A(J,2)-A2*M(I)/M(J)
490 NEXT J
500 NEXT I
510 RETURN
520 FOR I=1 TO N
530 IF ABS(S(I,1))>SX THEN 600
540 IF ABS(S(I,2))>SY THEN 600
550 P=127+127*S(I,1)/SX
560 Q=96+96*S(I,2)/SY
570 PSET (P,Q,2)
580 PSET (LP(I),LQ(I),1)
590 LP(I)=P:LQ(I)=Q
600 NEXT I
610 RETURN

```

Program Listing

SEA DRAGON

NEW!




REAR GUARD

NEW!



ARMORED PATROL




JOYSTICK



COMPATIBLE

ELIMINATOR



YOUR TRS-80 ISN'T SUPPOSED TO DO THIS!

Wayne Westmoreland and Terry Gilman have done it AGAIN!

The reviews are saying what the fans have known all along: "The Eliminator" and "Armored Patrol" are nothing short of fantastic. Read for yourself.

Byte Magazine (on Armored Patrol): "A real super job with the graphics."

Byte Magazine (on The Eliminator): "The best thing to happen to the TRS-80 in a long time."

80 Microcomputing (on both): "This is state-of-the-art stuff."

80 U.S. (on The Eliminator): "The graphics are vastly superior to that of any game currently available... it is slick, professional, and, without qualification, a blast."

And now, two new releases — and both are incredible arcade-style games. The TRS-80 is almost transformed into an arcade machine, performing Arcade Action Graphics(tm) like never before. Rear Guard and Sea Dragon are great fun and will provide you with hours of enjoyment. Both programs are available now, and all four are compatible with the Alpha Joystick!

Model 1 & 3 tape
\$19.95
Model 1 & 3 disk
\$24.95



ARMORED PATROL: You're in the command seat of an armored assault tank. Your mission: to search out and destroy an attack force of deadly tanks and lethal robots. Will your skill and advanced technology give you the edge to overcome the odds?

Armored Patrol Features: Simulated 3-D perspective, multiple player option, real time, sound and Arcade Action Graphics(tm) second to none.



THE ELIMINATOR: You're the pilot of The Eliminator, an attack class fighter that's squared off against hordes of attacking alien spaceships. It's your speed and weaponry versus their seemingly endless numbers. Can you possibly survive?

Eliminator Features: True Arcade Action Graphics(tm) and sound, "look ahead" radar function, real time, advancing play levels, hyperspace and disruptor functions.



SEA DRAGON: You're the captain of the U.S.S. Sea Dragon, a submarine of the Skate class. Your mission is to infiltrate a dangerous enemy-controlled channel. You must destroy rising underwater mines while avoiding wave after wave of additional dangers, including depth charges dropped by battleships, automatic lasers, and deadly enemy attack bases. You must successfully fight an unyielding enemy and an unknown

undersea channel — and the only options are total victory or a salty grave.

Sea Dragon Features: Arcade Action Graphics(tm) and sound, 29 (!!!) screens of horizontally scrolling seascape, advancing skill levels and two player option. Early reviews are outstanding!



REAR GUARD:

Waves of Cyborg ships are attempting to attack your fleet's crew pods. If they penetrate your defenses, they'll kamikaze your fleet. The enemy is relentless, your crew pods weaponless, your firepower endless. Are you made of the right stuff to successfully

defend your fleet?! FIND OUT NOW!

Rear Guard Features: Incredible 3-D scrolling planet-scape, sound, Arcade Action Graphics(tm), nearly two dozen types of enemy craft, two player option and running high score.

Prices subject to change without notice

Adventure
INTERNATIONAL
a subsidiary of Scott Adams, Inc.

To order, see your local dealer. If he does not have the program you want, then call 1-800-327-7172 (orders only) or write for our free catalog.

Published by **ADVENTURE INTERNATIONAL**

a subsidiary of Scott Adams, Inc.

BOX 3435 • LONGWOOD, FL 32750 • (305) 830-8194

ics. Use a number a little larger than the biggest position coordinate input. When objects go off the screen, they are still calculated. The vertical axis is scaled to 85 percent of horizontal in line 140. This makes circles look round on my display. You may need to use a different scaling factor on yours.

The last thing you must input is the time step. Remember, it has to be small enough that not much motion occurs in a single time step. If you make it too small, the program appears to run very slowly. Make it too big and the results are not realistic. The best thing to do is to try a time step and then run it again with a new time step half the old one. If the two runs generate nearly identical trajectories, then the time step is okay. If the two runs look different, then try a still smaller time step.

The subroutine at line 360 calculates the accelerations. The variable RD, which is the cube of the separation r, can generate overflow errors for sufficiently large separations.

The For...Next loop at lines 180-210 is executed only once and generates velocities half a time step back from the input data.

Lines 220-310 do the updating of velocities and positions. The elapsed time is also updated, but in this program, it is never used. It is there (line 320) if you want it.

In the plotting subroutine, the current position (P,Q) is plotted to the background color, so the current position can be seen in a closed orbit. Then, the last point (LP, LQ) is replotted in the foreground color.

Let's run some orbits. All the examples here use mks units, so line 40 should have $G = 6.67E-11$.

The first example is three suns orbiting a planet in the center with another planet outside. The input data is shown in Table 3. The planet in the center is an example of unstable equilibrium. The sum of forces on the center planet adds to zero as long as it remains exactly in the center. But let it get even slightly off center and it is pulled farther outward.




Fig. 1. Components of Separation and Force for Two Objects Under Mutual Gravitational Attraction

This happens when planet 2 wanders in and perturbs its position.

For example 2, assume that two planets orbit each other while going around their sun. The planets execute two or three orbits about each other per year.

The last example is the Venus fly-by. This is an example of an Earth-launched probe making a near encounter with the

planet Venus about four months later.

Try some examples of your own. Let your imagination take rein. Remember, the sky's the limit. ■

John Fowler is proprietor of JDF Software. He can be reached at 946 Capulin, Los Alamos, NM 87544.

Object	Mass		Distance from Sun		Average Orbital Velocity	
	Kilo-grams	Earth Mass	Meters	Astronomical Units	Meters/Seconds	AU/Temp
Sun	1.97E30	329390				
Mercury	3.29E23	.055	5.8E10	.387	47,870	1.608
Venus	4.83E24	.807	1.08E11	.723	35,020	1.176
Earth	5.98E24	1.00	1.496E11	1.00	29,770	1
Mars	6.40E23	.107	2.28E11	1.524	24,130	.8105
Jupiter	1.88E27	314	7.78E11	5.203	13,060	.4387
Saturn	5.63E26	94.1	1.43E12	9.539	9,650	.3242
Uranus	8.61E25	14.4	2.87E12	19.182	6,800	.2284
Neptune	9.99E25	16.7	4.50E12	30.058	5,430	.1824
Pluto	6E23	.1	5.9E12	39.5	4,800	.1612
Moon	7.36E22	.0123	3.84E8*	2.57E-3*	1,023	.03436

*From Earth

Table 2. Data for our Solar System in mks and AU-EM-Te Units

Example 1	Example 2	Example 3
Objects = 5	Objects = 3	Objects = 4
M1 = 2E30	M1 = 2E30	M1 = 2E30
X1, Y1 = 2E11, 0	X1, Y1 = 0, 0	X1, Y1 = 0, 0
VX1, VY1 = 0, 20000	VX1, VY1 = 0, 0	VX1, VY1 = 0, 0
M2 = 2E30	M2 = 2E27	M2 = 4.83E24
X2, Y2 = -1E11, 1.732E11	X2, Y2 = 1.5E11, 0	X2, Y2 = 9.553E10, -5.08E10
VX2, VY2 = -17320, -10000	VX2, VY2 = 0, 27500	VX2, VY2 = 16440, 30920
M3 = 2E30	M3 = 2E27	M3 = 5.98E24
X3, Y3 = -1E11, -1.732E11	X3, Y3 = 1.6E11, 0	X3, Y3 = 1.496E11, 0
VX3, VY3 = 17320, -10000	VX3, VY3 = 0, 32500	VX3, VY3 = 0, 29770
M4 = 1E27	Scale Factor = 2.2E11	M4 = 1000
X4, Y4 = 0, 0	Time Step = 1E5	X4, Y4 = 1.49E11, 1E10
VX4, VY4 = 0, 0		VX4, VY4 = -5000, 27200
M5 = 1E27		Scale Factor = 2.2E11
X5, Y5 = 0, 5E11		Time Step = 2E5
VX5, VY5 = 15000, 0		
Scale Factor = 7E11		
Time Step = 2E6		

Table 3. Input Data for Three Examples (See Text)

ACCOUNTING...

*the Language of Business
spoken here!*



SOFTWARE FOR FINANCIAL MANAGEMENT

We make it easy! Plus Accounting Software Packages are menu-driven for easy and confident operation. Our extensive documentation for installation and operation is easy to understand. And, Plus is easy to buy, we are amazingly inexpensive. The Plus technical support package with our 800 number "hot-line" makes it easy to stay up-to-date and informed.

Select a package for a specific application, or get the total system. You can be sure your professionally-designed Plus Accounting Software Package will provide efficient, cost-effective financial management for your most demanding needs. Make a sound business decision today...make your financial control and planning management a Plus. We speak your language.



PLUS FINANCIAL AND ACCOUNTING SOFTWARE PACKAGES AVAILABLE:

- GENERAL LEDGER • ACCOUNTS RECEIVABLE
- ACCOUNTS PAYABLE • FIXED ASSETS
- PAYROLL • EASYTRAK™ ACTIVITY MONITORING SYSTEM

All packages menu-driven. Each accounting package is available "stand alone", or can automatically post to General Ledger. Flexible user-defined file sizes for flexibility. Complete with extensive documentation and thorough installation guide. Furnished on disc.

PLUS PROGRAM AVAILABILITY:


- TANDY MODELS II & III
- THE IBM PERSONAL COMPUTER



PLUS COMPUTER TECHNOLOGY, INC.
6900 North Austin Avenue—Chicago, IL 60648
1-312-647-0988
1-800-323-4240 (Outside Illinois)

WHAT WE DO FOR YOU IS OUR
MOST IMPORTANT PRODUCT.






How many times must your TRS-80 stop just to talk to your printer?

BASED ON INCREASED
PRODUCTION WE HAVE LOWERED
THE PRICE 20%. SPOOL/64 NOW \$319.

Your computer talks faster than your printer can listen. Expensive time is lost forever. SPOOL/64, a 64k byte hardware print spooler, keeps your computer processing while your printer is printing. No more waiting. No more wasting.

SPOOL/64 buffers your print output and transmits the information to your printer at the printer's specific print rate. It buffers up to 13 minutes of print output (at 80 characters per second).

SPOOL/64 plugs directly into both your printer and



computer, accepts input from parallel centronics cables (serial RS-232 available soon), and its user programming feature allows you to download your own programs so SPOOL/64 can handle sophisticated print

routines. And SPOOL/64, used with your software spooler, can give you the highest performance spooling available.



SPOOL/64 utilizes 64k of dynamic RAM, a Z-80 CPU, a 2716 ROM and a copy of the source program for the object code in the ROM is included.

SPOOL/64, priced at just ~~\$399~~ **\$319**, is the most cost/effective print spooler on the market. Evaluate performance. Evaluate price. Then let SPOOL/64 get your computer back talking to you. Call or write Apparat today for a free brochure. Dealer inquiries invited.



Apparat, Inc.

✓ 40

4401 So. Tamarac Parkway, Denver, CO 80237 (303) 741-1778

"ON GOING SUPPORT FOR MICROCOMPUTERS"



Speed up your programs.

Color Assembler

John Heusinkveld
2161 E. Cerrado Brio
Tucson, AZ 85718

Microsoft Basic is a versatile and powerful language, but it executes s-l-o-w-l-y. When you want speed, there is no substitute for Assembly language.

Since I wanted to program my computer at the Assembly language level, I wrote a Basic 6809 assembler. I added an editing program, refined the assembler, and began writing test programs. Program Listing 1 shows my editor/assembler program for the Color Computer.

Using the Editor

To enter the editor, type GOTO. The message Cold/

Warm Start? will be displayed. To begin with the text buffer empty and all pointers reset, type C; to reenter with text and pointers as you left them when you last exited, type W. Either command puts you in the command mode, signified by the period prompt.

Editor commands include:

- Rdn file name—Reads lines of text from a device (dn) and appends them onto the program in memory. Dn may be zero (keyboard) or minus one (cassette). With cassette, you may specify a file name after the device number (leave a space between them).

- Ldn file name—Lists the program in memory to device dn with an optional file name. Device numbers zero and minus one are the same as in the R command, and minus two will list to a printer.

- N—Clears text buffer.

- P—Lists the program to the screen with reference line numbers. These line numbers are not used as labels by the assembler.

- C—Enters the change mode. Respond to the prompts with the reference number of the

line you wish to change, or press enter to return to the command mode. The program will display the line and allow you to enter a new one.

- I—Asks for the number of lines to be inserted and the position to insert them, then allows you to type the lines.

- D—Asks for number of lines to be deleted and the position to begin deleting, then deletes these lines.

- Exit—Returns to Basic command mode. Reenter the editor with GOTO.

Use these commands to enter Program Listing 2. When you are sure there are no errors, type TA. This is the trial assembly command, and it assembles the program without putting the code into memory. Respond to the Device? prompt with zero for screen or minus two for printer. Sit back: The assembly will take several minutes.

First you will see the symbol table and then the object code. Note that each source-code line is listed next to the object code it produces. Check the object code against Program Listing 3—it should be the same. If not,

recheck your work.

When the assembler works properly, enter Program Listing 4. This time you want the object code placed in memory, so type A* to assemble the program. When assembly is complete, type Go. The computer will ask for an address at which to begin execution. You may use a hexadecimal address prefixed by a \$, a decimal address, or any label from the most recent assembly. In this case, type 1536, \$600 or Start. The screen should fill with dollar signs. For comparison, Program Listing 5 will do the same thing in Basic, but much more slowly.

Limitations

My assembler is not perfect. First, it assembles very slowly; a commercial assembler could probably assemble all of Program Listing 4 in the time it takes mine to assemble one line.

Although the assembler supports the entire 6809 instruction set and all addressing modes, the indexed modes requiring a constant offset are identical in syntax regardless of the size of the offset; therefore, my assembler

The Key Box

Color Computer
16K RAM
Extended Color Basic
Printer Optional

80-U.S.

THE TRS-80 USERS JOURNAL

If you own a TRS-80® Model
I, Model II, Model III, Color
Computer or Pocket Computer,

YOU NEED 80-U.S. JOURNAL!

80-U.S. Journal has
programs for your enjoyment
and enlightenment. Every
monthly issue contains several
BASIC or machine language
program listings. It contains
business articles and tutorials.
There is something for YOU in
80-U.S. Journal.

and . . .

80-U.S. Journal contains re-
views of hardware and soft-
ware. Our evaluations and re-
views will help you to make the
best choice in selecting addi-
tions to your system.

Please send a ☐ new ☐ renewal
subscription to **80-U.S. Jour-
nal** for ☐ 1 year (\$16), ☐ 2 years
(\$31), ☐ 3 years (\$45) — U.S.
residents only.

Name

Address

City

State Zip

Visa/MC

Exp.

**80-U.S. Journal, 3838 S. Warner
Street, Tacoma, WA 98409,
(206) 475-2219**

Dealer Inquiries Invited

329
8M

Program Listing 1


```

0 PRINT"Cold/Warm START?"
10 IWS=INKEY$:IFIW$=""THEN10ELSEIFIW$="C"THEN RUN20ELSEIFIW$="W"
THEN50ELSE0
20 CLS:CLER10000:DIMLS(1000):DEFFNH(X)=INT(X/256):DEFFNL(X)=X-F
NH(X)*256
30 PRINT"TEXT EDITOR","VERSION 2"
40 RS(0)="CC":RS(1)="A":RS(2)="B":RS(3)="DP":RS(4)="X":RS(5)="Y"
:RS(7)="PC":RN$="XYUS"
50 LINEINPUT":C$:IFC$=""THEN50
60 CL$=LEFT$(C$,1):IFCL$="R"THEN90 ELSEIFCL$="L"THEN130 ELSEIFCL
$="N"THENP9=0:L$(0)=""GOTO50 ELSEIFCL$="P"THEN140 ELSEIFCL$="C"
THEN 150 ELSEIFCL$="I"THEN160 ELSEIFCL$="D"THEN190 ELSEIFC$="A*"
THENTA=0:GOTO220 ELSEIFC$="TA"THENTA=1:GOTO220
70 IFC$="GO"THENINPUT"ADDR.":L4$:L4$=L4$+"":GOSUB1000:EXECT:GOT
O50 ELSEIFC$="EXIT"THENEND
80 PRINT"?C$?":GOTO50
90 DV=VAL(MID$(C$,2)):OPEN"I",DV,MID$(C$,5):ON ABS(DV)+1 GOTO100
,110
100 LINEINPUT">":L$(P9):IFL$(P9)<>"_"THENP9=P9+1:GOTO100ELSEL$(P
9)=""GOTO50
110 LINEINPUT#-1,L$(P9):P9=P9+1:L$(P9)=""IFNOT EOF(-1)THENGOTO1
0
120 CLOSE:GOTO50
130 DV=VAL(MID$(C$,2)):OPEN"O",DV,MID$(C$,5):FORX=0TOP9-1:PRINT#
DV,L$(X):NEXTX:CLOSE:GOTO50
140 FORX=0TOP9-1:PRINTUSING"### "X,:PRINTL$(X):NEXTX:GOTO50
150 INPUT"LINE #":CL$:IFCL$=""THEN50ELSEPRINT "L$(VAL(CL$)):LIN
EINPUT">":L$(VAL(CL$)):GOTO150
160 INPUT"POSITION,NO. OF LINES":IP,IN
170 FORX=P9+IN TOIP+IN STEP-1:L$(X)=L$(X-IN):NEXTX:FORX=IP TOIP+
IN-1:LINEINPUT">":L$(X):NEXTX:P9=P9+IN
180 GOTO50
190 INPUT"POSITION,NO. OF LINES":DP,DN
200 FORX=DP TOP9-DN:L$(X)=L$(X+DN):NEXTX:P9=P9-DN
210 GOTO50
220 INPUT"DEVICE":DV:LN=0
230 PRINT#DV,"ASSEMBLER/6809","VERSION 1"
240 PC=0:PS=1:PRINT#DV,"SYMBOL TABLE":FORLP=0TOP9-1:L$=L$(LP):GO
SUB260:NEXTLP
250 PRINT#DV,CHR$(13)"OBJECT CODE":PC=0:PS=2:FORLP=0TOP9-1:LZ$="
":PRINT#DV,HEX$(PC)":L$=L$(LP):GOSUB260:PRINT#DV,LZ$,L$:NEXTL
P:PRINT#DV,CHR$(13):GOTO50
260 'ASSEMBLE L$
270 IFLFT$(L$,1)=""THENRETURN
280 LF=0:F4=0
290 L1$=LEFT$(L$,7)+" ":L2$=MID$(L$,8,5)+" ":L3$=MID$(L$,13,1):L
4$=MID$(L$,13)+" "
300 L1$=LEFT$(L1$,INSTR(L1$," ") -1):L2$=LEFT$(L2$,INSTR(L2$," ")
-1):L4$=LEFT$(L4$,INSTR(L4$," ") -1)
310 IFPS=1THENIFL1$<>""THENLB$(LN)=L1$:LB(LN)=PC:PRINT#DV,L1$="
HEX$(PC):LN=LN+1
320 RESTORE
330 READMN$,M$(1),O1,M$(2),M$(3),M$(4):IFMN$=""THENL4$=L4$+"":
GOTO640
340 IFMN$<>L2$THEN330
350 AM=0:BT=0:F8=0:F4=0:LF=0
360 IFL3$=""THENAM=1ELSEIFL3$=""<"THENAM=2ELSEIFL3$=""("AND(INSTR
(L4$,"")=0)THENAM=5:L4$=LEFT$(L4$,LEN(L4$)-1):M$(5)=M$(3)
370 IFAM THENL4$=MID$(L4$,2)ELSEIFINSTR(L4$,"")THENAM=3 ELSEAM=
4
380 IFM$(AM)=""THENER=1:GOTO1150 ELSEWD=VAL("&H"+M$(AM)):GOSUB11
40
390 L4$=L4$+"":IFAM=3THEN460
400 GOSUB1010:BT=T:WD=T:ON AM GOTO430,1070,1150,1100,440
410 ER=2:GOTO1150
420 'IMMEDIATE MODE
430 IFOL=1THEN1070ELSEIFOL=2THEN1100ELSEER=0:GOTO1150
440 BT=&H9F:GOSUB1060:GOTO1100
450 'INDEXED MODE
460 IFL3$=""("THENL4$=MID$(L4$,2,LEN(L4$)-3)+"":F4=16
470 GOSUB980:IFT$<>""THEN540
480 GOSUB980:T1$=LEFT$(T$,1):IFLEN(T$)<>1THEN510
490 'NO OFFSET
500 BT=&H84:GOTO590
510 IFLFT$(T$,2)=""--"THENBT=&H83:T1$=MID$(T$,3):GOTO590 ELSEIFT
1$=""--"THENBT=&H82:T1$=MID$(T$,2):GOTO590
520 T2$=MID$(T$,2):IFT2$=""+"THENBT=&H80:GOTO590 ELSEIFT2$=""+"TH
ENBT=&H81:GOTO590
530 'A/B/D OFFSET
540 IFT$="A"THENBT=&H86:GOTO550 ELSEIFT$="B"THENBT=&H85:GOTO550
ELSEIFT$="D"THENBT=&H8B:GOTO550 ELSE560
550 GOSUB980:T1$=T$:GOTO590
560 T4$=T$:GOSUB980:IFT$="PCR"THENBT=&H8D OR F4:GOSUB1060:F8=1:G
OTO600
570 BT=&H89:F8=1:T1$=T$
580 'SET UP POSTBYTE
590 GOSUB620:BT=(BT OR T1*32)ORF4:GOSUB1070

```

Listing 1 Continues

BORN TO RUN



**Get your TRS-80™ up and running
with special system & disk drive values like these . . .**

Complete TRS-80 Model III microcomputer system with disk drives

A.M. Electronics Model III with 48K RAM, two Tandon 40-track double-density disk drives, A.M. Electronics controller board, DOS and manuals, complete and ready-to-run! . . . \$1895.00

Model III system as above with AM MX-82 F/T 96 Column Dot Matrix Printers . . . Add \$595.00

A.M. Electronics "Multiplier"

Tired of unreliable double density operation? With Multiplier, you can upgrade from a single-density without doubling your problems . . . \$99.95

Teac or Tandon 5¼-inch disk drives, complete!

40-track single side disk drive with power supply, case and extender cables . . . \$275.00

80-track single side disk drive with power supply, case and extender cables . . . \$385.00

Memory Chips

16K 200 nanosecond RAM chips . . . \$2.25 each

New! Teac double-head 5¼-inch 40-track disk drive!

Complete with power supply, case and extender cables . . . \$385.00

New! Tandon "Thinline" 8-inch disk drive, complete!

For TRS-80 Model II, complete with dual case, power supply, and cables . . . \$695.00

New! Hard disk drives for Model III — Ready to plug in and run!

(DOS extra)

6.5 Megabyte drive . . . \$1995.00

10 Megabyte drive . . . \$2195.00

13.3 Megabyte drive . . . \$2395.00

Shipping costs additional except where otherwise noted.

Save \$65!

Teac FD-50E 80-track single-side disk drive

96 TPI model, complete with case and power supply. (Limited time only) . . . Now only \$275.00



Ideal for TRS-80 Model I and other selected computers!

A.M. ELECTRONICS INC.
THE POWER BEHIND THE DRIVES™

Ann Arbor: 3446 Washtenaw Ave., Ann Arbor, MI 48104 (313) 973-2312 Open M-F 10-6. Telex: 220-821-HPC
Fowlerville*: 111 North Grand, Box 1071, Fowlerville, MI 48836 (517) 223-7281
Attention Dealers, OEM's & Distributors: Call us for details on our attractive pricing.
Wholesale Order Phone: (313) 973-2075

*Authorized Radio Shack Dealer.™ TRS-80 trademark Tandy Corp. Prices subject to change without notice.





THE LNW80. ONCE YOU FIND IT, THE REST IS EASY.

You've heard about the LNW80. It's the new microcomputer from LNW Research, and it works harder than even the TRS80. But finding one hasn't been that easy. Now, Data Resources brings you another first: a ready supply of LNW80s.

The LNW80 lets your computer perform like the world's most sophisticated microcomputers. Its 4MHz, Z80A CPU characteristics more than double your computer's original processing speed. It comes complete with double density controller, color and b/w, high resolution graphics features, standard R5232 Port and 48K Ram. And the LNW80 is fully compatible with all TRS80 Model I software, giving you the widest available software base to go with your new performance capabilities.

	LNW80	TRS-80 Model III
Processor	4.0 MHz	2.0 MHz
Level II Basic Interp.	yes	Level III
TRS80 Model I Level II Compatible	yes	no
48K Bytes Ram	yes	no
Floppy Disk Controller	sng/dbl	sng/dbl
Serial RS232 Port	yes	yes
24 x 80 Characters	yes	no
Upper and Lower Case	yes	yes
Reverse Video	yes	no
Keyboard	63 Key	53 Key
Numeric Key Pad	yes	yes
B/W Graphics, 128 x 48	yes	yes
Hi-Resolution B/W Graphics, 480 x 192	yes	no
Hi-Resolution Color Graphics (RGB), 384 x 192 in 8 Colors	yes	no

Warranty 6 Months 90 Days

Compare our price - just \$1695.00, including a free green-screen monitor and \$94.90 worth of software included free. The package includes the DOSPLUS disk operating system, MICRO-CLINIC SYSTEM DIAGNOSTICS, and META TECHNOLOGIES AIDS III INFORMATION MANAGEMENT SYSTEM, free with the first fifty orders. All orders shipped free.

LNW System Expansion II Now \$399.95
for Model I TRS-80 ... replaces expansion interface!

Call Toll Free to order 800/525-8394
Visa, MasterCard, checks and money orders accepted.



Data Resources
304 Elati Street
Denver, Colorado 80223
(303) 698-1263

Listing 1 continued

```

600 IFF8 THEN$=T4$:GOSUB1020:WD=T:GOTO1100 ELSE$RETURN
610 'GET REGISTER CODE
620 T1=INSTR(RN$,T1$):IFT1=0 THENR=4:GOTO1150 ELSE T1=T1-1:RETURN
630 'INHERENT MODE
640 READMNS,M$:IFMNS$="" THEN670 ELSE IFMNS=L2$ THEN650 ELSE640
650 WD=VAL("&H"+M$):GOTO1140
660 'RELATIVE BRANCHES
670 READMNS,M$:IFMNS$="" THEN780 ELSE IFMNS=L2$ OR MNS=MID$(L2$,2) THEN
N60 ELSE670
680 IFL2$="LBRA" THENMNS="16":LF=1:GOTO700 ELSE IFL2$="LBSR" THENMNS=
"17":LF=1:GOTO700
690 IFL2$="L2$":L="L" THENL2$=MID$(L2$,2):LF=1:BT=&H10:GOSUB1060
700 BT=VAL("&H"+M$):GOSUB1070
710 GOSUB1010
720 BT=T-(PC+1+LF):IFLF=0 THEN750
730 IFBT<0 THENWD=65536+BT ELSEWD=BT
740 GOSUB1090:RETURN
750 IFBT<0 THENBT=BT+256
760 GOSUB1070:RETURN
770 'SPECIAL INSTRUCTIONS
780 READMNS,M$:IFMNS$="" THEN910 ELSE IFMNS=L2$ THEN790 ELSE780
790 BT=VAL("&H"+M$):GOSUB1060
800 IFL2$<>"EXG" AND MNS<>"TFR" THEN850
810 BT=0:GOSUB820:BT=R*16:GOSUB820:BT=BT OR R:GOTO1060
820 GOSUB970
830 IFT$="D" THENR=0 ELSE IFT$="X" THENR=1 ELSE IFT$="Y" THENR=2 ELSE
IFT$="U" THENR=3 ELSE IFT$="S" THENR=4 ELSE IFT$="PC" THENR=5 ELSE IFT$=
"A" THENR=8 ELSE IFT$="B" THENR=9 ELSE IFT$="CC" THENR=10 ELSE IFT$=
"DP" THENR=11
840 RETURN
850 BT=0:IFMID$(L2$,4,1)="U" THENR$(6)="S" ELSE R$(6)="U"
860 GOSUB970:IFT$="" THEN900
870 FORX=0 TO7:IFT$=R$(X) THENBT=BT OR 2^X
880 NEXTX
890 GOTO860
900 GOSUB1060:RETURN
910 DR=0'DIRECTIVES
920 READMNS:DR=DR+1:IFMNS$="" THENR=3:GOTO1150 ELSE IFMNS=L2$ THEN9
30 ELSE920
930 GOSUB1010:ON DR GOTO 940,950,960
940 PC=T:RETURN
950 BT=T:GOSUB1060:GOSUB980:IFT$="" THENRETURN ELSE GOSUB1020:GOTO
950
960 PC=PC+T:RETURN
970 'GET T$
980 T$=""
990 I9=INSTR(L4$,""):IFI9=0 THENRETURN ELSE T$=LEFT$(L4$,I9-1):L4$=
MID$(L4$,I9+1):RETURN
1000 'GET OPERAND VALUE
1010 GOSUB980
1020 IIS=LEFT$(T$,1):IFIIS$="" THEN T$="&H"+MID$(T$,2):GOTO1040
1030 IFIIS<"O" OR IIS>"9" THEN1050
1040 T=VAL(T$):RETURN
1050 FORX=0 TO L:IFT$=LB$(X) THEN T=LB(X):RETURN ELSE NEXTX:ER=2:GOT
O1150
1060 'SEND BYTE
1070 IFPS=1 THEN1080 ELSE LZ$=LZ$+STRING$(2-LEN(HEX$(BT)),"0")+HEX
$(BT):IFTA=0 THENPOKEPC,BT
1080 PC=PC+1:RETURN
1090 'SEND WORD
1100 BT=FNH(WD):GOSUB1070
1110 BT=FNL(WD):GOSUB1070
1120 RETURN
1130 'SEND WORD OR BYTE
1140 IFWD<256 THENBT=WD:GOTO1070 ELSE1100
1150 IFPS=1 THENRETURN ELSE PRINT:ON ER GOTO1170,1180,1190
1160 PRINT"UNDEFINED ERROR":GOTO1210
1170 PRINT"BAD ADDR. MODE":GOTO1210
1180 PRINT"UNDEFINED LABEL":GOTO1210
1190 PRINT"BAD MNEMONIC":GOTO1210
1200 PRINT"BAD REGISTER":GOTO1210
1210 PRINT"IN LINE"LP:RETURN
1220 DATA ADCA,89,1,99,A9,B9,ADCB,C9,1,D9,E9,F9
1230 DATA ADDA,8B,1,9B,AB,BB,ADDB,CB,1,DB,EB,FB,ADDD,C3,2,D3,E3,F
3
1240 DATA ANDA,84,1,94,A4,B4,ANDB,C4,1,D4,E4,F4,ANDC,1C,1,,"
1250 DATA ASL,,08,68,78,ASR,,07,67,77
1260 DATA BITA,85,1,95,A5,B5,BITB,C5,1,D5,E5,F5
1270 DATA CLR,,0F,6F,7F
1280 DATA CMA,81,1,91,A1,B1,CMPB,C1,1,D1,E1,F1,CMPD,1083,2,1093,
10A3,10B3,CMP,118C,2,119C,11AC,11BC,CMPU,1183,2,1193,11A3,11B3,
CMPX,8C,2,9C,AC,BC,CMPY,108C,2,109C,10AC,10BC
1290 DATA COM,,03,63,73,DEC,,0A,6A,7A,INC,,0C,6C,7C,JMP,,0E,
6E,7E,JSR,,9D,AD,BD
1300 DATA LDA,86,1,96,A6,B6,LDB,C6,1,D6,E6,F6,LDD,CC,2,DC,EC,FC,
LDS,10CE,2,10DE,10EE,10FE,LDS,10CE,2,10DE,10EE,10FE,LDU,CE,2,DE,
EE,FE,LDX,8E,2,9E,AE,BE,LDY,108E,2,109E,10AE,10BE
1310 DATA LEA,,32,LEAU,,33,LEAX,,30,LEAY,,31,,"
1320 DATA LSL,,08,68,78,LSR,,04,64,74,NEG,,00,60,70,ORA,8A,1,
9A,AA,BA,ORB,CA,1,DA,EA,FE,ORCC,1A,1,,"ROL,,09,69,79,ROR,,06,
66,76
1330 DATA STA,,97,A7,B7,STB,,D7,E7,F7,STD,,DD,ED,FD,STS,,10D
F,10EF,10FF,STU,,DF,EF,FF,STX,,9F,AF,BF,STY,,109F,10AF,10BF
1340 DATA SUBA,80,1,90,A0,B0,SUBB,C0,1,D0,E0,F0,SUBD,83,2,93,A3,
B3,TST,,0D,6D,7D
1350 DATA ,,,"
1360 DATA ASLA,48,ASLB,58,ASRA,47,ASRB,57,CLRA,4F,CLRB,5F,COMA,43
,COMB,53,DAA,19,DECA,4A,DECB,5A,INCA,4C,INCB,5C,LSLA,48,LSLB,58,
LSRA,44,LSRB,54,MUL,3D,NEGA,40,NEGB,50,NOP,12,ROLA,49,ROLB,59,RO
RA,46,RORB,56,RTI,3B,RTS,39,SEX,1D,SWI,3F,SWI2,103F,SWI3,113F
1370 DATA SYNC,13,TSTA,4D,TSTB,5D,,"
1380 DATA BCC,24,BCS,25,BEQ,27,BGE,2C,BGT,2E,BHI,22,BHS,24,BLE,2
F,BLO,25,BLS,23,BLT,2D,BMI,2B,BNE,26,BPL,2A,BRA,20,BRN,21,BSR,8D
,BVC,28,BVS,29
1390 DATA ,,,"
1400 DATA EXG,1E,TFR,1F,PSHS,34,PSHU,36,PULS,35,PULU,37
1410 DATA ,,,"
1420 DATA ORG,FCB,RMB
1430 DATA ,,,"

```


As Easy As...



TRS-80 Disk & Other Mysteries

by H.C. Pennington

This book is the definitive authority on data recovery for the TRS-80 Model I disk system. In almost every case, lost data can be recovered and this book tells you how to do it. From clobbered directories to parity errors, this profusely illustrated data recovery cookbook includes examples and step-by-step instructions for both beginners and professionals.

132 pages. \$22.50

Microsoft BASIC Decoded & Other Mysteries

by James Farvour

This book is the only one of its kind. You will learn how the TRS-80 Model I BASIC interpreter works from power-up to power-down. It has the complete disassembled Microsoft BASIC Level II interpreter with over 13,000 lines of detailed comments in one volume. The math, arithmetic and utility routines are fully explained with examples on how to use them. An incredible learning aid for the beginner and a valuable reference for the professional.

312 pages. \$29.95

The Custom TRS-80 & Other Mysteries

by Dennis Bathory Kitsz.

A complete hardware/software how-to-do-it like reverse video, high res graphics, audible keystrokes, 8-track mass storage music synthesizer, and real time clock. Dozens of project hints, tips, and fixes complete with the interface software. If you are a beginner, there are chapters on wire-wrap, soldering and construction methods. If you are a professional, there is a wealth of technical detail.

332 pages. \$29.95

BASIC Faster and Better & Other Mysteries

by Lewis Rosenfelder

BASIC is not nearly as slow as you think! This book shows you how to make it faster and better with techniques and tricks that you never dreamed of for Model I, II and III disk systems. You won't find trivial, poorly designed "check-book" programs here – only useful BASIC techniques and code ready for use in YOUR programs. Tutorial for the beginner, instructive for the advanced, and invaluable for the professional. All routines are available on disk.

290 pages. \$29.95

Learn about your TRS-80 computer – it's as easy as 1-2-3-4. These books are easy to read and understand because they are written for you by people just like you. Here are answers and solutions without jargon. There are no end of chapter "tests" – no incomprehensible math formulas – no textbook explanations – just straightforward, plain English.

You will learn how to recover "lost data" on disk, how the BASIC interpreter works, how to make BASIC run faster and better, and how to modify and interface your TRS-80. In other words, you will learn how to make your computer do all the things you want it to do. It's as easy as 1-2-3-4.

Available at computer stores, B. Dalton Booksellers and independent book dealers. **BASIC Faster and Better** is also available at all RADIO SHACK Computer Centers and selected RADIO SHACK stores. (Cat. No. 62-1002) If your dealer is out of stock, order direct. Include \$4.00 for shipping and handling. Foreign residents add \$11.00 plus purchase price, in U.S. funds.

TRS-80 trademark TANDY Corp.



**1953 West
11th Street
Upland, CA
91786**

**"A commercial assembler could
probably assemble all of
Program Listing 4 in the time it takes
mine to assemble one line."**

```
* TEST IMM. ADDR.
  LDA #02
* TEST EXT. ADDR.
  LDB $5768
  LDD <$29
* TEST INDXD. ADDR.
  LDD ,X
  LDA $500,Y
  LDB A,Y
  LDY ,X+
  STD ,--Y
  STA $300,PCR
  STB (,X++)
* TEST EXT. INDIR ADDR.
  JSR ($A002)
* TEST REG. ADDR.
  TFR X,Y
  PSHS A,B,PC
* LABEL
L1 JMP L1
  BEQ L1
  LBEQ L1
```

Program Listing 2

bler always uses a 16-bit offset. The code it produces may be slightly different from that produced by other assemblers, but it will still function properly.

In the constant-offset-from-PC mode, you will have to calculate the offset. Relative branch offsets are calculated by the assembler.

There are only three directives: ORG, FCB and RMB. You may define as many bytes as you wish with one FCB as long as you separate them with commas. There is no EQU, but it can be easily simulated with an ORG and an RMB.

You can see the advantages of a commercial assembler. If

you do a lot of Assembly-language programming, you will probably need one. There are ways to get around problems,

however, especially when you are typing in a program from a magazine. If the code produced by my assembler does not

```
ASSEMBLER/6809 VERSION 1
SYMBOL TABLE
ASSEMBLER/6809 VERSION 1
SYMBOL TABLE
L1=22
```

OBJECT CODE

```
0:
0:8602
2:
2:F65768
5:DC29
7:
7:EC84
9:A6A90500
D:E6A6
F:10AE80
12:EDA3
14:A78D0300
18:E791
1A:
1A:AD9FA002
1E:
1E:1F12
20:3486
22:
22:7E0022
25:27FB
27:1027FFF7
```

```
* TEST IMM. ADDR.
  LDA #02
* TEST EXT. ADDR.
  LDB $5768
  LDD <$29
* TEST INDXD. ADDR.
  LDD ,X
  LDA $500,Y
  LDB A,Y
  LDY ,X+
  STD ,--Y
  STA $300,PCR
  STB (,X++)
* TEST EXT. INDIR ADDR.
  JSR ($A002)
* TEST REG. ADDR.
  TFR X,Y
  PSHS A,B,PC
* LABEL
L1 JMP L1
  BEQ L1
  LBEQ L1
```

Program Listing 3


DISCOUNT PRINTER RIBBONS

Brand New, Top Quality, Exact Replacement Ribbons & Cartridges. These Ribbons Produce Super Jet Black Impressions and Ultra Reliable Print Life. They Are Delivered to Your Door Promptly for Much Less Than Most Retail Stores

★SPECIAL! BUY 10 and GET ONE FREE!

YOUR PRINTER	PACK SIZE	RETAIL LIST**	YOUR WHOLESALE PRICE	SIZE	COMMENTS	CAT. ORDER #
ANADIX 9000 Series	1/pk	14.00 ea	14.00 (14.00 ea)	500"	Nylon Jet Bk	C-777
CENTRONICS 700-703, 737, 779	3/pk	18.95/3 pk	11.95/3 pk (3.98 ea)	563" x 45"	Nylon Jet Bk	C-700
CENTRONICS 100, 101A, 102, 103, 300, 301, 306, 308, 330, 358, 398, 500, 501, 503, 508, 588, 620, 820	3/pk	26.33/3 pk	17.55/3 pk (5.85 ea)	1" x 108"	Nylon Jet Bk 5 mil High Speed	C-100
CENTRONICS 704-705	1/pk	18.95 ea	13.95/Giant Cart (13.95 ea)	5'16" x 210"	Giant Cart	C-7045
DEC 1/2 x 40YD.	3/pk	17.77/3 pk	12.95/3 pk (4.32 ea)	1'2" x 120"	Double Spools	R-600
DEC 1/2 x 60YD.	3/pk	20.12/3 pk	14.25/3 pk (4.75 ea)	1'2" x 180"	Double Spools	R-644
DIABLO HYTYPE II (M/S BLK) HI YIELD FITS 70 PRINTERS!	1/pk	9.31 ea	6.87 ea (6.87 ea)	5'16" x 'High Yield'	300,000 plus imp.	C-511
EPSON MX70-80	1/pk	16.00 ea	16.00 ea (13.95 ea)	500" x 60"	Nylon Jet Bk	C-522
IBM - "SILVER DOLLAR" Sys. 34, Sys. 32 MDLA Series	5/pk	5.80 ea	14.90/5 pk (2.98 ea)	9'16" x 30"	Nylon Jet Bk	R-300
IMDL4974, 5258, 3287, 3770, 3771-3774, 4974, 5100, 5103, 5110, 5228, 5256, 5320MDLA						
IBM - HARMONICA 1/2" SERIES I, MOD 4973/II, 3200, 3289, MOD 2	3/pk	9.42 ea	20.85/3 pk (6.95 ea)	1'2" x 108"	Nylon Jet Bk	C-350
NEC SPINWRITER	4/pk	23.40/3 cart	23.60/4 pk rb. reload (5.90 ea)	1'2" x 51"	Nylon/Ex Lng Life	R-400
QUME (FITS 80 PRINTER MODS)	3/pk	18.00/3 pk	13.95/3 pk (4.65 ea)	1'4" x 310"	Multistrike Film	C-525
RADIO SHACK DAISY WHEEL II	1/pk	24.95/3pk	8.25 (8.25 ea)	250"	Mylar Multistrike	C-789
RADIO SHACK LPIII, LPIV	one, pk	13.95/cart	8.95/Reload rib only (8.95 ea)	500" x 45"	Nylon Incl Instr	R-T3
RADIO SHACK LPIII, LPIV	3/pk	18.95/3 pk	11.95/3 pk (3.98 ea)	563" x 45"	Nylon Jet Bk	C-700
TELETYPE MOD 33, 28, 35, 37, 38, 88	10/pk	2.40 ea	13.90/10 pk (1.39 ea)	1'2" x 36"	Nylon Jet Bk	R-450
WANG M/S 5541W, WC, 5581, WD, 6581W, 2281W	1/pk	6.85 ea	5.95 ea (5.95 ea)	5'16" x 393"	Multistrike Film	C-550

**40% OFF!!
OR MORE!**



TERMS:

MINIMUM PURCHASE - \$20
PAYMENT BY: C.O.D. (UPS), CHECK,
MASTER CARD, OR VISA CHARGE
CARD.

VOLUME DISCOUNTS:

20 - 50 PACKS 10%

51 - 100 PACKS 15%

*UNDER \$20, ADD \$5 HANDLING.

**APPROX. RETAIL. PRICE VARIES.

ANCIE LABORATORIES

5200-J Philadelphia Way 301-345-6000 (Wash. D.C. Local)
Lanham, Maryland 20706 301-792-2060 (Balto. MD Local)

800-638-0987 (National)

NAME _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____

QTY CAT.# AMT.

TOTAL

☐ Check Enclosed
☐ C.O.D.
☐ VISA
☐ MASTER CHARGE
ACCT. # _____
EXP. DATE _____
MIN. ORDER \$20
PRICES SUBJECT TO CHANGE

ANCIE Laboratories
5200-J Philadelphia Way
Lanham, Maryland 20706

284

301-345-6000 (Wash. D.C. Local)
301-792-2060 (Balto. MD Local)
800-638-0987 (National)

TRS/CLK

The clock that's turned on...even when you're not!
Never again enter the time or date with the
TRS/CLK from **KEP**

- Time/Date always functional... even during power failures
- 12/24 hours, minutes, seconds, day, month, year
- Diskette software included
- Dates disk automatically
- Fully software controlled
- Easy hookup—plugs into any TRS-80* computer
- Full 2 year warranty
- UL listed adaptor

Dealer inquiries invited.
Price: with display \$199.95
without display \$129.95
Unconditional money-back
guarantee
Call today 800-631-2165
for fast service.
Or fill out the convenient
Order Form below and mail.

*TRS-80 is a registered trademark of
Tandy Corporation.



KEP

Kessler-Ellis Products
Company
120 First Avenue
Atlantic Highlands NJ 07716



TO ORDER: Specify model, DOS type and version. No charge for
postage in continental U.S.

Personal checks require two weeks clearance.

☐ Please send me _____ TRS/CLK model(s) indicated.
No.

with display \$199.95 \$ _____
without display \$129.95 \$ _____
NJ and Cal. add sales tax _____
Total \$ _____

☐ Check ☐ COD ☐ MasterCard ☐ Visa
Card # _____ Exp. _____

Authorized Signature _____

Name _____

Company _____

Address _____

City _____ State _____ Zip _____

Phone _____

✓ 168

KEP

Kessler-Ellis Products Company 120 First Avenue Atlantic Highlands NJ 07716 800-631-2165

Quality Computer Services Presents ... Hard Disk Sub-Systems 20 Megabytes for Under \$3500!

Our Systems Are Compatible with Your

TRS-80® Model I, II, III, XVI

Apple II®

IBM® PC

NEC™

S-100™

Altos™

NorthStar™

Superbrain™

Panasonic™

Epson™

Heath/Zenith™

and Others

**Now
Available!
Optional
10 Meg.
Tape
Back-up**



Now you can expand the capability of your microcomputer with cost-effective mass storage from Q.C.S. Our integrated family of 6-, 12-, 20-, and 40-million-byte systems lets you operate your micro with the speed, convenience, and proven reliability of systems costing thousands of dollars more! And as your needs grow, Q.C.S. mass storage can grow too. You can start with an entry-level 6-million-byte system and expand 80 million bytes ... without scrapping your existing programs or operating system.

The completely assembled and tested system includes:

- Switching power supply
- Winchester drive
- Host adapter card
- Sealed case

- Expansion (enclosure, controller, and power supply designed for future backup hardware or increased storage)
- Software
- Auto-attach CP/M
- Hard disk utilities
- Realtime clock
- Formatting program (assigns alternates for any weak sectors detected during formatting—assuring the lowest possible error rate)
- Warranty (a full one-year warranty on all parts and workmanship)

Also available:

- Attach program for TRSDOS and OASIS
- New CP/M dynamic generator: configured software; menu-driven for 6-, 12-, 20-, 40-, 80-megabyte drives

The following systems software can be utilized:

TRS I, III—attach software for DOS 4.0,* LDOS

TRS II, XVI—CP/M Racet for TRSDOS,* Turbo DOS, OASIS

TRS Models II and XVI use 6 Meg for CP/M and 6 Meg for TRSDOS.

Apple—CP/M and DOS 3.3

NEC—CP/M

S-100—CP/M

Heath/Zenith—CP/M

IBM—PC DOS, USCD, etc.

* Available at an additional cost.

See your local dealer or call:

QCS Quality Computer Services ✓ 48
inc

178 Main Street, Metuchen, New Jersey 08840
Telephone: 201/548-2135

Toll-free number: (800) 631-5944

Quantity discounts available. Distributor, Dealer and OEM inquiries invited.

ASSEMBLER/6809 VERSION 1
 SYMBOL TABLE
 L1=22
 START=600
 LOOP=605

```

OBJECT CODE
0:
0:8602      * TEST IMM. ADDR.
2:          LDA $02
2:F65768    * TEST EXT. ADDR.
5:DC29      LDB $5768
7:          LDD <$29
7:EC84      * TEST INXD. ADDR.
9:A6A90500  LDD ,X
D:E6A6      LDA $500,Y
F:10AE80    LDB A,Y
12:EDA3     LDY ,X+
14:A78D0300 STD ,--Y
18:E791     STA $300,PCR
1A:          STB (,X++)
1A:AD9FA002 * TEST EXT. INDIR ADDR.
1E:          JSR ($A002)
1E:1F12     * TEST REG. ADDR.
20:3486     TFR X,Y
22:          PSHS A,B,PC
22:7E0022   * LABEL
25:27FB     L1 JMP L1
27:1027FFF7 LBEQ L1
2B:          * FILL SCR. WITH "$"
2B:          ORG $600
600:8E0400  START LDX #$400
603:8664    LDA #100
605:A780    STA ,X+
607:8C0600  LOOP CMXP #$600
60A:26F9    BNE LOOP
60C:39      RTS
  
```

Program Listing 4

*"According to Motorola,
 there are 1,464 instruction/addressing
 mode combinations for
 the 6809 microprocessor."*

match that printed in the article (Assembly-language programs are almost always printed as the object code), just change the line to an FCB and specify the exact bytes. Most fancy directives can be simulated using the ones I have supplied.

This program was developed on a 32K computer. If you have 16K, change the Clear and Dimension statements in line 10 to fit your system.

If you have a disk, you should be able to save and load source code from it using R and L with device one (leave two spaces between the one and the file name).

To save object code in memory to cassette or disk, exit the assembler and use CSAVEM or SAVEM. Alternatively, you may

convert the code into data statements as described in my article Datagen (80 Micro, June/July 1982).

One word of caution: According to Motorola, there are 1,464 instruction/addressing mode combinations for the 6809 microprocessor. I haven't tested all 1,464 combinations! If you run into difficulty, please contact me. ■

John Heusinkveld is a high school sophomore.

10 FORX=1024T01535
 20 POKEX,100
 30 NEXTX

Program Listing 5

ComSoft MEANS BUSINESS

Hardware and Software

Products for the TRS 80®
 Models I & III

DBM 5

A Data Base For All Seasons
 The File Clerk
 for the
 TRS-80® Models I & III

VERSION 5.5 SPECIFICATIONS:

- A multi-feature file manager
- Plus a simple data base (multi-file data sets)
- Up to 20 user defined fields
- File handling capacity for up to 12000 records
- Files extend across multiple diskettes
- Automatic DISK MOUNT requests
- Assembly language sorts on single and combined data fields
- Multiple search/chained parameters
- Fast (KSAM) record retrieval on sorted keys
- Flexible REPORT GENERATOR
- User titles and pagination
- Computed Fields
- 140-page MANUAL

DBM5 provides three data management features:
 A) A comprehensive file manager for defining your records, data entry or edit, and general record retrieval.
 B) A flexible report generator for information retrieval.
 C) A simple data base is provided for more advanced applications, where data sets involving file pairs can be defined.

PRICES:
 #DB-5I \$99 (MOD I)
 #DB-5III \$99 (MOD III)

AMS1.0

Apartment Management
 System

Efficient Property Management
 General Ledger Compatibility

PRODUCT BRIEF:

Written by a CAP for his own property management company, this menu driven system provides a practical, proven method for efficiently managing rental property.

- REPORTS
1. LATE RENTS Lists tenants, apt. #, amount of rent due, date rent was due, number of days late, payments on account.
 2. VACANT APARTMENTS Lists apts., description of unit, date vacated, number of days vacant.
 3. SCHEDULE OF RENTS Lists tenants, names (up to 4 per apt.), type of unit, amount of rent and other charges, and the last month rent was paid.
 4. SECURITY DEPOSITS held by apartment
 5. LEASE EXPIRATIONS of all units in order of expiration.
 6. RENT INCREASES lists date of last increase plus current information
 7. ALPHABETICAL listing of all tenants in building.
 8. MAILING LABELS for all tenants.

This apartment management system is a complete package designed to promote ease of management. The reports listed can be run at any time so there is no delay on checking tenants or obtaining any other information desired.

Requires Model III and 132 column printer. Maintains up to 300 UNITS per diskette.

PRICES
 #AMS-III \$395
 Manual Only \$ 30


VIEW \$29.00

A SCREEN FORMATER FOR DBMS

- Full CURSOR control
- Protected fields
- User form DESIGN
- File data entry, inquiry, & edit
- Elegant & professional look
- Flashing messages
- Creates formal and random data files for DBMS
- Includes DBM5 fast(KSAM) master key
- View is a compiled basic program
- Basic source code is included

TRS-80 is a Tm of Radio Shack. Tandy Corp. NEWDOS80 is a Tm of Apparat, Inc.
 TRS232 is a Tm of Small System Software Co.

ComSoft II
 203 Arden Street
 Glendale, California 91203
 (213) 649-0369



SERIAL I/O
 MPR-232

AT LAST! A serial input/output interface designed for connection to the TRS80 Model I with or without an expansion interface.

MPR2321 Specifications

- Glitch free operation
- Connects with card edge connector
- Baud rates 75-19,200 are switch selectable
- Integral Power Supply included!
- May be daisy chained with other MPR 232s

The MPR 2321 is compatible with Model I software including TSHARE. Specify Model I or III.

PRICES:

#MPR2321
 Assembled and Tested \$129.00(MOD I)
 PC Board Only \$29.00(MOD I)
 #MPR232III
 Assembled and Tested \$139.00(MOD III)
 PC Board Only \$29.00(MOD III)

CSTOCK \$79.00

- A) CSTOCK maintains a securities data base
- Maintains data on up to 3 stock market indexes
 - Weekly Stock Data (Price, Vol., P/E, and Yield)
 - Weekly Stock Option Data (Near, mid, and Far)

- B) CSTOCK is a professional technical analysis tool
- Stock and market averages, highs, and lows with respect to any time span
 - Linear regression analysis of stock behavior versus any of 3 market indexes
 - Short term betas computed (stock volatility in terms of market return)

- C) CSTOCK provides a parametric portfolio selection system as an aid in evaluating investment strategies in relation to risk.

TSHARE 2.0 MULTI-USER SYSTEM



MODELS I & III

SPECIFICATIONS:

TSHARE is a multi-tasking operating system for two users. It patches itself to your NEWDOS or TRSDOS SYSTEM. TSHARE allows simultaneous and separate operations for two users within a single computer.

AVAILABLE USER MEMORY ABOVE 7F80 HEX

• 32K TRS-80 16K FREE
 • 48K TRS-80 32K FREE

TIMESHARING MODES:

- SIMPLEX MODE With TSHARE 1.3 and 2A Only
- STANDARD MODE With All Systems

SUPPORT EQUIPMENT:

- One + Disk Drive
- 32K + Memory
- A Printer
- Small System
- Software s
- TRS232 Interface (optional)
- STANDARD MODE: A Terminal
- RS-232 or Micro Project's MPR-232

EXECUTION SPEED STANDARD MODE:

- (Without Clock Speedup Mods)
- BENCHMARK executed by 2 simultaneous users, 37 sec.
 - BENCHMARK executed once by standard TRS-80, 14 sec.

FEATURES:

- Type-ahead during Disk I/O (V2.0 Only)
- Communications between users
- Concurrent execution of single program
- Foreground/background task design
- Address up to two printers

PRICES:

#TS-13 for TRSDOS 2.3 \$89 (MOD I)
 #TS-13 for NEWDOS 2.1 \$89 (MOD I)
 #TS-2A for NEWDOS V1 \$99 (MOD I)
 #TS-2B1 for NEWDOS V2 \$99 (MOD I)
 #TS-2BIII for NEWDOS V2 \$99 (MOD III)

Relativity and the TRS-80

by Sidney Levin

Albert Einstein's hundredth birthday in 1979 was duly celebrated by many events, including excellent television presentations and a fascinating exhibit at the Smithsonian Museum in Washington.

To appreciate this unique and venerated giant you need some understanding of the Special Theory of Relativity, the cardinal production of the Miracle Year (1905). This brilliant intuitive explosion began a new conceptualization of nature, particularly with respect to light, time, and space. Moreover, as our instrumental technology evolves into the nuclear and space age, scientists continue to validate relativity concepts with each new experiment.

The germinal ideas of relativity seem so contrary to common sense that one can waste time trying to retrace Einstein's thought experiments in an effort to grasp such astonishing features as the unchanging constancy of the velocity of light, and the amazing time-dilation, mass-increase, and length-contraction transformations that occur in a frame of reference moving at velocities approaching the speed of light.

The Program Listing can stimulate

Let your micro strip the veils from relativity theory and ignite your own intuitive fires.

thinking about these concepts. The animated graphics utilize a stationary and

moving photon clock in which a to-and-fro movement of the photon (tick-tock) is a unit of time measurement (a design of physicist R.P. Feynman).

Using simple geometry with the Pythagorean Theorem, the relativistic constant, $A = \text{SQR}(1 - V^2/C^2)$, is derived. The computer then calculates changing mass, length, and time for

Program Listing

```

1 CLS:PRINT:PRINT:PRINT"      ** ALBERT EINSTEIN---SPECIAL THEORY
  OF RELATIVITY **"
2 PRINT"      PROGRAM BY SIDNEY LEVIN,DEC.1979":PRINT
3 PRINT"      THE FIRST PART OF THIS PROGRAM DERIVES THE RELATIVIS
  TIC
  EQUATION MUCH AS EINSTEIN DID IN 1905,BUT EMPLOYS AS A MODEL THE
  CONCEPT OF A MOVING CLOCK WHICH EMITS LIGHT PARTICLES(PHOTONS)
  AT REGULAR INTERVALS."
4 PRINT"      (THIS IDEA IS BY THE U.S.PHYSICIST R.P.FEYNMAN)"
5 PRINT:PRINT
6 PRINT"      THE SECOND PART OF THE PROGRAM ILLUSTRATES (CALCULATE
  S)
  TRANSFORMATIONS OF TIME,MASS AND LENGTH WITH INCREASING VEL-
  OCITIES(EINSTEIN-LORENTZ TRANSFORMATIONS)."
7 PRINT
8 INPUT"      PRESS <ENTER> TO CONTINUE:";
9 CLS:PRINT@194,"Y"
10 PRINT@201,"Y'"
11 PRINT@214,"<-----'FEYNMAN' CLOCK"
12 FOR X=0 TO 100:SET(X,20):NEXT
14 FOR Y=0 TO 20:SET(0,Y):NEXT
20 FOR X=15 TO 39
30 SET(X,5)
40 NEXT
50 FOR X=15 TO 39:SET(X,15):NEXT
60 FOR Y=14 TO 6 STEP-1
70 SET(27,Y)
75 FOR N=1 TO 50:NEXT
80 RESET(27,Y)
85 NEXT
87 PRINT@500,"'TICK'"
90 FOR Y=6 TO 14

```

Listing continues

The Key Box

Model I or III
16K RAM
Level II

any initial values entered. Animation repeats at appropriate stages of the unfolding program.

Line 770 sets the final velocity of the scrolling display at 185,500 miles per second and increments the initial velocity in 500-miles-per-second steps. To change these, alter the program lines. Light velocity (C) and your velocity (V) must be expressed in the same units.

The program requires about 8K of memory.

I was recently demonstrating the powers of the TRS-80 to a visiting computer science student from MIT and we ran through this program. His father informs me that when he returned to Cambridge, he buried himself in a week of reading Einstein and relativity! If you get similarly turned on, the literature is enormous, but I recommend *Einstein for Beginners* by Joseph Schwartz and Michael McGuinness, (Pantheon, New York). It inspired me to write this program!

Happy Birthday, Albert! ■

Sidney Levin, a physician, enjoys astronomy and music. He can be reached at 700 25th Avenue, San Francisco, CA 94121.

Listing continued

```

92 SET(27,Y)
94 FOR N= 1 TO 50:NEXT
96 RESET(27,Y)
98 NEXT
100 PRINT@500,"'TOCK'
116 PRINT" THE FRAME OF REFERENCE OF THE CLOCK (Y') IS NOT MOV
ING
IN RELATION TO THE LARGE FRAME (Y).
117 PRINT" TO OBSERVERS IN EITHER FRAME OF REFERENCE THE MOVING
PHOTON TRAVERSES THE SAME DISTANCE (Y'+Y') DURING A SINGLE
CLOCK CYCLE('TICK'-'TOCK')."
118 PRINT:INPUT" TYPE R TO REVIEW CLOCK SEQUENCE,TYPE C TO CO
NTINUE";CH$
119 IF CH$="R" THEN GOTO60
120 CLS
122 PRINT:PRINT:PRINT"* THE MOVING PHOTON HAS A CONSTANT VELOC
ITY,C----
(THE SPEED OF LIGHT) FOR ALL OBSERVERS AND REGARDLESS OF THE
RELATIVE VELOCITIES OF THEIR FRAMES OF REFERENCE ! *"
124 PRINT" THIS DIFFICULT CONCEPT,WHICH EINSTEIN DERIVED F
ROM
MAXWELL'S ELECTROMAGNETIC EQUATIONS (AND WHICH IS SUGGESTED BY
THE MICHELSON-MORLEY EXPERIMENT) LIES AT THE HEART OF THE THEORY
OF SPECIAL RELATIVITY."
126 PRINT
128 PRINT" FROM 'DISTANCE'='VELOCITY' X 'TIME' :
130 PRINT" 2Y'=(C) X (TIME INTERVAL OF CLOCK CYCLE)
132 PRINT" 2Y'=C X T
134 PRINT" T=2Y'/C
136 PRINT
138 INPUT" PRESS <ENTER> TO CONTINUE";
140 CLS
142 PRINT@448+14,"<-----D----->"
143 PRINT@192+41,"<---L"
144 FOR Y=0 TO 20:SET(0,Y):NEXT
145 FOR X=0 TO 100:SET(X,20):NEXT
147 FOR X=15 TO 39:SET(X,5):SET(X,15):NEXT
149 SET(27,14)

```

Listing continues

Experience the Magazine of the Future . . .



for the TRS-80 COLOR Ext. Basic

The Programmer's Institute's magnetic magazines will entertain, educate, and challenge you.

Each issue features ready-to-load programs ranging from games, adventures, home applications and utilities to personal finance, educational, and our unique teaching programs. Our magazines include fully listable programs, a newsletter containing descriptions and instructions for all programs, and notes on programming techniques used.

"Received my first copy . . . it's great! Please rush to me one of each back issue, so I'll have a complete set."

R.G., Chicago, IL

"Not only are the games fun and the applications useful, but the quality of the programs is excellent."

S.P., Midwest Computer Software Sales

ORDERING INFORMATION

Subscriptions*	Cassette	Diskette
Year	\$50.00	\$75.00
½ Year	\$30.00	\$45.00
Trial Issue	\$10.00	\$15.00

* Add \$2.00 postage and handling.
ALL SOFTWARE REQUIRES 16K.

See your local dealer or order direct:
THE PROGRAMMER'S INSTITUTE



a division of FUTUREHOUSE
P.O. BOX 3191, DEPT. 1-B
CHAPEL HILL, NC 27514



1-919-489-2198

10 AM - 9 PM, Mon - Sat

FREE CATALOG AVAILABLE UPON REQUEST.

✓245

Tired of just
PEEKing around???
Try **DIS. DATA.**
The Disassembler
That Even Tracks
Down DATA!!!



For your disassembler, wouldn't you like one that --

• Outputs " H37F7 DEFH 'Cass?'
DEFB 03H
instead of the meaningless "equivalent"

```
" AB25 LD B,E
LD H,C
LD (H),E
LD (H),C
COF
OR NZ,1+5 ", etc.?
```

- Automatically identifies such data areas?
- Outputs fully labeled EDTASM-format code to display, printer, cassette or disk?
- Relocates itself to any desired RAM area, up/down one byte or as many as required?
- Runs on TRS-80 Model I (Level II) or Model III, 16K or more, cassette or disk?

To order **DIS. DATA.** phone (513) 435-4480
(M-F, 9 a.m. - 5 p.m. EST), or send check or money
order for:

#1354-10. (Cassette) \$24.95
+ 1.50 shipping
#1354-20. (Model III diskette) \$29.95
+ 1.50 shipping

to the address below.
(Ohio residents please add 6% sales tax.)

*Registered Trademarks, Tandy Corporation




Professional Software for both
Novice and Expert

Pro/Am Software
220 Cardigan Road
Centerville, Ohio 45459 ✓ 260

We accept Visa/Mastercard
When ordering via card include card number,
interbank number, expiration date, your name,
address and phone number.

DAISY WHEEL PRINTER

NEW



LETTER QUALITY

SMITH-CORONA TP-1

- Parallel Centronics Interface
- Serial RS232 Interface
- 120 Word/min.

\$575

MICRO TECHNOLOGY

7817 Ivanhoe Ave., La Jolla, CA 92037

(714) 457-2149 ✓ 486

Listing continued

```
151 FORN=1 TO 50:NEXT
153 FOR X=15 TO 39:RESET(X,5):RESET(X,15):NEXT
155 FOR X=19 TO 43:SET(X,5):SET(X,15):NEXT
157 SET(31,13)
159 FORN=1 TO 50:NEXT
160 FOR X=19 TO 43:RESET(X,5):RESET(X,15):NEXT
161 FOR X=23 TO 47:SET(X,5):SET(X,15):NEXT
163 SET(35,12)
165 FORN=1 TO 50:NEXT
167 FOR X=23 TO 47:RESET(X,5):RESET(X,15):NEXT
169 FOR X=27 TO 51:SET(X,5):SET(X,15):NEXT
171 SET(39,11)
173 FORN=1 TO 50:NEXT
175 FOR X=27 TO 51:RESET(X,5):RESET(X,15):NEXT
177 FOR X=31 TO 55:SET(X,5):SET(X,15):NEXT
179 SET(43,10)
181 FOR N=1 TO 50:NEXT
183 FOR X=31 TO 55:RESET(X,5):RESET(X,15):NEXT
185 FOR X=35 TO 59:SET(X,5):SET(X,15):NEXT
187 SET(47,9)
189 FOR N=1 TO 50:NEXT
191 FOR X=35 TO 59:RESET(X,5):RESET(X,15):NEXT
193 FOR X=39 TO 63:SET(X,5):SET(X,15):NEXT
195 SET(51,8)
197 FORN=1 TO 50:NEXT
199 FOR X=39 TO 63:RESET(X,5):RESET(X,15):NEXT
201 FOR X=43 TO 67:SET(X,5):SET(X,15):NEXT
203 SET(55,7)
205 FORN=1 TO 50:NEXT
207 FOR X=43 TO 67:RESET(X,5):RESET(X,15):NEXT
209 FOR X=47 TO 71:SET(X,5):SET(X,15):NEXT
211 SET(59,6)
213 FORN=1 TO 50:NEXT
215 FOR X=47 TO 71:RESET(X,5):RESET(X,15):NEXT
217 FORX=51 TO 75:SET(X,5):SET(X,15):NEXT
219 SET(63,7)
221 FORN=1 TO 50:NEXT
223 FOR X=51 TO 75:RESET(X,5):RESET(X,15):NEXT
225 FOR X=55 TO 79:SET(X,5):SET(X,15):NEXT
227 SET(67,8)
229 FORN=1 TO 50:NEXT
231 FOR X=55 TO 79:RESET(X,5):RESET(X,15):NEXT
233 FOR X=59 TO 83:SET(X,5):SET(X,15):NEXT
235 SET(71,9)
237 FORN=1 TO 50:NEXT
239 FOR X=59 TO 83:RESET(X,5):RESET(X,15):NEXT
241 FOR X=63 TO 87:SET(X,5):SET(X,15):NEXT
243 SET(75,10)
245 FORN=1 TO 50:NEXT
247 FOR X=63 TO 87:RESET(X,5):RESET(X,15):NEXT
249 FOR X=67 TO 91:SET(X,5):SET(X,15):NEXT
251 SET(79,11)
253 FORN=1 TO 50:NEXT
255 FOR X=67 TO 91:RESET(X,5):RESET(X,15):NEXT
257 FOR X=71 TO 95:SET(X,5):SET(X,15):NEXT
259 SET(83,12)
261 FORN=1 TO 50:NEXT
263 FOR X=71 TO 95:RESET(X,5):RESET(X,15):NEXT
265 FOR X=75 TO 99:SET(X,5):SET(X,15):NEXT
267 SET(87,13)
269 FORN=1 TO 50:NEXT
271 FORX=75 TO 99:RESET(X,5):RESET(X,15):NEXT
273 FOR X=79 TO 103:SET(X,5):SET(X,15):NEXT
275 SET(91,14)
277 FORN=1 TO 50:NEXT
281 PRINT@512,"
```

TO THE OBSERVER IN THE MOVING(CLOCK)FRAME OF REFERENCE THE
PHOTON DISTANCE REMAINS Y' AS BEFORE.(HE HAS NO WAY TO DETERMINE
WHETHER HE IS STANDING STILL OR MOVING WITH UNIFORM VELOCITY).
283 PRINT" TO THE OBSERVER IN THE LARGE(Y)FRAME,THE PHOTON DI
S-
TANCE IS TWICE THE DIAGONAL L(=2L) DURING THE SINGLE CLOCK
CYCLE!!"
285 INPUT" TYPE R TO REVIEW,C TO CONTINUE";CH\$
287 IF CH\$="R" THEN GOTO 140
289 CLS
291 PRINT:PRINT:PRINT" THUS,FOR THE STATIONARY OBSERVER,THE TI
ME INTERVAL
OF THE MOVING CLOCK MAY BE WRITTEN:"
293 PRINT" T(2)=2L/C
294 PRINT:PRINT"DURING THIS TIME T(2),THE MOVING FRAME HAS TRAVE
LED A
DISTANCE:"

Listing continues

BASF QUALIMETRIC™ A TOTALLY NEW DIMENSION OF QUALITY.



From BASF comes a totally new level of excellence in magnetic media—the Qualimetric standard, a standard so advanced that BASF FlexyDisks® are confidently backed by the industry's only lifetime warranty. The Qualimetric standard is maintained without compromise through every step of BASF design, production, inspection, and testing...reflecting an unwavering BASF commitment to media fidelity and durability.

Our FlexyDisk jacket, for example, incorporates a unique two-piece liner that not only traps damaging debris away from the media surface, but also ensures precise media-to-head alignment. The result—certified 100% error-free performance, backed by BASF's exclusive lifetime warranty.*

For information security, tomorrow and beyond, look for the distinctive BASF package with the Qualimetric seal. Call 800-343-4600 for the name of your nearest supplier.

ENTER TOMORROW ON BASF TODAY



BASF

*Contact BASF for warranty details. © 1982, BASF Systems Corporation, Bedford, MA

No Shipping or Handling Charges!

DRIVES	TANDON		TEAC	
	Bare	Complete	Bare	Complete
40 tk SS	\$216	\$248	\$216	\$248
40 Tk DS	289	345	309	359
80 Tk SS	289	345	309	359
80 Tk DS	379	429	419	459

MODEMS

HAYES Smartmodem	\$229
HAYES Smartmodem 1200	559
HAYES Chronograph	219
Signalman Mark I D.C.	95
UDS 103 OALP	169
UDS 103 JLP	205

PRINTERS

Epson MX80 FT	\$559
Epson MX100	749
Microline 82A	479
Microline 83A	749
Microline 84P	1099

ORCHESTRA 85/90	\$ 99
Greatest Hits Vols. 1 & 2	20
Piano	39

TIDEWATER DATA SYSTEMS

14 PARKVIEW AVENUE
PORTSMOUTH, VIRGINIA 23704
(804) 397-9636

All prices discounted for cash.
Charge orders 4% additional

Virginia Residents Please Add 4% Sales Tax.

✓338


Listing continued

```

295 PRINT"                                D=V X T(2)
297 PRINT" (WHERE V=THE VELOCITY OF THE MOVING FRAME WITH RESPE
CT TO THE STATIONARY FRAME)."
299 PRINT" WE NOW HAVE THE ELEMENTS TO DERIVE THE RELATIVISTIC
EQUATION( OR CONSTANT)!!!!"
300 PRINT:PRINT:INPUT"      PRESS<ENTER>TO CONTINUE:";
310 CLS
312 PRINT" FROM THE PYTHAGOREAN THEOREM:"
314 PRINT"(1)      L[2=(D/2){2+Y'[2"
315 PRINT" PREVIOUSLY DERIVED EXPRESSIONS:"
316 PRINT"(2)      T(2)=2L/C                OR      L=C X T(2)/2"
318 PRINT"(3)      D=V X T(2)                OR      D/2=VT(2)/2
320 PRINT"(4)      T=2Y'/C                OR      Y'=CT/2"
322 PRINT"      SUBSTITUTING INTO EXPRESSION (1):
324 PRINT"      (CT(2)/2){2=(VT(2)/2){2+(CT/2){2
325 PRINT:PRINT
326 PRINT"      SOLVING FOR T(2) WE GET:
328 PRINT"      ** T(2)=T/SQR(1-(V[2/C(2)) **
329 PRINT:PRINT
330 INPUT"      PRESS <ENTER> TO CONTINUE";
332 CLS
334 PRINT"      ** T(2)=T/SQR(1-(V[2/C(2)) **
336 PRINT:PRINT "      THIS EQUATION EXPRESSES QUANTITATIVELY TH
E 'DILATION
OF TIME' OR SLOWING DOWN OF THE MOVING CLOCK AS ITS VELOCITY
APPROACHES THAT OF THE SPEED OF LIGHT----AS SEEN BY THE STATION-
ARY OBSERVER."
338 PRINT"      (THERE IS NO CHANGE FOR THE OBSERVER IN THE MOVIN
G
FRAME OF REFERENCE)."
340 PRINT
342 PRINT"      IN PONDERING THIS TYPE OF 'THOUGHT EXPERIMENT',EINST
EIN
MADE THE GREAT LEAP IN CONCEPT BY REALIZING THAT ** TIME ** WAS
SUSPECT-----DIFFERENT FOR THE TWO OBSERVERS !!!!!"
344 PRINT
346 INPUT"      TYPE R TO REVIEW THIS PROGRAM,C TO CONTINUE";CH$
347 IF CH$="R" THEN GOTO9
400 CLS
410 PRINT"THE LORENTZ TRANSFORMATIONS IN EINSTEINIAN RELATIVITY"

420 PRINT:PRINT
430 PRINT"THE RELATIVISTIC FACTOR,A,=SQR(1-(V[2/C(2))"
440 PRINT"      FOR MASS TRANSFORMATION,M2=M1*1/A,FOR LENGTH"
450 PRINT"L2=L1*A,FOR TIME T2 =T1*1/A"
460 PRINT
470 PRINT"      VELOCITIES IN MILES PER SECONDS.VALUES FOR MASS,"
480 PRINT"LENGTH,AND TIME MAY BE STATED IN ANY UNITS.:PRINT:PRI
NT
490 C=186000
500 INPUT"DO YOU WISH MASS TRANSFORMATIONS?(YES/NO);Y$
510 IF Y$="YES" THEN GOSUB 600
520 INPUT"DO YOU WISH LENGTH TRANSFORMATIONS?";Y$
530 IF Y$="YES" THEN GOSUB680
540 INPUT"DO YOU WISH TIME TRANSFORMATIONS?";Y$
550 IF Y$="YES" THEN GOSUB 760
560 CLS
570 PRINT:PRINT:PRINT:PRINT
580 PRINTCHR$(23)"HAPPY BIRTHDAY ALBERT!!!----"
590 GOTO 590
600 INPUT"ENTER INITIAL MASS";M1
610 FOR V=1 TO 185900 STEP 500
620 M2=M1*(1/SQR(1-(V[2/C(2))))
630 PRINT"M2=";M2, ",V=";V
640 NEXT
650 FOR N=1 TO 2000:NEXT
660 CLS
670 RETURN
680 INPUT"ENTER INITIAL LENGTH";L1
690 FOR V=1 TO 185500 STEP 500
700 L2=L1*SQR(1-(V[2/C(2)))
710 PRINT"LENGTH =" ;L2, "VELOCITY=";V
720 NEXT
730 FOR N= 1 TO 2000:NEXT
740 CLS
750 RETURN
760 INPUT"ENTER INITIAL TIME INTERVAL";T1
770 FOR V=1 TO 185500 STEP500
780 T2=T1*1/(SQR(1-(V[2/C(2))))
790 PRINT"TIME INTERVAL=";T2, "VELOCITY=";V
800 NEXT
810 FOR N=1 TO 2000:NEXT
820 CLS
830 RETURN

```



SMALL TIME USER'S GROUP BULLETIN BOARD — \$39.95 —

✓442

- Support about 200 USERS, IDEAL for LOCAL CLUBS
- General, Club, and Confidential PASSWORD Prot.
- EASY, USER ORIENTED, complete UP/DOWN loading
- Auto Config. for N/7/1, N/8/1, E/7/1, or E/8/1
- The BELOW TERM/HOST required for BULLETIN BOARD


TERM/HOST VER 1.5 (c)1982 — \$34.95 —

- HEX TRANSLATION of RECEIVED & TRANSMITTED DATA
 - TRANSMIT/RECEIVED Data Continually Displayed
 - Adjustable SPLIT SCREEN FULL DUPLEX Operation
 - BINARY and ASCII FILE Handling Capabilities
 - ASCII (Transparent BINARY File) Handling
 - CONTROL CODE SUPPORT frm KBD or XMIT/RCV BUFFER
 - Additional CONVERSION PROGRAMS are NOT REQUIRED
 - DISK or TAPE to the TRANSMIT/RECEIVE BUFFER
 - TRANSMIT/RECEIVE BUFFER to DISK or TAPE
 - DISK to TAPE or TAPE to DISK ALL File Types
 - AUTOMATIC CLEAN UP of RECEIVED ASCII Files
 - TEXT SPOOL BUFFER for VIEWING or PRINTING
 - Host May Run MACHINE LANGUAGE or BASIC Programs
 - HOST You May DOWN LOAD/UP LOAD ALL FILE TYPES in the HOST From Any REMOTE TERMINAL or SYSTEM
 - VERSION runs on MODEL 1 & 3, TAPE or DISK, 48K
- CHECK or MONEY ORDER or COD**
Freedom Financial Enterprises of Washington, Inc.
3061 Carriage Dr. Raleigh, NC 27612 919-782-9662

Save Time
Save Money

You could spend hours
typing in your programs,

Or you
could get



ALL THE MAJOR
PROGRAM LISTINGS
FROM EACH MONTH
OF *80 MICRO* ON
CASSETTE OR DISK

**With LOAD 80
you'll avoid all the hassles
while enjoying all the benefits**

What exactly is **LOAD 80**? Simply put, it is a monthly dump of the major program listings in each issue of *80 MICRO*. Since it was introduced in April of 1981, hundreds of TRS-80* users like yourself have discovered the advantages and benefits of **LOAD 80**. This comes as no surprise to Wayne Green, the innovative publisher who created **LOAD 80**. He knew from experience how frustrating and time consuming it was to keyboard and debug even a single published program, let alone all the major program listings in an issue of *80 MICRO*. He was sure that a great many people were just as frustrated as he was and would jump at the opportunity to have those programs available in "ready-to-load" form.

Wayne couldn't have been more right. **LOAD 80** has been a boom to TRS-80 users, allowing them to spend more time actually using their computers, while at the same time saving them a lot of aggravation and a good deal of money.

And now you can enjoy all the benefits of the major program listings in *80 MICRO* without the aggravation of keyboarding and debugging them. Start your subscription to **LOAD 80** with this month's issue and save close to 30% on the monthly price. And with a year's subscription, your cost per month (for an average of 10 programs per cassette or disk) is about what it would cost you to purchase one program at retail prices. Plus you get the extra added advantage of having the complete documentation for the major programs in that month's issue of *80 MICRO*, so loading your cassette or booting up your disk should present no problem at all.

To order your **LOAD 80** subscription, or this month's issue only, simply fill in the attached card or the coupon below (a photocopy is acceptable) and send it to: **LOAD 80**, 80 Pine Street, Peterborough, NH 03458. You can also order back issues of **LOAD 80**. For complete details, look for the **LOAD 80** back issues advertisement in this magazine, or see your local dealer.

LOAD 80 disks are TRSDOS 2.3 formatted, single density and floppy-sided. They will not contain an operating system. Single drive users need a copy utility; Model III users need the TRS-DOS 1.2/1.3 Convert utility. Source code files may not be usable on the Model III.

Yes, I want November LOAD 80

☐ YES, I want to save money. I'll subscribe to **LOAD 80** on disk beginning with this month's issue...\$199.97

☐ YES, I want to save money. Sign me up for a year of **LOAD 80** beginning with this month's cassette...\$99.97 for 12 issues.

☐ YES, I want a cassette of this month's **LOAD 80** for \$9.97 each (plus \$1.50 per tape for postage and handling).

☐ Visa ☐ Am. Ex ☐ MasterCard

☐ Check/Money order

☐ YES, I want this month's **LOAD 80** on disk for \$19.97 each (plus \$1.50 per disk for postage and handling).

Name: _____
Address: _____
City: _____ State: _____ Zip: _____
Signature: _____ Card# _____ Exp. Date: _____

LOAD 80 is manufactured by Instant Software, a subsidiary of WAYNE GREEN INC., 80 Pine St., Peterborough, NH 03458. There is no warranty expressed or implied that **LOAD 80** will do anything other than save you typing.

Foreign air mail, please inquire.

*TRS-80 is a trademark of Tandy Corp.

Aerocomp's Proven Best-By Test! The "DDC"

Double Density Controller

★ Technical Superiority

At last! A double density controller for Model I with HIGHER PROBABILITY OF DATA RECOVERY THAN WITH ANY OTHER DOUBLE DENSITY CONTROLLER ON THE MARKET TODAY! The "DDC" from Aerocomp. No need to worry about the problems that keep cropping up on existing products. AEROCOMP's design phase lock loop data separator has a wider capture window than the digital types currently on the market. The finest resolution available with digital circuitry is 12.5 ns. The "DDC" analog circuit allows infinitely variable tuning. Attack and settling times are optimized. The units presently on the market use a write precompensation tolerance is extremely wide - in the order of ± 100 ns. The bottom line is state of the art reliability!

★ Test Proven

Tests were conducted on AEROCOMP'S "DDC", Percom's Radio Shack TRS80*** Model I, Level 2, 48 K with Tandy (Siemens Model 82). Diskette was Memorex 3401. The test was run under adverse conditions. The test consisted of formatting 40 tracks on the diskette. The pattern was chosen because it is recommended as the best pattern for double density operation. The test was then made to read each sector on the diskette. The test was run ten times with each double density controller and the data averaged. Test results are shown in the table.

★ Features

TRS80 Model I owners who are ready for reliable double density operation will get (1) 80% more storage per diskette, (2) single and double density data separation with far fewer disk I/O errors, (3) single density compatibility and (4) simple plug-in installation. Compatible with all existing double density software.

★ Value

\$139.95 for the BEST double density controller on the market.

\$179.95 for "DDC" complete with DOSPLUS 3.3D

\$229.95 for "DDC" complete with LDOS

Data Separators

The advances that make the "DDC" great are incorporated in the new AEROCOMP Single Density Data Separator ("DDS").

★ Has your original manufacturer left you holding the bag?

If you already own a Percom "Doubler A", "Doubler II" or LNW "LNDoubler", the AEROCOMP "DDS" will make it right. Look at the test results:

MFR. & PRODUCT	SECTORS LOCKED OUT	
	WITHOUT "DDS"	WITH "DDS"
PERCOM "DOUBLER II"	18	1
PERCOM "DOUBLER A"	250	0
LNW "LNDOUBLER"	202	0


Note: Same test procedures as "DDC".

* Trademark of Percom Data Co.

** Trademark of LNW

*** Trademark of Tandy Corporation

Plugs directly into your existing Double Density Controller.



"DDC"

Satisfied customer writes
A. Brandwein, D.D.S.
New York, New York
I received your (DDC) on 11/07/81. . . . to my astonishment the first attempt to copy my system disk was successful. . . . prior to purchasing your double density board I had tried LNW's and Percom's boards without success. My drives are the oldest RS ones that came out. . . . The serial numbers are below 33000. The numbers above 70000 for double density to work. Yours truly, A. Brandwein

★ TEST RESULTS ★

MFR & PRODUCT	SECTORS LOCKED OUT (AVG)
AEROCOMP "DDC"	0
PERCOM "DOUBLER II"	18
PERCOM "DOUBLER A"	250
LNW "LNDOUBLER"	202

Note: test results available upon written request. All tests conducted prior to 8-25-81

Aerocomp's 14 day money back guarantee applies to hardware only.

Specials will be prorated. Shipping \$2.00 in Cont. US. See opposite page for details.

Happy DDS customer writes . . .

I don't often write letters such as this, but I feel I should in this case. . . . I am surprised and pleased with your DDS. It is not often a product is better than one expects. . . . This (these) test (s) used a Percom Doubler "A". (Test without DDS installed showed many errors). (With DDS) not one error!!! After ten (10) tests of formatting and verifying and zeroing NOT ONE FAILURE OR LOCK OUT. Great!!!

Phil Gnadt
Kansas City, Kansas

Phil Gnadt


★ "DDS" \$49.95
(Use 1791 chip from your DD controller)

★ "DDS" with disk controller chip included \$79.95

★ Disk controller chip \$34.95

(Shipping \$2.00 Cont. US - see opposite page for details)

See opposite page



TRS 80*

DISK DRIVES 40 & 80 TRACK

as low as **\$259.95**

ORDER TODAY!

- ★ 40-Track Drive. \$299.95
- ★ 80-Track Drive. \$409.95
- ★ 40-Track "FLIPPY" Drive. . . . \$329.95
- ★ 80-Track "FLIPPY" Drive. . . . \$419.95
- ★ 40-Track Dual-Head Drive. . . \$419.95
- ★ 80-Track Dual-Head Drive. . . \$569.95

All above drives are complete with silver enclosure, power supply and external drive cable connection. 115 VAC, 50/60 Hz, 230 VAC, 50/60 Hz available on special order.

- ★ 40-Track Bare Drive. \$259.95
- ★ 80-Track Bare Drive. \$359.95
- ★ 40-Track "FLIPPY" Bare Drive \$279.95
- ★ 80-Track "FLIPPY" Bare Drive \$369.95

★ SPECIAL PACKAGES★

STARTER A. \$339.95
40-Track Drive, 2-drive cable, TRSDOS
2.3 Disk & Manual, Freight & Ins.

STARTER B. \$369.95
40-Track "FLIPPY" Drive, cable, TRSDOS
2.3 Disk & Manual, Freight & Ins.

COMBO C. \$465.00
40-Track "FLIPPY" Drive, 2-drive cable,
LDOS, Freight & Ins.

COMBO D. \$559.00
80-Track "FLIPPY" Drive, 2-drive cable,
LDOS, Freight & Ins.

COMBO E. \$709.00
Two 40-Track "FLIPPY" Drives, 4-Drive
cable, TRSDOS 2.3 Disk & Manual,
Freight & Ins.

COMBO F. \$989.00
Two 80-Track "FLIPPY" Drives, 4-drive
LDOS Ins.

COMBO G. \$889.00
Two 40-Track Dual-Head Drives, cable,
TRSDOS 2.3 Disk & Manual, Freight &
Ins.

COMBO H. \$1289.00
Two 80-Track Dual-Head Drives, cable,
LDOS, Freight & INS.

DOSPLUS 3.3 or NEWDOS / 80, 2.0
available with any package.

Add \$5.00 per drive for shipping & handling (Cont. US).

FREE TRIAL OFFER

Order your AEROCOMP Disk Drive and use it with your system for up to 14 days. If you are not satisfied for ANY REASON (except misuse or improper handling), return it, packed in the original shipping container, for a full refund. (Hardware only. Special packages will be prorated) We have complete confidence in our products and we know you will be satisfied! **ORDER TODAY!!!**

WARRANTY

We offer you a 120 day unconditional warranty on parts and labor against any defect in materials and workmanship. In the event service, for any reason, becomes necessary, our service department is fast, friendly and cooperative.

100% TESTED

AEROCOMP Disk Drives are completely assembled at the factory and ready to plug in when you receive them. Each drive is 100% bench tested prior to shipment. We even enclose a copy of the test checklist, signed by the test technician, with every drive. AEROCOMP MEANS RELIABILITY!!

ORDER NOW!!

To order by mail, specify Model Number(s) of Drive, cable, etc. (above), enclose check, money order, VISA or MASTERCHARGE card number and expiration date, or request C.O.D. shipment. Texas residents add 5% sales tax. Add \$5.00 per drive for shipping & handling (Cont. US). Please allow 2 weeks for personal checks to clear our bank. No personal checks will be accepted on C.O.D. shipments-cash, money orders or certified checks only. You will receive a card showing the exact C.O.D. amount before your shipment arrives. Be sure to include your name and shipping address. You will be notified of the scheduled shipping date. Your bank credit card will NOT be charged until the day we ship!!

DRIVE CABLES

2-DRIVE. \$24.95
4-DRIVE. \$34.95

WRITE AEROCOMP TODAY FOR MORE VALUES !!!

**CALL TOLL FREE FOR FAST SERVICE
(800) 824-7888, OPERATOR 24**

FOR VISA / MASTERCHARGE / C.O.D. ORDERS

California dial (800) 852-7777, Operator 24. Alaska and Hawaii dial (800) 824-7919, Operator 24.

TOLL FREE LINES WILL ACCEPT ORDERS ONLY!

For Applications and Technical information, call (214) 337-4346 or drop us a card.

Dealers inquiries invited

AEROCOMP
Redbird Airport, Bldg. 8
P.O. Box 24829
Dallas, TX 75224

82

NEW LOW PRICES

Thanks to you our sales volume has allowed us to cut costs and we're passing the savings along. We offer the best disk drive value in the market place. Reliability, features and cost tough to beat. We deliver...and we stand behind our products. AEROCOMP is the only manufacturer to offer FREE TRIAL! Buy Aerocomp drives today. You deserve the best.

BEST FEATURES

- ★ Fast 5 ms. track-track access time.
- ★ Operates single or double density.
- ★ "FLIPPY" feature for lower media cost (40-1 & 80-1).
- ★ Head load solenoid.
- ★ Disk ejector.
- ★ Easy entry door.
- ★ **NEW** EXTERNAL DRIVE CABLE CONNECTION. (no longer need to remove the cover to hook up cable)

**EPSON
MX80
PRINTERS
\$469.00**

TRS80 Cable (I & III). \$9.95*
APPLE Cable & Interface. \$105.00
RS232 Interface. \$69.95
Ribbon Cartridge, Black. . . \$9.95
Add \$6.00 shipping (Cont. U.S.) does not include cable.

MX80 F/T

All the features of MX80 plus Friction Feed. Shipping & cables as above.

\$579.00

*With Purchase of Printer

Epson Airfoils

by Bob Boothe

Are you tired of laboriously plotting airfoils by hand? Use this program with your 80 and an Epson printer to make it fast and easy.

Besides being interested in computers, I am also a weekend flyer—of radio-controlled model aircraft. The

computer offered an ideal tool to use in the experimentation with various wing shapes. Airfoil data is widely available in tabular form (see Tables 1–5), but the conversion of this data into a usable pattern is a time-consuming job involving the accurate plotting of perhaps 50 points to an exact scale for a single wing rib. Also, if the aircraft is to have anything other than a perfectly straight wing, as many as 10 or more different sizes of ribs might be needed. The design job, done manually, could quickly get out of hand.

Getting Started

To do the job on the computer, the first thing we must decide is what size to make the field for plotting the airfoils. For most model aircraft a chord of about 10 inches is adequate, and fits nicely on a sheet of 8.5-by-11-inch paper. The printer used for this work is an Epson MX-80 with the Grafrax option. This machine has a nine-wire head, which is rather handy because we can address eight wires with one data byte in the graphics mode. In the verti-

cal direction the Epson prints at 72 dots per inch. If we use 95 rows of dots at eight per row, the vertical size of our field is 10.55 inches $((8 \times 95)/72 = 10.55)$.

The program runs on a 48K disk machine and after allowing room for Disk Basic, the machine-language line-plotting program, and a medium-sized Basic program to process the tables of data, about 32K of RAM is left over that can be used as a storage buffer for the field. Horizontally, if we use 340 columns of dots the field takes 32,300 bytes. (That's 258,400 individual points at eight per byte.) Horizontal spacing is at 60 dots per inch, so our field turns out to be 10.55 inches high by 5.66 inches wide—a rather generous area.

The Program That Does the Work

Now that we have established a field size, the next step is to set up the ma-

STATION VALUE	UPPER SURFACE	LOWER SURFACE
1 0.00	0.000	0.000
2 1.25	0.950	-0.950
3 2.50	1.310	-1.310
4 5.00	1.780	-1.780
5 7.50	2.100	-2.100
6 10.00	2.340	-2.340
7 15.00	2.670	-2.670
8 20.00	2.870	-2.870
9 25.00	2.970	-2.970
10 30.00	3.000	-3.000
11 40.00	2.900	-2.900
12 50.00	2.650	-2.650
13 60.00	2.280	-2.280
14 70.00	1.830	-1.830
15 80.00	1.310	-1.310
16 90.00	0.720	-0.720
17 95.00	0.400	-0.400
18 99.00	0.060	-0.060
19 100.00	0.000	0.000
20 100.00	2.000	-2.000

Table 1. NACA 0006 Airfoil

The Key Box

Model I
48K RAM
Disk Basic
2 Disk Drives
Epson MX-80 with Grafrax

IT'S YOUR MOVE

MAKE YOUR MOVE NOW ON COMPUTER SUPPLIES
FROM CHECK-MATE™

RADIO SHACK* LINE PRINTER RIBBONS

EPSON RIBBONS MX - 80

THE EPSON MX - 80 CARTRIDGE
AND

LINE PRINTERS I, II & IV

(Radio Shack P/N's 26-1150, 26-1152, 26-1154)

\$2.99 Ea. \$31.99 Doz.

MX-100

ZIP BOX REFILLS DESIGNED TO FIT
THE EPSON MX - 100 REFILLABLE CARTRIDGE
AT

LINE PRINTER III & V

(Radio Shack P/N 26-1414)

\$6.49 Ea. \$73.99 Doz.

\$9.95 Ea. \$107.46 Doz.

DAISY WHEEL LINE PRINTER

(Radio Shack P/N)

26-1419

26-1449

Multi Strike
Nylon

\$6.49 Ea. \$73.99 Doz.

LABEL SPECIALS

3 1/2 x 15/16" 1-up pin-feed Labels

NOW \$2.99/M (5M Minimum)

3 1/2 x 15/16" CONTINUOUS LABELS
2-ACROSS ON 9 1/2" FIXED CARRIER

NOW \$3.99/M (10M Minimum)

ALL PRICES INCLUDE SHIPPING IN CONTINENTAL U.S. (MASS. RESIDENTS ADD 5% SALES TAX)
MINIMUM ORDER FOR RIBBONS \$29.85

*RADIO SHACK IS A REGISTERED TRADEMARK OF THE TANDY CORP.

Check-Mate™



POST OFFICE BOX 103 RANDOLPH, MA 02368
CALL TOLL FREE (800) 343-7706 / IN MASSACHUSETTS (617) 963-7694
CALL OR WRITE FOR OUR FREE CATALOG

chine-language program. As mentioned earlier, the basis of this work is a line-plotting program. You can find it starting on page 139 of the May, 1981 *80 Micro*. For the present version see Program Listing 1. Even though the program is intended to run in Disk Basic, three of the disk commands have been redefined to be used for entry to the machine-language routines. I prefer this method of entry over USR calls since it seems to be more reliable and allows more flexibility in programming. (See the April, 1981 issue of *80 Micro*, page 116.) Program conversion to Level II Basic, which only has a single USR call, is also much easier this way.

The first three ORG statements in lines 200, 220, and 240 of the new program enable the three disk commands while the rest of the program is loading. Our 32,300-byte field buffer resides from 64635 down to 33235, which means that the machine-language program should end at 33234 (81D2H). The ORG in line 260 takes care of this.

The original program was written for the Base₂ printer which has only seven wires, numbered top to bottom, as compared to the Epson which has eight addressable wires, numbered from the bottom up. Lines 1410-1480 set things up for the Epson.

This can be compared to lines 1330-1390 of the May, 1981 program. The routine PRTOUT starting at line 1570 will not work on a Model III. The Model III still uses 37E8H for printer

status but to output a byte you must change line 1650 to an OUT statement to the printer port, or Call 03BH.

Finally, there are a few bits of code worth looking at in lines 1780-1840. Line 1780 sends the escape character (27) to the printer, which in essence means "Interpret the following byte(s) as control codes." The 75 in line 1800 sets the printer into the bit-image graphics mode, and the following two bytes define the number of dots to be printed per line. The 1 in line 1840 is the code for 256 dots, and the 84 in line 1820 is added to this to produce the desired 340 dots per line (256 + 84 = 340).

If any other details of this new program need explanation, look up the May, 1981 article. All we have done is

adjusted the original to work on a new field size with a different printer. Perhaps you have noticed that two of the original disk commands (Open and Close) have been changed. The original program was written for a 32K Level II machine without disk drives. The present program is intended to run in Disk Basic and these two commands are needed for handling of data files. I have substituted Field and RSET since these are not needed for any other purpose in this application.

Getting Down To Basic

From here on we will use only Basic, primarily because of the ease of editing and changing as our needs might dictate. The program AIRFOIL/BAS (see listing 2) handles all our file-management problems and does all the necessary math to calculate the precise position on the field of each point that we want to plot.

The program is written in compacted style, using the smallest line numbers possible, multi-statement lines, and eliminating spaces except where absolutely necessary. The sole reason for going to this extra trouble is conservation of memory space.

Only one frivolous excess can be found: the use of the down arrow to improve the readability of the listing in this compact format. Look at line 13, for example. You should type the down arrow after the colon following the 2 then type three spaces to get out of the line-number column and continue on. A second down arrow comes after the colon following Next, and so on.

STATION VALUE	UPPER SURFACE	LOWER SURFACE
1 0.00	0.000	0.000
2 1.25	3.070	-1.790
3 2.50	4.170	-2.480
4 5.00	5.740	-3.270
5 7.50	6.910	-3.710
6 10.00	7.840	-3.980
7 15.00	9.270	-4.180
8 20.00	10.250	-4.150
9 25.00	10.920	-3.980
10 30.00	11.250	-3.750
11 40.00	11.250	-3.250
12 50.00	10.530	-2.720
13 60.00	9.300	-2.140
14 70.00	7.630	-1.550
15 80.00	5.550	-1.030
16 90.00	3.080	-0.570
17 95.00	1.670	-0.360
18 99.00	0.160	-0.160
19 100.00	0.000	0.000
20 100.00	2.000	-2.000

Table 2. NACA 4415 Airfoil




Fig. 1. Airfoils Plotted from NACA 651-212 Data

STATION VALUE	UPPER SURFACE	LOWER SURFACE
1 0.00	3.040	3.040
2 1.25	5.400	1.860
3 2.50	6.400	1.420
4 5.00	7.800	0.910
5 7.50	8.800	0.590
6 10.00	9.600	0.390
7 15.00	10.600	0.120
8 20.00	11.300	0.010
9 30.00	11.700	0.000
10 40.00	11.400	0.000
11 50.00	10.500	0.000
12 60.00	9.130	0.000
13 70.00	7.300	0.000
14 80.00	5.200	0.000
15 90.00	2.800	0.000
16 95.00	1.500	0.000
17 100.00	0.000	0.000
18 100.00	2.000	-2.000

Table 3. Clark-Y Airfoil



Rose®

You've Got TOTAL ACCESS®

(Specializing in TRS80 & IBM)

**TO YOUR COMPUTER HARDWARE & SOFTWARE
NEEDS. CALL ROSE TODAY!**

The complete line of Radio Shack products is available through TA with standard RS limited warranty. Call me for price and delivery. Just cause you don't see it don't mean we ain't got it.
ROSE

I've got

★ DISK DRIVES

TA400 (40-T).....	\$289
TA800 (80-T).....	\$399
TA400 Flippy.....	\$319
TA800 Flippy.....	\$409
TA400-2 Dual Head.....	\$409
TA800-2 Dual Head.....	\$549

Complete with silver enclosure & power supply.

All TA Drives are MPI.

★ CABLES

2-Drive.....	\$23.95
4-Drive.....	\$33.95
Extender Cable.....	\$14.95

★ BARE DRIVES

TA400B.....	\$249
TA800B.....	\$349
TA400B Flippy.....	\$269
TA800B Flippy.....	\$359

★ EPSON PRINTERS

MX80.....	\$469.00
MX80 F/T.....	\$579.00
MX100.....	\$769.00
Parallel Cables.....	\$9.95+
MX 70-80 Ribbons.....	\$9.95

★ OPERATING SYSTEMS

TRSDOS 2.3 Disk & Manual.....	\$19.95
LDOS.....	\$119.95
NEWDOS/80.....	\$129.95
DOSPLUS 3.3,3.3D.....	\$89.95

★ IRON

Disk Drive Power Supply, Single.....	\$37
Disk Drive Case (silver) and Base	\$19
Diskettes (box of 10).....	\$25

90 day warranty on DRIVES. Add \$5.00 freight per drive in Cont. U.S. UPS COD charge \$1.50. There is also a 15 day FREE TRIAL on TA drives. If not completely satisfied I'll refund your money (less shipping). I'll take exception to improper use or mishandling.

★ RADIO SHACK COMPUTERS

26-1061 MIII, LI, 4K.....	\$595
26-1062 MIII, LII, 16K.....	\$835
26-1065 MIII, 48K, 1 Drive.....	\$1695
26-1066 MIII, 48K-2 Dr-RS232.....	\$2099
26-3001 4K Color Computer.....	\$315
26-3002 16K w/ext. Basic.....	\$485
26-3003 32K w/ext. Basic.....	\$566
26-3501 Pocket Computer.....	\$185
26-4002 MII, 64K, 1-dr.....	\$3288

★ PERIPHERALS - Model I, II, III

26-1140 OK Exp. Interface.....	\$299
26-1140 With 16K Mem. Tstd/.....	\$349
26-1140 With 32K Mem. Tstd/.....	\$375
26-1145 MI RS232 w/cable.....	\$85
26-1148 MIII RS232 w/cable.....	\$89
26-6001 M16,128K,1DR.....	\$4399
26-6002 M16,128K,2DR.....	\$5099
26-1172 D.C. Modem I.....	\$135
26-1173 D.C. Modem II.....	\$199
26-1206 CTR-80 Recorder.....	\$51
26-3008 CC Joysticks, pr.....	\$21
26-3010 13" Color Video.....	\$353
26-4150 MII 8.4MB Disk.....	\$3820
26-4151 MII Hard Disk No.2.....	\$2970
16K 200nsec Memory Guar 1yr.....	\$29

Trademark of PERCOM DATA CO., **Trademark of LNW * TRS80 & Radio Shack are trademarks of Tandy Corp. Copyright 1981 TOTAL ACCESS

★ OTHER PRINTERS & ACCESSORIES

26-1158 Daisy Wheel II.....	\$1694
26-1455 Acoustic Cover.....	\$339
26-1447 Tractor Assy.....	\$208
26-1448 Sheet Feeder.....	\$1111
26-1165 Line Printer V.....	\$1581
26-1166 Line Printer VI.....	\$986
26-1167 Line Printer VII.....	\$339
26-1168 Line Printer VIII.....	\$679
26-1191 Flat Bed Plotter.....	\$1695
26-1195 Digitizer.....	\$379
ANADIX DP-9500, 9501.....	\$1295
Starwriter F10 Daisywheel.....	\$1499
Daisy Wheel Printer, 45cps.....	\$1779
Tractor for above.....	\$237
Sheet Feeder for above.....	\$1250
26-1308 Printer Stand.....	\$88
26-4302 Printer Stand.....	\$129
26-1401 or 4401 Printer Cable.....	\$32

HOT PRICES-CALL!!

ROSE GOES IBM ALL NEW DISK DRIVES FOR IBM PERSONAL COMPUTER

INTERNAL & EXTERNAL ADD-ON DRIVES

"FLIPPY"* or STD. 40-track

★ A&B INTERNAL DRIVES

(First & Second)

Standard.....	\$249ea.
(List \$69.99)	
Flippy.....	\$269ea
(Not available from IBM)	

Purchase your IBM PC without drives but with the disk drive controller/adaptor & cable and the Disk Operating System (DOS) and **SAVE A BUNCH!**

★ C&D External Drives

(Third & fourth)

Standard.....	\$289ea
"Flippy".....	\$319ea
complete with matching case & power supply	

★ 2 External Drive Cable \$23.95

*"Flippy" allows flipping the diskette over & reading/writing to the back side. Cuts diskette cost in half. No special diskette required.

ZENITH MONITORS

12" Screen * Green Phosphor
This is the one you have been waiting for. Well built. Works great with the model I. Also has 40/80 column switch so the Apple folks can use it. 90 day warranty good Nationwide. Sell your old Model I monitor and be the first on your block to have a "real" green screen.
12" Zenith Green Phos. Mon.....\$135
Cable for Model I.....\$7
Why pay \$344.99 for an IBM monitor when you can buy this one. Requires 21022 color/graphics card.

★ RADIO SHACK SOFTWARE

I have most all R/S software in stock and it can be yours at 15% off the R/S retail price. Call me for the latest availability.

Double Density Disk Controller from Aerocomp ("DDC").....\$139.95

Make your Model I run in double density. The "DDC" has the most sophisticated data separation circuitry available. "DDC" is available with DOSPLUS 3.3D for a mere 179.95. **RUN FOR THE PHONE!**

ORDER NOW! TOLL FREE 800-527-3582

Write or call ROSE TOLL FREE at 1-800-527-3582. Texas residents call 214-458-1966. Please use the toll free lines for orders and literature requests only. Technical help or service use the Texas line. Prices are mail order only. You pay by VISA or MASTERCARD, you can send check or money order (allow a couple of weeks for personal checks to clear) or order COD (we ship COD's cash, certified check or money order only). Rose will take American money in just about any form. Add freight (UPS where possible) on all orders. Texas residents cough up 5% sales tax. Allow 2-4 weeks for delivery. Order today - I need the money!

Prices subject to change without notice.

TOTAL ACCESS®
P.O. BOX 3002
RICHARDSON, TX 75080
214-458-1966

* With purchase of Epson Printer

RAT — MAZE MANIA

New Arcade Game With
Real Time Graphics,
Music and Sound Effects



Object is to guide the rat through
mazes which change randomly while
an intelligent dog chases the rat.

CAN YOU OUTWIT THE DOG ???

\$14.95

- Music & Sound effects
- High Scores saved with Disk Ver
- Alpha Joystick compatible
- Tape version req 16K L2, Disk Ver
works with most DOS req 32K

14.95 for tape and disk version on
tape. \$2.00 Shipping, CA add 6% tax
When ordering specify Mod. I or III

SHELBOY ENTERPRISES

P.O. BOX 1757 MANTECA, CA 95336
(209) 239-6775

✓495

***TRS-80 MOD III/TRSDOS**

OWNERS

=MACHspeed=

***tm of TANDY Corp.**

Are your BASIC PROGRAMS
much too SLOW? You don't
have the time to make your
own MACHINE LANGUAGE
conversions? If we can agree
that time is "\$", particularly
in our BUSINESS applica-
tions, then this UNIQUE offer
is just what you've been look-
ing for. We'll take your BASIC
PROGRAMS and RE-
STRUCTURE, COMPACT and
then CONVERT them into a
SPEEDY MACHINE
LANGUAGE PROGRAM. (For
an APPLICATION &
DETAILS), send a S.A.S.E. and
\$1 for S&H to:

R.N. da Silva, P.O. Box "P",
Calexico, CA 92231

In case you are wondering about the
slight jaggedness of some areas on the
plots, remember that we are plotting
on a dot-matrix printer and the finest
detail we can obtain is the size of one
dot. At 60 per inch horizontally, dot-
to-dot spacing is 1/60 inch, or .0167
inch. Vertically, the spacing is 1/72
inch or .0139 inch. We would say that
we have a resolution of .0167 by .0139.
In trying to plot a curve, the dots print

in a given row or column until the
calculated position changes by one full
increment. When you stop and think
about it, the computer plots every
single point that lies exactly on the
calculated line. It is a simple matter to
make a template from the plotted data
by trimming so that the outline just
touches the high points.

How It All Works

The first six POKES in line 2 initialize
the three disk commands, Line, Field,
and RSET. The other two set memory
size so the Basic program won't wipe
out any of the machine language and
other information stored in higher
memory. Line 3 is a simple check to
make sure that the machine-language
program is loaded before we go any
further.

After some housekeeping, the file
DATALIST/TXT is input from disk.
Next, a list of all data files on the disk
is printed at the top of the screen for
reference (line 13). This is a nice fea-
ture to have in a program like this.
How often have you wanted to input a
file but couldn't remember exactly
what you had called it? The file
DATALIST/TXT is updated auto-
matically as new files are added from
the keyboard. The title for a file is in-
put in line 19, as N\$(D). When it comes
time to update DATALIST/TXT, a
subroutine in line 55 converts N\$(D) to
a suitable filespec that keeps the ma-
chine happy, but retains your title
for use in update of DATALIST/TXT
in Line 23.

On With The Plot

Tables of data for various airfoil
sections are available from a variety of
sources. Tables 1, 2, 4, and 5 are based
on NACA data frequently quoted in
engineering handbooks (Marks),
books on airplane design (*R/C
Modeler's Handbook of Gliders and
Sailplanes*, by George Siposs), and
various monthly publications aimed at
the model builder (*R/C Sportsman*,
R/C Modeler, and so on).

Table 3 was copied from some data
scribbled on the back of an envelope
(source unknown). The tables are
presented here only for the purpose of
demonstrating the plotting functions
and no claims are made for their ac-
curacy or recommendations made for
their use. All values in the tables are
given in percent of chord length. Sta-
tion 0 is the leading edge, the station
100 is the trailing edge. In the case of a
more or less symmetrical airfoil, the
upper surface ordinates have positive

STATION VALUE	UPPER SURFACE	LOWER SURFACE
1 0.00	0.000	0.000
2 1.25	1.058	-1.058
3 2.50	1.421	-1.421
4 5.00	1.961	-1.961
5 7.50	2.383	-2.383
6 10.00	2.736	-2.736
7 15.00	3.299	-3.299
8 20.00	3.727	-3.727
9 30.00	4.282	-4.282
10 40.00	4.496	-4.496
11 50.00	4.336	-4.336
12 60.00	3.743	-3.743
13 70.00	2.856	-2.856
14 80.00	1.805	-1.805
15 90.00	0.738	-0.738
16 95.00	0.280	-0.280
17 100.00	0.000	0.000
18 100.00	2.000	-2.000

Table 4. NAC09 Tip Airfoil

STATION VALUE	UPPER SURFACE	LOWER SURFACE
1 0.00	0.000	0.000
2 0.42	0.970	-0.870
3 0.66	1.176	-1.020
4 1.15	1.491	-1.290
5 2.39	2.058	-1.700
6 4.88	2.919	-2.270
7 7.37	3.593	-2.700
8 9.87	4.162	-3.120
9 14.90	5.073	-3.720
10 19.89	5.770	-4.170
11 24.91	6.300	-4.500
12 29.92	6.687	-4.740
13 34.94	6.942	-4.870
14 39.96	7.068	-4.910
15 44.98	7.044	-4.840
16 50.00	6.860	-4.654
17 55.02	6.507	-4.320
18 60.03	6.014	-3.860
19 65.04	5.411	-3.355
20 70.05	4.715	-2.770
21 75.05	3.954	-2.160
22 80.05	3.140	-1.544
23 85.05	2.302	-0.950
24 90.03	1.463	-0.426
25 95.02	0.672	-0.040
26 100.00	0.000	0.000
27 100.00	2.000	-2.000

Table 5. NACA 651-212 Airfoil

TURN YOUR COLOR COMPUTER ON TO THE POWER OF FLEX AND OS-9

NOW FROM THE WORLDS LARGEST SUPPLIER OF SOFTWARE FOR FLEX AND OS-9 COMES FHL COLOR FLEX AND COLOR OS-9, JUST LOOK AT THESE FEATURES:

OS-9 ONLY \$200 OS-9 WITH BASIC09 \$299

- Unix*-based, multitasking, modular, and versatile
- Over 40 utility commands
- Friendly "Shell" command interpreter
- Tree structured multilevel file directories
- Full time sharing support with log in and file security
- Fast, secure, random and sequential access files
- Comprehensive English language error messages
- Compact real-time multitasking executive



FLEX NOW ONLY \$99

- Hi-Res screen formats, 16 x 32, 24 x 51, upper and lower case. 24 x 64, 32 x 64 upper case
- No additional hardware required
- Easy start-up—just type Run-Flex
- R/S disk basic running with Flex optional \$30
- Advanced disk I/O
- Advanced terminal capabilities

FRANK HOGG LABORATORY

130 MIDTOWN PLAZA • SYRACUSE, NY 13210 TELEPHONE (315) 474-7856

*Unix is a trademark of Bell Labs. *OS-9 & BASIC09 are trademarks of Microwave & Motorola Inc. *FLEX is a trademark of Technical Systems Consultants Inc.

FREE SHIPPING

Within Continental 48 States

MICRO IMAGES

FREE SHIPPING

Within Continental 48 States

LAZYWRITER

Latest Version Model I/III \$159.95

DOSPLUS

Version 3.4S/3.4D/3.4III \$119.95
Version II For Model II \$199.95

LDOS .5.1-Mod I or III \$114.95

MORE MAXIS

Maxi Cras Mod I/III \$ 84.95
Maxi Mgr w/Util Mod I/III... \$119.95
Maxi Utility Mod I/III \$ 44.95
Maxi Mail Mod III Only \$ 84.95
Maxi Stat Mod I/III \$179.95

M-ZAL (V.2) Mod I or III \$134.95

SUPERUTILITY + Mod I/III \$46.95

UNITERM Mod I/III \$74.95

UNITERM/80 Mod I/III \$84.95

MICROSOFT

Fortran 80 or A.L.D.S. \$89.95
Basic Compiler \$179.95
Editor/Assembler + Tape \$27.95 Disk \$45.95

HEXSPELL 2 - Mod I/III \$94.95

New Random House Version
Proofreader by Aspen Mod I/III \$49.00
Proof-Edit by Aspen Mod I/III \$25.00
Grammatik by Aspen Mod I/III \$49.00
SPECIAL ... All 3 FOR ONLY \$110.00

LNW-Doubler 5/8 \$205.95

Includes Dosplus 3.4D

SOOPER SPOOLER -by Compulink

16K Parallel I/O Unit \$334.95
46K Memory Opt. \$149.95 Serial I/O Opt. \$89.95
Complete Unit - All Options \$549.95

LYNX autodial/answer Mod I/III \$239.95

★ VISION FRIENDLY ★

Vision Friendly is an eye exercise package for the Model III which comes with a Green, Blue, and Amber screen and a short graphic program. The package combines color & graphics to relax your eyes and ease eye strain. Each screen is a full grade quality screen which needs no glue, tape, etc. to attach and can be removed without a trace. The three plexiglass screens are more than worth the price. We are so sure you will like this package we are offering a **10 day money back guarantee on this item.** \$29.95

SPACE AGE*** PRINTER STANDS ***NO FRILLS

MX 80 Clear \$27.50 MX 80 Clear \$13.50
MX 80 Bronze ... \$29.95 MX 80 Bronze ... \$15.95
Microline 82A Space Age Bronze \$29.95

We also carry a full line of Adventure Int'l. Automated Simulations, Big Five, Fantastic, Med-Systems, Microsoft and most other fine software at discount prices.

SEND FOR YOUR FREE CATALOG

No credit cards at these low prices. Add \$2.00 on all COD orders. Certified Ck/MO/COD shipped immediately. Please allow 2 weeks for personal checks. For extra fast service phone in your COD order. Prices subject to change without notice. New York State residents please add appropriate sales tax.

We Offer Great Values & Prompt Delivery — Try Us!

146-03 25th Road
Flushing, New York 11354
Mon-Fri 10 AM-9 PM (212) 445-7124 Sat 10 AM-5 PM

RIBBONS

ZIP BOX RELOADS 1/2 Dz. Dz.
Epson MX 70/80-20 Yds. 24.00 42.00
Epson MX 100-30 Yds. 30.00 52.00
LP-1/III/IV-16 Yds. 18.00 32.00
Centronics 730/737/739
and 779-16 Yds. 18.00 32.00
All ZIP BOXES are individually sealed black nylon.


CARTRIDGES

	Each	Dozen
Epson MX70/80	8.95	90.00
LP-III/IV	6.50	70.00
Centronic 702/03/04/53	11.00	120.00
RS DSY WHL II Multi Strike	6.50	70.00
Diablo Hytype II Multi Strike	6.50	70.00
Qume-300,000 chr Multi Strike	6.50	70.00
NEC SPIN H-Yield Multi Strike	7.00	75.00
MICRLNE 80/82A/83A Spl	N/A	24.00

Minimum order 3 cartridges - any mix. For smaller quantities add \$1.50 per order. All our reloads and cartridges are manufactured by one of the oldest and most reputable ribbon Mfg's in the country.
***** QUALITY GUARANTEED *****

GAMES

	Tape	Disk
Sea Dragon	17.95	22.45
Penetrator	22.45	22.45
Defiance	22.45	22.45
Panik	17.95	22.45
Armored Patrol	17.95	22.45
Eliminator	17.95	22.45
Starfighter	22.45	26.95
Forbidden Planet or City	34.95	34.95
Strike Force	14.50	17.95
Voyage of Valkyrie	31.95	34.95
Bounceoids or Sp. Castle	14.50	17.95
The Institute	17.95	20.95
Fortress or Alien Def	14.50	17.95
Any Big 5 Program	14.50	17.95



This graph was produced with less than two dozen keystrokes on a TRS-80 Model I with EPSON MX-80 printer plus GRAFTRAX.

YOU CAN DO IT TOO WITH **AUTOPLLOT**, the sensational automatic curve plotter written in BASIC + fast machine language.

- Plot functions $y=f(x)$, $x=f(y)$, or $x=f(v)$, $y=g(v)$
- Plot data from keyboard or disk file
- Linear or logarithmic presentation
- Numeric integration or differentiation
- Automatic scaling and labelling of axes
- 4 different print sizes and formats
- Many more features

AUTOPLLOT for TRS-80

(Model I or III with 48K, 1 disk drive)

on disk with 40 page manual \$79.50

AUTOPLLOT for LN-W-80

(+Hi-Res video graphics) \$99.50

CA. residents add 6% sales tax

Phone orders, VISA and MASTERCARD welcome

MENLO SYSTEMS ✓524

3790 El Camino Real, Suite 221

Palo Alto, CA. 94306. Tel. (415) 327-7424

TRS-80. TM of Tandy Corp. MX-80. GRAFTRAX. TM of EPSON Inc.

values and the lower surface ordinates are negative. For the flat-bottomed Clark-Y, all values are positive.

Lines 100-106 of Listing 2 were used to print Tables 1-5. If you want to print a similar table, press break and enter GOTO100. If you want to use this feature frequently, add the following to line 14: (5) Print a data table. Then add ,100 to the end of line 17.

Once we have input a data table and a few parameters such as number of ribs to be plotted, lengths, and so on, the program must calculate the room needed to plot each rib. In line 26 the maximum upper ordinate and the maximum lower ordinate are found (MU = Max. Upper, ML = Max. Lower). In line 29, the total number of dots in the horizontal direction needed to plot the rib is calculated (E). Line 30 takes care of inverting the plot for every other rib.

We then calculate the horizontal coordinates of the first two points on the upper surface (X1, X2), and then in line 37 the vertical coordinates (Y1, Y2). A GOSUB 46 gets a line between the two points just defined stored in

the field buffer. Note at the start of line 54 is the simple command, Line. As the Basic program reads this command, a jump is made to memory location 808AH (36874), the start of the Line subroutine. (See Program Listing 1, lines 390-1400.) This is a good illustration of the simplicity of this method for access to machine-language routines.

While all this is going on, a little bookkeeping is done on the screen. A pair of < > characters are printed each time a line increment is drawn to the field buffer. If you place an AM radio close to the keyboard you will hear a wondrous array of sounds.

When all the points are calculated or when there is no more room in the field buffer, the program branches to line 45 where the RSET command causes a jump to memory location 8192H, the start of the routine to output the contents of the field buffer to the printer in bit-image format.

The process seems slow compared to normal printing speeds. In the graphics mode the printer always prints in one direction only, to help ensure the best possible column alignment. Also, because the buffer in the printer simply cannot hold enough data for a full line of dot graphics, the head must make a second pass on each line. The net result is a speed roughly one-fourth that of normal.

Paper positioning is critical with this program since the field takes up virtually the complete page. With the power switch on the side of the printer turned off, move the paper so the top of a page is just even with the top of the ribbon. This gives a margin of about 1/4 inch top and bottom. If you are plotting more than one page, the paper must be adjusted this way for each new page. With vertical printing set at 72 dots per inch the printer cannot keep track of the top of the form.

Progressive Airfoils

The program allows you to load a pair of data files—one for the root section, and one for the tip. Figure 2 shows a set of ribs with a rather thick semi-symmetrical airfoil at the root and a thin fully symmetrical shape at the tip. This is more or less the plan for the old C-47 of World War II.

As each rib is plotted, points are calculated for both root and tip sections and, from these, points for the rib are calculated by interpolating values related to the position of the rib on the wing. The result is a wing with a constantly changing airfoil shape from root to tip.




Fig. 2. Progressive Airfoils—Root Section: NACA 4415; Tip Section: NACA 0006



WHY BUY A JOY STICK TWICE!

If you already have an Atari Joy Stick, you can use it on your TRS 80 with our Kit.

JOY STICK KIT

Without Joy Stick Model I/III \$15.95

With Joy Stick Model I/III \$26.95

— Be Your Own SYSOP !!!!! —

Bullet-80 Bulletin Board Model I \$130.00

Bullet-80 Bulletin Board Model III \$150.00

Screen Artist II—Create Graphics, Save As Basic Routines \$32.95

Panik-New From Fantastic Software

Model I/III Disk \$24.95

Panik-Model I/III Tape 16K \$19.95

Bounceoids-New From Cornsoft

Model I/III Disk \$19.95

Bounceoids-Model I/III Tape \$15.95

We Also Have In Stock A FULL LINE Of Software From ALL The Major Houses.

Please Call For Information About Any Products.

After-Market Computer Gallery* ✓ 257

P.O. Box 993

14 Summit Street (Mail Order)

1 Franklin Street (Retail Outlet)

Voice Line — 203 743-1299

Bullet-80 Computer Line — 203 744-4644

Danbury, CT 06810 (300/1200 Baud)

*A Division Of Computer Services Of Danbury

Some interesting intermediate airfoil sections result from using two sections with very different shapes—like the flat-bottomed Clark-Y at the root and the symmetrical NACA 65 009 for the tip (Fig. 2). One word of caution: The data tables for both sections should have the same number of stations, and the same station values. Table 4 is an edited version of the NACA 65 009 data set up to match the Clark-Y. Table 5 is more typical of the type of data that you will find for some of the newer sections.

There are several closely spaced stations in the critical leading-edge area. This leads to a better definition of the nose part of the section. Figure 1 was plotted from this data. Each data table has two stations with a value of 100. This is a feature that I always add to a table, and the purpose is to draw the little hash mark at the trailing edge of each rib to define this point exactly when cutting out.

I usually use these plotted sections in one of two ways: First, for balsa wood ribs, I make copies and then transfer the pattern to the wood using an electric iron. The first cut I make is at the hash mark. Second, the plot can be glued to a piece of thin metal or formica, trimmed to shape, and used as a master template in hot-wire cutting of foam wing cores.

Other Applications

Not everyone is going to get excited

about plotting airfoils, but fortunately the Basic program can be easily changed and adapted to do all sorts of plotting. As used with the machine-language program FOILEXEC/OBJ, the system runs rather tight on memory. You will find that you can manage six or eight data tables before running into memory constraints. This is no problem when using the system as written to plot airfoil sections. If you want to store more than this, switch to another data disk. The first time you run the program you will create a new DATA-LIST/TXT file.

If you decide to adapt this program to another use that will require more space for the Basic program, you can get this space by changing the field size. For instance, a six-inch-square field (432 vertical by 360 horizontal) takes about 20K bytes of memory. The key lines of Listing 1 that will need revision are 260, 1260, 1270, 1500, 1510, 1520, 1760, 1820, 1860, and 1990.

As for the Basic program, all you have to do is calculate the X and Y coordinates for a pair of points (X1, X2, Y1, Y2) and then execute the command Line. When ready to print, execute RSET and to clear the field for a new plot, execute Field. ■

Bob Boothe (4651 Browndeer Lane, Rolling Hills Estates, CA 90274) is studying computer engineering at the Univ. of CA, San Diego.

Program Listing 1

```

00100      ;...."FOILEXEC"....
00110      ;
00120      ;LINE DRAWING ROUTINE FOR "EPSON"
00130      ;MX-80 PRINTER WITH "GRAPHTRAX" ROM
00140      ;AND TRS-80 MOD I ... 48K DISK BASIC
00150      ;
00160      ;THIS VERSION DEFINES A RECTANGULAR FIELD
00170      ;760 DOTS HIGH BY 340 DOTS WIDE. (10.55" X 5.66")
00180      ;
00190      ;BOB BOOTHE 12/20/81      REVISED 01/25/82
41A3      ORG      16804-1      ;LINE LOCATION
41A3 C38A80 00210      JP      LINE      ; AUTOMATIC ENABLE
4179      ORG      16762-1
4179 C37181 00230      JP      FIELD
4185      ORG      16774-1
4185 C39281 00250      JP      RSET
8072      ORG      32882      ;SO END IS BELOW 33235
8072 0000   00270 STARTX  DEFW  0      ;RESERVE 4 BYTES
8074 0000   00280 DEFW  0      ;FOR EA. VARIABLE
8076 0000   00290 STARTY  DEFW  0
8078 0000   00300 DEFW  0
807A 0000   00310 ENDX    DEFW  0
807C 0000   00320 DEFW  0
807E 0000   00330 ENDY    DEFW  0
8080 0000   00340 DEFW  0
8082 0000   00350 DIRX    DEFW  0      ;LEAST SIGNIFICANT
8084 0000   00360 DEFW  0      ;MOST SIGNIFICANT
8086 0000   00370 DIRY    DEFW  0
8088 0000   00380 DEFW  0
808A D9     00390 LINE    EXX
808B 2A7C80 00400      LD      HL,(ENDX+2)      ; SAVE REGISTERS
808E ED5B7480 00410      LD      DE,(STARTX+2)  ; GET END OF X POINT
8092 B7     00420      OR      A      ; START OF X
8093 ED52   00430      SBC      HL,DE      ; RESET CARRY FLAG
8095 228280 00440      LD      (DIRX),HL      ; FIND DIFFERENCE

```

Listing 1 Continues

The Lawyer's Microcomputer™

A Newsletter for Lawyers
Using the TRS-80*

Seminar

St. Thomas

U.S. Virgin Islands

January 3-10, 1983

For Lawyers Using
Radio Shack Computers

For Details:

Call Toll Free:

800-821-6129

A New Monthly Newsletter
For Lawyers

Send \$28 For A
One Year Subscription

The Lawyer's Microcomputer™

Post Office Box 1046A
Lexington, S.C. 29072

✓191

*TM Tandy Corp.

WILD

TRSDOS Enhancement
Use "wild - card"
file names with your DOS commands (APPEND, COPY, DIR, KILL, LIST, etc.)• Select files based on character strings, position, type, ...• Non scrolling display
• "All except" switch• (Yes, No, Quit, Go) processing controls•
Example: Delete all files except those with a 2nd letter of "D",
WILD KILL -!D*:1

Model 3 disk \$25

EFFECTS

Sound & Graphics
Effects Editor

Add high speed graphics & sounds to BASIC programs• Create/Edit effects & save them in RAM or on disk• Screen portions saved and recalled to any location• 3 recall modes (replace, add, and erase)• Text & special character support• Sounds generated with cassette port• User specified tones and durations• Screen formatted input routines provided• Demo programs and a two player game included• 8K+ machine code editor with 2K run time module• 32K and 48K version on same disk
Manual \$5, with Model 3 disk \$39

Send SASE for more information
Else check or money order to:

✓350
Ledford Computer Services
23007 La Pierre Drive
Mountlake Terrace, WA 98043

* TRSDOS is a TANDY Corp. Trademark

NEW SOFTWARE for TRS 80 Model III and the Color Computer

■ Church Contribution System

designed to simplify and facilitate the tedious chore of recording envelopes. Provides a variety of reports. Maintains its own data-files. Only **\$150**

■ Data Base Manager

designed to help organize all your data and provide you with meaningful reports. Add or delete any information. New files can be created and old information transferred. Only **\$150**

■ Single Entry Ledger

designed as an uncomplicated control of finances for home or small business. Add, delete, edit at any time. Compatible with DBM. Only **\$95**

Write or phone for complete software price list.



2457 Wehrle Drive
Amherst, NY 14221
716/631-3011

✓ 417

Listing 1 Continued

8098	CB7C	00450	BIT	7,H	; IS RESULT NEGATIVE
809A	2805	00460	JR	Z,DX0	
809C	21FFFF	00470	LD	HL,-1	; YES, MAKE MSW NEG
809F	1803	00480	JR	PDX	
80A1	210000	00490	LD	HL,0	; NO, MAKE MSW 0
80A4	228480	00500	LD	(DIRX+2),HL	
80A7	2A8080	00510	LD	HL,(ENDY+2)	; REPEAT ABOVE FOR Y
80AA	ED5B7880	00520	LD	DE,(STARTY+2)	
80AE	B7	00530	OR	A	
80AF	ED52	00540	SBC	HL,DE	
80B1	228680	00550	LD	(DIRY),HL	
80B4	CB7C	00560	BIT	7,H	
80B6	2805	00570	JR	Z,DY0	
80B8	21FFFF	00580	LD	HL,-1	
80BB	1803	00590	JR	PDY	
80BD	210000	00600	LD	HL,0	
80C0	228880	00610	LD	(DIRY+2),HL	
80C3	2A8280	00620	LD	HL,(DIRX)	
80C6	ED5B8680	00630	LD	DE,(DIRY)	
80CA	7C	00640	LD	A,H	
80CB	E680	00650	AND	80H	; PUT BIT 7 OF H IN B
80CD	47	00660	LD	B,A	
80CE	7A	00670	LD	A,D	
80CF	E680	00680	AND	80H	; PUT BIT 7 OF D IN C
80D1	4F	00690	LD	C,A	
80D2	CB25	00700	SHIFT	SLA	; EXPAND DIRECTION UNTIL
80D4	CB14	00710	RL	H	; BIT 7 CHANGES
80D6	CB23	00720	SLA	E	; THIS GIVES MAX. SPEED
80D8	CB12	00730	RL	D	
80DA	7C	00740	LD	A,H	
80DB	E680	00750	AND	80H	
80DD	B8	00760	CP	B	
80DE	2008	00770	JR	NZ,DSHIFT	
80E0	7A	00780	LD	A,D	
80E1	E680	00790	AND	80H	
80E3	B9	00800	CP	C	
80E4	2002	00810	JR	NZ,DSHIFT	
80E6	18EA	00820	JR	SHIFT	
80E8	228280	00830	DSHIFT	(DIRX),HL	; DONE SHIFTING SO STORE
80EB	ED538680	00840	LD	(DIRY),DE	
80EF	CD3C81	00850	NXTBLO	CALL	SET
80F2	AF	00860	XOR	A	; SET 1ST POINT
80F3	2A7C80	00870	LD	HL,(ENDX+2)	; RESET CARRY FLAG
80F6	ED5B7480	00880	LD	DE,(STARTX+2)	
80FA	ED52	00890	SBC	HL,DE	; DOES START = END YET
80FC	2830	00900	JR	Z,MAYBE	
80FE	2A7280	00910	NOTYET	LD	HL,(STARTX)
8101	ED5B8280	00920	LD	DE,(DIRX)	; ADD DIRECTION TO START
8105	19	00930	ADD	HL,DE	; ADD LSW'S FIRST
8106	227280	00940	LD	(STARTX),HL	
8109	2A7480	00950	LD	HL,(STARTX+2)	
810C	ED5B8480	00960	LD	DE,(DIRX+2)	; (DIRX+2) SHOULD BE 0
8110	ED5A	00970	ADC	HL,DE	; ADD CARRY FROM LSW'S
8112	227480	00980	LD	(STARTX+2),HL	; REPEAT FOR Y'S
8115	2A7680	00990	LD	HL,(STARTY)	
8118	ED5B8680	01000	LD	DE,(DIRY)	
811C	19	01010	ADD	HL,DE	
811D	227680	01020	LD	(STARTY),HL	
8120	2A7880	01030	LD	HL,(STARTY+2)	
8123	ED5B8880	01040	LD	DE,(DIRY+2)	
8127	ED5A	01050	ADC	HL,DE	
8129	227880	01060	LD	(STARTY+2),HL	
812C	18C1	01070	JR	NXTBLO	
812E	B7	01080	MAYBE	OR	A
812F	2A8080	01090	LD	HL,(ENDY+2)	; ARE Y'S ALSO EQUAL
8132	ED5B7880	01100	LD	DE,(STARTY+2)	
8136	ED52	01110	SBC	HL,DE	
8138	20C4	01120	JR	NZ,NOTYET	; NO, GO BACK AND FINISH
813A	D9	01130	EXX		; GET BACK OLD REGISTERS
813B	C9	01140	RET		; RETURN TO PROGRAM
813C	0600	01150	SET	B,0	; ROUTINE TO SET A POINT
813E	2A7880	01160	LD	HL,(STARTY+2)	
8141	110800	01170	LD	DE,8	; GOING TO DIVIDE BY 8
8144	B7	01180	OR	A	; RESET CARRY FLAG
8145	ED52	01190	DIV7	SBC	HL,DE
8147	3803	01200	JR	C,DONDIV	; DIVIDE BY SUBTRACTION
8149	04	01210	INC	B	; COUNT THE 7'S
814A	18F9	01220	JR	DIV7	
814C	19	01230	DONDIV	ADD	HL,DE
814D	4D	01240	LD	C,L	; PUT BACK LAST 7
814E	04	01250	INC	B	; PUT REMAINDER IN C
814F	115401	01260	LD	DE,340	; SO B ISN'T 0
8152	217F80	01270	LD	HL,33235-340	; 340 BYTES PER LINE
8155	19	01280	MULT	ADD	HL,DE
8156	10FD	01290	DJNZ	MULT	; COMPENSATE FOR (INC B)
8158	ED5B7480	01300	LD	DE,(STARTX+2)	; ADD 340 FOR EACH LINE
815C	19	01310	ADD	HL,DE	; GET X COLUMN
815D	41	01320	LD	B,C	; MAKE ADDRESS
815E	04	01330	INC	B	
815F	116881	01340	LD	DE,TABLE-1	; SO B DOESN'T EQUAL 0
8162	13	01350	FINDT	INC	DE
8163	10FD	01360	DJNZ	FINDT	; COMPENSATE FOR (INC B)
8165	1A	01370	LD	A,(DE)	
8166	B6	01380	OR	(HL)	; FIND LOCATION IN TABLE
8167	77	01390	LD	(HL),A	; SET THAT BIT
8168	C9	01400	RET		; STORE
8169	80	01410	TABLE	DEFB	80H
816A	40	01420	DEFB	40H	; FINALLY DONE
816B	20	01430	DEFB	20H	; BIT 0
					; BIT 1
					; SO ON

Listing 1 Continues

Mayday

HELP utility program...TNEWDOS-80...returns info. from manual in mini-page display...mod. I & III...disk...can be user modified...disk price includes shipping **\$16.50**

"MAYDAY" modem program"

Features auto log on, 38 K buffer, DOS cmds, echo, set parameters, printer toggle, warm restart, variable transmission speed, RS-232 toggle, spec. characters (keyboard), review buffer, and MORE. Running now under TNEWDOS, TRSDOS and will be available for others soon. Introductory special...including shipping) **\$31.50**
will include the SOURCE LISTING on the disk for **\$61.50**

"Signalman Mark 1 modem"

Very compact and easy to use with the MAYDAY modem software. This 300 baud modem can operate with 9-volt battery system or with optional AC adapter (\$7.50) and automatically detects the carrier signal for originate or answer. There is a built in RS-232 cable and connector to your computer and with the "MAYDAY modem" software you're in business. Modular telephone connects required. Price includes shipping **\$99.95**
Package price of MAYDAY modem software PLUS the Mark 1 modem unit PLUS the AC adapter PLUS shipping within the contin. U.S. **\$129.95**

Allow 2 wks./pers. checks...Wis. residents add 5% tax

MAYDAY Software

Post Office Box 66, Rock Creek Road, Phillips, Wisconsin 54555
(715) 339-3966

✓ 407

Save Grief & Aggravation

—Know Before You Buy—

READ

"Consumer Protection for the Microcomputer Owner"

COVERS:

1. Preliminary Considerations before Buying
2. Legal Differences between Mail Order and Local Store
3. Pitfalls and Protection of Paying by Cash, Check, Credit Card, etc.
4. What a Warranty Really Is
5. How to Complain Effectively
6. How to Legally Reject and Revoke Acceptance of Goods
7. Miscellaneous Hints and Suggestions

ONLY \$15 Post Paid (COD \$3 Extra)

Send Check or Money Order to

L. J. KUTTEN, ATTORNEY

201 South Central

P.O. Box 16185


St. Louis (Clayton), MO 63105

314-721-6644

Mo. Residents add 4.625% sales tax
Compuserve ID #70655,376 Source ID# TCK092

✓ 444

YOU DON'T NEED A RADIO SHACK FRANCHISE TO CASH IN ON MODEL II SALES.



It's true, all you have to do is carry the DOSPLUS II operating system for TRS-80 Model II users.

DOSPLUS II outperforms the O.E.M. DOS with an ultra sophisticated operating system that is five or more times faster, more reliable and totally compatible with all standard business orientated software that's designed for use with the Model II.

The result is a unique computer/operating system that far exceeds manufacturers specifications with more potential and capacity to handle any business needs. Which in turn means increased sales for you.

The DOSPLUS II is a winner, there's absolutely nothing available like it. The popular price tag will almost certainly guarantee a high sales turnover.

That's why we're backing it with an impressive multi-publication national advertising campaign that includes co-op advertising, toll-free dealer hot lines, 48 hr. phone in processed orders, liberal return policy, easy updates and a terrific sales margin. All together DOSPLUS II spells success. And as a DOSPLUS dealer you're carrying the latest state of the art innovations in software technology, that meets tomorrow's business needs today. So who needs a franchise? Cash in today. Carry DOSPLUS II the ultimate operating system for the TRS-80 Model II.

DOSPLUS

DOSPLUS first in quality! First in the industry!

*Radio Shack is a trademark of Tandy

POWERSOFT

A Division of Breeze/QSD, Inc.
11500 Stemmons Fwy., Dallas, Texas 75229
To order call toll free 1-800-527-7432
For product information (214) 484-2976
Micronet 70130, 203

✓61



MICRO SYSTEMS SOFTWARE, INC.

4301-18 Oak Circle
Boca Raton, FL 33431

To order call toll free 1-800-327-8724
For product information (305) 983-3390

✓384



ABS Suppliers

3352 Chelsea Circle
Ann Arbor, MI 48104
(313) 971-1404

B17 TAPE OPERATING SYSTEM

- will let you
- Save & Load programs 6X faster than Model-1.
 - Save & Load Data Arrays over 800X faster.
 - Backup standard System tapes that load-n-go.
 - Certify cassette tapes for B17 use.

\$14.95 Specify Model 1/3 16K/32K/48K RAM.
Inexpensive Upgrades available. 3rd year of sales.

B17 DISK/BAS is a Disk version. Lets you save any disk file to cassette at 3000 baud. Inexpensive way to backup your files. Works with any DOS. Includes tape certifier. Requires 32K RAM-up.

\$14.95 Specify Model 1/3.

WORDSMITH Word-processing program in BASIC. A 'Trainer' for more complex W/P programs. Easy-to-use. Specify Tape/Disk version. Tape version requires B17 Tape Operating System (above). Disk version requires 32K RAM-up. Uses MX-80 Printer.

\$14.95 Specify Model 1/3.

Add \$1.50 postage/handling per item.

✓173



The Worlds Most Powerful Software Vendor Is Looking For SOFTWARE AUTHORS for MOD I, II, III & IBM P.C.

If you have a product for the Micro Market, let us help you with the design, production and distribution. Call or write for an Authors Kit today!

POWERSOFT™

A Division of Breeze/QSD, Inc.
11500 STEMMONS FREEWAY, SUITE 125
DALLAS, TEXAS 75229
ATTENTION SOFTWARE ACQUISITIONS
(214) 484-2976

✓471

Epson Giveaway

Epson MX70/80 Cartridges
Available in Black, Red,
Green, Blue, Brown.

\$500
Min. 3 each

Reloads \$2.50 each Min. 12
\$30⁰⁰ Doz.

RR systems

35 Cherry Court
East Northport, N.Y. 11731
N.Y.S. Residents Add Tax
Add \$2.00 Shipping-Handling

✓530

Listing 1 Continued

816C 10	01440	DEFB	10H	
816D 08	01450	DEFB	08H	
816E 04	01460	DEFB	04H	
816F 02	01470	DEFB	02H	
8170 01	01480	DEFB	01H	
8171 D9	01490	FIELD	EXX	; SAVE REGISTERS
8172 21D381	01500	LD	HL,33235	; START PICTURE
8175 11D481	01510	LD	DE,33236	; START +1
8178 012C7E	01520	LD	BC,32300	; (760*340)/8 = 32300
817B 3600	01530	LD	(HL),0	; CLEAR
817D EDB0	01540	LDIR		; COPY ALL THE WAY
817F D9	01550	EXX		; GIVE 'EM OLD REGISTERS
8180 C9	01560	RET		; GET BACK TO FUN STUFF
8181 E5	01570	PRTOUT	PUSH	; SAVE HL
8182 C5	01580	PUSH	HL	
8183 0600	01590	LD	BC	; 256 STEP DELAY LOOP
8185 10FE	01600	DELAY	DJNZ	
8187 C1	01610	POP	BC	
8188 21E837	01620	LD	HL,37E8H	; LP POINTER - MOD I
818B CB7E	01630	PRTLP8	BIT	; BIT 7 ON MEANS BUSY
818D 20FC	01640	JR	NZ,PRTLP8	
818F 77	01650	LD	(HL),A	; LP READY, SO OUTPUT
8190 E1	01660	POP	HL	; GET BACK HL
8191 C9	01670	RET		; BACK TO WORK
8192 D9	01680	RSET	EXX	; YOU KNOW WHAT THIS DOES
8193 3E1B	01690	LD	A,27	; ESCAPE
8195 CD8181	01700	CALL	PRTOUT	
8198 3E33	01710	LD	A,51	; ASCII - 3
819A CD8181	01720	CALL	PRTOUT	
819D 3E18	01730	LD	A,24	; 8 DOT SPACING
819F CD8181	01740	CALL	PRTOUT	
81A2 065F	01750	LD	B,95	; NUMBER OF LINES
81A4 21D381	01760	LD	HL,33235	; FIRST BYTE LOCATION
81A7 C5	01770	LOOP	PUSH	; SAVE LINE COUNTER
81A8 3E1B	01780	LD	A,27	; ESCAPE
81AA CD8181	01790	CALL	PRTOUT	
81AD 3E4B	01800	LD	A,75	; TRANSMIT GRAPHICAL DATA
81AF CD8181	01810	CALL	PRTOUT	
81B2 3E54	01820	LD	A,84	; ADD TO 256 = 340
81B4 CD8181	01830	CALL	PRTOUT	
81B7 3E01	01840	LD	A,1	; 256 BYTES
81B9 CD8181	01850	CALL	PRTOUT	
81BC 015401	01860	LD	BC,340	; NO. CHARS FROM MEMORY
81BF 7E	01870	CHAR	LD	
81C0 CD8181	01880	CALL	PRTOUT	
81C3 23	01890	INC	HL	; INC ADDRESS AFTER EACH
81C4 0B	01900	DEC	BC	; DEC COUNTER AND CHECK
81C5 79	01910	LD	A,C	
81C6 B0	01920	OR	B	
81C7 20F6	01930	JR	NZ,CHAR	
81C9 3E0D	01940	LD	A,13	; CAUSES LINE FEED
81CB CD8181	01950	CALL	PRTOUT	
81CE C1	01960	POP	BC	; GET LINE COUNTER
81CF 10D6	01970	DJNZ	LOOP	
81D1 D9	01980	EXX		; GET BACK OLD REGISTERS
81D2 C9	01990	RET		; ADDRESS SHOULD BE 81D2H WHEN ASSEMBLING
1A19	02000	END	1A19H	; ENTRY TO LEVEL II BASIC
00000 TOTAL ERRORS				

Program Listing 2

```

1 ' AIRFOIL/BAS -- BOB BOOTHE -- 12/28/81
2 POKE16804,138:POKE16805,128:POKE16765,113:POKE16766,129:
  POKE16795,146:POKE16796,129:POKE16561,113:POKE16562,128:
  CLEAR150
3 IFPEEK(&H41A3)<>195THENCLS:
  PRINT"YOU MUST LOAD (FOILEXEC/OBJ) BEFORE YOU CAN RUN.":
  INPUT"PRESS <ENTER> TO RETURN TO DOS";QS:CMD"S"
4 FS="### =###.## ##.### ##.###"
5 FIELD:DEFINT A,D,N,Q,W,Z:
  DIMP(30,3):DIMTR(30,3):GOTO8
6 IF ERR<>106 THENPRINT"ERROR":END
7 CLOSE1:D=0:CLS:PRINT"NO DATAFILE LIST ON THIS DISK !":
  PRINT:RESUME14
8 ON ERROR GOTO 6
9 OPEN"I",1,"DATALIST/TXT:1"
10 IF EOF(1)THEN12
11 D=D+1:INPUT#1,N$(D):GOTO10
12 CLOSE:ONERRORGOTO0
13 CLS:FORQ=1TODSTEP2:
  PRINTQ;" - ";N$(Q);TAB(24)Q+1;" - ";N$(Q+1):NEXT:
  PRINT:PRINTSTRINGS(64,"=")
14 PRINT@640,"      (1) LOAD A DATA FILE FROM DISK
      (2) LOAD A PAIR OF DATA FILES -- FOR PROGRESSIVE AIRFOILS.
      (3) INPUT A DATA TABLE FROM KEYBOARD
      (4) REVISE A DATA TABLE
15 INPUT"CHOOSE A FUNCTION BY NUMBER";DT
16 PRINT@640,CHR$(31);
17 ONDTGOTO57,62,19,57

```

Listing 2 Continues


```

18 GOTO15
19 ONERRORGOTO0:D=D+1:
   INPUT"TITLE FOR THIS DATA ....
   (FIRST EIGHT CHARACTERS MUST BE UNIQUE) ";N$(D)
20 INPUT"HOW MANY STATIONS PER RIB (30 MAX) ";NS
21 FORW=1TONS:
   INPUT"STATION VALUE, UPPER, LOWER ";P(W,1),P(W,2),P(W,3):
   NEXT
22 INPUT"SAVE DATA TO DISK (Y/N) ";Q$:IFQ$<>"Y"THENCLS:GOTO25
23 OPEN"O",1,"DATALIST/TXT:1":FORQ=1TOD:PRINT#1,N$(Q):NEXT:
   CLOSE1:DF=D:GOSUB55
24 OPEN"O",1,FSS:PRINT#1,NS:FORW=1TONS:
   PRINT#1,P(W,1),P(W,2),P(W,3):NEXT:CLOSE1:CLS:IFDT=4THENRUN
25 INPUT"HOW MANY RIBS (10 MAX)";NR:
   INPUT"SPAR CENTERLINE AT WHAT STATION";SC:FORW=1TONR:
   INPUT"LENGTH IN INCHES";L(W):NEXT:C=0
26 MU=P(1,2):ML=P(1,3):FOR E=1TONS:IFP(E,2)>MUTHEMUMU=P(E,2)
27 IFP(E,3)<MLTHENML=P(E,3)
28 NEXTE
29 FOR W=1TONR:PRINT:PRINTW;E=(MU-ML)/100*L(W)*60:
   IFC+E>339THENGOSUB45
30 XC=C-ML/100*L(W)*60:YC=0:F=1:
   IF(W/2)=INT(W/2)THENYC=759:F=-1
31 IFF=-1THENXC=C+C+E-XC
32 FORA=1TONS-1
33 X1=F*P(A,2)/100*L(W)*60+XC:X2=F*P(A+1,2)/100*L(W)*60+XC
34 IFDT<2THEN37
35 T1=F*TR(A,2)/100*L(W)*60+XC:T2=F*TR(A+1,2)/100*L(W)*60+XC
36 X1=(X1*(NR-W)+T1*(W-1))/(NR-1):
   X2=(X2*(NR-W)+T2*(W-1))/(NR-1)
37 Y1=F*P(A,1)/100*L(W)*72+YC:Y2=F*P(A+1,1)/100*L(W)*72+YC
38 GOSUB46
39 X1=F*P(A,3)/100*L(W)*60+XC:X2=F*P(A+1,3)/100*L(W)*60+XC
40 IFDT<2THENGOSUB46:NEXT:GOTO44
41 T1=F*TR(A,3)/100*L(W)*60+XC:T2=F*TR(A+1,3)/100*L(W)*60+XC
42 X1=(X1*(NR-W)+T1*(W-1))/(NR-1):
   X2=(X2*(NR-W)+T2*(W-1))/(NR-1)
43 GOSUB46:NEXT
44 X1=XC:X2=XC:Y1=YC:GOSUB46:
   X1=C:X2=C+E:Y1=YC+F*SC/100*L(W)*72:Y2=Y1:GOSUB46:
   C=C+E:NEXT:GOSUB45:END
45 C=0:RSET:FIELD:RETURN
46 PRINT"<";REM LINE ROUTINE
47 IF X1 < 0 OR X1 > 339 THEN PRINT"X1 ILLEGAL":END
48 IF X2 < 0 OR X2 > 339 THEN PRINT"X2 ILLEGAL":END
49 IF Y1 < 0 OR Y1 > 759 THEN PRINT"Y1 ILLEGAL":END
50 IF Y2 < 0 OR Y2 > 759 THEN PRINT"Y2 ILLEGAL":END
51 IF INT(X1)=INT(X2) AND INT(Y1)=INT(Y2)THEN
   PRINT"VALUE TOO CLOSE":RETURN
52 X3=INT(X1/256):X4=INT(X2/256):Y3=INT(Y1/256):Y4=INT(Y2/256)
53 POKE&H8074,X1-X3*256:POKE&H8075,X3:
   POKE&H8078,Y1-Y3*256:POKE&H8079,Y3:
   POKE&H807C,X2-X4*256:POKE&H807D,X4:
   POKE&H8080,Y2-Y4*256:POKE&H8081,Y4
54 LINE:PRINT">":RETURN
55 FSS=LEFT$(N$(DF)+
   FT=ASC(MID$(FSS,Q,1)):
   IFFT>31ANDFT<48ORFT>57ANDFT<65THENMID$(FSS,Q,1)="0"
56 NEXT:FSS=FSS+"/DAT:1":RETURN
57 INPUT"WHICH DATA FILE ";DF:GOSUB55
58 OPEN"I",1,FSS:INPUT#1,NS:FORW=1TONS:
   INPUT#1,P(W,1),P(W,2),P(W,3):NEXT:CLOSE1:IFDT=2THEN63
59 Z=NS/2:IF2*Z<>NSTHENZ=Z+1
60 CLS:FORW=1TOZ:PRINTUSINGFS;
   W,P(W,1),P(W,2),P(W,3):PRINT" * ";:PRINTUSINGFS;
   W+Z,P(W+Z,1),P(W+Z,2),P(W+Z,3):NEXT
61 IFDT=1THEN25ELSEIFDT=4THEN65ELSE63
62 INPUT"WHICH FILE FOR THE ROOT RIB ";DF:GOSUB55:GOTO58
63 INPUT"WHICH FILE FOR THE TIP RIB ";DF:GOSUB55:
   OPEN"I",1,FSS:INPUT#1,NS:FORW=1TONS:
   INPUT#1,TR(W,1),TR(W,2),TR(W,3):NEXT:CLOSE1
64 GOTO25
65 INPUT"CHANGE WHICH LINE (0, IF THROUGH)";CL:IFCL=0THEN24
66 CLS:PRINT"CHANGE EACH ITEM AS IT APPEARS":PRINT
67 PRINT"STATION VALUE ";P(CL,1):INPUTP(CL,1)
68 PRINT"UPPER SURFACE ";P(CL,2):INPUTP(CL,2)
69 PRINT"LOWER SURFACE ";P(CL,3):INPUTP(CL,3)
70 GOTO59
100 INPUT"TABLE NO. ";TN
101 LPRINT," DATA TABLE FOR ";N$(DF);" AIRFOIL":LPRINT:
102 LPRINT," STATION"," UPPER"," LOWER"
103 LPRINT," VALUE"," SURFACE"," SURFACE":LPRINT
104 DT$="## ##.## ##.## ##.##"
105 FORQ=1TONS:LPRINT,USINGDT$;Q,P(Q,1),P(Q,2),P(Q,3):NEXT
106 LPRINT:LPRINT:LPRINT,"
   TABLE -";TN

```

Verbatim flexible disks

Call Free (800) 235-4137 for prices and information. Dealer inquiries invited. C.O.D. and charge cards accepted.



VISA

PACIFIC EXCHANGES
100 Foothill Blvd.
San Luis Obispo, CA
93401. In Cal. call
(800) 592-5935 or
(805) 543-1037.

✓207

color communications

Communicate in color with the MICRO-CONNECTION™ direct connect modem for the TRS-80* Color Computer. Run 300 bps serial printers to download color files. Send E-mail, chat, buy merchandise, access the Source* and other exciting data bases with the MICROCONNECTION™ for the TRS-80* Color Computer. \$199.50

the microperipheral corporation

2643 - 151st Place N.E.
Redmond, WA 98052
(206) 881-7544



*Indicates trademarks of Tandy Corp. and Reader's Digest, Inc.

✓298

96K model 1

BIGMEM* consists of eight 64K RAMs to replace your old 16K chips and a memory-controller board that fits neatly within the keyboard case. Features:

- o 48K keyboard memory on power-up
- o plus access to 32K E/I memory.
- o 2.7K RAM above ROM available.
- o Can overlay ROM with RAM.
- o DOS operations unaffected.
- o Remaps kybd and video for CP/M**

BIGMEM kit includes 64K RAMs, A&T controller board, internal cable, wire, solder and instructions. Only\$180 ppd. shipping with check or money order. COD \$3 extra. NYS residents add sales tax.

MICROHATCH
PO Box 501
DeWitt, NY 13214

* Trademark of Microhatch ✓419
** Trademark of Digital Research

This system uses only one key.

Plant a Binary Tree

Ken Knecht
1340 West Third St. #130
Yuma, AZ 85364

You might wish to plant the binary tree in your random disk files. Easy to utilize, it requires only two bytes in each record. It allows for fast sorted printouts, in key data order, and very quick searches for a record using key data.

Key data is the record data most often used for sorts and

when searching for a record. For example, in an inventory file it could be a part number.

The system described here only permits one key. The disadvantage of this is that you cannot use the binary tree's help in searching for an address in a mailing list if names are used as your key data. A sequential search is needed in this case. Also, you cannot move records around in a file or easily replace deleted records when using the binary tree.

The system works most efficiently with blocked files (random length records), like those found in LDOS and Model III TRSDOS. Note: You can't use

several subrecords in each 256-byte record without modifying the system.

In the following example I've used records consisting of three fields: a part number; a part description; and the quantity. (In actual use as many fields as needed could be used.) The part number is the key data field. The file layout is as follows:

Part Number Field	10 Characters
Description Field	20 Characters
Quantity Field	Integer Number (2 Bytes)

The field statement resulting from the above file layout is:

```
1000 FIELD 1, 10 AS AS$, 20 AS BS$, 2 AS
CS$, 1 AS DS$, 1 AS ES: RETURN
```

The D\$ and E\$ field variables store the binary tree pointers.

Before we go any further, let me explain how a binary tree is formed (see Fig. 1). The LP (for the left pointer) stores the offset to the next record number

whose key field is lower (in this case lower in alphabetical order) than the present record. The RP (for right pointer) stores the offset to the next record number whose key field is higher than the present record. RN stands for the present record number. Figure 2 shows ten records, stored by key field in the following order: P50, P40, P10, P30, P60, P80, P100, P70, P20 and P90. Remember, LP and RP are offsets from the present record number to the next record number.

To search for the key field P70 start at Record 1 (always begin at Record 1) and note if the key field is higher or lower. Record 1 contains P50; P70 is higher. Next, look at the right pointer. This pointer is a four so one (we are at Record 1) is added to four with a result of Record 5. Compare P70 to the P60 contained in Record 5; P70 is higher. Again, add the right pointer (one) to the record number (five) and go to the sum, or Record 6. Compare the P80 found in Record 6 with P70. This time the contents of the present record are higher so look at the left pointer. It is two, so add two to the record number (six) and move to Record 8 (the total). We compare again and




Figure 2

The Key Box

Basic Level II
Model III
16K RAM
LDOS or TRSDOS

Disk Drives and Cases

The B.T. Enterprises Mini-Floppy 5-1/4 inch Disk Drive Case is unique in that it is constructed of clear plexiglass. This innovative design is the first on the market which enables the user to actually see the Disk Drives working while using the computer. The case is constructed of a 1/4 inch durable plexiglass base with a 1/16 inch clear plexiglass cover. The case and power supply are available for single or dual drives. One advantage of the dual design is that both floppy drives are built into one case for saving space and easier handling.

The unit is equipped with a linear filtered power supply that is regulated to match the power consumption of the mini drives. The power is AC fuse protected with a chassis mounting fuse on the back of the case for easy maintenance. An on/off switch is provided on the back of the case. The AC line cord is a standard 3 prong plug designed to meet UL listing.

FLOPPY DISK DRIVES

201100*	5-1/4 Disk Drive Case & Power Supply (Sgl)	\$ 79.95
201200*	5-1/4 Disk Drive Case & Power Supply (Dbl)	\$ 109.95
201101*	Tandon 40tk SH w/case & Supply	\$ 299.95
201102*	Tandon 40tk DH w/case & Supply	\$ 399.95
201103*	Tandon 80tk SH w/case & Supply	\$ 399.95
201104*	Tandon 80tk DH w/case & Supply	\$ 499.95
201201*	Dual Tandon 40tk SH w/case & Supply	\$ 579.95
201202*	Dual Tandon 40tk DH w/case & Supply	\$ 779.95
201203*	Dual Tandon 80tk SH w/case & Supply	\$ 779.95
201204*	Dual Tandon 80tk DH w/case & Supply	\$ 979.95
200300	Disk Drive Extender Cable	\$ 9.95

*Complete with extender cable


Bare Drives

200101	Tandon 40tk SH Bare	\$ 259.95
200102	Tandon 40tk DH Bare	\$ 359.95
200103	Tandon 80tk SH Bare	\$ 359.95
200104	Tandon 80tk DH Bare	\$ 459.95

Helpful Products for Your Computer

Printer Stands

End the paper mess on your computer desk. Our printer stand allows your paper to be fed from under the printer, making room for the used paper to stack behind the print out of the way. Available with an optional removable shelf (Shown) for easy computer forms change. Available in Large size also, for MX-100 and other large printer users also. Also available with center slot for bottom feed printers. (Large only).



Regular Stand	(300010)	\$29.95
Regular w/shelf	(300011)	\$44.95
Large Stand	(300020)	\$34.95
Large w/shelf	(300021)	\$49.95
Large w/slot	(300050)	\$49.95

Diskettes

Elephant Memories Systems Diskettes at a special LOW price!!!

Single Density/Single Sided/Soft Sector	500351	\$22.50
Double Density/Single Sided/Soft Sector	500352	\$26.50
Double Density/Double Sided/Soft Sector	500353	\$32.50

Portable Disk Bulk Eraser

Clean all old data off of your diskettes before reusing them! This is a MUST for your computer room. Easy to use, non-electric, portable!!!

500102Only ..	\$4.95
--------	--------------	--------

Ribbon Reloads for MX 70/80/100

Reload your old ribbon cartridge for much less than replacing the cartridge! Quick and easy to do, takes only about 2 minutes each to reload. Includes complete instructions. Available in Black and 4 popular colors!

Black Reload	(500000)	\$3.95 ea.	(500001)	\$39.95 dz.
Red Reload	(500010)	\$4.95 ea.	(500011)	\$49.50 dz.
Blue Reload	(500020)	\$4.95 ea.	(500021)	\$49.50 dz.
Green Reload	(500030)	\$4.95 ea.	(500031)	\$49.50 dz.
Brown Reload	(500040)	\$4.95 ea.	(500041)	\$49.50 dz.

Ribbon Cartridges for MX 70/80

Replacement cartridges for your printer. Complete cartridge for your printer at great savings! Available in Black and 4 popular colors! Buy in 3 packs and save!

Black Cartridge	(500050)	\$10.95 ea.	(500051)	\$29.95/3
Red Cartridge	(500060)	\$11.95 ea.	(500061)	\$31.95/3
Blue Cartridge	(500070)	\$11.95 ea.	(500071)	\$31.95/3
Green Cartridge	(500080)	\$11.95 ea.	(500081)	\$31.95/3
Brown Cartridge	(500090)	\$11.95 ea.	(500091)	\$31.95/3

108 Carlough Rd.

Bohemia, N.Y. 11716

(516) 587-8155 (voice)

(516) 588-5836 (modem)

Dealer Inquires Welcome

Prices subject to change



N.Y.S. Residents Add Tax Add \$2 shipping - handling ✓300

Toll Free 800-645-1165


```

12000 Y%=1: X%=LOF(1)+1: RP=0: LP=0: IF LEN(PN$)<10 THEN
    PN$ = PN$+STRING$(10-LEN(PN$),32)
12010 GOSUB 1000: GET 1,Y%
12020 IF LEFT$(A$,1)=CHR$(0) THEN X%=1: GOTO 12100
12030 IF PN$>A$ THEN A%=ASC(E$): GOTO 12070
12040 A%=ASC(D$)
12050 IF A%=0 THEN LSET D$=CHR$(X%-Y%): PUT 1,Y%: GOTO 12100
12060 Y%=Y%+A%: GOTO 12090
12070 IF A%=0 THEN LSET E$=CHR$(X%-Y%): PUT 1,Y%: GOTO 12100
12080 Y%=Y%+A%
12090 GET 1,Y%: GOTO 12030
12100 LSET A$=PN$: LSET B$=D$: LSET C$=MKIS(QU%):
    LSET D$=CHR$(LP): LSET E$=CHR$(RP): PUT 1,X%: RETURN

```

Subroutine 1

```

14000 X%=1: GOSUB 1000: GET 1,X%: ER=0: IF LEN(PN$)<10 THEN
    PN$=PN$+STRING$(10-LEN(PN$),32)
14010 IF LEFT$(A$,1)=CHR$(0) THEN ER=1: RETURN ELSE 15030
14020 IF PN$<A$ THEN Y%=ASC(D$): X%=X%+Y%: IF Y%=0 THEN 14050
    ELSE GET 1,X%: GOTO 14020
14030 IF PN$=A$ THEN RETURN
14040 Y%=ASC(E$): X%=X%+Y%: IF Y%=0 THEN 14050 ELSE GET 1,X%:
    GOTO 14020
14050 ER=1: RETURN

```

Subroutine 2

```

15000 X%=1: GOSUB 1000: GET 1,X%: ER=0: Z%=0: LN$(0)=0: Y%=1
15010 IF LEFT$(A$,1)=CHR$(0) THEN ER=1: RETURN ELSE 15030
15020 IF Y%>0 THEN GET 1,X%: GOTO 15030 ELSE 15040
15030 Z%=Z%+1: LN$(Z%)=X%: Y%=ASC(D$): X%=X%+Y%: GOTO 15020
15040 X%=LN$(Z%): Z%=Z%-1: IF X%=0 THEN ER=1: RETURN
15050 GET 1,X%: IF LEFT$(B$,1)=CHR$(0) THEN 15070
15060 RETURN
15070 Y%=ASC(E$): X%=X%+Y%: GOTO 15020 'REENTER HERE

```

Subroutine 3

find the key field, P70.

This search took four file accesses to find the record. If we had been looking for P10 it would have taken three. As more records are added to the file the advantages of the binary tree become greater. A balanced tree requires a maximum of nine accesses for a file containing 256 records. If searched sequentially this file would take an average of 128 accesses. The larger the file the more impressive the binary tree's results.

One peculiarity of the binary tree is that key fields must be

entered in random order. If they were entered in alphabetical order the resulting tree would be the same as a sequential file. Try it and see!

Note also that the pointers are set to zero if they do not point to another record, signifying the end of a branch.

The Program

Subroutine 1 stores the first record and any thereafter. Use whatever code you wish to get the new part number in PN\$, the description in D\$, and the quantity in QU%. Now call Subroutine 1 to store the binary tree

pointers and the new record.

Assume our new key field is P45. Let's follow the subroutine through and store the new record in the tree. Figure 2 is the file before P45 is added.

In line 12000 Y% is set to one. The variable Y% contains the number of the record being examined for a space for P45. X% is set to LOF(1) plus one. This is the first empty record in the file, where the new record will be stored. However, the pointers must be set correctly first so we can find the record in the future. The pointer of the record designating the new record (from zero to the correct offset) must be changed.

In the same line (12000), spaces must be added to PN\$ so it will be in the same format as the part numbers already in the file.

In line 12010 the program executes a GOSUB 1000 (the Field statement) and retrieves record Y%. If line 12020 finds Record 1 (Y%) to be empty (CHR\$(0)) as the first byte in the part number field) then the file is also empty, so line 12100 stores the record in record 1. Zeroes are stored in the LP and RP fields (preset in line 12000) as there are no other records to point to.

If a part number (the P50) is in Record 1, it is compared to the new part number, P45. Since the new part number is smaller the program skips to line 12040 and gets the LP in variable A% in line 12040 (A% equals one).

Line 12050 is skipped because A% does not equal zero. In line 12060 the program adds A% to Y% (1 + 1). Then in line 12090 the program retrieves

the record Y% and goes back to 12030 to begin again.

Next P40 is found in record Y% (2); this time line 12030 is true. The RP in A% (A% equals zero) is retrieved and we jump to 12070. This time A equals zero so 12070 follows and the RP is LSET in record Y% to point to record X%. The record Y% is stored next and the program jumps to line 12100, stores record X%, and finally returns to the calling program.

Deleting Records

To delete a record change the first byte in the B\$ field to a CHR\$(0). (Do not change the A\$ field or the searches and sorts won't work any more.) In the future test this byte to see if the record is deleted. Note, we leave the A\$ field and the pointers in the D\$ and E\$ field intact in this record; you cannot use it again.

It is possible to write a routine to reset the previous pointers to skip this record so its space could be reused. However, I haven't found it necessary in my programs. This routine would also have to keep track of all the deleted record numbers so they could be reused. The present subroutine does not.

Part Number Searches

To search for a specific part number use Subroutine 2. The proper record number is returned in X%, and the proper data in the fielded variables (A\$, B\$ and C\$ in this example). The variable ER is returned as zero if the record number in X% and the data are valid. If ER equals one, the record was not



DEALERS • DISTRIBUTORS

- Enclosures and power supplies with or without drives
- Low minimum orders • Attractive quantity pricing • Durable, textured, color-compatible finish looks great on your display counter!
- Fully engineered product—high reliability design • All standard configurations, plus: Canon 2 3/4 height, TEAC 1/2 height, mini-Winchester and Tandon 8 1/2 height • Retail customers: send us the name of your local dealer

Ann Arbor Precision
7536 Jackson Road
Ann Arbor, MI 48103
Order Desk: 9-5 EST
(313) 426-5477 Mon-Thu



"Precision—Since 1977"

found.

Note how I use CHR\$ and ASC for the pointers. I find this a convenient way to store positive integers from zero to 255 in a single byte in a random record. It only works for positive numbers, so don't use this method when writing a routine to reuse deleted records as mentioned earlier. You would have to use MKI\$ and CVI for the pointers, two bytes for each—another reason I don't reuse deleted records.

You can use the binary tree pointers to give you a sorted printout. Subroutine 3 does the job. When you first use the subroutine begin with GOSUB 15000. This gets you the record lowest in alphabetical order. For the rest of the records in sorted order use GOSUB 15070. (See the example program.)

As long as ER equals zero your record data is the Fielded variables (in the example A\$, B\$ and C\$) each time you return from the subroutine. If ER equals one you have completed

the file. Deleted records are skipped in line 15050. You must DIM LN\$(50) at the beginning of the program.

The sort algorithm is difficult to explain. Try walking through the subroutine using the file in Fig. 2 as an example. Don't forget to reenter the routine at 15070 for all records after the first one. If you keep using GOSUB 15000 you'll keep getting the first record.

The Program Listing demonstrates the use of the three subroutines. Enter it, line 1000 (the field statement), and the three subroutines and try out binary trees. Note the 34 at the end of the Open statement (line 10). If you don't have blocked files (variable length random records) leave this off.

Model III TRSDOS is supposed to support variable length records but as of this writing Version 1.2 does not do so properly. The program works perfectly using variable length records under LDOS.

Data can be changed in a

record; however, don't change the key data field. If you must change the key data delete the record and generate a new one.

I think you will find the binary tree useful for files that only have one key field, and need fast searches and frequently sorted printouts. Remember to use blocked files (variable length records) and that the routines

are not set up to use subrecords in a 256 byte record.


One last reminder: Enter key data in random order for a balanced, efficient tree. ■

The author is a free-lance writer, programmer and broadcast engineer. He has been associated with computers since the original MITS Altair.

```
10 CLEAR 1000: DIM LN$(50): OPEN "R",1,"TEST",34
20 PRINT "MENU
1: ADD RECORD
2: SEARCH FOR RECORD
3: PRINT SORTED FILE
4: FINISHED"
30 INPUT "CHOICE";CH:IF CH<1 OR CH>4 THEN 30
40 ON CH GOTO 50, 90, 150, 220
50 LINEINPUT "PART NUMBER? ";PN$: IF LEN(PN$)>10 THEN 50
60 LINEINPUT "DESCRIPTION? ";DE$: IF LEN(DE$)>20 THEN 60
70 INPUT "QUANTITY";QU$
80 GOSUB 12000: GOTO 20
90 LINEINPUT "PART NUMBER? ";PN$
100 GOSUB 14000
110 IF ER=1 THEN PRINT "PART NUMBER NOT FOUND": GOTO 20
120 PRINT "PART NO.", "DESCRIPTION", "QUANTITY"
130 PRINT AS, B$, CVI(C$)
140 GOTO 20
150 GOSUB 200: GOSUB 15000
160 IF ER=1 THEN 20 ELSE GOSUB 210
170 GOSUB 15070
180 IF ER=1 THEN 20 ELSE GOSUB 210
190 GOTO 170
200 LPRINT "PART NO.", "DESCRIPTION", "QUANTITY": RETURN
210 LPRINT AS, B$, CVI(C$): RETURN
220 CLOSE: END
1000 FIELD 1, 10 AS AS, 20 AS B$, 2 AS C$, 1 AS D$, 1 AS E$:
RETURN
```

Program Listing

COMPUTER KITS – FROM \$69.95



LNW SEMI-KITS can save you hundreds of dollars. By obtaining your own parts at the lowest possible cost and assembling the **LNW SEMI-KITS**, you can have the most highly acclaimed microcomputer in the industry – the **LNW80**. The **LNW SEMI-KITS** are affordable modules. You can start with a modest cassette system and expand to a full 4Mhz TRS-80 compatible system with 5 or 8 inch double density disks and color at any time.

A. LNW80 CPU – Made of high quality FR4 glass epoxy double sided circuit material, with plated through holes and gold edge connector. It is fully solder-masked and silk screened. Here are just some of the outstanding features you will have when your **LNW80** CPU board is fully assembled: • 16K RAM • Color and black and white video • 480 x 192 high resolution graphics • 64 and 80 column video • 4 Mhz Z80A CPU • Upper and lower case display • 500 and 1000 baud cassette I/O – \$89.95

B. SYSTEM EXPANSION – Expand the **LNW80** computer board, **TRS-80** and **PMC-80** computer with the following features: • 32K memory • Serial RS232C and 20Ma port • Real time clock • Parallel printer port • 5 inch single density disk controller • Expansion bus (screen printer port) • Onboard power supply • Solder-masked and silk screened legend – \$69.95 (tin plated contacts) – \$84.95 (gold plated contacts)

C. KEYBOARD – 74 key expanded professional keyboard – includes 12 key numeric keypad. Fully assembled and tested. – \$99.95

D. COMPUTER CASE – This stylish instrument-quality solid steel case and hardware kit gives your **LNW80** that professional factory-built appearance. – \$84.95 Add \$12.00 for shipping.

E. SYSTEM EXPANSION CASE – This stylish instrument-quality solid steel case and hardware kit gives your **SYSTEM EXPANSION** interface that professional factory-built appearance. – \$59.95 Add \$10.00 for shipping.

F. LNW80 CPU – HARD TO FIND PARTS KIT – \$82.00

G. LNW80 VIDEO – HARD TO FIND PARTS KIT – \$31.00

H. SYSTEM EXPANSION – HARD TO FIND PARTS KIT – \$27.50

I. LEVEL II ROM set. (6 chip set) – \$120.00

VISA and MasterCard accepted. Add \$3.00 for shipping plus \$1.00 for each additional item. All shipments via UPS surface. Add \$2.00 for U.S. Mail. Shipments outside continental U.S.: funds must be U.S. dollars. Sufficient shipping costs must be included with payment.

ORDERS & INFORMATION – (714) 544-5744
SERVICE – (714) 641-8850

LNW Research Corp.

2620 WALNUT Tustin, CA. 92680

✓ 33



Does your 80 have a better poker face than you?

Casino Draw Poker

Ron Balewski
412 East Ridge St.
Nanticoke, PA 18634

Atantic City casinos feature rows upon rows of electronic video draw poker games. More than conventional arcade games, these video games can get mighty expensive. Rather than depositing a quarter for a few minutes of play, these cost a dollar for about 15 seconds of play. Sure you can win some back, but as casinos are not charity institutions, you will probably not come out ahead. I enjoy the play, but not the losses. So I wrote my own poker software. Listing 1 is the result of this brainstorm.

Most of the program is written in Basic. I used machine language to draw the cards on the screen. Using a short machine-language routine helped keep the Basic program simpler.

The payoff table used by this program is identical to that in the casino machines. I do not recommend your changing it, but will tell you how just in case you can't resist. The graphics

also closely duplicate the casino machines. The graphics are not quite as pretty, but they get the job done and in no way detract from the fun.

The Basic Program

Housekeeping is taken care of by lines 10-150. A routine POKES in the machine-language routine and sets up constants such as the payoff table (line 130) and the win type strings (line 90).

Line 160 draws five random cards on the screen and lines 180-200 print the necessary text.

Elements of array DK(4,13) are set to zero at line 210. This array represents the deck of cards (four suits by 13 values per suit). Each time a card is dealt, its corresponding element in this array is set to one. By checking the array after randomly generating a card, the program can tell if it generated a duplicate and, if so, tries again.

Line 220 decodes the input commands and lines 230-300 perform the deposit coin function.

The subroutine starting at line 1000 POKES the card value string in variable A\$ into the card top and bottom images defined in the Assembly listing of the subroutine (Program Listing 2). The four locations used here correspond to assembly labels N1, N2, N3, and N4.

Subroutine 2000 prints a card of suit SU on the screen. The card's upper left corner is printed at position PL. Sound is also generated in this routine.

Section 3000 lets you add money to your pot. Section 4000 prints a payoff chart on the video screen. Section 5000 prints an analysis of your losses (or winnings) at the end of play. Section 6000 deals the first five cards.

Section 7000 lets you draw new cards. Lines 7010-7080 accept the input of cards to be redrawn, while lines 7100-7200 deal the new cards.

Your cards are checked for a win at section 8000. All five of your cards are stored in array CS(5,2) where CS(n,1) is the value of the nth card and CS(n,2) is the suit of the nth card.

Section 9000 pays your winnings. Everything up to line 9040 deals with a standard win. The rest is for a royal flush win. Holding the top hand treats you to some special effects.

Subroutine 11000 POKES the machine-language program into reserved memory. I used Datagen by Dan and Cass Lewart (see *80 Micro*, August 1981) to generate the data statements.

The Assembly Listing

The first 10 bits of the argument contain the print position on the screen. With 10 bits you can get up to 1024 print positions, exactly how many there are on the screen. The 11th and 12th bits are set or reset depending on the suit of the card to be printed, as indicated on the top of the listing. Bits 11 and 12 of a binary number have decimal

values of 1024 and 2048. By adding this amount to another decimal number, the corresponding bit in the binary representation will be set to one (provided it was zero to start with).

Basic line 120 sets up an array of values to be added to the print location for each suit. As an example, notice that SV(3) is set to 3072. This is the sum of 1024 and 2048. When this amount is added to a print location, both bits 11 and 12 will be set. This combination will print a spade (comment line 250). Basic line 2020 uses the array SV in calculating the argument for the USR call.

Assembly line 290 gets the argument from Basic. The argument is then duplicated in registers DE (lines 3100-3110). Bits two and three of the H register are reset (lines 320-330) to mask out the suit bits, leaving only the print location in HL. (An AND 03H operation could have been used here just as effectively as the two RES instructions.) Next D is shifted right twice (lines 340-350) and incremented (line 360) to give D a value between one and four, depending on the suit selected. The suit value is stored in C temporarily (line 370). 3C00H is now added to HL (lines 380-390) to give the actual location in memory of where to draw the cards. The top two lines of a card are written to it (lines 410-420) by calling subroutine MOVE2L. Then DE is set to point to the proper suit picture in memory (lines 440-510) and move the three lines with

The Key Box

Model I or III
16K RAM
Level II Basic

the suit symbol to the screen using subroutine MOVE3L (line 520). The value for DE is calculated by first setting DE to 36 below the start of the suit images. Then 36 is added to DE from one to four times, depending on the suit value saved earlier in register C. (Each suit image is three lines long by 12 bytes per line, or 36 bytes total.) Last, the bottom two lines of the card are printed (lines 540-560).

The Subroutines

MOVE2L just calls subroutine MOVE1L twice while routine MOVE3L calls MOVE1L three times. This could have been eliminated by putting multiple CALL MOVE1Ls in the main program. But, I think this method looks a little nicer.

Subroutine MOVE1L is where the action really takes place. Here 12 bytes are moved from the image line pointed to by registers DE and stored in video memory starting at the location stored in HL. The DJNZ loop takes care of this (lines 900-950). Next, 52 is added to the video pointer register HL. This sets the pointer to exactly one screen line below where this line started, in preparation for printing the next line of the card.

TOPHAF and BOTAHF contain graphics for the top and bottom two lines of the cards. They are the same no matter what suit is being printed.

Sound is a modified version of the Supersound routine (see *80 Micro*, May 1980).

The rest of this listing contains all the DEFBs needed to define the graphic characters in the card suits.

How to Play

Set your memory size to 32255 to reserve space for the machine-language routine. Then CLOAD and Run. After it sets up the machine-language subroutine five cards will be dealt out complete with the "plop...plop" of cards hitting a table. Since these cards are just for show, I did not put values on them.

Your pot starts at 50 coins as displayed. To insert coins into the machine, just press the down arrow key. Just like the casino machines, you can insert up to five coins for each play.

Each time you feed the machine you will hear the "ker-plunk" of dropping money and the coin accepted light will flash.

Press the space bar to tell the computer to deal your hand. Each card is numbered and has the word Keep printed below it. If you want to draw a new card in place of one, tap its corresponding number key. You will get a strange noise (maybe the dealer ruffling the deck) and the word under the card will change to Draw. If you make a mistake or change your mind, press the left arrow key. All cards will return to the Keep state. When you are satisfied with your draw choices, hit the space bar again to get your new cards. If you win, the type of win will be printed above the cards and coins will tinkle into your pot.

How many coins? All machines have payoff charts stuck

on them somewhere. Press the P key for your payoff chart. The win combinations are on the left and the number of coins played is along the top. These payoffs are completely authentic, having come from a machine in Atlantic City.

Since these are casino odds, you will probably lose your 50 coins fast. To keep playing hit the M key for more money and enter how many coins you want added to the pot.

To quit type Q. You will be told how many coins you had, how many you have left and how many you lost or won.

Changing the Payoff

Basic line 130 defines the payoff table in array PT. PT(1,n) contains the payoff for a pair of jacks or better with n coins played. The payoffs then proceed upwards in order of value

until PT(9,n) contains the payoff for a royal flush with n coins played. All payoffs are direct multiples except for the royal flush at five coins. This is a super big pot. The casinos use the chance to win this grand amount of money as an incentive for people to deposit five coins per play instead of less.

I have not hit the royal flush yet and would love to hear from anyone who does. One word of warning: When you lose money to your TRS-80 and try to pay up by forcing money into the machine through the ventilation slots, be sure to use paper money—coins may short something out! ■

Ron Balewski, a self-employed free-lance programmer, enjoys ham radio, model railroading, community theater and electronics.

Program Listing 1. Basic

```

1 REM ***** C A S I N O   D R A W   P O K E R *****
2 REM                                     by Ron Balewski
3 REM
4 REM                                     November 3, 1981
5 REM
6 REM
10 CLEAR500:DEFINT A-Z
20 DIMDK(4,13),CS(5,2),SV(3),IM$(13),PT(9,5),WN$(9)
30 CLS:PRINTTAB(16)"* * * D R A W   P O K E R * * *":PRINT:PRINT
TAB(20)"JUST A MINUTE, PLEASE."
40 GOSUB11000
90 WN$(1)="PAIR":WN$(2)="2 PAIR":WN$(3)="3 OF A KIND":WN$(4)="ST
RAIGHT":WN$(5)="FLUSH":WN$(6)="FULL HOUSE":WN$(7)="4 OF A KIND":
WN$(8)="STRAIGHT FLUSH":WN$(9)="ROYAL FLUSH"
100 POKE16526,130:POKE16527,126
110 PO=50:MA=50
120 SV(0)=0:SV(1)=1024:SV(2)=2048:SV(3)=3072
130 PT(1,1)=1:PT(2,1)=2:PT(3,1)=3:PT(4,1)=4:PT(5,1)=6:PT(6,1)=9:
PT(7,1)=25:PT(8,1)=50:PT(9,1)=250:FORK1=1TO9:FORK2=2TO5:PT(K1,K2
)=PT(K1,1)*K2:NEXTK2:NEXTK1:PT(9,5)=4000
140 N1=32352:N2=32358:N3=32364:N4=32370
150 IM$(1)="A ":IM$(2)="2 ":IM$(3)="3 ":IM$(4)="4 ":IM$(5)="5 ":
IM$(6)="6 ":IM$(7)="7 ":IM$(8)="8 ":IM$(9)="9 ":IM$(10)="10":IM$
(11)="J ":IM$(12)="Q ":IM$(13)="K "
160 CLS:A$=" ":GOSUB11000:FORK=1TO5:SU=RND(4):PL=320+(K-1)*13:G
OSUB2000:NEXTK
180 PRINT@768,CHR$(31);:PRINT@20,"FIVE CARD DRAW POKER";:PRINT@8
4,STRING$(20,"=");:PRINT@768,"O P T I O N S .":;PRINT@835,"DEPOS
IT COIN":PRINT@854,"COINS PLAYED";:PRINT@1010,PO;:PRINT@942,"**
YOUR POT **";
190 NC=0
200 PRINT@922,NC;
210 FORK1=1TO4:FORK2=1TO13:DK(K1,K2)=0:NEXTK2:NEXTK1
220 A$=INKEY$:IFA$=" "ANDNC>0THEN6000ELSEIFA$=" "THEN220ELSEIFA$=
"P"THENGOTO4000ELSEIFA$="Q"THENGOTO5000ELSEIFA$="M"THENGOTO3000E
LSEIFA$<>CHR$(10)THEN220
230 IFPO=0THEN220
240 IFNC<5THENNC=NC+1:PO=PO-1:PRINT@922,NC;:PRINT@1010,PO;:PRINT
@982,"COIN ACCEPTED";:X=USR(296):X=USR(266):FORK1=1TO30:NEXTK1:P
RINT@982," ";ELSEGOTO220
260 PRINT@899,"DEAL";

```

Listing 1 Continues


```

280 IFNC=5PRINT@835,"";
300 GOTO220
1000 ' LOAD A$ INTO THE CARDS
1010 AL=ASC(LEFT$(A$,1)):AR=ASC(RIGHT$(A$,1))
1020 POKEN1,AL:POKEN1+1,AR:POKEN2,AL:POKEN2+1,AR
1030 POKEN3,AL:POKEN3+1,AR:POKEN4,AL:POKEN4+1,AR
1040 RETURN
2000 ' PUT CARD SUIT SU, VALUE CV AT LOCATION PL
2010 POKE16526,0
2020 X=USR(SV(SU-1)+PL)
2030 POKE16526,130
2035 FORKA=290TO400STEP15:X=USR(KA):NEXT
2040 RETURN
3000 ' ADD MONEY TO YOUR POT
3010 CLS
3020 PRINT@260,"HOW MANY COINS WOULD YOU LIKE TO ADD TO YOUR POT
";
3030 INPUTAM:PO=PO+AM:MA=MA+AM
3040 PRINT@772,"SO FAR YOU ADDED";MA;" COINS TO YOUR POT."
3050 FORK1=1TO1000:NEXTK1
3060 GOTO160
4000 ' PRINT PAYOFF TABLE
4010 CLS:PRINT@20,"P O K E R   P A Y O F F   T A B L E"
4020 PRINT:PRINT" # COINS PLAYED ==> 1      2      3
      4      5":PRINTSTRING$(64,"=");
4030 PRINT"ROYAL FLUSH":PRINT"STRAIGHT FLUSH":PRINT"4 OF A KIND"
:PRINT"FULL HOUSE":PRINT"FLUSH":PRINT"STRAIGHT":PRINT"3 OF A KIN
D":PRINT"2 PAIR":PRINT"PAIR JK OR BETTER"
4040 FORK1=1TO9:FORK2=1TO5
4050 PRINT@((203+(K1*64)+(9*K2)),PT(10-K1,K2);
4060 NEXTK2:NEXTK1
4070 PRINT@980,"PRESS ANY KEY TO RETURN TO GAME.";:KY$=INKEY$
4080 KY$=INKEY$:IFKY$=""THEN4080ELSEGOTO160
5000 ' END OF GAME ANALYSIS
5010 CLS:PRINT:PRINTTAB(10)"A N A L Y S I S : "
5020 PRINT:PRINT"PERSONAL MONEY USED";TAB(20);"==>";MA;"COINS":P
RINT"MONEY LEFT IN POT";TAB(20);"==>";PO;"COINS"
5030 PRINTTAB(20)"=====":PRINT"NET GAIN/LOSS";TAB(20);ABS(P
O-MA);"COINS ";
5040 IFPO>MAPRINT"GAINED"ELSEIFPO=MATHENPRINT" *** EVEN ***"ELSE
PRINT"LOST"
5050 PRINT:PRINT:PRINT:STOP:END
6000 ' DEAL INITIAL 5 CARDS
6010 CLS
6030 FORK=1TO5
6050 SU=RND(4):CV=RND(13):IFDK(SU,CV)=1GOTO6050
6070 DK(SU,CV)=1
6090 A$=IM$(CV):GOSUB1000:
6110 CS(K,1)=CV:CS(K,2)=SU:PL=320+(K-1)*13:GOSUB2000
6150 NEXTK
7000 ' PROCESS DRAWS
7010 FORK=1TO5:PRINT@899+13*(K-1),"CARD";:PRINT@964+13*(K-1),K;:
PRINT@771+13*(K-1),"KEEP";:KT(K)=0:NEXTK
7030 A$=INKEY$:IFA$=""THEN7030ELSEIFA$="" THEN7100ELSEIFA$=CHR$(
8)THENFORK=1TO5:KT(K)=0:PRINT@771+13*(K-1),"KEEP";:NEXTK:GOTO703
0
7050 A=VAL(A$):IFA<10RA>5THEN7030
7060 IFKT(A)=0THENFORKA=1TO5:X=USR(512):NEXTKA
7070 KT(A)=1:PRINT@771+13*(A-1),"DRAW";
7080 GOTO7030
7100 FORK=1TO5
7120 IFKT(K)=0GOTO7200
7140 SU=RND(4):CV=RND(13):IFDK(SU,CV)=1GOTO7140
7160 DK(SU,CV)=1:A$=IM$(CV):GOSUB1000
7180 CS(K,1)=CV:CS(K,2)=SU:PL=320+(K-1)*13:GOSUB2000
7200 NEXTK
8000 ' DETERMINE WINS AND PAYOFFS
8020 WV=0
8040 FORK=1TO4:FORL=4TOLSTEP-1:IFCS(L,1)>CS(L+1,1)THENTP=CS(L,1)
:CS(L,1)=CS(L+1,1):CS(L+1,1)=TP:TP=CS(L,2):CS(L,2)=CS(L+1,2):CS(
L+1,2)=TP
8060 NEXTL:NEXTK
8100 ' ROYAL FLUSH

```

Listing 1 Continues

ACCEL3

ACCEL3

ACCEL3
\$99.95

... YOU OWE IT TO YOUR BASIC PROGRAM

BASIC Compiler, Model I/III, all DOS

ACCEL2 Plus:

- Bigger optimized subset
- Quicker compilation
- More compact output
- Almost total compatibility

developed in England
by Southern Software
ALGORIX
Allen Gelder Software

- Includes INP, OUT, multi-dimensional arrays.
- About 40 lines/second.
- Only 10% - 35% code growth.
- Even unstructured for-next loops, variable-bound arrays.

Table treats ① and ③.
Speed improvement ratios give minimum expected results!

\$99.95

+ \$2 Shipping
CA add 6%

Also **EDIT** Full screen BASIC editor.

SPEED/SPACE Performance Table.												
Speed Improvement (Ratio)				Operation		Space Degradation (Bytes)						
INT	SNG	DBL	STR			INT	SNG	DBL	STR			
178	28	20	7.3	Assignment (LET)		-4	0	0	0			
3.5	3.6	3.6	3.5	Array Reference (1-dim)		13	13	13	13			
3.0	3.0	3.0	3.0	Array Reference (2-dim)		12	12	12	12			
35	1.8	1.6		AND, OR		4	7	7				
23	2.0	1.6	6.6	Compare (=, >, <, etc.)		3	10	10	3			
57	1.8	1.4	3.6	Add, Concatenate (+)		1	6	6	2			
48	1.8	1.3		Subtract (-)		4	6	6				
1.5	1.5	1.1		Multiply (*)		6	6	6				
1.08	1.17	1.02		Divide (/)		6	6	6				
77	70	84	9.3	Constant Reference		0	6	6				
7.1	1.9			FOR-NEXT		6	23	4	4			
111	6.8	4.8		POKE		-1	5	5				
10	4.5	3.6		SET, RESET		-1	5	5				
47	4.6	3.0	8.1	IF THEN ELSE		3	9	9	3			
33	4.3	3.5		ON expression GOTO		-2	0	0				
50	6.8	5.1		ON expression GOSUB		0	3	3				
1.2	1.01	1.03	1.2	PRINT simple-variable		-1	-1	-1	-1			
61	5.0	3.7		OUT.		5	11	11				
				Flow of Control								
216				GOTO								
74				GOSUB/RETURN		-7						
				Functions		-10						
inf	inf	inf	inf	VARPTR								
5.2	1.9	1.7		POINT		-3	-3	-3	-3			
38	2.3	1.7		INP		3	9	9				
149	2.3	2.0		PEEK		5	8	8				
						0	3	3				
				String Functions								
53				ASC								
258				LEN								
4.8				LEFT\$		5						
4.7				RIGHT\$		0						
6.4				MID\$		1						
25				CHR\$		1						
36				CVI		2						
16				MKI\$		0						
7.1				CVS		0						
25				MK\$S		0						
5.4				CVD		0						
16				MKD\$		0						

- ④ Correct BASIC programs (no dynamic renaming, no out-of-range arguments) compile without modification.

You owe it to your programs.



ALGORIX

Allen Gelder Software

(415) 387-3131

Box 11721 San Francisco CA 94101



136

EDIT

EDIT is to your line-editor as disk is to tape, lets you work and play in one more dimension.

\$40


```

8110 FF=1:FORK=2TO5:IFCS(1,2)<>CS(K,2) THENFF=0:NEXTKELSENEXTK
8120 IF(FF=1)AND(CS(1,1)=13)AND(CS(2,1)=12)AND(CS(3,1)=11)AND(CS
(4,1)=10)AND(CS(5,1)=1) THENWT=9:GOTO9000
8140 IF(CS(1,1)=CS(2,1))AND(CS(1,1)=CS(3,1))AND(CS(1,1)=CS(4,1))
THENWT=7:GOTO9000
8150 IF(CS(2,1)=CS(3,1))AND(CS(2,1)=CS(4,1))AND(CS(2,1)=CS(5,1))
THENWT=7:GOTO9000
8160 ' STRAIGHT FLUSH
8170 SF=1:FORK=1TO4:IF((CS(K,1))<>(CS(K+1,1)-1)) THENSF=0:NEXTKEL
SENEXTK
8175 IFCS(1,1)=1ANDCS(2,1)=10ANDCS(3,1)=11ANDCS(4,1)=12ANDCS(5,1
)=13THENSF=1
8180 IFSF=1ANDFF=1THENWV=8:GOTO9000
8190 ' STRAIGHT
8200 IFSF=1THENWV=4:GOTO9000
8210 ' FLUSH
8220 IFFF=1THENWV=5:GOTO9000
8230 ' FULL HOUSE
8240 IF(CS(1,1)=CS(2,1))AND(CS(1,1)=CS(3,1))AND(CS(4,1)=CS(5,1))
THENWV=6:GOTO9000
8250 IF(CS(1,1)=CS(2,1))AND(CS(3,1)=CS(4,1))AND(CS(3,1)=CS(5,1))
THENWV=6:GOTO9000
8260 ' 3 OF A KIND
8270 KR=1:KM=0:FORK=2TO5
8280 IFCS(K,1)=CS(K-1,1) THENKR=KR+1ELSEIFKM<KR THENKM=KR:PV=CS(K-
1,1):KR=1ELSEKR=1
8290 NEXTK:IFKR>KM THENKM=KR:PV=CS(5,1)
8300 IFKM=3THENWV=3:GOTO9000
8310 ' 2 PAIR
8320 IF(CS(1,1)=CS(2,1))AND(CS(3,1)=CS(4,1)) THENWV=2:GOTO9000
8330 IF(CS(1,1)=CS(2,1))AND(CS(4,1)=CS(5,1)) THENWV=2:GOTO9000
8340 IF(CS(2,1)=CS(3,1))AND(CS(4,1)=CS(5,1)) THENWV=2:GOTO9000
8350 ' 1 PAIR, JACKS OR BETTER
8360 IFKM=2AND(PV>10ORPV=1) THENWV=1:GOTO9000
9000 ' GIVE WINNINGS
9010 IFWV=0THENGOTO180
9015 PRINT@768,CHR$(31);:PRINT@287-(LEN(WN$(WV))/2),WN$(WV);:PRI
NT@942,"** YOUR POT **";:IFWV=9GOTO9100
9020 FORK=1TOPT(WV,NC):PO=PO+1:PRINT@1010,PO;:X=USR(261+RND(15))
:FORK1=1TO30:NEXTK1:NEXTK
9030 WV=0
9040 GOTO180
9100 ' JACKPOT -- ROYAL FLUSH
9110 PO=PO+PT(WV,NC):PRINT@1010,PO;
9120 FORK=1TO6:FORL=300TO257STEP-1:X=USR(L):NEXTL:NEXTK
9130 FORK=1TO100:NEXTK
9200 STOP
11000 ' SET MACHINE LANGUAGE PROGRAM
11010 K=32256:FORL=1TO300
11020 READM:POKEK,M
11030 K=K+1:NEXTL:RETURN
11040 DATA 205,127, 10,229,209,203,148,203,156,203
11050 DATA 58,203, 58, 20, 74, 17, 0, 60, 25, 17
11060 DATA 82,126,205, 48,126,229, 17, 36, 0, 33
11070 DATA 118,126, 65, 25, 16,253,235,225,205, 55
11080 DATA 126, 17,106,126,205, 48,126,201,205, 65
11090 DATA 126,205, 65,126,201,205, 65,126,205, 65
11100 DATA 126,205, 65,126,201,197, 6, 12, 26,119
11110 DATA 19, 35, 16,250,213, 17, 52, 0, 25,209
11120 DATA 193,201,188,140,140,140,140,140,140,140
11130 DATA 140,140,140,188,191,128, 32, 32,128,128
11140 DATA 128,128, 32, 32,128,191,191,128, 32, 32
11150 DATA 128,128,128,128, 32, 32,128,191,131,131
11160 DATA 131,131,131,131,131,131,131,131,131,131
11170 DATA 205,127, 10, 62, 1, 14, 0, 69, 47,230
11180 DATA 3,211,255, 13, 40, 4, 16,247, 24,243
11190 DATA 37, 32,242,201,191,160,188,191,189,180
11200 DATA 160,190,191,188,144,191,191,130,143,191
11210 DATA 191,191,191,191,191,143,129,191,191,128
11220 DATA 128,128,131,139,135,131,128,128,128,191
11230 DATA 191,128,128,128,128,190,189,128,128,128
11240 DATA 128,191,191,136,174,191,140,174,157,140
11250 DATA 191,157,132,191,191,128,128,128,140,143

```

RUN BASIC PROGRAMS AT SUPER SPEED WITH ZBASIC 2.2.

THE WORLDS FASTEST TRS-80 BASIC COMPILER from SIMUTEK

BELIEVE IT OR NOT WE'VE ADDED MORE NEW FEATURES to the ONLY INTERACTIVE BASIC COMPILER for the TRS-80!

1. Speed increases of 10-100 times are typical after compilation.
2. Compiled code can be RELOCATED to run anywhere in memory. Code is even ROMable!
3. ZBASIC 2.2 NOW SUPPORTS BOTH RANDOM and SEQUENTIAL DISK I/O.
4. ZBASIC 2.2 is now a super tool for business programmers: RANDOM ACCESS FILES, and PRINT USING statements are supported as well as a HIGH PRECISION MATH package (with no rounding problems).
5. Special BUILT-IN MACHINE LANGUAGE COMMANDS to increase program operation by as much as 1000 times! Special commands are implemented for fast memory searching (CPDR, CPDR), block memory moves (LDIR, LDDR), inputting and printing HEX numbers, inserting MACHINE LANGUAGE into COMPILED CODE, disabling and enabling interrupts, inverting memory, 16 bit PEEKs and POKes, and stack control, debug and much more.
6. ZBASIC 2.2 compiles the ENTIRE PROGRAM into to Z-80 machine language. (Not 8080 code or a combination of BASIC and machine language like some other compilers.) Clumsy LINKING LOADERS, and RUNTIME MODULES are not needed; ZBASIC 2.2 creates a ready to run MACHINE LANGUAGE program.
7. NO ROYALTIES imposed on registered ZBASIC owners.
8. Typical COMPILATION TIME is TWO SECONDS for a 4K program.
9. Use TRS-80 Basic to write ZBASIC programs!
10. Compile many existing programs with only minor changes. (Some BASIC programming experience is required.)
11. Fully compatible with both the Model I and the Model III. Mod I compiled programs work on a MODEL III, and visa-versa. ZBASIC works with NEWDOS-80, NEWDOS+, DOSPLUS, LDOS, MULTIDOS, ULTRADOS, TRSDOS etc.
12. BUILT-IN and much improved MUSIC and SOUND EFFECTS commands.
13. Improved CHAINING for disk users.
14. TIMES now available on DISK version.
15. ZBASIC 2.2 now has an INPUT @ command (similar to PRINT @).
16. The TAB function will now tab 255 columns on a printer. (BASIC cannot tab past column 64.)
17. NEWDOS 80 2.0 USERS can use the CMD "dos command" function!
18. NEW and EASIER to use USR COMMANDS.
19. New math functions to calculate XOR and INTEGER REMAINDERS
20. Logical STRING COMPARISONS are now supported.
21. The disk commands INSTR, MID\$ ASSIGNMENT are now supported on both DISK AND TAPE ZBASIC.
22. DEFSTR is now supported.
23. Eight disk files may be opened simultaneously; random, sequential or mixed.
24. LINE INPUT#, is now supported
25. Invoke the compiler by simply hitting these two keys: "-"
26. NEW 100+ PAGE MANUAL WITH DESCRIPTIONS AND EXAMPLE.
27. ZBASIC 2.2 Comes with CMDFILE/CMD program from MISOSYS, to allow appending or merging compiled programs and machine language programs from tape or disk.

ZBASIC 2.2 DOES NOT SUPPORT THESE BASIC COMMANDS:

1. ATN, EXP, COS, SIN, LOG, TAN, and exponentiation. (However, subroutines are included in the manual for these functions.)
2. ERROR, ON ERROR GOTO, ERL, ERR RESUME.
3. No direct commands like AUTO, EDIT, LIST, LLIST ETC., although these commands may be used when writing programs.
4. Others NOT supported: CDBL, CINT, CSNG, DEFFN, FIX, FRE.
5. Normal CASSETTE I/O. (ZBASIC supports it's own SPECIAL CASSETTE I/O statements.)
6. SOME BASIC COMMANDS MAY DIFFER IN ZBASIC. For instance, END jumps to DOS READY, STOP jumps to BASIC READY etc.
7. MEMORY REQUIREMENTS: to approximate the largest BASIC program that can be compiled in your machine (at one time), enter BASIC and type: PRINT (MEM-6500)/2. Remember, you can merge compiled programs together to fill memory.

ZBASIC 2.2 SPEED COMPARISON DEMO

To help give you an idea how fast compiled programs are, we have included this demo program:

ZBASIC 2.2 DEMO PROGRAM

Time to compile and run complete program	: 0 MIN. 2 SEC.
BASIC Execution speed MOD 1, LEVEL II	: 7 MIN. 34 SEC.
ZBASIC Execution speed MOD 1, LEVEL II	: 0 MIN. 18 SEC.
BASIC Program size (WITHOUT VARIABLES)	: 895 BYTES
ZBASIC Program size (WITHOUT VARIABLES)	: 2733 BYTES

(Remember that the ZBASIC program includes an 1879 byte sub-routine package.) Program shown exactly as compiled and run in BASIC and ZBASIC.

```

10 '===== ZBASIC 2.2 EXAMPLE PROGRAM AND TIME TEST=====
20 CLS:CLER100:DEFINT A-X:DEFSTR Z:DIM AA(64,24),Z(50):RANDOM
30 AA=100:BB=-1000:CC=3:DD=-3:EE=-9999:ST$="START TIME "+TIME$
40 FOR I=1 TO 127 STEP 2 :FOR J=47 TO 1 STEP -3:XX=POINT(I,J):SET(I,J)
50 XX=(I-J)/CC*(7+I+J) :XX=ABS(INT(RND(I*J)-AA)*7) :RESET(I,J)
60 XX=PEEK(I+J) :Poke15360+I+J,J :OUT255,J AND (3*J):XX=INP(I)
70 AB$=STR$(I+J) :BA$=LEFT$(AB$,2) :AA(I/2,J/2)=VAL(BA$)+AA*3
80 BA$=BA$+RIGHT$(BA$,RND(3)) :XX=INSTR(1,BA$,"9") :XX=SQR(I*J)
90 BA$=MID$(BA$,2,2) :MID$(BA$,1,1)=2 :IF XX THEN 100 ELSE CLS
100 IF LEN(BA$)>3 OR SGN(XX)=1 AND ASC(BA$)=32 THEN PRINT "++";
110 IF POS(0) 62 THEN TRON:TROFF:PRINT ELSE XX=NOT(RND(99))+100
120 A$=INKEY$:IF A$="Y" OR A$="y" AND I 120 THEN PRINT "TRUE.."
130 RESTORE :READA,C,Z(J),D:GOSUB170:GOSUB170:GOSUB170:GOTO210
140 NEXT :PRINT*:NEXT I:CLS:PRINT@512,ST$,"STOP TIME "+TIME$
150 STOP'===== END OF MAIN TEST LOOP =====
160 DATA 12345,-1,"TEST",-9999
170 ON RND(6) GOTO 180,190,200,180,190,200
180 RETURN
190 RETURN
200 RETURN
210 ON RND(9) GOSUB 180,190,200,180,190,200,180,190,200
220 GOTO140
    
```

NOTICE ZBASIC 2.0 OWNERS: you can upgrade your ZBASIC 2.0 for no charge. Just send us your original diskette/cassette and a S.A.S.E with your registered serial number and copy of your invoice. We will send you ZBASIC 2.2 and updates to your manual.

VISA, MASTERCARD, AMERICAN EXPRESS, C.O.D. ORDERS ONLY.

800 528-1149 order line

ZBASIC 2.2 DISK VERSION AND MANUAL	89.95
ZBASIC 2.2 TAPE VERSION AND MANUAL	79.95
ZBASIC 2.2 DISK & TAPE VERSION AND MANUAL	99.99
MANUAL ONLY...(APPLIES TO PURCHASE)	25.00

SIMUTEK COMPUTER PRODUCTS INC.

TECHNICAL QUESTIONS PLEASE CALL (602) 323-9391
4897 E. SPEEDWAY, TUCSON, ARIZONA 85712

TRS-80 is tm of Radio Shack, a Tandy Corp.


```

11260 DATA 143,140,128,128,128,191,191,128,128,160
11270 DATA 184,190,189,180,144,128,128,191,191,128
11280 DATA 130,139,175,191,191,159,135,129,128,191
11290 DATA 191,128,128,128,128,130,129,128,128,128
11300 DATA 128,191,191,128,128,176,188,190,189,188
11310 DATA 176,128,128,191,191,128,130,175,159,175
11320 DATA 159,175,159,129,128,191,191,128,128,128
11330 DATA 140,143,143,140,128,128,128,191,253, 4

```

Program Listing 2. Assembly Language

```

00100 ; *****
00110 ; * CARD PLACER SUBROUTINE *
00120 ; *****
00130 ; BY
00140 ; RON BALEWSKI
00150 ;
00160 ; SEPTEMBER 28, 1981
00170 ;
00180 ;
00190 ; MAIN PROGRAM
00200 ; ARGUMENT -- 1ST 10 BITS -PRINT POSITION
00210 ; BITS 11 & 12 -CARD AS FOLLOWS
00220 ; 00 - HEARTS
00230 ; 01 - CLUBS
00240 ; 10 - DIAMONDS
00250 ; 11 - SPADES
00260 ;
00270 ;
7E00 00280 ORG 7E00H
7E00 CD7F0A 00290 CARD CALL 0A7FH
7E03 E5 00300 PUSH HL
7E04 D1 00310 POP DE
7E05 CB94 00320 RES 2,H
7E07 CB9C 00330 RES 3,H
7E09 CB3A 00340 SRL D
7E0B CB3A 00350 SRL D
7E0D 14 00360 INC D
7E0E 4A 00370 LD C,D
7E0F 11003C 00380 LD DE,3C00H
7E12 19 00390 ADD HL,DE
00400 ; DISPLAY TOP 2 LINES OF CARD
7E13 11527E 00410 LD DE,TOHPAF
7E16 CD307E 00420 CALL MOVE2L
00430 ; DETERMINE WHERE THE PROPER SUIT IS AND DISPLAY IT
7E19 E5 00440 PUSH HL
7E1A 112400 00450 LD DE,36
7E1D 21767E 00460 LD HL,CARDIM-36
7E20 41 00470 LD B,C
7E21 19 00480 NXTADD ADD HL,DE
7E22 10FD 00490 DJNZ NXTADD
7E24 EB 00500 EX DE,HL
7E25 E1 00510 POP HL
7E26 CD377E 00520 CALL MOVE3L
00530 ; DISPLAY BOTTOM 2 LINES OF CARD
7E29 116A7E 00540 LD DE,BOTHPAF
7E2C CD307E 00550 CALL MOVE2L
7E2F C9 00560 RET
00570 ;
00580 ;
00590 ; *****
00600 ; * MOVE2L *
00610 ; *****
00620 ;
00630 ; MOVE 2 12-BYTE LINES TO THE VIDEO SCREEN. DE
00640 ; IS THE SOURCE, HL IS THE DESTINATION.
7E30 CD417E 00650 MOVE2L CALL MOVE1L
7E33 CD417E 00660 CALL MOVE1L
7E36 C9 00670 RET
00680 ;
00690 ;
00700 ; *****
00710 ; * MOVE3L *
00720 ; *****
00730 ;
00740 ; MOVE 3 12-BYTE LINES TO THE VIDEO SCREEN. DE IS
00750 ; THE SOURCE ADDRESS, HL IS THE DESTINATION ADDRESS.
7E37 CD417E 00760 MOVE3L CALL MOVE1L
7E3A CD417E 00770 CALL MOVE1L
7E3D CD417E 00780 CALL MOVE1L
7E40 C9 00790 RET

```

Listing 2 Continues

Your best Model I/III peripheral buy is a modem.

Considering expanding your TRS-80 Model I or III? Then you should know that **only one kind of peripheral** can give you all these **extra capabilities** ... in a single unit:

- **Computer-to-computer data communications**, for better personal or business management.
- **Access to free "bulletin board" resources.**
- **Access to Source, CompuServe and other time-sharing systems.**
- **Services like electronic mail, instant news and financial reports.**
- **An almost limitless supply of new games and other enthusiast activities.**

Of course, we're talking about a modem. A far more **sensible** first step in expanding than, say, joysticks, or a voice box, or a printer. And, therefore, your **best peripheral buy.**

A modem opens up a whole new world to you. A world of **thousands of computers** and computer people just like you, in homes and businesses around the block and across the country. A world you tap through your telephone.

But don't simply settle for any modem. For the most modem satisfaction, you need to make the **best modem buy.**

And that's **LYNX.**



Lynx for
Model I-III.

The new LYNX for TRS-80 Model I and Model III. It's the latest innovation from the people who are making data communications affordable. It's the best first step you can take in expanding. It makes your microcomputer a whole new animal.

ESI LYNX

123 LOCUST STREET LANCASTER, PENNSYLVANIA 17602
Phone 717/291-1116

TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.
FCC Registration Number: A909KE-68171-DM-N

Your best Model I/III modem buy is LYNX.

The new LYNX is the ideal modem for your Model I or III. That's because it's the **key element** of a **total direct-connect telephone communications package.**

This package includes all serial and computer bus interfaces, cables and terminal software ... and comes to you with these remarkable features:

- **SINGLE PRICE: \$299.95!**
- **Compatible with both Model I and III.**
- **No separate purchases required.**
- **One-year warranty.**
- **Auto dial/auto answer.**
- **Works with any software, including ST-80 by Micklus.**
- **Active clear, break, and "control" keys.**
- **Half or full duplex, variable word length, parity and stop bits.**
- **Dial from phone, keyboard, or memory.**
- **Works with or without Model I expansion interface.**
- **Works with or without Model III RS-232 card.**
- **Can be placed on either side of Model III.**
- **No tools needed to install.**

No other modem gives you so much in a **single package.** And when you **compare** the LYNX price with the **total cost** of bringing any other modem on line, it could **save you OVER \$100!**

✓49



Consult your local microcomputer retailer, or call one of these LYNX handlers today—TOLL FREE:

THE BOTTOM LINE
Milford, NH
800/343-0726

BREEZE/QSD
Dallas, TX
214/484-2976

THE PROGRAM STORE
Washington, DC
800/424-2738

SIMUTEK
Tucson, AZ
800/528-1149

SOFT SECTOR MARKETING
Garden City, MI
800/521-6504

B. T. ENTERPRISES
Centereach, NY
516/981-8568

COMPUTER PLUS
Littleton, MA
800/343-8124

STEVENS COMPUTERS
Phoenixville, PA
800/345-6279

PROGRAMS UNLIMITED
Jericho, NY
800/645-6038


```

00800 ;
00810 ;
00820 ;
00830 ; *****
* MOVE1L *
00840 ; *****
00850 ;
00860 ; MOVE 1 12-BYTE LINE FROM (DE) TO (HL) AND ADD 52
00870 ; TO HL TO RE-CYCLE TO TO THE NEXT LINE ON THE VIDEO
00880 ; DISPLAY.
7E41 C5 00890 MOVE1L PUSH BC
7E42 060C 00900 LD B,12
7E44 1A 00910 NXTBYT LD A,(DE)
7E45 77 00920 LD (HL),A
7E46 13 00930 INC DE
7E47 23 00940 INC HL
7E48 10FA 00950 DJNZ NXTBYT
7E4A D5 00960 PUSH DE
7E4B 113400 00970 LD DE,52
7E4E 19 00980 ADD HL,DE
7E4F D1 00990 POP DE
7E50 C1 01000 POP BC
7E51 C9 01010 RET
01020 ;
01030 ;
7E52 BC 01040 TOPHAF DEFB 188
7E53 8C 01050 DEFB 140
7E54 8C 01060 DEFB 140
7E55 8C 01070 DEFB 140
7E56 8C 01080 DEFB 140
7E57 8C 01090 DEFB 140
7E58 8C 01100 DEFB 140
7E59 8C 01110 DEFB 140
7E5A 8C 01120 DEFB 140
7E5B 8C 01130 DEFB 140
7E5C 8C 01140 DEFB 140
7E5D BC 01150 DEFB 188
01160 ; 2ND LINE
7E5E BF 01170 DEFB 191
7E5F 80 01180 DEFB 128
7E60 80 01190 N1 DEFB 128
7E61 80 01200 DEFB 128
7E62 80 01210 DEFB 128
7E63 80 01220 DEFB 128
7E64 80 01230 DEFB 128
7E65 80 01240 DEFB 128
7E66 80 01250 N2 DEFB 128
7E67 80 01260 DEFB 128
7E68 80 01270 DEFB 128
7E69 BF 01280 DEFB 191
01290 ;
01300 ;
7E6A BF 01310 BOTHAF DEFB 191
7E6B 80 01320 DEFB 128
7E6C 80 01330 N3 DEFB 128
7E6D 80 01340 DEFB 128
7E6E 80 01350 DEFB 128
7E6F 80 01360 DEFB 128
7E70 80 01370 DEFB 128
7E71 80 01380 DEFB 128
7E72 80 01390 N4 DEFB 128
7E73 80 01400 DEFB 128
7E74 80 01410 DEFB 128
7E75 BF 01420 DEFB 191
01430 ; 2ND LINE
7E76 83 01440 DEFB 131
7E77 83 01450 DEFB 131
7E78 83 01460 DEFB 131
7E79 83 01470 DEFB 131
7E7A 83 01480 DEFB 131
7E7B 83 01490 DEFB 131
7E7C 83 01500 DEFB 131
7E7D 83 01510 DEFB 131
7E7E 83 01520 DEFB 131
7E7F 83 01530 DEFB 131
7E80 83 01540 DEFB 131
7E81 83 01550 DEFB 131
01560 ;
01570 ;
01580 ;
01590 ; *****
01600 ; * SOUND *
01610 ; *****
01620 ;
01630 ; SOUND ROUTINE CALLED BY BASIC TO GENERATE SOUND
01640 ; EFFECTS. NOT CALLED BY ABOVE MACHINE LANGUAGE PGM.
7E82 CD7F0A 01650 SOUND CALL 0A7FH

```

Listing 2 Continues

THE ULTIMATE IN COLOR COMPUTING

WORD PROCESSING

THE SUPER "COLOR" WRITER II

The Word Processor that re-wrote the book on Word Processing

The Super "Color" Writer is a FAST, machine code, full featured, character (screen) oriented word processing system for the TRS-80(TM) Color Computer and ANY printer. The video display is styled after a professional phosphor (green characters on black background) display for hours of use without eye fatigue (optional orange on black). The unique print WINDOW frees you from 32, 51 or 64 character lines FOREVER! This window can be moved anywhere in the text file, up, down, left or right to display the text as it will be printed without wasting paper. You can create or edit Super "Color" Terminal files, ASCII files, BASIC programs or Editor/Assembler source listings. It's simple enough for beginners with 4K and, for the professional writer with a 32K disk system and a lot to say, there's plenty of room to say it!

COMPARISON CHART	SUPER COLOR WRITER			THE COMPETITION		
	4K	16K	32K	4K	16K	32K
System Size	N/A	8K	24K	N/A	2K	18K
TAPE Text space	2.5K	15K	31K	N/A	N/A	N/A
ROMPAK Text space	N/A	6.5K	22.5K	N/A	0.5K	16.5K
DISK Text space	YES	YES	NO	NO	NO	NO
Right Justify	YES	YES	NO	NO	NO	NO
Video Window	YES	YES	NO	NO	NO	NO
Edit any ASCII File	YES	YES	NO	NO	NO	NO

The figures speak for themselves and with professional features like PROGRAMMABLE function string commands to perform up to 28 commands automatically, PROGRAMMABLE text file chaining, PROGRAMMABLE column insert & delete, and right hand JUSTIFICATION with punctuation precedence, the choice is clear but there's still more!

The Super "Color" Writer takes full advantage of the new breed of "smart printers" with Control codes 1-31, 20 Programmable control codes 0-255 for special needs and built in Epson MX-80, Centronics 737, 739 and R.S. Line Printer IV, VII, VIII drivers.

CHECK THESE FEATURES!!

HIGH SPEED & normal operations • 32K Compatible • Window • Key beep • HELP table • 128 character ASCII & graphics • Memory left • Lower case • Full cursor control • Quick paging • Scrolling • Word wrap around • Tabs • Repeat all functions • Repeat last command • Insert character & line • Delete character, delete to end of line, line to cursor, line & block • Block move, copy & delete • Global Search, Exchange & Delete • Merge or Append files • Imbed Control Codes in text • Underline • Superscripts • Subscripts • Headers, Footers & 2 Auxiliary footnotes on odd, even or all pages definable position • Flush right • Non-breakable space • 4 centering modes: 5, 8.3, 10 & 16.7 (CPI) • Full page & print formatting in text • Single sheet pause • Set Page length • Line length, Line spacing, Margins, page numbers • Title pages • Printer baud: 110, 300, 600, 1200, 2400 • Linefeeds after CR • Soft & hard formfeed • Works with 8 bit printer fix • and more!

SUPER "COLOR" WRITER DISK

The Disk version of the Super "Color" Writer works with the TRS-80C Disk System and has all the features listed above plus many more! Use with up to four Disk Drives. Includes an extended HELP table you can access at any time. Call a directory, print FREE space, Kill disk files and SAVE and LOAD text files you've created all from the Super "Color" Writer. Print, merge or append any Super "Color" Terminal file, ASCII file, BASIC program or Editor/Assembler source listing stored on the Disk or tape. The Super "Color" Writer Disk version has additional formatting and print features for more control over your printer and PROGRAMMABLE chaining of disk files for "hands off" operation. Print an entire BOOK without ever touching a thing!

Includes comprehensive operators manual

TAPE \$49.95 ROM PAK \$74.95 DISK \$99.95

Manual only, \$7.00 Refundable with purchase

Allow 2 extra weeks for personal checks. C.O.D. orders add \$2.00. When ordering specify computer type and add \$2.00 for S.H. Minn. residents add 5% sales tax. VISA/Master Chg.

DEALER INQUIRES ARE INVITED.

TRS-80 is a registered trademark of the Tandy Corp.

COMMUNICATIONS

THE SUPER "COLOR" TERMINAL

Time Share, Smart Terminal, High-speed Data X'fer & Videotex

The Super "Color" Terminal turns the Color Computer into a Super-smart terminal with all the features of VIDEOTEX(TM) plus much more. COMMUNICATE with Dow Jones & Compuserve and with computers like the TRS-80(TM) MODEL I, II, III, APPLE etc. via modem or RS-232 direct! Save the data to tape or print it! Reduces ON-LINE cost to a minimum!

FEATURES

10 buffer size settings from 2-30K • Buffer full indicator • Lprints buffer contents • Full 128 ASCII keyboard • Compatible with Super "Color" Writer files • UPLOAD & DOWNLOAD ASCII files, Machine Language & Basic programs • Set RS-232 parameters • Duplex, Half/Full • Baud Rate: 110, 300, 600, 1200, 2400, 4800 • Word Lengths: 5, 6, 7 or 8 • Parity: Odd, Even or None • Stop Bits: 1-9 • Local linefeeds to screen • Tape save & load for ASCII files, Machine code & Basic programs • Unique clone feature for copying any tape.

Super "Color" Terminal Disk

The Disk version offers all the features listed above plus Host ability in full duplex • Lower case masking • 10 Keystroke Multiplier (MACRO) buffers on disk to perform repetitive log-on tasks and send short messages (up to 255 bytes) • Programmable prompts for send next line • Selectable character trapping • Set printer line length • Pagination • Linefeed with CR option • Printer Baud: 110, 300, 600, 1200 & 2400 • Documentation.

TAPE \$39.95 ROM PAK \$49.95 DISK \$69.95

Documentation only, \$4.00 Refundable with purchase.

ROMPAK KITS

Put your programs in a ROMPAK or execute tape based programs in a RAMPAK at \$COOO. Kit includes 1 socketed P.C. board that holds up to 4, 2716 EPROMs or 4, 2K Static Ram Chips for a total of 8K and a plastic housing to fit the rom port. \$24.95

2716 2K 5v EPROM \$5.95 ea.

2K Static RAM \$19.95 ea.

COLOR GAMES!!

FEATURING GREAT GRAPHICS & SOUND!

ADVENTURE 3-PAK Requires 16K Extended Basic. **TAPE \$24.95**

This TRILOGY OF 3-D FANTASY GAMES takes you to the **WORLD UNDER THE CIMEEON MOON**. Engage in ritual combat with Tooamoath Narthokc Monsters and skilled warriors. Advance in rank with play experience. Then adventure through **DAZMAR'S UNDERWORLD OF DOOM** to the forbidden ruins of Castle Argaan. Search for the Eye of Dazmar while avoiding the sorcerer's intricate traps. Survivors must then negotiate the perilous peaks of the Ugrek Mountains to the **FORSAKEN GULTCH** where the wicked idol awaits restoration.

VEGAS 5-PAK Requires 16K Extended Basic. **TAPE \$19.95**


The THRILLS OF A VEGAS CASINO at home. Five action packed Vegas games for up to four players: **CASINO CRAPS** • **21** • **ONE ARMED BANDIT** • **UP & DOWN THE RIVER** • **KENO**. Bank tracks players' winnings from game to game • realistic cards • regulation tables • boards • authentic sounds • lively graphics • official rules in each game.

COMBAT 3-PAK Requires 16K Extended Basic. **TAPE \$24.95**

Three action packed two player games featuring lifelike graphics and sound of **LASER FIRE**, **CANNONS** and **PHOTON TORPEDOES**. **2-1-0 TANK COMBAT** five terrains • the experienced arcade player can design combat scenario. **STELLAR BATTLE** pilot a Flex-Wing Fighter at incredible speeds in enemy space taking out Dorian Tye Fighters defending the Imperial Star Fortress. **GALACTIC BLOCKADE** maneuver your craft in a course that boxes your opponent but avoid cosmic debris and hostile space probes!



**NELSON
SOFTWARE
SYSTEMS**



128

P.O. Box 19096 Minneapolis, MN 55419 612/827-4703

MECHANICAL & STRUCTURAL ENGINEERING PROGRAMS

EASI Software, Inc.* supplies commercial quality analysis and design programs for architects and engineering consultants. All programs are available on TRS-80 and CP/M formats.

EASI-PATH Project Management System (\$300.00) is a data-base oriented program which uses CPM (critical path method) to schedule project operations against time periods and cost restraints. While the reports generated by this program were designed as a tool to assure management that detailed project planning is performed, it is also an effective **SALES TOOL** for customer project presentations.

PV-CODE (\$995.00) is a menu driven design program which interactively designs complete pressure vessels including shells, heads, stiffeners, reinforcements, and flanges. It is based on the ASME Code and includes mathematical models of the required charts and tables. A complete design report is generated.

Manuals w/demonstration diskette available for the above programs \$30.00 each.

Other engineering programs available (MC†2*):

Finite Element (Space Frame);
Concrete Design (Beam, Column, Slab, 2 Way Slab);
Steel Design (Beam, Column); Fire Sprinkler;
HVAC; Electrical Engineering; Accounting, etc.

EASI Software Inc.*

DEPT: MC-2
2 Windsor Court
Jackson, NJ 08527
(201)367-5735

*MC†2 is the Trademark for McClintock, Inc.

*EASI Software Inc. previously known as Engineering Analysis Software Consultants.

✓313



- * SUPPORTS ALL MX-80 PRINT STYLES
- * WORDPROCESSING TEXT CONTROL MODE
- * MENU MODE FOR GENERAL APPLICATION
- * TRUE PROPORTIONAL JUSTIFICATION

- * UNDERLINES ANYWHERE
- * SUBSCRIPTS
- * DYNAMIC CONTROL OF LINE SPACING IN 1/72 IN. INCREMENTS
- * ITALICS WITH MX-80 GRAFTAX
- * WORKS WITH MOST PROGRAMS INCLUDING SCRIPSIT™
- * CENTERS TITLES
- * SUPERSERIALS

Maxprint is an extraordinary user oriented printer driver utility program which allows you to select any MX-80 print style or function such as underlining on a character by character basis within word processing text. Maxprint also features proportional right margin justification within a block of standard text to give your printout a truly professional appearance.

The standard Maxprint works with all BASIC programs. Adapter programs available for SCRIPSIT, PENCIL, and LAZYWRITER. Minimum system requirements are a 32K Model I or Model III with one disk drive. (Model III needs two drives to convert only.)

Unleash the true potential of your MX-80. Maxprint is supplied on disk with manual, adapter programs, and shipping for only:

* * * \$27.95 * *

TO ORDER: Call (408) 737-2253 Visa / Mastercard
Send check or money order to:
Peggytronics,
381 First Street, Suite 5147
Los Altos, California 94022

✓333

CA residents add 6% sales tax // Scrripsit TM of Tandy Corp.

Listing 2 Continued

7E85	3E01	01660	LD	A,1
7E87	0E00	01670	LD	C,0
7E89	45	01680	SOUND2	B,L
7E8A	2F	01690	CPL	
7E8B	E603	01700	SOUND3	AND
7E8D	D3FF	01710	OUT	(255),A
7E8F	0D	01720	DEC	C
7E90	2804	01730	JR	Z,SOUND
7E92	10F7	01740	DJNZ	SOUND3
7E94	18F3	01750	JR	SOUND2
7E96	25	01760	SOUND	DEC
7E97	20F2	01770	JR	H
7E99	C9	01780	RET	NZ,SOUND3
		01790	;	
		01800	;	
		01810	;	HEART FIRST LINE
7E9A	BF	01820	CARDIM	DEFB
7E9B	A0	01830		DEFB
7E9C	BC	01840		DEFB
7E9D	BF	01850		DEFB
7E9E	BD	01860		DEFB
7E9F	B4	01870		DEFB
7EA0	A0	01880		DEFB
7EA1	BE	01890		DEFB
7EA2	BF	01900		DEFB
7EA3	BC	01910		DEFB
7EA4	90	01920		DEFB
7EA5	BF	01930		DEFB
		01940	;	HEART LINE 2
7EA6	BF	01950		DEFB
7EA7	82	01960		DEFB
7EA8	8F	01970		DEFB
7EA9	BF	01980		DEFB
7EAA	BF	01990		DEFB
7EAB	BF	02000		DEFB
7EAC	BF	02010		DEFB
7EAD	BF	02020		DEFB
7EAE	BF	02030		DEFB
7EAF	8F	02040		DEFB
7EB0	81	02050		DEFB
7EB1	BF	02060		DEFB
		02070	;	HEART LINE 3
7EB2	BF	02080		DEFB
7EB3	80	02090		DEFB
7EB4	80	02100		DEFB
7EB5	80	02110		DEFB
7EB6	83	02120		DEFB
7EB7	8B	02130		DEFB
7EB8	87	02140		DEFB
7EB9	83	02150		DEFB
7EBA	80	02160		DEFB
7EBB	80	02170		DEFB
7EBC	80	02180		DEFB
7EBD	BF	02190		DEFB
		02200	;	CLUB LINE 1
7EBE	BF	02210		DEFB
7EBF	80	02220		DEFB
7EC0	80	02230		DEFB
7EC1	80	02240		DEFB
7EC2	80	02250		DEFB
7EC3	BE	02260		DEFB
7EC4	BD	02270		DEFB
7EC5	80	02280		DEFB
7EC6	80	02290		DEFB
7EC7	80	02300		DEFB
7EC8	80	02310		DEFB
7EC9	BF	02320		DEFB
		02330	;	CLUB LINE 2
7ECA	BF	02340		DEFB
7ECB	88	02350		DEFB
7ECC	AE	02360		DEFB
7ECD	BF	02370		DEFB
7ECE	8C	02380		DEFB
7ECF	AE	02390		DEFB
7ED0	9D	02400		DEFB
7ED1	8C	02410		DEFB
7ED2	BF	02420		DEFB
7ED3	9D	02430		DEFB
7ED4	84	02440		DEFB
7ED5	BF	02450		DEFB
		02460	;	CLUB LINE 3
7ED6	BF	02470		DEFB
7ED7	80	02480		DEFB
7ED8	80	02490		DEFB
7ED9	80	02500		DEFB
7EDA	8C	02510		DEFB

Listing 2 Continues

7EDB 8F	02520	DEFB	143
7EDC 8F	02530	DEFB	143
7EDD 8C	02540	DEFB	140
7EDE 80	02550	DEFB	128
7EDF 80	02560	DEFB	128
7EE0 80	02570	DEFB	128
7EE1 BF	02580	DEFB	191
	02590 ; DIAMOND LINE 1		
7EE2 BF	02600	DEFB	191
7EE3 80	02610	DEFB	128
7EE4 80	02620	DEFB	128
7EE5 A0	02630	DEFB	160
7EE6 B8	02640	DEFB	184
7EE7 BE	02650	DEFB	190
7EE8 BD	02660	DEFB	189
7EE9 B4	02670	DEFB	180
7EEA 90	02680	DEFB	144
7EEB 80	02690	DEFB	128
7EEC 80	02700	DEFB	128
7EED BF	02710	DEFB	191
	02720 ; DIAMOND LINE 2		
7EEE BF	02730	DEFB	191
7EEF 80	02740	DEFB	128
7EF0 82	02750	DEFB	130
7EF1 8B	02760	DEFB	139
7EF2 AF	02770	DEFB	175
7EF3 BF	02780	DEFB	191
7EF4 BF	02790	DEFB	191
7EF5 9F	02800	DEFB	159
7EF6 87	02810	DEFB	135
7EF7 81	02820	DEFB	129
7EF8 80	02830	DEFB	128
7EF9 BF	02840	DEFB	191
	02850 ; DIAMOND LINE 3		
7EFA BF	02860	DEFB	191
7EFB 80	02870	DEFB	128
7EFC 80	02880	DEFB	128
7EFD 80	02890	DEFB	128
7EFE 80	02900	DEFB	128
7EFF 82	02910	DEFB	130
7F00 81	02920	DEFB	129
7F01 80	02930	DEFB	128
7F02 80	02940	DEFB	128
7F03 80	02950	DEFB	128
7F04 80	02960	DEFB	128
7F05 BF	02970	DEFB	191
	02980 ; SPADE LINE 1		
7F06 BF	02990	DEFB	191
7F07 80	03000	DEFB	128
7F08 80	03010	DEFB	128
7F09 B0	03020	DEFB	176
7F0A BC	03030	DEFB	188
7F0B BE	03040	DEFB	190
7F0C BD	03050	DEFB	189
7F0D BC	03060	DEFB	188
7F0E B0	03070	DEFB	176
7F0F 80	03080	DEFB	128
7F10 80	03090	DEFB	128
7F11 BF	03100	DEFB	191
	03110 ; SPADE LINE 2		
7F12 BF	03120	DEFB	191
7F13 80	03130	DEFB	128
7F14 82	03140	DEFB	130
7F15 AF	03150	DEFB	175
7F16 9F	03160	DEFB	159
7F17 AF	03170	DEFB	175
7F18 9F	03180	DEFB	159
7F19 AF	03190	DEFB	175
7F1A 9F	03200	DEFB	159
7F1B 81	03210	DEFB	129
7F1C 80	03220	DEFB	128
7F1D BF	03230	DEFB	191
	03240 ; SPADE LINE 2		
7F1E BF	03250	DEFB	191
7F1F 80	03260	DEFB	128
7F20 80	03270	DEFB	128
7F21 80	03280	DEFB	128
7F22 8C	03290	DEFB	140
7F23 8F	03300	DEFB	143
7F24 8F	03310	DEFB	143
7F25 8C	03320	DEFB	140
7F26 80	03330	DEFB	128
7F27 80	03340	DEFB	128
7F28 80	03350	DEFB	128
7F29 BF	03360	DEFB	191
7E00	03370	END	CARD
00000 TOTAL ERRORS			

SOFTWARE CONCEPTS DALLAS TEXAS

AVIATION PROGRAMS

- Pilot Flight Planning
- Financial Trip Information
- Flight Plan Revisions
- Determination of optimum altitude
- Area Navigation
- Course Reversal
- IFR Alternate
- Great Circle Courses
- Cost Projections
- Cash Flow
- Weight & Balance
- More

Aviation (Model III disk only)..... \$99.00

RETAIL INVENTORY CONTROL

- Maintain Inventory
- Sales Register
- Full Editing
- User Configured
- Track Backorders
- Tracks Re-order Time
- Prints Purchase Orders
- More

Retail Inventory (Mod I/III Disk)\$99.00

With Cash Register Module\$148.00

THE DISASSEMBLER

- Disassemble Command Files
- Generate EDAS Source Code
- Insert User Defined Labels
- Generate ORG's & EQUates

The Disassembler (MOD I/III Disk) \$39.00

EDAS..... \$75.00

ELECTRA SKETCH

- Screen Graphics
- Mix Graphics & Text
- Dump Screen to MX-80
- Movie Display Mode
- Load Screens Fromom BASIC
- Instant Recall of Screens
- More

Electra Sketch (Mod I/III Disk) \$29.00

FINE LINE

- Graphics Drawing in COLOR!
- Movie Mode
- Save screens to Tape

Fine Line (Color 16K Tape)\$34.00

(Most TRS software available at similar discounts. CALL!)

SOFTWARE CONCEPTS
105 Preston Valley Shopping Center
Dallas, Texas 75230

Our retail store is located at the SW corner of
Preston & LBJ

(214) 458-0330

MasterCard, Visa, American Express, COD

PUSH YOUR TRS-80* TO ITS LIMITS

How?

You don't have to add on peripherals

You don't have to add on memory

You just have to add on information with
ENCYCLOPEDIA FOR THE TRS-80*

Volume 1

1

- Down the Road
- After the Goldrush
- Business Forms: The Invoice
- How Much Interest?—The Rule of 78
- Computer Education
- Measuring Instructional Effectiveness with the TRS-80
- Using a TRS-80 to Tabulate Student Ratings
- Swords and Sorcery II
- The President Decides
- Babe Ruth Is Alive and Well
- and Hitting Home Runs on My TRS-80
- Four Graphics Methods
- TRSprograph
- Adventures in Roseland
- Punch Out Your Disks
- Build a Snooper/Snubber
- Car Pool
- Doctor Your Records
- Computacar
- Bio-Bars: Biorhythms in Bar Graph Form
- TTY Interface
- Why Bother to Interface
- Into the 80's, Part I, Part II, Part III
- Printer Calibration
- Delay Loop

Volume 2

2

- The Name and Address File
- Expense Report
- Story Math
- Smile—TRS-80 Loves You
- Keno
- The Attack
- Worksheet
- Curve Plotter
- Chip Tester
- Build a Light Pen
- BASIC Word Processor
- States Worked
- A Program for Radio Amateurs
- Personal Property Inventory
- Testing 1, 2, 3
- Decode CW Directly
- from the Cassette Earplug
- Into the 80's, Part IV, Part V
- EDTASM for Model III
- Put Some Flash into Your Menus
- FILEX: A Communication Package for File Exchange

Volume 3

3

- FlexiForm
- Invention
- Algebra Tutor
- Supermaze
- Micro Basketball
- Images
- Regulate Your Video Monitor
- CTR-80 Modifications
- The Great Girl Scout Cookie Caper
- Two Energy Savers
- Listen To Your Keyboard
- A Deluxe Expansion Interface
- Interfacing the TRS-80 to the Heath H14 Printer
- Saving Machine Language Below BASIC
- CISAB—Backwards BASIC
- Into the 80's, Part VI, Part VII
- Spool and Despool
- Renumbering Made Easy

The *Encyclopedia for the TRS-80** is the largest single source of TRS-80 information in the world. All ten volumes are loaded with practical programs and articles designed to take you and your computer beyond the limits of the manufacturer's documentation into a new and exciting world.

Each volume contains between 15 and 20 articles accompanied by diagrams and program listings. Virtually all of the articles are totally new and cover such topics as utility, tutorial, business, word processing, education, hardware, graphics, games and more. If you were to purchase individually all the programs contained in a single volume, it would cost you more than the \$109.50

price of an of an entire ten volume soft-cover edition. Think of it—over 150 programs for \$109.50. That's less than 73¢ per program! And, when you buy a complete set, soft or hardcover edition, we pay the \$15.00 shipping and handling charges. **PLUS** you get Volume 1 of **ENCYCLOPEDIA LOADER™** absolutely free—A \$14.95 value.

*Programs contained on Encyclopedia Loader. Book is needed to use Loader.

Volume 4

4

- Mailing List for a Small Business
- Business Forms—The Statement
- Grade Calculator
- Classroom Doodles
- Asteroid Adventure
- Compukala
- Puzzler
- On Your Mark, Get Set, and Go
- Program an EPROM
- Pan-Mutual
- Income Tax Withholding
- An Automatic Cassette Tape Interface
- Send and Receive RTTY in BASIC
- A Better Way
- Don't Be a Slow POKE
- Take a PEEK at Your Computer
- Hairy Bi-Nary and Hexy-Decimal
- Instant Indexer: Programming in Disk BASIC
- Uni-Key for the Model I
- BREAK Disable
- Z-80 Disassembler

Volume 5

5

- Hi Ho Silver!
- Accountant's Aid
- Vocabulary Builder
- Numerical Expression Input in Level II
- Pre-School Math
- A Day at the Races
- Star Deck
- Slide Show
- Graphs, Plus
- Interrupt Mode 1.5
- Reverse Video Hardware Modification
- Team Stats
- Loans—Do You Really Know the Cost of Yours?
- A Home-Brew Interface
- A Handle on Programming: Store and Recall
- Prime Up Your 80
- The Z-80's Hidden Abilities
- KBFIX Your BASIC Programs
- File Name
- Macros: Let Your Micro Do the Work

Volume 6

6

- Exponential Smoothing
- Voter Registration
- Keeping Track—Student Scheduling and Attendance
- Part I
- Part II
- Space Mission
- Slot Machine
- Level II Graphics Code
- New Compu-Sketch
- As You Like It With the PR-80
- Add PROM Capability to Your TRS-80
- Magazine Index
- Money Minder
- Groups: A Strategy to Group Like Objects
- Stick With It
- Easy Selectric(TM) Output for the TRS-80
- Take Me to Your Solenoids
- On Toward Better Sorts of Things
- Random Distribution Graphics
- Using LMOFFSET
- Extractor: An Ace in the Hole!
- Page Print Your Listings
- Let Your TRS-80 Do the Typing

Volume 7

7

- Point and Figure Charting for Stocks and Commodities
- Dividend Reinvestment Plan
- Keeping Track—Student Scheduling and Attendance
- Part III
- Part IV
- Roulette
- Five Short Games
- Rubik's Cube(TM) Manipulator
- Easy CHR\$ Graphics and Animation
- Memory Size—20K
- Disk BASIC Word Processor
- The Big Game
- Using the Useful UART
- String Problems in the TRS-80
- Hex, Octal, and Binary to Decimal Conversions
- EMOD—EDTASM Modifications for the Model III
- Renumber One
- Command

Volume 8

8

- Business Predictions from the TRS-80
- Stock Valuation
- Practical Applications of Classroom Programs
- Super Curve Fit
- Queen Rama's Cave
- TRS-80 Jukebox
- Instant Graphics for Everyone
- Screen Editor for Graphics Creations
- Lowercase Driver for the TRS-80
- Minor Monitor Maintenance
- Can You Find that Slide?
- Controlling Your Home with Your TRS-80
- Speak for Yourself
- A Speech Synthesizer for the TRS-80
- Computer Number Systems and Arithmetic Operations—Part I
- Down in the Dumps: Examining Memory
- New Disk Owners' Delight
- Generate
- Professional Looking Listings with a Teletype(TM)
- More Patches to EDTASM

Volume 9

9

- Lawayay
- Your Fair Share
- Getting Your Bearings
- Do-It-Yourself Maze Package
- Munch
- Left/Right for the Color Computer
- Super Fast Graphics in BASIC
- Regenerating Graphics
- Dynamic Graphics with Pool Ball
- EPROM Programmer
- Autocost
- Your Personal Expense Account
- Celestial Software
- Model III I/O Port
- A Bit of Precision
- Computer Number Systems and Arithmetic Operations—Part II
- Slow Scroll
- TRSDOS Multiple Command Processor
- Dandyzap

Volume 10

10

- Plan Ahead—A Program for Project Planning
- Check Storage Program
- Loan Amortization
- Physics in Motion—Exploring the Projectile Problem
- Another Magic Trick
- Satan's Square
- Card Playing
- Unlocking the Color Computer Graphics Character Code
- SLOCK
- Graphics and ZBASIC, Part I, Part II, Part III
- Heart/BAS Heart/CIM
- Planning Your Retirement
- Low Resolution Voice for the Color Computer
- Atari Joystick to TRS-80 Interface
- Screen Status Byte
- TRS-80—Cryptographer
- Lazy Logic Trainer
- Modifying Scripts to Send Control Characters to Printers
- Shortstuff
- COMPLETE INDEX FOR ALL 10 VOLUMES

Free Software!




Encyclopedia Loader FREE
Volume 1, a \$14.95 value, when you order the complete set (Vol. 1-10) of the Encyclopedia for the TRS-80* (Hardcover or Softcover editions)

ENCYCLOPEDIA LOADER™

What is ENCYCLOPEDIA LOADER™? It is a dump, on 30 minute cassettes, of most of the programs contained in the ENCYCLOPEDIA FOR THE TRS-80. It gives you the ability to load those programs quickly and easily, saving you hours of keying in programs and correcting keyboard errors. ENCYCLOPEDIA LOADER helps you realize the full potential of your computing time. Individual cassettes are priced

at \$14.95. The entire ten volume set is only \$119.97. That's a \$149.50 value! And again, we pay the shipping and handling charges.

So push your TRS-80 to its limits and maximize your computing time with ENCYCLOPEDIA FOR THE TRS-80 and ENCYCLOPEDIA LOADER. Use the attached card for ordering, or fill in the coupon and mail today to: Wayne Green Books, Sales Dept., Peterborough, NH 03458



CALL TOLL FREE 1-800-258-5473 for credit card orders.

*TRS-80 is a trademark of the Radio Shack division of Tandy Corp.

The ENCYCLOPEDIA FOR THE TRS-80* is a Wayne Green publication.

ENCYCLOPEDIA LOADER™ is manufactured by Instant Software, a division of Wayne Green Inc.

Dealer Inquiries Invited.

ENCYCLOPEDIA FOR THE TRS-80* & ENCYCLOPEDIA LOADER™

To Order Complete Sets (and save an extra \$15.00)*

- ☐ Encyclopedia for the TRS-80*, Volumes 1-10, plus FREE Volume 1 of Encyclopedia Loader™ Hard Cover Edition EN8100L \$199.50
- ☐ Encyclopedia for the TRS-80*, Volumes 1-10, plus FREE Volume 1 of Encyclopedia Loader™ Soft Cover Edition EN8080L \$109.50
- ☐ SPECIAL OFFER! Encyclopedia Loader™ Volumes 1-10 EL8000 a \$149.50 value \$119.97

*Save \$15.00 shipping and handling charge. When you order a complete set of Encyclopedias or Loaders, WE PAY THE SHIPPING!

To Order Single Volumes

Please indicate the Volume Nos. and which edition you prefer
☐ Hard Cover edition @ \$19.95 per vol.

☐ Soft Cover edition @ \$10.95 per vol.

☐ Encyclopedia Loader @ \$14.95 per cassette

Shipping and handling: \$1.50 per volume for single volumes of books and cassettes, \$10.00 per item foreign air mail. All Encyclopedias shipped UPS with complete street address, all Loaders shipped 1st class mail.

☐ Payment enclosed ☐ Master Card ☐ VISA ☐ AmEx

Card # _____ InterBank # _____

Signature _____ Card Expires _____

Name _____

Address _____

City _____ State _____ Zip _____

WAYNE GREEN BOOKS • SALES DEPT. • PETERBOROUGH, NH 03458

EN11

Wayne Green Books,
A division of Wayne Green Inc.
Pine St., Peterborough, NH 03458

After all, you print all the news that fits.

Make Those Headlines Fit



Richard Ramella
1493 Mountain View Avenue
Chico, CA 95926

Who needs a program that measures headline type?

- Student journalists who need electronic experience before they jump from typewriters to video display terminals.
- People who produce type-

set newsletters, flyers and posters.

- Anyone who occasionally prepares material for publication.

TRS-80 ownership gives you powerful capabilities when preparing the printed word. Word processing systems such as the Electric Pencil and Scripsit offer writing and editing ease. Printing firms offer phone-to-phone typesetting originating from a

TRS-80. The product is paper type, high resolution photos of material set to user specifications. After pasteup in the form desired, the material goes to a printer for production.

In short, the TRS-80 owner approaches the same production capability as newspapers which use sophisticated electronic word processing and typesetting computer systems.

Measuring headline type is a partial but integral part of this publication process.

The accompanying program is written in Level II Basic and is about 3000 bytes long. A line printer is helpful but is not necessary. If you do not have one, I will include a program modification.

Some Basics

Why must you count headline type? Body type, such as the type in which this article is set, is small enough that it can be justified to even lines throughout. But headline type is larger and must be counted with three aims: that it is neither too short nor too long for the space it will occupy, and that succeeding lines in the headline are about even in length.

Type comes in various sizes and is measured in points. The measurement "point" refers to height (see Fig. 1).

The same type style may come in condensed, medium and extended forms. This refers to the way the type is "squeezed,"

18 POINT
24 POINT
30 POINT
36 POINT
48 POINT
60 POINT
72 POINT

Fig. 1. Point sizes

The Key Box

Basic Level II
Model I
4K RAM
Line printer optional

REGILIAN WORM

BY BRUCE POWEL DOUGLASS

Push your reflexes,
coordination,
judgment to
their limits!



16-48K TRS-80 MODEL I or III
CASSETTE TAPE \$16.95
DISK \$19.95

Please add \$1.50 for shipping and handling
6½% sales tax in California

MC, VISA, CHECKS OK

To order, call toll free:
(800) 824-7888,
oper. 422
in Calif.: (800) 852-7777


PROSOFT

BOX 560

NORTH HOLLYWOOD, CA. 91603

SAVE
15%

TWO PRINTERS?



An original design by Ron Wirth

**INTRODUCTORY
SPECIAL — \$99.95***

*Save \$18 off the regular price
of \$117.95 with this ad.

Check or Money Order,
Visa or MasterCard accepted.



California residents add 6½% Sales Tax

THIS PRINTER SELECTOR HAS GOT THE SMARTS!

TWOPRINT™ is the Smartest Dual
Printer Switch on the Market for
Your Money.

- Hard select of desired printer with toggle switch. Software select mode via CHR\$(1) or CHR\$(2)
- Lights indicate which printer has been selected
- "Centronics" compatible for MOD I, II or III (Please Specify). (MOD II requires cable modifications)
- Requires purchase of Radio Shack P/N (270-1552A) Battery Eliminator

CALIFORNIA WORD EXCHANGE

802 E. Lime • Monrovia, CA 91016
(213) 443-5866

"stretched" or left in regular dimensions. This sideways measurement is not absolute.

And last, the widths of different letters are different. For example, the letters l, m, r and w all have different count values. This program totals each line's count value and tells you how well it fits in the space you have allowed.

The only other esoteric information I must pass on has to do with column size. Your daily newspaper is divided into columns. Chances are, those columns are either 10 picas or 14 picas wide. Forget about picas except to note that a 10-pica column is about 1 5/8 inches wide, and a 14-pica column is about 2 5/16 inches wide. You need to

know this if you decide to work with column widths other than the 10-pica standard this program uses.

How the Program Works

The program instructs you to make two punctuation substitutions: < for a comma (,) and an asterisk (*) for a colon (:). If you place a comma or a colon in an input response, the program ignores all following material. Remember to make these substitutions and be assured the final version will be translated into the correct punctuation marks.

Then make the four input choices:

- Number of (10-pica) columns the headline will occupy.
- Type size (18-60 point).

• Condensed, medium or extended type.

• Number of lines in the headline.

The program flashes a reminder of the kind of headline you are going to write and then prompts you to enter the succeeding lines. The prompt also includes a field of dashes roughly defining the limit of the line.

Note for Model I Owners

If you own a Model I and have a line printer that can print lowercase characters you may have noticed something curious. If you want to LPRINT in lowercase, hold down the shift key; for uppercase, leave it up. In either case the screen prints only capital letters.

To relieve some of this Model I confusion, I have included a subroutine (lines 1160-1290) which exchanges the ASCII numbers of upper and lowercase letters. It affects only letters. So type as you would on a typewriter and it will print correctly.

Owners with built-in lowercase will want to delete the subroutine and the two GOSUB 1160 references at lines 560 and 840.

After your first try at writing the headline, it takes several seconds for the program to gauge each character's assigned width. It then reprints each line you have written with one of three messages to the right: 0 Perfect means the line fills all column space. N Short or N Long gives the number of counts the headline is over or under the column space allowed.

You can then rewrite any line; the program remeasures and gives you the result. This process of fits and starts comes to an end when your headline satisfies you and you enter 0 rather than the number of the line.

At this point the program prints the headline and adds the information the printer (not the line printer but the man with ink on his hands) needs to set it according to your specifications (for example, 2 column 24 point medium).

If you do not have a line printer, you will have to copy the headline by hand. In this case, delete lines 900-960, add 965 INPUT X so you can hold the result on the screen before the program reverts to its start for more headlines. Change LPRINT statements to PRINT statements in lines 870-880.

This program is nearly as good as those I used while working on computerized daily newspapers. The major difference is that this program requires you to rewrite a line in its entirety, whereas newspaper systems have a moveable cursor for deletions and additions.

A Disclaimer

The values I have used for the 10-pica columns adhere to standards that served me well in 20 years of writing newspaper

Program Listing

```

100 REM *FITS AND STARTS: A HEADLINE COUNTING PROGRAM* BY RICHARD RAMELLA
110 CLS
120 PRINT "WHEN WRITING HEADLINES, SUBSTITUTE"
130 PRINT "< FOR , AND * FOR :"
140 PRINT "LPRINT WILL TRANSLATE CORRECTLY."
150 INPUT "HIT ENTER TO CONTINUE";X
160 CLS
170 P = 0
180 CLEAR 400
190 INPUT "NUMBER OF COLUMNS"; K
200 INPUT "TYPE SIZE: 18 24 30 36 42 48 60"; S
210 PRINT "TYPE STYLE:"
220 INPUT "(CONDENSED - 1) (MEDIUM - 2) (EXTENDED - 3)"; T
230 INPUT "NUMBER OF LINES"; D
240 IF S = 18 THEN C = 16
250 IF S = 24 THEN C = 10
260 IF S = 30 THEN C = 8
270 IF S = 36 THEN C = 6.5
280 IF S = 42 THEN C = 6
290 IF S = 48 THEN C = 3.5
300 IF S = 60 THEN C = 2.5
310 IF T = 1 THEN C = C * 1.25
320 IF T = 3 THEN C = C * .75
330 H = K * C
340 A = H
350 E = INT(H)
360 B = A - E
370 IF B < .25 THEN H = INT(H): GOTO 400
380 IF B < .60 THEN H = INT(H) + .5: GOTO 400
390 H = INT(H) + 1
400 CLS
410 PRINT "NOW WRITING";K;"COLUMN";S;"POINT";
420 IF T = 1 PRINT " CONDENSED";
430 IF T = 2 PRINT " MEDIUM";
440 IF T = 3 PRINT " EXTENDED";
450 PRINT D;"LINE HEADLINE."
460 PRINT
470 PRINT "APPROXIMATE WIDTH"
480 PRINT
490 PRINT STRING$(9," ") + STRING$(INT(H)," -");
500 PRINT " COUNT";INT(H)
510 FOR F = 1 TO D
520 PRINT "LINE";F;
530 INPUT A$(F)
540 NEXT F
550 FOR F = 1 TO D
560 GOSUB 1160
570 NEXT F
580 FOR F = 1 TO D
590 G = LEN(A$(F))
600 FOR U = 1 TO G
610 B$ = MID$(A$(F),U,1)
620 J = ASC(B$)
630 IF J < 65 AND J > 31 GOSUB 990
640 IF J > 95 GOSUB 1080
650 IF J > 64 AND J < 96 GOSUB 1120
660 NEXT U
670 P(F) = P
680 P = 0
690 NEXT F
700 CLS
710 FOR F = 1 TO D
720 Q = H - P(F)
730 PRINT A$(F); " ";
740 IF Q = 0 PRINT Q "PERFECT"
750 IF Q < 0 PRINT Q - (Q + Q) "LONG"
760 IF Q > 0 PRINT Q "SHORT"
770 P(F) = 0
780 NEXT F

```

Listing continues

headlines. But if you show these counts to another crusty old editor, he will say, "Yeah, that's *about* how it would count out. Close enough."

Type styles vary in widths of characters. It will be a rare occasion that this program plays you false because I have set limits which are comfortably within usual types used.

If you are a serious headline writer, talk to your printer and get his counts for type in the column width you plan to use. Armed with that information, refer to program lines 240-300. In these lines C equals the 10-pica column count of the type size represented by S.

If you are interested in the count of each character on your keyboard, you can figure it out by looking up the ASCII values of J in the subroutines starting at lines 990, 1080, and 1120. ■

Richard Ramella is a writer whose favorite computer use is writing programs for his two children, ages 6 and 9.

Listing continued

```

790 PRINT
800 PRINT "ENTER 0 TO PRINT COMPLETED HEADLINE."
810 PRINT "ENTER LINE NUMBER ( 1, 2, 3 ETC.) TO REWRITE LINE."
820 INPUT F
830 IF F = 0 THEN 860 ELSE INPUT A$(F)
840 GOSUB 1160
850 GOTO 580
860 FOR F = 1 TO D
870 LPRINT A$(F)
880 LPRINT
890 NEXT F
900 LPRINT STRING$(10," ");K;"COLUMN";S;"POINT";
910 IF T = 1 LPRINT " CONDENSED"
920 IF T = 2 LPRINT " MEDIUM"
930 IF T = 3 LPRINT " EXTENDED"
940 LPRINT STRING$(50,"-")
950 LPRINT
960 LPRINT
970 RESTORE
980 GOTO 160
990 IF J = 32 THEN P = P + 1: RETURN
1000 IF J > 34 AND J < 39 THEN P = P + 1.5: RETURN
1010 IF J = 48 THEN P = P + 1.5: RETURN
1020 IF J > 49 AND J < 58 THEN P = P + 1.5: RETURN
1030 IF J > 38 AND J < 43 THEN P = P + .5: RETURN
1040 IF J > 44 AND J < 47 THEN P = P + .5: RETURN
1050 IF J = 49 OR J = 58 OR J = 59 THEN P = P + .5: RETURN
1060 P = P + 1
1070 RETURN
1080 IF J = 102 OR J = 105 OR J = 106 OR J = 108 OR J = 116 THEN P = P + .5
: RETURN
1090 IF J = 109 OR J = 119 THEN P = P + 1.5: RETURN
1100 P = P + 1
1110 RETURN
1120 IF J = 73 OR J = 74 THEN P = P + 1: RETURN
1130 IF J = 77 OR J = 87 THEN P = P + 2: RETURN
1140 P = P + 1.5
1150 RETURN
1160 G = LEN(A$(F))
1170 FOR U = 1 TO G
1180 B$ = MID$(A$(F),U,1)
1190 J = ASC(B$)
1200 IF J = 42 THEN J = 58
1210 IF J = 60 THEN J = 44
1220 IF J > 96 THEN J = J - 32: GOTO 1240
1230 IF J < 91 AND J > 64 THEN J = J + 32
1240 B$ = CHR$(J)
1250 C$ = C$ + B$
1260 NEXT U
1270 A$(F) = C$
1280 C$ = ""
1290 RETURN

```

FREE SHIPPING



TRS®-80 MOD III


W/48K, 2 TANDON
5 1/4" DISK DRIVES
INCLUDES TRS DOS
(No RS 232)

RS232 \$99.95
Instructions
Included

\$1735


TRS-80 MOD III Disk Controller

Includes Disk Controller,
Power Supply, Mounting
Hardware, Cables and
Instruction Manuals



\$279
COMPLETE

PRINTERS



MX80 \$ 450
MX80F/T 535
MX100 685
SMITH-CORONA TP-1 595
(Letter Quality, Daisy Wheel Printer)

Printer Cable \$26.95
(\$20 w/purchase of printer)

VISA, MASTERCARD (\$100 Min., Add 2%)
Or Certified Check
90 Day Warranty (Parts & Labor)
TRS 80 is a Registered Trademark, Tandy Corp.
Prices Subject to Change Without Notice

DATA-MAIL
P.O. Box 818, Reseda, CA 91335

✓ 452

TANDON DISK DRIVES

TM100-1 Single 40 Track Drive **\$210**
With Cabinet & Power Supply **\$265**
TM 100-2 Double 40 Track Drive **\$330**
TM 100-3 Single 80 Track Drive **\$330**
TM 100-4 Double 80 Track Drive **\$425**



16K MEMORY KIT \$15

FREE SHIPPING IN CONTINENTAL U.S.
(TRS 80 MOD III EXCEPTED)

(213) 993-4804

What makes a robot tick?

Cybernetics—Part II

Stephen Davids
Robot Research and
Development, Inc.
PO Box 541, Station Z
Toronto, Ontario
Canada, M5N 2Z6

All robot systems are composed of three parts: sensors, a decision-base and actuators.

A sensor is a device that relays information about the environment. Humans have sensors to detect tactile, visual, audible and other stimuli, both internal and external to their bodies. These sensors allow us to create a workable, though imperfect, internal representation of the world. All of our decisions are ultimately based on this internal conception.

Human sensors are electrochemical; most man-made sensors are either mechanical or solid state. The selection of mechanical sensors is quite large. An example of a mechanical sensor is the switch: There are 67 switches on the current edition of the TRS-80 Model 1.

All switches connect two wires which allow a current to

flow and a circuit to be complete. A complete or closed circuit may perform a function; an open or interrupted circuit cannot. A switch is generally a digital device that exists in only two states—opened or closed.

There are a variety of switches that come in different sizes, power handling capability and mechanical action. These include mercury wetted contacts, momentary push buttons, lever-action microswitches and membrane keypads, to name a few.

Problems Interfacing to a Micro

There are three problems with interfacing switches to the TRS-80 (or any other micro).

- First, most switches create RF noise by arcing as the switch is almost closed and the electrons collected on the negative side of the switch leap across a very small air gap to the positive side of the switch. Because microcomputers are sensitive to RF noise, minimize the interference by enclosing all switches in an aluminum box and grounding the box, or purchasing higher quality switches. The effect of the RF noise will be minimal if low voltages and currents are used.

- The second problem is switch bounce. The double characters that plagued early machines were a direct result of one complication—the rate at which the computer scanned the keyboard was too fast, often resulting in a key being read twice. There are two solutions for this. One is a bounceless switch (Fig. 1). The other, a software fix, slows the rate of scan

by adding delay loops.

- Thirdly, ringing is a phenomenon affecting the voltage/current relationship. If you design a very sophisticated system, you will have to study ringing in more depth.

The solid state sensor may be either a digital or an analog device. Almost all solid state sensors are based on the physics

and chemistry of the PN junction.

The PN Junction

The PN junction is the fundamental technology behind the electronics, computer and robot industry. Pure silicon monocrystals, formed in a gradually cooling crucible of molten silicon, are processed (or doped) by adding impurities in one of




Fig. 1. Examples of Bounceless switches for use as input sensors

The Key Box

Basic Level II
Model I
16K RAM

TRS-80[®] COMPUTERS

**CONSUMER
DISCOUNT
PRICES**

BUY DIRECT
PURE RADIO SHACK EQUIPMENT
LOW **DISCOUNT** PRICES

**BUY DIRECT
SAVE
MONEY**

∞ **MICRO MANAGEMENT SYSTEMS, INC.** ∞



TRS-80
Color Computer


PRICED FROM

\$289
BUY DIRECT

Smith Corona TP-1
Daisy Wheel Printer

PRICED FROM

\$599
BUY DIRECT



TRS-80 Model II
Computer

PRICED FROM

\$2988
BUY DIRECT




TRS-80 Model III
Computer

PRICED FROM

\$599
BUY DIRECT

NEW!

Radio Shack TRS-80
HARD DRIVES
For Model I & III
Call For Prices



TRS-80
Model 16 Computer

PRICED FROM

\$4158
BUY DIRECT

CALL US TOLL FREE FOR YOUR DISCOUNT PRICES!

WRITE FOR FREE CATALOG

ATARI

CENTRONICS[®]

TRS-80
PERSONAL COMPUTERS
PRINTERS
SOFTWARE

Smith-Corona[®]
DAISY WHEEL

SONY[®]

FRANKLIN

commodore
COMPUTER

MICRO MANAGEMENT SYSTEMS, INC.

PARCEL DIVISION - DEPT. NO. 4

2803 Thomasville Road East • Cairo, Georgia 31728

GA. & INFO 912-377-7120

All TRS-80 Equipment is Pure Radio Shack Factory Built. Free copy of Radio Shack Warranty available upon request. TM - Tandy Corporation

ORDER TOLL FREE 1-800-841-0860

PROGRAMS FOR THE 80's

WAR in the SOUTH ATLANTIC puts you in the commander's seat of the British Armed Forces. Deal with unpredictable weather, political unrest, and the unruly Argentine Forces to win the ultimate goal...Sovereignty over the..... FALKLAND ISLANDS!!!

FOR RADIO SHACK LINE PRINTERS VII & VIII

CHARACTER GENERATOR - Allows you to generate any special character you wish for use in your own printouts with ease!

PICTURE GENERATOR - Allows you to draw pictures on the screen and print them normal size, or enlarged 1 or 2 times!!! Also, save your pictures for use again!!!

All programs for Models I and III:
16K Cassette \$14.95 / 32K Disk \$19.95

Programs For The 80's

P.O. Box 50160

Indianapolis, IN


46250

1-317-849-2055



✓418


Some things are just
naturally right.



Now on TRS-80
Model I
Disk

tiny-c is a structured programming language designed to give BASIC programmers experience in structured programming concepts. Structured programming brings a different way of thinking to a software project. Tiny-c is the natural step up from BASIC towards this different way. Once you've made the transition, you are ready for any modern structured language, such as C or PASCAL. tiny-c, the structured programming trainer. tiny-c ONE now on disk for the TRS-80 model I, \$100.

tiny c associates, P.O. Box 269, Holmdel, NJ 07733
(201) 671-2296



You'll quickly discover **tiny-c** is naturally right for your language needs.

New Jersey residents include 5% sales tax. Visa or MasterCard accepted. Include charge plate number with order.
• TRS-80 is a trademark of Tandy Corp.
• tiny-c is a registered trademark of tiny-c associates.

three processes.

The type of impurity added to the silicon determines its electrical character. Pure silicon does not conduct electricity. Silicon with boron added becomes a P-type material. Other impurities produce N-type materials. N and P-type materials are semiconductors, meaning they conduct electricity but not very well. External factors affect their ability to conduct. When N and P-type materials are physically joined, a PN junction is produced. Electricity may flow from the N to the P-type material when a voltage is applied across the junction, but may not easily flow in the opposite direction.

Light, heat and pressure all increase the junction's conductivity. That is why normal transistors are sealed in hard, opaque and sometimes aluminum packages. The package retains uniform performance over a wide range of environmental changes.

A diode, photodiode, or LED has only a single PN junction while phototransistors have two (see Fig. 2). The normal direction of current flow is from N-type material to P-type material across the PN junction. A leakage current is a current that flows in the opposite direction, from P to N. Light shining on these junctions greatly increases the leakage current forcing the device to conduct in the opposite direction.

As sensors for the TRS-80, light sensitive devices are excellent. They can detect a light of particular frequency (such as infrared). Used with a source of such light these sensors detect the presence of a reflective object or

locate the source and notify the TRS-80 of its discovery. Obstacles to the robot's movement are sensed before actual contact.

In much the same fashion, heat and pressure-sensitive solid state devices vary their resistance according to the quantity of strain or heat applied. Although these devices are analog and have a wide operating or functional range, the experimenter can use them as part of a threshold detecting device. This device uses the analog sensor in an all-or-none circuit where the output of the circuit is a binary low (less than 1.4 volts dc) until the sensor detects a predetermined weight or temperature. At this threshold the circuit produces a binary high (over 4.2 volts dc).

Programming the TRS-80 for digital input is much simpler than for analog; the related hardware is also less expensive.

The Hardware

A simple way to interface sensors to the TRS-80 is to have the software handle the analog to digital conversion (ADC) process. The following is a straightforward approach to building an interface which plugs directly into the TRS-80 expansion port. Software is written for Level II Basic.

The interface circuit (see Fig. 3) is designed to handle six sensors, although a single sensor could be used. The 74367 integrated circuit is a bus driver chip and the 555s are common timers used here as monostable pulse generators. (Do not worry about unfamiliar terminology. The proper names are included merely to label—not to confuse).




Fig. 2.

Looking at Fig. 3, when the 555 timers are triggered by a negative $\overline{\text{OUT}}$ pulse from the TRS-80, a positive output may be seen on pin 3. The voltage applied to pins 6 and 7 by the sensor determines the duration of this output pulse, usually between 10 and 30,000 microseconds.

Before $\overline{\text{OUT}}$ goes negative, enabling the 555, pin 7 is close

to ground. Output 3 of the 555 will go high when $\overline{\text{OUT}}$ goes negative until the current from the sensor charges the sensor capacitor and the voltage at pins 6 and 7 of the 555 match the voltage at pin 5 (usually 3.33 volts dc). I recommend a simple IC or one transistor amplifier as an intermediate stage between the sensor and the 555 for any sen-




Fig. 3. The TRS-80 Model 1 sensor interface

TRS-80TM COMPUTERS

1-800-841-0860 Toll Free

BUY DIRECT
PURE RADIO SHACK EQUIPMENT
LOW DISCOUNT PRICES

TRS-80 Color Computer



BUY
DIRECT

PRICED
FROM **\$289**

TRS-80 Model II
Computer

BUY
DIRECT



PRICED
FROM **\$2988**

TRS-80 Model III
Computer



BUY
DIRECT

PRICED
FROM **\$599**


TRS-80 Model 16 Computer



BUY
DIRECT

PRICED
FROM **\$4158**

Smith Corona TP-1
Daisy Wheel Printer



BUY
DIRECT

*LIST \$895 **\$599**

NEW!

Radio Shack TRS-80
HARD DRIVES
For Model I & III
Call For Prices

FRANKLIN
ACE COMPUTER

ATARI

WRITE FOR YOUR FREE CATALOG

We Carry The Full TRS-80 Product Line

**MICRO MANAGEMENT
SYSTEMS, INC**

PARCEL DIVISION - DEPT. NO. 4A
2803 Thomasville Road East - Cairo, Ga. 31728

GA. & INFO 912-377-7120

TM - TANDY CORPORATION - FREE COPY OF WARRANTY UPON REQUEST

SCM SMITH-CORONA

✓ 96 **VIC-20**
The friendly computer

Thousands of Satisfied Customers Since '78

References

- Barden, William Jr. *TRS-80 Assembly Language Programming*. Radio Shack, 1979.
- Briot, M., Talou, J.C., and Bauzil, G. "Design of a Multi-Sensor System for the Autonomous Mobile Robot HILARE." *Industrial Robot*, 1980.
- Lancaster, Don. *The TTL Cookbook*. Howard Sams and Company, 1978.
- McAllister, Don. "Low Cost Robot." *Byte Magazine*, June 1980.
- Mims III, Forrest M. *Engineer's Notebook*. Radio Shack Notes, Catalog No. 276-5001. Fort Worth; Radio Shack, 1979.
- National Semiconductor. *Linear Data Book*. National Semiconductor, 1976.
- Nitzan, D. "Robotic Sensors in Programmable Automation." *Technical Note 183*, March 1979, p. 36.
- Oliver, R. "Improve Photo Sensors with a Phase-Locked Loop IC." *Electronic Design News*, April 5, 1976.
- Radio Shack. *TRS-80 Microcomputer Technical Reference Handbook*. Radio Shack Notes, Catalog No. 26-2103. Fort Worth; Radio Shack, 1978.
- Texas Instruments Inc. *Understanding Solid State Electronics*. Radio Shack Notes, Catalog No. 62-2035. Fort Worth; Radio Shack, 1972.
- Texas Instruments Inc. *The TTL Data Book*. Dallas; Texas Instruments Inc.
- Weinstein, M. "Opto Whiskers for a Mobile Robot." *Robotics Age*, January/February 1981.
- Winston, P. *Artificial Intelligence*. Addison-Wesley, 1977.

sor with a very low output.

The 74367 is a tri-state bus driver. Upon receiving a negative \overline{IN} pulse from the TRS-80 the bus driver presents the sensor outputs 0 or 1 onto the TRS-80 data bus. A switch may be interfaced to the input of the 74367 directly and read only once by the $IN(0)$ command from Level II Basic.

The machine language code (Program Listing 1) may be POKEd into the string definitions in Program Listing 2 or entered permanently using T-Bug. If the latter approach is used, the resultant Basic program can be stored on cassette, as is, for later use.

The use of sensors to monitor its environment is only the first step towards creation of the TRS-80 based robot I affectionately call "Trashie." Next month you can expect a discussion of actuators and output devices. If there is sufficient response I will release the complete schematics for Trashie in the final installment. Let us hear from you if you're interested. ■

Stephen Davids has designed and developed some of the world's most fascinating robot systems, including talking vending machines, robot waiters and K-9 the robot dog.

```
D3 10      A$      OUT(10H) A      ; trigger A to D converter
CD 7F 0A    CALL 0A 7FH      ; initialize converter
44          LD B H          ; with most significant byte
4D          LD C L          ; least significant byte
03          LOOP 1    INC BC      ; increment counter
CB 58       BIT 3 B          ; limit max converter value
C0          RET NZ          ; return if value exceeded
DB 10       IN A (10H)      ; input sensor data D7
CB 7F       BIT 7 A          ; check if D7 = 1 (see note 1)
ED 43 01 70 LD(7001H) BC      ; store count in 7001H (see note 2)
20 F2       JR NZ LOOP1      ; keep counting if D7 = 1
C9          RET              ; stop count when D7 = 0
                        ; and return to Basic
```

Note 1: Op-codes for BIT n, A with n = 0, 1, 2 ... 7 are:

n = 7: CB 7F	n = 4: CB 6F	n = 1: CB 4F
n = 6: CB 77	n = 3: CB 5F	n = 0: CB 47
n = 5: CB 6F	n = 2: CB 57	

Note 2: To deposit the results at different addresses change the last two bytes of the LD instruction to the desired address low-order byte first so that "ED 43 03 70" will store the result at 7003-4, etc.

Program Listing 1

```
10 AS=" SENSOR #1 A/D CONVERSION"
20 BS=" SENSOR #2 A/D CONVERSION"
30 CS=" SENSOR #3 A/D CONVERSION"
40 DS=" SENSOR #4 A/D CONVERSION"
50 ES=" SENSOR #5 A/D CONVERSION"
60 FS=" SENSOR #6 A/D CONVERSION"
70 X=VARPTR(AS)
80 POKE16526, PEEK(X+1):POKE16527,PEEK(X+2)
90 L=USR(0)
100 X=VARPTR(BS)
110 POKE16526,PEEK(X+1):POKE16527,PEEK(X+2)
120 L=USR(0)
130 X=VARPTR(CS)
140 POKE16526,PEEK(X+1):POKE 16527,PEEK(X+2)
150 L=USR(0)
160 X=VARPTR(DS)
170 POKE16526,PEEK(X+1):POKE16527,PEEK(X+2)
180 L=USR(0)
190 X=VARPTR(ES)
200 POKE16526,PEEK(X+1):POKE16527,PEEK(X+2)
210 L=USR(0)
220 X=VARPTR(FS)
230 POKE16526,PEEK(X+1):POKE16527,PEEK(X+2)
240 L=USR(0)
250 S1=PEEK(28673)+256*PEEK(28674)
260 S2=PEEK(28675)+256*PEEK(28676)
270 S3=PEEK(28677)+256*PEEK(28678)
280 S4=PEEK(28679)+256*PEEK(28680)
290 S5=PEEK(28681)+256*PEEK(28682)
300 S6=PEEK(28683)+256*PEEK(28684)
310 PRINTS1,S2,S3,S4,S5,S6
320 GOTO70
330 END
```

Program Listing 2. Basic Program for Analog Digital Conversion and Display



(513)
294-3383

**THE SOFTCORE
SOFTWARE CO.**

9 Southmoor Circle, Kettering, OH 45429

"TOO MUCH" FOR RADIO SHACK!

Radio Shack REFUSED to include MISADVENTURE #1 in their SOURCEBOOK due to our description of the game!

✓379

- MISADVENTURE SERIES—model I & III 16k**
- #201 (#1) Madam Rosa's Massage Parlor* \$15.00
 - #202 (#2) Wet T-Shirt Contest* \$15.00
 - #203 (#3) Sewers of Moscow**—with sound! \$15.00
 - #204 (#4) Casino of Pleasure**—with sound! \$15.00
 - #205 (#5) Naked Nightmare**—with sound! NEW! \$15.00
- *not as hard **experience recommended


- ARCADE—TYPE GAMES—model I & III 16k**
- #302 Block Breaker by Cedar Software—with sound! \$14.95
 - #303 Leaper by Cedar Software—NEW!—with sound! \$15.95

- ADVENTURE DECODER—model I & III 16k**
- #301 Dohne' Bugg (Adventure-decoder) \$15.00

- COLOR COMPUTER—games and Misadventures**
- #401 Mystery of the Keys (4k)—with sound! \$15.00
 - #501 (#1) Madam Rosa's Massage Parlor (16k)—with sound! \$15.00
 - #502 (#2) Wet T-Shirt Contest (16k)—with sound! \$15.00

Immediate shipment! Check, credit cards, or phone orders [12-6 p.m.] Dealers and distributors welcome—please inquire! HINT SHEETS AVAILABLE!

LEAPER!



"Big Five: EAT YOUR HEART OUT!"
—the Gamerster

Joystick Compatible!
Fast-Action Machine Language!
New!
1 or 2 players
Go Frog Go!

Our MISADVENTURE SERIES consist of CHALLENGING and FUN "adventure-type" programs that may occasionally be a bit naughty!

MYSTERY OF THE KEYS for the color computer is a graphic puzzle as addicting as "The Cube" and similar to "The Link". 4k and up.

DOHNE' BUGG is our best-selling ADVENTURE-DECODER! Are you STUCK in a machine-language ADVENTURE GAME? This program will display on the screen all VERBS that interact in the game, all LOCATIONS & OBJECTS you will find, and all ACTIONS that result! A MUST FOR THE SERIOUS ADVENTURER!

All programs are presently available in cassette form.

For serious business microcomputing, only one operating system exactly fits.

Whether you're in business and do microcomputing, or in computing and sell to business, you'll like OASIS.* Not a hobby or scientific system warmed-over for business use, OASIS is the only operating system designed from the ground up for business.

SERIOUS BUSINESS

COMES IN ALL SIZES.

Whatever your business need, OASIS has the operating system to match: 8-bit or 16-, single-user or the multi-user system that professionals tell us makes micros run like minis. And that's even truer now with new OASIS-16.** (OASIS exact business fit #1: choice.)

A SYSTEM IS ONLY AS GOOD AS THE BUSINESS PROGRAMS IT RUNS.

The acid test for any business operating system is the application software available to run on it. There's plenty for OASIS—for nearly any job.

And it's top quality, too, because our integrated tools are top quality—and there are more of them. Like a high-level BASIC Interpreter/Compiler/Editor/Debugger; ISAM/Keyed/Direct/Sequential Files; a smart Print Spooler; Automatic Record Locking (OASIS exclusives!); plus COBOL & 'C' Languages. These tools are mandatory for high-quality business application program development—ask any developer. (OASIS exact business fit #2: high-quality application software.)

PORTABILITY PROTECTS BUSINESS

SOFTWARE INVESTMENTS.

OASIS is custom-fitted to manufacturers' hardware so application software developed to run on one OASIS equipped machine can also run on others—and is upwardly compatible from 8-bit OASIS Single-User to Multi-User, on up to OASIS-16. This kind of application software portability is exclusive with OASIS.

Device independence allows various printers and terminals to be used—with no modification to application

software: OASIS system software compensates for differences. (OASIS exact business fit #3: portability.)

ACCURATE DATA & A SECURE

SYSTEM REDUCE BUSINESS RISKS.

Data integrity—a challenge for any multi-user system—is insured by OASIS File & Automatic Record Locking. With it, normally all users can view a record at the same time. BUT, if the record is being updated by one user, other users are automatically denied access until the update is complete. That means data is always accurate and up-to-date. It's still another OASIS exclusive.

For system security, there's OASIS Logon, Password & Privilege Level. User Accounting keeps track of who used the system, when. (OASIS exact business fit #4: data integrity/system security.)

A FRIENDLY SYSTEM IS

GOOD BUSINESS.

For user-friendliness, OASIS sets new standards. Example: the EXEC Job Control Language is so smart it walks users through their applications—and around the operating system.

With our 'HELP' feature, if you are unsure of the functions and options

available, type 'HELP' and the command function title—OASIS displays the syntax and options available.

Of course it's all in your language—not computerese. (OASIS exact business fit #5: user-friendliness.)

AND, AND, AND...

Some of the best, most extensive documentation in the industry; a packed Application Software Directory; multi-level training; direct telephone support; worldwide sales & service; options like CONTROL Relational Data Base Management System and MASTERPLAN Financial Modeling Package; OASIS has it all. (OASIS exact business fits #6 through #12.)

Now you know why there's no reason to struggle trying to put a square peg in a round hole. For serious business microcomputing,

there is one operating system that exactly fits: **OASIS**. Call or write us today for details.

* For Z80

** For 8086, 68000, Z8000, LSI-11, & others.

OASIS

STRICTLY BUSINESS

PHASE ONE SYSTEMS, INC.

7700 Edgewater Drive, Suite 830
Oakland, CA 94621-3051
Telephone 415/562-8085 TWX 910-366-7139

I'm serious about my business—please send me:

- ☐ OASIS-16 Manual, \$75
 - ☐ OASIS Manual, \$60
 - ☐ Free Application Software Directory and put me on your mailing list.
- (Add \$3 for shipping; California residents add sales tax.)

Name _____

St. (No Box #) _____

City _____ State _____ Zip _____

☐ Check enclosed ☐ VISA ☐ Mastercharge
☐ UPS C.O.D. ☐ American Express

Card No. _____ Exp. date _____


Signature _____

DEMISE

By Case from Acorn

A fast-action space game that's **very** challenging! You must destroy the aliens with lasers and "smart bombs." Then, make your way carefully through a meteor storm and a rocky tunnel. Great sound effects; keyboard control.

16K Tape or Disk, \$19.95




KING OF THE JUNGLE

By Vandewalle from Acorn

An unusual combination of fast pinball action plus the challenges and dangers of an arcade game. Keep the ball in play, scoring points as it caroms from obstacle to obstacle, while wandering through the jungle searching for the hidden crown. And try to avoid the deadly Cobra. Lots of action, sound and fun! Choice of 3 screens. Can be used with Trisstick joystick.

16K Tape or Disk, \$19.95




EVADE

By Knight from Acorn

You're in charge of the USS Krestan, an interstellar tri-ship. If you defeat the enemy aliens you encounter, you get a chance to earn extra points by successfully docking with a larger ship. **Then** come the evil Malicians and dangerous meteor showers. Never a dull moment with this one!

16K Tape or Disk, \$19.95



MYSTERIOUS ADVENTURE

ARROW OF DEATH, PART 1

By Brian Howarth from Acorn

Proper English only! This British import is Acorn Software's first adventure and it meets their reputation for high quality. The vocabulary you use in this adventure must conform to proper English standards—not the barbaric tongue spoken here in the colonies! You and Sorcerer Zardra must restore the kingdom from the engulfing sense of bitterness and ill feeling that forced the ruler to flee the palace.

16K Tape or 32K Disk, \$19.95

Hint Sheet, \$1.00



PANIK

By Demas from Fantastic

An arcade style game of a fascinating future world with high-res graphics and **voice**. Filled with action and excitement; in machine language.

16K Tape, \$19.95

32K Disk, \$24.95



ARMORED PATROL

By Westmoreland & Gilman from Adventure

As commander of a lumbering T-36 tank you have the firepower to destroy the enemy—if you can find them. They may be hiding behind the houses scattered about, the bleak terrain and your only view is thru the drivers port (your screen). Impressive animation in this arcade game.

16K Tape, \$19.95

32K Disk, \$24.95




COMPUTER FOOTBALL STRATEGY

From Avalon Hill

Exciting computer version of the famous board game. You'll have to think fast as you plan the offensive and defensive formations for your team. Play against the computer or a friend.

32K Tape, \$21.00



ASYLUM

From Med Systems **

You are sitting alone at 2 AM. Your eyes are bloodshot as you peer into your computer's screen and cry, "I must be CRAZY!" If this has never happened to you, you've never tried ASYLUM. It's Med Systems most ambitious 3-D graphics adventure yet!

ASYLUM places you on a cot in a small (padded?) room. Periodically the janitor lobbs a hand grenade through the window. What you do next could mean escape—or disaster.

16K Tape, \$19.95

32K Disk, \$22.95

Also available:

ASYLUM II

16K Tape, \$19.95

32K Disk, \$22.95



STRIKE FORCE

From Melbourne House

You are the warrior-savior of cities under relentless alien attack. You're armed with rapid-fire missiles, radar and incendiary star-shells; but you'll need your fastest thinking and instantaneous response to protect yourself and your people. Great real-time graphics!

16K Tape, \$15.95

32K Disk, \$19.95




PENETRATOR

By Philip Mitchell from Beam

Armed with missiles and bombs, you must fly your fighter to the enemy's cache of neutron bombs and destroy them. Your mission is in four stages, involving rugged terrain, caverns and manmade obstacles—not to mention enemy radar, missiles and paratroopers. This new departure in arcade gaming allows you to set up your own terrain and enemy emplacements, then save them for future use. Make your mission as hard or easy as you like. Joystick compatible.

16K Tape or 32K Disk, \$24.95




SEA DRAGON

By Westmoreland & Gilman from Adventure

Underwater adventure is yours as you command a nuclear sub armed with deadly missiles and torpedoes. Guide it carefully through sea mines and underwater mountains; watch out for depth charges being fired by overhead ships... and don't run out of air! Scrolling sea bottom for added excitement.

16K Tape, \$19.95

32K Disk, \$24.95




REAR GUARD

By Neil Larimer from Adventure Int.

A space battle between your cruiser and wave-after-wave of enemy ships. You can destroy them with your energy darts or you can ram them—as long as your shields are intact. The action takes place on a continuous horizontal landscape. You control the altitude and speed of your craft as you pursue the enemy. Skill level 1 is exciting, and there are four more levels available.

16K Tape, \$19.95

24K Disk, \$24.95



Over 1500 Programs for TRS-80,

ATARI 400/800, APPLE & IBM.

**For Information Call
202-363-9797**

Visit our other stores:
829 Bethel Rd., Columbus OH
Seven Corners Center, Falls Church, VA
W. Bell Plaza, 6600 Security Blvd., Baltimore MD



**To Order Call Toll-Free
800-424-2738**

VISA

MasterCard

MAIL ORDERS: Send check or M.O. for total purchase price, plus \$2.00 postage & handling. D.C., MD. & VA.: add sales tax. Charge cards: include all embossed information on the card.

4200 Wisconsin Avenue, NW, Dept. 8E211 Box 9609 Washington, D.C. 20016

Your TRS-80 I and III



CATERPILLAR

From Soft Sector Marketing
This is the fast-action arcade game you've been waiting to play at home! You must hit mushrooms and caterpillars—segment by segment—moths and tumble bugs. The challenges: they are all moving; when hit they split into additional segments or metamorphose into different shapes; when you destroy a caterpillar, the new one that replaces it is a segment *longer* than the original!


16K Tape, \$15.95
32K Disk, \$19.95



HYPERLIGHT PATROL

By Warren Green from Fantastic
Realistic space conflict simulation with continuous projection map display that shows you **complete** globe of space around your airship: front, sides, back, above and below. Your ship—and the enemy's—can maneuver in 3-D space, and can move by hyperlight jumps. You can only learn by playing what are the best strategies and tactics for survival. "Talks" through cassette port.

48K Disk, \$19.95



THE WYLDE Warriors of RAS, Vol. 3

By Masteller from Med Systems
The newest in this fascinating series of adventure/role playing games. You **create** the characters, then play the game, solving all its complex challenges. Save the games, and the characters. Characters are interchangeable among the 3 volumes. Machine language, great graphics. No "rules" to consult; no waiting for the computer.

48K Tape or Disk, \$29.95

Also available:

KAIV, Volume 2,
48K Tape or Disk,
\$29.95



BOUNCEOIDS

From Cornsoft
We're not sure what they are, but they're **huge** and dangerous! BOUNCEOIDS bounce off walls, and can kill with one touch. Your mission is to destroy them with your new class 4 annihilator. Then there are the terrible bugs coming out of null space to crunch you to smithereens. You'll need coordination, strategy and courage! Joystick-compatible.

16K Tape, \$15.95 16K Disk, \$19.95



SKYSCRAPER

By Fine from Superior
3-part maze game for the nimble-fingered. First, you must move through maze while avoiding barrels coming at you; second, you must look out for fires that break out randomly on screen; third, you ride elevators up and down from platform to platform. The sky's the limit... how far can you go? 1 or 2 player game with sound; joystick compatible.

32K Tape, \$19.95


32K Disk, \$21.95



DEFIANCE

From Fantastic
The first talking space simulation! You're defending Starbase 12 during war between United Federation of Planets and the Klingon Empire. You have just been given command of the USS Defiance, and are authorized to take any action necessary to defend yourself and the Federation. "Talks" through cassette port; joystick compatible.

48K Disk, \$24.95



DUNZHIN Warriors of RAS, Vol. 1

By Masteller from Med Systems
The first adventure/role playing game to combine fast graphics, fast response time and complete computer implementation. DUNZHIN places you in a many-level dungeon, filled with demons and goblins. You must search for hidden treasures, but only **one** will win the game. In this series you create the characters, and can save them for future games, or use them in other volumes.


48K Tape or Disk, \$29.95



LEAPER

From Cedar Software
Fast action, machine language game for one or 2 players. Your frog must dodge traffic and cross river on fast-moving logs. Ready, set... **LEAP!**


16K Tape, \$15.95



INSTANT SEARCH/ SORT DATABASE

By G. Hatton from Acorn
An easy-to-use, yet powerful database management tool, ISS alleviates many of the complications usually found in setting up and maintaining information files. Written in machine language, ISS can provide a multitude of sorts, subsorts, searches and categorizations in seconds. Because the processing is done in memory, you can manipulate the data at will without risk to your database on tape or disk. The number of records is limited only by your file format and the amount of RAM in your system.

16K Tape or 32K Disk, \$49.95



By Richard Wilkes from Acorn
Using your SuperScript modified Scripsit Word Processor and a compatible printer, you can now underline, boldface, insert text during printout, slash zeros, set type pitch, subscript and, of course, superscript! You can even read your directory and kill files without ever leaving Scripsit.


SuperScript comes with drivers for popular serial and parallel printers (now including Centronics 737 and RS Daisy II), and easy instructions for patching to your Scripsit program (does not include Scripsit).

32K Disk, \$49.95 Use Model I Scripsit

MONEY MANAGER

By Andrew P. Bartorillo from Acorn
A complete management tool for the home budget, it keeps track of your checkbook and provides for easy budget allocation. You can store information on up to 100 checkbook entries per month (250 with 48K), specify automatic withdrawals, keep records of tax deductibles, record expenses by category, even break up charge account payments into the proper categories.

32K Disk, \$39.95



POWER DRAW

By Kim Watt from Powersoft
A graphic screen editor that works with all major operating systems. Special features: graphics and text may be intermixed; screen may be saved to available memory buffers; buffers may be saved to tape or disk in 6 formats; single and double wide video are supported. With trace mode to constantly display cursor positioning; grid mode to aid in centering figures on screen. Alpha joystick compatible.

Disk, \$39.95



THE PROGRAM STORE • Dept. 8E211 • Box 9609 • 4200 Wisconsin Avenue, NW • Washington, D.C. 20016

Item	Tape/Disk/Book	Price	Postage \$2.00	Name
			Total	Address
				City
				State
				Zip
				Card #
				Exp

Put numbers on your CC screen while in the graphics mode.

Show the Score

Frederick F. Battista
9 Belle Court
Budd Lake, NJ 07828

The fast moving full graphic Color Computer games are challenging and quite exciting. The excitement is diminished somewhat by the computer's inability to display numeric characters such as scoring and timing while in the full graphic mode. I wrote a machine language program and a demonstration program to add this missing pizzazz to your game displays.

The program can be called from Basic, displays numerics 0-999, operates in PMODE 1, 2,

and 3 and allows positioning the screen display.

Operation

Program Listing 1 is a Basic program that loads the machine language routine. The machine language code, Program Listing 2, resides in 230 bytes of memory and starts at address 16054 decimal. The machine language routine starts at memory address 16235, while data starts at 16054. The screen display position is POKed into memory addresses 16286 and 16287. The value of the numeric display is transferred from the Basic calling program to the machine language routine through

the Basic USR(N) function.

The character set in the machine language routine is generated through a bit-mapping technique. The characters are

mapped in a 16 bit wide by 9 bit high display (Fig. 1a-d). Each character requires 18 bytes for definition. For the character set 0-9, 180 bytes of memory are re-

Byte																	
1									2								
7	6	5	4	3	2	1	0		7	6	5	4	3	2	1	0	
0	1	0	1	1	0	1	0		1	0	1	0	0	1	0	1	
0	1	1	0	0	1	0	1		0	1	0	1	1	0	0	1	
0	1	1	0	0	1	0	1		0	1	0	1	1	0	0	1	
0	1	1	0	0	1	0	1		0	1	0	1	1	0	0	1	
0	1	0	1	1	0	1	0		1	0	1	0	0	1	0	1	
0	1	1	0	0	1	0	1		0	1	0	1	1	0	0	1	
0	1	1	0	0	1	0	1		0	1	0	1	1	0	0	1	
0	1	1	0	0	1	0	1		0	1	0	1	1	0	0	1	
0	1	0	1	1	0	1	0		1	0	1	0	0	1	0	1	


Fig. 1a.

Program Listing 1

```

5 REM INITIALIZE
10 REM*****
20 REM*      ADD NUMERICS TO TRS80      *
25 REM DRAW SHIP                        *
30 REM*      COLOR GRAPHICS            *
40 REM*
50 REM*      F.F. BATTISTA              *
60 REM*      BUDD LAKE, N.J.           *
70 REM*      APRIL 25,1981              *
75 REM DRAW SUB 1
80 REM*****
90 REM PROTECT MEMORY ABOVE 16054
100 REM
105 REM DRAW SUB 2
110 CLEAR 62,16054
120 REM
130 REM POKE MACHINE LANGUAGE ROUTINE INTO MEMORY
135 REM SOUND EFFECTS
140 REM
150 FOR I=16235 TO 16371
155 REM DRAW TITLE
160 READ CD
170 POKE I,CD
180 NEXT I
185 REM LASER DISPLAY ROUTINE
190 REM
200 REM POKE BIT MAP DATA INTO MEMORY
205 REM MOVE SHIP DISPLAY
210 REM
220 FOR I=16054 TO 16233
230 READ A
240 POKE I,A
250 NEXT I
260 REM
270 REM DEFINE MACHINE CODE STARTING ADDRESS
280 REM
290 DEFUSR=16235
300 DATA 189,179,237,206,63,255,54,15,134,63,30,139,15,180,15,181,15,1
82,55,7,16,131,0,100,45,7,131,0,100,12,180,32,243,16,131,0,10,45,7,131
,0,10,12,181,32,243,215,182,150,180,142,6,3,189,63,184,150,181,48,002,
189,63,184,150,182,48,002,189,
310 DATA 55,8,57,0,0,0,0,15,244,15,245,15,246,15,247,15,248,54,16,198,
18,61,215,246,134,9,151,244,16,142,62,182,16,159,247,220,245,16,158,24
7,166,171,167,132,12,248,220,245,16,158,247,166,171,167,1,198,32,58,12
,248,10,244,38,227,55,16,57
320 DATA 90,165,101,89,101,89,101,89,101,89,101,89,101,89,101,89,90,16
5
330 DATA 86,85,86,85,86,85,86,85,86,85,86,85,86,85,86,85,86,85
340 DATA 90,165,101,89,85,89,85,101,85,149,86,85,89,85,101,85,108,169
8,169
340 DATA 90,165,101,89,85,89,85,101,85,149,86,85,89,85,101,85,108,169
345 REM PUT SHIP AT NEW POSITION
350 DATA 90,165,101,89,85,101,85,149,86,165,85,89,101,89,101,101,90,14
9
355 REM READ AND UPDATE SHIP POSITION
360 DATA 101,89,101,89,101,89,101,89,101,89,106,165,85,89,85,89,85,89
370 DATA 108,165,101,85,101,85,106,165,85,89,85,89,101,89,101,101,90,1
49
380 DATA 90,165,101,89,101,85,101,85,102,165,105,89,101,89,101,89,90,1
65
390 DATA 108,169,85,89,85,101,85,149,86,85,89,85,101,85,101,85,101,85
400 DATA 90,165,101,89,101,89,101,89,90,165,101,89,101,89,101,89,90,16
5
410 DATA 90,165,101,89,101,89,101,89,90,165,85,89,85,89,101,89,90,165

```





Invader's Revenge

By Ken Kalish from Med Systems.

You are the **last** space invader—humans have destroyed all the others—and you're out for **REVENGE!** Wipe out as many as you can, avoiding their lasers and photon blasts. Multiple skill levels; 1 or 2 players; extended BASIC not required. Machine language, hi-res graphics, great sound.

16K Tape, \$19.95



Color Space War

From Spectral Associates

You command the last combat Viper, and must break through the defenses of the Death Star while avoiding the pull of gravity of the Black Hole. Watch out for space mines and enemy ships. Extended BASIC not required. Joysticks.

16K Tape, \$21.95



Madness and the Minotaur

From Spectral Associates

Classic adventure game with 200 rooms, assorted friendly and dangerous creatures, 8 magic spells and—of course—treasures. The computer obeys two-word commands such as "get lamp" to move you through your journey. You must enter the castle of King Minos, descend into the labyrinth and collect all the treasures you can.

16K Tape, \$19.95

Phantom Slayer

By Ken Kalish from Med Systems.

You are the Phantom Slayer, assigned to enter the deadly Catacombs and destroy the mutant Phantoms. You're armed with a laser pistol and proximity detector, but be careful—the Phantoms' touch is **fatal!** Real-time machine language game with hi-res 3-D graphics and sound. Multiple skill levels; extended BASIC not required.

16K Tape, \$19.95



Scepter of Kzirgla

From Rainbow Connection Software

Real-time graphics adventure game with arcade sound for the color computer. 13 floors of dungeon with monsters, treasure chests, hidden trap doors... even a flying magic carpet! All in your quest to find the Scepter of Kzirgla. Whatever you do, don't get caught in the poisonous gas cloud! Extended BASIC required.

16K Tape, \$16.95,

16K Disk, \$21.95




TRS-80 Color Basic

By Bob Albrecht from John Wiley & Sons

Step-by-step guide to the unique color, sound and graphic capabilities of your new Color Computer. No previous experience is required. Teach yourself BASIC—there's a whole chapter on typical programming problems and solutions.

Softcover, \$9.95



Color Bonanza

From Soft Sector Marketing.

Six tapes, filled with programs to delight every color computer user! You'll find games that are fun, fascinating, challenging. Learning programs to interest the whole family. Utilities to help organize your home or office, and learn more about programming your computer. Truly a **BONANZA**, for hours and hours of home entertainment—**50** programs in one package!

6 Tapes, 8K-24K, \$49.95

Moon Lander




By Greg Zumwalt from American Small Business Computers

Pilot your spacecraft over the moon's landscape and try to land it amid the mountains and craters. While carefully controlling your fuel consumption, use your joysticks to maneuver your craft and control your velocity against the forces of gravity. Be careful to avoid the asteroids drifting through space.

16K Tape, \$14.95

Ghost Gobbler



From Spectral Associates

In this new and exciting version of the popular arcade game, use your joysticks to move your Ghost Gobbler through the maze, eating dots and power pills to score points. 8 bonus shapes, super sound, and 16 skill levels. Extended BASIC required; joysticks.

16K Tape, \$21.95

Master Control



From Soft Sector Marketing

This is a BASIC language program designed to decrease typing time and error while providing direct control of motor, trace, audio and run. With Automatic Line Numbering and a custom key you can re-use or change at any time; plus 50 preprogrammed command keys. Can be used on a 32K system.

16K/32K Tape, \$24.95

For Information Call
202-363-9797

To Order Call Toll-Free 800-424-2738



the PROGRAM STORE

4200 Wisconsin Avenue, NW, Dept. 8E211 Box 9609
Washington, D.C. 20016

Visit our other stores: Seven Corners Center, Falls Church, VA • W. Bell Plaza, 6600 Security Blvd., Baltimore, MD
829 Bethel Rd., Columbus OH

THE PROGRAM STORE • Dept. 8E211 • Box 9609 • 4200 Wisconsin Avenue, NW • Washington, D.C. 20016

Item	Tape/Disk/Book	Price	Postage \$2.00	Name
			Total	Address
			<input type="checkbox"/> CHECK <input type="checkbox"/> VISA	City
			<input type="checkbox"/> MASTERCARD	State
			Card #	Zip
				Exp

```

*****
* 3 DIGIT BIT MAPPED DISPLAY ROUTINE FOR *
* THE TRS80 COLOR COMPUTER. CALLED FROM BASIC *
*
* WRITTEN BY FRED BATTISTA APRIL 5, 1981 *
* BUDD LAKE, N.J. *
*****
3F6B BD JSR B3ED 'GET USR(N) ARGUMENT AND PUT IN D REG.

```

quired for data.

Integer values are passed to the machine language routine through the USR(N) argument.

Decimal Byte 1	Value Byte 2
-------------------	-----------------

90	165
101	89
101	89
101	89
90	165
101	89
101	89
101	89
90	165

Fig. 1b.

Basic jumps to the machine language code starting at the memory address established by the statement DEFUSR = address.

The high order address byte for the screen display location is POKEd into 16286. The low order address byte is POKEd into 16287. The value POKEd must be the decimal equivalent of the high and low address byte. Address OAF1 would have the decimal values of 10 for the high byte and 241 for low.

The display start position is

C1	C2	C1	C2	C1	C2	C1	C2
----	----	----	----	----	----	----	----

Byte Format

Fig. 1c.

COLOR COMPUTER SOFTWARE



BASIC AID

HELP FOR THE
BASIC PROGRAMMER

At last, the development tools you need! All available instantly at power-up.

MERGE COMMAND: Insert programs stored on cassette into your Basic program. You can even assign new line numbers to the file you read in. Create your own tape library!

MOVE COMMAND: Lets you renumber any part of your Basic program. GOTO's, GOSUB's, etc. automatically changed.

AUTOMATIC LINE NUMBERING: You'll love this. Never type in another line number

PLUS 45 common Basic commands available as single key Control characters. Or change ANY OR ALL keys to your own specifications! Comes with convenient, easy to remove, plastic keyboard overlay. All of this in a convenient ROM cartridge that uses almost none of your valuable memory. CARTRIDGE \$34.95

COLORCOM/E SMART TERMINAL PROGRAM

We didn't wait for the competition to catch up with us! We've added even more features to COLORCOM/E, our Super Smart Terminal program.

- Complete upload & download support
- On line cassette reads & writes
- Automatic capture of files
- Pre-enter data before calling
- Send all 127 ASCII characters
- Word mode eliminates split words
- Off line AND on line scrolling
- Selectable RS232 parameters

We've got the best cassette and upload/download support available. And you can conveniently print any portion of the received buffer you want. NOW ON DISK! Reads and writes files from disk. Same great features plus more.

DISK OR CARTRIDGE \$49.95

EDITOR ASSEMBLER DEBUGGER \$695

CCEAD: This 8K Basic Program supports cassette files, has full cursor control, line insertion/deletion, and much more. Two pass assembler supports full 6809 instruction set & addressing modes, lists to screen or printer. Debugger allows memory examine / modify, program execution. If not delighted return within 2 weeks for a full refund. You get fully commented Basic source & complete instructions. Requires Ext. Basic & 16K CASSETTE \$69.95

STRIPPER: Three valuable commands: (1) Delete Remarks; (2) Pack Lines; (3) Delete Spaces. Fully automatic, is not fooled by GOTO's, GOSUB's, etc. Your programs will run faster and take up much less memory. CASSETTE \$7.95

CUSTOM CARTRIDGES: Put YOUR Basic program into a convenient ROM Cartridge. Runs instantly at power-up. Use for Ad displays, schools, etc. Call or write for info.

Send check, money order,
or Visa/MC Number.
Include \$1 for postage and
handling. Visa/MC. Phone
for fast service.

**Eigen
Systems**

P.O. Box 10234
Austin, Texas 78766
(512) 837-4665

✓ 154

```

B3
3F6D ED
3F6E CE LDU #3FFF 'SET STACK POINTER
3F6F 3F
3F70 FF
3F71 36 PSHU #CC+A*B 'SAVE IN STACK
3F72 0F
3F73 86 LDA #3F 'SET DIRECT PAGE REGISTER
3F74 3F
3F75 1E EXC A*DP
3F76 8B
3F77 0F CLR B4 'INITIALIZE DIGITS TO ZERO
3F78 B4
3F79 0F CLR B5
3F7A B5
3F7B 0F CLR B6
3F7C B6
3F7D 37 PULU #CC+A*B 'RESTORE USR(N) ARGUMENT
3F7E 07
3F7F 10 CMPD #64 'IF D<100 THEN BRANCH TO 3F8C
3F80 83
3F81 00
3F82 64 BLT 07
3F83 2D
3F84 07 SUBD #64 'SUBTRACT 100 FROM D
3F85 83
3F86 00
3F87 64
3F88 0C INC B4 'INCREMENT MOST SIGNIFICANT DIGIT
3F89 B4
3F8A 20 BRA F3 'GOTO 3F7F
3F8B F3
3F8C 10 CMPD #A
3F8D 83
3F8E 00
3F8F 0A
3F90 2D BLT 07 'IF D<10 THEN BRANCH TO 3F99
3F91 07
3F92 83 SUBD #A 'SUBTRACT 10 FROM D
3F93 00
3F94 0A
3F95 0C INC B5 'INCREMENT SECOND DIGIT
3F96 B5
3F97 20 BRA F3 'GOTO 3F8C
3F98 F3
3F99 D7 STB B6 'STORE LEAST SIGNIFICANT DIGIT
3F9A B6
3F9B 96 LDA B4 'LOAD MSD
3F9C B4
3F9D 8E LDX #0603 'LOAD SCREEN DISPLAY SCREEN ADDRESS
3F9E 06
3F9F 03
3FA0 BD JSR 3FB8 'JUMP TO DISPLAY ROUTINE
3FA1 3F
3FA2 B8
3FA3 96 LDA B5 'LOAD 2ND DIGIT
3FA4 B5
3FA5 30 LEAX 2,X 'INCREMENT SCREEN DISPLAY ADDRESS
3FA6 02
3FA7 BD JSR 3FB8 'JUMP TO DISPLAY ROUTINE
3FA8 3F
3FA9 B8
3FAA 96 LDA B6 'LOAD LEAST SIGNIFICANT DIGIT
3FAB B6
3FAC 30 LEAX 2,X 'INCREMENT SCREEN DISPLAY ADDRESS
3FAD 02
3FAE BD JSR 3FB8 'JUMP TO DISPLAY ROUTINE
3FAF 3F
3FB0 B8
3FB1 37 PULU #DP 'RESTORE DIRECT PAGE REGISTER
3FB2 08
3FB3 39 RTN 'RETURN TO MAIN PROGRAM
3FB4 00 'MOST SIGNIFICANT DIGIT
3FB5 00 '2ND DIGIT
3FB6 00 'LEAST SIGNIFICANT DIGIT

```




DISPLAY ROUTINE FOR TRS80 COLOR COMPUTER

```

3FB8 0F CLR F4 'INITIALIZE SCRATCH PAD TO ZERO
3FB9 F4
3FBA 0F CLR F5
3FBB F5
3FBC 0F CLR F6
3FBD F6
3FBE 0F CLR F7
3FBF F7
3FC0 0F CLR F8
3FC1 F8
3FC2 36 PSHU #X 'SAVE SCREEN DISPLAY LOCATION
3FC3 10
3FC4 C6 LDB #12 'CALCULATE CHARACTER TABLE OFFSET
3FC5 12
3FC6 3D MUL
3FC7 D7 STB F6 'STORE TABLE OFFSET
3FC8 F6
3FC9 86 LDA #9 'LOAD LINES PER DISPLAY
3FCA 09
3FCB 97 STA F4 'STORE LINES PER DISPLAY
3FCC F4
3FCD 10 LDY #3EBB 'LOAD START OF CHARACTER TABLE
3FCE 8E
3FCF 3E
3FD0 BB
3FD1 10 STY F7 'STORE START ADDRESS
3FD2 9F
3FD3 F7
3FD4 DC LDB F5 'LOAD TABLE OFFSET
3FD5 F5
3FD6 10 LDY F7 'LOAD START ADDRESS
3FD7 9E
3FD8 F7

```

Listing 2 Continues






Mod III

GRAFYX SOLUTION™ ✓464

\$299.95

- 512 × 192 Dot Graphics increases resolution 16X (better than Apple)
- Extensive Business, Personal, Educational, and Scientific applications
- 14 BASIC commands set and reset Points, Lines, Circles, Boxes, etc.
- Allows Display and Printout of detailed Line, Bar, and Pie graphs
- 80 Character/line display compatible with BASIC programs and DOS
- Price includes 98K bits memory, 30 programs, 52 page manual
- Plug-in, clip-on board eliminates soldering for easy installation



Mod I, III

80-GRAFIX™ ✓465

\$169.95

- Create and Save 128 programmable hi-resolution characters/shapes
- Characters are generated within an 8 × 12 matrix (Mod I: 6 × 12)
- Great for creating game figures, symbols, and alternate character sets
- Excellent software support (20 programs) & extensive documentation
- Module easily installs within the computer with no soldering

Manual only \$15
Products guaranteed
Dealers welcome

MICRO-LABS, INC. 214-235-0915
902 Pinecrest, Richardson, Texas 75080

FREE shipping
Prepaid or COD
Tx. res add 5%

MICRO MOONLIGHTER NEWSLETTER

The ONLY publication devoted exclusively to helping you create, build, and maintain a home-based business using your micro-system. **SUBSCRIBE NOW** to what may be the most important publication in YOUR FUTURE!

1 Year (12 issues) only \$25 U.S., \$29
Canada, \$35 World Wide

J. Norman Goode, Publisher

Micro Moonlighter Newsletter

2115-D Bernard Avenue • Nashville, TN 37212
Visa and Mastercard welcome. Send account
number and expiration date. 615-297-5106.

☐ Visa Acct # _____ Exp. _____

☐ M/C Acct # _____ Exp. _____

Name _____

Address _____

City _____ St. _____ Zip _____

✓270

HOW YOUR TRS-80® CAN OUTSMART IBM-PC®

With XYZT software your TRS-80 becomes a real pro!

INTERACTIVE CONTROL LANGUAGE (rel. 2-A) .. \$59.00/\$10 ma
The most powerful control language ever designed for the micro. Intended for control of computer operation, software enhancement and customization. Just check list of features:

- Complete control over computer operation
- Powerful command language processor
- Interaction with operator
- Control interception*
- Queue structure for data manipulation*
- Variables and information passed between programs
- Virtual I/O for keyboard and display operations*
- Interactive program/ICL coexecution*
- Enhances DOS, assemblers, compilers, wordprocessors, database, etc.*
- Provides data for keyboard input
- Access to display output*
- &RETCODE indicates result of execution*
- Conditional execution of DOS commands & /CMD files

* Exclusive ICL feature

LIBRARY SUPPORT OPTION ... \$79.00/\$10 ma

Upgrade your DOS with libraries! Organize your files neatly - put all /BAS files into BAS/LIB, /CMDs to CMD/LIB, /RELs to REL/LIB, etc. Use regular DOS commands to list, copy, kill, print, load, save ... files directly to/from libraries. Your processing will be faster, plus LSO saves space - minimal file size is 1 sector, not granule! In addition, the compress option saves another 30% of space. Using LSO we managed to place all files that previously occupied 2.5 diskettes onto one diskette and still 10% of space remained free!

SPECIAL OFFER: ICL and LSO \$99.00

To order, specify Mod I/III and DOS.

Check, M.O., C.O.D. plus \$2.50 s/h

Foreign orders - extra \$10.00

XYZT COMPUTER DIMENSIONS, INC.

2 PENN PLAZA, SUITE 1500

NYC, N.Y. 10121

(212) 244-3100

✓158

Dealers inquiries welcomed * -registered trademarks

NEWDOS/80® □ DOSPLUS® □ LDOS® □ TRSDOS® □ NEWDOS+® □

Listing 2 Continued

3FD9	A6	LDA D+Y	LOAD ACCA WITH VALUE IN (Y+D)
3FDA	A8	STA 0+X	STORE TO SCREEN DISPLAY
3FDB	A7		
3FDC	84		
3FDD	0C	INC F8	INCREMENT CHARACTER TABLE
3FDE	F8		
3FDF	DC	LDD F5	LOAD TABLE OFFSET
3FE0	F5		
3FE1	10	LDY F7	LOAD NEXT CHAR. BYTE ADDRESS
3FE2	9E		
3FE3	F7		
3FE4	A6	LDA D+Y	LOAD ACCA WITH (Y+D)
3FE5	A8		
3FE6	A7	STA 1+X	STORE TO SCREEN DISPLAY+1
3FE7	01		
3FE8	C6	LDB #20	LOAD B WITH NEXT LINE INCREMENT
3FE9	20		
3FEA	3A	ABX	X+R=NEXT SCREEN DISPLAY LOCATION
3FEB	0C	INC F8	INCREMENT CHARACTER TABLE
3FEC	F8		
3FED	0A	DEC F4	DECREMENT LINES/DISPLAY COUNTER
3FEE	F4		
3FEF	26	BNE E3	IF COUNTER<>0 GOTO 3FD4
3FF0	E3		
3FF1	37	PULU #X	RESTORE ORIGINAL SCREEN DISPLAY
3FF2	10		LOCATION
3FF3	39	RTN	RETURN TO CALLING PROGRAM
3FF4	00		LINES/DISPLAY COUNT
3FF5	00		TABLE OFFSET HI BYTE
3FF6	00		TABLE OFFSET LO BYTE
3FF7	00		CHAR. TABLE ADDRESS HI BYTE
3FF8	00		CHAR. TABLE ADDRESS LO BYTE


BIT MAPPING DATA FOR CHARACTER SET 0-9

HEX ADDR.	DATA	DEC. ADDR	DATA
3EB6	5A	16054	90
3EB7	A5	16055	165
3EB8	65	16056	101
3EB9	59	16057	89
3EBA	65	16058	101
3EBB	59	16059	89
3EBC	65	16060	101
3EBD	59	16061	89
3EBE	65	16062	101
3EBF	59	16063	89
3EC0	65	16064	101
3EC1	59	16065	89
3EC2	65	16066	101
3EC3	59	16067	89
3EC4	65	16068	101
3EC5	59	16069	89
3EC6	5A	16070	90
3EC7	A5	16071	165
3EC8	56	16072	86
3EC9	55	16073	85
3ECA	56	16074	86
3ECB	55	16075	85
3ECC	56	16076	86
3ECD	55	16077	85
3ECE	56	16078	86
3ECF	55	16079	85
3ED0	56	16080	86
3ED1	55	16081	85
3ED2	56	16082	86
3ED3	55	16083	85
3ED4	56	16084	86
3ED5	55	16085	85
3ED6	56	16086	86
3ED7	55	16087	85
3ED8	56	16088	86
3ED9	55	16089	85
3EDA	5A	16090	90
3EDB	A5	16091	165
3EDC	65	16092	101
3EDD	59	16093	89
3EDE	55	16094	85
3EDF	59	16095	89
3EE0	55	16096	85
3EE1	65	16097	101
3EE2	55	16098	85
3EE3	95	16099	149
3EE4	56	16100	86
3EE5	55	16101	85
3EE6	59	16102	89
3EE7	55	16103	85
3EE8	65	16104	101
3EE9	55	16105	85
3EEA	6C	16106	108
3EEB	A9	16107	169
3EEC	5A	16108	90
3EED	A5	16109	165
3EEE	65	16110	101
3EEF	59	16111	89
3EF0	55	16112	85
3EF1	65	16113	101
3EF2	55	16114	85
3EF3	95	16115	149
3EF4	56	16116	86
3EF5	A5	16117	165
3EF6	55	16118	85
3EF7	59	16119	89
3EF8	65	16120	101
3EF9	59	16121	89
3EFA	65	16122	101
3EFB	65	16123	101
3EFC	5A	16124	90
3EFD	95	16125	149
3EFE	65	16126	101
3EFF	59	16127	89
3F00	65	16128	101
3F01	59	16129	89
3F02	65	16130	101
3F03	59	16131	89

Listing 2 Continues

for the **TRS-80** from **Micro-Mega**

The Original GREEN-SCREEN



The eye-pleasing Green-Screen fits over the front of your TRS-80 Video Display and gives you improved contrast with reduced glare. You get bright luminous green characters and graphics like those featured by more expensive CRT units.

Don't confuse the Original Green-Screen with a piece of thin film stuck to the face of your video tube, such as that advertised by others. The Original Green-Screen is mounted in a full frame perfectly matched to the color and texture of the TRS-80 Video Display. It is attached with adhesive strips which do not mar your unit in any way.

The full frame design of the Original Green-Screen "squares off" the face of your video display and greatly improves the overall appearance of your system.


(Specify whether for Model I or Model III)

THE GREEN-SCREEN.....\$13.95
Add \$1.50 for postage and handling.

Terms: Check or money order, no CODs or credit cards, please. Add amount shown for postage and handling to price of the item. All items shipped within 48 hours by first class or priority mail. Virginia residents, add 4% sales tax. ✓162

Micro-Mega · P.O. Box 6265 · Arlington, Va 22206

LNW80 COMPUTERS



• **IN STOCK NOW!! CALL FOR SPECIAL PRICES ON LNW80s, NEC PRINTERS, RGB COLOR MONITORS, AND TANDON DISK SYSTEMS.**

***** **NEW LNW SOFTWARE!** *****

EXCELLONIX

7180 WOODROW WILSON DR
LOS ANGELES, CA 90068

(213) 650-5754 - (714) 973-1939

DISCOUNT

COMPARE OUR PRICES!


FREE SHIPPING
*on all pre-paid cash orders over \$50.

DISKIT III™

MODEL III UPGRADE

FEATURES:

- Gold Plated Edge Connectors
- Switching Power Supply (Runs cooler)
- 40/80 Track supported
- Single/Dual Head supported
- Metal Disk Drive Brackets
- All Hardware and Cables for 2 Disk Drive
- 1 Hour or Less for Installation
- 100% Compatible
- No Soldering Needed
- 180 Days Warranty on Controller



DISKIT III
W/Out Drives

\$32900

DISKIT III
W/One Tandem Disk Drive

\$54900

DISKIT III
W/Two Tandem Disk Drives

\$76400


DEALER INQUIRIES WELCOME

EPSON

NEW LOWER PRICES! WITH GRAPHTRAX

MX-80
CALL FOR PRICE

MX-80 F/T
\$559.00
MX-100
\$729.00



THE NEW MICROBUFFER™

ACCEPTS DATA AS FAST AS YOUR COMPUTER CAN SEND IT

MBP—16K Parallel.....	\$159.00
MBS— 6K Serial.....	\$159.00
INTERFACE CARDS	
8141 (RS-232).....	\$ 75
8150 (2K Buffered RS-232).....	\$150
8161 (IEEE 488).....	\$ 55
8131 (Apple Card).....	\$ 85
8230 (Apple Cable).....	\$ 25
8220 (TRS-80 Cable).....	\$ 25

OKIDATA MICROLINE 82A.....	\$ 499.00
OKIDATA MICROLINE 83A.....	\$ 729.00
OKIDATA MICROLINE 84.....	\$1199.00



ADD-ON DISK DRIVES

Includes Case, Power Supply
120 Days 100% Warranty

\$28995

BARE DRIVES

TANDON 5 1/4 INCH	
100 1 SINGLE HEAD 40 TRK.....	229.00
100 2 DUAL HEAD 40 TRK.....	299.00
100 3 SINGLE HEAD 80 TRK.....	299.00
100 4 DUAL HEAD 80 TRK.....	429.00

MODEMS

UDS 103 LP DIRECT CONNECT..	175.00
UDS 103 JLP AUTO ANS.....	209.00
HAYES MICROMODEM II (APPLE).....	299.00
HAYES 100 MODEM (S-100).....	325.00
HAYES SMART MODEM (RS-232).....	249.00

PARAGON

Gold magnetics
DISKETTES

MTC's
premium Single Sided Double DENSITY, 5" 4-inch diskettes with reinforcing HUB-RINGS. Individually 100% ERROR free certified. Invest in GOLD!
PARAGON MAGNETICS GOLD.... \$23.95

Scotch®

Soft-Sector Diskettes

5 1/4" 1S/Dden (744-0).....	\$28.95
5 1/4" 1S/DDden (744D-0).....	\$31.95
5 1/4" 2S/DDden (745-0).....	\$39.95
8" 1S/Dden (740-0).....	\$29.95
8" 1S/DDden (741-0).....	\$37.95
8" 2S/DDden (743-0).....	\$49.95

VERBATIM

Soft-Sector Diskettes

5 1/4" 1S/DDden (MD525-01).....	\$26.95
5 1/4" 2S/DDden (MD550-01).....	\$39.95
5 1/4" 2S/4Den (MD557-01).....	\$51.50
8" 1S/DDden (FD34-8000).....	\$43.95

Hard-Sector Diskettes

5 1/4" 1S/DDden 10-sector (MD525-10).....	\$26.95
5 1/4" 2S/DDden 10-sector (MD550-10).....	\$39.95
5 1/4" 2S/4Den 10-sector (MD557-10).....	\$51.50

Supplies

HUB RING KIT for 5 1/4" disks.....	\$10.95
HUB RING KIT for 8" disks.....	\$12.95
REFILLS (50 Hub Rings).....	\$ 5.95
CLEANING KIT for 5 1/4" drives.....	\$24.95
5 1/4-inch diskette case.....	\$ 3.50
8-inch diskette case.....	\$ 3.95
5 1/4-inch File Box for 50 diskettes.....	\$24.95

DISKIT III IS A™ OF MDS

MOST ORDERS SHIPPED WITHIN ONE BUSINESS DAY
Products damaged in transit will be exchanged.

Prices, Specifications and Offerings subject to change without notice.

WE ACCEPT
• VISA
• MASTER CHARGE
• CHECKS
• MONEY ORDERS
• C.O.D.

• Add \$3.00 for shipping & handling
• **EXTRA** for C.O.D.
• Ohio residents add 6.5% sales tax



MDS MICRO DATA SUPPLIES

22295 EUCLID AVENUE
EUCLID, OHIO 44117
Call: (216) 481-1600

Listing 2 Continued

3F04	65	16132	101	3F37	59	16183	89
3F05	59	16133	89	3F38	55	16184	85
3F06	65	16134	101	3F39	65	16185	101
3F07	59	16135	89	3F3A	55	16186	85
3F08	6A	16136	106	3F3B	95	16187	149
3F09	A5	16137	165	3F3C	56	16188	86
3F0A	55	16138	85	3F3D	55	16189	85
3F0B	59	16139	89	3F3E	59	16190	89
3F0C	55	16140	85	3F3F	55	16191	85
3F0D	59	16141	89	3F40	65	16192	101
3F0E	55	16142	85	3F41	55	16193	85
3F0F	59	16143	89	3F42	65	16194	101
3F10	6C	16144	108	3F43	55	16195	85
3F11	A5	16145	165	3F44	65	16196	101
3F12	65	16146	101	3F45	55	16197	85
3F13	55	16147	85	3F46	5A	16198	90
3F14	65	16148	101	3F47	A5	16199	165
3F15	55	16149	85	3F48	65	16200	101
3F16	6A	16150	106	3F49	59	16201	89
3F17	A5	16151	165	3F4A	65	16202	101
3F18	55	16152	85	3F4B	59	16203	89
3F19	59	16153	89	3F4C	65	16204	101
3F1A	55	16154	85	3F4D	59	16205	89
3F1B	59	16155	89	3F4E	5A	16206	90
3F1C	65	16156	101	3F4F	A5	16207	165
3F1D	59	16157	89	3F50	65	16208	101
3F1E	65	16158	101	3F51	59	16209	89
3F1F	65	16159	101	3F52	65	16210	101
3F20	5A	16160	90	3F53	59	16211	89
3F21	95	16161	149	3F54	65	16212	101
3F22	5A	16162	90	3F55	59	16213	89
3F23	A5	16163	165	3F56	5A	16214	90
3F24	65	16164	101	3F57	A5	16215	165
3F25	59	16165	89	3F58	5A	16216	90
3F26	65	16166	101	3F59	A5	16217	165
3F27	55	16167	85	3F5A	65	16218	101
3F28	65	16168	101	3F5B	59	16219	89
3F29	55	16169	85	3F5C	65	16220	101
3F2A	66	16170	102	3F5D	59	16221	89
3F2B	A5	16171	165	3F5E	65	16222	101
3F2C	69	16172	105	3F5F	59	16223	89
3F2D	59	16173	89	3F60	5A	16224	90
3F2E	65	16174	101	3F61	A5	16225	165
3F2F	59	16175	89	3F62	55	16226	85
3F30	65	16176	101	3F63	59	16227	89
3F31	59	16177	89	3F64	55	16228	85
3F32	5A	16178	90	3F65	59	16229	89
3F33	A5	16179	165	3F66	65	16230	101
3F34	6C	16180	108	3F67	59	16231	89
3F35	A9	16181	169	3F68	5A	16232	90
3F36	55	16182	85	3F69	A5	16233	165

UPGRADE

AT LAST!!! A Micro-Design Model III System Upgrade.

The Micro-Design Model III upgrade includes Micro-Designs exceptional MDX-6 disk controller board, one 40 track Tandon Disk Drive, necessary installation cables and hardware.

FOR MORE INFORMATION & FREE LITERATURE
CALL OR WRITE

MICRO-DESIGN

6301 MANCHACA ROAD
AUSTIN TEXAS, 78747

TOLL FREE

1-800-531-5002

\$399⁰⁰

SEE OUR FULL PAGE Ad on PAGE 159

✓463

MAS 80

The Micro Accounting System

Buy and try any one of the MAS 80 programs for \$99. Then within 30 days purchase the total MAS 80 accounting package for \$390, a saving of \$77 over the regular price of \$566. If not satisfied return the package and receive a full refund.

MAS 80 Accounting is a flexible, versatile user formatted business system, designed for the first time computer user. MAS 80 programs run stand alone or coordinating without modifications, they are menu driven with cursor control and full screen instructions, plus two types of file maintenance. Regular maintenance - provides maintenance on transactions and account files. Special maintenance is automatic at the end of posting to insure that posting is correct. Any errors detected are printed, eliminating error searching. Provisions for Single entry or Double entry book-keeping, with valid account editing and an out-of-balance error detection.

MAS 80 Accounting programs will operate on Mod I and Mod III, with 2 or 3 drive versions. MAS 80 also has versions operating on Corvus and Micro Systems hard drives. Requires the use of NEW-DOS, NEWDOS/80 or DOSPLUS disk operating systems.

MAS offers the best user support for the novice as well as the professional.




GENERAL LEDGER \$159.00

- Standard layman format, with screen instructions. Multiple linking MENUS provide easy operation.
- Post to any of 200 G/L Accounts, you set up yourself (Not Preset Accounts).
- Process transactions in BATCHES of up to 200 debit and credit entries, with each batch editing for out-for-balances, then when correct and recorded, answer "Yes" to continue with each batch of transactions.
- Transaction UPDATE provides for unlimited transactions. Easy file maintenance.
- Accounts Receivable and Payable coordinating or Stand Alone.

ACCOUNTS RECEIVABLE \$159.00

Designed with machine language routines to reduce set-up time, without sacrificing flexibility or requiring professional knowledge of computerized accounting. MAS 80 saves for more efficient management, by providing:

- Balance Forward Systems w/true ageing and multi-function programs. G/L coordinating for Auto-Posting or Stand Alone.
- Post to an unlimited number of General Ledger Accounts with valid G/L and Customer Account # editing per invoice.
- Process charge entries with detail break down as you choose. Maintenance before and after posting.
- Open/Closed or Over Due listings by number of days that you specify.
- Two different formats for Billing Statements plus Invoice Printing.
- 700 Customers per 40 track double density diskette.



ACCOUNTS PAYABLE \$159.00

Features reduce time for more efficient management, by providing:

- Balance Forward Systems w/true ageing and multi-function programs. G/L coordinating for Auto-Posting or Stand Alone.
- Post to an unlimited number of General Ledger Accounts with valid G/L and Vendor Account # editing per Invoice.
- Process charge entries with detail break down as you choose. Maintenance before and after posting.
- Detailed, Aged, Manage/Report to analyze Liabilities, volume of purchases, payment choice and discounting.
- Will handle 400 Vendor and 1600 Unpaid charge entries.
- Check writing format is standard Moore or Nebs form, with A/P and Ck/Reg.

CHECK REGISTER \$159.00

Here is a Check Register Program that will operate by itself or linked with MAS 80 Accounts Payable and/or General Ledger. This will compile all checks written, allow choice of 26 expense codes for later look up and listing of different categories for tax time. Record deposits and reconcile your check register with your bank statement.

- Will handle 600 checks per month. Record deposits.
- Record/Print checks from Accounts Payable and hand written checks.
- Print check register, expense codes carries Y-T-D totals.
- File Maintenance - checks - deposits - miscellaneous.
- Account Status-balance, account #, etc.
- Reconciliation-prints a similar form and compare with Bank balance.

Other Programs by request, some with options of linking with Micro Accounting:

Payroll	Shipping Invoice Program
Invoicing	Personal Check Register
Inventory	Multi-Utility
Phone Directory	(with mailing label)

Call Collect for Orders
COD - Visa - Mastercard
Dealer Inquiries Invited

Dealer List:

Apparat, Inc. Denver, Colorado	Micronet Omaha, Nebraska
Micro Systems Software Hollywood, Florida	Scholastic Software Lubbock, Texas
Data Resources Corp. Denver, Colorado	Soft Sector Marketing Garden City, Michigan
Ebert Personal Computers Denver, Colorado	A & M Electronics Ann Arbor, Michigan

B. T. Enterprises
Centereach, New York

defined as the upper left corner of the most significant digit's character block (16 by 9 bit block). In the Color Computer, address 1536 decimal (600H) is the start of page 1 graphic screen memory. Allowable screen posi-

tions for the 3-digit display depend on the graphic mode. Use Table 1 to determine which values to POKE into 16286 and 16287.

Demonstration Program

The demonstration program

C1, C2	00	01	10	11
SCREEN 1,0	GREEN	YELLOW	BLUE	RED
SCREEN 1,1	BUFF	CYAN	MAGENTA	ORANGE

Color Coding

FOR THE ABOVE EXAMPLE, 8 IS DISPLAYED AS A BLUE FOREGROUND AGAINST A YELLOW BACKGROUND IN SCREEN 1,0 WHEN IN PMODE 1,n OR PMODE 3,n

Fig. 1d.

Program Listing 3

```

420 REM
430 REM DEMO PROGRAM
435 REM SHIP CANNOT DROP CHARGE AT SCREEN LEFT
440 REM
445 REM CHECKS FIRE BUTTON CLOSURE
450 PMODEL,1
455 REM RESTORE V TO SHIP LOCATION
460 COLOR 2,1:PCLS
465 REM DROP DEPTH CHARGE
470 LINE(0,0)-(255,191),PSET,B

```

Listing 3 Continues

in Program Listing 3 uses the machine language routine. It displays three different numeric values in three different screen locations. The center display is a 3-digit random generated number. The display in the upper left corner is a 3-digit value representing the game score. The upper right corner contains a 3-digit display equal to the number of tries.

The program begins with a changing random number dis-

played in the center of the screen. After a fixed time interval, the display stops changing. If any two digits in this display match, 10 points are added to the score. If all three match, 100 points are added. Pressing S on the keyboard starts the next try. The number of tries is displayed on the upper right corner of the screen. The game ends after 100 tries.

Line 540 defines the random number display location. Line

	Char. Size In Pixels		Resolution		Increment Per Line	Last Char. Position First Line	Start Of Last Line
PMODE	Horiz.	Vert.	Horiz.	Vert.			
4,N	16	9	1	1	20H	061AH	1CC0H
3,N	8	9	2	1	20H	061AH	1CC0H
2,N	—	—	—	—	—	—	—
1,N	8	9	2	2	20H	061AH	1CC0H

Pixel Resolution: PMODE 4,N PMODE 3,N PMODE 1,N



Table 1 is based on graphics starting in page 1 of graphic memory. If graphics start in any other page add 600H times Page Number (N) to "Last Character Position First Line" and "Start of Last Line." Last character position in each line equals the first character position plus 1AH.

WHY \$ IN DISK ... WE'VE PUT SENSE IN CASSETTES

TAPE ... RELIABLE, EASY, FAST!

SPEED, RELIABILITY, VERSATILITY

KWICOS: (Mod 1) A programmer's program... for novice or expert. Not just a simple speed-up (2x to 6x keyboard select) but an easy to use operating system that fully supports your cassette recorder. Features: save, load, verify, search, chain-load, catalog, and test-read of both BASIC and machine code programs: passwords, long titles, debounce, self 'backup' capability, and more..... **\$26**

KOS3: (Mod 3) All 'KWICOS' features at 2200 baud, plus KWIK set of: clock and date, cassette high/low, I/O routing, etc..... **\$26**

KWIKIT: (mini-system, BASIC programs only) EasyLoad double-speed for Mod 1, 2200 baud for Mod 3. Many 'KWICOS' features and upward compatible..... **\$12**

KWINK: (mod 1) 'SYSTEM' copier supreme. Makes stand-alone fast-loading KWIK format (2x to 6x baud) copy of any standard 500 baud SYSTEM program. (At 6x, 3 min pgm loads in 44 sec!)... **\$13**

KLOAN: (Mod 3) Makes standard 500 or 1500 baud copy of any standard 500 or 1500 baud 'SYSTEM' program..... **\$12**

KLOAD: (Mod 1) Makes stand-alone fast-loading copy of BASIC programs. Similar to KWINK, but for BASIC programs..... **\$15**



KWIK SOFTWARE

816 E. Maupin Street
P.O. Box 328
Bolivar, Mo. 65813
(417) 326-7154

358




TAKE SYSTEM AND CLOADS OFF YOUR MIND

EASY AS [1] PLUG IN A LEMON-AID LOADER IN SECONDS [2] TURN CTR VOLUME FULL UP [3] THAT'S IT!!

Banishes Model 1 tape loading "finickies" at regular speed, or flawlessly loads all your programs at high speed after making KWIK Software copies [ad at left].

NEW MODEL LLQ-2 Deluxe Loader. Updated version of popular LLQ. Has volume controlled jack for tape listening, without plug pulling, using external speaker or earphone. A MUST FOR MODEL 1 ... Compatible with Mod. 3 ... ppd \$21.99

NEW MODEL LL-2 Standard Loader. Same as LLQ-2 above except with fixed low-level output jack for speaker or earphone. Model 1 [3 compatible] ... ppd \$17.99



SOFTROL MODEL LSS. Pushbutton CTR motor override. Solid state to eliminate "switch hits." Cushioned motor-off delay pulls pgms past CTR pinch roller to eliminate "pinch hits" on LOADS and puts automatic gaps between pgms on SAVES. Protects delicate CPU relay contacts too. Great for DATA. The Model LSS gives you no hits ... lots of runs. Works with all Radio Shack and most other recorders ... and most computers. ppd \$18.99

NEW MODEL LHL... "Hind Legs" to support your CTR 80 so you can see tape counter ... and ejected tape falls in your hand. Plated spring steel, vinyl tipped non-scratch clip-on non-slip legs ... \$2.99 with any order. Alone ppd \$4.99

LEMONS TECH SERVICES

325 N. Highway 65 P.O. Box 0429
Buffalo, MO. 65622

(417) 345-7643

Call either number for any information or order. U.S. orders postage paid, add \$3 for COD or overseas; Missouri residents add sales tax. Special: Free on request with order, or \$1 and SASE... parts and instructions to easily add 'arcade' sound capability to CTR 80 or CTR 41.

560 calls the machine language routine. The display location for the number of tries is set in line 700 and the score location is established in line 720.

Beyond Numbers

Although the machine language program restricts itself to numeric displays, the imaginative programmer can extend this to alphabetic and special characters.

The demonstration program can be converted to a One-Armed Bandit game by adding special characters in place of the random numbers. These special characters should reside in a table separate from the numeric character table. The Basic calling program could access the machine language routine to the character set by POKEing the table's starting address into locations 16335 and 16336. ■

Frederick Battista designs process and plant automation systems for BASF Wyandotte Corp. Engineering Group.

Listing 3 Continued

```

475 REM ALLOWS SUB MOVE DURING CHARGE DROP
480 DRAW"BM88,128,U60E15R30F15D60L60"
490 PAINT(90,60),4,2
495 REM CHARGE DROPPING
500 SR=0:K=0:TR=0
510 SCREEN 1,0
515 REM CHARGE EXPLODES
520 TIMER=0:Y=40
525 REM CHARGE HIT BOTTOM
530 N=RND(999)
535 REM DESTROY SUB
540 POKE16286,10:POKE16287,12
545 REM CLEAN UP REMAINS
550 PMODE 1,1
555 REM CHECKS TO SEE IF SUB 2 WAS DESTROYED, IF SO SETS NEW SUB 2 POSITION
560 A=USR(N)
565 REM SETS NEW SUB 1 POSITION
570 B=TIMER
580 Y=Y+3
585 REM REMOVES CHARGE FROM SCREEN AFTER HITTING BOTTOM
590 IF Y>=70 THEN Y=70
595 REM MOVES SUB 1 TO NEW POSITION
600 LINE(148,70)-(178,Y-3),PRESET
610 LINE(148,70)-(178,Y),PSET
615 REM SUB 1 LASER ROUTINE PPOINT CHECKS FOR LASER HIT
620 IF B<120 THEN 530
630 LINE(148,70)-(178,70),PRESET
635 REM FIRES LASER-WON'T FIRE IF SHIP TOO FAR LEFT
640 LINE(148,70)-(178,40),PSET
650 N1=FIX(N/100):N1=N1*100
655 REM POSITION SUB 2
660 N2=FIX(R1/10):N3=R1-N2*10
670 IF N1=N2 OR N1=N3 OR N2=N3 THEN SR=10
675 REM SUB 2 LASER ROUTINE
680 S=RND(20):IF RND(5)=3 THEN GOSUB 700:IF PPOINT(H+S,57)=4 THEN HT=HT+1
690 TR=TR+SR:SR=0
695 REM FIRE SUB 2 LASER
700 POKE16286,6:POKE16287,0
710 D=USR(TR)
715 REM END ROUTINE
720 K=K+1:POKE16286,6:POKE16287,58
730 YS=INKEY$
740 L=USR(K)
750 IF K=100 THEN 780
760 IF YS="S" THEN 520
770 GOTO 730
775 REM RESTORE COMPUTER TO POWER UP STATE
780 CS=INKEY$
790 IF CS="R" THEN 500
800 GOTO 780

```

PRODUCTS FOR YOUR RADIO SHACK

COLOR COMPUTER

NEW!

MACRO-80C

YOU NEED COLOR FORTH!!

The Micro Works is pleased to announce the release of its **disk-based editor, macro assembler and monitor**, written for Color Computer by Andy Phelps. **THIS IS IT** — The ultimate programming tool!

The powerful 2-pass macro assembler features conditional assembly, local labels, include files and cross referenced symbol tables. MACRO-80C supports the complete Motorola 6809 instruction set in standard source format. There are no changes, constraints or shortcuts in the source language definition. Incorporating all of the features of our Rompack-based assembler (SDS80C), MACRO-80C contains many more useful instructions and pseudo-ops which aid the programmer and add power and flexibility.

The screen-oriented text editor is designed for efficient and easy editing of assembly language programs. The "Help Key" feature makes it simple and fun to learn to use the editor. As the editor requires no line numbers, you can use the arrow keys to position the cursor anywhere in the file. MACRO-80C allows global changes and moving/copying blocks of text. You can edit lines of assembly source which are longer than 32 characters.

DCBUG is a machine language monitor which allows examining and altering of memory, setting break points, etc.

The editor, assembler and monitor — as well as sample programs — come on one Radio Shack compatible disk. Extensive documentation included. **MACRO-80C Price: \$99.95**

SDS80C — Our famous editor, assembler and monitor in Rompack. Complete manual included. **Price: \$89.95**

PARALLEL PRINTER INTERFACE — Serial to parallel converter allows use of all standard parallel printers. You supply printer cable. **PI80C Price: \$69.95**

MICROTEXT — Get printouts while using your modem! Also download to cassette. General purpose terminal Rompack. **Price: \$59.95**

Why?

- Forth is faster to program in than Basic
- Forth is easier to learn than Assembly Language
- Forth executes in less time than Basic

Forth is a highly interactive language like Basic, with structure like Pascal and execution speed close to that of Assembly Language. The Micro Works Color Forth is a Rompack containing everything you need to run Forth on your Color Computer. Color Forth consists of the standard FORTH Interest Group (FIG) implementation of the language plus most of FORTH-79. It has a super screen editor with split screen display. Mass storage is on cassette. Color Forth also contains a decompiler and other aids for learning the inner workings of this fascinating language. It will run on 4K, 16K, and 32K computers. Color Forth contains 10K of ROM, leaving your RAM for your programs! There are simple words to effectively use the Hi-Res Color Computer graphics, joysticks, and sound. The 112-page manual includes a glossary of the system-specific words, a full standard FIG glossary and complete source listing. **COLOR FORTH ... THE BEST!** From the leader in Forth, Talbot Microsystems. **Price: \$109.95**

GAMES

Star Blaster — Blast your way through an asteroid field in this action-packed Hi-Res graphics game. Available in ROMPACK; requires 16K. **Price: \$39.95**

Pac Attack — Try your hand at this challenging game by Computerware, with fantastic graphics, sound and action! Cassette requires 16K. **Price: \$24.95**

Berserk — Have fun zapping robots with this Hi-Res game by Mark Data Products. Cassette requires 16K. **Price: \$24.95**

Adventure — *Black Sanctum and Calixto Island* by Mark Data Products. Each cassette requires 16K. **Price: \$19.95 each.**

Cave Hunter — Experience vivid colors, bizarre sounds and eerie creatures in hot pursuit as you wind your way through a cave maze in search of gold treasures. This exciting Hi-Res game by Mark Data Products requires 16K for cassette version. **Price: \$24.95**

THE **MICRO WORKS**

Also available: Machine language Monitor ★ 2-pass Disassembler ★ Books ★ Memory Upgrade Kits ★ Parts and Services ★ Call or write for information

California Residents add 6% Tax
Master Charge/Visa and COD Accepted

P.O. BOX 1110 DEL MAR, CA 92014

714-942-2400



Create readable insert cards.

Cassbox

Charles E. Gillen
1458 Greenmont Court
Reston, VA 22090

Necessity, not inspiration, forced me to design a program to create neat, readable cassette insert cards. That previously irksome chore is now fast and easy, and my tape collection never looked better.

Cassbox (Program Listing 1) was written for the Microline 80 printer. For those without a Microline I wrote Baby Cassbox (Program Listing 2) to be used with any standard 80-column printer. Though Baby is not as fancy, the two programs have a number of features in common.

Common Features

- The insert card format is displayed on your screen. The printer turns out a finished insert just the right size, complete with marks where to cut and fold.
- The insert card can hold 13 text lines on the front and four on the back. The separate line for the

tape title is easily visible when your tapes are stacked. The format is similar to the original tape manufacturer's insert.


- Typing @ before the first letter centers text lines.
- An edit mode permits

changes or corrections before and after printing. Up to nine copies can be printed in a single run.

Cassbox Extras

The deluxe version handles

all three Microline 80 character sizes producing lines 17, 35 or 57 letters long; the first two are set using # or \$ to begin a line and the 57-letter mode requires no flag. The tape title side of the insert card can be one or two



The Key Box

Basic Level II
Model I
16K RAM
80-column printer

Fig. 1. Cassbox Sample

MODEL III HARD DISK \$1849.

SAVE MONEY

TANDON DISK DRIVES

Perfect for your TRS80, IBM or other Computers, cases and power supplies sold separately below but we will assemble and configure them for your computer at no extra charge.

5 1/4" FLOPPY DRIVES	
TM100-1 Single Sided 40 Track	\$199.95
TM100-2 Double Sided 40 Track	\$299.95
TM-50 new half sized 5 1/4 Drive (not for MIII Usage)	\$189.95
8" FLOPPY DRIVES	
TM848-1 Single Sided 8" Drive Slim Line Type	\$399.95
TM848-2 Double Sided 8" Drive Slim Line Type	\$499.95
HARD DRIVES	
TM602-S 5Megabyte 5 1/4 drive case style	\$ 949.95
TM603-S 10Megabyte 5 1/4 drive case style	\$1049.95
TM604-S 15Megabyte 5 1/4 drive case style	\$1349.95

CASES, POWER SUPPLIES AND DRIVE CABLES

1 Drive 5 1/4" case with power supply	\$ 49.95
2 Drive 5 1/4" case with power supply	\$ 79.95
2 Drive 5 1/4" case for TM-50 drives	\$ 59.95
1 drive 8" case with power supply	\$109.95
2 Drive 8" case with power supply	\$129.95
2 drive 5 1/4" I.B.M. lookalike case	\$299.95
2 Drive Cable for 5 1/4" Drives	\$ 24.95
4 Drive Cable for 5 1/4" Drives	\$ 34.95
2 drive Cable for 8" Drives	\$ 29.95
4 drive Cable 2 for 5 1/4" drives & 2 for 8" drives	\$ 39.95

MODEL III DISK DRIVE EXPANSION KITS High Quality, Low Prices Don't Be Fooled By The Competition

All of the Compukit drive kits include a Switching Power Supply, a Double Density Disk Controller, 32K RAM, Mounting Brackets, All Necessary Hardware and Cables, a 120 day warranty, Tandon Disk Drives and a Installation Manual That is Simple and Easy To Use

The No Drive Drive Kit	\$ 379.
Drive Kit with one 40 track single sided drive 180KB	\$ 479.
Drive Kit with two 40 track single sided drives 360KB	\$ 699.
Drive Kit with two 40 track double sided drives 720KB	\$ 899.
Drive Kit with two 80 track double sided drives 1.4MB	\$1099.

Printers

C.ITOH 8510 PARALLEL PROWRITER	\$ 519.
C.ITOH PROWRITER II 14" PARALLEL	\$ 749.
C.ITOH F10 40 CPS	\$1449.
C.ITOH F10 55 CPS	\$1699.
SMITH CORONA TPI	\$ 649.
EPSON MX80 WITH GRAFTRAX	\$ 498.
EPSON MX80FT WITH GRAFTRAX	\$ 559.
EPSON MX100 WITH GRAFTRAX	\$ 727.
EPSON 2K BUFFER	\$ 110.
EPSON 4K BUFFER	\$ 149.
TRS-80 PRINTER CABLE	\$ 29.
APPLE PARALLEL BOARD WITH PRINTER CABLE	\$ 119.
C.ITOH F-10 TRACTOR FEED	\$ 229.
C.ITOH F-10 RITTENHOUSER PAGE FEEDER	\$1199.

MODEMS

LEXICON LEX11 ACOUSTIC COUPLER	\$ 130.
ANCHOR SIGNALMAN I DIRECT CONNECT MODEM	\$ 99.
ATARI SIGNALMAN	\$ 99.
RACAL VADIC VA 3212 1200 BAUD MODEM DC	\$ 899.

48K MODEL III \$1795.00 with two double sided drives \$1995.00

Complete Model III's

Model III 16k	\$ 899.
Model III 48k no drives	\$ 929.
Model III 48k one SS 40 track drive	\$1595.
Model III 48k two SS 40 track drives	\$1795.
Model III 48k one DS 40 track drive	\$1695.
Model III 48k two DS 40 track drives	\$1995.
Our deluxe system	
Model III 48k two DS 40 track drives Green phosphor CRT	
RS/232 DosPlus 3.4	\$2395.

ASTEC SWITCHING POWER SUPPLIES JUST LIKE R/S'S
16K Memory add on for your R/S machine 8/4116's \$76.95
Genuine R/S 16K Memory Set \$14.95
\$19.95

MODEL I A&M DOUBLE DENSITY BOARD

\$99.95

DISK OPERATING SYSTEMS

DOSPLUS 3.4	\$119.
DOSPLUS 3.3	\$ 89.
DOSPLUS 4.0	\$270.
NEWDOS 80	\$129.

DISKETTES	BOX OF 10	CASE OF 100
ELEPHANT SS/DD 5 1/4"	\$25.95	\$249.50
VERBATIMS SS/DD 5 1/4"	\$26.95	\$259.50
ELEPHANT SS/SS 8"	\$24.95	\$249.50

Head Cleaning Kit 5 1/4" EACH \$ 24.99

MICRO MAIN FRAME PRODUCTS

5Meg Hard Disk Kit	\$ 1949.
M50FM Hard Disk Multicomputer Sub System	\$ 2895.
120 Megabyte Multicomputer Sub System	\$10,000.
SASI NET Multiplexer	\$ 719.
Model III Drive Controller Board DC3B	\$ 129.
Model III Drive Controller Board DC3C	\$ 169.
Streamer Tape backup for disk subsystems	\$ 1949.

SEE THEIR AD THIS ISSUE OF 80 MICROCOMPUTING

WE WILL INSTALL ANY OF OUR KITS IN YOUR COMPUTER FOR ONLY \$49

MODEL III GREEN SCREEN KIT

Includes a Genuine P-31 Phosphor CRT, and Instructions \$99.00

MODEL III RS-232 KIT

Everything you need to do your own upgrade \$94.95

EXTERNAL HARD DISK KIT

A premium complete external 5 Megabyte Hard drive Kit with error checking circuits, including everything you need but a case \$1949.

A.M. HARD DISKS

Ready to plug in and go (not a kit), excludes a DOS
5Meg \$1849, 10Meg \$2149, 15Meg \$2349.

NEW 20MEGABYTE SUBSYSTEM INCLUDES ONE 10MB FIXED HARD DISK AND ONE REMOVABLE 10MB HARD DISK WITH PLUG IN ADAPTERS FOR UP TO 4 MODEL III COMPUTERS (THIS SYSTEM USES ERROR CHECKING) \$8750.

NEW REPLACEMENT MODEL III ROM FOR HARD DISK THAT ALLOWS BOOTING DIRECTLY FROM THE HARD DISK WITH OUT THE USE OF A FLOPPY DISK DRIVE \$ 150.

FREE SHIPPING 120DAY WARRANTY UPS GROUND CONTINENTAL U.S. PREPAID

Compukit

713-474-7342

P.O. Box 306 REMAH, TX 77565

TM TANDY CORP.

We accept: Visa MasterCard Certified Checks Money Orders
and C.O.D. C.O.D. add \$1.50. Air UPS extra.



lines. The one-line title is printed right down the middle.

Baby Cassbox

Since the junior version uses the 80 character per line mode only, it produces 35 character maximum lines. The result is more than adequate for most applications but is utilitarian compared to the custom designed look produced by the Microline 80 version.

Listings Compared

The two listings do not resemble each other at all. Cassbox is dense, while the junior version looks simple. The programs use the same variable and constant names wherever possible. Studying the junior version will show you the mechanics of the fancier Cassbox. This will help if you need to modify Cassbox for a different multi-font printer (such as the Epson or the Base 2). The M80 printer control codes are translated early in Cassbox (lines 220-280) into constants used frequently in the program's LPRINT section. Exchanging M80 codes with those required by your printer makes the conversion a cinch. You will still have to fiddle with the line lengths.

The listings are pain free. You can use the Auto command to the end without being caught by an out-of-series line number and not one REM statement is the target of a GOTO or GOSUB. Leave them out if you wish, or put them in later. Cassbox is as bombproof as I could make it. Cassbox has few instructions and Baby Cassbox almost none. Simple prompts are built in.

The Program

The initialization section of Cassbox, down to line 280, contains almost everything used in the program more than once, particularly strings. After the brief instructions, the program recycles itself if you forget to turn on the printer. At line 320 the menu INKEY\$ loop controls all of the action as follows:

- 1 = Do Front
- 2 = Do Back
- 3 = Do Title
- 4 = Edit Front
- 5 = Edit Back

- 6 = Edit Title
- 7 = Print
- 8 = Erase All

Input

Starting with Option 1 you will be prompted to input up to 13 lines under a format line. The format line shows the maximum distance you can type in any character size as well as the middle points for those sizes. The two-column format is useful for listing programs or songs in two equal columns.

The program will not stop you from entering a line too long for the character size selected, but the LPRINT section will hack off the surplus text without mercy.

After entering the text hit Enter a few times to reach the

bottom of the screen. Another Enter will bypass the invitation to edit and return you to the menu to do the insert back or title section.

Before you Do Back, try Edit Back. Line 16 has a sample message for routine printing. Change this string, initialized on listing line 190, to your name. The message will always be printed unless you add so many entries on the back that line 16 is overwritten. To skip the message, use the Erase All selection to wipe it clean.

To Do Title Cassbox asks: "One line or two?" This wrinkle was demanded by my son the rock 'n roll fan and his friends who wanted to show both group names and album titles clearly.

After inputting the lines you will be asked if you want to change anything before returning to the menu. Do not feel pressured; you can make changes later too.

Editing

If you goofed in line 8 on the front, just Edit Front, hit the 8 key and presto—you see everything down to and including line 8. The question mark shows you are in the input mode. You will have to retype the whole line for any correction. After Enter, if you have no more changes another Enter brings you back to the menu.

Printing

The Print command first asks

Program Listing 1

```
100 ' *****
110 ' * CASSETTE BOX LPRINTER *
120 ' * BY CHARLES E. GILLEN *
130 ' * U.S. EMBASSY, SEOUL, ROK *
140 ' * APO SAN FRAN 96301 *
150 ' * ( VERSION 9, 24 JUL 81 ) *
160 ' *****
170 '
180 REM INITIALIZATION
190 CLS: CLEAR 2000: DEFINT A-Z: DIM PL$(19): AR$=CHR$(92): GB$=CHR$(176): CL$="CHAN
GE LINE NUMBER": CU$=" CUT": FO$=" FOLD": PL$(16)="$FROM: THE GILLEN COLLEC
TION"
200 F1$="END POINTS: BIG = "+AR$+" MEDIUM = "+AR$+"
SMALL = "+AR$+CHR$(199)+"-----"+GB$+"BIG-----"+GB$+"MED-----"+GB$+"SML
-----": F2$="###"
210 DL$=CHR$(124)+STRINGS(39,"-")+CHR$(124): BL$="DO NOT TYPE A COMMA OR A C
OLON"+STRINGS(2,10)+"START LINE: @ = CENTER, AND/OR # = BIG, $ = MEDIUM
": PS$=STRINGS(63,".")
220 REM CONTROL CODES FOR MICROLINE-80 PRINTER
230 BIG$=CHR$(31) ' DOUBLE WIDTH CHARACTERS, 40 CPL
240 MED$=CHR$(30) ' NORMAL 10 CHARACTERS PER INCH, 80 CPL
250 SML$=CHR$(29) ' CONDENSED 16.5 TO THE INCH, 132 CPL
260 S6$=CHR$(27)+"6" ' SPACE SIX LINES PER INCH
270 S8$=CHR$(27)+"8" ' SPACE EIGHT LINES PER INCH
280 S1$=CHR$(27)+"B" ' PRINT SHORTER LINE (TAB IN FROM EDGE)
290 REM GET INSTRUCTIONS, CHECK PRINTER ON
300 GOSUB 650: IF PEEK(14312)=255 THEN RUN
310 REM MENU MAIN LOOP
320 CLS: PRINT PS$: PRINT @215, "1 = DO FRONT": PRINT TAB(23) "2 = DO BACK": PRINT TA
B(23) "3 = DO TITLE": PRINT TAB(23) "4 = EDIT FRONT": PRINT TAB(23) "5 = EDI
T BACK": PRINT TAB(23) "6 = EDIT TITLE": PRINT TAB(23) "7 = PRINT"
330 PRINT: PRINT TAB(23) "8 = ERASE ALL": PRINT @960, PS$:
340 IN=VAL(INKEY$): ONINGOTO 380, 430, 480, 400, 450, 510, 550, 360: GOTO 340
350 REM ERASE STRINGS IN MEMORY ON COMMAND
360 FOR NL=1 TO 19: PL$(NL)="" : NEXT: GOTO 320
370 REM DO FRONT
380 CLS: PRINT @640, BL$: PRINT PS$: PRINT: PRINT F1$: FOR NL=1 TO 13: PRINT USING F2$; NL;
: INPUT PL$(NL): NEXT
390 REM EDIT - DISPLAY FRONT
400 CLS: PRINT F1$: FOR NL=1 TO 13: PRINT USING F2$; NL; : PRINT " PL$(NL): NEXT
410 LC$="" : PRINT @983, CL$: : INPUT LC$: GOSUB 930: IF CL=0 THEN 320 ELSE IF CL<10 OR CL>13 T
HEN 480 ELSE CL$: PRINT F1$: FOR NL=1 TO CL: PRINT USING F2$; NL; : PRINT " PL$(NL): NEXT:
PRINT USING F2$; CL; : INPUT PL$(CL): GOTO 400
420 REM DO BACK
430 CLS: PRINT @256, BL$: PRINT PS$: PRINT: PRINT F1$: FOR NL=14 TO 17: PRINT USING F2$; NL;
: INPUT PL$(NL): NEXT
440 REM EDIT - DISPLAY BACK
450 CLS: LC$="" : PRINT @256, F1$: FOR NL=14 TO 17: PRINT USING F2$; NL; : PRINT " PL$(NL)
: NEXT: PRINT @983, CL$: : INPUT LC$: GOSUB 930: IF CL=0 THEN 320 ELSE IF CL<14 OR CL>17 THEN
450
460 CLS: PRINT BL$: PRINT F1$: FOR NL=14 TO CL: PRINT USING F2$; NL; : PRINT " PL$(NL): N
EXT: PRINT USING F2$; CL; : INPUT PL$(CL): GOTO 450
470 REM DO TITLE
480 PRINT @343, "1 OR 2 LINES?": : GOSUB 950: TL=VAL(INKEY$): IF TL<10 OR TL>20 OR TL=0 TH
EN PRINT @343, CHR$(208): : GOSUB 950: GOTO 480 ELSE 490
490 CLS: PRINT @256, BL$: PRINT: PRINT F1$: PRINT "1 "; : INPUT PL$(18): IF TL=2 THEN PR
INT "2 "; : INPUT PL$(19)
500 REM EDIT - DISPLAY TITLE
510 CLS: LC$="" : PRINT @256, F1$: PRINT "1 "; : PL$(18): IF TL=2 THEN PRINT "2 ";
PL$(19)
520 PRINT @983, CL$: : INPUT LC$: GOSUB 930: IF CL=0 OR CL>TL THEN 320
530 CLS: PRINT BL$: PRINT F1$: IF CL=1 THEN PRINT "1 " PL$(18) INPUT "1 " PL$(18)
: GOTO 510 ELSE IF CL=2 THEN PRINT "1 " PL$(18) PRINT "2 " PL$(19) INPUT "2 "
PL$(19) : GOTO 510
540 REM LPRINT SECTION
550 PRINT @727, "HOW MANY?": : GOSUB 950: PR=VAL(INKEY$): IF PR=0 THEN PRINT @727, CHR$(
202): : GOSUB 950: GOTO 550 ELSE FOR MH=1 TO PR
```

Listing 1 Continues



```

560 REM LPRINT FRONT
570 LPRINTS6$MED$SL$DL$CU$:LPRINT " :FORNL=1TO13:GOSUB780:NEXT:LPRINT " :LP
RINTMED$S8$DL$FO$
580 REM LPRINT TITLE
590 NL=18:IF TL=1 THEN LPRINT " :GOSUB780:LPRINT " :GOTO610 ELSE GOSUB780:LPRINT
" :NL=19:GOSUB780
600 REM LPRINT BACK
610 LPRINTS6$MED$SL$FO$:FORNL=14TO17:GOSUB780:NEXT:LPRINT " :LPRINTSML$TAB(
18)"DESIGN & PRINTING: TRS-80 COMPUTER":LPRINTMED$DL$CU$
620 REM PRINT AGAIN OR ADVANCE PAPER
630 LPRINT " :LPRINT " :NEXT TM:FOR LF=1TO4:LPRINT " :NEXT:GOTO320
640 REM PROGRAM INTRODUCTION - INSTRUCTIONS
650 CLS:PRINTPS$:PRINT6393,"LPRINTER FOR CASSETTE BOX INDEX CARD INSERT":PR
INT
660 PRINTTAB(9)"AN ORIGINAL FOR THE MICROLINE-80 PRINTER":PRINT:PRINTTAB
(20)"BY CHARLES E. GILLEN":PRINT6960,PS$:PORTD=1TO1500:NEXT:CLS
670 PRINT"YOU CAN LPRINT: 13 INDEX LINES ON THE FRONT":PRINTTAB(19)"4 L
INES ON THE BACK":PRINTTAB(19)" TITLE IN 1 OR 2 LINES"
680 PRINTPS$:PRINT"IN THREE DIFFERENT CHARACTER SIZES":PRINT
690 PRINT"BIG: BEGIN LINE WITH $ SYMBOL MAX = 17 LETTERS/LINE
700 PRINT"MEDIUM: BEGIN LINE WITH $ SYMBOL MAX = 35 LETTERS/LINE
710 PRINT"SMALL: JUST TYPE AS USUAL MAX = 57 LETTERS/LINE
720 PRINT:PRINT"FOR AUTO-CENTERING, FIRST SYMBOL MUST BE @, THEN ADD $ O
R $":PRINT
730 PRINT"A FORMAT LINE WILL SHOW CENTER "GB$" AND END "CHR$(92)" POINTS FO
R EACH SIZE":PRINTPS$
740 PRINT:PRINT"TURN ON PRINTER"TAB(43)"AND HIT < SPACEBAR >";
750 IF INKEY$<>" THEN750ELSE CLS:RETURN
760 REM LPRINT SUB-ROUTINE FOR UNCENTERED & CENTERED LINES
770 REM NOTE THAT LINES TOO LONG GET CUT TO RIGHT SIZE
780 LL=LEN(PL$(NL)):IF LEFT$(PL$(NL),1)="$ THEN830 ' GO CENTER
790 IF LEFT$(PL$(NL),1)="$ THEN LPRINTBIG$ "MID$(PL$(NL),2,17):RETURN ' 40
CPL
800 IF LEFT$(PL$(NL),1)="$ THEN LPRINTMED$ "MID$(PL$(NL),2,35):RETURN ' 80
CPL
810 LPRINTSMLS "LEFT$(PL$(NL),57):RETURN ' 132 CPL
820 REM LPRINT CENTERED LINE IN 40, 80 OR 132 CPL
830 TL$=PL$(NL):LL=LEN(TL$):IF MID$(TL$,2,1)<>" THEN860
840 IF LL>19 THEN LL=19:TL$=LEFT$(TL$,19) ' CUT IF LONG
850 TB=(25-LL)/2:LPRINTBIG$TAB(TB)MID$(TL$,3,17):GOTO910
860 IF MID$(TL$,2,1)<>" THEN890
870 IF LL>37 THEN LL=37:TL$=LEFT$(TL$,37)
880 TB=(45-LL)/2:LPRINTMED$TAB(TB)MID$(TL$,3,35):GOTO910
890 IF LL>58 THEN LL=58:TL$=LEFT$(TL$,58)
900 TB=(72-LL)/2:LPRINTSML$TAB(TB)MID$(TL$,2,57)
910 PL$(NL)=TL$:RETURN ' & DO NEXT LINE
920 REM "REDO" TRAP, BACK TO MENU
930 IF VAL(LC$)=0 THEN320ELSE CL$=VAL(LC$):RETURN
940 REM BLINKER FOR TITLE, PRINT INPUTS
950 PORTD=1TO90:NEXT:RETURN

```

"How many?" You can run off a maximum of nine copies per Print command. This section is the only complicated part of Cassbox. The action begins when line 780 in Listing 1 measures the length of a text line and jumps to the centering routine at line 830 (if the first letter is the @ symbol). If centering is not called for, lines 790 and 800 print in the double-width or normal 80-column mode, or line 810 prints a condensed line.

The MID\$ function is used to skip over the size flag and to hack off any excess length. The MID\$ function is also used in the center and print section in lines 830-910. This part is a bit involved, but if you modify Cassbox for a different printer rather than using Baby Cassbox, pay attention to the number of letters the MID\$ action will print (the last number inside the MID\$ parentheses). Your printer may print a different number of characters for each size mode. You will have to change that number and the amount of tabbing.




TRS-80 MODEL II 64-K \$3000
26-4002

TRS-80 MODEL 16 128-K \$4825
26-6002

8.4 MEGABYTE HARD DISKS (PRIMARY UNIT) \$4000.

WE ALSO CARRY EPSON AND OKIDATA PRINTERS, XEROX 820 AND ALTOS COMPUTERS.
NO OUT-OF-STATE TAXES.

Sold with the manufacturer's limited warranty. Copies of such warranty may be obtained for review from Perry Oil and Gas Co.



TRS-80 MODEL III
48-K \$1950 16-K \$819
26-1066 26-1062
WITH 2 DISK RS-232 TAPE VERSION
(ALL RADIO SHACK EQUIPMENT)

TRS-80 COLOR 16-K \$309 32-K \$525
26-3002 26-3003

COLOR DISK DRIVES
0- \$475 1-2-3- \$315

— T.M. TANDY CORP.

WE ACCEPT
CERTIFIED CHECKS,
CASHIERS CHECKS
AND MONEY ORDERS.

PERRY OIL & GAS INCORPORATED

Dept. No. A-1 137 NORTH MAIN ST. PERRY, MICHIGAN 48872

PHONE (517) 625-4161, MICH.

FOR OUR PRICES, PLEASE CALL TOLL FREE **1-800-248-3823**

If your printer is not an M80, see Fig. 2 for the control codes used in Cassbox. Replace them with the codes needed by your printer.

Line 390 also contains an LPRINT CHR\$(27)"B" which tabs in from the paper edge. This was my personal preference and can be ignored.

The Beginning Programmer

The very first step in creating Cassbox was to measure an original insert card and then fool around with a few trial lines of Basic to see if I could LPRINT something to the same dimen-

sions. These tests showed how long each printed line could be and how many lines I could fit on each part. Further development showed the need for help in formatting via prompt lines. I worked out the concept of flexible editing and things began to snowball.

Not until I felt sure the original objective was within my

programming ability did I try to get fancy with the different character sizes of the M80 printer. The menu that makes Cassbox so easy to use was a very late idea. When the program seemed to work nicely I tried to rethink small bits of the Basic code in a more direct way. What sustained me through countless early versions of

Cassbox was the original simple goal I had set: to print any kind of text arrangement within the confines of the insert card size. As I went along, the original goal became more sophisticated and inspired better programming. I frequently dipped into the Level II Manual for syntax help. Always decide what you want to do, try to do it, then do it better. ■

Charles Gillen, after spending most of his 20-year government service career abroad, hopes to return to the U.S. soon to personally witness the microcomputer boom.

LPRINT CHR\$(27)"8"	Set spacing at 8 lines per inch
LPRINT CHR\$(27)"6"	Set spacing at 6 lines per inch
LPRINT CHR\$(29)	Print 5 letters per inch
LPRINT CHR\$(30)	Print 10 letters per inch
LPRINT CHR\$(31)	Print 16.5 letters per inch

Fig. 2. Printer Control Codes

```

1000 ' *****
1010 ' * BABY CASSBOX LPRINTER *
1020 ' * THIS IS THE BARE-BONES VERSION *
1030 ' * FOR ANY PRINTER *
1040 ' * BY CHARLES E. GILLEN *
1050 ' * U.S. EMBASSY, SEOUL *
1060 ' * APO SAN FRANCISCO 96301 *
1070 ' * ( VERSION 2, 26 JULY 1981 ) *
1080 ' *****
1090 '
1100 REM INITIALIZATION
1110 CLS: CLEAR 1000: DEFINT A-Z: DIM PL$(19)
1120 F1$="-----C-----"+CHR$(92)
1130 F2$="###"
1140 CL$="CHANGE LINE NUMBER"
1150 DL$=":"+STRING$(39,"-")+":"
1160 BL$="BEGIN LINE WITH @ FOR AUTO-CENTER. NO COMMAS OR COLONS"
1170 REM TOP OF MENU LOOP
1180 CLS: PRINT "1 = DO FRONT 13 LINES"
1190 PRINT "2 = DO BACK 4 LINES"
1200 PRINT "3 = DO TITLE 2 LINES": PRINT
1210 PRINT "4 = EDIT FRONT"
1220 PRINT "5 = EDIT BACK"
1230 PRINT "6 = EDIT TITLE": PRINT
1240 PRINT "7 = PRINT": PRINT
1250 PRINT "8 = ERASE"
1260 IN=VAL(INKEY$)
1270 ONINGOTO(1340,1570,1800,1400,1630,1860,2060,1290): GOTO 1260
1280 REM ERASE MEMORY
1290 FOR NL=1 TO 19
1300 PL$(NL)=" "
1310 NEXT NL
1320 GOTO 1180
1330 REM DO FRONT
1340 CLS: PRINT BL$: PRINT F1$
1350 FOR NL=1 TO 13
1360 PRINT USING F2$; NL;
1370 INPUT PL$(NL)
1380 NEXT NL
1390 REM EDIT FRONT
1400 CLS: PRINT BL$: PRINT F1$
1410 FOR NL=1 TO 13
1420 PRINT USING F2$; NL;
1430 PRINT " "; PL$(NL)
1440 NEXT NL
1450 LC$="": PRINT@983, CL$;
1460 INPUT LC$: GOSUB 2030
1470 IF CL=0 THEN 1180
1480 IF CL<10 OR CL>13 THEN 1400
1490 CLS: PRINT F1$
1500 FOR NL=1 TO CL
1510 PRINT USING F2$; NL;
1520 PRINT " "; PL$(NL)
1530 NEXT NL
1540 PRINT USING F2$; CL;
1550 INPUT PL$(CL): GOTO 1400
1560 REM DO BACK
1570 CLS: PRINT BL$: PRINT F1$
1580 FOR NL=14 TO 17
1590 PRINT USING F2$; NL;
1600 INPUT PL$(NL)
1610 NEXT NL
1620 REM EDIT BACK
1630 CLS: PRINT BL$: PRINT F1$
1640 FOR NL=14 TO 17
1650 PRINT USING F2$; NL;
1660 PRINT " "; PL$(NL)
1670 NEXT NL
1680 LC$="": PRINT@983, CL$;
1690 INPUT LC$: GOSUB 2030
1700 IF CL=0 THEN 1180
1710 IF CL<14 OR CL>17 THEN 1630
1720 CLS: PRINT BL$: PRINT F1$
1730 FOR NL=14 TO CL
1740 PRINT USING F2$; NL;
1750 PRINT " "; PL$(NL)

```

```

1760 NEXT NL
1770 PRINT USING F2$; CL;
1780 INPUT PL$(CL): GOTO 1630
1790 REM DO TITLE
1800 CLS: PRINT BL$: PRINT F1$
1810 FOR NL=18 TO 19
1820 PRINT USING F2$; NL;
1830 INPUT PL$(NL)
1840 NEXT NL
1850 REM EDIT TITLE
1860 CLS: PRINT BL$: PRINT F1$
1870 FOR NL=18 TO 19
1880 PRINT USING F2$; NL;
1890 PRINT " "; PL$(NL)
1900 NEXT NL
1910 LC$="": PRINT@983, CL$;
1920 INPUT LC$: GOSUB 2030
1930 IF CL=0 THEN 1180
1940 IF CL<18 OR CL>19 THEN 1860
1950 CLS: PRINT BL$: PRINT F1$
1960 FOR NL=18 TO CL
1970 PRINT USING F2$; NL;
1980 PRINT " "; PL$(NL)
1990 NEXT NL
2000 PRINT USING F2$; CL;
2010 INPUT PL$(CL): GOTO 1860
2020 REM "REDO" TRAP AND BACK TO MENU
2030 IF VAL(LC$)=0 THEN 1180
2040 CL=VAL(LC$): RETURN
2050 REM LPRINT ROUTINE
2060 PRINT@532, "PRINT HOW MANY?";
2070 PR$=INKEY$
2080 IF PR$=CHR$(13) THEN 1180
2090 IF PR$=" " THEN 2070
2100 IF VAL(PR$)=0 THEN 1180
2110 REM LPRINT LOOP. HM = NUMBER OF COPIES
2120 FOR HM=1 TO VAL(PR$)
2130 REM LPRINT FRONT
2140 LPRINT DL$; " CUT"
2150 LPRINT " "
2160 FOR NL=1 TO 13
2170 IF LEFT$(PL$(NL), 1)="@ " THEN GOSUB 2450: GOTO 2190
2180 GOSUB 2510
2190 NEXT NL
2200 LPRINT " "
2210 LPRINT DL$; " FOLD"
2220 REM LPRINT TITLE
2230 NL=18: IF LEFT$(PL$(NL), 1)="@ " THEN GOSUB 2450: GOTO 2250
2240 GOSUB 2510: GOTO 2250
2250 IF TL=1 THEN LPRINT " ": GOTO 2280
2260 NL=19: IF LEFT$(PL$(NL), 1)="@ " THEN GOSUB 2450: GOTO 2280
2270 GOSUB 2510
2280 LPRINT DL$; " FOLD"
2290 REM LPRINT BACK
2300 FOR NL=14 TO 17
2310 IF LEFT$(PL$(NL), 1)="@ " THEN GOSUB 2450: GOTO 2330
2320 GOSUB 2510
2330 NEXT NL
2340 LPRINT " ": LPRINT " "
2350 LPRINT DL$; " CUT"
2360 LPRINT " "
2370 NEXT HM ' LPRINT ANOTHER COPY IF NEEDED
2380 REM ADVANCE PAPER IF NO MORE LPRINTING
2390 FOR LF=1 TO 6
2400 LPRINT " "
2410 NEXT LF
2420 REM ALL DONE. BACK TO MENU LOOP
2430 GOTO 1180
2440 REM CENTER THE LINE
2450 TL$=MID$(PL$(NL), 2, 35)
2460 LL=LEN(TL$)
2470 TB=(43-LL)/2
2480 LPRINT TAB(TB) LEFT$(TL$, 35)
2490 RETURN
2500 REM LPRINT ONE LINE
2510 LPRINT " " LEFT$(PL$(NL), 35): RETURN

```

Make your own MX-80 cable!

CABLEBREW

James H. DeFrancis
404 Garland Road
Wilmington, DE 19803

I recently ordered an Epson MX-80 printer and printer cable by mail. On delivery the printer cable had not been included in the shipment. The omission was easily corrected with a simple phone call, but I could not bear to wait another 7-10 days for it to arrive. Therefore, I decided to assemble my own cable.

The assembly is simple. You need three components: approximately five feet of 34-conductor ribbon cable; a 34-position card edge connector; and an Amphenol

#57-30360 38-contact connector plug.

If you do not have these in your spare parts box, you can purchase them from your local electronics retailer or computer store for approximately \$5 each.

The Model III printer card located in the right rear bottom of the unit is not labeled. You have to identify the contact points before you can assemble the cable.

If you look at the Model III from the rear, the printer card contacts read evenly from left to right, 2, 4, 6 and so on through 34. Directly behind these contacts on the opposite side of the card the contacts read from left to right 1, 3, 5 and so on through 33.

Assemble the ribbon cable and edge card connector so the contact points match those of the printer card. The ribbon cable will extend out the rear of the Model III when it is in place. Match the contact points of the printer card connector to their appropriate contacts on the printer plug. Table 1 lists the printer card contacts and appropri-

ate printer plug contacts. Unlisted contacts are not used, so do not connect them.

Before you connect the cable to your printer check to make sure none of the contact pins on the connectors are touching more than one conductor lead on the ribbon cable.

If you already own a Radio Shack printer cable, it will also work on the Epson, but it will not permit underlining, slashing zero, and so on. The Radio Shack cable's configuration does not allow for separation of the carriage return and line-feed commands. The Epson cable does. You can modify your present Radio Shack cable to perform these extra functions by configuring it to the listing in Table 1. You will have to make 11 disconnections. Table 2 shows the signal functions and their contact pin number for the Model III and Epson contacts. ■

James DeFrancis is employed by E.I. DuPont and Co. His hobbies are woodworking and woodcarving.

Radio Shack Pin #	to	Epson Pin #
1		1
3		2
5		3
7		4
9		5
11		6
13		7
15		8
17		9
21		11
23		12
25		13
2		19
4		20
6		21
8		22
10		23
12		24
14		25
16		26
18		27
20		28
22		29
24		30
28		32

Table 1

TRS-80 Pin #	Signal Function	Epson Pin #
1	STROBE—pulse to clock data	1
3	DATA 0—LSB of data byte	2
5	DATA 1—bit 1 of data byte	3
7	DATA 2—bit 2 of data byte	4
9	DATA 3—bit 3 of data byte	5
11	DATA 4—bit 4 of data byte	6
13	DATA 5—bit 5 of data byte	7
15	DATA 6—bit 6 of data byte	8
17	DATA 7—MSB of data byte	9
21	BUSY—Printer cannot receive data	11
23	PE—out of paper	12
25	SELECT—printer is selected	13
—	ACKNOWLEDGE—byte has been received	23
28	ERROR	32
2,4,6,8,10,12	GROUND	19,20,21,22,23,24
14,16,18,20,22,24		25,26,27,28,29,30
27,31,33,34		
All others not used		

Table 2

Combine programs and conserve energy.

Color Computer Pointers

E. O. Gilliland, Jr.
3470 Flintshire Drive
Birmingham, AL 35226

Decimal Address	Contents
0-1023	System use
1024-1535	Text screen memory
1536-16383	Program and variable storage
40960-49151	Color Basic
49152-65279	Cartridge memory
65280-65535	Input/Output

Fig. 1. 16K RAM Color Basic Memory Map

If you use a Color Computer the following discussion of memory allocation and pointer usage should provide two immediately useful capabilities: joining Basic programs, and maximizing available memory.

You may have had a good routine or subroutine in one program that you wanted to include in another. If you tried to load in the first program and then CLOAD the second without entering a New command you also found that CLOAD did a New command and prevented this method from working. This

was not a limitation peculiar to the Color Computer. Manipulating pointers in memory with PEEK and POKE commands can combine as many programs as you want.

The "out of memory" message is particularly annoying if you already have the maximum amount of memory installed. If you are an Extended Basic user, you may be wasting up to 6K of valuable RAM.

Memory Allocation

The 6809 processor chip in the Color Computer can address 64,000 memory locations. Each of these memory locations can store information in the form of an instruction to the processor, or data which the processor uses. To the processor and to Basic, the Basic program is really data or information to operate on.

Look at how Color Basic divides up memory. Refer to Fig. 1. Basic programmers generally are concerned only with the memory area from address 1536

addresses in memory from 1536 to 16383 that could hold our Basic program. Since a Basic program probably will not fill all that space all of the time, a pointer tells Basic where a program ends. This pointer resides in memory locations 27 and 28 and points two bytes to the right of our program's end. Since Basic programs can begin at various locations, a second pointer tells us where the current Basic program begins in memory. This pointer resides in memory locations 25 and 26.

These pointers are changeable so we can load programs anywhere in the available memory or combine programs as desired.

Pointer Format

Enter the command

```
PRINT PEEK(25);PEEK(26);
      PEEK(27);PEEK(28)
```

Two Important Basic Pointers

Earlier, I referred to a range of

```
PRINT PEEK(25);PEEK(26);PEEK(27);PEEK(28)
```

6	1	6	3
Pointer to beginning of Basic program.		Pointer to end of Basic program.	
$6 \times 256 = 1536$		$6 \times 256 = 1536$	
$1 \times 1 = 1$		$3 \times 1 = 3$	
1537		1539	

Address of beginning of Basic program	Address of end of Basic program
--	------------------------------------

Fig. 2. Conversion of Pointer Addresses to Decimal Values

The Key Box

Color Basic or
Extended Color Basic
Color Computer
4K RAM or above

Creative Computer

Department 80
1236 E. Colonial Drive
Orlando, Florida 32803 USA

Voice (305) 894-4744
BBS 24 Hour (305) 277-0473
Micronet 71555,520

PRINTER	RIBBONS EZ RELOAD	CARTRIDGES NEW
RADIO SHACK PRINTERS		
Daisy II Black	10 For 24.95	6 for 29.95
Brown/Blue/Red	6 For 24.95	N/A
LP 1-2-4	4 For 18.95	
LP 3 & 5	3 For 13.95	
LP 6 & 8	3 For 13.95	
EPSON / IBM		EPSON BRAND
MX-70/80/80F/T	3 For 16.95	18.95
MX-100	3 For 18.95	29.95
OKIDATA		
80-82-83-84		3 For 11.95
CENTRONICS		
700/730/737/739/779 ZIP PAK	4 For 18.95	

RADIO SHACK MODEL I & III
NEWDOS 80 2.0 \$139
LDOS 5.1 105
Maxi-Manager 84
Maxi-CRAS 89
Electric Pencil II 79
Superscript 44
Business Pac 100 94
Library 100 39
Money Manager 36

GAMES
Adventure International
Big Five 1-5% Off
Avalon Hill 2-10% Off
Med System 3-15% Off
Acorn 5-20% Off
Epyx and Others

RADIO SHACK MODEL II
Racet Fastback \$ 69
Business Pac 100 144

CREATIVE COMPUTER
Asset Depreciation . . \$350/25
Account Payable 495/25
Account Receivable . . 495/25
General Ledger 495/25
Inventory Control 495/25
Order Entry/Invoicing . 395/25
Job Costing 495/25
Yahtzee 24.95
Buy 3 and get 20% off

CALL TOLL FREE—800-327-9294

Write For Free Catalog

Over 600 items in Diskettes, Paper, Lables, Ribbons, Checks, Storage Boxes, Furniture, Binders and Hardware. * Mfg. Trademark. Florida plus 5% tax.

FREE SHIPPING except hardware.

Most orders out in 24 hours with VISA, M/C, Money Order, Cashier Check, Bank Wire and C.O.D. Personal check over \$150 allow 10-14 days. Mail order only. Prices subject to change 9-8 Monday-Friday, 9-6 Saturday.

✓ 190

from location 1536 to 13823. This is used by Extended Basic to perform high resolution graphics. If you are not using graphics in your program, you can use this space in your Basic program. The Extended Basic manual covers this but leaves this one important point unclear. Unless you specify otherwise, four pages of graphics screen memory are reserved for you. Unless your program is using graphics, this space is wasted.

You can get back all but one page of this memory by enter-

ing a PCLEAR 1. We can recoup that last page of screen memory by POKEing locations 25 and 26 to 1536:

POKE25,6:POKE26,1

Now enter NEW. Displaying memory will show 14631, the same as on a 16K machine without Extended Basic. ■

Gill Gilliland is a systems analyst for South Central Bell Telephone Company. As amateur radio operator WD4BXA, he enjoys operating RTTY with his Color Computer.

Decimal Address	Contents
	Graphics Screen Memory
1536-3071	Page 1
3072-4607	Page 2
4608-6143	Page 3
6144-7679	Page 4
7680-9215	Page 5
9216-10751	Page 6
10752-12287	Page 7
12288-13823	Page 8
13824-16383	Program and variable storage

Fig. 5. Graphics screen memory

NEW

"DOS RANDOM ACCESS & BASIC FILE HANDLING"

the HOW TO, SHOW & TELL, STEP by STEP book. Written for TRS-80 and all computers using Microsoft basic.

The breakthrough book for non-programmers... businessmen and professionals who want to solve in house problems by writing your own customized program... and the hobbyist with the desire to get beyond the cassette and into disk data storage and file manipulation. "DOS Random Access & File Handling" is the plain speaking, easy to read 150 page book for learning HOW TO WRITE SPECIAL PROGRAMS for inventories, mailing lists, work schedules, record keeping and more. Your acquaintance with Level I and Level II basic and this self-instruction tutorial will assure quick progress.

DSC Publishing
2 Dogwood Drive
PO Box 769
Danbury, CT 06810
Phone Order
(203) 748-3231

Please send me a copy of "DOS Random Access & Basic File Handling" for 29.50 + 1.50 shipping. Model I & III ☐ Model II/CPM ☐

Also send the compatible 8" program disk for 32.50 + 1.50 shipping CPM ☐ or Model II ☐ or the 5 1/4" disk for Model I and III for 28.50 + 1.50 shipping ☐

Overseas add 8.00 per book and disk airmail.

Name

Address

City

State Zip

Master Charge ☐ VISA ☐

Expiration Date

Card #


Check ☐ Money Order ☐

COD (2.00 extra) ☐

Signature


Phone Orders (203) 748-3231

CT. orders add 7.5% sales tax.



"Dealer Inquiries Invited"

PION introduces the INTERSTELLAR DRIVE.



A solid state disk emulator for your Apple*, TRS 80**, S100, or SS50 computer

Minicomputer speeds at Microcomputer Prices

Introductory Price \$1095.
plus tax and shipping



SEND FOR FREE BROCHURE

Identify your model.

✓490

PION, INC. Tel. (617) 648-1717
74 Appleton St., Arlington, MA 02174

*Trade Mark Apple

**Trade Mark Tandy Corp.

- A FAST mass storage device. Speeds up payrolls, receivables, word processing, or any program requiring disk storage.
- No moving parts. Eliminates waiting on slow mechanical drives.
- Standard 256K bytes of storage expandable to 1 megabyte.
- Independent regulated power supply.
- Automatic power failure detect and battery backup.
- Hardware error detection and write protect.
- Drivers, diagnostics and utilities software provided.

BIG DISCOUNTS ON TRS-80™ COMPUTERS



NO TAXES ON OUT OF STATE SHIPMENTS

CALL FOR LOWEST PRICE QUOTES
301-678-6000

CONTROL DATA DISKETTES

5 1/4" SS/DD \$2.95 EA
8" SS/DD \$3.95 EA

BUY 10 GET 2 FREE
add \$2.00 shipping charge per box of 10


GOLF HANDICAPPING PROGRAMS FOR
TRS-80 MODELS II & III

HANCOCK TECHTRONICS
33 W MAIN ST
HANCOCK, MD 21750

✓497

PREMIUM CASSETTES

COMPUTER GRADE
100% ERROR-FREE
FULLY GUARANTEED



The Micro-Trac™ Generation

- High Frequency Response • Wide Dynamic Range •
- Used by Software Firms & Computer Hobbyists •
- Choice of School Districts Nationwide •

LENGTH	12-PAK	24-PAK
C-05.....	\$.69	\$.59
C-10.....	\$.79	\$.69
C-20.....	\$.99	\$.89
C-30.....	\$1.19	\$1.09
C-60.....	\$1.49	\$1.39
C-90.....	\$1.79	\$1.69
*CASES.....	\$.21	\$.20

*Cases recommended to protect sensitive cassettes.

—UPS SHIPPING—
(No P.O. Boxes please)
\$2.00 (12-pak) \$3.00 (24-pak)
—Canadian shipping multiply by 2—

**#1 COMPUTER TAPE
IN THE USA!**

—write for volume prices—

TOLL-FREE
(orders only)

1-800-528-6050
ext. 3005

In Arizona State
1-800-352-0458
ext. 3005



MICRO-80™ INC.

E. 2665 Busby Road
Oak Harbor, WA 98277
—Distributors Wanted—

✓132

Teach your children to add and subtract.

Model II Math Skills

Mike Kilroy
6213 Concerto Court
Dayton, OH 45449

better and at the same time hopefully help the kids become more efficient at their math.

Using the Program

To disable the Break and Hold keys the program jumps to the machine-language routines and then returns to Basic (see Fig. 1). Next, the program asks you to select the subject you want to practice. Enter A for addition skills, S for subtraction skills, M for multiplication skills, D for division skills, or C for a combination of all four skills. (Entering X enables the Break key and ends the program.) Next, enter your skill level (1-10) and the number of problems you want to work (10-100). If you enter less than 10 for the problems, you will get 10, the minimum number allowed. Likewise, 100 is the maximum number of problems allowed.

You are now ready to practice. The various score keeping parameters appear across the top of the screen: the number of problems you have completed right and wrong, your present percent score, the number of problems left to go, and the time. The time is a running clock

showing the time remaining to answer the present problem. It counts down from 50 to zero. (I also disabled the Hold key so that the boys would not hit the Hold key to stop the clock.) The purpose of the clock is to show, at the end of the practice session, how much time was spent on the problems.

Problems are centered on the screen. A little saying appears at the bottom of the screen when you have typed in your answer. You may customize these sayings for your own children. There are two types of sayings; those given for correct answers and those given for incorrect answers. To answer a problem simply type in the answer and Enter. If you don't know the answer, the computer will help you. Type only an H and the answer will momentarily be displayed under the problem. Typing an H counts as one wrong, and you then have to type in the correct answer the computer showed you.

Scoring

After completing the problems, the program tells you how many problems you did, how many wrong answers you entered, your final percentage score and your speed. It also asks for "dad's code." The speed figure is based on total time used in answering the problems compared to the total amount of time available. If the speed is 60 percent it means that out of 50 possible time units available per problem,

the boys used an average of 20 time units on each ($50 \times (1 - .6)$).

With Break disabled, the boys cannot clear the scores off the screen without my seeing them. When "dad's code" is entered it is not displayed on the screen. Also to prevent the boys from learning the code by looking on as I enter it, I've set this up to take 256 characters and search among all entered characters for the correct three-character long code! The code is defined in line 904. I use 435.

Machine-Language Routines

The two machine-language routines used in this program are called SETBRK and HLDKEY. They disable and enable the Break and Hold keys. The Model II provides mini-subroutines in machine language called "supervisor calls" which do most of the work. (For background on supervisor calls refer to your Model II Owners Manual, TRSDOS section, pages 4/9, 4/18 and 4/20A.)

The Hold key routine is short and easy to follow. Both this and the Break key routine are run right from the main Basic program.

To disable the Hold key refer to Program Listing 1. Load register B with the number 1 (that line is stored at address F240 in the computer's memory), load register A with the number 13, '1D' in

```
STARTER          TYPE = F          Sun May 10 1981 130
-00.15.43      PAGE 1

                BYTE 1...5...10...15...20...25...30...35...40...45...50...55...60...65
...70...75...80...85...90...95...100
R = 1          .1 CLS.LOAD SETBRK.LOAD HLDKEY.BASIC MATH -M:62000.
-----
LRL = 1
```

Figure 1

The Key Box

CBasic
Model II
TRSDOS

hexadecimal (that line is stored at address F242), call the supervisor subroutine (this line is stored at address F244), then return from this subroutine to Basic (this line is stored at address F245). That's all there is to disabling the Hold key! The Model II does not make provisions for enabling the Hold key after you have disabled it. To re-enable it you must reset the computer.

Break Key Processing

The Break key processing is more complex. The manual explains the enter and exit conditions after processing the Break key. The Break key's function is to send the computer off to a subroutine in its memory whenever it is pressed. To do this, the computer must know where to jump to in memory as soon as it is pressed. Our subroutine disables this jump when we do not want this key active and enables the jump again when we want it active. This supervisor call is designed exactly for this purpose, but we need separate routines to do each of these. The subroutine shown in Program Listing 2 starts at location F2B0. There are three parts to it; each is separately called from the main Basic program.

The first part is at F2B0 to F2B4. This checks to see if the Break key is presently enabled or disabled. When you first run this program, address location F2BF will be zero. I use this address as a flag to tell me if the key is enabled or disabled; zero means the Break key is presently enabled; one means disabled. We load register A with the number at this location, transfer it to the memory location pointed to by register HL, then return to the Basic program. The computer defines the address pointed to by register HL as the location of our Basic program's X variable. (See page 3/144 of the Basic section in your manual.)

Line 30 in our Basic program then checks if X is zero, or if the key is enabled. If it is, we jump to our subroutine starting at F2C0 in memory to disable it. F2C0 puts zero into register HL. In addition we need to put the number 3 into register A and call the supervisor routine with a CF

```
F240: 06 01 LD B,01
F242: 3E 1D LD A,1D
F244: CF RST 08
F245: C9 RET
```

Program Listing 1

```
F2B0: 3A BF F2 LD A,(F2BF)
F2B3: 77 LD (HL),A
F2B4: C9 RET
F2B5: 00 NOP
F2B6: 00 NOP
F2B7: 00 NOP
F2B8: 00 NOP
F2B9: 00 NOP
F2BA: 00 NOP
F2BB: 00 NOP
F2BC: 00 NOP
F2BD: 00 NOP
F2BE: 00 NOP
F2BF: 00 NOP
F2C0: 21 00 00 LD HL,000
F2C3: 3E 03 LD A,03
F2C5: CF RST 08
F2C6: 22 E7 F2 LD (F2E7),HL
F2C9: 21 F2 F2 LD HL,F2F2
F2CC: 3E 03 LD A,03
F2CE: CF RST 08
F2CF: 3E 01 LD A,01
F2D1: 32 BF F2 LD (F2BF),A
F2D4: 00 NOP
F2D5: C9 RET
F2D6: 00 NOP
F2D7: 00 NOP
F2D8: 00 NOP
F2D9: 00 NOP
F2DA: 00 NOP
F2DB: 00 NOP
F2DC: 00 NOP
F2DD: 00 NOP
F2DE: 00 NOP
F2DF: 00 NOP
F2E0: 21 00 00 LD HL,0000
F2E3: 3E 03 LD A,03
F2E5: CF RST 08
F2E6: 21 02 60 LD HL,6002
F2E9: 3E 03 LD A,03
F2EB: CF RST 08
F2EC: 3E 00 LD A,00
F2EE: 32 BF F2 LD (F2BF),A
F2F1: 00 NOP
F2F2: C9 RET
```

Program Listing 2

command (line F2C5). As page 4/18 explains, this will disable the key if and only if there presently is no Break key program pointed to in memory. If there is a Break key already pointed to in memory, this command tells us where the present Break key subroutine is located in memory. This address will be located in the HL register.

So far the program tells us where the old Break key program is located in memory. Save this old address in memory somewhere so we can put it back to enable the key when we want it again. Address F2C6 saves that old address at memory location

PRACTICAL • ORIGINAL • SINGULAR • SUPERB • UNUSUAL

REFWARE THESAURUS 2.0

NEW! EXPANDED! FASTER!

The highly-acclaimed word-finding program, now compiled in machine language, lets you find in only a few seconds synonyms for any of 24,800 nouns, adjectives, verbs, and adverbs. Substitutes synonyms in your own sentences. And helps you find the correct spelling of hard-to-spell words.

Essential for anyone who uses a personal computer as a word processor to write letters, reports, articles, or books.

Here is what reviewers say:

"...impress people with your unlimited vocabulary through the use of the **Thesaurus** programs. You'll surprise yourself with the amount of knowledge you will pick up as you go along." ---**Softside**, April 1982

"...one of the pioneering reference tool programs."

---**Interface Age**, August 1982

"...absolutely no programming knowledge whatsoever is required..." ---**Computronics**, April 1982

"All this is done very fast; faster than a search through a conventional thesaurus..."

---**80 Microcomputing**, April 1982

REFWARE THESAURUS 2.0

24,800 adjectives, nouns, verbs, and adverbs assist you in choosing the most accurate words in your ads, letters, reports, and speeches.

REFWARE THESAURUS Builder 1.0

Series of eight Basic utility programs enables physicians, educators, lawyers, businessmen, or other professionals to develop specialized computer thesaurus disk programs of hard-to-remember technical words for personal use. Functions independently of Thesaurus program.

REFWARE THESAURUS User's Manuals: Complete descriptions of use of each of the above programs. Included at no additional charge with each program listed above.

MINIMUM System Required TRS 80* Mod I or Mod III 48K with two disk drives.

*A Trademark of Tandy Corporation.

Credit card orders phone (914) 238-8896

REFWARE* Reference Software Division

David C. Whitney Associates, Inc.

P.O. Box 451, Chappaqua, N.Y. 10514

*A trademark of David C. Whitney Associates, Inc.

Specify Mod I () or Mod III ()

Single Density () or Double Density ()

Qty.	Title	Unit Price	Total
	Complete 24,800-word Refware Thesaurus 2.0	\$89.95	
	Thesaurus Builder 1.0	\$149.95	

Sales Tax
(N.Y. state residents only)

Postage and handling \$ 3.00

Enclosed \$ () Check () Money Order
Bill: () Visa () MasterCard TOTAL \$

Card #

Exp. Date Interbank #

Signature

Name Phone ()

Address

City State Zip

Mailed First Class, but allow 3 to 4 weeks for delivery, no C.O.D. orders.

F2E7 for later use.

Now that we know the old address, we can disable the Break key in address F2C9 through F2CE. Remember, we want to disable Break and then enable it later. My approach is to point to my own Break key subroutine every time the key is pressed. I return from the subroutine each time the key is pressed. I put address F2F2, which is the address of a Return command, into register HL, then load register A with 3, then call the supervisor

call. The number in register HL now becomes the *new* address of the Break key subroutine. In this case we have pointed to a Return command as the whole Break key program.

Now, each time the key is pressed the present program running in the computer will stop, and the computer will jump to this new Break key subroutine which tells it to return to what it was doing without any other action. The result is no more Break key! Address

F2C9 through F2D1 sets the flag to show that the key is presently disabled. Then we return to the main Basic math program with the Break key disabled.

We enable the Break key again with the subroutine located at address F2E0 through F2F2. First we remove the present Break key processing program address by loading HL with zero, A with 3, and calling the supervisor call (RST 8). Next we load HL with the original saved address of the break processor. Notice we saved the original address at location F2E7. That put it right where we needed it for this enabling routine! No need to get the address from elsewhere. We load HL with this address, load A with 3, call RST 8 and we have restored the original function of the Break key. Again we set our flag to zero to indicate the key is enabled.

We need Basic's DEFUSR and USR() commands to make use of the machine-language subroutines from our Basic math program. The DEFUSR command defines the starting point of your machine-language subroutine (see page 3/32 of the owner's manual). You are allowed to define up to nine of these. I've defined four as line 20 of the Basic program shows. The hexadecimal addresses and the starting point of each one of the machine-language subroutines we've just discussed match up. I use the USR command to return a one or zero from the subroutine located at F2B0 in memory as X. I use the remaining USR commands to force the computer to switch from Basic to my subroutines and then return to continue the Basic program where it left off. Returning to Basic from these subroutines is very simple: use a return (C9) in machine language.

Debug

Use TRSDOS Debug to enter the machine-language programs into the computer. First, type in Clear to clear all memory to prevent any confusion. To turn on Debug enter the command "DEBUG ON" in the TRSDOS ready mode. Enter "DEBUG" to activate the Debug program (see page 2/25 in TRSDOS section).

Now enter the machine-language programs I've listed in Listings 1 and 2. I've relisted these two programs in Listings 3 and 4 just as they will appear after you type them in under the Debug program. The cursor will be blinking, waiting for a command in the Debug program. Type H to list the legal commands available. Type M to enter the start address of our program. Then enter the address F240. Next press the F1 key to move the cursor into the memory block. You are now ready to type in the machine-language program starting at address F240. Copy Listing 3 into the memory block and then press the F2 key to save this program in memory. Next, repeat this same procedure for the rest of the program beginning at address F2B0. After you have entered Listings 3 and 4 type S to return to TRSDOS.

To save on disk use the Dump command (see page 2/40A of the owner's manual). You need to give these programs names just like Basic programs. I've called them SETBRK and HLDKEY. The commands to save are:

- DUMP SETBRK (START = F2B0, END = F2F2)
- DUMP HLDKEY (START = F240, END = F245)

Enter these commands to save what you just typed with the Debug program on your disk.

Now you are ready to build a Do file to automatically start the math program.

Do file

The purpose of the Do file is to load these two machine-language programs into memory at start up, and then load Basic and your program. Fig. 1 shows the Do file "STARTER", which I built with the Build command. I reserved all memory above 62000 (F230 hexadecimal) for my machine-language programs so they would not be interfered with by any Basic programs.

You may then use the command Auto Starter to automatically do the file Starter after you initialize the computer at turn on. That way all you need do is Enter the date and you will immediately go to the math program with no steps in between. ■

TRS-80 Model II DEBUG Program

```
F240 06 01 3E 1D CF C9 00 00 00 00 00 00 00 00 00 00 ..>.....
```

Program Listing 3


TRS-80 Model II DEBUG Program

```
F2B0 3A BF F2 77 C9 00 00 00 00 00 00 00 00 00 00 :..W.....
F2C0 21 00 00 3E 03 CF 22 E7 F2 21 F2 F2 3E 03 CF 3E :>..>.....
F2D0 01 32 BF F2 00 C9 00 00 00 00 00 00 00 00 :..2.....
F2E0 21 00 00 3E 03 CF 21 89 00 00 00 00 00 00 00 00 :>..>.....
F2F0 F2 00 C9 00 00 00 00 00 00 00 00 00 00 00 00 :.....
```

Program Listing 4

'Checkbook-Checkwriter II' is available for:
TRS-80 Model I/II
TRS-80 Color Computer

Check Us Out!



☒ **Product:** Continuous fan-folded checks with dual-windowed envelopes, checkbook binder and software designed especially for computer use in the home. You can't get continuous checks like these anywhere in the world.

☒ **Savings:** Special package — including software — to get you started. 200 checks, 100 envelopes and binder — \$59.95. 500 checks, 300 envelopes and binder — \$79.95. Both with our versatile "Checkbook-Checkwriter II" program that will have you printing your checks the day you receive them.

SPECIAL BONUS:

- Each 250th customer—50% off your order.
- Each 500th customer—your order free.
- Each 1000th customer—your order free, and free check refills for life.


☒ **Guarantee:** Our checks and accessories are guaranteed to please, you and guaranteed compatible with your bank. In fact, if you order a special package and aren't satisfied for any reason, simply return it for a full refund (including postage), and you can keep the "Checkbook-Checkwriter II" program.

Now CHECK WITH US... Order a special package with moneyback guarantee today! Just enclose a voided check for encoding information with your order. Or send today for our free information package. We guarantee you'll be pleased. Visa, M.C., AMEX orders welcome. Shipping: \$2.00 USA, \$5.00 Outside USA.

233 4715 SHEPHERD RD • MULBERRY, FL 33860 • PHONE (813) 646-6557

SYNERGETIC SOLUTIONS

EMAIL ADDRESS: MICRONET@CS.70070.COM



Program Listing 5

```

10 'YOU MUST LOAD "setbrk" AND "hldkey" FIRST
20 DEFUSR0=&HF240:DEFUSR1=&HF2C0:DEFUSR2=&HF2B0:DEFUSR3=&HF2E0
30 X=USR0(X):X=USR2(X):IF X=0 THEN X=USR1(X)
40 ONERRORGOTO930
50 DEFSTR A,D,E:DEFINT F,T,X,Y,Z,S:GOSUB450
60 A1=CHR$(26):A2=CHR$(25):A3=CHR$(30):A4=CHR$(31):A5=CHR$(150):A6=CHR$(24)
:A8=" I HELPED !! "
70 PRINTA1;A4:CLS:PRINT0850,"MODEL II MATH SKILLS"
80 PRINT01337,"Copyright Dec 15, 1980"
90 PRINT01581,"By Mike Kilroy"
100 FOR T=0 TO 2000:PRINT00,CHR$(02):NEXT
110 PRINTA3;A2:CLS:T1=0:T=0:T2=0:P4=0:P=0:P1=0:Q=0
120 PRINTTAB(25)A1;" PICK ONE OF THE FOLLOWING ";A2
130 PRINT0270,A1;"A";A2;"DDITION SKILLS "
140 PRINT0430,A1;"S";A2;"UBTRACTION SKILLS "
150 PRINT0590,A1;"M";A2;"ULTIPLICATION SKILLS "
160 PRINT0750,A1;"D";A2;"IVISION SKILLS "
170 PRINT0910,A1;"C";A2;"OMBINATION OF ABOVE"
180 PRINT01230,A1;" COMMAND ";A2;CHR$(24):INPUT A
185 IFA="A"ORA="S"ORA="M"ORA="D"ORA="C"THENGOSUB350
190 IFA="A"THEN260
200 IFA="S"THEN1000
210 IFA="M"THEN2000
220 IFA="D"THEN3000
230 IF A="X" THEN 920
240 IFA="C"THEN5000ELSE GOSUB420
250 GOTO180
260 P=0:P1=0
270 A7="+" :Z1=X+Y:GOSUB 700
280 IFZ=Z1THENP=P+1:GOSUB830 ELSEP1=P1+1:GOTO320
290 GOSUB430
300 GOSUB400
310 IFQ-P<0THEN860 ELSEIFP4=0THEN270 ELSE5000
320 GOSUB840
330 GOSUB430
340 GOTO 270
350 CLS:PRINT0900,A1;" ENTER SKILL LEVEL (1 TO 10) ";A2;CHR$(24);
360 INPUT S:IFS<1 OR S>10THEN GOSUB420ELSEGOTO380
370 GOTO350
380 PRINT01220,A1;" HOW MANY PROBLEMS ";A2;CHR$(24):INPUTQ
390 IF Q<10THENQ=10 ELSEIF Q>100THENQ=100
395 T2=Q*50
400 X=RND(S*10):Y=RND(S*10)
410 RETURN
420 PRINT:PRINT:PRINT D(RND(10))
430 FORT=0 TO300:PRINT00,CHR$(02):NEXT
440 RETURN
450 D(0)="YOU DUMB Y !!!! YOU CAN'T DO THAT"
460 D(1)="WHEN YOUR BROTHER DIED THEY PROBABLY BURIED YOU !!!"
470 D(2)="MY TOILET IS SMARTER THAN YOU"
480 D(3)="YOU HAVE MARBLES FOR A BRAIN"
490 D(4)="YOU SMELL LIKE A SEWER, BUT THAT'S BESIDE THE POINT!!!!!"
500 D(5)="WHY IS IT THAT YOU DO SUCH IDIOTIC THINGS?"
510 D(6)="You're as dumb as me..... unplugged!!!!!!!"
520 D(7)="My you have pretty legs....."
530 D(8)="Why did you do that - - try again."
540 D(9)="You're mother wears army boots - but that's no excuse!!!!"
550 D(10)="Why not put at least a little effort into getting this right?"
560 E(0)="Good job buddy"
570 E(1)="Germans are smart too"
580 E(2)="Very good, chops!!!!"
590 E(3)="You're almost as smart as ME !!!!!!"
600 E(4)="What did you do plug your self into my memory!!!"
610 E(5)="That away"
620 E(6)="You look so ugly that nobody could tell your a math king"
630 E(7)="When your brother died they probably buried him!!!!!"
640 E(8)="Your a math king"
650 E(9)="I'L bet your bad at spelling"
660 E(10)="I wonder if you can spell as well as you are at math"
670 RETURN
680 PRINT01056,A6;Z1;" ";A1;A8;A2
690 T1=T1-50:Z=Z1:A8=" I HELPED !! ":F=1:RETURN
700 B$="":T=50:PRINTA4:PRINT0815, USING"###";X
710 PRINT0894,A7:PRINT0895, USING"###";Y
720 PRINT0975,A5;A5;A5;A5;A5
730 PRINT01056,A6;Y1=13:X1=16
740 A0="":A0=INKEY$:PRINT0(Y1,X1),A0;GOSUB780:IF A0=""THEN740
750 IFA0="H"THENGOSUB 680ELSEIFA0=CHR$(08)THENX1=X1-1ELSEX1=X1+1
760 IFA0=CHR$(13)OR A0="H"THEN Z=VAL(B$):RETURN
770 IFA0=CHR$(08)THENB$=LEFT$(B$,X1-16):GOTO740ELSEB$=B$+A0:GOTO740
780 T=T-1:PRINT070,A1;"TIME";A2:PRINT0230,T;CHR$(02):IFT=0THENA8=" TIMES UP
":A0="H"
790 P3=INT(((P-P1)/P)*100):IFP3<0THENP3=0
800 PRINT00,A1;"RIGHT";A2;" ";A1;"WRONG";A2;" ";A1;"PERCENT";A2;" ";A1;"
TO GO";A2
810 PRINT0161,P;" ";P1;" ";P3;"%";" ";Q-P
820 IFA0=CHR$(11)THEN110ELSE RETURN
830 PRINT01063,A1;" RIGHT ";A2:PRINT01521,E(RND(10))
835 T1=T1+T:RETURN
840 IFB=0THENPRINT01063,A1;" WRONG ";A2
850 T1=T1-20:PRINT01521,D(RND(10)):F=0:RETURN
860 CLS:P2=10-P1:IFT1<0THENT1=0
870 PRINT0160,A1;" PROBLEMS ";A2;" ";A1;" PROBLEMS WRONG ";A2

```

Listing continues



TEACH YOUR CHILDREN

ALPHA—Our best seller. Enhanced with larger letters and three exercises. Alphabet recognition for pre-schoolers.

ALPHA II—More alphabet exercises. Find the duplicate letters; letters before and after; put in alphabetical order.

SIGMA—Addition problems for grades 1-3.

SIGMA-EX—Addition problems for the younger or slower learner.

SIGMA-82—Addition, subtraction, multiplication and division. Nine speed levels. Time left and total time constantly displayed.

SPE-L—Spelling practice for grades 2-4.

Learning to Count Money—A THREE PROGRAM SYSTEM THAT TEACHES THE IMPORTANT SKILL OF COUNTING MONEY. SUPERIOR GRAPHICS. (SOLD BY THE SET ONLY.)

Available on cassette only for TRS-80 Models I and III \$6.95 each, two for \$12.00, four for \$21.00 Learning to Count Money—\$19.95

Add \$1.00 to total order for first class shipment.



188
Mercer Systems Inc.
87 Scooter Lane
Hicksville, N.Y. 11801

Coordinated Business Software

D.B. Software Co. announces a new line of coordinated business software designed for the Model III TRS-80. The BASE system consists of a **General Ledger System with Accounts Receivable and Accounts Payable**. Other modules can be purchased and added as needed.

BASE System (GL-AR-AP) \$200.00

Coordinated Modules:

Payroll	\$ 75.00
Order Entry	\$125.00
Inventory	\$129.95
Purchase Order Entry	\$125.00
Inventory (special for Auto Parts Suppliers)	\$129.95

Also available:

Job Costing with GL and AP (Payroll optional)	\$500.00
Mailing Lister	\$100.00

Coming soon:

Apartment Management System, Fixed Assets System, Manufacturing Inventory Management System

Send S.A.S.E. for more information

D.B. Software Co.

11840 NE Brazee, Portland, OR 97220

Phone (503) 255-7735

DEALER INQUIRIES INVITED

TRS-80 is a trademark of Tandy Corp.

410

TAX PREPARERS!

PROFESSIONAL FEDERAL INCOME TAX PROGRAMS

FOR TRS-80 MODEL I, II OR III

- Cuts manual production time by as much as 75%.
- Determines least tax quickly.
- Saves input information on disk—automatic transfer of essential information.
- Batch processing possible.
- Uses IRS prescribed computer generated print outs.
- Prohibits bypassing of mandatory entries.
- Accuracy assured by triple check logic.
- Enter only pertinent lines—faster than line by line.
- Single line correction with automatic update of succeeding totals.
- Professionally used—nationally advertised.
- Overlays available for 1040 & 1040A.
- Requires 2 disk drives & 48K.

• BASIC PACKAGE \$150.00 •
INCLUDES 1040, 1040A, AND
SCHEDULES A & B
EXTRA SCHEDULES \$35.00
MANUAL AVAILABLE FOR \$5.00



MICRO-TAX

P.O. Box 4262, Mountain View, CA 94040

Call: (415) 964-2843



339

Listing continued

```

880 PRINT@326,Q,,P1:IFP3<0THENP3=0
890 PRINT@960,A1," YOUR SCORE IS: ";A2;P3;"%"
895 PRINT@1360,A1," SPEED ";A2;(T1/T2)*100;"%"
900 B$="":PRINT@1760,A1;" DAD'S CODE ";A2;
902 D=INKEY$:IFD=""THEN902 ELSE B$=B$+D
904 IF D=CHR$(13)THEN V=INSTR(B$,"435") ELSE 902
906 IF V=0THEN PRINT@1780,"BAD CODE":GOTO900 ELSE 110
920 X=USR2(X):IF X=1THEN X=USR3(X):CLS:PRINTCHR$(30);"BYE!!!"
925 STOP
930 RESUME NEXT
1000 P=0:P1=0
1010 A7="--":Z1=X-Y:GOSUB700
1020 IF Z=Z1THENP=P+1:GOSUB830 ELSEP1=P1+1:GOTO1060
1030 GOSUB430
1040 GOSUB400
1050 IFQ-P<0THEN860 ELSEIFP4=0THEN1010 ELSE5000
1060 GOSUB840
1070 GOSUB430
1080 GOTO1010
2000 P=0:P1=0
2010 A7="X":Z1=X*Y:GOSUB700
2020 IFZ=Z1THENP=P+1:GOSUB830 ELSEP1=P1+1:GOTO2060
2030 GOSUB430
2040 GOSUB400
2050 IFQ-P<0THEN860 ELSEIFP4=0THEN2010 ELSE5000
2060 GOSUB840
2070 GOSUB430
2080 GOTO2010
3000 P=0:P1=0
3010 W=X/Y:W2=INT(W):IFW2<>WTHENGOSUB400 ELSE3015
3011 GOTO3010
3015 Z1=W:GOSUB4000
3018 Y1=13:X1=17:GOSUB740
3020 IFZ=Z1THENP=P+1:GOSUB830 ELSEP1=P1+1:GOTO3060
3030 GOSUB430
3040 GOSUB400
3050 IFQ-P<0THEN860 ELSEIFP4=0THEN3010 ELSE5000
3060 GOSUB840
3070 GOSUB430
3080 GOTO3010
4000 B$="":T=50:PRINTA4:PRINT@1215, USING"###";X
4010 PRINT@1251, USING"###";Y:PRINTCHR$(169):PRINT@1134,CHR$(152);CHR$(152);CHR$(152);CHR$(152);CHR$(152);CHR$(152)
4020 RETURN
5000 P4=1:P5=RND(4):ONP5GOTO270,1010,2010,3010

```

Extended BASIC

TRS-80 Color Computer

The Champagne of Software For a Beer Budget!

Over 75 quality programs a year
for under 75¢ each!

Ah, **CHROMASETTE** Magazine, the toast of the holiday season... and any season! A subscription to **CHROMASETTE** Magazine consists of 6 to 8 premium programs ON CASSETTE, delivered by First Class Mail to you and your computer every month! Tutorials, utilities, games, and practical programs to usher in a great new computing year!

So, celebrate and get a subscription to **CHROMASETTE** Magazine! Or just take a little sip and try a back issue.


The Bottom Line:

1 year (12 issues)	\$45.00	Calif. residents add 6% to single copies.
6 months (6 issues)	\$25.00	North America — First Class postage included.
Single Copies	\$ 5.00	Overseas — add \$10 to subscriptions and \$1 to single copies.
		Sent AO rate.

The Fine Print:

All issues from July 1981 available — ask for list. Programs are for the Extended BASIC model and occasionally for disks.

Chromasette Magazine P.O. Box 1087 Santa Barbara, CA 93102 (805) 963-1066



MasterCard/Visa


103

TRS-80
Model I

And In This Corner,
Another Champion.....

TRS-80
Model III

CLOAD'S DISK VERSION!



Get 12 tapes OR disks a year containing over 75 quality programs — without knocking out your budget!

We finally gave in . . . After over FOUR years of publishing some of the best (aren't we pompous), useful and fun programs on tape, we are now offering **CLOAD Magazine on disk**, too!

A subscription to **CLOAD Magazine** (tape or disk) consists of 6 to 8 ready-to-load programs delivered by First Class Mail every month. What a winner!

Fight high software prices — Get a subscription to **CLOAD Magazine**. Or just throw a single punch and try a back issue . . .

The Bottom Line:

	Tape	Disk
1 year (12 issues)	\$50.00	\$95.00
6 months (6 issues)	\$30.00	\$55.00
Single Copies		
Back Issues	\$ 6.00	\$11.00
Good Games #1	\$12.00	\$23.00
Adventures #1	\$13.00	\$24.00

California residents add 6% to single copies.
North America — First Class postage included
Overseas — add \$10 to subscriptions and \$1 to single copies. Sent AO rate.

The Fine Print:

All issues from Oct 78 available on tape. Issues from Oct 82 available on disk, also. Ask for list (24 Level I issues also available).



(805) 962-6271


P.O. Box 1448
Santa Barbara, CA
93102

MasterCard/Visa

LOBO DROPS PRICES

Bigger volume and lower production costs now make Lobo high performance disk systems and accessories even more affordable.

Whether your TRS-80 is a Model I, II, or III, you've probably wished for more disk capacity. Now Lobo gives you that—and much more—at low, manufacturer-direct prices. With uncompromising quality, and the protection of Lobo's unique 1-year warranty.



Special for Model I owners: the LX-80 Expansion Interface

Radio Shack may have forgotten you, but Lobo hasn't! Our LX-80 expansion interface (plus LDOS operating system) gives your Model I more features and more expandability than a Model II or III. The sturdy steel enclosure fits under your monitor and adds:

- 32k additional RAM
- Interfaces for standard Radio Shack minifloppy drives and Lobo high-performance disk systems
- Centronics-type printer port plus screen printer port
- Two RS-232C serial ports (optional)
- Plus a real-time clock, sockets for custom ROM, and a heavy-duty power supply for your keyboard unit

Discover the real power and potential of your Model I, with the bargain-priced Lobo LX-80!

LX-80 with LDOS operating system (required)	\$510.00
LX-80 without LDOS (for current LDOS users)	\$460.00
Dual RS-232C serial port option	\$100.00


LDOS: the ultimate TRSDOS-compatible operating system

One of the few software products ever to receive a perfect box score from *Infoworld* magazine. The reviewer said: "LDOS 5.1 is awesome! ... It performs nearly perfectly ... a straightforward and simple system to use ... the best manual for software I've ever seen or reviewed, bar none ... This DOS takes the TRS-80 from the hobby category and endows it with features that many a so-called business system does not have. ... LDOS offers unparalleled versatility and function."

LDOS includes a powerful extended disk BASIC, smart terminal emulator, and many other useful utilities that make it worth far more than its low price. It runs on any Model I or Model III with at least one disk drive.

LDOS operating system (specify Model I or Model III) \$129.00

*© 1982 by Popular Computing, Inc., a subsidiary of CW Communications, Inc. Excerpted from INFOWORLD.



Add-on 8" floppies for Model II

Why pay Radio Shack prices to expand your Model II's disk capacity? The Lobo 8202C2 adds two 8" double-density floppy drives, for a total of 1.1 megabytes of additional storage. Installation and operation are identical, and you get the added benefit of Lobo's 1-year parts and labor warranty.

8202C2 dual-drive 8" floppy system for Model II \$1269.00

Add-on minifloppy drives for Model I


Completely compatible with all Model I hardware and software, but with an extra 5 tracks for data storage. Requires a Model I with either the Radio Shack expansion interface or the Lobo LX-80 (see left).

4401C Add-on 5 1/4" drive for Model I \$305.00

High-capacity minifloppy for LX-80

An economical way to get a big storage boost for your LX-80-equipped Model I. The double-sided, 96 track/inch drive stores 720 kB, and eliminates most tedious disk swapping.

Model 4801C high-capacity 5 1/4" drive for LX-80 \$465.00



Winchester disk systems for Model I and Model III

The ultimate mass storage devices! Enormous capacity and impressive speed give your system a dramatic performance boost. Add the impressive file-handling capabilities of LDOS (included), and you can outperform systems costing far more. IMPORTANT: Many Winchester disks now being sold have no provision for file backup. Lobo systems include a built-in high-density floppy drive that can store the entire contents of the hard disk on just 5 or 7 floppies. This backup drive is also usable for additional on-line storage of programs and data.

8" floppy systems for Model I and Model III

These rugged dual-drive systems attach to any Model I with LX-80 expansion interface, or any Model III, and add the mass storage you need for the big jobs. Double density recording stores 535kB on one side of the disk. Using the LDOS operating system (required) you get full compatibility with standard TRSDOS plus greatly increased capabilities.

8202C3 two single-sided drives (1.1 MB total) for Model III \$1625.00

8202CX same as above, for Model I with LX-80 (sold separately) \$1249.00

5202C3 two double-sided drives (2.2 MB total) for Model III \$1925.00

5202CX same as above, for Model I with LX-80 (sold separately) \$1549.00

5 1/4" Winchester System

Compact and exceptionally reliable, with 4.8 megabytes of high-speed Winchester storage plus a 720 kilobyte floppy drive. The value leader in mass storage.

950T for Model III or Model I with LX-80 (sold separately) \$2675.00

8" Winchester System

Over 9 million bytes of storage accessible in milliseconds: 8.2 MB on an 8" Winchester drive and another 1.1 MB on the backup floppy drive. Unsurpassed for maintaining very large data bases.

1850T for Model III or Model I with LX-80 (sold separately) \$3459.00

Ordering Information

All prices include shipping and handling. California residents add 6% sales tax. Credit card orders shipped within 24 hours. Personal checks require 2-3 weeks for clearance before shipment. Please allow up to 6 weeks for delivery.

The Lobo Warranty

All Lobo hardware products carry a limited 1-year parts and labor warranty. Call or write for complete warranty statement.

TRS-80 and TRSDOS are trademarks of Tandy Corporation. © 1982 Lobo Drives International

TOLL-FREE ORDER NUMBERS:

U.S. (except California):

800-235-1245

In California: 800-322-6103 or 800-322-6104 Hours: 7AM—5PM Pacific Time

Write for free catalog:

LOBO drives INTERNATIONAL

Lobo Drives International
Dept. MC 11
358 S. Fairview Ave.
Goleta, CA 93117

Prices subject to change without notice.

BEFORE YOU GET TOO EXCITED ABOUT LOBO'S NEW COMPUTER, THERE'S SOMETHING YOU SHOULD KNOW.

There's plenty to be excited about in Lobo's new MAX-80,™ as you'll see in just a minute.

But first we want to warn you: you can't get one right away. Already, orders are coming in faster than we can build systems. However, if you can appreciate an incredible price/performance bargain, you'll agree the MAX-80 is well worth waiting for.

WHAT'S ALL THE EXCITEMENT ABOUT?

We're glad you asked. And the answer is pretty simple. Just look at this list of standard features:

- 5 MHz Z-80B processor. That's 2½ times the speed of a TRS-80 Model III or SoftCard/Apple!
- 64k RAM. 128k is a low-cost option.
- CP/M included. A few more dollars get you LDOS, an incredibly powerful operating system that lets you run standard Radio Shack software.
- Software-selectable 25 x 80, 16 x 64, and 16 x 32 screen formats. For full compatibility with CP/M and TRS-80 applications.
- All disk interfaces built in. Plug in any combination of 5¼" floppies, 8" floppies, and Winchester disk.
- Two RS-232 serial ports. Ready to plug in modems, printers, or what-have-you.
- Centronics-type parallel port. For any printer using this standard interface.
- Plus: numeric keypad with 4 function keys, software definable text and graphics characters, built-in clock/calendar with battery backup, and buffered I/O expander port.



Now for the best part: the factory-direct price for all this power is just \$820—including shipping and Lobo's standard 1-year hardware warranty!

WHAT TO DO NOW.

Call Lobo toll-free. Tell us what hardware and software configuration you're interested in (see below), and we'll give you an approximate shipping date. A \$100 deposit will hold your place on the waiting list.

Then get a good book to help you pass the time.

MAX-80



CPU and Accessories

MAX-80 computer with 64k RAM and CP/M	\$ 820.00
64k expansion RAM (installed)	\$ 95.00
12" (diag.) high-resolution anti-glare green phosphor monitor	\$ 175.00
LDOS operating system instead of CP/M	\$ 39.00
LDOS operating system in addition to CP/M	\$ 69.00

Dual 5¼" Floppy Disk Systems

4402CM single-sided, 40 track; 180 kB per diskette	\$ 690.00
4802CM double-sided, 80 track; 720 kB per diskette	\$1,175.00

Dual 8" Floppy Disk Systems

NOTE: Lobo CP/M permits reading and writing standard single-sided, single density CP/M disks with either of these systems.

8202CM single-sided, double density; 577 kB per diskette	\$1,185.00
5202CM double-sided, double density; 1155 kB per diskette	\$1,485.00
Winchester Disk Systems	
950M 5¼" system: 4.8 MB hard disk plus 720 kB floppy	\$2,405.00

950MX same as 950M above but no floppy drive	\$2,100.00
1850M 8" system: 8.0 MB hard disk plus 1155 kB floppy	\$3,085.00

The Lobo Warranty

All Lobo hardware products carry a limited 1-year parts and labor warranty. Call or write for complete warranty statement.

© 1982 Lobo Drives International, Goleta, CA
CP/M trademark of Digital Research Corp.
TRS-80 trademark of Tandy Corporation.
SoftCard trademark of Microsoft Corporation.
Apple trademark of Apple Computer.
LDOS trademark of Logical Systems Incorporated.

ALL PRICES INCLUDE SHIPPING WITHIN THE U.S.A.
California residents add 6% sales tax.
Payable by credit card, check, or money order.

TOLL-FREE ORDER NUMBERS:

U.S. (except California);

800-235-1245

In California: 800-322-6103 or

800-322-6104 Hours: 7AM—5PM Pacific Time



Lobo Drives International
Dept. MC 11
358 S. Fairview Ave.
Goleta, CA 93117

Prices subject to change without notice.

✓535

Modify Microchess for Model III play.

Model III Microchess

The Key Box

Basic Level II
Model III
16K RAM

Mohan Embar
1234 Folkstone Court
Wheaton, IL 60187

Microchess 1.5, sold for the TRS-80 Level II computer,

is a 4K chess-playing program. Included are three skill levels and provisions to set up the board, castle king or queen side, capture *en passant*, change the skill level, play the next move,

show the square numbers, exchange sides and start a new game. The graphics are nice too.

Unfortunately, Microchess will not run on the Model III. Eager for a challenge I undertook the task.

Program Listing 1. Assembly Language

```

00100 ; * MICROCHESS FOR THE MODEL III *
00110 ;BY MOHAN EMBAR
00120 ; 1234 FOLKSTONE CT
00130 ; WHEATON, IL 60187
00140 ;
00150 ; * * * * *
00160 ; * THIS PROGRAM WILL LOAD *
00170 ; * MICROCHESS 1.5 ON TO THE MODEL III *
00180 ; * IT REPLACES THE NORMAL MICROCHESS LOADER *
00190 ; * TO USE, SET MEMORY SIZE TO 32670 AND ADVANCE *
00200 ; * MICROCHESS TAPE TO SECOND, LONG, MAIN PROGRAM *
00210 ; * * * * *
00220 ;
00230 ; SET UP EQUATES
00240 ;
00250 CLRSCR EQU 1C9H ;ROM CLEAR SCREEN ROUTINE
00260 MSTART EQU 70C0H ;START ADDRESS FOR MICROCHESS
00270 MFINIS EQU 7FA0H ;END ADDRESS OF MICROCHESS
00280 SNERR EQU 1997H ;SYNTAX ERROR ROUTINE
00290 SCREEN EQU 3C00H ;START OF SCREEN MEMORY
00300 RESIGN EQU 44ECH ;INTERCEPT PROGRAM FLOW
00310 START EQU 41FDH ;ENTER MICROCHESS HERE
00320 BEGIN EQU 40C0H ;WHERE PROGRAM REALLY RESIDES
00330 SPACE EQU 4D88H ;CANCEL OLD SPACE CODE LOC.
00340 LENGTH EQU 0EE0H ;LENGTH OF MICROCHESS
00350 ;
00360 ; ROM CASSETTE I/O ROUTINES
00370 ;
00380 LFINDE EQU 293H ;FIND LEADER & SYNC BYTE
00390 INBYTE EQU 235H ;INPUT A CASSETTE BYTE
00400 MTROFF EQU 1F8H ;TURN MOTOR OFF
00410 ;
00420 ; MAIN PROGRAM

```

Listing continues

My Investigation

I disassembled the Model I Microchess loader to get some idea of the tape format. A full description is listed in Fig. 1, and a flowchart of the loader is presented in Fig. 2. The conflict was due to the new ROM in the Model III. After disassembling the Model III cassette I/O routines, I found these problems:

- Microchess is loaded at starting address 40C0H (16576 decimal), but 4210H (16912 decimal) is used for the cassette status byte. Thus one byte is overwritten and the system crashes.

- The Resign command does not work. I think the Model III interrupts cause this.

- The new special characters cause the spade character (ASCII code 192) to be printed instead of a space, which is the Model I counterpart to this code. I corrected most of this, but

not all.

The Solution

My solution to the first two problems is to load Microchess into high memory, turn off the tape recorder, disable the interrupts and block load the entire program back to 40C0H. This way 4210H will be untouched. Since Microchess runs in 4K, all addresses above 5000H (20480 decimal) will be unused.

After you resign, all memory addresses will be restored to the

Leader

255 zero bytes followed by an A5H synchronization byte.

Main Program

3808 bytes, to be loaded at addresses 40C0H-4FA0H

Checksum Byte

One byte sum of all 3808 bytes of main program, disregarding overflow

Instructions

1024 bytes of instructions to be loaded at video display addresses 3C00H-3FFFH

Fig. 1. Tape Format of Microchess 1.5




Fig. 2. Flowchart of Model I Microchess loader




Fig. 3. Flowchart of Model III adaptation of Microchess loader

TRS-80™ Model 1 & 3

BASIC LANGUAGE SOFTWARE

MAILING LIST

Disk Version Only.....\$69.95
Maintains mailing lists of up to 1326 names, depending on capacity of your disk drives. Add, change, delete, find names. Sort by machine language on basis of any field. Up to 4 lines of 32 characters allowed on label. Supports 9-digit zip code. Labels printed in 1, 2, 3, or 4 columns with variable tabs.

HOME BUDGET

Disk Version.....\$49.95
Cassette Version.....\$29.95
Keeps track of your family's income and expenses. Prints monthly and year-to-date summaries showing tax deductions.

SMALL BUSINESS ACCOUNTING

Disk Version.....\$49.95
Cassette Version.....\$29.95
Based on Dome Bookkeeping Record #612, keeps track of income, expenses and payroll (disk version only) for a small business.

Documentation to any program can be purchased separately for \$10.00.

Specify TRS-80 Model 1 or 3.

Send S.A.S.E. for FREE Catalogue.
Add \$3.00 for postage and handling.

HOWE SOFTWARE

14 Lexington Road, New City NY 10956

(914) 634-1821 ✓175

TRS-80 is a registered trademark of Tandy Corp.

Pep up your LINE INPUT routine with E-Z LINE INPUT.

The contents of a variable are not destroyed if LINE INPUT is terminated immediately. All of the EDIT subcommands can be used to edit them. LINE INPUT can be terminated by the up arrow, down arrow or enter key and the terminating key can be tested to alter program control.

ONLY \$14.95. Supplied on cassette for the TRS-80 Models I & III Disk Basic systems. Specify RAM version when ordering. Send check or money order to:

Howard Bowe

16 Lombardi Place

Amityville, NY 11701

✓320

```

00430 ;
7FA1 00440 ORG 7FA1H ;START OF LOADER
7FA1 310070 00450 LD SP,7000H ;INITIALIZE STACK
7FA4 11E00E 00460 LD DE,LENGTH ;LENGTH INTO DE
7FA7 CD9302 00470 CALL LFINDE ;FIND LEADER
7FAA 21C070 00480 LD HL,MSTART ;START LOADING INTO HL
7FAD 0E00 00490 LD C,0 ;ZERO CHECKSUM COUNTER
7FAF CD3502 00500 INPUT CALL INBYTE ;READ A BYTE
7FB2 77 00510 LD (HL),A ;AND STORE
7FB3 81 00520 ADD A,C ;COMPUTE CHECKSUM
7FB4 4F 00530 LD C,A ;AND STORE IN C
7FB5 23 00540 INC HL ;INCREMENT POINTER
7FB6 1B 00550 DEC DE ;DECREMENT LENGTH
7FB7 7A 00560 LD A,D ;IS LENGTH EQUAL
7FB8 B3 00570 OR E ;TO ZERO ?
7FB9 20F4 00580 JR NZ,INPUT ;IF NOT, CONTINUE
7FBB CD3502 00590 CALL INBYTE ;IS CHECKSUM
7FBE B9 00600 CP C ;OKAY ?
7FBF C29719 00610 JP NZ,SNERR ;IF NOT, GET LOST.
7FC2 21003C 00620 LD HL,SCREEN ;ELSE DISPLAY
7FC5 1640 00630 LD D,40H ;INSTRUCTIONS ON SCREEN
7FC7 CD3502 00640 DISPLY CALL INBYTE ;... READ A BYTE
7FCA 77 00650 LD (HL),A ;DISPLAY IT
7FCB 23 00660 INC HL ;NEXT LOCATION
7FCC 7C 00670 LD A,H ;ALL DONE YET ?
7FCD BA 00680 CP D ;TEST TO SEE...
7FCE 20F7 00690 JR NZ,DISPLY ;CONTINUE DISPLAYING
7FD0 CDF801 00700 CALL MTROFF ;TURN OF TAPE RECORDER
7FD3 F3 00710 DI ;DISABLE INTERRUPTS
7FD4 21C070 00720 REENTR LD HL,MSTART ;TRANSFER MICROCHES
7FD7 11C040 00730 LD DE,BEGIN ;TO WHERE IT
7FDA 01E00E 00740 LD BC,LENGTH ;REALLY GOES
7FDD EDB0 00750 LDIR ;BY BLOCK LOAD
7FDF 21D47F 00760 LD HL,REENTR ;FIX RESIGN
7FE2 22EC44 00770 LD (RESIGN),HL ;COMMAND
7FE5 3E20 00780 LD A,20H ;FIX BOARD DISPLAY
7FE7 32884D 00790 LD (SPACE),A ;BY CHANGING A LOCATION
7FEA C3FD41 00800 JP START ;GO TO MICROCHES 1.5
7FA0 00810 END 7FA0H
00000 TOTAL ERRORS

```

OMNITEK COMPUTERS INTERNATIONAL, INC.
1300 MAIN STREET TEWKSBURY, MASS
617-851-4580

Smith-Corona Daisy Wheel Printer.....	589.00
Verbatim 5.25" D. L.....	25.00
16K RAM KITS.....	13.00
Okidata Microline 80.....	319.00
Okidata Microline 82A.....	434.00
Okidata Microline 83A.....	679.00
VIC-20 Color Computer.....	189.00
Epson MX-80 FT.....	509.00
Radio Shack Mill w/48K.....	879.00
Radio Shack Mill w/48K and 2 40T dr	
1649.00..... and RS232.....	1739.00
40 track 5.25" Tandon TM-100-1.....	249.00
80 track 5.25" Tandon Dual Head.....	439.00
5.25" Power Supply and case.....	39.00
8" Power Supply and case.....	99.00
CENTRONICS 739 Printer.....	469.00

Omnitek Computers International Inc.

TRS-80 is a reg. trademark of Tandy Corp.
 Prices are for mail order only **TERMS: Check,**
money order, Mastercard and Visa accepted.
F.O.B. Tewksbury-freight extra. Mass residents add
5% sales tax. Write for FREE CATALOG.

195

original contents for a new game. The last problem is solved by a change which tells Microchess to use ASCII code 20H instead of COH as the new space code. The flowchart for the new loader program is shown in Fig. 3.

Included are a Basic program and an Assembly language listing. Here are instructions on how to use both:

- Type the program and save it for future use.
- With the Basic version, answer the memory size question with 32670.
- Load the program using CLOAD for Basic or SYSTEM for the Assembly language version.

• Execute the program by entering a slash (/) for the Assembly language version, or by typing Run for Basic. Be sure the long main program is ready to load, not the first short one!

• For the Basic version, hit enter in response to the Ready Tape? prompt.

• The usual asterisks should flash in the upper-right corner as Microchess loads.

• After the instructions are displayed, press the stop button on the tape recorder and hit enter to play.

Happy Checkmating! ■

Mohan Embar's hobbies include chess, the piano, and his micro.

```

5 POKE16402,201
10 DATA49,0,128,17,160,127,205,147,2,33,192,112,14,0,205,53,2,11
9,129,79,35,124,186,32,245,125,187,32,241,205,53,2,185,194,151,2
5,33,0,60,22,64,205,53,2,119,35,124,186,32,247,205,248,1,243,33,
192,112,17
20 DATA192,64,1,225,14,237,176,33,215,127,34,236,68,62,32,50,136
,77,195,253,65
30 DEFINTX,Y:FOR X = 32673 TO 32751:READ Y:POKE X,Y:NEXT X:INPUT
"READY TAPE",AS
40 POKE 16526,161:POKE 16527,127
50 X = USR(0)

```

Program Listing 2. Basic Program

GOLDLABEL™ BLANK CASSETTES

★ PREMIUM 5 SCREW SHELL ★ DIGITAL DATA QUALITY ★ LOW NOISE ★ MADE IN USA
★ GUARANTEED


1 DOZEN C-10 LENGTH \$8.00 + \$2.00 shpg. 1 DOZEN C-30 LENGTH \$11.00 + \$2.00 shpg.
2 DOZEN C-10 LENGTH \$15.00 + \$3.50 shpg. 2 DOZEN C-30 LENGTH \$20.00 + \$3.50 shpg.

Individual storage boxes (sold only with cassettes) \$2.40 per dozen.
CASSETTE CADDY \$5.49 + \$1.50 shpg./2 for \$10.00 + \$2.50 shpg./\$3.95 with cassette purchase (no shpg. chg. on caddy)

Foreign orders include shipping at 16 oz. per dozen tapes/9 oz. per caddy/13 oz. per doz. boxes.
Shipments in U.S. are by UPS (no delivery to PO boxes) Add \$1.50 per doz. tapes for First Class Mail.

!!! NEW !!! CASSETTE CADDY !!! NEW !!!

TIRE OF MISPLACED TAPES AND A CLUTTERED WORK AREA? TRY OUR HINGED TOP SMOKED PLASTIC CADDY THAT HOLDS 12 TAPES IN ONE HANDY LOCATION




Visa and Mastercard accepted (include expiration date) Orders paid by cashier's check, money order or bankcard are shipped within 48 hours. Personal check takes 1-2 wks. No COD. Some foreign sales are restricted. Texas residents add 5% tax on blank cassettes and storage units.

SEND ORDER TO: **COLOR SOFTWARE SERVICES**
PO BOX 1723, DEPT. M
GREENVILLE, TEXAS 75401

★ DEALER INQUIRIES INVITED ★ QUANTITY DISCOUNTS AVAILABLE

SENECA ELECTRONICS SUPER DISCOUNTS TRS-80® AND OTHERS




TRS-80™ 16K MODEL III \$810.00
TRS-80™ 64K MODEL II \$2995.00
ATARI™ 800 W/16K \$650.00
VIC-20™ HOME COMPUTER \$245.00
ALL MACHINES COME WITH FULL
MANUFACTURES WARRANTY!!

COMPUTER FURNITURE, PRINTERS, PERIPHERALS, YOU NAME IT, WE GOT IT, AT THE PRICE YOU WANT TO PAY. WE ACCEPT CERTIFIED CHECKS, MONEY ORDERS, VISA & MASTERCARD. SHIPPING CHARGES WILL BE ADDED TO CHARGE CARD ORDERS.

SENECA ELECTRONICS
RD #1, HARMONY, PA 16037
(412) 452-5654

✓474



**WILL CHANGE THE WAY
YOU THINK ABOUT YOUR TRS-80!**

THE MOST POWERFUL WORD PROCESSOR AND ALL PURPOSE COMPUTER PROGRAM AVAILABLE FOR THE TRS-80.

LOOK AT ALL THESE FEATURES

1. INSERT characters, words, lines, paragraphs or other files.
2. DELETE characters, words, lines, paragraphs.
3. COLUMNS. CopyArt II can be instructed to print your text from one to six columns. Super easy to use! No complicated commands. Great for doing newsletters, magazine layouts etc. NO MORE CUT AND PASTE!
4. SORTING. Sort lines of text by any field. Sorts up to 650 items in less than 7 seconds. Sort indices, table of contents, names, words or whatever in descending or ascending order. Used with CopyArt's math function it is great for small inventories, Receivables, Payables etc.
5. Screen widths from 32-255 characters wide. Screen widths can be changed to allow formatting your text as you want.
6. MATH. Built in MATH function for doing calculations on columns or rows. Used with the SORT command, CopyArt II can do a small inventory of 200-300 items, or keep track of small receivables or payables, general ledgers or home financial reports. Super floating point precision up to 32 digits!
7. *GRAPHICS. CopyArt has a built in graphics program that allows inserting graphics within your text. Drawings, graphs, illustrations, cartoons etc. may be used within newsletters or company reports. Graphics commands include: Plot between points, Circles, Squares, Fill, Erase, Draw, Move, Pixel cursor controls and more.
8. *GRAPHIC CHARACTERS. CopyArt has a built in graphics character generator. Used for typesetting large letters from 3 to 25 times normal size! Yes, you can even print characters down the page as well as across. Black on white or white on black.
9. JUSTIFICATION is fully supported. *Proportional spaced justify is supported.
10. *SUPER or SUB-SCRIPT.
11. UNDERLINING.
12. BOLDFACING.
13. *CHANGE CHARACTER SIZE or PITCH within your document. Character size changes for dot matrix printers with capability. Pitch change for daisy wheel printers with capability.
14. HELP. Help is available for all the commands at the touch of a key while using the word processor. Super for training inexperienced secretaries. Great reminder for experienced people as well. MENU DRIVEN Help for over 45 commands.

**CopyArt II DOES ALL THIS...
& MUCH, MUCH MORE!**



COD and Credit Cards
CALL TOLL FREE to order:
1-800-528-1149

SIMUTEK

Computer Products Inc.

SIMUTEK COMPUTER PRODUCTS INC., 4897 E. SPEEDWAY BLVD., TUCSON, AZ 85712, (602) 323-9391
DEALER, DISTRIBUTOR, & PRINTER/MANUFACTURER INQUIRIES INVITED
TRS-80 and Scriptit are TM of Radio Shack & Tandy corp.
*Indicates printer must have capability to do function.

Optimize the Color Computer's display.

Test Patterns

Richard L. Kilmon
106 East Green Valley Circle
Green Valley
Newark, DE 19711

Color displays are not only fun but serve a useful purpose as well. Some of the fun and effectiveness is reduced if your tv

is not optimized for the computer. In the operator's manual Tandy suggests a few short programs to adjust your tv. My program is a dot bar generator. With it you see how the image is centered, shaped, colored and aligned.

The program, written in Extended Basic, includes sound and has a menu and four sub-routines separated for clarity by REM statements. These can be removed.

After making your selection from the menu you will hear a beep when you push the key. The pattern will come up quickly. Wrong pattern? Push enter and the menu returns.

Menu Choices

V is for video centering. The image is similar to a target display. Chances are the circles will look like eggs. Puns aside, most tv yokes are not wound precisely enough to give a truly

linear image. The designers compensate by providing height and linearity controls. The slight distortions go unnoticed for tv viewing, but the computer accents them.

The Key Box

Extended Color Basic
Color Computer
16K RAM

```
10 REM ***TEST PATTERNS***
20 REM ***RICHARD KILMON***
30 REM ***JUNE 20, 1981***
40 REM
50 REM - LINES 70 TO 160 SET UP THE SCREEN MENU -
60 REM - *****
70 SOUND100,2
80 CLS:PRINT:PRINT
90 PRINT"WHICH OF THE FOLLOWING TESTS DO YOU WISH TO EXECUTE ?"
100 PRINT
110 PRINT"      V=VIDEO CENTERING TEST"
120 PRINT"      C=COLOR BAR TEST"
130 PRINT"      H=CROSSHATCH"
140 PRINT"      D=DOTS"
150 PRINT:PRINT:PRINT
160 PRINT"PUSH ENTER TO RETURN TO THE MENU"
170 REM
180 REM - LINES 210 TO 290 BRANCH TO THE APPROPRIATE
190 REM -SUBROUTINES ONCE THE MENU ITEM HAS BEEN SELECTED -
200 REM - *****
210 AS=INKEY$
220 IF AS="V" THEN 330
230 IF AS="C" THEN 470
240 IF AS="H" THEN 680
250 IF AS="D" THEN 820
260 IF AS=CHR$(13) THEN 70
270 IF AS="" THEN 210
280 SOUND100,2
290 GOTO210
300 REM
310 REM - LINES 330 TO 430 EXECUTE THE VIDEO CENTERING ROUTINE -
320 REM - *****
330 SOUND100,2
340 PMODE4,1
350 PCLS
360 SCREEN1,1
370 COLOR7,5
380 LINE(0,0)-(255,191),PSET
390 LINE(255,0)-(0,191),PSET
400 LINE(0,0)-(255,191),PSET,B
410 CIRCLE(128,96),20
420 CIRCLE(128,96),95
430 GOTO 950
440 REM
450 REM - LINES 470 TO 640 EXECUTE THE COLOR BAR ROUTINE -
460 REM - *****
470 SOUND100,2
480 CLS
```

```
490 AS=STRING$(4,143)
500 BS=STRING$(4,159)
510 CS=STRING$(4,175)
520 DS=STRING$(4,191)
530 ES=STRING$(4,207)
540 FS=STRING$(4,223)
550 GS=STRING$(4,239)
560 HS=STRING$(4,255)
570 XS=AS+BS+CS+DS+ES+FS+GS+HS
580 FOR Y=0 TO 14
590 PRINT XS;
600 NEXT Y
610 IS=STRING$(3,255)
620 PRINT@480,AS+BS+CS+DS+ES+FS+GS+IS;
630 SET(62,30,8):SET(63,30,8):SET(62,31,8):SET(63,31,8)
640 GOTO950
650 REM
660 REM - LINES 680 TO 780 EXECUTE THE CROSSHATCH ROUTINE -
670 REM - *****
680 SOUND100,2
690 PMODE4,1
700 PCLS
710 SCREEN1,1
720 FOR X=0 TO 255 STEP 25
730 LINE(X,0)-(X,191),PSET
740 NEXT X
750 FOR Y=0 TO 191 STEP 25
760 LINE(0,Y)-(255,Y),PSET
770 NEXT Y
780 GOTO 950
790 REM
800 REM - LINES 820 TO 900 EXECUTE THE DOTS ROUTINE -
810 REM - *****
820 SOUND100,2
830 PMODE4,1
840 PCLS
850 SCREEN1,1
860 FOR X=20 TO 255 STEP 20
870 FOR Y=20 TO 191 STEP 20
880 PSET(X,Y,5)
890 NEXT Y
900 NEXT X
910 REM
920 REM - LINES 950 TO 970 RETAINS THE SCREEN UNTIL THE ENTER KEY
930 REM - IS PUSHED, THEN THE PROGRAM RETURNS TO THE MENU ON LINE 70 -
940 REM - *****
950 AS=INKEY$
960 IF AS<>CHR$(13) GOTO 950
970 GOTO 70
```

Program Listing

Adjust the height control until the black vertical interval lines are at the top and bottom. Increase the height until the lines disappear. If they do not disappear at the same time adjust the linearity control and try again. The circle on your display should start to look better. Next, fine tune the circle. Here you will probably have to settle for improvement rather than perfection.

Adjust your tv for squareness, using the horizontal hold.

C is for color bars. The color bars should be (left to right) green, yellow, blue, red, buff, cyan, magenta and orange. Turn the tv color saturation control all the way down. Then bring it up until you have pastels. Continue to increase the control until the colors degrade. Adjust to just below this point, and then adjust the hue control to the proper colors.

You still may not get the colors right. The control may already be down near the end or may not have much effect. Auto color circuits may mess you up.

Defeat them if you can. If you are familiar with the tv, you may want to tweak your color phase circuit.

Brightness and contrast are probably too high. Set your screen to your liking. Everything interacts slightly; you may have to readjust the color saturation.

H is for crosshatch. This display looks like a fishnet. All boxes should be the same size. The lines should be one color. Three colored lines around the screen's edge may mean you have a serious dynamic linearity problem. This will take knowledgeable tweaking.

D stands for dots. Each center dot should be a single colored dot. Dots merging with each other indicate a static convergence problem. Use some more knowledgeable tweaking. ■

Richard Kilmon supervises the repair of analytical equipment for the Analytical Instrument division of DuPont Corporation.

A Pot Of Gold For YOUR Color Computer

"I buy practically every computer magazine there is, but the **RAINBOW** is the only one I read cover-to-cover as soon as it comes in the mail." — A subscriber

The **RAINBOW** gets that sort of response for more reasons than one... but the primary one is simply it is the premier magazine for TRS-80® Color Computer users. And, because it devotes every page of each monthly issue exclusively to the Color Computer, it is the single best source of information for everything you want to know.

Tired of trying to convert other computer programs to your Color Computer? No worries. Each program in the **RAINBOW** is written exclusively for your computer — and many take advantage of all the excellent graphics commands unavailable on other machines! The nation's leading software authors have contributions every month.

The **RAINBOW**'s Hints, Tips and Pipeline feature give you the best up-to-the-minute information available on the Color Computer. If you are looking for ways to do screen prints, alphabetize disk directories, save machine language programs or print Videotex input on your printer, the **RAINBOW** has programs for you! And, if you want to know when some promised software will really be available for purchase, you'll get that answered, too.

Our tutorials have been praised for the clear, concise way they explain — in detail — various functions of the Color Computer. And the **RAINBOW**'s reviews are an excellent and honest buyer's guide to software and other purchases.

Whether your Color Computer is 4K, 16K or 32K. Whether you have Color Basic or Extended. Whether you're into assembly language (or want to get into it) or not. Printers, Disks, Rom packs. The **RAINBOW** surveys the whole world of the Color Computer each month and provides what one reader called, "A pot of gold full of fabulous information."

Because it is journalistically-oriented, the **RAINBOW** gives fast turnaround to meet its monthly deadline. So, you can expect fresh news when it is news and the latest information available.

If all this sounds like a lot for \$16 per year, it may be. But we'll make one more promise. If, after you see your first issue you don't agree that the **RAINBOW** is the premier monthly magazine for Color Computer users, we'll happily, cheerfully and immediately refund your money.

Trademark of Tandy Corp.

the RAINBOW

the RAINBOW
5803 Timber Ridge Drive
P.O. Box 209
Prospect, KY 40099

(502) 228-4492

Gentlemen: YES! Sign me up right away for a one-year (12 issues) subscription to the **RAINBOW**. My payment is enclosed.

Name

Address

City State Zip

☐ Payment Enclosed

☐ Charge my VISA account #

☐ Charge my MasterCard Account #

Signature


Card Expiration Date

Interbank #

296

Subscriptions to the **RAINBOW** are \$16 per year in the United States. Canadian and Mexican rates are \$20 per year. Surface rates to other countries are \$31 air mail to other countries is \$49. All subscriptions begin with the current issue. Please allow 5-6 weeks for first copy.





CopyArt II


**WILL CHANGE THE WAY
YOU THINK ABOUT
YOUR TRS-80!**

MORE REASONS YOU SHOULD CONSIDER MOVING UP TO OUR COMPREHENSIVE PROGRAM...

15. SUPER EASY TO LEARN editing features. Logical key choices.
16. Hyphenation
17. SPELLING checkers like the 74,000 word Scripsit Dictionary work great with CopyArt II.
18. CHAINING. Chain files together to make books or manuals hundreds of pages long.
19. CENTERING.
20. HEADERS and FOOTERS. You can even put graphics within headers for super page layouts.
21. PAGE NUMBERING. Page numbers can appear at the top or bottom of the page.
22. DOS COMMANDS from within the editor. Kill files, check free space or get directories easily.
23. CUSTOMIZED PRINTER driver. Since your printer has features that other printers don't, CopyArt II will be supplied with the printer driver of your choice below. Each printer driver is custom made to provide you with commands for each of your printer's fine capabilities. If you have more than one printer, order other printer drivers for only \$19.95 each. Printer drivers are available for:
 - Radio Shack LP IV, V, VI, VII, VIII and Daisy Wheel II
 - Epson MX-80, MX-80/FT, MX-100 with or without grafrax.
 - Okidata Microline 80, 82a, 83a and 84
 - NEC 8023
 - Smith Corona Daisy Wheel TP-1
 - Brother Daisy Wheel
 - C-10th Starwriters and Prowriters all.
 - PMC Printer
 - Centronics 737, 739
 - Diablo 620

- OTHERS COMING SOON. Call if you don't see your printer!
24. Unprotected diskette. Unlimited backups can be made.
 25. MAILIST/MAILMERGE INCLUDED. CopyArt II comes with a mailist program that stores over 2,000 names on a MOD III diskette. These names can be sorted by any field and have a special field for your code. You can make PERSONALIZED FORM LETTERS that will take the following codes from the mailist and insert them in your text. FIELDS INCLUDE: Mr. or Ms., Last name, First name, Business name, City, State, up to 9 digit ZIP code and your own special 2 character code. ANY OF THESE fields can be inserted within your form letter wherever you want. You can print form letters or mailing labels to all the people on your list or to specific codes only. CopyArt makes it easy.

**CopyArt II DOES ALL THIS...
& MUCH, MUCH MORE!**



**COD and Credit Cards
CALL TOLL FREE to order:
1-800-528-1149**

SIMUTEK

Computer Products Inc.

SIMUTEK COMPUTER PRODUCTS INC., 4897 E. SPEEDWAY BLVD., TUCSON, AZ 85712, (602) 323-9391

DEALER, DISTRIBUTOR, & PRINTER/MANUFACTURER INQUIRIES INVITED

TRS-80 and Scripsit are TM of Radio Shack a Tandy corp.

*Indicates printer must have capability to do function.

Strain out all the prime numbers.

The Sieve of Erathosthenes



D. R. Cecil
Texas A & I
Kingsville, TX 78363

Erathosthenes, one of the ancient Greek mathematicians, is best known for his sieve to produce prime numbers.

His sieve method consisted of writing down all positive in-

tegers 1,2,3... up to some desired integer N. Then you cast out all multiples of two, and proceed through the list again casting out multiples of three and so on. The remaining numbers are primes less than or equal to N.

I presented this idea to a group of teachers during a problem-solving computer workshop. The program I showed them displayed only primes. The workshop participants thought a program which displayed all the positive integers up to N and then visually blanked out the non-primes by twos, then threes, and so on would be a great teaching device. They were eager for me to write such a program.

The resulting program, written for a TRS-80 Model I, is shown in the Listing. This program should run on other machines having the PRINT @ and PRINT USING commands. These commands ensure proper formatting of the numbers and determine the positions to blank out.

When "END" appears in the lower right corner of the screen, all computations are finished and the original input number is displayed. All other numbers shown are primes. Line 380 stops the screen from scrolling up, so hit break to exit the program and get the ready prompt.

```

0 ***** THE SIEVE OF ERATOSTHENES *****
1 ***** BY D.R.CECIL, JULY, 1981 *****
2 THIS PROGRAM DISPLAYS ALL INTEGERS 1 TO AN INPUTED VALUE N
3 AND LEAVES THE LAST 150 OR SO (IF N IS >= 150) ON THE SCREEN,
4 THEN THE NON-PRIMES ARE BLANKED OUT, FIRST THE MULTIPLES
5 OF 2, THEN THE MULTIPLES OF 3, ETC. WHEN THE WORD "END"
6 APPEARS AT THE BOTTOM RIGHT OF THE SCREEN THEN ALL NUMBERS
7 DISPLAYED ARE PRIME.
8
9
10 CLS: INPUT "PRIMES LESS THAN WHAT NUMBER "; N
15 Q=0: INPUT "YOU WANT A FACTOR OF? "; M
20 DIM A(N), B(N): CLS
30
40 ***** PRINT THE INTEGERS, TEN PER ROW ; AND SET A(I)=I *****
50 FOR I=1 TO N
60   PRINT USING "####"; I; A(I)=I
70   IF INT(I/10)-I/10=0 THEN PRINT
80 NEXT I
90
100 ***** DETERMINE WHICH PLACES TO BLANK OUT *****
110 T=10*INT((N-150)/10)
120 IF T<0 THEN T=0
130 FOR I=T+1 TO N
140   B(I)=4*I+24*INT((I-1)/10)-6.4*T
150 NEXT I
160
170 ***** START THE SIEVE, USING MULTIPLES OF 2 *****
180 I=2
190 IF A(I)=0 THEN 230
200 FOR J=1 TO N
210 IF A(J)<>I AND INT(A(J)/I)=A(J)/I THEN A(J)=0: IF J>T THEN 290
220 NEXT J
230 I=I+1: IF I>SQR(N) THEN 370
240
250 ***** HAS I NOT BEEN BLANKED OUT YET? *****
260 IF A(I)<>0 THEN 200 ELSE 230
270
280 ***** THIS BLANKS OUT THE INTEGER J *****
290 IF B(J)-4>=1024 THEN B(J)=B(J)-1024
300 PRINT@B(J)-4,"";:PRINT USING "  ";
305 IF J=M THEN Q=Q+1: IF Q=1 THEN PRINT@941,M;" HAS FACTOR ";I;
310
320 ***** THIS SHOWS WHAT DIVISOR IS CURRENTLY IN USE *****
330 PRINT@1010,B(J); "I=";I;
340 GOTO 220
350
360 ***** THE END *****
370 PRINT@1010,"END ,N=";N;
380 GOTO 380
  
```

Program Listing

The Key Box

Model I or Model III
2K RAM
Cassette Basic

Lines 50-80 display positive integers 1,2,... up to N and leave the last 150 on the screen. If you plan to have four-place primes appear (such as 1,009), put five # symbols in the Print Using command of line 60 and also change line 140 to read

```
140 B(I)=5*I+14*INT((I-1)/10)-6.4*T
```

Matrix A indicates the integers, with $A(J) = J$. Line 210 tests whether I divides A(J), and if so, sets A(J) to zero to indicate A(J) is not prime. The B matrix blanks out the integer J if J is some multiple of I. B(J)- 4 indicates the start of the four screen locations to be changed to blanks by line 300.

The divisors used for testing, and the testing for multiples, occur in lines 180-230. You need not test any divisor larger than $SQR(N)$, since if $N=x*y$ then either x or y must be less than or equal to $SQR(N)$. Additionally, any factor of N has a prime subfactor, so only prime values of I need be used for divisors. Line 190 assures that only primes are used.

If the sieve is operating too fast and if N is not too large, you might insert a timing loop to slow down the blanking out. This can be done by changing line 310 to:

```
310 FOR L = 1 TO 200 : NEXT L
```

If you want a prime divisor of some number in the last 150 or so displayed, add the following two lines:

```
15 Q = 0: INPUT "# YOU WANT A FACTOR OF"; M
305 IF J = M THEN Q = Q + 1: IF Q = 1
    THEN PRINT @ 941, M;
    " HAS FACTOR "; I;
```

A good introductory essay on primes and on number theory can be found in *Mathematics Today: Twelve Informal Essays* edited by L.A. Steen and published by Springer-Verlag, New York. ■

David Cecil is employed by Texas A&I University in the math department. He and his wife also own and operate a needle-craft store.

ALL HARDWARE Model I Lowercase

TRS-80 is a trademark of Tandy Corp.

DUALCASE • ELECTRONIC SHIFT-LOCK • DE-B-BOUNCE BLOCK CURSOR • SWITCHABLE

"THE PATCH" is compatible with any word processor, any DOS and also other languages which use ROM sub-routines. Assembled and tested... \$127.00

SCRIPTUS v3.0 (by ROSTEK) is the software "patch" for SCRIPSIT (c) that lets you output control codes to CHANGE TYPE STYLES, UNDERLINE, etc. from within your text files. Written especially for the MX-80 but works fine with most any printer that accepts control codes. Makes your printer do all the tricks it was designed for. +DIR, KILL, MERGE, and MORE, WHILE IN SCRIPSIT (c).

How many times have you wished? Here 'tix ON DISK 39.95

Need a SUPERFINE lowercase CHARACTER GENERATOR for your MOD 1? KSG Technology builds 'em, and we've got one just for you. Beautiful lowercase -FULL DECENDERS. All of the graphics, of course, INCLUDES the SPECIAL GRAPHICS for CHR\$(0) thru CHR\$(31) omitted in the later Radio Shack lower case chips. Ask for the CGA-2. You'll love it! Only 29.95

Did you ever bomb a disk? SUPER UTILITY (by Kim Watt) WILL AUTOMATICALLY RECOVER BOOT SECTIONS, GAT TABLES, READ AND COPY PROTECTED MEDIA, TRANSFER FROM ONE DOS to ANOTHER, SINGLE OR DOUBLE DENSITY, and on, and on, and on... You just wouldn't believe... Includes a hundred and some odd vital functions. The BEST (no doubt!) and very, very highly recommended for ANYONE that uses a TRS-80 MOD 1 or MOD 3 with any kind of DISK and any kind of DOS. You just got to use it to realize what you've got here! The name "SUPER UTILITY" is a gross under-statement. One use can easily pay for the program. 48K required. Specify 351k, 401k or 801k media for your Mod 1 or Mod 3. Absolutely professional! You need this! Don't get caught without it. 74.95

The only resource you can't replace is TIME. PLUG IN A SPRINTER (by Holmes Engineering) and

TRIPLE THE SPEED of your TRS-80 MODEL 1 OR MODEL 3.

YES! A NEW Z-80B MICROPROCESSOR IS INCLUDED!

YES! Special circuitry handles your slower memory chips.

YES! Automatic switch down to "normal" for disk I/O.

YES! IT IS ABSOLUTELY FANTASTIC and only 99.50 COMPLETE!

Only the cream of the crop -- for you, from HACKS.

WHEN ORDERING SPECIFY:

"Mem Size" ☐ "Memory Size" ☐

To order send payment plus \$2.00 shipping and handling. Texas residents add 5% sales tax.


HACKS

P.O. BOX 12963
Houston, Texas 77017
713-455-3276

✓ 244



National Distributors
for CECDAT, Inc.



26. SIMPLE CURSOR commands. Simply use the arrow keys to move your cursor around the text. The screen will scroll both vertically and horizontally. Shift arrows take you to the beginning or end instantly.
27. SCREEN DUMP. Prints whatever is on the screen to the printer.
28. COMPLETE MARGINS CONTROL. You tell CopyArt II what margins you desire. You can even change margins within the same text. You may also have parts of your text with 2 columns, some with one etc. It's super easy to use.
29. BASIC PROGRAMS can be edited easily. CopyArt is really useful for inserting graphics within quoted strings to give your programs super animation without the hassle of calculating the CHR\$() of the graphics!
30. VISICALC files can be loaded into CopyArt II to be manipulated easily. Great when you want to accompany your Visicalc reports with written reports, GRAPHS and BOLD FACING etc. Visicalc reports up to 255 wide can be loaded.
31. SPECIAL SCRIPSIT FILE LOADER. Allows you to load your old Scripsit files without having to save them in ASCII. Copyart will also load Pencil files and other normal ASCII files.
32. *CUSTOM KEYS. Let's you make special keys for special characters. Allows for printing Spanish accents etc.
33. CONTROL CODES. Lets you insert special printer control codes in your text. CODES between 0 and 255.
34. BLOCK MOVE. Simple and powerful block move. Lets you move paragraphs or lines of text around easily. No complicated marker settings required.
35. FIND/REPLACE/REPEAT. Lets you find a string of characters and replace them with any other string of characters up to 20,000 times! WILDCARD search also supported.
36. Professional Manual in easy to understand English. Copyart II requires a TRS-80 Model I or III, (or PMC-80 or LNW), 48k and 2 disk drives with Newdos-80, Ldos, Multidos, Dosplus or TRSDOS. Double density disk drives recommended for the Model I.

CopyArt II THIS PROGRAM DOES IT ALL!

PLEASE SPECIFY which COMPUTER and PRINTER you have when ordering.

Copyart II with one printer driver	149.99
Additional printer drivers	19.95 each
Scripsit Dictionary	139.95



COD and Credit Cards
CALL TOLL FREE to order:
1-800-528-1149
Or send check or money
order to:

SIMUTEK

Computer Products Inc.

SIMUTEK COMPUTER PRODUCTS INC., 4897 E. SPEEDWAY BLVD., TUCSON, AZ 85712, (602) 323-9391
DEALER, DISTRIBUTOR, & PRINTER/MANUFACTURER INQUIRIES INVITED
TRS-80 and Scripsit are TM of Radio Shack a Tandy corp.
*Indicates printer must have capability to do function.

Playing music on the Color Computer.

Music Marvel

Steve Blyn
227 Hampton Green
Staten Island, NY 10312

For the mentally retarded, each small accomplishment is major progress. As a teacher of retarded students, I have noticed how much they enjoy music. This enjoyment has always been limited to listening, singing simple songs, or playing with simple band instruments. My TRS-80 Color Computer has, to some degree, changed that.

The Program

Music Marvel helps the retarded person play music on the

The Key Box

Color Computer
Color Basic and
Extended Color Basic
16K RAM

Program Listing 1. Extended Color Basic

```

10 'MUSIC MARVEL
20 'COPYRIGHTED <C> 1981 BY S.BLYN STATEN ISLAND,N.Y.
30 CLS3
40 PRINT@256,"** 'MUSIC          MARVEL' **"
50 FOR T= 1 TO 600: NEXT T
60 CLS(3)
70 PRINT          " directions for the instructor"
80 PRINT"*****"
90 PRINT" THIS PROGRAM CONTAINS 2 SONGS"
100 PRINT" 1.  three blind mice      AND"
110 PRINT
120 PRINT " 2.  row,row,row,your boat "
130 PRINT
140 PRINT"      SONG 1 WILL PLAY NOTE NUMBERSAND THEN SHOW PICTURES
150 PRINT" LEARNER MUST THEN PRESS FLASHEDNUMBER TO PLAY SONG'S
NOTES."
160 PRINT"      AFTER EACH SONG A CHOICE OF SONG #1 OR SONG #2 IS
GIVEN.      PRESS #9 TO END."
170 FOR Q=0 TO 63: SET(Q,2,8):SOUND 150,1:NEXT Q: FOR W = 63 TO
0 STEP -1: SET(W,31,8):NEXT W
180 FOR X=1 TO 5000:NEXT X
190 GOTO490
200 REM"DRAWING NUMBERS AND HAVING STUDENT PLAY THE SONG 'THREE
BLIND MICE'"
210 DATA 3,125,2,108,1,89,3,125,2,108,1,89,5,147,4,133,4,133,3,1
25,5,147,4,133,4,133,3,125,5,147,8,176,8,176,7,170,6,159,7,170,8
,176,8,176,5,147,5,147,8,176,8,176,8,176,7,170,6,159,7,170,8,176
,8,176,5,147,5,147,5,147,8,176,8,176,7,170,6,159,7,170
220 DATA 8,176,8,176,8,176,5,147,4,133,3,125,2,108,1,89,-1
230 READ A:IF A=-1 THEN GOTO 270 ELSE ON A GOSUB 880,930,1000,10
50,1130,1210,1280,1350
240 A$= INKEY$:IF A$="" THEN 240
250 IF VAL(A$)<>A THENGOTO240
260 READB:SOUNDB, 5:GOTO 230
270 PCLS:PMODE4,1:SCREEN1,1
280 GOSUB640:CLS:SOUND125,10:SOUND108,10:SOUND89,15:SOUND125,10:
SOUND108,10:SOUND89,15
290 SOUND147,10:SOUND133, 6:SOUND133,6:SOUND125,15:SOUND147,10:S
OUND133, 6:SOUND133.6:SOUND125,15
300 GOSUB 640
310 SOUND147,6:SOUND176,8:SOUND176,6:SOUND170,6:SOUND159,6:SOUND
170,6:SOUND176,6:SOUND176,8:SOUND147,10
320 GOSUB 640
330 SOUND147,8:SOUND176,6:SOUND176,6:SOUND176,6:SOUND170,6:SOUND
159,6:SOUND170,6:SOUND176,8:SOUND176,8:SOUND147,10
340 SOUND147,6:SOUND147,6:SOUND176,8:SOUND176,8:SOUND170,8:SOUND
159,6 :SOUND170,6:SOUND176,6:SOUND176,6:SOUND176,6:SOUND147,10:S
OUND133,8:SOUND125,10:SOUND108,10:SOUND89,12
350 GOSUB640
360 GOSUB 640:FOR X=1 TO 400: NEXT X

```

Listing 1 continues


```

370 CLS:GOSUB380:GOTO1430
380 REM "HAPPY FACE"
390 PCLS 4: PMODE 3,1:SCREEN1,1:COLOR 3
400 CIRCLE(128,96),90,3:CIRCLE(128,96),92:CIRCLE(128,96),94
410 CIRCLE(95,55),9
420 CIRCLE(161,55),9
430 CIRCLE(128,72),75,3,,5,,17,,35
440 CIRCLE(128,106),35,3,1,0,,5
450 FORX=1TO4:PAINT(0,0),X,3:PAINT(95,55),X,3:PAINT(161,55),
X,3:PAINT(128,120),X,3:NEXT X
460 FORX=1TO1400:NEXTX
470 RETURN
480 REM "3 BLIND MICE"
490 FOR X= 1 TO 2
500 GOSUB 1010:SOUND 125,7:GOSUB930:SOUND108,7:GOSUB880:SOUND89,
8:NEXT X
510 FOR X=1TO2:GOSUB1140:SOUND147,8
520 FORR=1TO2:GOSUB1060:SOUND 133,4:NEXT R: GOSUB 1010:SOUND125,
8:
530 NEXT X
540 PCLS
550 GOSUB1140:SOUND 147,4:GOSUB 1360:SOUND 176,6:GOSUB 1360:SOUN
D 176,4:GOSUB 1290:SOUND170,4:GOSUB 1220:SOUND159,4:GOSUB1290:SO
UND 170,4:GOSUB 1360:SOUND 176,4:GOSUB1360:SOUND 176,6
560 GOSUB1140:SOUND 147,8:GOSUB 1140:SOUND 147,4
570 FOR X=1 TO 3:GOSUB 1360:SOUND 176,4:NEXT X
580 GOSUB1290:SOUND170,4:GOSUB 1220:SOUND 159,4: GOSUB1290:SOUND
170,4: GOSUB 1360: SOUND 176,6: GOSUB 1360: SOUND 176,4: GOSUB
1140: SOUND 147,6
590 FOR Y=1 TO 200:NEXT Y
600 GOSUB1140:SOUND147,6:GOSUB 1140:SOUND 147,4:GOSUB 1360: SOUN
D 176,6: GOSUB 1360: SOUND 176,4: GOSUB 1290: SOUND 170,6: GOSUB
1220: SOUND 159,4: GOSUB 1290: SOUND 170,4
610 FOR X=1 TO 3:GOSUB1360:SOUND176,4:NEXT X
620 GOSUB1140:SOUND 147,8:GOSUB1060:SOUND 133,6:GOSUB1010:SOUND1
25,8:GOSUB940:SOUND108,8:GOSUB890:SOUND89,10:GOSUB640:GOSUB640
630 RESTORE:GOTO 210
640 PMODE 4,1: PCLS
650 REM"THREE MOVING MICE"
660 SCREEN1,1
670 LINE(100,96)-(180,96),PSET:LINE(100,93)-(180,93),PSET
680 CIRCLE(80,96),20,1,1,.60,.99
690 CIRCLE(140,96),40,1,1,.50,.99
700 CIRCLE(175,80),15,1,1,.67,.20:CIRCLE(180,76),3
710 DRAW"BM175,66;H6;D4"
720 PAINT(140,58),7,5:PAINT(181,75),5,7
730 FOR Y= 1TO 50:NEXT Y
740 LINE(60,150)-(140,150),PSET:LINE(60,147)-(140,147),PSET
750 CIRCLE(100,150),40,1,1,.50,.99
760 CIRCLE(40,150),20,1,1,.60,.99
770 CIRCLE(135,134),15,1,1,.67,.20:CIRCLE(140,130),3
780 DRAW"BM135,120;H6;D4"
790 PAINT(100,115),7,5:PAINT(141,129),5,7
800 FOR Y=1TO 50:NEXT Y
810 LINE(139,42)-(221,42),PSET:LINE(139,39)-(221,39),PSET
820 CIRCLE(180,42),40,1,1,.50,.99
830 CIRCLE(120,42),20,1,1,.60,.99
840 CIRCLE(215,26),15,1,1,.67,.20:CIRCLE(220,22),3
850 DRAW"BM215,12;H 6;D4":PAINT(175,5),7,5:PAINT(221,22),5,7
860 FOR Y=1TO 50:NEXT Y
870 RETURN
880 REM "DRAWING A # 1"
890 PMODE 4,1:PCLS:SCREEN 1,1
900 LINE(128,40)-(128,140),PSET
910 FORJ=1TO20:NEXTJ
920 RETURN
930 REM "DRAWING A # 2"
940 PMODE4,1:PCLS:SCREEN1,1
950 LINE(100,140)-(163,140),PSET
960 CIRCLE(128,126),30,1,1,.45,.75
970 CIRCLE(128,66),30,1,1,.60,.25
980 FORJ=1TO20:NEXTJ
990 RETURN
1000 REM"DRAWING A # 3"
1010 PMODE 4,1:PCLS:SCREEN1,1
1020 CIRCLE(128,126),30,1,1,.75,.35:CIRCLE(128,66),30,1,1,.7,.25
1030 FORJ=1TO30:NEXT J
1040 RETURN
1050 REM"DRAWING A # 4"
1060 PMODE 4,1:SCREEN1,1
1070 PCLS
1080 LINE(158,40)-(158,140),PSET
1090 LINE(80,40)-(80,100),PSET
1100 LINE(80,100)-(180,100),PSET
1110 FORJ=1TO20:NEXT J

```

Listing 1 continues

CANADIANS

NOW IN STOCK

ADVENTURE INTERNATIONAL
ACORN SOFTWARE
APPARAT INC.
BIG FIVE
COMPUTERWARE
EPSON PRINTERS
INSTANT SOFTWARE
MARK DATA
MED SYSTEMS
FANTASTIC SOFTWARE
SPECTRAL
WORD PROCESSORS
BOOKS
DISK DRIVES
DISKETTES

LOWER CASE MOD — MOD I
\$29.95 + \$2.00 S & H

AND MORE

MOD I • MOD III • COLOR

Visa & Mastercard

Phone or Write for Catalogue
(403) 423-3919

CMD MICRO
10546 - 106 Street
Edmonton, Alberta
T5H 2X6

✓181

COTTAGE SOFTWARE

PACKER: Machine language program that edits all or part of your Basic program to run faster, save memory, or ease editing. The 5 options include UNPACK—unpacks multiple statement lines into single statements maintaining logic, inserts spaces and rennumbers lines. SHORT—deletes unnecessary words, spaces, and REM statements. PACK—packs lines into maximum multiple statement lines, including all branches. MOVE—moves line or blocks of lines to any new location on program. On 2 cassettes for 16K, 32K, & 48K

For TRS-80 Mod I or III Level II or Disk Basic ... \$29.95

SYSTEM TAPE DUPLICATOR: Copy your SYSTEM format tapes. Includes verify routines. The Model III version allows use of both 500 and 1500 baud cassettes speeds. For TRS-80 Model I or III Level II ... \$15.95

CASSETTE LABEL MAKER: A mini word processor to print cassette labels on a line printer. Includes 50 peel - and - stick labels on tractor feed paper.

For TR-80 Model I of III Level II & Printer ... \$17.95

PRINT TO LPRINT TO PRINT: Edits your Basic program in seconds to change all Prints to LPrints (except Print@ or Print#) or LPrints to Prints. Save edited version. For TR-80 Model I or III Level II ... \$12.95

FAST SORT ROUTINES: for use with Radio Shack's Accounts Receivable, Inventory Control I, and Disk Mailing List Systems for Model I Level II Sorts in SECONDS! You'll be amazed at the time they can save. Supplied on data diskette with complete instructions.

FAST SORT for Accounts Receivable ... \$19.95

FAST SORT for Inventory Control I ... \$19.95

FAST SORT for Disk Mailing List (specify data diskette of cassette for 1 drive system) ... \$14.95

ALL THREE ROUTINES ... \$44.95

Prices subject to change without notice. Call or write for a complete catalog. Dealer inquiries invited. VISA and Mastercharge accepted. Foreign order in US currency only. Kansas residents add 3% sales tax.

On-line catalog in Wichita FORUM-80: 316-682-2113

Or call our 24 hour phone (316) 683-4811 or write:

COTTAGE SOFTWARE
614 N. HARDING
WICHITA, KANSAS 67208

✓187

TRS-80™ is a trademark of Tandy Corporation

```

1120 RETURN
1130 REM "DRAWING A # 5"
1140 PMODE4,1
1150 PCLS:SCREEN1,1
1160 LINE(110,82)-(110,40),PSET
1170 LINE(110,40)-(170,40),PSET
1180 CIRCLE(135,110),37,1,1,.65,.39
1190 FORJ=1TO 20:NEXT J
1200 RETURN
1210 REM "DRAWING A # 6"
1220 PMODE4,1
1230 PCLS:SCREEN1,1
1240 CIRCLE(134,90),56,1,1,.25,.85
1250 CIRCLE(145,115),32
1260 FORJ=1TO20:NEXT J
1270 RETURN
1280 REM "DRAWING A # 7"
1290 PMODE4,1
1300 PCLS:SCREEN1,1
1310 LINE(158,40)-(128,140),PSET
1320 LINE(158,40)-(99,40),PSET
1330 FOR J=1TO20:NEXT J
1340 RETURN
1350 REM "DRAWING A # 8"
1360 PMODE4,1
1370 PCLS:SCREEN1,1
1380 CIRCLE(128,120),30,1
1390 CIRCLE(128,60),30,1
1400 FOR J=1TO20:NEXT J
1410 RETURN
1420 REM "DRAWING CHOICE OF 1 OR 2"
1430 PCLS:PMODE4,1:SCREEN1,1
1440 LINE(32,23)-(32,123),PSET
1450 CIRCLE(80,83),9:LINE(98,91)-(98,77),PSET:CIRCLE(100,79),5
,1,1,.6,.35:LINE(98,84)-(107,91),PSET
1460 LINE(150,120)-(210,120),PSET
1470 CIRCLE(178,108),30,1,1,.45,.75
1480 CIRCLE(178,48),30,1,1,.60,.25
1490 REM "CHOICE BETWEEN THE TWO SONGS"
1500 R$=INKEY$:IF R$="" THEN 1500 ELSE R=VAL(R$)
1510 RESTORE
1520 READB:IFB<>-1THEN1520
1530 IF R= 1 THEN 480
1540 IF R=2 THEN 1570
1550 IF R= 9 THEN 2310
1560 GOTO1490
1570 REM "ROW,ROW,ROW,YOUR BOAT"
1580 FOR X=1TO3:GOSUB890:SOUND 89,10:NEXT X
1590 GOSUB940:SOUND108,6
1600 GOSUB1010:SOUND125,8
1610 GOSUB1010:SOUND125,5
1620 GOSUB940:SOUND108,5
1630 GOSUB1010:SOUND125,5
1640 GOSUB1060:SOUND133,5
1650 GOSUB1140:SOUND147,8
1660 FORX=1TO3:GOSUB1360:SOUND176,4:NEXT X
1670 FORX=1TO3:GOSUB1140:SOUND147,4:NEXT X
1680 FOR X=1TO3:GOSUB1010:SOUND125,4:NEXT X
1690 FOR X=1TO3:GOSUB890:SOUND 89,6:NEXT X
1700 GOSUB1140:SOUND147,5
1710 GOSUB1060:SOUND133,4
1720 GOSUB1010:SOUND125,5
1730 GOSUB940:SOUND108,4
1740 GOSUB890:SOUND89,8
1750 GOSUB 1760:GOTO 2170
1760 REM "MOVING THE BOAT"
1770 PCLS
1780 PMODE4,1:SCREEN1,1
1790 CIRCLE(28,28),10:PAINT (28,28),5,7
1800 CIRCLE(5,144),50,1,1,.75,.95
1810 LINE(50,127)-(169,127),PSET:LINE(50,125)-(169,125),PSET
1820 CIRCLE(170,96),30,1,1,.01,.25
1830 LINE(17,96)-(200,96),PSET
1840 LINE(26,100)-(200,100),PSET
1850 LINE(200,96)-(180,80),PSET
1860 LINE(180,80)-(14,96),PSET
1870 LINE(195,95)-(175,80),PSET
1880 LINE(148,98)-(102,172),PSET
1890 LINE(150,98)-(104,172),PSET
1900 CIRCLE(40,172),40,1,.5,.0,.49:CIRCLE(40,152),40,1,.5,.0,.49
:CIRCLE(40,132),40,1,.5,.0,.49
1910 DRAW"BM99,172;R10;D10;L10;U10;":PAINT(104,173),5,7
1920 CIRCLE(120,172),40,1,.5,.0,.49:CIRCLE(120,152),40,1,.5,.0,.49
:CIRCLE(120,132),40,1,.5,.0,.49
1930 CIRCLE(200,172),40,1,.5,.0,.49:CIRCLE(200,152),40,1,.5,.0,.49

```

Listing 1 continues

TRS-80. It flashes large high-resolution numbers on the screen while the song "Three Blind Mice" is played. The numbers correspond to the notes of the song. After the song, three mice appear on the screen.

Next, it's the student's turn to play. A number is flashed on the screen without the accompanying sound. The student must press the corresponding number on the keyboard. When the correct number is pressed the note will sound. Pressing the wrong number does nothing. There are no negatives in the program. Retarded people have enough negatives in their lives, without adding a computer to the list.

After all the numbers have appeared on the screen, and all the correct responses have been made, the computer plays back the song, and then displays a happy face.

Then the user is asked to press either one or two. Choosing one replays "Three Blind Mice," and number two repeats the original procedure with a second song, "Row, Row, Row Your Boat." The graphics for the second song are of a moving rowboat. The user can play these songs as many times as he likes. Pressing the number nine ends the program.

The retarded people who have used this program are delighted with it. It gives them a good sense of accomplishment and self-worth. They felt as if they had actually played music.

There are two versions of the program presented here. Program Listing 1 is of the original 16K Extended Color Basic version. Program Listing 2 is 16K Color Basic.

Other Uses

The program also works well with young children. There is no reading involved. Young users can also get that same feeling of accomplishment. ■

Steve Blyn was awarded an honorable mention in the Johns Hopkins First National Search for handicapped computer applications for his entry, a program for retarded learners.

TRS-80[★] MODEL III

BRAND NEW, 180 DAY WARRANTY

- 16K \$825 48K, 1 DRIVE \$1499 RS-232 (INSTALLED) \$92
- 48K \$849 48K, 2 DRIVE \$1749 CASSETTE RECORDER \$55

★ TANDY CORP.

IBM P. C.

**THESE ARE BRAND NEW
IBM PERSONAL COMPUTERS**

64K WITH 2 INTERNAL DUAL SIDE DISK DRIVES

DISCOUNT PRICE!!!

ONLY \$2699⁹⁵

(90 DAY WARRANTY)

THESE ARE OUR CASH DISCOUNTED PRICES. C.O.D. AND CHARGE ORDERS ARE 3% HIGHER. ALL COMPUTERS ARE SHIPPED FREIGHT COLLECT. PRICES, SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. IBM & IBM PERSONAL COMPUTERS ARE TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES, INC.



AMERICAN

118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

**Small
BUSINESS
COMPUTERS**

— Professional —
REAL ESTATE SOFTWARE

for APPLE, TRS-80 & CPM SYSTEMS

• **PROPERTY MANAGEMENT SYSTEM: \$450**

Tenant History	Operating Stmt.
Late Rent Report	Building Reports
Vacancy Report	Utilities Report
Income Report	Tax Expense Report
Auto Late Charge	Prints Checks
Returned Checks	Prints Receipts

• **PROPERTY LISTINGS/COMPARABLES: \$325**

— SCREEN BY —	Max/Min Price
22 Items/Listing	Max Price/Income
1000 Listing/Disk	Max Price/Sq Foot
Listing Memo Field	Min Cashflow

• **REAL ESTATE ANALYSIS MODULES: \$50/Module**

Home Purchase	Tax Deferred Exchange
Income Prop Analysis	APR Loan Analysis
Property Sales	Loan Amortization
Construction Cost/Profit	Depreciation/ACRS Analysis
Loan Sales/Purchase	Loan Wrap Analysis

• **WORD PROCESSOR — WORD STAR: \$295**



At Computer Stores Everywhere
 or Order CDD Direct
 Cal Residents add 6% Sales Tax
 (213) 372-6419

Suite E, 1116-8th Street, Manhattan Beach, CA 90266

NEW
Synware Games

**Absolutely The Best SciFi
 HYPERGATE CENTURION**

You are the Guardian of the Gateway to other galaxies in the most innovative, the most sophisticated "real time" simulation ever offered. A REAL BLOCKBUSTER

HYPERGATE PATROL

Navigate the Hypergates of the Local Supercluster in search of pirates, monsters, and smugglers.

BOTH HAVE SUPER ACTION SOUNDS & GRAPHICS

TRS-80 Model I or III required
 specify: 16K I2 32K disk system 48K disk system

BOTH GAMES ON ONE CASSETTE \$ 39.95 ppd.

Send CHECK or MONEY ORDER to:

Synergistic Solar, Inc.
PO Box 560595, Miami FL 33156

Write for our brochure of top notch game programs

DEALER INQUIRY INVITED

© TRS-80 TRADEMARK TANDY CORP.

**Data Acquisition
 and Control for the TRS-80*
 \$230 ppd.**

The STARBUCK-8882 is a complete eight channel data acquisition and control system, plug compatible with the Model I Level II TRS-80. It includes 8 protected analog inputs (0-5 Vdc with 8 ± 1 bit accuracy), 8 protected digital inputs, 8 optoisolated digital outputs, and two joystick ports. Interrupt-driven software package allows simultaneous data acquisition and storage while using the TRS-80 for any other purpose!

Application manual covers home security, energy monitoring, weather station use, appliance control, graphics and games. Price includes case, power supply, extra expansion card edge connector cable, complete software package and detailed applications manual. Manuals only are available for \$5.00 ppd. Model III version \$250 ppd. To order write or call

STARBUCK DATA CO.
 P.O. Box 24, Newton, MA 02162
 617-237-7695

205

Massachusetts residents add 5% sales tax *TRS-80 is a trademark of Tandy Corp.

Listing 1 continues

```
.49:CIRCLE(200,132),40,1,.5,.0,.49
1940 PAINT(92, 90),5,7:PAINT(75,122),5,7:PAINT(150,122),5,7
1950 FORG=1 TO 50:NEXTG
1960 PCLS :PMODE 4,1:SCREEN1,1
1970 CIRCLE(15,144),50,1,1,.75,.95
1980 CIRCLE (28,28),10:PAINT(28,28),5,7
1990 LINE(61,127)-(189,127),PSET:LINE(61,125)-(189,125),PSET
2000 CIRCLE(190,96),30,1,1,.01,.25
2010 LINE(37,96)-(220,96),PSET
2020 LINE(40,100)-(222,100),PSET
2030 LINE(220,96)-(200,80),PSET
2040 LINE(200,80)-(34,96),PSET
2050 LINE(215,95)-(195,80),PSET
2060 LINE(168,96)-(217,172),PSET
2070 LINE(170,96)-(219,172),PSET
2080 DRAW"BM214,172;R10;D10;L10;U10;":PAINT(219,173),5,7
2090 CIRCLE(60,172),40,1,.5,.0,.49:CIRCLE(60,152),40,1,.5,.0,.49
:CIRCLE(60,132),40,1,.5,.0,.49
2100 CIRCLE(140,172),40,1,.5,.0,.49:CIRCLE (140,152),40,1,.5,.0,.49
:CIRCLE(140,132),40,1,.5,.0,.49
2110 CIRCLE(220,172),40,1,.5,.0,.49:CIRCLE(220,152),40,1,.5,.0,.49
:CIRCLE(220,132),40,1,.5,.0,.49
2120 PAINT(180,88),5,7:PAINT(80,105),5,7:PAINT(190,105),5,7
2130 FOR Z=1 TO 50: NEXT Z
2140 RETURN
2150 GOTO2150
2160 GOSUB1770
2170 DATA 1,89,1,89,1,89,2,108,3,125,3,125,2,108,3,125,4,133,5,1
47,8,176,8,176,8,176,5,147,5,147,5,147,3,125,3,125,3,125,1,89,1,
89,1,89,5,147,4,133,3,125,2,108,1,89,-1
2180 READ C:IF C=-1 THEN GOTO2220 ELSE ON C GOSUB 880, 930, 1000
,1050, 1130, 1210, 1280, 1350
2190 C$=INKEY$:IFC$=""THEN 2190
2200 IF VAL(C$)<>C THEN GOTO 2190
2210 READD:SOUND, 8:GOTO 2180
2220 REM"REPLAY OF SONG AND PICTURES"
2230 GOSUB1770
2240 SOUND89,10:SOUND 89,10:SOUND89,10
2250 SOUND108,6:SOUND125,10:SOUND125,6:SOUND108,6:SOUND125,6:SOU
ND133,6:SOUND147,10
2260 SOUND176,5:SOUND176,5:SOUND176,5
2270 SOUND147,5:SOUND147,5:SOUND147,5:SOUND125,5:SOUND125,5:SOUN
D125,5:SOUND89,5:SOUND89,5:SOUND89,5
2280 SOUND147,6:SOUND133,5:SOUND125,6:SOUND108,5:SOUND89,10
2290 GOSUB 1770
2300 FOR X = 1 TO 1500: NEXT X:GOSUB380:GOTO 1430
2310 PCLS :FOR M=50 TO 200 STEP 5:SOUND M,1:NEXT M:FOR K=1 TO
200:NEXT K: FOR N = 200 TO 50 STEP -5: SOUND N,1:NEXT N
2320 CLS(8)
2330 END
```

Program Listing 2. Color Basic

```
1 REM"MUSIC"
2 CLS3
3 'COPYRIGHT BY S.BLYN-N.Y.-1981
4 PRINT" directions for the instructor"
5 PRINT"*****"
6 PRINT" THIS PROGRAM CONTAINS 2 SONGS"
7 PRINT" 1. three blind mice AND"
8 PRINT
9 PRINT" 2. row,row,row,your boat "
10 PRINT" SONG 1 WILL PLAY NOTE NUMBERSAND THEN SHOW PICTURES.
"
11 PRINT" LEARNER MUST THEN PRESS FLASHEDNUMBER TO PLAY SONG'S N
OTES."
12 PRINT" AFTER EACH SONG A CHOICE OF SONG #1 OR SONG #2 IS G
IVEN. PRESS #9 TO END."
13 FORQ=0TO63:SET(Q,2,8):SOUND150,1:NEXTQ:FORW=63TO0STEP-1:SET(W
,31,8):NEXTW
14 PRINT@448," music marvel ";PRINT@ 480,"
PRESS <ENTER> TO BEGIN ";:INPUT EN$
15 GOTO43
16 REM"DRAWING NUMBERS AND HAVING STUDENT PLAY THE SONG 'THREE B
LIND MICE'"
17 DATA 3,125,2,108,1,89,3,125,2,108,1,89,5,147,4,133,4,133,3,12
5,5,147,4,133,4,133,3,125,5,147,8,176,8,176,7,170,6,159,7,170,8,
176,8,176,5,147,5,147,8,176,8,176,8,176,7,170,6,159,7,170,8,176,
8,176,5,147,5,147,5,147,8,176,8,176,8,176,7,170,6,159,7,170
18 DATA 8,176,8,176,8,176,5,147,4,133,3,125,2,108,1,89,-1
19 READA:IFA=-1THENGOTO23ELSEONAGOSUB62,66,69,72,75,78,81,84
```

Listing 2 continues

WE STOCK PRINTERS!

EPSON • OKIDATA • C. ITOH • RADIO SHACK • OLIVETTI

•EPSON•

MX-80 \$425

MX-80 F/T \$525

MX-100 \$685

WE STOCK A COMPLETE LINE
OF EPSON ACCESSORIES

CALL FOR PRICES!!

•OKIDATA•

ML-80 \$350

ML-82A \$469

ML-83A \$719

ML-84 \$1250

**NEW MICROLINE
GRAPHICS \$99**

WE CARRY OKIDATA INTERFACES
FOR MOST COMPUTERS

CALL FOR PRICES!

•C. ITOH•

PROWRITER

8510 PARALLEL-10"	\$489
8510 SERIAL-10"	\$639
1550 PARALLEL-15"	\$719
1550 SERIAL-15"	\$1295

STARWRITER

F-10 40 CPS, PARALLEL	\$1450
F-10 40 CPS, SERIAL	\$1599
F-10 55 CPS, PARALLEL	\$1699
F-10 55 CPS, SERIAL	\$1850

RADIO SHACK PRINTERS - NEW FOR 1983!!!

DMP-100 (26-1253) \$339⁹⁵

50 CPS, UPPER & LOWER CASE, 10" CARRIAGE

DMP-200 (26-1254) \$679⁹⁵

120 CPS, BIDIRECTIONAL, ADJUSTABLE TRACTOR
10" CARRIAGE

DMP-400 (26-1251) \$1015⁰⁰

140 CPS, ADJUSTABLE, REMOVABLE TRACTOR
FEED, 15" CARRIAGE

DMP-500 (26-1252) \$1525⁰⁰

220 CPS, HEAVY DUTY DESIGN, REMOVABLE
ADJUSTABLE TRACTOR, 15" CARRIAGE

DWP-410 DAISY WHEEL \$1269⁹⁵

PRINT "LETTER-PERFECT" ORIGINALS AT
OVER 300 WORDS PER MINUTE. SWITCH
SELECTABLE PRINT DENSITIES, 15" PLATEN.

Bidirectional Tractor Feed \$199.95

DAISY WHEEL II (26-1158) \$1649

TRACTOR FEED	\$275	ENVELOPE FEEDER	\$980
SHEET FEEDER	\$1450	ACOUSTIC COVER	\$325

OLIVETTI PRINTER

THE NEW OLIVETTI PRINTER CAN DOUBLE AS AN ORDINARY OFFICE TYPEWRITER OR YOUR COMPUTER PRINTER! A STANDARD PARALLEL INTERFACE ALLOWS EASY HOOK-UP TO ANY TRS-80 OR MOST ANY COMPUTER. PRINTS APPROXIMATELY 10-15 CHARACTERS PER SECOND!

THESE ARE OUR CASH DISCOUNTED PRICES. C.O.D. AND CHARGE ORDERS ARE 3% HIGHER. ALL COMPUTERS ARE SHIPPED FREIGHT COLLECT. PRICES, SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. IBM & IBM PERSONAL COMPUTERS ARE TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES, INC.



118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

**Small
Business
COMPUTERS**

MS**MANAGEMENT
SYSTEMS
SOFTWARE****Business Programs**

	TRS-80 Model I/III	Model II
Proforma Cash-Budget and Income	\$125	\$175
Proforma Income and Balance Sheet	125	175
Lease-Purchase Decision	100	150
Business Analysis Package (12 individual programs)	100	150
Procurement	100	150

Educational Programs

College Enrollment Projection	100	150
Gradebook	50	100

All programs on disk with extensive documentation.
Send for a brochure which fully describes the programs.

**MANAGEMENT SYSTEMS
SOFTWARE, INC.**

2912 Brandemere Drive
Tallahassee, Florida 32312
Phone (904) 386-6563

✓ 457

**OPTIONS-80, NOW FOR
APPLE * & TRS-80 ***

**OPTION
INVESTING**

**PROGRAM ANALYSES
RETURN FROM LISTED
STOCK OPTION
INVESTING**

HANDLES CALLS, PUTS, SPREADS, IN
AND OUT; COMMISSIONS, RISK, COST
OF MONEY, DIVIDENDS, TABLES AND
GRAPHS. PRINTS, STORES TO DISK.
INDEXED MANUAL A COMPLETE GUIDE
TO OPTION INVESTING. M/C & VISA.
\$125. SEND FOR FREE BROCHURE.


**OPTIONS-80, BOX 471
CONCORD, MASS 01742**

*TRADEMARK TANDY CORP *TRADEMARK APPLE COMPUTER, INC.

✓ 206

**9 TRACK TAPE
for TRS-80 Mod. II/16**

ALDEVCO has available the AC-
CESS II ANSI std. 9 track mag.
tape (1600 bpi) system tailored
to the Radio Shack Model II/16
hardware and TRSDOS, provid-
ing hard disk backup AND ac-
cess to mainframe data bases.
Other versions are available for
the S-100 bus and CPM.

**ALDEVCO**

5725 Dragon Way
Cincinnati, Ohio 45227
(513) 561-7671

Listing 2 continued

```

20 A$=INKEY$:IFA$=""THEN20
21 IFVAL(A$)<>ATHENGOTO20
22 READB:SOUNDB,5:GOTO19
23 GOSUB58:SOUND125,10:SOUND108,10:SOUND89,15:SOUND125,10:SOUND1
08,10:SOUND89,15
24 SOUND147,10:SOUND133,6:SOUND133,6:SOUND125,15:SOUND147,10:SOU
ND133,6:SOUND133,6:SOUND125,15
25 GOSUB58
26 SOUND147,6:SOUND176,8:SOUND176,6:SOUND170,6:SOUND159,6:SOUND1
70,6:SOUND176,6:SOUND176,8:SOUND147,10
27 GOSUB58
28 SOUND147,8:SOUND176,6:SOUND176,6:SOUND176,6:SOUND170,6:SOUND1
59,6:SOUND170,6:SOUND176,8:SOUND176,8:SOUND147,10
29 SOUND147,6:SOUND147,6:SOUND176,8:SOUND176,8:SOUND170,8:SOUND1
59,6:SOUND170,6:SOUND176,6:SOUND176,6:SOUND176,6:SOUND147,10:SOU
ND133,8:SOUND125,10:SOUND108,10:SOUND89,12
30 GOSUB58:FORX=1TO400:NEXTX
31 CLS:GOSUB32:GOTO88
32 REM "HAPPY FACE"
33 CLS0:FORX=1TO45:SET(X,5,8):SET(X,25,8):NEXTX
34 FORY=5TO25:SET(18,Y,8):SET(19,Y,8):SET(44,Y,8):SET(45,Y,8):NE
XTY
35 SET(25,10,7):SET(38,10,7)
36 SET(26,10,7):SET(37,10,7)
37 FORX=27TO36:SET(X,20,5):NEXTX
38 SET(26,19,5):SET(37,19,5):SET(25,18,5):SET(38,18,5)
39 FORT=1TO10:RESET(25,10):RESET(38,10):RESET(26,10):RESET(37,10
):SOUND100,1:FORT=1TO30:NEXTU:SET(25,10,7):SET(38,10,7):SET(26,1
0,7):SET(37,10,7):NEXTT
40 FORX=1TO1400:NEXTX
41 RETURN
42 REM "3 BLIND MICE"
43 FORX=1TO2
44 GOSUB70:SOUND125,7:GOSUB66:SOUND108,7:GOSUB62:SOUND89,8
45 GOSUB70:SOUND125,7:GOSUB66:SOUND108,7:GOSUB62:SOUND89,8
46 FORR=1TO2:GOSUB76:SOUND147,8
47 GOSUB73:SOUND133,4:GOSUB73:SOUND133,4:GOSUB70:SOUND125,8:
48 NEXTR
49 GOSUB76:SOUND147,4:GOSUB85:SOUND176,6:GOSUB85:SOUND176,4:GOSU
B82:SOUND170,4:GOSUB79:SOUND159,4:GOSUB82:SOUND170,4:GOSUB85:SOU
ND176,4:GOSUB85:SOUND176,6
50 GOSUB76:SOUND147,8:GOSUB76:SOUND147,4
51 GOSUB85:SOUND176,4:GOSUB85:SOUND176,4:GOSUB85:SOUND176,4
52 GOSUB82:SOUND170,4:GOSUB79:SOUND159,4:GOSUB82:SOUND170,4:GOSU
B85:SOUND176,6:GOSUB85:SOUND176,4:GOSUB79:SOUND159,4:GOSUB82:SOU
ND170,4
53 FORY=1TO200:NEXTY
54 GOSUB76:SOUND147,6:GOSUB76:SOUND147,4:GOSUB85:SOUND176,6:GOSU
B85:SOUND176,4:GOSUB82:SOUND170,6:GOSUB79:SOUND159,4:GOSUB82:SOU
ND170,4
55 FORE=1TO3:GOSUB85:SOUND176,4:NEXT E
56 GOSUB76:SOUND147,8:GOSUB73:SOUND133,6:GOSUB70:SOUND125,8:GOSU
B67:SOUND108,8:GOSUB63:SOUND89,10:GOSUB58:GOSUB58
57 RESTORE:GOTO17
58 "MOVING MICE"
59 GOSUB155
60 FORY=1TO50:NEXTY
61 RETURN
62 "111"
63 CLS0
64 CLS0:FORX=1TO18:PRINT@5*X-1,1;:NEXTX
65 RETURN
66 "222"
67 CLS2:FORX=1TO18:PRINT@5*X-1,2;:NEXTX
68 RETURN
69 "333"
70 CLS3:FORX=1TO18:PRINT@5*X-1,3;:NEXTX
71 RETURN
72 "444"
73 CLS4:FORX=1TO18:PRINT@5*X-1,4;:NEXTX
74 RETURN
75 "555"
76 CLS5:FORX=1TO18:PRINT@5*X-1,5;:NEXTX
77 RETURN
78 "666"
79 CLS6:FORX=1TO18:PRINT@5*X-1,6;:NEXTX
80 RETURN
81 "777"
82 CLS7:FORX=1TO18:PRINT@5*X-1,7;:NEXTX
83 RETURN
84 "888"
85 CLS8:FORX=1TO18:PRINT@5*X-1,8;:NEXTX
86 RETURN
87 REM "DRAWING CHOICE OF 1 OR 2"
88 FORX=1TO8:CLS(X):SOUND100,1:NEXTX
89 CLS0:PRINT@264,"1";:PRINT@271,"OR";:PRINT@279,"2";
90 REM "CHOICE BETWEEN THE TWO SONGS"

```

Listing 2 continues

WE STOCK DISK DRIVES!

TEAC

BARE

40 Track, Single 40-0050 **\$209**
 40 Track, Double 40-0051 **\$289**
 80 Track, Single 40-0052 **\$289**
 80 Track, Double 40-0053 **\$349**

COMPLETE

40 Track, Single 45-0050 **\$239**
 40 Track, Double 45-0051 **\$340**
 80 Track, Single 45-0052 **\$340**
 80 Track, Double 45-0053 **\$399**

TANDON

BARE

40 Track, Single 41-1001 **\$209**
 40 Track, Double 41-1002 **\$289**
 80 Track, Single 41-1003 **\$269**
 80 Track, Double 41-1004 **\$349**

COMPLETE

40 Track, Single **\$249**
 40 Track, Double **\$319**
 80 Track, Single **\$319**
 80 Track, Double **\$369**

We sell two brands of disk drives for the TRS-80: the TEAC and the Tandon. The TEAC disk drive has a 1 year warranty, the Tandon has a 90 day warranty. The TEAC uses a lead screw actuator, the Tandon uses a split band type actuator. The track to track access rate for the Tandon is 5 milliseconds, as opposed to 25 milliseconds for the TEAC. The TRS-80 Model III requires a faster drive speed than the Model I, therefore the Tandon works better with the Model III. With the slower drive speed requirements of the Model I, the TEAC is a more reliable drive. We have both 40 track and 80 track drives with either single or dual head. All drives are capable of double density. These drives are available either bare or complete with power supply and cabinet. A cable is required to hook up the drives. We have both two-drive and four-drive cables. All drives come with complete instructions for hooking up a system. TEACs and Tandons can be intermixed with other drives on the same system.

DISK DRIVES MOD III

DRIVE 0

Single Side, 40 Track **\$595**
 Double Side, 40 Track **\$729**
 Single Side, 80 Track **\$729**
 Double Side, 80 Track **\$819**

DRIVE 1

Single Side, 40 Track **\$229**
 Double Side, 80 Track **\$289**
 Single Side, 40 Track **\$289**
 Double Side, 80 Track **\$339**

The disk drives we sell for the Model III are the Tandon drives. Drive 0 includes the controller board, power supply, cables and all mounting hardware. Complete instructions are included for installation. It takes 30 minutes to an hour to install disk drives in a Model III. No soldering is required. TRSDOS operating system is not included in this low price.

IBM

PERSONAL COMPUTER

SINGLE SIDE,


40 TRACK \$209

DOUBLE SIDE,

40 TRACK \$299

These drives are fully compatible with the IBM Personal Computer. They can be used as the first or second drive and come with our exclusive 90 day warranty. DOS and Drive Adapters required. Our disk drives adhere to the high quality standards that IBM demands.

COLOR COMPUTERS



**CALL NOW FOR
SPECIAL CHRISTMAS
PRICES**

16K LEVEL I, 16K OR 32K EXTENDED BASIC

THESE ARE OUR CASH DISCOUNTED PRICES. C.O.D. AND CHARGE ORDERS ARE 3% HIGHER. ALL COMPUTERS ARE SHIPPED FREIGHT COLLECT. PRICES, SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. IBM & IBM PERSONAL COMPUTERS ARE TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES, INC.




AMERICAN

118 SO. MILL ST
 PRYOR, OK 74361
 (918) 825-4844

**Small
Business
COMPUTERS**

Verbatim® Diskettes



Top-quality Verbatim® Diskettes from **Tech•Data**, your complete word and data processing supply center. Dealer inquiries invited.

Call Toll Free
1-800-237-8931.
In Florida, call
813-577-2794.

✓440
Tech•Data Corporation
3251 Tech Drive North
St. Petersburg, FL 33702

MORE AMAZING PRICES

Epson MX-80 F/T	\$495.00
NEC PC-8023A	\$479.00
Okidata Microline 82A	\$449.00
MX Series Zip Pack	
Ribbon Reloads	\$ 3.50
MX-70, 80 & 80F/T	
Cartridge Ribbon	\$ 6.50
Microline 80, 82A, 83A Ribbon	\$ 1.85
Holmes Model III	
CPU Speed Up Mod	\$ 89.95
Replacement Non-Glare	
Green CRT	\$ 89.95
Dos Plus 3.4 I/III	\$ 89.95
NewDos/80 Version 2.0	\$119.00
Flip-N-File (Holds 50 disks)	\$ 20.00

East Coast Data provides hardware for your computer with prices for your budget! Call or write for other fantastic values for you and your computer!

EAST COAST DATA

✓513
4925 Wycliff Road • Portsmouth, VA 23703
804/484-6636 (Voice) • 804/484-9636 (Data)
Call for shipping and ordering information.
Prices and specifications subject to change.

TRS-80 Model 16 & 68000 Systems Database & File Software

relational database system
easy to use, powerful, & efficient

menus & English subset query language
68000 code
sequential, indexed, & direct files
(incl. features never seen before
such as: always single access on
random records; sequential update
without rewrite)

multikey
report generation
data validation on entry
repetitive batch update
multi-extent files
reentrant code for shared usage
multiple precision & floating point
access security

separate file and sort (core/disk)
packages available

Send for catalog.

Data Management Systems
211 N. El Camino Real, IOIC
Encinitas, CA 92024
or phone: (714) 942-0744

✓478

Listing 2 continued

```

91 R$=INKEY$:IFR$=""THEN91ELSE R$=VAL(R$)
92 RESTORE
93 READB:IFB<>-1THEN93
94 IFR=1THEN42
95 IFR=2THEN98
96 IFR=9THEN136
97 GOTO90
98 REM"ROW,ROW,ROW,YOUR BOAT"
99 FORV=1TO3:GOSUB63:SOUND89,10:NEXTV
100 GOSUB67:SOUND108,6
101 GOSUB70:SOUND125,8
102 GOSUB70:SOUND125,5
103 GOSUB67:SOUND108,5
104 GOSUB70:SOUND125,5
105 GOSUB73:SOUND133,5
106 GOSUB76:SOUND147,8
107 FORM=1TO3:GOSUB85:SOUND176,4:NEXTM
108 FORL=1TO3:GOSUB76:SOUND147,4:NEXTL
109 FORK=1TO3:GOSUB70:SOUND125,4:NEXTK
110 FORW=1TO3:GOSUB63:SOUND89,6:NEXTW
111 GOSUB76:SOUND147,5
112 GOSUB73:SOUND133,4
113 GOSUB70:SOUND125,5
114 GOSUB67:SOUND108,4
115 GOSUB63:SOUND89,8
116 GOSUB117:GOTO122
117 REM"MOVING THE BOAT"
118 GOSUB139
119 FOR T=1TO500:NEXTT
120 RETURN
121 GOTO121
122 DATA 1,89,1,89,1,89,2,108,3,125,3,125,2,108,3,125,4,133,5,14
7,8,176,8,176,8,176,5,147,5,147,3,125,3,125,3,125,1,89,1,8
9,1,89,5,147,4,133,3,125,2,108,1,89,-1
123 READC:IFC=-1THENGOTO127ELSEONGOSUB62,66,69,72,75,78,81,84
124 C$=INKEY$:IFC$=""THEN124
125 IFVAL(C$)<>CTHENGOTO124
126 READD:SOUND8,8:GOTO123
127 REM"REPLAY OF SONG AND PICTURES"
128 GOSUB117
129 SOUND89,10:SOUND89,10:SOUND89,10
130 SOUND108,6:SOUND125,10:SOUND125,6:SOUND108,6:SOUND125,6:SOUN
D133,6:SOUND147,10
131 SOUND176,5:SOUND176,5:SOUND176,5
132 SOUND147,5:SOUND147,5:SOUND147,5:SOUND125,5:SOUND125,5:SOUN
D125,5:SOUND89,5:SOUND89,5:SOUND89,5
133 SOUND147,6:SOUND133,5:SOUND125,6:SOUND108,5:SOUND89,10
134 GOSUB117
135 FORX=1TO1500:NEXTX:GOSUB32:GOTO88
136 PCLS:FORM=50TO200STEP5:SOUNDM,1:NEXTM:FORK=1TO200:NEXTK:FORN
=200TO50STEP-5:SOUNDN,1:NEXTN
137 CLS(8)
138 END
139 CLS0
140 MM=0
141 FORYY=1TO15
142 PRINT@100+MM,CHR$(135)+CHR$(140)+CHR$(140)+CHR$(200)+CHR$(14
0)+CHR$(140)+CHR$(139);
143 PRINT@132+MM,CHR$(141)+CHR$(131)+CHR$(131)+CHR$(194)+CHR$(13
1)+CHR$(131)+CHR$(142);
144 PRINT@68+MM,CHR$(128)+CHR$(128)+CHR$(201);
145 PRINT@164+MM,CHR$(128)+CHR$(128)+CHR$(198);
146 SOUND200,2:SOUND170,1
147 PRINT@68+MM,CHR$(128);
148 PRINT@100+MM,CHR$(128);
149 PRINT@132+MM,CHR$(128);
150 PRINT@164+MM,CHR$(128);
151 MM=MM+1
152 NEXTYY
153 PRINT@115,CHR$(135);:PRINT@147,CHR$(141);
154 RETURN
155 CLS0
156 JJ=0
157 FORKL=1TO45
158 Y$=CHR$(247)+CHR$(253)+CHR$(254)+CHR$(251)
159 U$=CHR$(167)+CHR$(173)+CHR$(174)+CHR$(171)
160 F$=CHR$(231)+CHR$(237)+CHR$(238)+CHR$(235)
161 PRINT@320+JJ,Y$;
162 PRINT@319+JJ,CHR$(128);
163 PRINT@176+JJ,U$;
164 PRINT@175+JJ,CHR$(128);
165 PRINT@454+JJ,F$;
166 PRINT@453+JJ,CHR$(128);
167 SOUND250,1
168 JJ=JJ+1
169 NEXTKL
170 RETURN

```

TRS-80 MODEL 16

MODEL 16-1 DRIVE \$4499

MODEL 16-2 DRIVE \$5199

DT-1 VIDEO DATA TERMINAL
For use with Model 16 or Mainframe Computer 26-6050 **\$620**

TRS-80 MODEL II

NEW LOW PRICE! ONLY \$2995

1 DRIVE EXPANSION \$1049⁹⁵

2 DRIVE EXPANSION \$1549⁹⁵

3 DRIVE EXPANSION \$2049⁹⁵

HARD DISK DRIVES

CAMEO SUBSYSTEMS

DRIVE MOUNT ONE \$4995—

• Western Dynex D622 Drive
(5 mb Fixed/5 mb Removable)
Controller, Adaptor and Cables

1010 SUBSYSTEM \$4995—

• Data Peripheral Lynx Drive,
(10 mb Removable Winchester)
Controller, Adaptor and Cables

1040 SUBSYSTEM \$5995—

• Data Peripheral Puma Drive
(40 mb Fixed Winchester)
Controller, Adaptor and Cables

1020 SUBSYSTEM \$7995—

• 2 Data Peripheral Lynx Drives
(20 mb Removable Winchester)
Controller, Adaptor and Cables

1050 SUBSYSTEM \$8995—

• Data Peripheral Lynx and Puma Drive
(40 mb Fixed/10 mb Removable)
Controller, Adaptor and Cables

—EXTRA DRIVES—

WESTERN DYNEX D622 \$4495

DATA PERIPHERAL LYNX \$3995

DATA PERIPHERAL PUMA \$4995

RADIO SHACK

**8.4 MEGABYTE
SYSTEM \$4040**

**NEW!
HARD DISK SYSTEM
FOR MODEL III/I**

PRIMARY DRIVE (26-1130) \$2395—


SECONDARY DRIVE (26-1131) \$1895—

MULTIPLEXORS

**MX200-2 PORT
MULTIPLEXOR \$495**
(Cables and Adaptors Not Included)

**MX400-4 PORT
MULTIPLEXOR \$750**
(Cables and Adaptors Included)

THESE ARE OUR CASH DISCOUNTED PRICES. C.O.D. AND CHARGE ORDERS ARE 3% HIGHER. ALL COMPUTERS ARE SHIPPED FREIGHT COLLECT. PRICES, SPECIFICATIONS AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE. IBM & IBM PERSONAL COMPUTERS ARE TRADEMARKS OF INTERNATIONAL BUSINESS MACHINES, INC.



118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

**Small
Business
COMPUTERS**



Generate mazes for games or graphics.

Kwikmaze

Dan Rollins
370 N. Cerritos
Apt. 15-A
Azusa, CA 91702

Maze generating programs operate very slowly. I have faced this fact ever since my first attempts at making mazes with a 4K Level I. Some algorithms are faster than others, and there are specific tricks which speed up Basic programs. There are even hardware

modifications which make the computer run faster. But even with all these speed-ups, a maze like that shown in Fig. 1 will take as long as five minutes to complete! Basic is just too slow for generating mazes.

Assembly-language coding is ideal for this application. The maze in Fig. 1 did not take 3-5 minutes to generate; Kwikmaze drew it in less than four seconds.

Face That Assembly Language

Kwikmaze is my first full-

length Assembly-language program. Writing and debugging an Assembly-language program can be a painful and time consuming task. If you plan to program in Assembly language get a feel for the opcodes; know the Z80 chip's limitations. The *Z80 Cookbook* (Scelbi Publishers) is a good place to start. Learn your editor/assembler and debugging programs and be comfortable using them. Study other people's code and learn how the CPU flags operate. Then write short, simple programs which you fully understand.

In my case, I felt I knew mazes in and out. So this was a logical choice for my machine language debut. The algorithm for maze generation is straightforward:

- 1) Determine height and width.
- 2) Create a pair of pointers to keep track of the current element (or cell) being accessed.
- 3) Initialize these pointers, randomly if desired.
- 4) Check cells in four directions and determine which have not been accessed.
- 5) If there is no move available, adjust the pointers until they are at a previously visited cell bordering an unvisited cell.
- 6) Choose randomly among the bordering unvisited cells.
- 7) Move the pointers to the new cell, creating an exit from the current cell and an entrance to the new one.
- 8) Loop to step four until all cells have been visited.

In Basic, the pointers usually access a two-dimensional array, and the array elements are given

values indicating doors in various direction combinations. The array is then interpreted for the print routine. I wanted to see what was going on during program execution so I chose to use screen memory as my array workspace. I also kept the walls two pixels wide for symmetry, making the maximum maze 31 cells wide by 23 cells high (713 cells). You can create much larger mazes—up to about 10,000 cells—for a really impressive printout to show your friends if you make some minor changes to the machine-language program and add a print routine.

How It Works

Kwikmaze follows closely the algorithm outlined above. First, I determine the height and width of the maze and pass these from Basic as the USR argument. Using these values, the INIT portion of the program calculates the minimum and maximum values for the X and Y (horizontal and vertical) pointers—the borders of the maze. To determine the number of cells multiply height by width.

This routine is complicated by the fact that I wanted the maze, whatever its size, to be positioned directly in the center of the screen. I added and subtracted offsets from the position




Figure 1

Program Listing 1

```
00100 ;          KWIKMAZE
00200 ;This program creates a maze of varying size on the
00300 ;screen of your TRS-80. It requires input of the
00400 ;height and width of the desired maze. The height
00500 ;must be in the range 3 >= height <= 31. The width
00600 ;must be in the range 3 >= width <= 23.
00800 ;
00900 ;To access from BASIC, use :
```

Listing 1 Continues

The Key Box

Basic Level II
Model I or III
16K RAM



AMERICAN

118 SO. MILL ST
PRYOR, OK 74361
(918) 825-4844

Small Business COMPUTERS

ALL LISTED PRICES REFLECT A 3% CASH DISCOUNT. C.O.D. AND CHARGE ORDERS ARE 3% MORE. PLEASE CALL FOR CURRENT SHIPPING CHARGES.

DISCOUNT SOFTWARE FOR THE TRS-80

BEEF PROJECTION	\$20.00
BEEF RATION	\$15.00
DAIRY COW	\$15.00
FEED LOT	\$35.00
Models I and III	\$100.00
Model II	\$35.00
FARM RECORD	\$15.00
GOVERNMENT PROGRAM	\$15.00
GRAIN STORAGE	\$15.00
LOAN	\$20.00
MACHINE COST	\$15.00
RECORD MANAGEMENT	\$25.00
ESTATE TAX	\$35.00
FEED FORMULATOR	\$20.00
PASTURE PROJECTION	

HARDWARE REQUIREMENTS FOR THE ABOVE PROGRAMS: (MINIMUM) TRS-80 Model I or III with 48K and one disk drive. For Model II Versions of the above programs, please add \$5.00 per program (Feed Lot Program Add \$65). Buy all the above programs and save even more. Model I and III Versions only \$250.00 (Save \$30). Model II Versions Only \$350 (Save \$55.)

NEW DOS/80 2.0

OR

DOS PLUS 3.4

YOUR CHOICE, ONLY \$139

DOS PLUS 3.4 and NEWDOS/80 2.0 are two of the most advanced operating systems ever available for the TRS-80. After spending thousands of dollars on your computer, why limit yourself by using an inferior operating system? Order Today!!

RADIO SHACK SOFTWARE

MODEL I, III

Cassette Scripsit	26-1505
Cassette Portfolio	26-1506
Stock Pack	26-1507
Disk Mailing List	26-1551
General Ledger I	26-1552
Inventory Control I	26-1553
Accts. Payable	26-1554
Accts. Receivable	26-1555
Disk Payroll	26-1556
Business Mailing List	26-1558
Profile	26-1562
Scripsit	26-1563
Visicalc-Mod I	26-1566
Visicalc-Mod III	26-1569
Project Manager	26-1580
Checkwriter	26-1584
Super Scripsit	26-1590

\$34.95	Scripsit Dictionary	26-1591	\$131.00
\$24.95	Profile III Plus	26-1592	\$175.00
\$44.95	Desktop Plan-80	26-1594	\$175.00
\$34.95	Budget Mgmt.	26-1603	\$22.00
\$87.95	Advanced Stat. Analysis	26-1705	\$39.95

MODEL II

\$175.00	Gen. Ledger 1 Disk	26-4501	\$175.00
\$87.95	Inventory Mgmt. System	26-4502	\$175.00
\$69.95	Mod II Visicalc	26-4511	\$263.00
\$87.95	Profile II	26-4512	\$170.00
\$87.95	Profile II Plus	26-4515	\$275.00
\$175.00	Mod II Scripsit 2.0	26-4531	\$375.00
\$87.95	Scripsit Dictionary	26-4534	\$175.00
\$87.95	Inventory Mod II	26-4602	\$275.00
\$175.00	Order Entry ICS	26-4607	\$465.00

↓ GAMES FOR THE COLOR COMPUTER ↓

★ New Release ★ OFFENDER

We believe this is, without a doubt, the most advanced game for the color computer! In this game, you must fly a rescue mission to save trapped hostages. Enemy ships tend to spirit away hostages while you are not looking. If you blast the enemy and rescue the hostage, you are awarded bonus points. A very fast paced machine code game which allows two-dimensional flying via the joysticks. Requires 16K

Cassette Version\$29.95
Disk Version\$34.95

Still A Big Favorite!! PACKET MAN

The object of this machine code game is to consume mass quantities of dots before the little munchkins eat you! Multitudes of these games were sold at \$24.95 BUT GUESS WHAT? The price has now dropped to only \$21.95!!!!!!!!!!!!!!

Other Favorites

Moon Lander	\$14.95
Meteroids	\$21.95
Space Invaders	\$21.95

★ ATTENTION SOFTWARE AUTHORS ★

American Small Business Computers is one of the nation's largest suppliers and distributors of TRS-80 related software. If you have a program which you would like to market, please contact Ms. Jeanie Phillips at American Small Business Computers. She will test and evaluate each program received. If the program meets our high standards, an offer of acceptance, along with our terms, will be returned with the software. All types of games, business and scientific programs will be considered. Highest royalties are now being paid for Color Computer programs.

of the center cell to define the borders of the maze. These borders are placed in a table and the IY index register keeps track of their values.

All cells are initialized to an "unvisited" condition by painting the screen white. The X,Y pointers are initialized arbitrarily at the very center of the maze.

Steps 4-8 of the above algorithm are tied to the Set/Reset/Point routine starting at line 1360. This routine expects the DE register pair to contain an X,Y coordinate pair. Depending on the entry point, the routine either sets, resets or tests a pixel. Entry at Point returns the CPU flag Z if the coordinate is unlit and NZ if it is lit. This is a self-modifying program and is therefore unsuitable for ROM programming.

Note that only two changes are needed for the routine to do its work on non-video RAM (for the larger mazes mentioned above or the ability to move a completed maze directly to the screen). Line 1680 loads DE with the start of video memory which is added to HL and used as a pointer to the screen byte to test or change. Change that line to load DE with a different memory page and the action will take place without changing the screen. Line 1530 loads DE with 64, the length of a line of screen memory. If you are creating a maze wider than 31 cells, increase this value accordingly.

FINDMV determines the possible directions of motion by pointing DE to a neighboring cell and calling Point. If, upon return, the Z flag is set, then the cell has been visited and that direction is invalid. If the flag is NZ then the cell has not been visited so the bit corresponding to the direction of the cell being tested is set in the C register. At DONCHK the C register is tested. If it is still zero, a scan routine is invoked until a valid direction is found.

When at least one direction is available (C register does not equal zero) then the MAKEMV routine is called. This routine chooses one of the valid directions randomly, using the Z80's refresh register as a random number. A single bit in the A

Listing 1 Continued

```

01000 ;
01100 ;
01200 ;A 713 cell maze is created in less than 5 seconds!
01300 ;
01400 ;
01500 ;
01600 ;
01700 ;
01800 ;
01900 ;
02000 ;
02100 ;
02200 ;
02300 ;
02400 ;
02500 ;
02600 ;
02700 ;
02800 ;
02900 ;
03000 ;
03100 ;
03200 ;
03300 ;
03400 ;
03500 ;
03600 ;
03700 ;
03800 ;
03900 ;
04000 ;
04100 ;
04200 ;
04300 ;
04400 ;
04500 ;
04600 ;
04700 ;
04800 ;
04900 ;
05000 ;
05100 ;
05200 ;
05300 ;
05400 ;
05500 ;
05600 ;
05700 ;
05800 ;
05900 ;
06000 ;
06100 ;
06200 ;
06300 ;
06400 ;
06500 ;
06600 ;
06700 ;
06800 ;
06900 ;
07000 ;
07100 ;
07200 ;
07300 ;
07400 ;
07500 ;
07600 ;
07700 ;
07800 ;
07900 ;
08000 ;
08100 ;
08200 ;
08300 ;
08400 ;
08500 ;
08600 ;
08700 ;
08800 ;
08900 ;
09000 ;
09100 ;
09200 ;
09300 ;
09400 ;
09500 ;
09600 ;
09700 ;
09800 ;
09900 ;
10000 ;
10100 ;
10200 ;
10300 ;
10400 ;
10500 ;
10600 ;
10700 ;
10800 ;
10900 ;
11000 ;
11100 ;
11200 ;
11300 ;
11400 ;
11500 ;
11600 ;
11700 ;
11800 ;
11900 ;
12000 ;
12100 ;
12200 ;
12300 ;
12400 ;
12500 ;
12600 ;
12700 ;
12800 ;
12900 ;
13000 ;
13100 ;
13200 ;
13300 ;
13400 ;
13500 ;
13600 ;
13700 ;
13800 ;
13900 ;
14000 ;
14100 ;
14200 ;
14300 ;
14400 ;
14500 ;
14600 ;
14700 ;
14800 ;
14900 ;
15000 ;
15100 ;
15200 ;
15300 ;
15400 ;
15500 ;
15600 ;
15700 ;
15800 ;
15900 ;
16000 ;
16100 ;
16200 ;
16300 ;
16400 ;
16500 ;
16600 ;
16700 ;
16800 ;
16900 ;
17000 ;
17100 ;
17200 ;
17300 ;
17400 ;
17500 ;
17600 ;
17700 ;
17800 ;
17900 ;
18000 ;
18100 ;
18200 ;
18300 ;
18400 ;
18500 ;
18600 ;
18700 ;
18800 ;
18900 ;
19000 ;
19100 ;
19200 ;
19300 ;
19400 ;
19500 ;
19600 ;
19700 ;
19800 ;
19900 ;
20000 ;
20100 ;
20200 ;
20300 ;
20400 ;
20500 ;
20600 ;
20700 ;
20800 ;
20900 ;
21000 ;
21100 ;
21200 ;
21300 ;
21400 ;
21500 ;
21600 ;
21700 ;
21800 ;
21900 ;
22000 ;
22100 ;
22200 ;
22300 ;
22400 ;
22500 ;
22600 ;
22700 ;
22800 ;
22900 ;
23000 ;
23100 ;
23200 ;
23300 ;
23400 ;
23500 ;
23600 ;
23700 ;
23800 ;
23900 ;
24000 ;
24100 ;
24200 ;
24300 ;
24400 ;
24500 ;
24600 ;
24700 ;
24800 ;
24900 ;
25000 ;
25100 ;
25200 ;
25300 ;
25400 ;
25500 ;
25600 ;
25700 ;
25800 ;
25900 ;
26000 ;
26100 ;
26200 ;
26300 ;
26400 ;
26500 ;
26600 ;
26700 ;
26800 ;
26900 ;
27000 ;
27100 ;
27200 ;
27300 ;
27400 ;
27500 ;
27600 ;
27700 ;
27800 ;
27900 ;
28000 ;
28100 ;
28200 ;
28300 ;
28400 ;
28500 ;
28600 ;
28700 ;
28800 ;
28900 ;
29000 ;
29100 ;
29200 ;
29300 ;
29400 ;
29500 ;
29600 ;
29700 ;
29800 ;
29900 ;
30000 ;
30100 ;
30200 ;
30300 ;
30400 ;
30500 ;
30600 ;
30700 ;
30800 ;
30900 ;
31000 ;
31100 ;
31200 ;
31300 ;
31400 ;
31500 ;
31600 ;
31700 ;
31800 ;
31900 ;
32000 ;
32100 ;
32200 ;
32300 ;
32400 ;
32500 ;
32600 ;
32700 ;
32800 ;
32900 ;
33000 ;
33100 ;
33200 ;
33300 ;
33400 ;
33500 ;
33600 ;
33700 ;
33800 ;
33900 ;
34000 ;
34100 ;
34200 ;
34300 ;
34400 ;
34500 ;
34600 ;
34700 ;
34800 ;
34900 ;
35000 ;
35100 ;
35200 ;
35300 ;
35400 ;
35500 ;
35600 ;
35700 ;
35800 ;
35900 ;
36000 ;
36100 ;
36200 ;
36300 ;
36400 ;
36500 ;
36600 ;
36700 ;
36800 ;
36900 ;
37000 ;
37100 ;
37200 ;
37300 ;
37400 ;
37500 ;
37600 ;
37700 ;
37800 ;
37900 ;
38000 ;
38100 ;
38200 ;
38300 ;
38400 ;
38500 ;
38600 ;
38700 ;
38800 ;
38900 ;
39000 ;
39100 ;
39200 ;
39300 ;
39400 ;
39500 ;
39600 ;
39700 ;
39800 ;
39900 ;
40000 ;
40100 ;
40200 ;
40300 ;
40400 ;
40500 ;
40600 ;
40700 ;
40800 ;
40900 ;
41000 ;
41100 ;
41200 ;
41300 ;
41400 ;
41500 ;
41600 ;
41700 ;
41800 ;
41900 ;
42000 ;
42100 ;
42200 ;
42300 ;
42400 ;
42500 ;
42600 ;
42700 ;
42800 ;
42900 ;
43000 ;
43100 ;
43200 ;
43300 ;
43400 ;
43500 ;
43600 ;
43700 ;
43800 ;
43900 ;
44000 ;
44100 ;
44200 ;
44300 ;
44400 ;
44500 ;
44600 ;
44700 ;
44800 ;
44900 ;
45000 ;
45100 ;
45200 ;
45300 ;
45400 ;
45500 ;
45600 ;
45700 ;
45800 ;
45900 ;
46000 ;
46100 ;
46200 ;
46300 ;
46400 ;
46500 ;
46600 ;
46700 ;
46800 ;
46900 ;
47000 ;
47100 ;
47200 ;
47300 ;
47400 ;
47500 ;
47600 ;
47700 ;
47800 ;
47900 ;
48000 ;
48100 ;
48200 ;
48300 ;
48400 ;
48500 ;
48600 ;
48700 ;
48800 ;
48900 ;
49000 ;
49100 ;
49200 ;
49300 ;
49400 ;
49500 ;
49600 ;
49700 ;
49800 ;
49900 ;
50000 ;
50100 ;
50200 ;
50300 ;
50400 ;
50500 ;
50600 ;
50700 ;
50800 ;
50900 ;
51000 ;
51100 ;
51200 ;
51300 ;
51400 ;
51500 ;
51600 ;
51700 ;
51800 ;
51900 ;
52000 ;
52100 ;
52200 ;
52300 ;
52400 ;
52500 ;
52600 ;
52700 ;
52800 ;
52900 ;
53000 ;
53100 ;
53200 ;
53300 ;
53400 ;
53500 ;
53600 ;
53700 ;
53800 ;
53900 ;
54000 ;
54100 ;
54200 ;
54300 ;
54400 ;
54500 ;
54600 ;
54700 ;
54800 ;
54900 ;
55000 ;
55100 ;
55200 ;
55300 ;
55400 ;
55500 ;
55600 ;
55700 ;
55800 ;
55900 ;
56000 ;
56100 ;
56200 ;
56300 ;
56400 ;
56500 ;
56600 ;
56700 ;
56800 ;
56900 ;
57000 ;
57100 ;
57200 ;
57300 ;
57400 ;
57500 ;
57600 ;
57700 ;
57800 ;
57900 ;
58000 ;
58100 ;
58200 ;
58300 ;
58400 ;
58500 ;
58600 ;
58700 ;
58800 ;
58900 ;
59000 ;
59100 ;
59200 ;
59300 ;
59400 ;
59500 ;
59600 ;
59700 ;
59800 ;
59900 ;
60000 ;
60100 ;
60200 ;
60300 ;
60400 ;
60500 ;
60600 ;
60700 ;
60800 ;
60900 ;
61000 ;
61100 ;
61200 ;
61300 ;
61400 ;
61500 ;
61600 ;
61700 ;
61800 ;
61900 ;
62000 ;
62100 ;
62200 ;
62300 ;
62400 ;
62500 ;
62600 ;
62700 ;
62800 ;
62900 ;
63000 ;
63100 ;
63200 ;
63300 ;
63400 ;
63500 ;
63600 ;
63700 ;
63800 ;
63900 ;
64000 ;
64100 ;
64200 ;
64300 ;
64400 ;
64500 ;
64600 ;
64700 ;
64800 ;
64900 ;
65000 ;
65100 ;
65200 ;
65300 ;
65400 ;
65500 ;
65600 ;
65700 ;
65800 ;
65900 ;
66000 ;
66100 ;
66200 ;
66300 ;
66400 ;
66500 ;
66600 ;
66700 ;
66800 ;
66900 ;
67000 ;
67100 ;
67200 ;
67300 ;
67400 ;
67500 ;
67600 ;
67700 ;
67800 ;
67900 ;
68000 ;
68100 ;
68200 ;
68300 ;
68400 ;
68500 ;
68600 ;
68700 ;
68800 ;
68900 ;
69000 ;
69100 ;
69200 ;
69300 ;
69400 ;
69500 ;
69600 ;
69700 ;
69800 ;
69900 ;
70000 ;
70100 ;
70200 ;
70300 ;
70400 ;
70500 ;
70600 ;
70700 ;
70800 ;
70900 ;
71000 ;
71100 ;
71200 ;
71300 ;
71400 ;
71500 ;
71600 ;
71700 ;
71800 ;
71900 ;
72000 ;
72100 ;
72200 ;
72300 ;
72400 ;
72500 ;
72600 ;
72700 ;
72800 ;
72900 ;
73000 ;
73100 ;
73200 ;
73300 ;
73400 ;
73500 ;
73600 ;
73700 ;
73800 ;
73900 ;
74000 ;
74100 ;
74200 ;
74300 ;
74400 ;
74500 ;
74600 ;
74700 ;
74800 ;
74900 ;
75000 ;
75100 ;
75200 ;
75300 ;
75400 ;
75500 ;
75600 ;
75700 ;
75800 ;
75900 ;
76000 ;
76100 ;
76200 ;
76300 ;
76400 ;
76500 ;
76600 ;
76700 ;
76800 ;
76900 ;
77000 ;
77100 ;
77200 ;
77300 ;
77400 ;
77500 ;
77600 ;
77700 ;
77800 ;
77900 ;
78000 ;
78100 ;
78200 ;
78300 ;
78400 ;
78500 ;
78600 ;
78700 ;
78800 ;
78900 ;
79000 ;
79100 ;
79200 ;
79300 ;
79400 ;
79500 ;
79600 ;
79700 ;
79800 ;
79900 ;
80000 ;
80100 ;
80200 ;
80300 ;
80400 ;
80500 ;
80600 ;
80700 ;
80800 ;
80900 ;
81000 ;
81100 ;
81200 ;
81300 ;
81400 ;
81500 ;
81600 ;
81700 ;
81800 ;
81900 ;
82000 ;
82100 ;
82200 ;
82300 ;
82400 ;
82500 ;
82600 ;
82700 ;
82800 ;
82900 ;
83000 ;
83100 ;
83200 ;
83300 ;
83400 ;
83500 ;
83600 ;
83700 ;
83800 ;
83900 ;
84000 ;
84100 ;
84200 ;
84300 ;
84400 ;
84500 ;
84600 ;
84700 ;
84800 ;
84900 ;
85000 ;
85100 ;
85200 ;
85300 ;
85400 ;
85500 ;
85600 ;
85700 ;
85800 ;
85900 ;
86000 ;
86100 ;
86200 ;
86300 ;
86400 ;
86500 ;
86600 ;
86700 ;
86800 ;
86900 ;
87000 ;
87100 ;
87200 ;
87300 ;
87400 ;
87500 ;
87600 ;
87700 ;
87800 ;
87900 ;
88000 ;
88100 ;
88200 ;
88300 ;
88400 ;
88500 ;
88600 ;
88700 ;
88800 ;
88900 ;
89000 ;
89100 ;
89200 ;
89300 ;
89400 ;
89500 ;
89600 ;
89700 ;
89800 ;
89900 ;
90000 ;
90100 ;
90200 ;
90300 ;
90400 ;
90500 ;
90600 ;
90700 ;
90800 ;
90900 ;
91000 ;
91100 ;
91200 ;
91300 ;
91400 ;
91500 ;
91600 ;
91700 ;
91800 ;
91900 ;
92000 ;
92100 ;
92200 ;
92300 ;
92400 ;
92500 ;
92600 ;
92700 ;
92800 ;
92900 ;
93000 ;
93100 ;
93200 ;
93300 ;
93400 ;
93500 ;
93600 ;
93700 ;
93800 ;
93900 ;
94000 ;
94100 ;
94200 ;
94300 ;
94400 ;
94500 ;
94600 ;
94700 ;
94800 ;
94900 ;
95000 ;
95100 ;
95200 ;
95300 ;
95400 ;
95500 ;
95600 ;
95700 ;
95800 ;
95900 ;
96000 ;
96100 ;
96200 ;
96300 ;
96400 ;
96500 ;
96600 ;
96700 ;
96800 ;
96900 ;
97000 ;
97100 ;
97200 ;
97300 ;
97400 ;
97500 ;
97600 ;
97700 ;
97800 ;
97900 ;
98000 ;
98100 ;
98200 ;
98300 ;
98400 ;
98500 ;
98600 ;
98700 ;
98800 ;
98900 ;
99000 ;
99100 ;
99200 ;
99300 ;
99400 ;
99500 ;
99600 ;
99700 ;
99800 ;
99900 ;
100000 ;
100100 ;
100200 ;
100300 ;
100400 ;
100500 ;
100600 ;
100700 ;
100800 ;
100900 ;
101000 ;
101100 ;
101200 ;
101300 ;
101400 ;
101500 ;
101600 ;
101700 ;
101800 ;
101900 ;
102000 ;
102100 ;
102200 ;
102300 ;
102400 ;
102500 ;
102600 ;
102700 ;
102800 ;
102900 ;
103000 ;
103100 ;
103200 ;
103300 ;
103400 ;
103500 ;
103600 ;
103700 ;
103800 ;
103900 ;
104000 ;
104100 ;
104200 ;
104300 ;
104400 ;
104500 ;
104600 ;
104700 ;
104800 ;
104900 ;
105000 ;
105100 ;
105200 ;
105300 ;
105400 ;
105500 ;
105600 ;
105700 ;
105800 ;
105900 ;
106000 ;
106100 ;
106200 ;
106300 ;
106400 ;
106500 ;
106600 ;
106700 ;
106800 ;
106900 ;
107000 ;
107100 ;
107200 ;
107300 ;
107400 ;
107500 ;
107600 ;
107700 ;
107800 ;
107900 ;
108000 ;
108100 ;
108200 ;
108300 ;
108400 ;
108500 ;
108600 ;
108700 ;
108800 ;
108900 ;
109000 ;
109100 ;
109200 ;
109300 ;
109400 ;
109500 ;
109600 ;
109700 ;
109800 ;
109900 ;
110000 ;
110100 ;
110200 ;
110300 ;
110400 ;
110500 ;
110600 ;
110700 ;
110800 ;
110900 ;
111000 ;
111100 ;
111200 ;
111300 ;
111400 ;
111500 ;
111600 ;
111700 ;
111800 ;
111900 ;
112000 ;
112100 ;
112200 ;
112300 ;
112400 ;
112500 ;
112600 ;
112700 ;
112800 ;
112900 ;
113000 ;
113100 ;
113200 ;
113300 ;
113400 ;
113500 ;
113600 ;
113700 ;
113800 ;
113900 ;
114000 ;
114100 ;
114200 ;
114300 ;
114400 ;
114500 ;
114600 ;
114700 ;
114800 ;
114900 ;
115000 ;
115100 ;
115200 ;
115300 ;
115400 ;
115500 ;
115600 ;
115700 ;
115800 ;
115900 ;
116000 ;
116100 ;
116200 ;
116300 ;
116400 ;
116500 ;
116600 ;
116700 ;
116800 ;
116900 ;
117000 ;
117100 ;
117200 ;
117300 ;
117400 ;
117500 ;
117600 ;
117700 ;
117800 ;
117900 ;
118000 ;
118100 ;
118200 ;
118300 ;
118400 ;
118500 ;
118600 ;
118700 ;
118800 ;
118900 ;
119000 ;
119100 ;
119200 ;
119300 ;
119400 ;
119500 ;
119600 ;
119700 ;
119800 ;
119900 ;
120000 ;
120100 ;
120200 ;
120300 ;
120400 ;
120500 ;
120600 ;
120700 ;
120800 ;
120900 ;
121000 ;
121100 ;
121200 ;
121300 ;
121400 ;
121500 ;
121600 ;
121700 ;
121800 ;
121900 ;
122000 ;
122100 ;
122200 ;
122300 ;
122400 ;
122500 ;
122600 ;
122700 ;
122800 ;
122900 ;
123000 ;
123100 ;
123200 ;
123300 ;
123400 ;
123500 ;
123600 ;
123700 ;
123800 ;
123900 ;
124000 ;
124100 ;
124200 ;
124300 ;
124400 ;
124500 ;
124600 ;
124700 ;
124800 ;
124900 ;
125000 ;
125100 ;
125200 ;
125300 ;
125400 ;
125500 ;
125600 ;
125700 ;
125800 ;
125900 ;
126000 ;
126100 ;
126200 ;
126300 ;
126400 ;
126500 ;
126600 ;
126700 ;
126800 ;
126900 ;
127000 ;
127100 ;
127200 ;
127300 ;
127400 ;
127500 ;
127600 ;
127700 ;
127800 ;
127900 ;
128000 ;
128100 ;
128200 ;
128300 ;
128400 ;
128500 ;
128600 ;
128700 ;
128800 ;
128900 ;
129000 ;
129100 ;
129200 ;
129300 ;
129400 ;
129500 ;
129600 ;
129700 ;
129800 ;
129900 ;
130000 ;
130100 ;
130200 ;
130300 ;
130400 ;
130500 ;
130600 ;
130700 ;
130800 ;
130900 ;
131000 ;
131100 ;
131200 ;
131300 ;
131400 ;
131500 ;
131600 ;
131700 ;
131800 ;
131900 ;
132000 ;
132100 ;
132200 ;
132300 ;
132400 ;
132500 ;
132600 ;
132700 ;
132800 ;
132900 ;
133000 ;
133100 ;
133200 ;
133300 ;
133400 ;
133500 ;
133600 ;
133700 ;
133800 ;
133900 ;
134000 ;
134100 ;
134200 ;
134300 ;
134400 ;
134500 ;
134600 ;
134700 ;
134800 ;
134900 ;
135000 ;
135100 ;
135200 ;
135300 ;
135400 ;
135500 ;
135600 ;
135700 ;
135800 ;
135900 ;
136000 ;
136100 ;
136200 ;
136300 ;
136400 ;
136500 ;
136600 ;
136700 ;
136800 ;
136900 ;
137000 ;
137100 ;
137200 ;
137300 ;
137400 ;
137500 ;
137600 ;
137700 ;
137800 ;
137900 ;
138000 ;
138100 ;
138200 ;
138300 ;
138400 ;
138500 ;
138600 ;
138700 ;
138800 ;
138900 ;
139000 ;
139100 ;
139200 ;
139300 ;
139400 ;
139500 ;
139600 ;
139700 ;
139800 ;
139900 ;
140000 ;
140100 ;
140200 ;
140300 ;
140400 ;
140500 ;
140600 ;
140700 ;
140800 ;
140900 ;
141000 ;
141100 ;
141200 ;
141300 ;
141400 ;
141500 ;
141600 ;
141700 ;
141800 ;
141900 ;
142000 ;
142100 ;
142200 ;
142300 ;
142400 ;
142500 ;
142600 ;
142700 ;
142800 ;
142900 ;
143000 ;
143100 ;
143200 ;
143300 ;
143400 ;
143500 ;
143600 ;
143700 ;
143800 ;
143900 ;
144000 ;
144100 ;
144200 ;
144300 ;
144400 ;
144500 ;
144600 ;
144700 ;
144800 ;
144900 ;
145000 ;
145100 ;
145200 ;
145300 ;
145400 ;
145500 ;
145600 ;
145700 ;
145800 ;
145900 ;
146000 ;
146100 ;
146200 ;
146300 ;
146400 ;
146500 ;
146600 ;
146700 ;
146800 ;
146900 ;
147000 ;
147100 ;
147200 ;
147300 ;
147400 ;
147500 ;
147600 ;
147700 ;
147800 ;
147900 ;
148000 ;
148100 ;
148200 ;
148300 ;
148400 ;
148500 ;
148600 ;
148700 ;
148800 ;
148900 ;
149000 ;
149100 ;
149200 ;
149300 ;
149400 ;
149500 ;
149600 ;
149700 ;
149800 ;
149900 ;
150000 ;
150100 ;
150200 ;
150300 ;
150400 ;
150500 ;
150600 ;
150700 ;
150800 ;
150900 ;
151000 ;
151100 ;
151200 ;
151300 ;
151400 ;
151500 ;
151600 ;
151700 ;
151800 ;
151900 ;
152000 ;
152100 ;
152200 ;
152300 ;
152400 ;
152500 ;
152600 ;
152700 ;
152800 ;
152900 ;
153000 ;
153100 ;
153200 ;
153300 ;
153400 ;
153500 ;
153600 ;
153700 ;
153800 ;
153900 ;
154000 ;
154100 ;
154200 ;
154300 ;
154400 ;
154500 ;
154600 ;
154700 ;
154800 ;
154900 ;
155000 ;
155100 ;
155200 ;
155300 ;
155400 ;
155500 ;
155600 ;
155700 ;
155800 ;
155900 ;
156000 ;
156100 ;
156200 ;
156300 ;
156400 ;
156500 ;
156600 ;
156700 ;
156800 ;
156900 ;
157000 ;
157100 ;
157200 ;
157300 ;
157400 ;
157500 ;
157600 ;
157700 ;
157800 ;
157900 ;
158000 ;
158100 ;
158200 ;
158300 ;
158400 ;
158500 ;
158600 ;
158700 ;
158800 ;
1
```



```

7EB1 C5      10900      PUSH    BC
7EB2 E5      11000      PUSH    HL
7EB3 D5      11100      PUSH    DE
7EB4 0E01    11200      LD        C,1      ;set up SIDE-OFFSET value
7EB6 CB3A    11300      SRL        D      ;divide X by 2
7EB8 3801    11400      JR         C,SKP5 ;remainder? Pixel on RIGHT if so
7EBA 0D      11500      DEC        C      ; else OFFSET = 0 :pixel on LEFT
7EBB 6A      11600 SKP5   LD        L,D
7EBC 2600    11700      LD        H,0
              11800 ;
7EBE 7B      11900      LD        A,E      ;get Y ordinate
7EBF 114000  12000      LD        DE,64
7EC2 B7      12100      OR         A      ;clear carry for SBC
7EC3 ED52    12200      SBC        HL,DE
7EC5 C603    12300      ADD        A,3
7EC7 D603    12400 DIV3   SUB        3      ;divide Y value by 3
7EC9 19      12500      ADD        HL,DE ;adjust screen ptr up 64
7ECA FE03    12600      CP         3      ;until it won't go again
7ECC 30F9    12700      JR         NC,DIV3
7ECE CB27    12800      SLA        A      ;mult remainder by 2: A = 0,2,4
7ED0 81      12900      ADD        A,C      ;add SIDE-OFFSET: A = 0,1,2,3,4,5
7ED1 47      13000      LD        B,A
7ED2 CB20    13100      SLA        B
7ED4 CB20    13200      SLA        B
7ED6 CB20    13300      SLA        B      ;get value for opcode
              13400 ;
7ED8 11003C  13500      LD        DE,3C00H
7EDB 19      13600      ADD        HL,DE      ;HL => BYTE to change
              13700 ;
7EDC 3AE47E  13800 SKP6   LD        A,(OPCODE)
7EDF 80      13900      ADD        A,B
7EE0 32E47E  14000      LD        (OPCODE),A
7EE3 CBC6    14100      SET        0,(HL) ;this is changed during
7EE4 14200  14200 OPCODE EQU    $-1 ; execution.
7EE5 D1      14300      POP        DE
7EE6 E1      14400      POP        HL
7EE7 C1      14500      POP        BC
7EE8 C9      14600      RET
              14700 ;
              14800 ;this routine expects C register to hold bits
              14900 ; 8=WEST 4=SOUTH 2=EAST 1=NORTH (and combinations).
              15000 ; RETURNS A = random direction of entry possibilities
              15100 ;
7EE9 ED5F    15200 RNDNUM LD        A,R      ;REFRESH register is random
7EEB E60F    15300      AND        15
7EED 47      15400      LD        B,A
7EEE 3E02    15500      LD        A,2
7EF0 CB2F    15600 RSHIFT SRA        A
7EF2 3002    15700      JR         NC,RSKP
7EF4 CBDF    15800      SET        3,A
7EF6 10F8    15900 RSKP   DJNZ      RSHIFT
7EF8 A1      16000      AND        C      ;is result a valid direction?
7EF9 28EE    16100      JR         Z,RNDNUM ;no, get another
7EFB C9      16200      RET              ;yes, pass it to caller
              16300 ;
              16400 ;
7EFC 62      17100 FINDMV LD        H,D
7EFD 6B      17200      LD        L,E      ;COPY X,Y INTO HL
7EFE 0E00    17300      LD        C,0
7F00 7B      17400      LD        A,E
7F01 FD0E02  17500      CP        (IY+2) ;Y = MINIMUM ?
7F04 280A    17600      JR         Z,CHKSTH ;yes, try SOUTH
7F06 1D      17700      DEC        E
7F07 1D      17800      DEC        E      ;no, check cell above
7F08 CDAC7E  17900      CALL     POINT ;is cell "open" ?
7F0B 5D      18000      LD        E,L
              ;
7F0C 2802    18100      JR         Z,CHKSTH ;no, try SOUTH
7F0E CBC1    18200      SET        0,C      ;yes, set NORTH bit in C
              ;
7F10 7B      18400      LD        A,E
7F11 FD0E03  18500      CP        (IY+3) ;Y = YMAX ?
7F14 280A    18600      JR         Z,CHKWST
7F16 1C      18700      INC        E
7F17 1C      18800      INC        E
7F18 CDAC7E  18900      CALL     POINT
7F1B 5D      19000      LD        E,L
7F1C 2802    19100      JR         Z,CHKWST
7F1E CBC1    19200      SET        2,C      ;set SOUTH bit in C
              ;
7F20 7A      19400      LD        A,D
7F21 FD0E00  19500      CP        (IY+0) ;X = XMIN ?
7F24 280B    19600      JR         Z,CHKEST
7F26 D604    19700      SUB        4
7F28 57      19800      LD        D,A
7F29 CDAC7E  19900      CALL     POINT
7F2C 54      20000      LD        D,H
7F2D 2802    20100      JR         Z,CHKEST
7F2F CBD9    20200      SET        3,C      ;set WEST bit in C
              ;
7F31 7A      20400      LD        A,D
7F32 FD0E01  20500      CP        (IY+1) ;X = XMAX ?
7F35 280B    20600      JR         Z,DONCHK
7F37 C604    20700      ADD        A,4
7F39 57      20800      LD        D,A
7F3A CDAC7E  20900      CALL     POINT
7F3D 54      21000      LD        D,H
7F3E 2802    21100      JR         Z,DONCHK
7F40 CBC9    21200      SET        1,C      ;set EAST bit in C
              ;
7F42 79      21400      LD        A,C      ;if C = 0 there was no move
7F43 B7      21500      OR         A
7F44 C0      21600      RET        NZ      ;at least 1 move possible
              ; so return to MAIN loop
              21700 ;
7F45 7A      21800 SCAN1 LD        A,D ;no move, scan screen for opening
7F46 C604    21900      ADD        A,4 ;adjust X one cell WEST
7F48 57      22000      LD        D,A
7F49 FD7E01  22100      LD        A,(IY+1)
7F4C BA      22200      CP        D
7F4D 3010    22300      JR         NC,SCAN2 ;if X > XMAX then
7F4F FD5600  22400      LD        D,(IY+0) ; X becomes XMIN
7F52 7B      22500      LD        A,E
7F53 C602    22600      ADD        A,2 ;adjust Y SOUTH
7F55 5F      22700      LD        E,A

```

Listing 1 Continues

register, rotated a random number of times, is masked by the C register. When the random bit is also on in the C register, a valid move has been determined. Otherwise the process repeats. The result is very random and makes any maze created unique.

When a valid direction is found, MAKEMV simply resets the pixels between the current and new cells (makes a "door") and resets the two pixels which are the interior of the cell, leaving X,Y (the DE register pair) pointing to the newly created cell.

After each cell is created, the variable Count is decremented. When this counter goes to zero, the maze is finished. Control passes to Done which resets lines leading into and away from the maze, creating the entrance and exit. These could be placed at any two parts of the maze as there is only one direct route between any two cells. I chose the bottom left and top right corners so they will be physically as far apart as possible. The return instruction at line 1080 is the exit from the program.

The Basic Program

Program Listing 2 is one example of how to use Kwikmaze. The first part of the program (lines 80-150) reads the data lines and POKES the machine code into place. The POKES start at 32256 (7E00H) and go to 32692 (7FB48) so be sure to set memory size below 32256. Note that the data is in hexadecimal format. It is read as strings and interpreted as numeric bytes for the POKES. This method saves typing. Also, you may use the data lines as a hex dump of the program for entry with Debug or other monitor. The drawback of the hex format is that the loading time is longer than for decimal data (30 seconds). A star flashes in the top left corner of your screen to show that all is well.

Once the machine code is in place, you are prompted for the size of the maze. Width is the number of columns of cells across the screen, height is the number of rows from top to bottom. The Basic program traps

Listing 1 Continued

```

7F56 FD7E03 22800 LD A,(IY+3)
7F59 BB 22900 CP E
7F5A 3003 23000 JR NC,SCAN2 ;if Y > YMAX then
7F5C FD5E02 23100 LD E,(IY+2) ; Y becomes YMIN
7F5F CDA7E 23200 SCAN2 CALL POINT ;if cell is "doorless"
7F62 20E1 23300 JR NZ,SCAN1 ; then try another
7F64 1896 23400 JR FINDMV ;else check for moves
23500 ;
7F66 CDE97E 23600 MAKEMV CALL RNDNUM ;return one of N, S, E, W
7F69 CB4F 23700 BIT 1,A
7F6B 2035 23800 JR NZ,EAST
7F6D CB57 23900 BIT 2,A
7F6F 2013 24000 JR NZ,SOUTH
7F71 CB5F 24100 BIT 3,A
7F73 201E 24200 JR NZ,WEST
24300 ;
24305 ;each routine clears the "door" from the current cell,
24310 ;clears the new cell itself, and updates the X,Y pointer.
24315 ;
7F75 1D 24400 NORTH DEC E
7F76 CDA47E 24500 CALL RESET
7F79 14 24600 INC D
7F7A CDA47E 24700 CALL RESET
7F7D 1D 24800 DEC E
7F7E CDA47E 24900 CALL RESET
7F81 15 25000 DEC D
7F82 182D 25100 JR MMEXIT
25200 ;
7F84 1C 25300 SOUTH INC E
7F85 CDA47E 25400 CALL RESET
7F88 14 25500 INC D
7F89 CDA47E 25600 CALL RESET
7F8C 1C 25700 INC E
7F8D CDA47E 25800 CALL RESET
7F90 15 25900 DEC D
7F91 181E 26000 JR MMEXIT
26100 ;
7F93 15 26200 WEST DEC D
7F94 CDA47E 26300 CALL RESET
7F97 15 26400 DEC D
7F98 CDA47E 26500 CALL RESET
7F9B 15 26600 DEC D
7F9C CDA47E 26700 CALL RESET
7F9F 15 26800 DEC D
7FA0 180F 26900 JR MMEXIT
27000 ;
7FA2 14 27100 EAST INC D
7FA3 14 27200 INC D
7FA4 CDA47E 27300 CALL RESET
7FA7 14 27400 INC D
7FA8 CDA47E 27500 CALL RESET
7FAB 14 27600 INC D
7FAC 14 27700 INC D
7FAD CDA47E 27800 CALL RESET
7FB0 15 27900 DEC D
7FB1 CDA47E 28000 MMEXIT CALL RESET
7FB4 C9 28100 RET ;back to MAIN loop
0000 28200 END
00000 TOTAL ERRORS

```

errors. The first portion of the machine code also makes certain that the dimensions are odd to keep the maze centered in the screen.

The routine at lines 180-430 allows you to run a dot through a constantly changing maze. Starting at the entrance, press the arrow keys to move the dot. A new maze is created at random intervals, so sometimes you will need to judge whether to retain your current position hoping the new maze will give easy access to the exit, or try to improve your position. You are scored according to the length of time needed to traverse from entrance to exit.

If you are not interested in games, delete lines 180-440 and use:

```

180 H=RND(20)+3:W=RND(28)+3
190 UU=USR(H+W*256)
200 FOR DELAY=1 TO 1000:NEXT
210 GOTO 180

```

Kwikmaze is now a dazzling, hypnotic display. ■

Dan Rollins is a numerical control machinist and a computer science student at Citrus College.

```

10 *** KWIKMAZE ***
20 ** by DAN ROLLINS **
30 ** 08/03/81 **
40 DEFINT A-Z
50 CS=0: ADDR= 32256: * 7E00 HEX
60 CLS:PRINT 472,"KWIKMAZE":PRINT 533,"BY DAN ROLLINS"
70 PRINT 973,"LOADING MACHINE CODE, PLEASE STANDBY";
75
* Routine converts hex DATA to decimal for POKES
* line 110 not needed when data is good
* line 120 is optional
80 READ AS:IF AS="END" GOTO 150
90 BS=LEFT$(AS,1):CS=RIGHT$(AS,1)
100 X=ASC(BS)-48+(BS>"9")*7:Y=ASC(CS)-48+(CS>"9")*7
110 CS=CS+X+Y: * calculate checksum
120 PRINT 0,CHR$(32+(CS AND 1)*10); * blink star
130 POKE ADDR,X*16+Y:ADDR=ADDR+1
140 GOTO 80
150 IF CS<> 6330 CLS:PRINT " ** BAD DATA **":END
160 POKE 16526,0:POKE 16527,126
170 * disk users erase to here -> DEFUSR0=&H7E00
180 CLS:INPUT"HEIGHT OF MAZE (3-23) ";H
190 IF H<3 OR H>23 THEN 180 ELSE H=INT(H/2)*2+1
200 INPUT"WIDTH OF MAZE (3-31) ";W
210 IF W<3 OR W>31 THEN 200 ELSE W=INT(W/2)*2+1
220 X=1:Y=22+H:SC=0:D=0
230 UU=USR(W*256+E): * draw a maze
240 FOR J=1 TO RND(H+V)+25
250 GOSUB 340:IF D=1 LET J=J+1: * exit loop gracefully
260 NEXT J: * when dot at maze exit
270 IF D<1 THEN 230
280 CLS:PRINT " YOUR SCORE IS ==> ";SC
290 PRINT 960,"HIT <ENTER> TO PLAY AGAIN";
300 KS=INKEY$:FOR DELAY=1 TO 50:NEXT
310 PRINT 964," ";:FOR DELAY=1 TO 50:NEXT
320 IF KS=CHR$(13) THEN 180 ELSE 290
330 * move the dot
340 RESET(X,Y):RESET(X+1,Y):FOR DELAY=1 TO 15:NEXT
350 SC=SC+1:AR=PEEK(14400)
360 X1=0:Y1=0
370 IF AR AND 8 THEN Y1=-1
380 IF AR AND 16 THEN Y1=1
390 IF AR AND 32 THEN X1=-2

```

```

400 IF AR AND 64 THEN X1=2
410 IF POINT(X+X1,Y+Y1) THEN SET(X,Y):SET(X+1,Y):RETURN
420 X=X+X1:Y=Y+Y1:SET(X,Y):SET(X+1,Y)
430 IF X>123 THEN D=1
440 RETURN
999

```

```

** The program loads from 7E00H to 7FB4H **
** Entry at 7E00H from BASIC:USR(W*256+H) **
** Entry at 7E03H expects L=height, H=width **
** Entry at 7E0A draws largest (31x23) maze **
* 7E00H
1000 DATA CD,7F,0A,CB,C4,CB,C5,22,A2,7E,CD,21,7E,2A,A0,7E
1010 DATA 2B,22,A0,7E,7C,B5,CA,7D,7E,CD,FC,7E,CD,66,7E,18
1020 DATA EC,21,00,3C,36,BF,11,01,3C,01,FF,03,ED,B0,11,2F
1030 DATA 00,06,80,CD,A4,7E,14,10,FA,FD,21,9C,7E,3A,A3,7E
1040 DATA 3D,CB,27,47,3E,3F,90,FD,77,00,3E,3F,80,FD,77,01
1045 * 7E50H
1050 DATA 3A,A2,7E,3D,47,3E,17,90,FD,77,02,3E,17,80,FD,77
1060 DATA 03,2A,A2,7E,45,5C,16,00,62,6A,19,10,FD,22,A0,7E
1070 DATA 16,3F,1E,17,CD,A4,7E,14,CD,A4,7E,15,C9,16,00,FD
1080 DATA 5E,03,CD,A4,7E,14,7A,FD,BE,00,20,F6,16,7F,FD,5E
1090 DATA 02,CD,A4,7E,15,7A,FD,BE,01,20,F6,C9,03,7B,01,2D
1095 * 7EABH
1100 DATA CA,02,17,1F,3E,06,18,06,3E,C6,18,02,3E,46,32,E4
1110 DATA 7E,C5,E5,D5,0E,01,CB,3A,38,01,0D,0A,26,00,7B,11
1120 DATA 40,00,E7,CD,52,C6,03,D6,03,19,FE,03,30,F9,CB,27
1130 DATA 81,47,CB,20,CB,20,CB,20,11,00,3C,19,3A,E4,7E,80
1140 DATA 32,E4,7E,CB,C6,D1,E1,C1,C9,ED,5F,E6,0F,47,3E,02
1145 * 7EEBH
1150 DATA CB,2F,30,02,CB,DF,10,P8,A1,28,EE,C9,62,6B,0E,00
1160 DATA 7B,FD,BE,02,20,0A,1D,1D,CD,AC,7E,5D,28,02,CB,C1
1170 DATA 7B,FD,BE,03,20,0A,1C,1C,CD,AC,7E,5D,28,02,CB,D1
1180 DATA 7B,FD,BE,00,20,0B,D6,04,57,CD,AC,7E,54,28,02,CB
1190 DATA D9,7A,FD,BE,01,20,0B,C6,04,57,CD,AC,7E,54,28,02
1195 * 7F40H
1200 DATA CB,C9,79,B7,C0,7A,C6,04,57,FD,7E,01,BA,30,10,FD
1210 DATA 56,00,7B,C6,02,5F,FD,7E,03,BB,30,03,FD,5E,02,CD
1220 DATA AC,7E,20,E1,19,96,CD,E9,7E,CB,4F,20,35,CB,57,20
1230 DATA 13,CB,5F,20,1E,1D,CD,A4,7E,14,CD,A4,7E,1D,CD,A4
1240 DATA 7E,15,18,2D,1C,CD,A4,7E,14,CD,A4,7E,1C,CD,A4,7E
1245 * 7F90H
1250 DATA 15,18,1E,15,CD,A4,7E,15,CD,A4,7E,15,CD,A4,7E,15
1260 DATA 18,0F,14,14,CD,A4,7E,14,CD,A4,7E,14,14,CD,A4,7E
1270 DATA 15,CD,A4,7E,C9
1280 DATA END

```


SOFTWARE CATALOG NO. 10

ABRIDGED EDITION*

H & E COMPUTRONICS


50 NORTH PASCACK ROAD • SPRING VALLEY, NEW YORK 10977

ORDER LINE: (800) 431-2818 • OTHER INQUIRIES: (914) 425-1535

• • EVERYTHING FOR YOUR TRS-80™ • ATARI™ • APPLE™ • PET™ • CP/M™ • XEROX™ • IBM™ • OSBORNE™ • •

*TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. - *ATARI is a trademark of Atari Inc. - *APPLE is a trademark of Apple Corp. - *PET is a trademark of Commodore

*CP/M is a trademark of Digital Research - *XEROX is a trademark of Xerox Corp. - *IBM is a trademark of IBM Corp. - *OSBORNE is a trademark of Osborne Corp.



30 DAY MONEY BACK GUARANTEE ON MOST SOFTWARE

* THE COMPLETE H & E COMPUTRONICS, INC., CATALOG COMES FREE WITH EVERY ORDER.
(TO RECEIVE A CATALOG ALONE, SEND \$2 WITH YOUR REQUEST)

Introducing the Most Powerful Business Software Ever!

TRS-80™ (Model I, II, III, or 16) • APPLE™ • IBM™ • OSBORNE™ • CP/M™ • XEROX™



The VERSABUSINESS™ Series

Each VERSABUSINESS module can be purchased and used independently, or can be linked in any combination to form a complete, coordinated business system.

VERSARECEIVABLES™ \$99.95

VERSARECEIVABLES™ is a complete menu-driven accounts receivable, invoicing, and monthly statement-generating system. It keeps track of all information related to who owes you or your company money, and can provide automatic billing for past due accounts. VERSARECEIVABLES™ prints all necessary statements, invoices, and summary reports and can be linked with VERSALEDGER II™ and VERSAINVENTORY™.

VERSAPAYABLES™ \$99.95

VERSAPAYABLES™ is designed to keep track of current and aged payables, keeping you in touch with all information regarding how much money your company owes, and to whom. VERSAPAYABLES™ maintains a complete record on each vendor, prints checks, check registers, vouchers, transaction reports, aged payables reports, vendor reports, and more. With VERSAPAYABLES™, you can even let your computer automatically select which vouchers are to be paid.

VERSAPAYROLL™ \$99.95

VERSAPAYROLL™ is a powerful and sophisticated, but easy to use payroll system that keeps track of all government-required payroll information. Complete employee records are maintained, and all necessary payroll calculations are performed automatically, with totals displayed on screen for operator approval. A payroll can be run totally, automatically, or the operator can intervene to prevent a check from being printed, or to alter information on it. If desired, totals may be posted to the VERSALEDGER II™ system.

VERSAINVENTORY™ \$99.95

VERSAINVENTORY™ is a complete inventory control system that gives you instant access to data on any item. VERSAINVENTORY™ keeps track of all information related to what items are in stock, out of stock, on backorder, etc., stores sales and pricing data, alerts you when an item falls below a preset reorder point, and allows you to enter and print invoices directly or to link with the VERSARECEIVABLES™ system. VERSAINVENTORY™ prints all needed inventory listings, reports of items below reorder point, inventory value reports, period and year-to-date sales reports, price lists, inventory checklists, etc.

VERSALEDGER II™ \$149.95

VERSALEDGER II™ is a complete accounting system that grows as your business grows. VERSALEDGER II™ can be used as a simple personal checkbook register, expanded to a small business bookkeeping system or developed into a large corporate general ledger system **without any additional software.**

- VERSALEDGER II™ gives you almost unlimited storage capacity (300 to 10,000 entries per month, depending on the system),
- stores all check and general ledger information forever,
- prints tractor-feed checks,
- handles multiple checkbooks and general ledgers,
- prints 17 customized accounting reports including check registers, balance sheets, income statements, transaction reports, account listings, etc.

VERSALEDGER II™ comes with a professionally-written 160 page manual designed for first-time users. The VERSALEDGER II™ manual will help you become quickly familiar with VERSALEDGER II™, using complete sample data files supplied on diskette and more than 50 pages of sample printouts.

SATISFACTION GUARANTEED!

Every VERSABUSINESS™ module is guaranteed to outperform all other competitive systems, and at a fraction of their cost. If you are not satisfied with any VERSABUSINESS™ module, you may return it within 30 days for a refund. Manuals for any VERSABUSINESS™ module may be purchased for \$25 each, credited toward a later purchase of that module.

To Order:

Write or call Toll-free (800) 431-2818
(N.Y.S. residents call 914-425-1535)

- * add \$3 for shipping in UPS areas
- * add \$4 for C.O.D. or non-UPS areas

- * add \$5 to CANADA or MEXICO
- * add proper postage elsewhere

DEALER INQUIRIES WELCOME


All prices and specifications subject to change / Delivery subject to availability.

COMPUTRONICS

50 N. PASCACK ROAD, SPRING VALLEY, N.Y. 10977

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. • *APPLE is a trademark of Apple Corp. • *IBM is a trademark of IBM Corp. • *OSBORNE is a trademark of Osborne Corp. • *CP/M is a trademark of Digital Research • *XEROX is a trademark of Xerox Corp.

Tired Of Your GENERAL LEDGER?



- ★ THE ULTIMATE PERSONAL CHECK REGISTER
- ★ A PROFESSIONAL ACCOUNTING SYSTEM
- ★ A PERSONAL FINANCIAL MANAGER
- ★ A SMALL BUSINESS ACCOUNTING SYSTEM
- ★ A COMPLETE GENERAL LEDGER


FOR YOUR TRS-80* MODEL I, II, III or 16 • APPLE II* • I.B.M.* • XEROX* • ATARI*
PET/CBM* • OSBORNE* • ALL MICROSOFT BASIC COMPUTERS

*TRS-80 is a trademark of Tandy Corp. - *APPLE is a trademark of Apple Corp. - *I.B.M. is a trademark of I.B.M. Corp. - *XEROX is a trademark of Xerox Corp.
*ATARI is a trademark of Atari Inc. - *OSBORNE is a trademark of Osborne Corp. - *PET and CBM are trademarks of Commodore Corp.

HOW IT WORKS

VERSALEDGER II is a complete accounting system that grows as you or your business grows. To start, your **VERSALEDGER II** acts as a simple method of keeping track of your checkbook. Just enter your check number, date and whom the check is made out to. As you or your business grows, you may add more details to your transactions account number, detailed account explanations, etc.

- **VERSALEDGER II** is an expanded and enhanced version of our original **VERSALEDGER**.
- **VERSALEDGER II** gives you an instant cash balance at anytime. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can be used as a small personal checkbook register. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can run your million dollar corporation. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** prints checks. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** stores all check information forever. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can distribute one check to multiple expense accounts. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can handle more than one checkbook. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can be used to replace a general ledger. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** prints balance sheets and income statements. **(IF YOU WANT IT TO)**
- **VERSALEDGER II** can interact with any of the other four modules of the **VERSABUSINESS SYSTEM**.
- **VERSALEDGER II** comes with a professionally written manual (created for the first-time computer user), which includes sample report print-outs.
- **VERSALEDGER II HAS AN ALMOST UNLIMITED CAPACITY**
 - (300 checks per month on single density 5 1/4" disk drives such as the TRS-80 Model I)
 - (500 checks per month on the Apple II)
 - (2400 checks per month on the TRS-80 Model III)
 - (6000 checks per month on the TRS-80 Model II)
 - (3000 checks per month on single density 8" CP/M)
 - (almost unlimited capacity on hard disk drive)
- **VERSALEDGER II OUTPERFORMS ALL OTHER COMPETITIVE SYSTEMS NOW AVAILABLE TO MICROCOMPUTER USERS, AT A FRACTION OF THE COST (AND WE OFFER A 30-DAY MONEY BACK GUARANTEE TO BACK UP OUR CLAIM!)**



**SPECIAL
INTRODUCTORY
PRICE**
\$149.95

(\$199.95 after Dec. 31, 1982)

— CAN BE USED WITH 1 or MORE DISK DRIVES with 48K —

ALSO AVAILABLE: VERSARECEIVABLES, VERSAPAYABLES, VERSAPAYROLL, and VERSAINVENTORY

COMPUTRONICS
MATHEMATICAL APPLICATORS SYSTEMS

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

- ★ ADD \$3.00 FOR SHIPPING IN UPS AREAS
- ★ ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
- ★ ADD \$5.00 TO CANADA AND MEXICO
- ★ ADD PROPER POSTAGE OUTSIDE U.S., CANADA & MEXICO



**24 HOUR
ORDER
LINE**

(914) 425-1535



**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)

(800) 431-2818

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

THE COLLECTOR!

VERSA- RECEIVABLES

FOR YOUR TRS-80* MODEL I, II, III, 1G • APPLE* • I.B.M.* • XEROX* • ATARI*
OSBORNE* • PET/CBM* • ALL MICROSOFT BASIC COMPUTERS

*TRS-80 is a trademark of Tandy Corp. - *APPLE is a trademark of Apple Corp. - *I.B.M. is a trademark of I.B.M. Corp. - *XEROX is a trademark of Xerox Corp. - *ATARI is a trademark of Atari Inc.
*OSBORNE is a trademark of Osborne Corp. - *PET and CBM are trademarks of Commodore Corp.

- ★ THE ULTIMATE ACCOUNTS RECEIVABLE SYSTEM
- ★ HANDLES ALL ACCOUNTS RECEIVABLE FUNCTIONS
- ★ QUICK PERIODIC SUMMARIES AND REPORTS
- ★ PERFECT FOR PERSONAL OR BUSINESS USE
- ★ EXPANDS TO HANDLE LARGE CORPORATE RECEIVABLES

HOW IT WORKS

VERSARECEIVABLES is a complete menu driven accounts receivable system. It keeps track of all information related to who owes you or your company money. It prints all necessary statements, invoices and all summary reports to keep you in touch with the flow of money owed to your company. In short, **VERSARECEIVABLES** is a complete invoicing and monthly statement generating system which keeps track of current and past due receivables.

- VERSARECEIVABLES invoices your customers. (IF YOU WANT IT TO)
- VERSARECEIVABLES prints customer mailing labels. (IF YOU WANT IT TO)
- VERSARECEIVABLES generates monthly (or periodic) statements at any time. (IF YOU WANT IT TO)
- VERSARECEIVABLES uses commonly available preprinted statements and invoices. (IF YOU WANT IT TO)
- VERSARECEIVABLES allows partial payments on open invoices. (IF YOU WANT IT TO)
- VERSARECEIVABLES prints out all commonly used ACCOUNTS RECEIVABLE reports to give you a total picture of money owed to your company. (IF YOU WANT IT TO)
- VERSARECEIVABLES keeps a history of each account, both current and aged. (IF YOU WANT IT TO)
- VERSARECEIVABLES is ideal for doctors, lawyers, small and large businesses.
- VERSARECEIVABLES HAS AN ALMOST UNLIMITED CAPACITY

400 customers and transactions per month on single density 5 1/4" disk drives such as the TRS-80 Model I	
600 per month on the APPLE II	
2400 per month on the TRS-80 MODEL III	3000 per month on single density 8" CP/M
6000 per month on the TRS-80 MODEL II	Almost unlimited on hard disk drive systems

Above capacities are estimates and depend on the customer-transaction mix and the amount of disk space available.

**VERSARECEIVABLES HAS BEEN CREATED
WITH THE FIRST TIME COMPUTER USER IN MIND**

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***
DELIVERY SUBJECT TO AVAILABILITY



24 HOUR
ORDER
LINE

(914) 425-1535



VERSARECEIVABLES



INTRODUCTORY PRICE
\$99.95

HOW MUCH MONEY DO YOU OWE?

VERSA- PAYABLES

- ★ THE ULTIMATE ACCOUNTS PAYABLE SYSTEM
- ★ HANDLES ALL ACCOUNTS PAYABLE FUNCTIONS
- ★ QUICK PERIODIC SUMMARIES AND REPORTS
- ★ PERFECT FOR PERSONAL OR BUSINESS USE
- ★ EXPANDS TO HANDLE LARGE CORPORATE PAYABLES

FOR YOUR TRS-80* MODEL I, II, III, 16 • APPLE* • I.B.M.* • XEROX* • ATARI*
OSBORNE* • PET/CBM* • ALL MICROSOFT BASIC COMPUTERS


*TRS-80 is a trademark of Tandy Corp. - *APPLE is a trademark of Apple Corp. - *I.B.M. is a trademark of I.B.M. Corp. - *XEROX is a trademark of Xerox Corp. - *ATARI is a trademark of Atari Inc.
*OSBORNE is a trademark of Osborne Corp. - *PET and CBM are trademarks of Commodore Corp.

HOW IT WORKS . . .

VERSAPAYABLES is a complete menu driven accounts payable system. It keeps track of all information related to how much money you (personally) or your company owes. It prints all necessary checks and statements on easily obtainable tractor feed forms (or on plain paper). Prints all summary reports to keep you in touch with the flow of money going out of your hands (or leaving your company). In short, **VERSAPAYABLES** is designed to keep track of current and aged payables. The system maintains a complete record of each vendor, helps determine which transactions to pay by due date within certain cash requirements and prints checks automatically with a detailed check register.

- **VERSAPAYABLES** prints out your checks. (IF YOU WANT IT TO)
- **VERSAPAYABLES** prints out a detailed check register. (IF YOU WANT IT TO)
- **VERSAPAYABLES** allows for full or partial payments. (IF YOU WANT IT TO)
- **VERSAPAYABLES** prints out vendor mailing labels. (IF YOU WANT IT TO)
- **VERSAPAYABLES** prints out all commonly used ACCOUNTS PAYABLE reports to give you a total picture of money you or your company owes. (IF YOU WANT IT TO)
- **VERSAPAYABLES** integrates with **VERSALEDGER**. (IF YOU WANT IT TO)
- **VERSAPAYABLES** HAS AN ALMOST UNLIMITED CAPACITY
 - 400 vendors and transactions per month on single density 5 1/4" disk drives such as the TRS-80 MODEL I
 - 600 per month on the APPLE II
 - 2400 per month on the TRS-80 MODEL III
 - 6000 per month of the TRS-80 MODEL II
 - 3000 per month on single density 8" CP/M
 - Almost unlimited capacity on hard disk drive systems

Above capacities are estimates and depend on disk space available and your vendor-transaction mix.



INTRODUCTORY PRICE
\$99.⁹⁵

**VERSAPAYABLES HAS BEEN CREATED
WITH THE FIRST TIME COMPUTER USER IN MIND**

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***
DELIVERY SUBJECT TO AVAILABILITY



24 HOUR
ORDER
LINE



(914) 425-1535

PAYROLL SIMPLIFIED

VERSA PAYROLL

- ★ THE ULTIMATE PROFESSIONAL PAYROLL SYSTEM
- ★ HANDLES ALL PAYROLL FUNCTIONS AND REPORTS
- ★ QUICK QUARTERLY AND END OF YEAR SUMMARIES
- ★ PERFECT FOR A SMALL BUSINESS
- ★ EXPANDS TO HANDLE LARGE CORPORATE PAYROLLS

FOR YOUR TRS-80* MODEL I, II, III or 16 • APPLE* • I.B.M.* • XEROX* • ATARI*
OSBORNE* • PET/CBM* • ALL MICROSOFT BASIC COMPUTERS

*TRS-80 is a trademark of Tandy Corp. - *APPLE is a trademark of Apple Corp. - *I.B.M. is a trademark of I.B.M. Corp. - *XEROX is a trademark of Xerox Corp. - *ATARI is a trademark of Atari Inc.
*OSBORNE is a trademark of Osborne Corp. - *PET and CBM are trademarks of Commodore Corp.

HOW IT WORKS

VERSAPAYROLL is a complete menu driven payroll system that grows as you or your business grows. Your VERSAPAYROLL acts as a simple payroll system keeping track of all government required payroll information. Just enter the employees, VERSAPAYROLL will perform all the necessary payroll calculations automatically and display to totals on your screen. The user has complete control to accept the totals, to print or not print out a check and to post or not post the total to our VERSALEDGER system.

- VERSAPAYROLL automatically prints out your PAYROLL checks. (IF YOU WANT IT TO)
- VERSAPAYROLL allows you to override any payroll deduction. (IF YOU WANT IT TO)
- VERSAPAYROLL automatically posts all checks written to our VERSALEDGER system. (IF YOU WANT IT TO)
- VERSAPAYROLL allows the user to print out PAYROLL checks one at a time. (IF YOU WANT IT TO)
- VERSAPAYROLL allows the user to print out all your PAYROLL checks at the same time. (IF YOU WANT IT TO)
- VERSAPAYROLL gives you a summary of any employee's year to date payroll totals or all employee totals at any time. (IF YOU WANT IT TO)
- VERSAPAYROLL will allow you to correct any error made at any time and automatically refigure all totals. (IF YOU WANT IT TO)
- VERSAPAYROLL works in every state. (IF YOU WANT IT TO)
- VERSAPAYROLL automatically calculates all federal and states taxes. (IF YOU WANT IT TO)
- VERSAPAYROLL allows for all of the standard deductions plus state, city and three miscellaneous deductions. (IF YOU WANT IT TO)
- VERSAPAYROLL prints all government required reports. (IF YOU WANT IT TO)
- VERSAPAYROLL permanently stores all PAYROLL transactions. (IF YOU WANT IT TO)
- VERSAPAYROLL HAS AN ALMOST UNLIMITED CAPACITY

Can handle up to 300 employees on a TRS-80 MODEL I, 600 employees on a TRS-80 MODEL III, 1200 employees on a TRS-80 MODEL II, 500 employees on an APPLE II, 600 employees on any single density 8" CP/M computer and almost unlimited capacity on hard disk systems.

CAN BE USED WITH 1 or MORE DISK DRIVES (AND 48K)

**VERSAPAYROLL HAS BEEN CREATED
WITH THE FIRST TIME COMPUTER USER IN MIND**



INTRODUCTORY PRICE
\$99.95

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***
DELIVERY SUBJECT TO AVAILABILITY



24 HOUR
ORDER
LINE

(914) 425-1535



HOW MANY DO YOU HAVE LEFT?

VERSA- INVENTORY

- ★ THE ULTIMATE INVENTORY SYSTEM
- ★ HANDLES ALL INVENTORY FUNCTIONS
- ★ QUICK PERIODIC SUMMARIES AND REPORTS
- ★ PERFECT FOR PERSONAL OR BUSINESS USE
- ★ EXPANDS TO HANDLE LARGE CORPORATE INVENTORIES

FOR YOUR TRS-80* MODEL I, II, III, 16 • APPLE* • I.B.M.* • XEROX* • ATARI*
OSBORNE* • PET/CBM* • ALL MICROSOFT BASIC COMPUTERS

*TRS-80 is a trademark of Tandy Corp. - *APPLE is a trademark of Apple Corp. - *I.B.M. is a trademark of I.B.M. Corp. - *XEROX is a trademark of Xerox Corp. - *ATARI is a trademark of Atari Inc.
*OSBORNE is a trademark of Osborne Corp. - *PET and CMB are trademarks of Commodore Corp.

HOW IT WORKS

VERSAINVENTORY is a complete menu driven inventory control system. It keeps track of all information related to how many of a particular item you have. It prints all necessary inventory reports and gives you instant access to any inventory item. **VERSAINVENTORY** allows the user to stay in touch with items that directly affect sales. Update **INVENTORY** through easy **MENU** driven processes.

- **VERSAINVENTORY** allows the user to instantly add to or deduct from **INVENTORY**. (IF YOU WANT IT TO)
- **VERSAINVENTORY** handles reorder point levels. (IF YOU WANT IT TO)
- **VERSAINVENTORY** gives period-to-date and year-to-date sales reports. (IF YOU WANT IT TO)
- **VERSAINVENTORY** can be linked to **VERSARECEIVABLES** and **VERSALEDGER**. (IF YOU WANT IT TO)
- **VERSAINVENTORY** gives all standard **INVENTORY REPORTS**. (IF YOU WANT IT TO)
- **VERSAINVENTORY** instantly values your **INVENTORY**. (IF YOU WANT IT TO)
- **VERSAINVENTORY** HAS AN ALMOST UNLIMITED CAPACITY

**INTRODUCTORY
PRICE
\$99.95**

To figure out estimated **VERSAINVENTORY** limitations, just multiply 8 by the number of kilobytes of disk storage available. For example, the store capacity on a TRS-80 MODEL II disk drive is 500K. That will allow the user to have about 4,000 inventory items on record. This total is an estimate and depends on how you set up your inventory system.

**VERSAINVENTORY HAS BEEN CREATED
WITH THE FIRST TIME COMPUTER USER IN MIND**

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***
DELIVERY SUBJECT TO AVAILABILITY



24 HOUR
ORDER
LINE

(914) 425-1535



H & E COMPUTRONICS INC.

• • • EVERYTHING FOR YOUR TRS-80™ • ATARI™ • APPLE™ • PET™ • CP/M™ • XEROX™ • IBM™ • OSBORNE™ • • •

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. • ATARI is a trademark of Atari Inc. • APPLE is a trademark of Apple Corp. • PET is a trademark of Commodore
* CP/M is a trademark of Digital Research • XEROX is a trademark of Xerox Corp. • IBM is a trademark of IBM Corp. • OSBORNE is a trademark of Osborne Corp.



BUSINESS PAC 100

100 Ready-To-Run Business Programs

★ All orders processed within 24-Hours
★ 30-Day money back guarantee

(ON CASSETTE OR DISKETTE).....Includes 128 Page Users Manual.....

Inventory Control.....Payroll.....Bookkeeping System.....Stock Calculations.....

Checkbook Maintenance.....Accounts Receivable.....Accounts Payable.....

BUSINESS 100 PROGRAM LIST

NAME

DESCRIPTION

- 1 RULE78 Interest Apportionment by Rule of the 78's
- 2 ANNU1 Annuity computation program
- 3 DATE Time between dates
- 4 DAYYEAR Day of year a particular date falls on
- 5 LEASEINT Interest rate on lease
- 6 BREAKVEN Breakeven analysis
- 7 DEPRSL Straightline depreciation
- 8 DEPRSY Sum of the digits depreciation
- 9 DEPRDB Declining balance depreciation
- 10 DEPRDDDB Double declining balance depreciation
- 11 TAXDEP Cash flow vs. depreciation tables
- 12 CHECK2 Prints NEBS checks along with daily register
- 13 CHECKBK1 Checkbook maintenance program
- 14 MORTGAGE/A Mortgage amortization table
- 15 MULTMON Computes time needed for money to double, triple, etc.
- 16 SALVAGE Determines salvage value of an investment
- 17 RRVARIN Rate of return on investment with variable inflows
- 18 RRCONST Rate of return on investment with constant inflows
- 19 EFFECT Effective interest rate of a loan
- 20 FVAL Future value of an investment (compound interest)
- 21 PVAL Present value of a future amount
- 22 LOANPAY Amount of payment on a loan
- 23 REGWITH Equal withdrawals from investment to leave 0 over
- 24 SIMPDISK Simple discount analysis
- 25 DATEVAL Equivalent & nonequivalent dated values for oblig.
- 26 ANNUDEF Present value of deferred annuities
- 27 MARKUP % Markup analysis for items
- 28 SINKFUND Sinking fund amortization program
- 29 BONDVAL Value of a bond
- 30 DEplete Depletion analysis
- 31 BLACKSH Black Scholes options analysis
- 32 STOCVAL1 Expected return on stock via discounts dividends
- 33 WARVAL Value of a warrant
- 34 BONDVAL2 Value of a bond
- 35 EPSEST Estimate of future earnings per share for company
- 36 BETAALPH Computes alpha and beta variables for stock
- 37 SHARPE1 Portfolio selection model i.e. what stocks to hold
- 38 OPTWRITE Option writing computations
- 39 RTVAL Value of a right
- 40 EXPVAL Expected value analysis
- 41 BAYES Bayesian decisions
- 42 VALPRINF Value of perfect information
- 43 VALADINF Value of additional information
- 44 UTILITY Derives utility function
- 45 SIMPLEX Linear programming solution by simplex method
- 46 TRANS Transportation method for linear programming
- 47 EOQ Economic order quantity inventory model
- 48 QJUE1 Single server queueing (waiting line) model
- 49 CVP Cost-volume-profit analysis
- 50 CONDPFROF Conditional profit tables
- 51 OPTLOSS Opportunity loss tables
- 52 FQOQOQ Fixed quantity economic order quantity model
- 53 FQEOQWSH As above but with shortages permitted
- 54 FQEOQPB As above but with quantity price breaks
- 55 QJUECB Cost-benefit waiting line analysis
- 56 NCFANAL Net cash-flow analysis for simple investment
- 57 PROFIND Profitability index of a project
- 58 CAP1 Cap. Asset Pr. Model analysis of project

- 59 WACC Weighted average cost of capital
- 60 COMBAL True rate on loan with compensating bal. required
- 61 DISCBAL True rate on discounted loan
- 62 MERGANAL Merger analysis computations
- 63 FINRAT Financial ratios for a firm
- 64 NPV Net present value of project
- 65 PRINDLAS Laspeyres price index
- 66 PRINDPA Paasche price index
- 67 SEASIND Constructs seasonal quantity indices for company
- 68 TIMETR Time series analysis linear trend
- 69 TIMEMOV Time series analysis moving average trend
- 70 FUPRINF Future price estimation with inflation
- 71 MAILPAC Mailing list system
- 72 LETWRT Letter writing system-links with MAILPAC
- 73 SORT3 Sorts list of names
- 74 LABEL1 Shipping label maker
- 75 LABEL2 Name label maker
- 76 BUSBUD DOME business bookkeeping system
- 77 TIMECLCK Computes weeks total hours from timeclock info.
- 78 ACCTPAY In memory accounts payable system-storage permitted
- 79 INVOICE Generate invoice on screen and print on printer
- 80 INVENT2 In memory inventory control system
- 81 TELDIR Computerized telephone directory
- 82 TIMUSAN Time use analysis
- 83 ASSIGN Use of assignment algorithm for optimal job assign.
- 84 ACCTREC In memory accounts receivable system-storage ok
- 85 TERMSPAY Compares 3 methods of repayment of loans
- 86 PAYNET Computes gross pay required for given net
- 87 SELLPR Computes selling price for given after tax amount
- 88 ARBCOMP Arbitrage computations
- 89 DEPRSF Sinking fund depreciation
- 90 UPSZONE Finds UPS zones from zip code
- 91 ENVELOPE Types envelope including return address
- 92 AUTOEXP Automobile expense analysis
- 93 INSFILE Insurance policy file
- 94 PAYROLL2 In memory payroll system
- 95 DILANAL Dilution analysis
- 96 LOANAFD Loan amount a borrower can afford
- 97 RENTPRCH Purchase price for rental property
- 98 SALELEAS Sale-leaseback analysis
- 99 RRCONVBD Investor's rate of return on convertible bond
- 100 PORTVAL Stock market portfolio storage-valuation program

- ☐ TRS-80 Cassette Version \$99.95
- ☐ TRS-80 (Mod-I or III), Pet, Apple or Atari Versions \$99.95
- ☐ TRS-80 Mod-II, IBM, Osborne and CP/M Versions \$149.95

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S., CANADA AND MEXICO

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ASK FOR OUR 64-PAGE CATALOG
DEALER INQUIRIES INVITED

**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818



**24 HOUR
ORDER
LINE**



(914) 425-1535



ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

H & E COMPUTRONICS INC.

• • • EVERYTHING FOR YOUR TRS-80™ • APPLE™ • IBM™ • ATARI™ • PET™ • • •

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. - * APPLE is a trademark of Apple Corp. - * IBM is a trademark of IBM Corp.

* ATARI is a trademark of Atari Inc. - * PET is a trademark of Commodore

**100 SUPER
PROGRAMS**

MASTER PAC 100 2nd EDITION (COMPLETELY REVISED)

BUSINESS AND PERSONAL FINANCE

1. CHECKBOOK MAINTENANCE
2. TIME FOR MONEY TO DOUBLE
3. FEDERAL FICA & WITHHOLDING TAX
4. COMPUTATIONS
5. HOME BUDGET ANALYSIS
6. ANNUITY COMPUTATION
7. UNIT PRICING
8. CHANGE FROM PURCHASE
9. NEBS CHECK PRINTER
10. DAYS BETWEEN DATES
11. MORTGAGE AMORTIZATION TABLE
12. INVENTORY CONTROL
13. PORTFOLIO VALUE COMPUTATIONS
14. VALUE OF A SHARE OF STOCK
15. SALES RECORD KEEPING SYSTEM
16. FUTURE VALUE OF AN INVESTMENT
17. EFFECTIVE INTEREST RATE (LOAN)
18. PRESENT VALUE OF A FUTURE AMOUNT
19. RATE OF RETURN-VARIABLE INFLOW
20. RATE OF RETURN-CONSTANT INFLOW
21. REGULAR WITHDRAWAL FROM INVESTMENT
22. STRAIGHT LINE DEPRECIATION
23. SUM OF DIGITS DEPRECIATION
24. DECLINING BALANCE DEPRECIATION
25. BREAK EVEN ANALYSIS
26. SALVAGE VALUE OF INVESTMENT
27. PAYMENT ON A LOAN
28. FUTURE SALES PROJECTIONS
29. CREDIT CARD FILE
30. ECONOMIC ORDER QUANTITY (EOQ)
31. INVENTORY MODEL
32. VALUE OF HOUSE CONTENTS
33. TEXT EDITOR
34. MONTHLY CALENDAR
35. DAY OF WEEK
36. CASH FLOW VS. DEPRECIATION
37. COMPLETE MAIL SYSTEM
38. INTEREST RATE ON A LEASE

BUSINESS

PERSONAL

FINANCE

STATISTICS AND MATHEMATICS

37. RANDOM SAMPLE SELECTION
38. ANGLO-METRIC CONVERSION
39. MEAN, STANDARD DEVIATION, MAXIMUM AND MINIMUM
40. SIMPLE LINEAR REGRESSION
41. MULTIPLE REGRESSION ANALYSIS
42. GEOMETRIC REGRESSION
43. EXPONENTIAL REGRESSION
44. SIMPLE MOVING AVERAGE
45. SIMPLE T-TEST
46. CHI-SQUARE TEST
47. NORMAL PROBABILITIES
48. BINOMIAL PROBABILITY
49. POISSON PROBABILITY
50. MATRIX ADDITION AND SUBTRACTION
51. MATRIX TRANSPOSE
52. MATRIX INVERSE
53. MATRIX MULTIPLICATION
54. SOLUTION OF SIMULTANEOUS EQUATIONS
55. QUADRATIC FORMULA
56. LINEAR EQUATION SOLUTIONS
57. ROOT HALF INTERVAL SEARCH
58. ROOTS OF POLYNOMIALS
59. ROOTS-NEWTON'S METHODS
60. PRIME FACTORS OF INTEGER
61. LEAST COMMON DENOMINATOR
62. RADIAN-DEGREE CONVERSION
63. NUMERICAL INTEGRATION

STATISTICS

MATH

UTILITIES

64. QUICK SORT ROUTINE
65. PROGRAM STORAGE INDEX
66. MULTIPLE CHOICE QUIZ BUILDER
67. FORM LETTER WRITER
68. SHELL SORT
69. CASSETTE LABEL MAKER
70. CODES MESSAGES
71. MERGE TWO FILES
72. SORT WITH REPLACEMENT

GRAPHICS

73. DRAWS BAR GRAPH
74. DRAWS HISTOGRAM
75. MOVING BANNER DISPLAY

GAMBLING AND GAMES

76. RANDOM SPORTS QUIZ
77. GOVERNMENT QUIZ
78. HORSE RACE
79. MAGIC SQUARE
80. ARITHMETIC TEACHER
81. HIGH LOW GAMBLE
82. UNSCRAMBLE LETTERS
83. HANGMAN
84. GAME OF NIM
85. RUSSIAN ROULETTE
86. ROULETTE GAME
87. ONE ARMED BANDIT
88. HIT THE TARGET
89. WALKING DRUNK
90. STATE CAPITAL QUIZ
91. TIC-TAC-TOE
92. DICE GAME
93. LUNAR LANDAR GAME
94. BIORHYTHM
95. HORSE SELECTOR (CLASS CALCULATOR)
96. RANDOM DICE ROLL
97. RANDOM ROULETTE ROLL
98. RANDOM CARD DEALER
99. GUESS THE NUMBER
100. WHITE OUT SCREEN

GAMBLING

**INCLUDES 110 PAGE
USER MANUAL**

**GUARANTEED SATISFACTION
30-DAY MONEY BACK GUARANTEE**

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE***

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

PLEASE SEND ME:

- ☐ MASTER PAC 100 CASSETTE VERSION \$99.95
☐ MASTER PAC 100 DISKETTE VERSION \$99.95
☐ MASTER PAC 100 (MODEL II DISKETTE VERSION) .. \$149.95



**24 HOUR
ORDER
LINE**

(914) 425-1535



**NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818**

★ All orders processed within 24-Hours
★ 30-Day money back guarantee on all Software

CREDIT CARD NUMBER EXP. DATE

SIGNATURE

NAME

ADDRESS CITY STATE ZIP

*** ADD \$3 FOR POSTAGE & HANDLING - ADD \$4 FOR C.O.D. OR NON-UPS AREAS - ADD \$5 CANADA & MEXICO - EXACT POSTAGE ELSEWHERE ***

from **HOWE SOFTWARE**
FOR THE TRS-80 MODEL I AND MODEL III

System Diagnostic

For Cassette or Disk

IS YOUR COMPUTER WORKING CORRECTLY? ARE YOU SURE?
Tests every component of your TRS-80 for proper operation.

DISK
\$99.95

CASSETTE
\$94.95

ROM: Checksum test
 RAM: Four separate tests including every address and data value
 Video Display: Character generator, video RAM, and video signal tests
 Keyboard: Every key contact tested
 Line Printer: Character test
 Cassette Recorder: Read/write/verify data
 RS-232-C Interface: Read sense switches (Model I), connector fault, data transmission, framing, data loop, baud rate generator
 Disk Drives: Disk controller, drive select and restore, track seek and verify read, read/write/verify all tracks and sectors, formatting, disk drive timer, disk head cleaner
 Model I: single or double density, 35, 40 or 80 track drives
 Model 3: single or double density, 35, 40 or 80 track drives
 single or double sided drives



- One program adapts to any system configuration and hardware.
- Individual tests of each device with operator monitoring and intervention.
- Continuous system tests run continually for hours, with diagnostic reports optionally written on line printer.
- Complete instructions and documentation.

SPECIFY TRS-80™ MODEL I OR MODEL III

SMART TERMINAL

Enables your TRS-80 to be used as a data communications terminal to a time-sharing system, computer bulletin board, or another computer, via the RS-232-C interface.

- MEMORY BUFFER holds data for transmission or data received from other computer.
- CASSETTE or DISK may be used to load or save data from memory.
- AUTOMATIC TRANSMISSION of data from memory.
- AUTOMATIC STORAGE of incoming data at user's option.
- TRANSMIT or RECEIVE WITH VERIFICATION options included for communication between two TRS-80s using Smart Terminal.
- Full CONTROL KEYS, including control key mapping into any ASCII character. True BREAK key. Lower case supported on Model I.
- Buffered LINE PRINTER ECHO for incoming data.
- Disk and cassette files fully compatible with ELECTRIC PENCIL™ and SCRIPSIT™ programs.
- BAUD RATE and RS-232-C CHARACTERISTICS can be reset from within the program.
- SAVE PROGRAM option creates "personalized" back-up copy of program with all options set as specified by user.
- ONE PROGRAM supports both cassette and disk systems. Program is compatible with PMC-80 and other TRS-80 "work alike" computers.

Model I or III Version **supplied on cassette \$69.75**
 Model II (CP/M) Version **supplied on diskette \$74.95**
\$79.95

MON-3 and MON-4

The TRS-80 Monitor Programs #3 and #4 are powerful utility programs enabling you to interact directly with the TRS-80 in Machine Language. They are as useful for beginners as for advanced programmers.

- BEGINNERS can learn to interact directly with the computer in Machine Language.
- 40-PAGE MANUAL provided with each program.
- SIMPLE commands, easy to use.

The Features Of The Monitor Programs Enable You To The Following.....

- DISPLAY memory in different ways.
- DISASSEMBLE memory to see Machine Language commands.
- MOVE and COMPARE memory areas.
- SEARCH through memory to find specific values.
- MODIFY memory in various ways.
- RELOCATE object programs.
- PRINT output on video display or line printer.
- READ and WRITE object tapes in SYSTEM Format.
- UNLOAD programs using low RAM on disk.
- SAVE and READ disk files (MON-4 Only).
- INPUT and OUTPUT of disk sectors (MON-4 Only).
- SEND and RECEIVE data over RS-232-C Interface (MON-4 Only).
- Create SYMBOLIC Tapes (MON-3) or Files (MON-4) of Disassembled output for Editor/Assembler program.

MON-3 (For Cassette Systems) \$39.95
MON-4 (For Disk Systems) \$49.95

MAILING LIST

Maintains mailing lists of up to 1326 names (48K version). Add, change, delete, or find names. Machine language sort according to information in ANY field (first or last name, address, city, state, zip code). Three or four line labels printed in 1, 2, 3, or 4 columns, in master list, or on video display.

TRS-80 Model 1/3 Disk Version \$69.95
IBM PC Disk Version \$79.95

HOME BUDGET

Keeps track of your monthly and year-to-date income and expenses. Income and expenses classified by code numbers for identification of categories. Data includes date, code number, amounts and check number (optional). Computes monthly and year-to-date summaries showing income tax deductions. All output printed on video display or line printer at user's option. Complete instructions for customizing to suit your own budget.

TRS-80 Model 1/3 Cassette Version \$29.95
TRS-80 Model 1/3 Disk Version \$49.95
IBM PC Disk Version \$59.95

SMALL BUSINESS ACCOUNTING

Based on Dome Bookkeeping Record #612, this program keeps track of income, expenditures, and payroll for a small business. Receipts and expenditures can be entered on a daily, weekly, or monthly basis. Program computes monthly, through last month, and year to date summaries. Payroll section (included in disk version only) keeps record of employees and paychecks with up to six categories of payroll deductions. Computes employee payroll records and year-to-date payroll totals. Complete instructions for customizing to suit your own business.

TRS-80 Model 1/3 Cassette Version \$29.95
TRS-80 Model 1/3 Disk Version \$49.95
IBM PC Disk Version \$59.95

COMPUTRONICS
 MATHEMATICAL SOFTWARE HOUSE

50 N. PASCACK ROAD
 SPRING VALLEY, NEW YORK 10977



NEW TOLL-FREE
ORDER LINE
 (OUTSIDE OF N.Y. STATE)
(800) 431-2818

24 HOUR ORDER LINE
(914) 425-1535

- All orders processed within 24 Hours
- 30-Day money back guarantee
- Add \$3.00 for shipping in UPS Areas
- Add \$4.00 for C.O.D. or NON-UPS Areas
- Add \$5.00 to Canada or Mexico
- Add exact postage to all other countries

H & E COMPUTRONICS INC.

●●● **EVERYTHING** For Your TRS-80* Model I or Model III ●●●

* TRS-80™ is a trademark of Tandy Corp.

REMSOFT, Inc.

- All orders processed within 24 Hours
- 30-Day money back guarantee
- Add \$3.00 for shipping in UPS Areas
- Add \$4.00 for C.O.D. or NON-UPS Areas
- Add \$5.00 to Canada or Mexico
- Add exact postage to all other countries

Let Your TRS-80™ Teach You **ASSEMBLY LANGUAGE**

REMASSEM-1

Tired of buying book after book on assembly language programming and still not knowing your **POP** from your **PUSH**?

REMSOFT proudly announces a more efficient way, using your own TRS-80™ to learn the fundamentals of assembly language programming at YOUR pace and at YOUR convenience.

Our unique package, "INTRODUCTION TO TRS-80™ ASSEMBLY PROGRAMMING", will provide you with the following:

- ★ Ten 45-minute lessons on audio cassettes.
- ★ A driver program to make your TRS-80™ video monitor serve as a blackboard for the instructor.
- ★ A display program for each lesson to provide illustration and reinforcement for what you are hearing.
- ★ Step-by-step dissection of complete and useful routines to test memory and to gain direct control over the keyboard, video monitor, and printer.
- ★ How to access and use powerful routines in your Level II ROM.

This course was developed and recorded by Joseph E. Willis and is based on the successful series of courses he has taught at Meta Technologies Corporation, the Radio Shack Computer Center, and other locations in Northern Ohio. The minimum system required is a Level II, 16K RAM.

LEARN TRS-80™ **ASSEMBLY LANGUAGE** **DISK I/O**

REMDISK-1

Your disk system and you can really step out with REMSOFT's Educational Module, **REMDISK-1**, a "short course" revealing the details of DISK I/O PROGRAMMING using assembly language.

Using the same format as our extremely popular introduction to assembly language programming, this "ASSEMBLY LANGUAGE DISK I/O PROGRAMMING" course includes:

- ★ Two 45-minute lessons on audio cassette.
- ★ A driver program to make your TRS-80™ video monitor serve as a blackboard for the instructor.
- ★ A display program for each lesson to provide illustration and reinforcement for what you are hearing.
- ★ A booklet of comprehensive, fully-commented program listings illustrating sequential file I/O, random-access file I/O, and track and sector I/O.
- ★ A diskette with machine-readable source codes for all programs discussed, in both Radio shack EDTASM and Macro formats.
- ★ Routines to convert from one assembler format to the other.

This course was developed and recorded by Joseph E. Willis, for the student with experience in assembly language programming; it is an intermediate-to-advanced-level course. Minimum hardware required is a Model I Level II, 16K RAM one disk drive system.

H & E COMPUTRONICS INC.

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

PLEASE SEND ME:

- ☐ REMASSEM-1 (TRS-80 MODEL I CASSETTE) \$74.95
- ☐ REMASSEM-1 (TRS-80 MODEL I DISKETTE) \$79.95
- ☐ REMASSEM-1 (TRS-80 MODEL III CASSETTE) ... \$74.95
- ☐ REMASSEM-1 (TRS-80 MODEL III DISKETTE) ... \$79.95
- ☐ REMDISK (TRS-80 MODEL I DISKETTE) \$29.95



**24 HOUR
ORDER
LINE**

(914) 425-1535



**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

CREDIT CARD NUMBER EXP. DATE

SIGNATURE NAME

ADDRESS CITY STATE ZIP

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***

H & E COMPUTRONICS INC.

●●● EVERYTHING FOR YOUR TRS-80* ●●● MODEL I, MODEL II & MODEL III

* TRS-80™ is a trademark of Tandy Corp.

FROM

 **RACET** COMPUTES LTD. 

- All orders processed within 24 Hours
- 30-Day money back guarantee
- Add \$3.00 for shipping in UPS Areas
- Add \$4.00 for C.O.D. or NON-UPS Areas
- Add \$5.00 to Canada or Mexico
- Add exact postage to all other countries

*** ESSENTIAL UTILITY PROGRAMS FOR EVERY TRS-80 OWNER ***

Facts About Racet Computes Utility Programs

- *** ALL PROGRAMS ARE WRITTEN IN MACHINE LANGUAGE
- *** ABSOLUTELY NO KNOWLEDGE OF MACHINE LANGUAGE IS NECESSARY TO USE ANY OF THE UTILITY PROGRAMS
- *** EACH UTILITY PROGRAM IS CALLED UP FROM **BASIC** USING THE SIMPLE BASIC COMMANDS PROVIDED
- *** EACH UTILITY PROGRAM COMES WITH A **RACET COMPUTES** INSTRUCTION MANUAL
- *** EACH INSTRUCTION MANUAL INCLUDES SEVERAL EXAMPLES OF UTILITY USAGE
- *** EACH UTILITY ALLOWS THE USER TO PERFORM CERTAIN BASIC OPERATIONS TEN, TWENTY OR MORE TIMES FASTER THAN THE EQUIVALENT BASIC ROUTINE (FOR EXAMPLE, **GSF** CAN SORT AN ARRAY OF 1000 RANDOM NAMES INTO ALPHABETICAL ORDER IN UNDER 9 SECONDS!!)

GSF (GENERALIZED SUBROUTINE FACILITY)

- SORTS 1000-ELEMENT ARRAYS IN 9 SECONDS
- SORTS UP TO 15 ARRAYS SIMULTANEOUSLY (MIXED STRING, FLOATING POINT AND INTEGER)
- SORTS SINGLE OR MULTIPLE SUBSTRINGS AS ASCENDING OR DESCENDING SORT KEYS
- READ AND WRITE ARRAYS TO CASSETTE
- COMPRESS AND UNCOMPRESS DATA IN MEMORY
- MOVE ARRAYS IN MEMORY
- DUPLICATE MEMORY
- FAST HORIZONTAL AND VERTICAL LINES
- SCREEN CONTROLS FOR SCROLLING THE SCREEN UP, DOWN, LEFT, RIGHT AND FOR GENERATING INVERSE GRAPHIC DISPLAYS
- ADDS PEEKS AND POKES (MOD-II VERSION ONLY)

MODEL-I VERSION \$25.00
MODEL-II VERSION \$50.00
MODEL-III VERSION \$30.00

DSM (DISK SORT MERGE)

- SORT AN 85K DISKETTE IN LESS THAN THREE MINUTES!
- SORTS LARGE MULTIPLE DISKETTE FILES ON A MINIMUM ONE DRIVE SYSTEM
- ALL RECORDS ARE PHYSICALLY REARRANGED-NO KEY FILES ARE REQUIRED
- SORTS RANDOM FILES CREATED BY **BASIC**, INCLUDING FILES CONTAINING SUB-RECORDS SPANNING SECTORS
- SORTS ON ONE OR MORE FIELDS IN ASCENDING OR DESCENDING ORDER
- FIELDS MAY BE STRINGS, INTEGER, BINARY INTEGER OR FLOATING POINT
- THE SORTED OUTPUT FILE MAY OPTIONALLY HAVE FIELDS DELETED, REARRANGED OR PADDED
- SORT COMMANDS CAN BE SAVED FOR REUSE
- SINGLE SORT, MERGE, OR MIXED SORT/MERGE OPERATIONS MAY BE PERFORMED
- SORTED OUTPUT MAY BE WRITTEN TO A NEW FILE, OR REPLACE THE ORIGINAL INPUT FILE

MODEL-I VERSION \$75.00
MODEL-II VERSION \$150.00
MODEL-III VERSION \$90.00

KFS-80 (KEYED FILE SYSTEM)

- CREATE ISAM FILES (INDEX SEQUENTIAL ACCESS METHOD)
- ALLOWS INSTANT ACCESS TO ANY RECORD ON YOUR DISKETTE
- INSTANTLY RETRIEVE RECORDS FROM MAILING LISTS, INVENTORY, ACCOUNTS RECEIVABLE OR VIRTUALLY ANY APPLICATION WHERE RAPID ACCESS IS REQUIRED TO NAMED RECORDS
- PROVIDES THE BASIC PROGRAMMER THE ABILITY TO RAPIDLY INSERT OR ACCESS KEYED RECORDS IN ONE OR MORE DATA FILES
- RECORDS ARE MAINTAINED IN SORTED ORDER BY A SPECIFIED KEY
- RECORDS MAY BE INSERTED OR RETRIEVED BY SUPPLYING THE KEY
- RECORDS MAY BE RETRIEVED SEQUENTIALLY IN SORTED ORDER
- RAPID ACCESS TO ANY FILE REGARDLESS OF THE NUMBER OF RECORDS
- MULTIPLE INDEX FILES CAN BE EASILY CREATED WHICH ALLOWS ACCESS OF A SINGLE DATABASE BY MULTIPLE KEYS (FOR EXAMPLE, BY BOTH NAME AND ZIP-CODE)

MODEL-I VERSION \$100.00
MODEL-II VERSION \$175.00
MODEL-III VERSION \$100.00

MAILLIST (A MAILING LIST DATABASE SYSTEM)

- IDEALLY SUITED FOR ORGANIZATION MAILING LISTS, PERSONAL ADDRESSBOOK, OR MAILING LISTS BASED ON DATES SUCH AS REMINDERS FOR BIRTHDATES OR DUES PAYABLE
- USED ISAM (INDEX SEQUENTIAL ACCESS METHOD) FOR RAPID ACCESS TIMES
- YOUR **MAILLIST** CAN ALWAYS BE SORTED AND MAINTAINED BY UP TO FOUR INDEX FILES (FOR EXAMPLE, NAME, ZIPCODE, DATE AND NUMBER)
- **MAILLIST** ALLOWS UP TO 30 ATTRIBUTES TO BE SPECIFIED (TO BE USED IN SELECTION OF SPECIFIED RECORDS WHEN GENERATING REPORTS OR MAILING LABELS)
- **MAILLIST** SUPPORTS BOTH 5 OR 9-DIGIT ZIPCODES
- PRINTING MAY BE STARTED OR ENDED AT ANY POINT IN THE LIST...THE USER CAN SPECIFY FIELDS OR CODES TO BE PRINTED
- CAPACITY IS 600 NAMES FOR MODEL-I, 3500 NAMES FOR MODEL II, 38,000 NAMES FOR MODEL II WITH HARD DISK DRIVE, 1200 NAMES FOR MODEL III

MODEL-I VERSION \$75.00
MODEL-II VERSION \$150.00
MODEL-III VERSION \$75.00

HSDS HARD DISK DRIVE SOFTWARE

- MAKES TRSDOS COMPATIBLE WITH MOST HARD DISK DRIVES.
- ADDS MANY EXTRA FEATURES TO TRSDOS..... \$400.00

COMPROC (COMMAND PROCESSOR)

- AUTO YOUR DISK TO PERFORM ANY SEQUENCE OF INSTRUCTIONS THAT YOU NORMALLY GIVE FROM THE KEYBOARD (FOR EXAMPLE, INSERT THE DISKETTE, PRESS THE RESET BUTTON, YOUR COMMAND FILE COULD AUTOMATICALLY SHOW YOU THE DIRECTORY, SHOW THE FREE SPACE ON THE DISKETTE, LOAD A MACHINE LANGUAGE SUBROUTINE, LOAD BASIC, LOAD AND RUN A BASIC PROGRAM, AND SELECT A GIVEN ITEM ON YOUR MENU...ALL WITHOUT TOUCHING THE KEYBOARD)

MODEL-I VERSION \$20.00
 MODEL-III VERSION \$30.00
 NOT AVAILABLE FOR MODEL-II

DISCAT (DISKETTE CATALOG SYSTEM)

- THIS COMPREHENSIVE DISKETTE CATALOGUING/INDEXING UTILITY ALLOWS THE USER TO KEEP TRACK OF THOUSANDS OF PROGRAMS IN A CATEGORIZED LIBRARY...FILE INCLUDES PROGRAM NAMES AND EXTENSIONS, PROGRAM LENGTH, DISKETTE NUMBERS AND FREE SPACE ON EACH DISKETTE...KEEP A COMPLETE CATALOG OF THE DIRECTORIES ON ALL YOUR DISKETTES IN ALPHABETICAL ORDER (SORTED ON EACH DISKETTE, OR COMPLETE ALPHABETICAL LIST OF PROGRAMS ON ALL YOUR DISKETTES)

MODEL-I VERSION \$50.00
 MODEL-III VERSION \$50.00
 MODEL-II VERSION (SEE MODEL-II UTILITY PACKAGE)

BLINK (BASIC LINK FACILITY)

- LINK FROM BASIC PROGRAM TO ANOTHER SAVING ALL VARIABLES
- THE CHAINED PROGRAM MAY EITHER REPLACE THE ORIGINAL PROGRAM OR CAN BE MERGED BY STATEMENT NUMBER

MODEL-I VERSION \$25.00
 MODEL-III VERSION \$30.00
 MODEL-II VERSION (SEE MODEL-II UTILITY PACKAGE) \$50.00

INFINITE BASIC

- ADDS OVER 80 COMMANDS TO BASIC
- SORTING...STRING CENTERING/ROTATION/TRUNCATION...JUSTIFICATION...DATA COMPRESSION...STRING TRANSLATION/COPYING...SCREEN DISPLAY...SCROLLING...MATRIX OPERATIONS, SIMULTANEOUS EQUATIONS (THROUGH MATRIX INVERSION)...DYNAMIC ARRAY RESHAPING

MODEL-I VERSION \$50.00
 MODEL-III VERSION \$60.00
 NOT AVAILABLE ON MODEL-II

INFINITE BUSINESS

- ADD ON PACKAGE TO INFINITE BASIC (REQUIRES INFINITE BASIC)
- ADDS PACKED DECIMAL ARITHMETIC WITH 127 DIGIT ACCURACY (+,0,-,/,)
- COMPLETE PRINTER PAGINATION CONTROLS, AUTO HEADERS, FOOTERS AND PAGE NUMBERS
- BINARY SEARCH OF SORTED AND UNSORTED ARRAYS (INSTANT SEARCH OF AN ELEMENT WITHIN AN ARRAY)
- HASH CODES

MODEL-I VERSION \$30.00
 MODEL-III VERSION \$30.00
 NOT AVAILABLE ON MODEL-II

REMODEL-PROLOAD

- THE ULTIMATE RENUMBERING PROGRAM...RENUMBERS ALL OR PART OF A PROGRAM (ALLOWS PARTIAL RENUMBERING IN MIDDLE OF PROGRAMS)
- PARTIAL OR COMPLETE MERGE OF TWO CASSETTE PROGRAMS

MODEL-I VERSION \$35.00
 MODEL-III VERSION \$35.00
 NOT AVAILABLE ON MODEL-II

COPSYS

- COPY AND VERIFY ALL MACHINE LANGUAGE (SYSTEM) TAPES WRITTEN IN STANDARD FORMAT...IF YOU BUY A MACHINE LANGUAGE PROGRAM, COPSYS ALLOWS YOU TO EASILY COPY THE PROGRAM ONTO ANOTHER CASSETTE AS A BACKUP

MODEL-I VERSION \$15.00
 MODEL-III VERSION \$20.00
 NOT AVAILABLE ON MODEL-II

FOR DEALER

INFORMATION CALL: **RACET COMPUTES**

1330 N. GLASSEL, SUITE M, ORANGE CA 92667
 (714) 997-4950

MODEL II SPEEDUP—FAST DISK I/O

THIS IS AN ENHANCEMENT FOR TRSDOS 2.0 THAT WILL RADICALLY DECREASE DISK ACCESS TIME.

- DISKS BOOT FASTER TO DOS
- IMPROVE DISK I/O UNDER BASIC

MODEL II ONLY \$99.95



MODEL II FASTBACK — FULL DISK BACKUP IN 55 SECONDS

- IN BUSINESS TIME IS MONEY, AND ONE BACKUP IS WORTH A THOUSAND TEARS.
- WORKS ON SYSTEMS WITH 2 OR MORE DRIVES
- CAN REPLACE YOUR EXISTING TRSDOS 1.2 or 2.0 BACKUP UTILITY

MODEL II ONLY \$75.00



MODEL-II UTILITY PACKAGE

- ESSENTIAL FOR EVERY MOD-II OWNER
- RECOVER AND REPAIR FILES AND DIRECTORIES (BY JUST ENTERING A SINGLE COMMAND)
- XCOPY...SIMILAR TO COPY BUT CAN COPY ANY NUMBER OF FILES AT ONE TIME FASTER AND MORE ACCURATE THAN COPY SINCE RECORDS ARE COPIED IN GROUPS RATHER THAN ONE RECORDS AT A TIME...USING XCOPY YOU CAN COPY FILES THAT CAN NOT BE COPIED USING THE COPY COMMAND
- SZAP...PROVIDES THE CAPABILITY TO READ AND MODIFY ANY SECTOR ON A DISKETTE
- XHIT...CAN BE USED TO REPAIR A DISKETTE DIRECTORY
- DCS...DIRECTOR CATALOG SYSTEM IS A UTILITY FOR THE MANAGEMENT OF USER DISKETTES...SETS OF A MULTIPLE DISKETTE DIRECTORY FILE (WITH UP TO 1200 INDIVIDUAL FILE NAMES)...ALLOWS SELECTIVELY LISTED OR PRINTED LISTS OF DIRECTORY FILES IN COMBINED SORTED ORDER (FOR EXAMPLE, LISTED ALPHABETICALLY BY DISKETTE, OR A COMPOSITE ALPHABETICAL LIST OF ALL YOUR DISKETTES)
- DEBUG-II...ADDS SEVERAL FEATURES TO THE PRESENT TRSDOS DEBUG UTILITY INCLUDING SINGLE INSTRUCTION CYCLE, AUTO (LOOP) BREAKPOINTS, SUBROUTINE CALLING, BREAK-KEY DETECTION AND MANY OTHERS

MODEL-II ONLY \$150.00

MODEL-II DEVELOPMENT SYSTEM

- THIS PACKAGE IS A MUST FOR ASSEMBLY LANGUAGE PROGRAMMERS
- INCLUDES THE MICROSOFT EDITOR ASSEMBLER PLUS WITH ENHANCEMENTS FOR THE MODEL-II
- A COMPLETE DISASSEMBLER
- SUPERZAP FOR READING AND MODIFY ANY SELECTOR ON A DISKETTE

MODEL-II ONLY \$125.00

MOD-II BASIC CROSS REFERENCE UTILITY

- LIST OR PRINT A SORTED CROSS REFERENCE TO ALL NUMBERS OR VARIABLES WITHIN A PROGRAM
- LIST OF PRINT ALL LINE NUMBERS CONTAINING A SPECIFIED STRING OF CHARACTERS

MODEL-II ONLY \$50.00

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***

END USERS
CALL:

COMPUTRONICS
 NATIONAL DISTRIBUTION



50 N. PASCACK ROAD
 SPRING VALLEY, NEW YORK 10977

24 HOUR
 ORDER
 LINE
 (914) 425-1535



NEW TOLL-FREE
 ORDER LINE
 (OUTSIDE OF N.Y. STATE)
 (800) 431-2818

ADD \$3.00 FOR SHIPPING IN UPS AREAS
 ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
 ADD \$5.00 TO CANADA AND MEXICO
 ADD PROPER POSTAGE OUTSIDE OF U.S., CANADA AND MEXICO

DEALER INQUIRIES WELCOME

H & E COMPUTRONICS INC.

• • EVERYTHING FOR YOUR TRS-80™ MODEL I or MODEL III • •

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp.

Apparat, Inc.
introduces

NEWDOS/80

For the 80's —
an enhanced NEWDOS
for your TRS-80™



Apparat, Inc., announces the most powerful Disk Operating System for the TRS-80™. It has been designed for the sophisticated user and professional programmer who demands the ultimate in disk operating systems.

• DOUBLE DENSITY ON MODEL I

Use of the LNW DOUBLE or the PERCOM DOUBLER will expand storage 80% under NEWDOS/80 Version 2.0, mixing single and double density specifications without any patches.

• SINGLE DENSITY ON MODEL III

Will allow the MODEL III to read disk from MODEL I and to write disks the MODEL I can read, making it easy to move programs between the two machines.

• EXPANDED DIRECTORIES

Directories can be expanded three times the normal number of available entries, even on DOS disks. This is extremely useful when using double density.

• DYNAMICALLY MERGE IN BASIC

To allow sections of BASIC programs to be deleted and replaced with lines from a disk file during program execution. Also allows merging of non-ASCII format files.

• SELECTIVE VARIABLE CLEARING

Allows the programmer to keep some variables and release the space used by the rest; also specific variables may be erased releasing the space they use.

• PAGE SCROLLING IN BASIC

Scrolling has been modified to allow the user to display programs page by page, in addition to the regular line scrolling.

• REPEAT FUNCTIONS

Keys in MODEL I repeat when held down. Entering "R" as a DOS command causes the previous DOS command to be repeated.

• ROUTING FOR DEVICE HANDLING

To send input and output from one device (display, printer, keyboard, etc.) to others or to a routine in main memory.

• DISASSEMBLER OUTPUT TO DISK

The Disassembler will now write a source code file to disk, which the editor assembler can read and edit.

• CHAINING ENHANCEMENTS

Features to allow chain files to be written from SCRIPSIT; also chaining may be switched on and off without changing chain file positioning, and may be executed via CMD "xxx" and DOS-CALL.

• SUPERZAP

Has the ability to scan diskettes or disk files to find the occurrences of specific values. Also will generate disk file passwords and hashcode.

• FAST SORT ROUTINE

Basic function CMD "O" provides direct or indirect in-memory sort of multiple arrays.

• MERGING OF NON-ASCII BASIC PROGRAMS

• BASIC SINGLE STEPPING

- New BASIC commands that supports files with variable record lengths up to 4095 Bytes long.
- Mix or match disk drives. Supports any track count from 18 to 80. Use 35, 40 or 77 track 5" mini disks drives or 8" disk drives, or any combination.
- A security boot-up for BASIC or machine code application programs. User never sees "DOS READY" or "> READY" and is unable to "BREAK", clear screen, or issue any direct BASIC statement including "LIST."
- New editing commands that allow program lines to be deleted from one location and moved to another or to allow the duplication of a program line with the deletion of the original.
- Enhance and improved RENUMBER that allows relocation of subroutines.
- CDE function; simultaneous striking of the C, D and E keys will allow the user to enter a mini-DOS to perform some DOS commands without disturbing the resident program.
- Upward compatible with NEWDOS 2.1 and TRSDOS 2.3.
- Includes Superzap 3.0 and all Apparat 2.1 utilities.

COMPUTRONICS

MATHEMATICAL APPLIED ELECTRONICS

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

24 HOUR
ORDER LINE
(914) 425-1535

NEW DOS/80
(TRS-80 MODEL I or MODEL III) \$149.00

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE U.S., CANADA & MEXICO

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***

DOSPLUS


3.4

From

**MICRO SYSTEMS
SOFTWARE, INC.**



Replaces TRSDOS™ with the most powerful and sophisticated operating system you can get for your TRS-80™ Model I or III (New Model II version also*)



THE ORIGINAL DOSPLUS CONTAINS ALL OF THE FOLLOWING FEATURES

- 1) Radio Shack compatibility
- 2) Error free variable length records
- 3) Full lower case detection and support
- 4) Repeating keyboard with NO keybounce EVER
- 5) Shift [0] typewriter keyboard option
- 6) Execute only protection feature for BASIC programs
- 7) Automatic track support for 35 through 80 track drives (mixed)
- 8) Device I/O handling with FORCE command
- 9) Supports high speed clock modification (up to 4.0Mhz)
- 10) Supports mixed mode (single & double density) automatically
- 11) Allows disable-enable to break key
- 12) Allows user to define step rate per drive and re-configure system disk
- 13) Allows for efficient use of double-headed drives
- 14) Built in screen printer (shift [CLEAR] with [BREAK] key abort)
- 15) Multiple command chaining with "DO"
- 16) Built in memory test with CLEAR command
- 17) New printer driver which allows complete forms control and paging
- 18) Automatic serial printer driver with optional auto linefeed
- 19) Execute any DOS command from BASIC and return to BASIC
- 20) Free space map of diskette with optional output to printer
- 21) Copy with variable length files
- 22) Complete RS232 control from keyboard with status check
- 23) Create and pre-allocate files from DOS
- 24) Display current date and time from DOS
- 25) More information from Directory with optional printer output
- 26) Enter DEBUG with shift [BREAK] to allow use of [BREAK] from BASIC
- 27) New DISKDUMP/CMD sector display/modify program (works with filespecs)
- 28) New DISKZAP/CMD single/double density disk editor
- 29) New BACKUP (more reliable, no more pack ID check)
- 30) New FORMAT (more reliable, no need to bulk erase disk first)
- 31) New MAP utility (maps out disk, showing where files are located)

PLUS New DOSPLUS Z80 Extended Disk BASIC

- 1) Faster loads and saves
- 2) BASIC Reference utility (lines, variables, keywords, printer option)
- 3) BASIC Renumber utility (renumber section of text, block text move)
- 4) Shorthand features for almost ANY direct command (LOAD, SAVE, etc.)
- 5) Shorthand features for editing (listing and editing with single key)
- 6) CMD"M" instantly displays currently set variables
- 7) Global search and replace in BASIC text
- 8) Line printer TAB to 255
- 9) OPEN"E" to end of sequential file (for output)
- 10) DI (delete and insert text line)
- 11) DU (duplicate text line)
- 12) "R" & "V" options after LOAD and RUN (files open & save variable)
- 13) OPEN"D" allowed (Model II compatible) equal to OPEN"R"
- 14) DOS commands from BASIC
- 15) Automatic, error-free variable length records
- 16) Single step execution with TRON (fabulous for debugging)
- 17) CRUNCH (BASIC program compressor)
- 18) New TBASIC (tiny BASIC) offers full BASIC commands
- 19) TBASIC and DOSPLUS together only use BK of RAM (40K left in 48K TRS-80)

★ Announcing

DOSPLUS II For The TRS-80™ Model II



Now Model II owners can get the power of DOSPLUS. DOSPLUS II replaces TRSDOS with an ultra-sophisticated operating system that is 5 or more times faster, more reliable, and is totally compatible with all standard business-oriented software for the Model II.

\$249.95

PLUS

**** 7 MORE UTILITIES ****

- 1) Single drive copy
- 2) Restore (dead files)
- 3) Purge (unwanted files)
- 4) Clearfile (destroys data by writing zeros to file)
- 5) Transfer (moves all user files from one disk to another)
- 6) Spooler (allows printing of text while freeing up the CPU)
- 7) Crunch (Basic program compressor)

NOW

DOSPLUS 3.4 ADDS THESE NEW ADDITIONAL FEATURES

1. BASIC array sort - multi key, multi array
2. Tape/Disk - Disk/Tape utility (with relocater)
3. Input@ (controlled screen input)
4. Random access and ASCII modification on Diskdump
5. BASIC checks for active 'DO'
6. Backup and Format from a 'DO' file
7. Much improved Backup (More reliable)
8. I/O package much faster (disk access time reduced)
9. Repeat last DOS command with '/' ENTER
10. Short directory (file name and extension) available
11. Short directory of Model III TRSDOS disks
12. Single file convert from Model III TRSDOS
13. COMPLETE device routing supported (DOS and BASIC)
14. Ability to save BASIC programs directly to another machines' memory (if equipped with Dosplus 3.4)
 - Plus many more improvements
 - Includes the new expanded easy to read 200 + page users guide
 - Also includes the new DOSPLUS Z80 disk basic VER 1.6

\$149⁹⁵

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)

(800) 431-2818

24 HOUR
ORDER
LINE

(914) 425-1535

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.
CANADA AND MEXICO

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

Announcing

A NEW ENHANCED VERSION OF
THE FINEST DATA BASE SYSTEM
FOR YOUR TRS-80™ MODEL I or III

Maxi Manager

JUST CHECK SOME OF THESE FEATURES

- Supports six different relational search techniques.
- Comes with programmer's interface.
- Over 93 pages of documentation.
- Supports up to 20 user defined fields of 40 characters each.
- Record length up to 800 characters.
- Files can be up to four disks in length.
- Compatible 35, 40, 77 & 80 track drives.
- Has calculated equation fields.
- Complete report generator.
- Data can be merged into letters.



MAXI MANAGER for TRS-80 Models 1 & 3
Requires 48K of RAM and 1 Disk Drive Minimum.

New Features Include:

- 30% INCREASE IN SORT SPEED
- RE-WITTEN USER'S MANUAL
- NOW COMPATIBLE WITH NEWSRIP™ WORD PROCESSING SYSTEM
- MAXI UTILITY, WHICH ALLOWS YOU TO RESCUE FILES ON DISKETTES DAMAGED BY WEAR OR MISUSE AND LETS YOU ADD, DELETE OR EXPAND FIELDS IN AN EXISTING DATA BASE.

- NOTE 1: File size is dependant on memory size.
- NOTE 2: Sequential files only.
- NOTE 3: User must apply own driver routine.
- NOTE 4: Hard copy print out only
- NOTE 5: Four functions (+ - * /) only
- NOTE 6: Same as note #5 with a maximum of two calculated fields.
- NOTE 7: Available as a separate program for \$99.95.
- NOTE 8: 120 character maximum.
- NOTE 9: Data structures defined in manual.
- NOTE 10: 132 characters maximum.
- NOTE 11: User option (files can be read from ascending or descending order).

\$149.95

COMPUTRONICS
MATHEMATICAL APPLIANCE SYSTEMS

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977



NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

24 HOUR
ORDER LINE
(914) 425-1535

DATA MANAGEMENT PROGRAM COMPARISON CHART

FILE CAPACITY & FORMAT

	CCA DATA MANAGER	AIDS III with CALS	MAXI MANAGER	RADEX 10	PROFILE
Maximum # of disks per file	1	1	4	31	4
Maximum # of records per file	2450	Note 1	32,767	10,199	65,535
Maximum record length	249	254	800	255	255
Maximum # of characters per field	249	254	40	254	255
Maximum # of fields	24	20	20	127	153
Maximum # of characters per field label	15	10	19	12	765
Variable length records (pack sectors)	No	Note 2	Yes	No	No

FIELD TYPES

Alphanumeric	Yes	Yes	Yes	Yes	Yes
Numeric	Yes	Yes	Yes	Yes	No
Fixed decimal numeric	Note 4	Yes	Yes	No	No
Date (MM/DD/YY)	Yes	No	Yes	No	No
Extended date (MM/DD/YYYY)	No	No	Yes	No	No
Calculated equation	Note 5	Note 6	Yes	No	No
Permanent fields	Yes	No	No	No	No

SORTING

Machine language assisted	No	Yes	Yes	Note 7	Yes
Sort by any field	Yes	Yes	Yes		Yes
Number of Sort Key files	1	1	5		1
Numeric sort	Yes	Yes	Yes		No
Ascending sort	Yes	Yes	Yes		Yes
Descending sort	Yes	Yes	Note 11		Yes
Sort within a selected range	No	No	Yes		No
Sort multiple fields simultaneously	Yes	Yes	No		No

FILE MAINTENANCE

Fixed length input fields	Yes	Yes	Yes	Yes	Yes
Single key entry of common data	No	No	Yes	No	No
Single field EDIT selection	Yes	Yes	Yes	Yes	Yes
Skip record (next or previous)	Yes	Yes	Yes	No	Yes
Search & EDIT record	No	Yes	Yes	No	Yes
Search & DELETE record	No	Yes	Yes	No	No
Auto rejection of alphanumeric data in numeric field	Yes	No	Yes	No	No

RECORD SELECTION TECHNIQUES

Record number	Yes	Yes	Yes	Yes	No
Binary search (high speed)	No	No	Yes	No	No
Maximum # of simultaneous keys	1	4	10	31	1

RELATIONAL COMPARISONS

Equal	No	Yes	Yes	Yes	Yes
Not equal	No	Yes	Yes	No	Yes
Greater than	No	Yes	Yes	Yes	Yes
Less than	No	Yes	Yes	Yes	Yes
Instring	Yes	No	Yes	Yes	No
AND / OR	No	No	Yes	Yes	No
Wild card masking	No	No	Yes	No	No

PRINTING

User specified page title	Note 8	Yes	Yes	No	Note 10
User specified column headings	No	No	Yes	No	Yes
Automatic page numbering	Yes	Yes	Yes	Yes	Yes
Right justification	No	Yes	Yes	No	No
User defined column widths	Yes	No	Yes	Yes	Yes
User defined column separators	No	No	Yes	No	No
Keyboard entered columnar values	No	No	Yes	No	No
Merge data into form letters	No	No	Yes	No	No
Form filling applications	No	No	Yes	No	No
Columnar totals	Yes	Yes	Yes	No	No
Columnar subtotals generated upon change in a specific field	Yes	Yes	Yes	No	No
Built in screen print	No	No	Yes	No	No


MISCELLANEOUS

Cost	\$75.00	\$94.90	\$99.95	\$99.00	\$79.95
Punctuation allowed within data fields	Yes	?	Yes	Yes	Yes
Upper / Lower case	Note 3	Note 3	Yes	Note 3	Note 3
Built in RS-232-C driver	Note 3	Note 3	Yes	Note 3	Note 3
Built-in TRS-232 driver	Note 3	Note 3	Yes	Note 3	Note 3
Programmer's interface	Note 9	Note 9	Yes	No	Note 9
Sample DATA disk	No	No	Yes	No	No
Documentation (# of pages)	?	?	93	38	29

©COPYRIGHT 1981 Adventure International

- * ADD \$3.00 FOR SHIPPING IN UPS AREAS
- * ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
- * ADD \$5.00 TO CANADA AND MEXICO
- * ADD PROPER POSTAGE OUTSIDE OF U.S., CANADA & MEXICO

TRS-80™ Owners: Get MAXI Power With **MAXI CRAS** **MAXI STAT** **MAXI MAIL**



MAXI CRAS Check Register Accounting System

MAXI CRAS is a TRS-80™ computerized check writing and recording system for personal or small business use. With MAXI CRAS, you can print a month's worth of checks in minutes (singly or on continuous forms), or you can write checks by hand and enter them into the register at your convenience. MAXI CRAS also eases the burden of reconciling your bank statement by providing the information you need to know quickly and efficiently. And MAXI CRAS never places a limit on your financial activity like some systems — **write as many checks per month as you need!**

But MAXI CRAS does much more than balance a checking account; it's an indispensable tool for managing money most effectively. You create up to 223 income and expense accounts in the system, and at any time, you can print a detailed statement that shows all activity in one or more of your accounts over a specified period of time. You always know exactly where your money is coming from and where it's going.

There's more! You can print complete check registers, income and expense sub-totals, and an account distribution statement that tells how each transaction was distributed over the individual accounts.

If you're weary of the messy, inefficient ledger method of bookkeeping, if you've been disappointed with other financial managing systems that don't deliver what they promise, then you're ready for best. We mean it when we say — **MAXI CRAS MEANS BUSINESS.**

ORDER NOW!

TRS-80™ 48K DISK Model I and III \$99.95

MAXI STAT Statistical Analysis Package

MAXI STAT is a revolutionary new program that was designed as a complete analysis package for the TRS-80™. If you're familiar with SPSS (Statistical Package for the Social Sciences) and what it does for statistical analysis on mainframe computers, then you have an idea of what MAXI STAT can do on your microcomputer. The following description of MAXI STAT is divided into the 3 main components of statistical analysis:

(1) CODEBOOK

The codebook describes the data file format and the labels to be used for all statistical printouts. The four programs have been designed for complete codebook creation and editing. They are menu-driven and have incorporated several automatic error-checking routines.

(2) DATA ENTRY

MAXI STAT's data entry procedure is designed for speed and ease of entry. Entering and editing the raw information you wish to analyze is facilitated by the use of either fixed or free format. The four Data Management programs are menu-driven and are designed with a special backup feature that will save the data on disk at user-specified intervals.

(3) CONTROL FILES AND STATISTICAL ANALYSES

With MAXI STAT, you create the task control file to describe the types of analyses you would like printed. Hundreds of tasks can be specified with only one control file and analysis may be done on ranges of variables.

MAXI STAT is the most useful statistical analysis package on the market today. It was written and designed to allow maximum flexibility in designing your own analysis.

If you're in need of a program that adapts to your specifications, you need MAXI STAT.

ORDER NOW!

TRS-80™ 48K DISK Model I and III \$199.95

MAXI MAIL Mailing List Management System

The **ultimate** in low-cost mail list management is now here — MAXI MAIL, the latest entry in the highly acclaimed MAXI series. MAXI MAIL is a powerful mail list management system that's easy to use and has **totally unlimited storage capacity**. Completely menu-driven and loaded with error trapping routines and safeguards, each MAXI MAIL data disk will hold approximately 1000 names and addresses; you can add as many extra data disks as you like! MAXI MAIL prints address labels, too — up to four across and in any configuration you want. An alignment test ensures that everything is just right before your data printing begins. MAXI MAIL also merges data, supports three numeric codes (of up to four characters each), and offers all of the features necessary for professional mail list management.

So, if you need a dependable, easy-to-use mail list management system at an affordable price, your search is at an end. MAXI MAIL means business!

ORDER NOW!

TRS-80™ 48K DISK, Model III Only (2 drives required) \$99.95

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

— ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE —
— DELIVERY SUBJECT TO AVAILABILITY —



24 HOUR
ORDER
LINE



(914) 425-1535

If you own a TRS-80, you've GOT to have this book!

Learning TRS-80 BASIC

for Models I, II/16 and III

FROM AMERICA'S MOST IMITATED COMPUTER AUTHOR . . .

THE ULTIMATE TRS-80™ BASIC BOOK!

COMPLETE COVERAGE OF MODEL I, II, III and 16 BASIC's.

ABOUT THE BOOK

* TRS-80 is a trademark of Radio Shack




In 1977 David Lien wrote the Original Level I TRS-80 Learner's Manual furnished with all Model I computers. This step-by-step, illustrated, nonintimidating manual introduced thousands of beginners to the concepts and practices of BASIC programming. The manual was a huge success, and won universal acclaim as the best BASIC training manual ever written. Dr. Lien's teaching style created an immediate rapport with novice users, helping them to feel more comfortable with their computers, and more curious to about programming. Translated into numerous foreign languages, it soon became the world's best selling tutorial-style computer book. A revised version is still sold by Radio Shack.

Level II BASIC was introduced in 1978 and Dr. Lien wrote **LEARNING LEVEL II** released by Compusoft Publishing. This book was bought by thousands of users at \$16.95, and quickly became the standard training manual for Level II BASIC (although the book is NOT sold by Radio Shack). In addition to teaching users how to take advantage of the power of Level II BASIC, this book helped bridge the gap between Level I and Level II.

In his own unique style, Dr. Lien has used his great expertise to create the most comprehensive training manual ever written on BASIC programming for all TRS-80 computers. Completely re-organized and updated, **LEARNING TRS-80 BASIC** clearly instructs you in BASIC programming for TRS-80 Models I, II, III and 16 in a smooth flowing, easy-to-understand tutorial style. In addition to complete descriptions of each BASIC command, one or more sample programs are included to illustrate each command's use. Even the "know-it-all" programmer who thinks he knows all there is to know about BASIC will find a wealth of information not available elsewhere on use of PEEKs and POKEs, sorting techniques, disk BASIC usage, error handling and more. Schools teaching BASIC programming will find this to be an ideal textbook, with question and answer approaches and exercises at the end of each section that help the student make sure he understands the most important concepts, and is ready to move on to the next section.

Whether you're a beginner or an expert programmer, whether you're studying alone at home, or in a class with a teacher, **IF YOU OWN A TRS-80, YOU NEED A COPY OF THIS BOOK.**

\$19.95



COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818



24 HOUR
ORDER
LINE



(914) 425-1535


All prices and specifications subject to change / Delivery subject to availability

CompuSoft™ Publishing Proudly Announces...

The New 2nd Edition Of THE BASIC HANDBOOK

Not A Dictionary, Not A Text, It Is A Virtual ENCYCLOPEDIA Of The BASIC Language, Explaining All You Need To Know About Over 500 BASIC Statements, Functions, Operators and Commands.

An Encyclopedia of the BASIC computer language.
by Dr. David A. Lien



(480 pages - Soft Cover) **\$19.95**

The BASIC Handbook has never been this complete. The Expanded Second Edition gives you over twice as much information as the First Edition, explaining nearly 500 BASIC words. The Handbook features special sections on Disk BASIC, TRS-80 Extended Color BASIC, Atari BASIC, Acorn Atom BASIC, Tektronix BASIC and "Converting Programs From One Computer For Another."

The computer industry has experienced tremendous change in the last three years. Hundreds of new computers have been introduced since The BASIC Handbook was released in 1978. The Second Edition meets the challenge head-on, documenting every significant BASIC word used by every BASIC-speaking computer.

This new Edition makes program conversion easy. Its widely acclaimed feature, "If Your Computer Doesn't Have It" has been expanded. Each BASIC word is alphabetically listed, with **Test Programs** and **Sample Runs**, **Variations in Usage** combine with **Alternate Spellings** to totally cross-reference each BASIC word.

Who needs the BASIC Handbook?

Every user of the BASIC language needs the Handbook! Hobbyists converting between BASIC "dialects" need it. Students learning and using BASIC on any size computer need the Handbook as a supplement to their BASIC language text. Programmers at every level will use it constantly to find better ways to achieve the needed results.

What versions of BASIC does it cover?

There are nearly a **hundred** versions of BASIC in use today. No wonder we keep seeing strange new BASIC words. Dr. Lien has selected over 50 of the most used dialects and explained every commonly used statement, function, operator and command.

Interlocking subroutines: Every subroutine has been constructed so the numbers won't overlap with others in the book. Assemble any combination of the subroutines needed to do the job — with no line conflicts!

Alternate programming techniques: The popular "If Your Computer Doesn't Have It" feature has been expanded throughout the book.

Complete Index: The increased complexity of the language mandated that an index be added.

"Converting Programs From One Computer For Another" This special section provides valuable tips on how to translate a program with a "foreign" BASIC to run on your machine.

Foreign computers: Virtually every BASIC-speaking computer in the world is covered. You need the new Handbook to translate BASIC words used by Britain's Sinclair, Sweden's ABC-80, Australia's System 80, Japan's NEC and many others.

Plus these Special Sections

- ★ **Disk BASIC:** A helpful supplement to your Owner's Manual and a good introduction to the theory of Disk BASIC.
- ★ **TRS-80 Extended Color BASIC:** A comprehensive explanation of Radio Shack's newest BASIC.
- ★ **Atari BASIC:** You see programs written in this popular BASIC in nearly all the magazines. A special section explains its unique words and features.
- ★ **Acorn Atom BASIC:** The Atom is one of Europe's favorites, but its BASIC is very different. It's fully documented in this Second Edition.
- ★ **Tektronix BASIC:** A graphics-oriented BASIC used extensively by engineers and scientists.

Covers These Computers:

- TRS-80 (all models) • APPLE • IBM • Atari • Wang • Commodore PET
- Sorcerer • Northstar • Acorn Atom • UNIVAC • System 80 • Hewlett Packard • Heathkit • Ohio Scientific • Texas Instruments • Sinclair
- DEC • Sharp • Vector • NEC • Plus hundreds more!

COMPUTRONICS!
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977



**24 HOUR
ORDER
LINE**

(914) 425-1535

**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE***

Announcing AUTOGRAMMER.

Now you can write the programs your business needs—
even if you have no programming experience!

Until now, you either had to hire an expensive programmer to custom tailor existing software to your business, or else try to adapt your business to someone else's software. The classic dilemma of the square peg in the round hole.


But now there's Autogrammer. Software designed to let non-programmers generate their own programs. No need for programming knowledge. No need to learn any programming language. All you have to know are the needs of your own business.

EASY!

Autogrammer is as easy to use as a typewriter, yet so powerful it puts all the muscle of your computer right at your fingertips. Many applications require only 10 or 15 minutes to complete. What you type on the screen, Autogrammer turns into a machine-language program that's ready to run.

VERSATILE!

Autogrammer has thousands of applications for both business and personal needs. Inventory records, sales and earnings projections, tax calculations, forecasts, employees files, stock market analyses. Using Autogrammer, you can create even complex programs



such as tracking inventories, adding purchases, subtracting sales, crediting accounts, report and adjust for daily sales, add back to inventory, make adjustments for credits, defects, shipping charges, and much more. Having this kind of vital information available can simplify business decisions and save you money.

FLEXIBLE!

As your needs change, Autogrammer-generated applications can easily be revised, updated, expanded, or combined. Autogrammer writes finished, stand-alone programs which do not require Autogrammer for running. They work first time, every time. Everybody in your organization

can use Autogrammer to generate custom programs. It's so simple, anyone can become an Autogrammer quickly and easily.

Autogrammer allows you to print from screen with one simple command or list the entire data base. The optional Report Generator allows you to organize and then report from the data base in the format you choose.

Autogrammer by Roklan costs \$299.95 and is available for Tandy TRS-80* model II and soon for models I, III

and CP/M versions, with other versions soon to come. Optional Report Generator, \$199.00, for in-depth reporting from the data base.

LET'S FACE IT.

Nobody knows your business like you do. With Autogrammer, you can write your own programs and gain control of your own business by generating exactly the information you need.

Autogrammer for TRS-80* model II is available from H&E Computronics Inc. and other major distributors and dealers nationally.

The end of the square peg in the round hole.

*Registered trademark of Tandy Corp.

DEALER INQUIRIES ONLY:

ROKLAN SOFTWARE
10600 W. HIGGINS RD.
SUITE 200
ROSEMONT, IL 60018
(312) 297-5088

END USER ORDERS:

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.
CANADA AND MEXICO

24 HOUR
ORDER
LINE

(914) 425-1535

NEW TOLL-FREE


ORDER LINE
(OUTSIDE OF N.Y. STATE)

(800) 431-2818

THE BOX

12 MEGABYTE 5-1/4" HARD DISK DRIVE

TRS-80* • APPLE* • IBM* • HEATH* • ZENITH* • XEROX*



THE BOX WORKS

We're so convinced that **THE BOX** is exactly what you need that we'll let you try it for 10 days. If you're not satisfied with the incredible speed and capacity of this system — return it for a full refund.

THE FACTS

- Cost: **\$2995*** per drive, complete
- Plugs directly into the Model III
- Model II systems require installation of Radio Shack's hard disk drive port modification (about \$30)
- Winchester Technology
- Add up to 3 additional drives
- Full one year warranty on all parts and workmanship provided by manufacturer
- Boots up in seconds
- Direct installations in minutes
- Availability - **NOW!**

Model III TRSDOS-Compatible Operating System	\$149.00
Model III DOSPLUS-Compatible Operating System	\$250.00
Model III LDOS-Compatible Operating System	\$250.00
Model II TRSDOS-Compatible Operating System	\$400.00
Model II CP/M-Compatible Operating System	\$250.00

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818



24 HOUR
ORDER
LINE

(914) 425-1535



*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE***

Computer Books and Software from IJG



Microsoft trademark Microsoft Corporation
TRS-80 trademark TANDY Corporation
Apple trademark Apple Computer Inc.
Electric Pencil 1981 Michael Shrayer

TRS-80™ DISK & OTHER MYSTERIES by H.C. Pennington

TRS-80 Disk and Other Mysteries is the definite fix-it book for disk users. More than 130 pages of easy to read entertaining and immensely useful information. Find out how to recover disk files, the layout of information on disks, memory maps, problem solutions . . . the list goes on!

Many readers have saved days of work by recreating disk files that were unreadable. TRS-80 Disk and Other Mysteries have received favorable reviews in several magazines . . . \$22.50

MICROSOFT™ BASIC DECODED & OTHER MYSTERIES by James Farvour

Microsoft Basic and Other Mysteries is the definite guide to your Level II ROMS. With more than 7,000 lines of detailed comments and 6 additional chapters packed with information, it is easily the biggest and best book about the Level II ROMS available.

Exploit the power of Microsoft Basic with the aid of more than 300 pages of tested examples, explanations, and detailed comments. \$29.95

THE CUSTOM TRS-80™ & OTHER MYSTERIES by Dennis Bathory Kitsz

Ever wanted to do things to your TRS-80™ that Radio Shack said couldn't be done? How about reverse video, high resolution graphics, and audible keystrokes?

Not enough? How about turning an 8-track into a mass storage device, making music, controlling a synthesiser, individual reverse characters, and a real-time clock just to name a few?

The Custom TRS-80™ and Other Mysteries is packed with more than 290 pages of practical information . . . \$29.95

BASIC FASTER AND BETTER & OTHER MYSTERIES by Lewis Rosenfelder

BASIC is not nearly as slow as most programmers think. BASIC Faster and Better shows you how to supercharge your BASIC, with 300 pages of fast, functions and subroutines.

You won't find any trivial, poorly designed check-book-balancing' programs in this book — it's packed with useful programs.

Tutorial for the beginner, instructive for the advanced, and invaluable for the professional, this book doesn't just talk . . . it shows how! All routines are also available on disk, so that you can save hours of keyboarding and debugging.

The #1 disk BFBDEM contains all the demonstration programs, and #2 BFLIB has all the library functions . . . \$29.95

BFBDEM (demonstration disk) \$19.95 / BFLIB (library disk) \$19.95



THE CUSTOM APPLE™ by W. Hofacker and E. Floegal

This new book is a complete guide to customizing your Apple, both with software and hardware additions and modifications. Install extra memory, sound chips, analog-to-digital converters, and many other modifications with the instructions in this book. Turn your APPLE into a terminal or into a piano! . . . \$24.95

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO



24 HOUR
ORDER
LINE




(914) 425-1535

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)

(800) 431-2818



*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***



ELECTRIC pencil

VERSION 2.0

**The New Enhanced Version Of The
World's Greatest Word Processor Is Here.**

The new ELECTRIC PENCIL 2.0 for TRS-80 Models I and III Available for Disk, Cassette and Stringy Floppy Systems

The ELECTRIC PENCIL System is easy to learn and easy to use -- its simple command structure will make you a word processing expert in minutes. The ELECTRIC PENCIL Manual serves both as a quick reference guide and as a self-teaching manual, including pictures and examples.

The ELECTRIC PENCIL 2.0 has more features than any other word processor for the TRS-80, including:

- ☐ Easy to learn-easy to use-menu driven
- ☐ All settings are displayed in menus
- ☐ Extensive 'HOW-TO' documentation with examples
- ☐ Disk version supports tape and Stringy Floppy
- ☐ Compatible with all ASCII files (including BASIC's)
- ☐ Configure program to your own format
- ☐ All print format settings saved with file
- ☐ Runs on Model I and Model III
- ☐ Runs under all versions of TRSDOS and NEWDOS
- ☐ Fast buffer shift and type-ahead in 'INSERT' mode
- ☐ Underlining
- ☐ No keyboard modifications required
- ☐ Compatible with all lower case modifications
- ☐ Three print drivers, (parallel, serial and TRS232)
- ☐ Recognizes high memory
- ☐ Uses printer DCB - you can use any print driver
- ☐ Commands to load and save special print-drivers
- ☐ Special print drivers may be loaded at any time
- ☐ Set RS232c and TRS232 options from SYSTEM menu
- ☐ Supports serial baud rates from 110 to 9600 baud
- ☐ Supports 1500 and 500 baud tape operations
- ☐ Cursor speed command
- ☐ Incomplete/bad loads saved for your inspection
- ☐ 'Printer hangs' eliminated
- ☐ All file commands use standard TRS-80 mnemonics
- ☐ ALL versions runs with 16K, 32K or 48K
- ☐ Automatic print formatting
- ☐ Automatic repeating keyboard
- ☐ Automatic 'whole word' wrap-around
- ☐ Cursor control - up - down - right - left
- ☐ Cursor to end of file
- ☐ Cursor to beginning of file
- ☐ Tabbing
- ☐ Scrolling - 5 speeds forward and reverse
- ☐ Freeze and continue scrolling
- ☐ Cursor to top of screen
- ☐ Cursor to beginning of line
- ☐ Delete and insert characters
- ☐ Delete and insert lines
- ☐ Erase line from cursor position to end
- ☐ Insert and delete blocks of text
- ☐ Backspace and erase characters
- ☐ Search from 1 to 38 characters at one time
- ☐ Replace from 1 to 38 characters at one time
- ☐ Search without replace
- ☐ 'Conditional' search and replace
- ☐ Cursor positions over 'search' character
- ☐ Selective (wild card) search and replace
- ☐ Selective (wild card) search without replace
- ☐ Search and replace carriage return and form feed
- ☐ Repeat command
- ☐ Hard Space character
- ☐ Concatenation of long lines
- ☐ Upper and lower case shift key lock
- ☐ Exit any command with a single keystroke
- ☐ Automatically displays free memory
- ☐ Automatically displays words in file
- ☐ Selection of cursor speeds
- ☐ Selective clearing of memory
- ☐ Set your own power-up configuration
- ☐ Warm start command
- ☐ Optional automatic titling
- ☐ Optional automatic page numbering
- ☐ Right justification
- ☐ Left margin may be set from 0 to 255 spaces
- ☐ Line length may be set from 1 to 255 characters
- ☐ Line spacing may be set from 1 to 255 lines
- ☐ Page length may be set from 1 to 255 lines
- ☐ Page spacing may be set from 0 to 255 lines
- ☐ Starting page number may be from 1 to 65535
- ☐ Optional print length may be set to print partial files
- ☐ Multiple printing of text files
- ☐ Single page printing
- ☐ Printer configuration control:
 - carriage return on/off
 - line feed on/off
- ☐ All options may be changed at any time
- ☐ Loads any ASCII file
- ☐ Compatible with all files created by previous releases
- ☐ Easy backup - no fancy protection features
- ☐ Cassette control for dictation - DICTAMATIC
- ☐ Loads multiple files
- ☐ Fast disk I/O - loads 36K in under 8 seconds
- ☐ 36K text buffer (48K disk system)
- ☐ All machine language program
- ☐ Manual available separately
- ☐ Source code available - 'THE ELECTRIC PENCIL HANDBOOK'

The ELECTRIC PENCIL 2.0 for TRS-80 Models I and III
(disk) \$89.95 (cassette) \$79.95

Editing Utilities for the ELECTRIC PENCIL 2.0!

BLUE PENCIL - A text proofing addition to THE ELECTRIC PENCIL. BLUE PENCIL reads the text file and notes any spelling errors on the video or printer. It recognizes prefixes, suffixes, hyphenation and comments. The word dictionary is infinitely expandable - by you! You can add or delete your own vocabulary of words to BLUE PENCIL's dictionary.

BLUE PENCIL comes with a 50,000 word dictionary (equivalent to a Webster's Pocket Dictionary.) Typical proofing time for a 60,000 word text file is under two minutes. Requires 32K minimum, 1 disk drive. **\$89.95**

RED PENCIL - A text correction addition to THE ELECTRIC PENCIL. RED PENCIL automatically CORRECTS errors detected by BLUE PENCIL. RED PENCIL displays each misspelling and typo separately and offers you a choice of options which include: retyping the misspelled word, leaving it as is, adding it to the dictionary or displaying the word in context. If you choose to display the word in context, then you are again offered the first three choices. The text is instantly corrected and you may then proceed with your word processing chores. Typical correcting time for a 6000 word file is under two minutes. (Note: time may vary depending on the number of spelling errors.) Requires 32K Minimum, 1 disk drive and BLUE PENCIL. **\$89.95**

Also Available:

The ELECTRIC PENCIL II for the TRS-80 Model II
TRSDOS or CP/M Version \$300.00

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977



**24 HOUR
ORDER
LINE**
(914) 425-1535

**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818


* ADD \$3.00 FOR SHIPPING IN UPS AREAS
* ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
* ADD \$5.00 TO CANADA AND MEXICO
* ADD PROPER POSTAGE OUTSIDE U.S., CANADA & MEXICO

***** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE*****

H & E COMPUTRONICS INC.

• EVERYTHING FOR YOUR TRS-80™ • APPLE™ • ATARI™ • PET™ •

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. - * APPLE is a trademark of Apple Corp. - * ATARI is a trademark of Atari Inc. - * PET is a trademark of Commodore



TURN YOUR COMPUTER INTO A TEACHING MACHINE

A COMPUTER PROGRAMMING COURSE FOR BEGINNERS

STEP BY STEP Ages Junior High to Adult

32 Programs and a 64-page workbook teach programming in BASIC for the beginner. Introduces all important BASIC commands and programming logic, including simple string logic and one-dimensional arrays. Lessons are interactive, presented in a question-and-answer format on the computer screen. The workbook adds extra information. Through instruction, structured practice, and frequent skills testing the user learns how to write BASIC programs, 3 tapes, workbook, vinyl binder.

TRS-80, PET \$49.95 APPLE (Disk) \$79.95 PET (Disk) \$59.95

EDUCATIONAL GAMES

MEMORY BUILDER: CONCENTRATION Ages 6 Up

A series of educational games to improve memory, attention span and concentration. Letter and 3-letter words are used. Player has three options: play against the computer, play against him or herself, play against another player. Especially good for parent and child to play together.

\$16.95

STORY BUILDER/WORD MASTER Ages 9 Up

Series of partially completed verses that the child completes. Teaches grammar skills in an enjoyable way. Word Master is a logic game where the child tries to guess a 3-letter word generated by the computer. Teaches reasoning and vocabulary.

\$16.95

GRAPH BUILDER Ages 10 Up

11 teaching programs and games teach students to read graphs. Covers x and y coordinates, and representation of numerical data on graphs. Starts with simplest concepts and works up to complicated grid game.

TRS-80 \$16.95

CODE BREAKER Ages 10 to adult

3 scrambled message games of increasing difficulty that build basic word handling skills needed for good writing. First game scrambles letters within the words in the message; next 2 games scramble letters and also word order. The last game gives the hardest messages. Messages are made up by the computer from an extensive word list.

APPLE, ATARI, PET \$16.95

MINICROSSWORD All Ages

4 programs that consist of 2 minicrosswords and 2 codeword games. Crossword programs invent their own crossword puzzles - hundreds of completely different puzzles are possible - and score how well you do each puzzle. When used in conjunction with the codeword programs, which are word-guessing games, the course provides a vocabulary and spelling development system.

TRS-80, APPLE, ATARI \$16.95

ASTRO WORD SEARCH: GEOGRAPHY Junior high to adult

Search for hidden geographical place names in a pattern of letters generated by the computer. Words can be hidden across, down or diagonally as in the popular word-search puzzles. Hundreds of different puzzles can be formed by the puzzle in 3 programs. Computer scores you on how well you do.

TRS-80, APPLE, ATARI \$16.95

ASTRO WORD SEARCH: SPANISH High school to adult

As in Astro Word Search: Geography, the computer generates hundreds of different puzzles, but this time the hidden words are common Spanish words. Helps improve Spanish vocabulary. Computer scores you. 3 programs.

TRS-80, APPLE, ATARI \$16.95

ASTRO WORD SEARCH: FRENCH High School to Adult

Like Astro Search: Spanish, except this time, it's French vocabulary words.

TRS-80, APPLE, ATARI \$16.95

ASTRO QUOTES: High School to Adult

Fascinating game in which you guess vocabulary words from clues and the computer takes each letter from the words and puts it where it belongs in a famous quotation. As soon as you can, you guess the quotation. If it takes you too many tries to guess the quote, you lose the game. 3 versions: easy, medium hard.

APPLE, ATARI \$16.95

STUDY SKILLS

IQ BUILDER Junior High Up

A group of 4 courses that prepare a high school student for the College Boards or adult for aptitude tests.

VOCABULARY BUILDER 1: BEGINNING 11 programs include a set of graded vocabulary questions on synonyms and antonyms (the most common type of vocabulary question on an IQ test). The last lesson is a test on vocabulary. Total of 400 questions, 2000 words in course.

\$16.95

VOCABULARY BUILDER 2: ADVANCED 11 programs like those in Vocabulary 1, but using a more advanced word list.

\$16.95

NUMBER SERIES Contains 8 programs that provide practice in a common math problem type. The first lesson teaches how to approach number series and how to analyze their patterns. Later lessons provide practice with increasingly difficult problems, giving clues if you have difficulty with the problem. Final lesson is a test of abilities.

\$16.95

ANALOGIES Contains 6 programs that teach what an analogy is and what the common types are, provide a method for analyzing analogies and provide practice in handling all types of analogies. Final lesson is an analogies test.

\$16.95

LANGUAGE ARTS

READING COMPREHENSION: WHAT'S DIFFERENT? Ages 8 Up

5 reading comprehension programs which present logical problems where the student picks the one word in four which doesn't belong with the rest. Builds analytical skills essential for understanding what you read.

\$16.95

PRESCHOOL IQ BUILDER Ages 3-6

Teaches vital cognitive skills that children must learn in order to do well in school. In Part 1, Same and Different, the child discriminates between two forms. In Part 2, Letter Builder, the child matches a letter on the TV monitor to one on the keyboard. Accompanying Parent's Guide gives instruction.

\$16.95

SPELLING BUILDER Junior High Up

8 programs plus an audio cassette teach important spelling rules and skills. Helps students and adults overcome spelling difficulties. Not just spelling drill, this course teaches a method for approaching difficult words. Ideal for the student or adult who has mastered basic spelling but has trouble deciding if it's "supersede" or "supercede", "combustible" or "combustible". Final test of 25, ten-word lists.

\$19.95

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977



24 HOUR
ORDER
LINE
(914) 425-1535



NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

- All programs are for TRS-80 Level II, APPLE, ATARI and PET unless otherwise noted.
- All programs for TRS-80 are ONLY available on tape.
- ATARI programs are available on tape or disk (add \$7 for disk version)
- All APPLE programs are ONLY available on disk (add \$7)


*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***



SELF-TEACHING GUIDES



John Wiley & Sons



USING CP/M®

Judi N. Fernandez & Ruth Ashley,
Co-Presidents, DuoTech

The first complete, detailed, self-paced introduction to CP/M—Control Program/Microcomputers, the most widely used microcomputer operating system. Packed with examples and exercises, and assuming only rudimentary programming experience, this daily working tool lets you use CP/M to perform routine work functions and sophisticated tasks with maximum capability and efficiency—with a wide variety of hardware, for any application.

"A marvelous addition to the CP/M literature...I only wish that I had had the book when I was starting out!"—Alan R. Miller, New Mexico Tech and Software Editor, Interface Age

\$12.95

TRS-80™ BASIC

Bob Albrecht, Don Inman & Ramon Zamora,
all of Dymax Corporation

Packed with games, graphics, and practical applications, this exciting new book helps you get maximum enjoyment and use from your TRS-80 "OUTSTANDING...the best thing to happen to Level II owners."—Computronics Monthly News

"If you're a rank beginner...your novice status won't last long. TRS-80 BASIC leads you by the hand through the maze of programming the computer to perform both entertaining and useful tasks."—Interface Age

\$10.95

MORE TRS-80™ BASIC

By Don Inman, Ramon Zamora, and Bob Albrecht

Here is an exciting new interactive programming guide to advanced functions. A sequel to the author's highly popular book, TRS-80 BASIC, MORE TRS-80 BASIC helps you build on your fundamental knowledge of Level II Basic with scores of practical applications that are both recreational and educational. It explains all TRS-80 Level II BASIC statements, commands, and features not covered in their previous best seller.

Along with an exploration of the PEEK and POKE functions, you'll get a clear demonstration of several different methods to display graphics, including little known "super graphics" techniques. Graphics become both fascinating and fun when you learn how to use TRS-80 string operations and functions like SET, POKE, and CHR\$ to animate characters, games, and drawings.

You'll explore vital concepts in information processing and master file handling techniques that apply to both cassette and disk files. You'll also discover many "universal" applications easily adaptable to specific problems.

MORE TRS-80 BASIC is one of the Wiley Self-Teaching Guides. It's been carefully written so that we're sure you can broaden your understanding of Level II BASIC and expand your programming ability in order to make full use of your computing equipment. And it's self-instructional—so you work at your own pace. Only a beginning background in Level II BASIC is needed.

\$9.95

DATA FILE PROGRAMMING IN BASIC

LeRoy Finkel, San Carlos High School & Jerald R. Brown,
Educational Consultant

Data files are the key to the successful use of microcomputers for virtually all business, educational, professional, and sophisticated home applications. This easy-to-follow guide serves the rapidly growing army of microcomputer users by explaining in comprehensive detail how to program and maintain data files on microcomputers. It uses the most popular variants of BASIC, TRS-80 BASIC and Microsoft BASIC-80, with an extensive appendix that covers BASIC for the Northstar computer.

APPLE™ BASIC Version

\$12.95

Optional APPLE™ Program Disk

\$12.95

\$19.95

FORTRAN IV, 2nd Ed.

Jehosua Friedmann, Ph.D.,

Jerusalem College of Technology, Jerusalem,

Philip Greenberg, Ph.D., Kingsborough Community

College, & Alan M. Hoffberg, CPA, MBA, President,

Information Resource Management

A revolutionary new edition of the standard FORTRAN guide—now heavily oriented to personal computers. Users of mainframe computers will also find the book totally applicable. You'll start writing basic FORTRAN immediately, then progress smoothly to standard extensions and advanced options. Whether you use FORTRAN 77 or FORTRAN IV, the authors point out all the differences—with comparative tables—so you can follow whichever version is right for your machine.

\$12.95



THE TRS-80™ MEANS BUSINESS

Ted G. Lewis

Written specifically for business computer users, this hands-on manual is the first guide to the best-selling Radio Shack Model II Computer. You'll discover a wide variety of applications that will turn your system into a powerful "filing cabinet"—while making your business a lot more manageable. Many ready-to-run programs are included and the most difficult aspects of file structure programming are simplified.

Optional Model II Program Disk

\$12.95

\$19.95

FAST BASIC

Beyond TRS-80™ BASIC

George Gratzer, Ph.D. assisted by Thomas G. Gratzer

Using fewer than 20 assembly language instructions, and the names of 60 memory functions, FAST BASIC demonstrates how programmers can write faster, more efficient programs. In fact, it actually shows them how to improve their programming speed up to 100 times!

Optional Model I or III Program Cassette

\$14.95

Optional Model I Program Disk

\$19.95

Optional Model III Program Disk

\$19.95

\$19.95

TRS-80™ COLOR BASIC

Bob Albrecht

TRS-80 COLOR BASIC shows users how to appreciate the unique color, sound, and graphic capabilities of the TRS 80 Color Computer. With games, experiments, programming problems and solutions—geared to educational, recreational and home applications—it leads novices step by step into good programming practices.

\$9.95



PROBLEM-SOLVING ON THE TRS-80™ POCKET COMPUTER

Don Inman & Jim Conlan

The first guide to the new TRS-80 Pocket Computer, this step-by-step guide covers a range of educational and practical applications—from data storage, sorting, and searching to complex chain programming.

\$8.95

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977



NEW TOLL-FREE
ORDER LINE

(OUTSIDE OF N.Y. STATE)

(800) 431-2818

24 HOUR
ORDER
LINE

(914) 425-1535



ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.
CANADA AND MEXICO

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***

COMPUTRONICS INC.

• • EVERYTHING FOR YOUR TRS-80™ • APPLE™ • •

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp. * APPLE is a trademark of Apple Corp.

from

MICROSOFT



Level III BASIC:

- Add new dimensions to your Level III! Feature include:
1. Advanced graphics! New commands to do plotting etc.!
 2. Renumber a basic program!
 3. Single stroke instructions. Type 1 key to get full command print outs like PRINT, EDIT ETC.!
 4. New save and load commands. Replaces level II CSAVE and CLOAD! Improves loading reliability!
 5. INPUT#LEN and LINEINPUT#LEN. Allows you to write programs that set a time limit on INPUTS!
 6. Keyboard Debounce. Prevents Level II key bounce problems.
 7. Spelled out error messages.
 8. 10 user defined routines.
 9. LINEPUT command.
 10. Flexible MID routines.
 11. INSTR function.
 12. User defined functions.
 13. Hex and Octal Conversions!


TRS-80 (MODEL I) (tape) \$29.95
TRS-80 (MODEL I) (disk) \$49.95



Typing Tutor

- * **FOR THE PROGRAMMER:** Learn how to type your programs in faster with less mistakes!
- * **FOR THE STUDENT:** There is no easier or faster way to learn typing!
- * **FOR THE YOUNGSTER:** Learning to type at an early age can lead to better language skills!
- * **FOR THE "SOMETIMES" TYPIST:** Clean up BAD HABITS!

TRS-80 MOD I & MOD III \$19.95 (tape only)
APPLE \$24.95 (disk)



Editor Assembler Plus:

Includes: MACRO facilities, assemble directly into memory, expression, evaluator, auto ORG, quash command, move and copy, edit, substitute, extend, ZBUG, Super D-Bugger 80 page reference manual and handy reference card! 16K Level II PMC/TRS-80.

TRS-80 MOD I (tape) \$29.95
TRS-80 MOD I (disk) \$49.95



Microsoft's muMATH and Extended muMATH

Now all you mathematicians out there can use your computer to answer complicated math equations with extended Algebraic equations for answers and much much more. The finest Math System previously available only on large computer systems is now available for the TRS or PMC-80.

muMATH - 32K \$74.95
EXTENDED muMATH - 32K \$250.00

Now The Softcard Can Take You Beyond The BASICS.

Apple Softcard \$395.00

The following Software requires the "Softcard" from Microsoft

FORTRAN, Disk	195.00
ASSEMBLY LANG. DEV. SYSTEM	125.00
BASIC, Compiler Disk	395.00
COBOL, Disk	750.00
muMATH Extended, Disk	250.00
RAMCARD 16K	195.00
APPLESOFT COMPILER-TASO	175.00

MICROSOFT BASIC COMPILER

\$195.00



With TRS-80™ BASIC Compiler, your Level II programs will run at record speeds! Compiled programs execute an average of 3-10 times faster than programs run under Level II. Make extensive use of integer operations, and get speeds 20-30 times faster than the interpreter.

Best of all, BASIC Compiler does it with BASIC, the language you already know. By compiling the same source code that your current BASIC interprets, BASIC Compiler adds speed with a minimum of effort.

And you get more BASIC features to program with, since features of Microsoft's Version 5.0 BASIC interpreter are included in the package. Features like the WHILE, WEND statement; long variable names, variable length records, and the CALL statement make programming easier. An exclusive BASIC Compiler features lets you call FORTRAN and machine language subroutines much more easily than in Level II.

Simply type in and debug your program as usual, using the BASIC interpreter. Then enter a command line telling the computer what to compile and what options to use.

Voila! Highly optimized, Z-80 machine code that your computer executes in a flash! Run it now or save it for later. Your compiled program can be saved on disk for direct execution every time.

Want to market your programs? Compiled versions are ideal for distribution. You distribute only the object code, not the source, so your genius stays fully protected.

BASIC Compiler runs on your TRS-80™ Model I with 48K and disk drive. The package includes BASIC Compiler, linking loader & BASIC library with complete documentation.



Adventure

The original adventure for your TRS-80 and APPLE! Don't take substitutes! Requires 32K 1 Disk

MODEL I / APPLE \$29.95



Olympic Decathlon

The most beautiful graphic display of the human body in action. All the Decathlon events are depicted in excellent graphics with you at the keyboard control. Shot put, Long jump, High jump, Hurdles, Pole vault! Fun for the whole family.

TRS-80 (MODEL I ONLY) \$29.95 (tape)
TRS-80 (MODEL I ONLY) \$29.95 (disk)
APPLE \$29.95 (disk)



Microsoft's FORTRAN

Now you too can program in FORTRAN. This package was previously priced at \$350.00! New low price!

TRS-80 (MODEL I ONLY) \$100.00

Assembly Language Development System

The best assembler-editor around! Original price was \$350.00! NEW PRICE!

\$100.00

COMPUTRONICS

MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977



24 HOUR
ORDER
LINE

(914) 425-1535

**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***

Experience Shows - S.B.S.G. has over 11,000 Installed Systems!

COMMUNICATIONS SYSTEMS

Small Business Systems Group markets a complete line of software which interfaces the TRS-80™ with ANY computer that communicates in ASCII. This family of products offers both terminal and host capabilities to users with even the most minimal hardware configurations. There has been wide interest in these products from "comm buffs," the educational community, and **businesses and individuals who need to communicate on a regular basis.** Our systems are among the most versatile and comprehensive on the market today for TRS-80™ microcomputers.



**SMALL BUSINESS
SYSTEMS GROUP**

ST80-III™ -- The Ultimate Communications System

The "state of the art" in communications processors, designed for complex commercial applications. Included in this package is a set of programs that allow your TRS-80™ to talk to a timesharing computer, transfer files to and from your central business computer, and customize your ST80-III to your specific application.

Features include: Selectable RS232 Setting • Help Display • Echo Feedback • Job Log (LDOS Mod I, Mod III) • 2-User Translation Tables • Auto Logon • 10 Function Keys (Definable) • RUBOUT Key (Definable) • Warm Restart • Automatic I.D. • True Break • Direct Cursor Addressing • DOS Command Support • Transmit Line Feed • Printer Support • Video Display Modes: SCROLL, FORMAT, PAGE, REVERSE VIDEO (Mod II), CURSOR ON/OFF • Auto-answer • Autodial (certain modems) • Append to memory buffer • Big buffer for printer • Off hook / on hook • 10 predefined ASCII strings in translation tables, • Registered users include NASA, USN, UPS, Westinghouse, and many colleges, universities and major banks.

Minimum Requirements: One disk drive, RS232-C, 32K Model I or III, 64K Model II.

Model I or III \$150.00
Model II \$250.00

FORUM-80™ -- Communications Network

With Bill Abney's hot new communications product, you and your TRS-80™ can become part of one of the fastest growing communications networks in the country; your computer becomes an on-line bulletin board system; users can leave messages, get messages, swap information; exchange VisiCalc™ reports, charts, graphs or other correspondence with other computers.

Features include: Security System • Constantly displayed time-in-use figure • User Friendly • User Configurable or can be modified for custom application • Future updates and upgrades available to register owners • Multiple command strings • Non-technical user and operator manuals.

Minimum Requirements: TRS-80™ (3-drive Mod I, 2-drive Mod III), 48K, RS232-C, Auto-answer modem.

Model I or III \$350.00

DELUXE PERSONAL FINANCE For TRS-80™ Model II

This is a sophisticated and unique financial analysis package which can be readily customized to suit your personal financial situation. It will:

- Accept and apply transactions to user-formatted budget categories.
- Separate cash and check disbursements.
- Allows up to ten category disbursements per check.
- Credit income/deposits according to source.
- Search, correct or void checks.

ST-80-PBB™ -- Personal Bulletin Board

A small yet powerful bulletin board for the individual to gather and leave electronic mail. Messages reside in data base in memory, eliminating the problem of scanning magnetic media.

Features include: Password Security System • Four levels of Access-Guest, Member, Owner, Operator • User Log • Four message types • Smart reverse scan to view messages from most recent to oldest.

Minimum Requirements: TRS-80™ (Mod I or III), 16K, Level II, Auto-answer modem, ST80-X10 Host Program (\$50), RS232-C.

Model I or III \$50.00

ST-80-CC™ -- Communications Center

More than a personal bulletin board, this is a complete communications system for low to moderate traffic. Like ST80-PBB™ it supports four levels of users and four levels of messages with text editing and reverse scan of messages.

Additional Features include: Transmit same message to many individuals • Auto logon and multiple command scanning • Print messages on line printer, save messages in memory buffer, maintain database without user intervention.

Minimum Requirements: TRS-80™ (Mod I or III), Level II, 48K, one disk, Auto-answer modem, ST80-X10 Host Program (\$50), RS232-C.

Model I or III \$100.00

MouseNet™ -- Advanced Bulletin Board System

Designed to accommodate high volume traffic, to operate simply enough for novice users, yet is fast and powerful enough for experienced callers.

Features include: Messages stored on disk in keyed file • Uses machine language subroutines for speed • Supports text editing commands • Help commands guide user • System bulletins display each time a user logs on • All messages are dated.

Minimum Requirements: TRS-80™ (Mod I or III), 48K, RS232-C, 3 Disks, Auto-answer modem, text editor (such as Scripsit).

Model I or III \$295.00

- Maintain an accurate checking account balance.
- Cancel returned checks.
- Provide monthly summaries of income vs. expenses.
- Calculate profit/loss.
- Summarize data by categories.
- Provides up to ten savings account summaries.

Model II \$75.00

Model I Version \$35.00

ACCESSIBILITY

We are here to serve your after-purchase needs. You can read our Monthly Newsletter containing current information about SBSG's products. Our Newsletter is free to our customers and is available at a minimal cost to anyone interested in Microcomputers or call SBSG directly for Programming and

Accounting Support. We have 8 incoming lines or call our COMM: Micronet Bulletin Board: ID # 70319236; FORUM-80™: (617) 692-3973; MouseNet™: (617) 692-8121; The Source: *TCC 413.

H & E COMPUTRONICS Gives A 30-Day Money Back Guarantee On All SBSG Products

DEALER INQUIRIES ONLY:

**SMALL
BUSINESS
SYSTEMS
GROUP**

6 CARLISLE ROAD
WESTFORD, MASS. 01886-5762
(617) 692-3800

END USER ORDERS:

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE
DELIVERY SUBJECT TO AVAILABILITY

NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)

(800) 431-2818

ADD \$2.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.
CANADA AND MEXICO



**24
HOUR
ORDER
LINE**


(914) 425-1535

TRS-80™

COLOR COMPUTER


Software
From
**SPECTRAL
ASSOCIATES**

SPECTRAL ASSOCIATES, the LEADER in TRS-80 Color Computer software, presents the best in 16K machine language, fast action, high resolution arcade games. Extended Basic not required.




COSMIC INVADERS

The best invaders type game available. Complete with 16 skill levels, dynamite sound and 4 color hi-res graphics. Can you dodge the bombs long enough to blast the alien ship and invaders? \$21.95. Joysticks.




GHOST GOBBLER

An exciting version of the popular PAC-MAN game with power dots, 8 bonus shapes, super sound and 16 skill levels. Hours and hours of challenging fun. Joysticks \$21.95.




ROBOT BATTLE

Can you dodge the never ending horde of robots while avoiding the fatal touch of the Android? Realistic voices and 16 skill levels provide a tremendous arcade type challenge. Joysticks. \$21.95.




SPACE WAR

Maneuver your spaceship through the defenses of the Death Star for the killing shot while avoiding space mines, enemy ships and the gravity pull of the BLACK HOLE. Two color hi-res graphics - \$21.95 Joysticks



COLOR ZAP

Super new space game! You must dodge the incoming photon torpedoes before they can penetrate the defenses of your ship. Once you think you've got the upper hand, defensive fighters may appear and attack. \$9.95



GALAX ATTAX

If you like Space Invaders, you'll love Galax Attax! Alien fighters leave formation to attack your ground base and you must fight them off! Exciting, fast-action machine language game with super sound and high resolution graphics. 16K and joysticks required. \$21.95

NEW 16K MACHINE LANGUAGE GAMES

- KEYS OF THE WIZARD \$19.95
Best new adventure game available: over 200 rooms filled with creatures, tricks, treasures, magic spells. Cassette save feature built in.
- COLOR OUT \$9.95
Like Breakout, you must knock out six layers of blocks using your paddle to prevent missiles from escaping. Joysticks optional.

SUPERCHARGER

If you have a 32K E series printed circuit board, the SUPERCHARGER will let you switch your computer to full 64K RAM mode. It just plugs into the ROM PAK port and you can use BASIC or not as you wish. NO MODIFICATION is needed and it will not void your warranty. It allows you to still plug ROM pack and/or the disk controller board into the computer. ONLY \$39.95

FLEXPLUS DOS

FLEXPLUS is a powerful, easy-to-use disk operating system. Spectral Associates has adapted TSC's FLEX to the best DOS completely compatible with Radio Shack's TRS DOS - use FLEXPLUS with the Color Computer. Eliminate the need for Radio Shack's TRS DOS - use FLEXPLUS with Editor/Assembler and have the options of a full range of utilities. FLEXPLUS works on the 32K Radio Shack disk system with 64K memory chips with a High Resolution multi-screen format that supports a 24 line by 51 character display! Also included are special enhancements to Radio Shack's Disk system when you are running FLEX with single or double sided, single or double density, 35, 40 and 80 track drives.

Advantages of FLEXPLUS are:

- Best price anywhere
- Easy start-up — just type "RUN FLEX+"
- Allows you to save RS compatible disk files from FLEXPLUS
- All FLEX compatible software will run including INTERRUPT DRIVEN SOFTWARE
- NO HARDWARE MODIFICATIONS NEEDED
- Warranty will not be voided — no need to open computer
- Wide range of available software
- Requires Supercharger board
- \$149.95 for FLEXPLUS, Editor/Assembler and Supercharger

THE FACTS

At last, a complete description of the "guts" of the Color Computer Specs on all the ICs, complete schematics, theory of operation and programming examples

\$14.95

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.
CANADA AND MEXICO



**24 HOUR
ORDER
LINE**
(914) 425-1535



**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

UTILITIES

- EDITOR/ASSEMBLER \$34.95
- SUPER MONITOR 19.95
- EPROM PROGRAMMER 89.95
(Program your own ROMs for the ROM PAK port)
- MAGIC BOX 24.95
Load MOD III Basic Tapes into a color computer

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***
DELIVERY SUBJECT TO AVAILABILITY

More Color Computer Software in our complete catalog, which comes **free** with every order (or send \$2)

The best fast-action arcade games for the TRS-80™ come from **BIG FIVE**

NEW


STELLAR ESCORT®

Federation forces in Aries Quadrant 3 have made their first major advancement since the beginning of the war against the hostile Cretonian Empire. Unfortunately, the Cretonians attacked the entire Federation by surprise, depleting their supplies to near nothingness. The Federation's gallant efforts now depend on you, the Escort fighter pilot.

The supply cruisers from the Federation are not equipped for heavy battle assaults which will be encountered on the front from the hostile Cretonians, therefore your mission is to intercept the supply cruisers, place them in your fighter's tractor beam and escort them through the Cretonian battle front while warding off all assaults.


Collisions between your supply cruiser and any other craft will result in an immediate feedback of power along your tractor beam leading to total destruction. You must fire accurately because exhausting your fuel supply will leave you unprepared for the battle with the most devastating alien yet encountered in this quadrant! the Cretonian Cruncher!

TRS-80 MOD I & III (16K-Tape) \$15.95 / (32K-Disk) \$19.95



The newest & finest game is now available! "Robot Attack" begins by displaying an urgent message from Space Central on your electronic news viewer. It seems that robots from the Planet "Jidy" have captured one of Earth's valuable space stations. Alarms all over the space station are screaming out "Robot Attack! Robot Attack!" Boldly, you make the decision to transport yourself to this space station and destroy every last robot! As you finally reach your destination, you find yourself in a dark corridor that appears very quiet and deserted. Almost from nowhere, robots materialize in almost every corner of the compartment that you're in. Quickly & skillfully you fire your laser pistol to destroy them. In a blinding flash, their bodies explode and disintegrate. After every last one is gone you carefully enter the next compartment. Once again your battle is successful. It seems that you are just too quick for the slow computer minds and the archaic photon lasers that these robots possess. Somewhere you here a low humming sound that is steadily getting louder. "I've heard that sound before", you say to yourself. Finally you remember that it is the sound of the new long range matter transporter that the Jidyans have recently developed. Could they be transporting the --, no, they wouldn't send one of those just to destroy a human. Oh no! They did! It's the evil Flagship!

ROBOT ATTACK®



TRS-80 MOD I & III (16K-Tape) \$15.95
(32K-Disk) \$19.95

NEW




DEFENSE COMMAND®

The Galaxy Invaders have returned in this exciting new twist on the ever-popular invasion theme. You are in command. You must protect the vitally important nuclear fuel cannisters from fleets of attacking aliens. Plays on Mod I & Mod III, with or without Joystick. **With Sound!**

TRS-80 MOD I & III

(16K-Tape) \$15.95

(32K-Disk) \$19.95




SUPER NOVA®

If you and your TRS-80 have longed for a fast-paced arcade-type game that is truly a challenge, then **SUPER NOVA** is what you've been waiting for. In this two player machine-language game, large asteroids float ominously around the screen. Suddenly your ship appears and you must destroy the asteroids before they destroy you! (But watch out because big asteroids break apart into little ones.) The controls that your ship will respond to are thrust, rotate, hyperspace, and fire. All right! You've done it! You've cleared away all the asteroids! But what is that saucer with the laser doing? Quick! You must destroy him fast because that guy's accurate!


TRS-80 MOD I & III (16K-Tape) \$15.95 / (32K-Disk) \$19.95

COSMIC FIGHTER®



With thousands of stars whizzing by you, your **SPACE DESTROYER** ship comes out of hyperspace directly under a convoy of aliens. Almost effortlessly, you skillfully destroy every last one. But before you can congratulate yourself, another set appears. These seem to be slightly more intelligent than the first set. Quickly you eliminate all of them, too. But your fuel supply is rapidly diminishing. You must still destroy two more sets before you can dock with your space station. All right! The space station is now on your scanners! Oh no! Intruders have overtaken the station! You must skillfully fire your neutron lasers to eliminate the intruders from the station before your engines run out of fuel and explode! With sound!


TRS-80 MOD I & III (16K-Tape) \$15.95 / (32K-Disk) \$19.95



GALAXY INVASION®

The sound of the klaxon is calling you! Cruel and crafty invaders have been spotted in battle formation warping toward Earth at an incredible speed. Suddenly, your ship materializes just below the huge flock of invaders. Quickly and skillfully you shift right and left as you carefully fire your lasers at them. But watch out! A few are breaking out of the convoy and flying straight at you! As the whine of their engines gets louder, you place your finger on the fire button knowing all too well that this shot must connect—or your mission will be permanently over! With sound effects!


TRS-80 MOD I & III (16K-Tape) \$15.95 / (32K-Disk) \$19.95



METEOR MISSION II®

As you look down on your space viewer you can see the stranded astronauts that are crying out for you to rescue them. But first you must maneuver your shuttle down through the asteroids & meteors before you can reach them. Great! You've got one! But now can you get back to the space station to save your fellow shipmate or will you crash and kill both of you? You can fire your lasers to destroy the asteroids, but watch out, because there could be an alien **FLAGSHIP** lurking behind! Includes sound effects!

TRS-80 MOD I & III (16K-Tape) \$15.95
(32K-Disk) \$19.95



ATTACK FORCE®

Your TRS-80 screen has been transformed into a maze-like playfield for this game. As your ship appears on the bottom of the screen, eight alien ramships appear on the top. All of them are traveling at flank speed directly at you! Quickly and boldly you move toward them and fire missiles to destroy them. But the more aliens you destroy, the faster the remaining ones become. If you get too good you must endure the wrath of the keeper of the maze: the menacing "Flagship". You must destroy him fast because, as you will find out, that guy's accurate! With sound effects!

TRS-80 MOD I & III (16K-Tape) \$15.95
(32K-Disk) \$19.95



TRISSTICK™

The famous ATARI™ joystick has been adapted to the TRS-80™ Models I and III! TRISSTICK™ is compatible with all BIG FIVE games and comes with instructions for use with your own programs. Specify Model I or III

\$39.95

COMPUTRONICS
MATHEMATICAL ANALYTICAL SYSTEMS

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

- * ADD \$3.00 FOR SHIPPING IN UPS AREAS
- * ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS WITHIN THE U.S.A.
- * ADD \$5.00 TO CANADA & MEXICO
- * ADD PROPER POSTAGE OUTSIDE OF U.S., CANADA & MEXICO




**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

24 HOUR
ORDER
LINE
(914) 425-1535

*** ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE ***

MOD II/16 NEWSLETTER

THE NEWSLETTER FOR OWNERS OF TRS-80™
MODEL II and MODEL 16 MICROCOMPUTERS.



The MOD/16 NEWSLETTER is a special publication that keeps MOD II and 16 owners aware of the latest news, helpful hints and other information related to the most powerful TRS-80's™.

In its pages you will find:

- News and reviews of the latest software releases
- Information on hardware upgrades and modifications
- A forum for readers to express their opinions and exchanges tips on running the Model II and 16
- Descriptions of books for Model II and 16 owners
- The latest announcements and updates

THE MOD II/16 NEWSLETTER IS THE ONE PUBLICATION THAT EVERY MOD II/16 OWNER NEEDS

COMPUTRONICS
MATHEMATICAL APPLICATIONS SERVICE™

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977



**24 HOUR
ORDER
LINE**

(914) 425-1535



**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)

(800) 431-2818



MOD II/16 NEWSLETTER SUBSCRIPTION RATE \$18.00____ (FOR 12 ISSUES)

☐ CHECK HERE FOR RENEWAL

CREDIT CARD NUMBER EXP. DATE.....


SIGNATURE

NAME

ADDRESS STATE..... ZIP.....

ADD \$6/YEAR (CANADA & MEXICO) - ADD \$12/YEAR AIRMAIL OUTSIDE U.S.A., CANADA & MEXICO

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***
DELIVERY SUBJECT TO AVAILABILITY



VISICALC™ - HOME & OFFICE COMPANION

If you're an experienced VISICALC™ user, or if you just bought VISICALC™, this book will give you more power for your money in just one afternoon.

Fifty ready-to-use models for VISICALC™ applications, along with sample printouts, descriptive narratives, and coordinate listings, are presented, and users may simply enter their own data in place of the sample data or substitute a label or list of entries to tailor the models to their specific needs. Algorithms and modeling techniques provide the experienced VISICALC™ user with the opportunity to custom-design new models. The models provided cover seven areas of application: Loans and Investments, General Business, Inventory Con-

trol, Advertising and Sales, Personnel and Departments, Personal Finance, and Household Aids. All models are designed to support most computers and versions of VISICALC™, and the models can also be used with SUPERCALC™. This book is aimed at the business user who doesn't have time to reinvent commonly used financial and management techniques, and the home user is looking for new applications for this versatile program.

\$15.99

(VISICALC™ is a trademark of VISICORP.)

H & E COMPUTRONICS INC.

...EVERYTHING FOR YOUR TRS-80™...

* TRS-80™ is a trademark of the Radio Shack Division of Tandy Corporation

Currently Available

MOD-II PROGRAMS

- ★ All orders processed within 24-Hours
- ★ 30-Day money back guarantee on all TRSDOS Software
- ★ Add \$3.00 for shipping in UPS Areas
- ★ Add \$4.00 for C.O.D. or NON-UPS Areas
- ★ Add \$5.00 outside U.S.A., Canada & Mexico
- ★ We will match any bonafide advertised price in any of the Major Computer Magazines

ALL SOFTWARE

LISTED HERE

WORKS WITH TRSDOS*

- (1) **ELECTRIC PENCIL** (Michael Shrayner Software) ... Complete word processor with extensive editing and printer formatting features \$300
- (2) **GENERAL LEDGER, ACCOUNTS RECEIVABLE, ACCOUNTS PAYABLE, INVENTORY CONTROL, INVOICING AND PAYROLL** (Small Business Systems Group) ... an extensive business system for the serious user... can be used one module at a time or as a coordinated system... \$295... per module... \$1299 for the complete system.
- (3) **FASTBACK** (Racet Computers) ... A full disk backup in 55 seconds on systems with 2 or more disk drives... including verification. Can replace your existing TRSDOS 1.2 or 2.0 Backup Utility. \$75.00
- (4) **MOD-II UTILITY PACKAGE** (Racet Computers) ... adds important utilities to TRSDOS... copy files selectively... faster and more accurate file copying... repair bad directories... displays sorted directory of all files on 1 to 4 disk drives... SUPERZAP... change disk ID... and more. \$150
- (5) **ADVENTURE #1-#12** (Scott Adams - Adventure International) ... a series of games formally only available on the large computers... your goal is to work your way through a maze of obstacles in order to recover a secret treasure or complete a mission... the package includes all 12 Adventures written by Scott Adams. \$129.95
- (6) **GSP** (Racet Computers) ... Generalized Subroutine Facility... a series of super fast machine language utilities that can be called from a BASIC program (no machine language knowledge required)... sorts 1000 items in under 5 seconds... allows PEAK and POKE statements... move data blocks... compress and uncompress data... works under TRSDOS. \$50
- (7) **DSM** (Racet Computers) ... Disk Sort Merge... sorts and merges large multiple diskettes files on a 1 to 4 drive system... NOT AN IN MEMORY SORT... can actually alphabetize (or any other type of sort) 4 disk drives worth of data... sorts one complete disk of information in 10 minutes... information is provided to use DSM with the RS MAILING PROGRAM... works under TRSDOS. \$150
- (8) **RSM** (Small Systems Software) ... a machine language monitor and disassembler... can be used to see and modify memory of disk sectors... contains all the commands found on the Model-I version plus some additional commands for the MOD-II... works under TRSDOS. \$39.95
- (9) **BLINK BASIC LINK FACILITY** (Racet Computers) ... Link from one BASIC program to another saving all variables... chain program without losing variables \$50
- (10) **BASIC CROSS REFERENCE UTILITY** (Racet Computers) ... lists all variables and strings used in a program (with the line numbers in which they appear) ... lists all GOTO's (with the line numbers in which they appear) ... searches for any specific variables or strings (with the line number in which they appear) \$50
- (11) **DEVELOPMENT PACKAGE** (Racet Computers) ... SUPERZAP (to see, print or change any byte on a diskette)... Disassembler and MOD-II interface to the MICROSOFT EDITOR ASSEMBLER PLUS including uploading services and patches for Disk I/O... assemble directly into memory... save all or portions of source to disk... dynamic debug facility (ZBUG)... extended editor commands \$125

- (12) **HARD/SOFT DISK SYSTEM** (Racet Computers) ... The software essential to interface any of the popular large hard disk drives... completely compatible with your existing software and files... allows up to 20 megabytes of storage (and larger)... directory expandable to handle thousands of files \$400
- (13) **CAMEO HARD DISK DRIVE CONTROLLER** ... CALL FOR PRICE
- (14) **HARD DISK DRIVES** CALL FOR PRICE
- (15) **H & E COMPUTRONICS, INC. SHARE-A-PROGRAM DISKETTE #1** works under TRSDOS... a collection of programs written by MOD-II owners... programs include data base management... a word processor... mail system... mortgage... calculations... checkbook register... and many others... \$12 FREE if you send us a diskette containing a program that can be added to the SHARE-A-PROGRAM DISKETTE.
- (16) **WABASH CERTIFIED DISKETTES** \$39.95 (per box of 10)
- (17) **VERBATIM CERTIFIED DISKETTES** \$49.95 (per box of 10)
- (18) **FLIP SORT DISKETTE STORAGE TRAY** Stores 50 diskettes... comes complete with index-dividers, tilt plates and adjustable spacing \$34.50
- (19) **MASTER PAC 100** ... 100 essential programs BUSINESS... PERSONAL FINANCE... STATISTICS... MATH... GAMBLING... GAMES... includes 125 page manual and 2 diskettes \$149.95
- (20) **BUSINESS PAC 100** ... 100 essential business programs... INVENTORY... CONTROL... PAYROLL... BOOKKEEPING SYSTEM... STOCK CALCULATIONS... CHECKBOOK MAINTENANCE... ACCOUNTS RECEIVABLE... ACCOUNTS PAYABLE... includes 125 page manual and two diskettes \$149.95
- (21) **EDITOR ASSEMBLER** (Galactic Software Ltd.) ... The first user oriented Editor Assembler for the MOD-III and was designed to utilize all the features of the MOD-III. It includes innovative features for ease of coding and debugging and complete documentation (over 120 pages)... works under TRSDOS \$179
- (22) **BASIC COMPILER** (Microsoft) ... changes your source program into machine language... increases program execution by 3-10 times \$395
- (23) **MAIL/FILE SYSTEM** from Galactic Software Ltd. Stores 2,500 names per disk. No sorting time is required since the file is automatically sorted by first and last name plus Zip Code on input. Retrieve by any combination of 19 user codes. Supports an 11 digit alphanumeric Zip. Supports a message line. Comes complete with user-oriented documentation (100-page manual). Allows for company name and individual of a company and complete phone number (and extension)... works under TRSDOS \$199.00
- (24) **COMPUTER GAMES** (SBSG)... Mean Checker Machine... Star-Trek III... Concentration... Treasure Hunt... Banco... Dog Star Adventure \$74.95
- (25) **INTERACTIVE FICTION** ... is a story-teller using a computer, so that you, the reader, can actually take part in the story instead of merely reading ... \$49.95
- (26) **SPEEDUP** (Racet Computers) ... Gives you a minimum 30% overall decrease in disk input/output time \$99.95

- (1) **CP/M** (Lifeboat Associates) ... an alternative operating system for the MOD-II that allows MOD-II owners to use any of the hundreds of programs available under CP/M \$190.00
- (2) **CP/M HANDBOOK** (Sybex) ... a step-by-step guide to CP/M... takes the reader through each of the CP/M commands... numerous sample programs... practical hints... reference tables \$14.95
- (3) **GENERAL LEDGER, ACCOUNTS RECEIVABLE, ACCOUNTS PAYABLE, INVENTORY CONTROL, AND PAYROLL** (Peachtree Software) ... requires CP/M and MICROSOFT BASIC... professional business systems... turn key operation... can be used as single modules or as a coordinated system... \$500 per module \$2500 for the complete system.
- (4) **WORD-STAR** ... The ultimate word processor... a menu driven word processing system that can be used with any printer. All standard word processing commands are included... plus many unique commands only found on WORD STAR... requires CP/M \$495.00
- (5) **MAIL LIST MERGE** ... An add on package that allows the user to send form letters (created on WORD-STAR) to any compiled mailing list (using any CP/M based MAIL program such as the PEACHTREE MAIL PROGRAM) ... requires CP/M, WORD STAR and CP/M based mail program \$150
- (6) **CBASIC-2** ... a non-interactive BASIC used for many programs that run under CP/M... allows user to make more efficient use of disk files... eliminates the use of most line number references... require on such programs as the SELECTOR \$120
- (7) **MICROSOFT BASIC** ... an enhanced version of the MICROSOFT BASIC found on TRSDOS... adds commands such as chaining (allows the user to LOAD and RUN a new program without losing the variables currently in memory)... long variable length file records... WHILE/WEND and others... can be used with the BASIC COMPILER to speed up programs (3-10 times faster execution) \$325
- (8) **ELECTRIC PENCIL** (Michael Shrayner Software) ... Complete word processor with extensive editing and printer formatting features \$300
- (9) **BASIC COMPILER** (Microsoft) ... changes your source programs into machine language... increases program execution by 3-10 times \$395
- (10) **SELECTOR V** (Micro-Ap) ... The ultimate data management system... user defined fields and codes... manages any list defined by the user... includes additional modules for simplified inventory control, accounts receivable and payable, data file format conversions... full page report formatter... computations... global search and replace... data/text merging... hard disk compatible... requires CBASIC-2 \$495
- (11) **T/MAKER II** (Lifeboat Associates) ... The most advanced utility for the analysis and presentation of numerical data and text material... just set up your data in columns and rows... and T/Maker II does the rest... change any number in the model and all the others are adjusted and recalculated... 300-character wide screen editor... justify lines... formatables... move blocks of copy... global editing \$275
- (12) **SMART TERMINAL** Enables your TRS-80 to be used a remote terminal to a time sharing computer system. Supports upper/lower case and full range of control keys... including control key mapping into any ASCII character. Automatic transmission of files between TRS-80 and host computer. Files can be read from or written to cassette tape or disk. Incoming data can be printed on line printer or stored in memory for subsequent save to cassette or disk. Disk and tape files are fully compatible with the ELECTRIC PENCIL program. Baud rate and RS-232C sense switches can be reset without opening Expansion Interface. Requires RS-232C interface and modem \$79.95

ALL PROGRAMS

LISTED HERE

REQUIRE CP/M*

H & E COMPUTRONICS INC.
MATHEMATICAL APPLICATIONS SERVICE

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S., CANADA AND MEXICO



NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

24 HOUR
ORDER
LINE
(914) 425-1535

* (CP/M IS A REGISTERED TRADEMARK OF DIGITAL RESEARCH)

CP/M software may not be returned after diskette package has been opened.

NEW!!!
MOD-II/16 NEWSLETTER
\$18/year (or 12 issues)

*** ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE ***

H & E COMPUTRONICS INC.

● ● ● **EVERYTHING FOR YOUR TRS-80™** ● ● ●
And All Microsoft BASIC Computers

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp.

Announcing!

DOS RANDOM ACCESS & BASIC FILE HANDLING

Written For TRS-80 and All Computers Using MICROSOFT basic

FINALLY IT IS HERE. At last someone wrote a book on disk random access and file handling. A book written for the non-programmer. Written for the businessman and professional who need to solve and write special programs for in house business problems.

Written for the hobbyist who wants to go beyond the cassette recorder and into disk storage and file manipulation.

This book handles a subject of reasonable complexity, so simple and down to earth, that anyone with some Level II experience can cope with the material.

This book is written using a simple program as a starting point. The programs grow in ability and complexity as the book progresses into the various aspects of file handling and record manipulation. Extensive effort has been made to keep the material coherent and every program line is explained in detail.

The programming material presented in this 150 page self-instruction tutorial will provide any non-programmer with the ability to write special programs for inventories, mailing list, work scheduling, record keeping, research project data manipulation, etc. The subjects covered in this edition are as follows

- (A) The writing of a Menu to summarize program functions.
- (B) The writing of a screen format to accept record data.
- (C) The creation of the basic record.
- (D) The Fielding and LSET routines for buffer preparation.
- (E) The writing of the record to disk in a Random Access mode.
- (F) The retrieval of a record from disk in a Random Access mode.
- (G) The ability to change or edit a record.
- (H) The LPRINT capability from disk using three different formats.
- (I) Deleting a record from a Random file.
- (J) Sorting the Random file.
- (K) Searching the Random file by name or other keyfield.
- (L) The ability to search in a "NEXT or PRIOR" fashion.
- (M) The ability to purge a disk file from deleted records.
- (N) The ability to calculate with data from a disk file.
- (O) The provision for future expansion of the data fields.
- (P) The use of flags to prevent program crashes.
- (Q) Date setting, printer on-line, and many other routines that make a program run like a commercial written program.



D.S.C., Publishing, Div. of,
D.S.C., INCORPORATED.

COMPUTRONICS
MATHEMATICAL APPLICATORS, INC.

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

- * ADD \$3.00 FOR SHIPPING IN UPS AREAS
- * ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
- * ADD \$5.00 TO CANADA AND MEXICO
- * ADD PROPER POSTAGE OUTSIDE U.S., CANADA & MEXICO

*** ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE ***



**24 HOUR
ORDER
LINE**

(914) 425-1535



DOS RANDOM ACCESS & BASIC FILE HANDLING	\$29.95
Optional Program Disk MOD I or III	Add \$28.50
Optional Program Disk MOD II	Add \$32.50

**NEW TOLL-FREE
ORDER LINE**
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

Use IRS label. Other- wise, please print or type.	Your first name and initial (if joint return, also give spouse's name and initial)		Last name		Your social security number	
	Present home address (Number and street, including apartment number, or rural route)					Spouse's social security no.
	City, town or post office, State and ZIP code				Your occupation	
					Spouse's occupation	
Presidential Election Campaign		Do you want \$1 to go to this fund?		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		Note: Checking "Yes" will not increase your tax or reduce your refund.
		If joint return, does your spouse want \$1 to go to this fund?		Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		



TRS-80* Owners Do Your Own Taxes Like An Expert with TAX/SAVER II™

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp.

FOR MODEL I, II** or MODEL III

TAX/SAVER II™ — The tax help program for the layman, the professional accountant or tax preparer.

New and expanded, TAX/SAVER II™ offers a different approach to preparing a tax return. Like the original, the new version has the tax regulations programmed in so it is more than just a calculator. Designed for non-accountants, TAX/SAVER II™ asks you questions, just as an accountant does. Based on your answers, it leads you through the tax maze to your lowest legal tax. Then it tells you how to fill in your return, line by line, or it will output to a printer.

TAX/SAVER II™ also has speed features for those doing more than one return. Optional program instruction and tax text make TAX/SAVER II™ the practical system for professional preparers as well. TAX/SAVER II™ has full disk storage of data files (with optional password protection).

The manual includes information on special tax areas, lists of possible deductions and a tax glossary.

TAX/SAVER II™ compares itemized deductions to national averages; automatically computes certain limitations - for example, on medical deductions and contributions; checks for excess FICA; helps determine dependents. Yet, TAX/SAVER II™ offers the privacy and convenience of home use.

The user-oriented design with special screen formatting makes data entry, verification and correction easy. Yet you are always in control. You can skip any help features or parts of the program that you don't need.

TAX/SAVER II™

- Completes long and short forms (1040 & 1040A)
- Itemized Deductions - Schedule A
- Interest & Dividends - Schedule B
- Tax Calculation - Tables, Rates
- Tax Savings Methods - Income Averaging, Maximum Tax, Alternative Tax
- Business Income - Schedules C & SE
- Capital Gains - Schedule D
- Allows you the privacy of your own home
- Lets you help friends and relatives with their taxes
- Has built-in aids. Answers specific questions like "Is my father my dependent?" and "Are my deductions reasonable?"
- Manual includes 1982 tax forms, information on special tax areas, lists of possible deductions, and glossary of tax terms
- Completes long and short forms including itemized deductions, excess FICA, earned income credit, community property, tax calculation (comparing all possible filing statuses in one run)
- Tax regulations are programmed in by our team of accountants. Just type in your figures & you've done your own tax return
- Helps you find the lowest tax
- Discounts on yearly updates
- Prints out on standard IRS forms overlays or plain tractor feed paper
- Accepts totals from all other tax forms not listed here

Now With Printout!

Micromatic Programming Co.			
9 Fed. W/H 4312.59	18 Hopes etc. 31529.87	11 FICA W/H 1373.85	
	13 FICA Wage 29700	14 FICA Sine	
	17 State W/H	18 Local W/H	Is this correct (y/n)?
W-2 WAGE & TAX STATEMENT			

REVIEWS:

"...well designed and easy to use" - D. Lubar, Creative Computing 1 81
 "...TAX/SAVER" may very well live up to its name"
 M. Tannenbaum, CPA, 80 Microcomputing 2 81

CUSTOMERS:

"For the price it can't be beat. I am looking forward to next year. With this program I finish my filing in 2 hours. Thank you."

"Excellent presentation. Tutorial style is one of its most attractive attributes. Finally, a program I can really use"

PROFESSIONALS:

"This is the perfect program for those doing taxes for others for reasonable fees. It was obviously written by folks that know both programming and tax law." "TAX/SAVER" is superior."



PROFESSIONAL TAX/FORECASTER™

TAX/FORECASTER™, the quick tax estimator (with printout) for both 1982 and 1983 lets you revise its estimate by merely changing one or more lines. Use it as a tax planner either together with TAX/SAVER II™ or by itself. TAX/FORECASTER™ lets you quickly ask all of your WHAT IF? Questions and instantly recalculates your taxes. A great tax preparation aid for both the layman and professional. Includes Income Averaging and disk storage of Client files.

- Both TAX/SAVER II™ and TAX/FORECASTER™ are tax-deductible
- Discounts are given on yearly updates
- Free tax newsletter is issued annually.

With the combined package TAX/SAVER II™ and TAX/FORECASTER™, you can now have, at an affordable price, the power to predict, control and reduce your tax liability.

- ☐ TAX/SAVER II™ (MOD I & III) \$139.95 - Manual Included
- ☐ PROFESSIONAL TAX/FORECASTER™ (MOD I & III) \$99.95 (\$79.95 if purchased with TAX/SAVER II™)
- ☐ UPDATE for Registered TAX/SAVER II™ Owners \$83.95
- ☐ TAX FORM OVERLAYS \$19.95
- ☐ TAX/SAVER II™ - Model II** Version \$199.95
- ☐ PROFESSIONAL TAX/FORECASTER™ - Model II** Version \$129.95

SYSTEM REQUIREMENTS

- ☐ TRS-80 Model I with 32K and 2 disk drives
- ☐ TRS-80 Model III with 32K and 2 disk drives
- ☐ TRS-80 Model II** with 64K and 1 disk drive

** Availability of Model II programs uncertain at press time.

COMPUTRONICS
 MATHEMATICAL ANALYTICAL SYSTEMS

50 N. PASCACK ROAD
 SPRING VALLEY, NEW YORK 10977

NEW TOLL-FREE
ORDER LINE
 (OUTSIDE OF N.Y. STATE)
(800) 431-2818



24 HOUR ORDER LINE
(914) 425-1535

★ 30-Day money back guarantee

- ★ ADD \$3.00 FOR SHIPPING IN UPS AREAS
- ★ ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
- ★ ADD \$5.00 TO CANADA AND MEXICO
- ★ ADD PROPER POSTAGE OUTSIDE U.S., CANADA & MEXICO

— ALL PRICES & SPECIFICATIONS SUBJECT TO CHANGE —
 — DELIVERY SUBJECT TO AVAILABILITY —



Information Processing Problems?
Scotch® Products Could Solve Them!

Scotch®


VELOSTAT® Floor Mats Protect Your Computers from Static Electricity

VELOSTAT static control floor mats from 3M eliminate static electricity which can effect the reliability of your electronic equipment. VELOSTAT mats are made of a tough, durable high impact conductive material for sit-down applications. Casters on chairs easily roll over the mat. They're available in earthtone brown or black, and come with their own ground cords.



3' by 4' mat \$ 98.00
4' by 5' mat with beveled lip \$200.00

Now, Guaranteed Error-Free Performance with Scotch® Diskettes



For durability, reliability, error-free performance demand Scotch diskettes. They're tested and guaranteed error-free. And the low abrasivity saves your read/write heads. Available for most mini-computer and word processing systems. (Single sided/double density **only**).

(box of 10 5 1/4 inch disks) \$29.95
(box of 10 8 inch disks) \$39.95

Head Cleaning Diskettes

Keep your diskette drive heads "Computer Room Clean" with Scotch Head Cleaning Diskettes. You can clean the heads yourself in just 30 seconds and save on service calls, data drop-outs, costly down time. Available in 8-inch and 5 1/4-inch sizes.

8-Inch
or
5 1/4-Inch
Head
Cleaning
Kit

\$29.95



COMPUTRONICS
50 N. PASCACK ROAD • SPRING VALLEY, NEW YORK 10977 (914) 425-1535

Authorized Distributor
Information Processing Products



24 HOUR
ORDER
LINE
(914) 425-1535



NEW TOLL-FREE
ORDER LINE
(OUTSIDE OF N.Y. STATE)
(800) 431-2818

ADD \$3.00 FOR SHIPPING IN UPS AREAS
ADD \$4.00 FOR C.O.D. OR NON-UPS AREAS
ADD \$5.00 TO CANADA AND MEXICO
ADD PROPER POSTAGE OUTSIDE OF U.S.,
CANADA AND MEXICO

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE ***
DELIVERY SUBJECT TO AVAILABILITY

The Original Magazine for Owners of the TRS-80™ MicroComputer

MODEL I • MODEL II • MODEL III • POCKET COMPUTER • COLOR COMPUTER

Software
for TRS-80
Owners

H & E COMPUTRONICS INC.

Monthly
Newsmagazine
for TRS-80
Owners

MONTHLY NEWS MAGAZINE



- PRACTICAL APPLICATIONS
- NEW EXPANDED BUSINESS SECTIONS
- GAMBLING
- GAMES
- EDUCATION
- PERSONAL FINANCE

- BEGINNER'S CORNER
- NEW PRODUCTS
- SOFTWARE EXCHANGE
- MARKET PLACE
- QUESTIONS & ANSWERS
- PROGRAM PRINT OUTS
- ...and MORE!

YOUR CHOICE

FREE

with your Subscription or Renewal

A.

NANOS SYSTEMS CORP.

TRS-80 At Your Fingertips Complete quick reference guide to basic, assembly language* and graphic codes—all at your fingertips for all TRS-80 computers (specify computer).

Assembly Language Section N/A for Color Computer

B.

A Word Processor, Data Management System and Cleanup (A maze game) All on cassette. (Add \$3 for diskette, add \$5 for modified MOD-II diskette version—N/A on color computer or pocket computer.)

OR

✓ READER SERVICE FOR H & E COMPUTRONICS ✓ 9

H & E COMPUTRONICS

50 North Pascack Road
Spring Valley, New York 10977

**CALL TOLL FREE
800-431-2818**

(Outside of New York State)

**24 HOUR ORDER LINE
914-425-1535**



- ☐ One Year Magazine Subscription \$24 ☐ New ☐ Renewal
☐ Two Year Magazine Subscription \$48.00 ☐ New ☐ Renewal
☐ Sample Issue \$4. ☐ Mod II Newsletter Subscription \$18

Your Choice: TRS-80™ at Your Fingertips ☐ or Word Processor/ Data Management ☐

Model I ☐ Model II ☐ Model III ☐ Color Computer ☐ Pocket Computer ☐

**NEW!
NEW!**

**MOD-II
NEWSLETTER**
"\$18/year (or 12 issues)"

Name

Address

City

State

Zip

Signature

Credit Card Number

Expiration Date

Add \$12/ Year (Canada, Mexico)—Add \$24/ Year Air Mail outside of U.S.A., Canada, and Mexico
All Prices and Specifications Subject to Change

* TRS-80 is a trademark of the Radio Shack Division of Tandy Corp.

BUSINESS COMPUTING™

**THE NEW PUBLICATION
FOR SERIOUS SMALL BUSINESS
COMPUTER USERS**

**LEARN HOW TO REALLY USE YOUR COMPUTER
THE TRUTH ABOUT SOFTWARE
& NEW COMPUTERS & RELATED PRODUCTS**

PUBLISHED BY :COMPUTRONICS:



Limited Offer

TIRED OF GAMES?...Don't understand your computer?...
Can't understand the difference between RAM and ROM?...
Are Computer Magazines and Manuals over your head?

SUBSCRIBE TO

**BUSINESS
COMPUTING™**

**Make your computer work for you in your business...Choose
the right computer...Learn the limits of your computer...The
truth about Business Software.**

SUBSCRIBE TO

**BUSINESS
COMPUTING™**

NOW!

And receive the next **12 Issues** at less than half our regular subscription price.

1 YEAR (12 Issues) **\$48.00** (\$120 - Regular Price)

2 YEARS (24 Issues) **\$72.00** (\$240 - Regular Price)

:COMPUTRONICS:
MATHEMATICAL RESEARCH, INC.

50 N. PASCACK ROAD
SPRING VALLEY, NEW YORK 10977

*** ADD \$12/YEAR ***
(Canada & Mexico)

*** ADD \$24/YEAR ***
(To All Other Countries)

*** ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE***

**NEW TOLL-FREE
ORDER LINE**

(OUTSIDE OF N.Y. STATE)

(800) 431-2818



**24 HOUR
ORDER
LINE**



(914) 425-1535

How we talk to the computer.

The Evolution of the Language

Ken Waltjen
2311 Lincoln Blvd.
Tracy, CA 95376

Most TRS-80 owners first program in Basic. Because of this, they have little idea of how languages evolved. A language like Basic constitutes a pseudo-machine that is easier to deal with than the actual hardware.

The logical evolution of languages suggests where the language you use (or the language you want to learn) fits, and illuminates some of the mystery surrounding your machine.

The Magic of Hardware and Binary

The first step in understanding your machine and how a programming language works is to understand the magic of binary and hardware. This is not a thorough discussion of hardware or central processing unit (CPU) functions. It should make the function of hardware *believable* and clarify the relationship between binary and electrical hardware.

The Key Box

Basic Level II
Model I
16K RAM

Fig. 1 is a block diagram of a simple CPU. Here is a description of the functional parts:

- Clock—Master system timing device. It runs at a constant speed.
- Timing and Control Generator—It divides the clock into a sequence of orderly pulses by enabling one box at a time.
- Instruction Register—This is where we deposit our binary instruction for processing.
- Adder—The arithmetic unit of our sample processor. On command, it will add the data loaded into its input ports.
- Input and Output Holding Registers—These provide temporary operand storage for operation of the processor.

combine the hardware and the binary. All these numbers will be in binary notation.

1000 = Load the 'A' operand
0100 = Load the 'B' operand
0010 = Add 'A' to 'B'
0001 = Write sum to output register

Assume that we have loaded 1000 into the instruction register. As our 1 bit circulates in the timing generator, it arrives at the square adjacent to the MSD of the instruction register (where we now also have a 1). Gate A will be enabled and operand A will be loaded. As the timing bit continues to circulate, it is paired with zeros in the other instruction register locations so nothing else happens during this instruction cycle.

Loading 0100 into the instruction register on the next cycle will enable gate B and the B operand will be loaded. By performing a logically listed set of instructions we can

Defining Instructions

After defining some instructions we can

```

1  VIDEO:    EQU    3C00H    ;EQU is an
                           assembler directive. No code is produced. The symbol VIDEO is interchangeable with
                           the value 3C00H. The H following 3C00 invokes a radix conversion in the assembler.

2  COUNT:    EQU    1023    ;COUNT = 1023

3  DATA:    DEFB    'A'    ;Define a storage
                           location named DATA, and store the binary equivalent of 'A' there. The assembler will
                           convert 'A' to its ASCII value.

4  BEGIN:    LD      HL,VIDEO ;The HL register
                           pair now contains 0011 1100 0000 0000 in binary. The label BEGIN: associates that
                           symbol with the program location defined by the current line.

5           LD      DE,VIDEO + 1 ;Arithmetic
                           operations may be used to modify constants for assembly.
  
```

Example 1

"The first step away from binary is also the first step away from the machine."

16
8
4
2
11111111
32
64
128
256

Table 1. Condensed Notation

add two operands together and output the result.

If we coded 1100 that would be a load A, load B instruction. We could code a 1111. That would carry out the entire operation in one instruction cycle rather than four.

The way that the binary code controls the internal data and control paths of the CPU is called microcoding. Some CPUs are microprogrammable.

Stepping Away

The first step away from binary is also the first step away from the machine. Binary notation makes it too hard to recall many

complex instructions. Instructions are just binary patterns. To help the programmer, some form of condensed notation had to be found.

In Table 1 the eight binary bits are divided into all possible combinations. One binary number eight bits long (byte) can be divided into several digits with varying radix. Each digit in any radix needs a separate symbol. Since most people (even programmers!) would have difficulty remembering a sequence of symbols 32 characters long, any form of condensation of the binary number should use four binary positions or less. Using two binary digits provides less compression of the binary information than necessary. Three or four binary digits provide sufficient compression. These radix (hex or base 16, and octal or base 8) are the most common for binary compression.

The CPU still needs binary numbers to do its processing. If numbers are entered in another radix, then they must be converted by a program to binary. The first step up in languages allows the programmer to communicate in a different radix than binary. Source code must be entered, then modified by a program, and then stored as the object code to be executed by the machine. T-Bug is an example of this level of programming language. Much math and other tasks are left to the programmer at this level.

The Z-80 uses octal fields to break up the instruction word. When Zilog's instructions are broken into these fields, they remain reasonably intelligible. Programmers started using hex notation for more compression and introduced the first level of mystery into programming. For example, register-to-register loads (LD r,r) in octal are 1rr', where r = a number from 1-7 to select a desired register. All register-to-register loads have the same opcode of 1XX. In hex, the opcode changes, based on the register selected, so a load instruction cannot be recognized as easily. LD A,C in octal is 171. LD D,E in octal is 123. The operation code (1XX) is the same in both instructions. These two instructions in hex are 79 and 53. In hex they appear to have nothing in common.

Upward to Assembly Language

Given this powerful new tool (radix conversion program), you can write a program that converts all alphanumeric characters to binary codes. A short, cryptic name could represent an operation. That and the ability to equate constants and program locations with symbols are the bases of assembly language processors.

The programmer no longer deals with the hardware functions directly. To program effectively in assembly language, the programmer must know the architecture of the CPU. The architecture is a symbolic model




Figure 1

Peripherals Unlimited...

FANTASTIC PRICES!

**OUR FAST SERVICE, PRODUCT
SELECTION AND OUR CUSTOMERS'
SATISFACTION MAKE US #1.**

Microsoft Z-80 Softcard	\$214
Microsoft RAMCARD	\$129
Z-90-64K DO	\$2588
Z-19 Terminal	\$777
Z-121 Monitor 12"	\$149

ATARI COMPUTERS

Atari 800 16K	\$649
Atari 400	\$318
Atari Interface Module	\$174
Atari 810 Single Disk	\$444
Atari 830 Modem	\$166
Programmer	\$59
Entertainer	\$84
Star Raiders	\$34
16K Mem. Exp. for Atari	\$74
32K Mem. Exp. for Atari	\$114

NEC PRINTERS

7710/30 Spinwriter R/O	CALL
7720 Spinwriter KSR	CALL
3510/30 Spinwriter R/O	CALL

NEC DOT MATRIX

PC-8023	\$474
---------	-------

Call for prices on ribbons, etc.

MORE PRINTERS

Anadex 9500/9501	\$1295
Anadex DP-9000	\$1049
Okidata Microline 82A	CALL
Okidata Microline 83A	CALL
Okidata Microline 84	CALL
Tractor (OKI80 + 82 only)	\$60
Diablo 630	\$2044

MONITORS

Sanyo 12" GRN Phosphor	\$266
Sanyo 12" Black + White	\$239
Amdek 12" 300 GRN Phosphor	\$149
Amdek 12" Color I	\$319
Amdek Color II	\$779
NEC 12" GRN Phosphor	\$149
NEC 12" Color	\$344

EPSON PRINTERS

MX-80 w/Graphics	CALL
MX-80 FT (Friction + Tractor)	CALL
MX-100 (15" Carriage)	CALL

Call for prices on
Ribbons, Cables and Interfaces

NEC-PC 8000 Series Microcomputer

PC-8001A Computer w/32K	\$888
PC-8012A w/32K + Exp. Slots	\$588
PC-8031A Dual Mini Disk	\$888
PC-8032A Add-on Mini Disk	\$777

Call for Software Prices

**FOR THE LOWEST
PRICE CALL
TOLL FREE
1-800-343-4114**

ORDERING INFORMATION

Our order lines are open 9AM to 6PM EST Monday thru Friday. Phone orders are welcome; same day shipment on orders placed before 10AM. Free use of Mastercard and VISA. Personal checks require 2 weeks clearance. Manufacturer's warranty included on all equipment. Prices subject to revision. C.O.D.'s accepted.

For service, quality and delivery call:

**PERIPHERALS UNLIMITED
(617) 655-7400**

62 N. Main St. • Natick, MA 01760

"Macro assemblers allow the programmer to define a series of operations and to associate them with a label."

of the CPU hardware optimized for easy understanding. The programmer must know the instruction set for his machine and the mnemonics that represent each instruction. The mnemonic representation of an instruction is for the convenience of the programmer. For example, the load instruction LD A,C is easier to recognize than 01 111 001 (binary). Remember that the programmer's source code will be read by another program (the assembler), and it must be formatted to meet the reading program's requirements. The final added complexity of assembly language is the addition of instructions that do not produce executable machine code. This class of instructions, called assembler directives, controls the assembler program while it assembles the source code.

The following example will clarify the new terms listed above:

1. VIDEO: EQU 3C00H; EQU is an assembler directive. No code is produced. The symbol video is interchangeable with the value 3C00H. The H following 3C00 invokes a radix conversion in the assembler.
2. COUNT: EQU 1023; COUNT = 1023.
3. DATA: DEFB 'A'; define a storage location named DATA,

and store the Binary equivalent of 'A' there. The assembler will convert 'A' to its ASCII value.

4. BEGIN: LD HL,VIDEO; The HL register pair now contains 0011 1100 0000 0000 in Binary. The label BEGIN: associates that symbol with the program location defined by the current line.

5. LD DE,VIDEO + 1; Arithmetic operations may be used to modify constants for assembly.

These lines of code illustrate many features of assembly language programming. The task of the programmer is made considerably easier by these tools.

Macro assemblers allow the programmer to define a series of operations and to associate them with a label. When this label appears in the source code it is replaced by the previously defined set of instructions. This is the first level of programming where one line of source code produces more than one line of machine code.

Compilers

Assemblers are powerful programming tools, but they have a major disadvantage. Only the target machine can use assembly language code. If the code machine were independent the programmer would no longer

have to know the architecture of the machine he was programming.

Compilers achieve machine independence by substituting a pseudo-machine with its architecture defined by the language specification. For example, you access the output device by print statements in Basic. On the TRS-80 a print statement writes information into the video memory. On another machine it may write information into a teletype. The command Print specifies output to the console device regardless of what hardware configuration exists.

The compiler converts a uniform, standardized source code into object code for the specific machine. That means that every family of machine requires its own compiler. Programs are transferable from one family of machine to another family only after being re-compiled for the target environment. Because each machine requires its own compiler, small differences in the language specifications have crept in, requiring changes to the source codes to make them truly interchangeable. This almost total divorce from the architecture

SOFTWARE ETCETERA

MAIL ORDER PRICES ARE LOWER THAN OUR RETAIL STORE PRICES

DON'T PAY MORE for TRS 80 SOFTWARE

☒ these prices

- AIR FLIGHT SIMULATION \$9.20 (TAPE)
- JET FIGHTER PILOT \$13.90 (TAPE)
- DOS PLUS \$130.00 (DISK)
- GEOGRAPHY EXPLORER USA \$45.25 (DISK)
- DLDIS \$17.00 (DISK)

☐ YES I AGREE!

- BUSINESS ANALYSIS \$90.00 (DISK)
- ALL BIG 5 SOFTWARE 15% OFF
- LOST COLONY \$25.50 (DISK)
- DEATH PLANET \$17.25 (DISK)
- SOFTERM \$44.75 (DISK)

* PRICE LIST SENT WITH ALL ORDERS

Name _____

Address _____

City _____

State _____

Zip _____

☐ VISA
☐ MASTERCARD
☐ CHECK/MONEY ORDER

CARD# _____

EXP. DATE _____

RUSH!

SOFTWARE ETCETERA
19973 Ventura Blvd.
Woodland Hills, CA 91364
(213) 702-8061

ALL ORDERS SHIPPED IMMEDIATELY

STRANDED?

Can't get the answers you need? *two/sixteen* is more than a magazine. As a subscriber, you may call us any time (days, nights, weekends) to discuss any II/16 related problem. We'll help you or try to find someone who can. And you'll also find the articles in our bi-monthly magazine informative and helpful. We discuss all aspects of II/16 operation, including software running under alternate operating systems (e.g., CP/M) as well as TRSDOS. Rates in the U.S. are \$30/yr. Foreign (in U.S. funds): Canada \$36; Other: surface \$47, air \$67. Check, VISA, or MasterCard accepted. *two/sixteen magazine*,

P. O. Box 1216, Lancaster, PA 17603.
Credit card orders: (717) 397-3364.

"The number of passes that the compiler makes over the source code depends on the individual compiler."

and hardware of your machine makes the transition from knowing your pseudo-machine to knowing your real machine a difficult step.

With machine independence, the high level language was a reality. All high level languages are implemented with one of the following compilers. (Yes, Basic is a compiler!!)

The first two types of compilers have one thing in common. They both convert the entire source file to object code simultaneously. The number of passes that the compiler makes over the source code depends on the individual compiler. Once this compilation is complete the source file becomes unnecessary. The object file (/cmd file on TRS-80) is a complete stand-alone program. It cannot be modified by altering the source without recompilation! These compilers cannot be used in the immediate mode. Program debugging requires modification to the source code and recompilation.

Four Compilations

- **Inline.** One-time, multi-pass translation from source code to object code. The
- program logic (algorithm) and flow remain the same in the object code as in the source code. All required routines must reside (including I/O) in the body of the resulting program.
- **Threaded.** The source code is reduced to a series of calls and arguments. The calls are made to a series of routines (sometimes called the operating time system, or run time system) that exist as object codes within the compiler. These routines and the call list with arguments are the final compiled program. The remaining compilers allow source input to be compiled and executed immediately. Program development is less painful, but the execution speed may be greatly reduced.
- **Incremental.** Most often called an interpreter, the TRS-80 uses this form of compilation for Basic. The source file is read one line at a time. The object code is produced (usually threaded) and executed before the next source line is compiled. The compiled object program is not saved as a stand-alone program.
- **Combined Incremental and Threaded.** Some languages (notably FORTH) use their threaded compilation capability in the incremental mode. This is the best of both worlds. Immediate mode is available for debugging and stand-alone object code can be produced for the final program.

To learn Basic you studied a pseudo-machine. To learn about your TRS-80 and computers in general, assembly language is the next step back towards the machine. You have to learn the architectural model as well as the instruction set and the layout of the hardware. Though not an easy step Basic gives you some portals to the real machine. Instructions like PEEK, POKE and VARPTR provide some insight. Also, the most difficult part of programming, the algorithmic process, is already an old friend. ■

You've invested a lot of time and money into your computer . . .
It's time that investment paid off!

THE COLOR ACCOUNTANT

The Programmer's Institute introduces **THE COLOR ACCOUNTANT**, the only complete personal financial package specifically designed for the TRS-80 COLOR computer. This unique package includes:

- | | | |
|-----------------------------------|-----------------------------------|-------------------------|
| 1. Complete Checkbook Maintenance | 5. Payments/Appointments Calendar | 8. Home Budget Analysis |
| 2. Chart of Accounts Maintenance | 6. Color Graph Design Package | 9. Decision Maker |
| 3. Income/Expense Accounts | (graphs any files) | 10. Mailing List |
| 4. Net Worth Statement | 7. Stock Market Analysis | |

After the initial setup, **THE COLOR ACCOUNTANT** requires less than an hour of data input each month.

The checkbook maintenance program is the key to the entire package. Once your checkbook is balanced, the checkbook summary file will automatically update the home budget analysis, net worth, and income/expense statements. You can then graph any file, record bills and appointments, make decisions, print a mailing list, analyze various accounts or stocks, and even calculate taxes.

All programs are menu-driven and allow add/change/delete. Each file and statement can be listed to screen or printer, and saved to cassette or diskette. **THE COLOR ACCOUNTANT** also comes with 40 pages of documentation that leads you step-by-step through the entire package.

The TRS-80 COLOR Ext. Basic requires 16K for this package. (\$74.95 cassette, \$79.95 diskette).

THE TAX HANDLER

The perfect supplement to **THE COLOR ACCOUNTANT**, *The Tax Handler* includes:

1. Complete Form 1040
2. Schedule A (Itemized Deductions)
3. Schedule G (Income Averaging)

This year let *The Tax Handler* prepare your taxes (\$24.95 cassette, \$29.95 diskette).

See your local dealer or order direct:
THE PROGRAMMER'S INSTITUTE

a division of FUTUREHOUSE
P.O. BOX 3191, DEPT. 1-B
CHAPEL HILL, NC 27514



✓475

1-919-489-2198

10 AM - 9 PM, Mon - Sat



Send your screen graphics to your printer.

Pixel Printer

Charles E. Gillen
1458 Greenmont Court
Reston, VA 22090

When beautiful listings and fancy word-slinging begin to bore, what more? Graphics in the standard TRS-80 format. This program LPRINTs any pure graphic design you can sketch on a video worksheet. More than that—once you make a trial print, you can call for the same design in a new size, at a different position on the

paper, or in a lighter or darker tone. You can even alter part of your design and print again. You can reverse the image to print a negative rather than positive.

Limitations

Though your design reproduces in blocks which exactly conform to the TRS-80 format, they will be composed of the standard alphanumeric characters available on your keyboard and printer. You can achieve a solid tone with a printer set to 132 columns per line, with 8 lines per inch spacing. Less satisfactory is a printer that has only 80 columns; setting it to 6 lines per inch still conforms to the TRS-80 pixel proportions, but the overall tone will be less dense and even.

Getting your own design into the program and then onto paper is faster (and easier) than redrawing a rough sketch on a fresh video worksheet. Aside from the fascination of seeing your design turned into a printout, ease of input is this program's best feature—only one keystroke per pixel.

Type the program in Listing 1 into your TRS-80, turn on the printer, and take a practice run. Run. Hit any key to pass the title, answer how many columns, then observe the demonstration. Hit the Y key, and after the program prints the aeroplane, it shows the design data and print parameters, and then displays a menu. Before you pull the printout from your machine, press the @ key several times and the paper will meet you half-way.

The R (Restart) key clears the decks and runs again. You can use this key later when you finish one original design and want to do another. You change your design one line at a time with the L option. The P option heading the menu produces another aero-

plane with the current LPRINT values.

Flexibility

Select the M option for the change mode. Using the aeroplane, practice changing the LPRINT TAB setting, and the overall picture size (the program rejects efforts to run off the paper), and practice varying the overall tone by picking a different character. A chart of all the alphanumeric CHR\$ codes is built-in to refresh your memory.

You can reverse the picture with a single keystroke. You can decline to change any option: Enter to retain the value used during the previous print cycle. When you have printed enough aeroplanes, press R for Restart.

Going Solo


Take a small design drawn on a video worksheet and count the maximum height in pixels (not in character lines, but the familiar X,Y size), then the maximum width in pixels. This information defines the size of an imaginary frame holding the design, and also dimensions the number of strings to be input. Then answer questions about tab, size and print characters.

Look at the top line of pixels in your design. As you scan from left to right hit a zero to mark every dark pixel and either a period or space to leave a blank. Anything but the zero prints a blank pixel. Enter after the last zero in the line, and input the remaining lines using the same technique. The design data for the aeroplane demonstration shows several shortcuts to speed up and simplify the input process. Do not input a design string with a leading space; use the period to help count spaces accurately.

The Key Box

Basic Level II
Model I
16K RAM
Line printer required

SMART MOVES...



MI & MII DOSPLUS 3.4 \$110

TRS-80 MODEL III MICROCOMPUTER

2 Single Sided
40 TRK Drives \$1,895

MODEL III DISK CONTROLLER KITS

J & M Systems \$ 325
A.M. Electronics \$ 325

RS-232 INTERFACE KITS

V.R. Data RS-232 Kit \$ 90

RANDOM ACCESS MEMORY

200 ns N.E.C. RAM \$ 2

DOUBLE DENSITY KITS

Model I A.M. Multiplier \$ 99

CANON DISK DRIVES

Slimline 40 TK Single Sided
Complete \$ 235

Slimline 40 TK Double Sided
Complete \$ 320

SANYO EXTERNAL DRIVE

ORC-85 DISK VERSION \$ 350

ORC-90 DISK VERSION \$ 99

SMITH-CORONA TP-1 PRINTER

BARE DISK DRIVES — Tandon Drives

Single Sided
40 TRK Drives \$ 205

Single Sided
80 TRK Drives \$ 320

EPSON PRINTERS

MX-80 FIT \$ 530

MX-82 \$ 530

MX-82 FIT \$ 610

MX-100 \$ 699

OKIDATA LINE PRINTERS

Microline 82A \$ 450

Microline 83A \$ 695

Microline 84 \$1,100

ASG-3 WINCHESTERS FOR TRS 80 MODEL III

5m Byte Formatted \$1,795

10m Byte Formatted \$1,995

These drives plug into the 50 pin I-O expansion port. System includes host adapter, cables, fan-cooled cabinet. An LDOS compatible driver is included with the kit for those who already own LDOS.

90 Day Warranty One Year Extended Warranty Available

EPSON Factory Authorized Service Dealer
Call or write for Free Brochure:
U.S. Prices F.O.B. Winter Garden, FL

ORDERS ONLY:
1-800-327-6590

TRS is a trademark of Tandy Corp.
LDOS is a trademark of Logical Systems, Inc.

all systems
Go →

©1981

638 S. Dillard St.
West Orange Shopping Center
Winter Garden, FL 32787-0915
Voice: (305) 877-2830
Data: (305) 877-2829

[illegible]

Figure 1

The printer width in columns limits input designs to less than 131 or 79 pixels (the same as 65 or 39 characters). However the height of the design—the length down the page—is unlimited. You can print a long design or message using an oversized alphabet of your own creation, though if you get too ambitious you might need more than the 2000 bytes cleared by line 170. Inputting custom lettering in a vertical format is easy as you handle only one letter at a time. Experiment with small designs first; the program can enlarge them later.

```

100 REM ***** PIXEL PRINTER GRAPHIC UTILITY *****
110 REM * FOR A 132-COL, 8-LPI PRINTER *
120 REM * OR AN 80-CPL, 6-LPI PRINTER *
130 REM * DESIGNED BY CHARLES E. GILLEN *
140 REM * U.S. EMBASSY APO S.F. 96301 *
150 REM ***** VERSION 8 ***** 25 MARCH 1981 *****
160 REM

170 CLS: CLEAR 2000: DEFINT A-Z: PRINT CHR$(23): PRINT @452, "P I X E L
    P R I N T E R": GOSUB 560: PRINT @214, "TURN ON YOUR PRINTER": PRIN
T: PRINT TAB(17) "TYPE 1 IF IT HAS 80 COLUMNS": PRINT TAB(17) "TYPE
    2 IF IT HAS 132 COLUMNS


180 IN$=INKEY$: IF IN$="1" THEN 190 ELSE IF IN$="2" THEN 200 ELSE 180
190 CW=80: MX=2: TB=0: GOTO 210
200 CW=132: MX=3: TB=10

210 CLS: PRINT @474, "WANT A DEMO?"
220 IN$=INKEY$: IF IN$="Y" THEN 230 ELSE IF IN$="N" THEN 240 ELSE 220
230 D=1: VD$="+Positive": BK$=STRING$(MX, 56): WT$=STRING$(MX, 32): WD
=39: HI=16: DIM A$(HI): NR=56: GOSUB 580: GOTO 440
240 CLS: PRINT "** DESIGN PHASE **": PRINT: INPUT "WIDTH IN PIXELS":
    WD: IF WD=0 OR WD>(CW-1) THEN 240
250 PRINT: INPUT "HEIGHT IN PIXELS": HI: IF HI=0 THEN 250 ELSE DIM A$(HI):
    GOTO 270
260 CLS: PRINT "SIZE OR TAB TOO BIG....TRY AGAIN
270 PRINT: INPUT "LPRINT AT TAB "; TB: IF TB>63 THEN PRINT: PRINT "TAB
    CAN'T BE OVER 63": GOTO 270
280 PRINT: INPUT "SIZE FACTOR "; MX: IF (CW-(TB+1)) < (WD*MX) THEN 26
    0
290 PRINT: PRINT "WANT TO SEE CHR$ CHART?
300 IN$=INKEY$: IF IN$="Y" THEN 310 ELSE IF IN$="N" THEN 330 ELSE 300
310 PRINT: PRINT "SELECT 1 ASCII CODE FROM THIS CHART:
320 IF INKEY$="" THEN 320 ELSE GOSUB 550
330 PRINT: INPUT "SELECT WHAT CHR$ CODE": NR: IF NR < 33 OR NR > 95 THEN CLS:
    GOTO 290
340 PRINT: PRINT "POSITIVE OR NEGATIVE PRINT?": BK$=STRING$(MX, NR):
    WT$=STRING$(MX, 32): VD$="+Positive"
350 IN$=INKEY$: IF IN$="P" THEN CLS: VD=0: GOTO 370 ELSE IF IN$="N" THEN 360
    ELSE 350

```

366 • 80 Micro, November 1982

Two great simulations for the "80s"...



T80-FS1

Flight Simulator

The realism of "out-the-window" flight can be yours with this challenging simulation that will excite beginners and test experienced pilots. On cassette, **\$25.00**.

On enhanced disk (increased world projection rates, 10-frame-per-second approach mode, infinite horizon, hit/crash detection, and more), **\$33.50**. For Model I or III; please specify since the media are different. All versions require 16K.

T80-SG2

Forest Fire Dispatcher

Also challenging and realistic, **Forest Fire Dispatcher** features the ease of operation that lets you concentrate your energy and imagination on the job at hand: saving forests as efficiently as possible. A naturally deep strategy game for years of pleasurable interaction. On cassette, **\$24.95** (16K required). On disk, **\$29.95** (32K required). Specify Model I (Level 2 BASIC) or Model III.



See your dealer!

For direct order, include \$1.50 and indicate UPS or first class mail. Illinois residents add 5% sales tax. Visa and MasterCard accepted. If you don't yet own a disk, don't fret. You can upgrade anytime. Cassette users may send back their cassette (but *not* the manual) along with \$10 (first class shipping included) and receive the disk version.

subLOGIC

Communications Corp.
713 Edgebrook Drive
Champaign, IL 61820
(217) 359-8482
Telex: 206995

"Your fingers will soon learn the rhythm and easily drum the zero, period and enter keys . . ."

Listing continued

```

360 VD=1:BK$=STRING$(MX,32):WT$=STRING$(MX,NR):VD$="-Negative"
370 CLS:IFCTHENPRINT@460,"NOW PRINTING CHANGES":GOTO440ELSEPRINT
"WIDTH IN PIXELS ";WD:PRINT"HEIGHT IN PIXELS ";HI:PRINT"LPR
INT TAB ";TB:PRINT"SIZE FACTOR ";MX:PRINT"LPRINT
USING CHR$( "NR" ):PRINTTAB(14)VD$
380 PRINT:PRINT"PREPARE TO INPUT "HI" LINES OF "WD" PIXELS FOR Y
OUR DESIGN
390 PRINT:PRINT"INPUT BLACK PIXELS AS 0 AND WHITE PIXELS AS .

400 IFINKEY$="" THEN400
410 PRINT "STRING$(WD,61):FORPH=1TOHI:PRINTUSING"###";PH;:P
RINT " ";:INPUTA$(PH):NEXT
420 PRINTTAB(40)"P = PRINT R = REDRAW
430 IN$=INKEY$:IFIN$="P" THEN440ELSEIFIN$="R" THEN370ELSE430
440 FORHH=1TOHI:FORMM=1TOMX:LPRINTTAB(TB);:FORWW=1TOWD:WW$=MID$(
A$(HH),WW,1):IFWW$<>"0" THENLPRINTWT$;:GOTO460 ' PRINT WHITE
450 LPRINTBK$; ' PRINT BLACK
460 NEXTWW:LPRINTCHR$(32):NEXTMM,HH:IFDTHEN490
470 PRINT:PRINTTAB(40)"SEE DESIGN DATA?
480 IN$=INKEY$:IFIN$="Y" THEN490ELSEIFIN$="N" THEN510ELSE480
490 FORLF=1TO4:LPRINTCHR$(32):NEXT:LPRINT " Design Data:":LPRI
NTCHR$(32):FORPD=1TOHI:LPRINTUSING"###";PD;:LPRINT " ";A$(PD):NEX
TPD:LPRINTCHR$(32)
500 LPRINT " Wide ";WD:LPRINT " High ";HI:LPRINT " Tab
";TB:LPRINT " Size ";MX:LPRINT " Chr$ ";NR:LPRINT " "VD
$:FORLF=1TO8:LPRINTCHR$(32):NEXT:D=0
510 CLS:PRINT"P = PRINT AGAIN":PRINT"M = CHANGE MODE":PRINT"L =
CHANGE LINE":PRINT"R = RESTART":PRINT"@ = LINEFEED":C=0

```

Listing continues



Modifying the Program

You can add a routine to CSAVE and CLOAD the design strings to create a library of your favorite graphics. If you can control your printer with software commands, consider incorporating your codes for line spacing and column width. You can place the code for the 80 column configuration before the GOTO in Line 190 or you can place the code for 132 column operation at the end of Line 200.

I down-converted this any-printer version from one developed for the Microline-80, which would be a great bargain even without its excellent TRS-80 graphics. To restore this program to a Microline configuration, change the value of NR in Line 230 to 191, to print the demo using CHR\$(191). You can expand the CHR\$(HELP!) routine at Line 550 to display the graphic codes as well. Add the command code to set the Microline-80 in the 132/8 print mode. This program cheerfully gives a reverse-video LPRINT as well, so your design can exactly duplicate the CRT.

With the Microline-80, avoid printing

TURN YOUR COMPUTER INTO A GRAPHICS MACHINE



WITH THE MIKEEGRAPHIC™ GRAPHIC SYSTEM!!

MIKEEGRAPHIC is a hardware/software system designed for the TRS-80 model I & III computers. When installed, your 80 will come alive with graphic ability!!

If you've been waiting for a graphic system with the best dots/dollars ratio, take a look at our MIKEEGRAPHIC.™

HARDWARE

- TOTAL SCREEN INVERSE VIDEO
- TWO MODES OF DENSITY:
384 x 192 or 191 x 192 for Model I
512 x 192 or 256 x 192 for Model III
- EVERY DOT CAN BE SET, RESET or TESTED
- 12288 BYTES OF FAST 200 ns MEMORY
- FUNCTIONS SELECTED BY OUTPUT PORT #254
- MEMORY MAPPED FOR SPEED
- OCCUPIES LAST 16K BLOCK OF MEMORY
- CAN BE USED AS NORMAL MEMORY (if you have 32K or more of memory)
- COLOR COORDINATED ENCLOSURE
- DOES NOT CONFLICT WITH DISK OR CASSETTE I/O
- SELF SWITCHING POWER SUPPLY (Powers up with Computer)
- COMES WITH IT'S OWN WALL TRANSFORMER
- NOT A CHARACTER GENERATOR!!
- EASY INSTALLATION (Requires only 18 solder connections and one trace/pin cut)

SOFTWARE

- COMES WITH SAMPLE AND DRIVER SOFTWARE
 - USABLE THROUGH BASIC OR MACHINE LANGUAGE
 - EXCELLENT INSTALLATION/OPERATION MANUAL
- TOOL KITS AVAILABLE FOR JUST \$15.00
MANUAL AVAILABLE SEPARATELY FOR \$15.00
Full price of manual will be deducted from the Purchase Price of MIKEEGRAPHIC™ when ordered
PREPAID, C.O.D. MASTERCHARGE, VISA, or MASTER CARD ORDERS ACCEPTED FOR: Bellevue, WA
U.S. Currency ONLY. Stock to 30 days delivery.

DEALERS INQUIRIES INVITED.
ORDER NOW FOR ONLY \$340.


Complete with power supply, case software and manual.
WRITE FOR FREE BROCHURE or call for more information.

MIKEE ELECTRONICS CORPORATION

P.O. Box 3813 - Bellevue, Washington 98009
Telephone 206/451-0574

✓72

PRACTICAL PERIPHERALS BUFFERED PARALLEL INTERFACE FOR EPSON PRINTERS



MBP-16K
EPSON PARALLEL INTERFACE
16,384 Byte Buffer

\$159.95

Plus Shipping
And Applicable Tax

Master Charge & VISA

The MBP-16K is an intelligent Centronics-compatible parallel interface for the Epson MX-80, MX-80 F/T, and MX-100 printers, with 16,384 bytes of on-board RAM for data buffering.

The buffering capability of the MBP-16K increases your data processing efficiency by eliminating the wait normally experienced while printing. An Epson printer prints at 80 characters per second; at this speed it takes about five minutes to print a 16,000 character document. During most of this time the computer is waiting for the Epson to finish one line so it can send the next. The computer can't do anything else during this period because it's tied to the printer. By using the MBP-16K it takes the computer only *four seconds* to send a 16,000 character document. The Practical Peripherals MBP-16K interface typically accepts data as fast as the computer can send it, until full, returning use of the computer to you while it handles the printing. You can continue with other processing while simultaneously printing data from a previous job, gaining all the time you normally would have spent waiting for the printer to finish. The net result is to eliminate the computer-waiting-for-printer/printer-waiting-for-computer bottleneck, and keep both working. Any program that involves printed output will be speeded up by using the MBP-16K.

The MBP-16K supports all standard Epson Commands, is compatible with GRAFTRAX-80, and is plug compatible with the standard Epson cable. The MBP-16K does not require any user software for control.

The MBP-16K is easy to install — it simply plugs into the existing auxiliary interface connector inside the Epson without modification of the printer.

Micro Solutions, Inc.

THE SOFTWARE STORE


9949 E. Harwin

Houston, TX 77036

(713) 789-5443

QUALITY SOFTWARE FOR TRS-80 COLOR AND OSI

ADVENTURES AND QUEST ALSO FOR SINCLAIR AND VIC-20



ADVENTURES!!!

For TRS-80 COLOR and OSI. These Adventures are written in BASIC, are full featured, fast action, full plotted adventures that take 30-50 hours to play. (Adventures are inter-active fantasies. It's like reading a book except that you are the main character as you give the computer commands like "Look in the Coffin" and "Light the torch.")

Adventures require 16k on TRS80, TRS80 color, and Sinclair. They require 8k on OSI and 13k on Vic-20. Derelict takes 12k on OSI. \$14.95 each.

ESCAPE FROM MARS

(by Rodger Olsen)

This ADVENTURE takes place on the RED PLANET. You'll have to explore a Martian city and deal with possibly hostile aliens to survive this one. A good first adventure.

PYRAMID (by Rodger Olsen)

This is our most challenging ADVENTURE. It is a treasure hunt in a pyramid full of problems. Exciting and tough!

TREK ADVENTURE (by Bob Retelle)

This one takes place aboard a familiar starship. The crew has left for good reasons — but they forgot to take you, and now you are in deep trouble.

HAUNTED HOUSE (by Bob Anderson)

It's a real adventure — with ghosts and ghouls and goblins and treasures and problems — but it is for kids. Designed for the 8 to 12 year old population and those who haven't tried Adventure before and want to start out real easy.

DERELICT

(by Rodger Olsen & Bob Anderson)

New winner in the toughest adventure from Aardvark sweepstakes. This one takes place on an alien ship that has been deserted for a thousand years — and is still dangerous!



VENTURER!—A fast action all machine code Arcade game that feels like an adventure. Go berserk as you sneak past the DREADED HALL MONSTERS to gather treasure in room after room, killing the NASTIES as you go. Great color, high res graphics, sound and Joystick game for the TRS-80 Color or OSI machines. (black and white and silent on OSI.) Tape only. \$19.95.


BASIC THAT ZOOMMS!!

AT LAST AN AFFORDABLE COMPILER FOR OSI AND TRS-80 COLOR MACHINES!!! The compiler allows you to write your programs in easy BASIC and then automatically generates a machine code equivalent that runs 50 to 150 times faster.


It does have some limitations. It takes at least 8K of RAM to run the compiler and it does only support a subset of BASIC—about 20 commands including FOR, NEXT, END, GOSUB, GOTO, IF, THEN, RETURN, END, PRINT, STOP, USR (X), PEEK, POKE, *, /, +, -, >, <, =, VARIABLE NAMES A-Z, SUBSCRIPTED VARIABLES, and INTEGER NUMBERS FORM 0-64K.

TINY COMPILER is written in BASIC. It generates native, relocatable 6502 or 6809 code. It comes with a 20 page manual and can be modified or augmented by the user. \$24.95 on tape or disk for OSI or TRS-80 Color.

LABYRINTH — 16K EXTENDED COLOR BASIC — With amazing 3D graphics, you fight your way through a maze facing real time monsters. The graphics are real enough to cause claustrophobia. The most realistic game that I have ever seen on either system. \$14.95. (8K on OSI)



QUEST — A NEW IDEA IN ADVENTURE GAMES! Different from all the others. Quest is played on a computer generated map of Alesia. Your job is to gather men and supplies by combat, bargaining, exploration of ruins and temples and outright banditry. When your force is strong enough, you attack the Citadel of Moorlock in a life or death battle to the finish. Playable in 2 to 5 hours, this one is different every time. 16k TRS-80, TRS-80 Color, and Sinclair. 13K VIC-20. \$14.95 each.



NEW!!

BREAKAWAY — ALL MACHINE CODE — Every computer has some form of BREAKAWAY available. Ours is fast, smooth, has 15 levels of difficulty — and is a bargain!! 16k TRS-80 Color only \$9.95.

PROGRAMMERS!

SEE YOUR PROGRAM IN THIS SPACE!! Aardvark traditionally pays the highest commissions in the industry and gives programs the widest possible coverage. Quality is the keyword. If your program is good and you want it presented by the best, send it to Aardvark.

Please specify system on all orders

ALSO FROM AARDVARK — This is only a partial list of what we carry. We have a lot of other games (particularly for the TRS-80 Color and OSI), business programs, blank tapes and disks and hardware. Send \$1.00 for our complete catalog.

AARDVARK - 80

2352 S. Commerce, Walled Lake, MI 48088

(313) 669-3110

Phone Orders Accepted 8:00 a.m. to 4:00 p.m. EST. Mon.-Fri.

✓ 107



TRS-80 COLOR

SINCLAIR

OSI

VIC-20

Listing continued

large masses of solid black (CHR\$(91)) in a large design. If the print head pauses before printing a new line it is overheated and quitting for a while to cool down. Small designs or those having equal amounts of light and dark pixels cause no problem when you use CHR\$(91).

This program provides an opportunity for non-graphic printer owners to LPRINT pixel shapes using the alphabet and other keys. This is not "poor man's graphics" because the option of picking any keyboard character permits some interesting experiments. Back in the Dark Ages of computer graphics the asterisk was the character most used for primitive pictures, but you will find many others that are often more appropriate for a particular design. The 8 (eight) produces a nice effect, and the # sign gives a fairly solid mass.

If you want more than one character in a design, modify the program to provide a medium pixel, in addition to the dark ones and the blanks. ■

SECURE PROGRAMS

WITH

COPY-NOT

CODE 4's BIG BROTHER IN THE
OPERATING SYSTEM. NOW WITH
COPY-NOT "BASIC" SOFTWARE
AUTHORS BECOME THE SOLE SOURCE
OF THEIR LABORS NOT PIRATES.

Send Money Order or Check for

\$275.00

TO: H P B VECTOR CO.

130 CENTER STREET
E. STROUDSBURG, PA. 18301

Allow 4-5 Weeks for Delivery

COPY-NOT IS FOR USE WITH A TRS80 MODEL I
LEVEL 2 BASIC WITH DISK DRIVES.

P.S. MONEY ORDERS ARE RUSH ORDERS.

487

NO.

FOR
COLOR
COMPUTER
PRODUCTS

GAMES

GAMES

- Arcade Graphics • Strategy Adventure •
- Invaders • Pac Attack • Storm • Magikube
- Cave Hunter • Berserk • Maze Race •
- Calixto Island • Black Sanctum •
- Starship Chameleon

HOME & WORK

HOME & WORK

- Home Money Minder • Finance
- Scribe Word Processor •
- Color Data Organizer •
- 3D Drawing Board • Address Factory

IG AIDS

PROGRAMMING AIDS

PROGRAMMING AIDS

- PASCAL • Diagnostics
- Assembler • Monitor
- Macro Assembler

DISKETTE

CASSETTE & DISKETTE

HARDWARE

HARDWARE

- 16K+ Memory Expansion
- Modems • Printers • Lower Case Adapter
- 64K Memory • TV Adapter

SERIES

ACCESSORIES •
SUPPLIES • BOOKS

Dealer Inquiries Invited

Call or Write:



6809 Specialists

COMPUTERWARE

Dept C. • Box 668
Encinitas, CA 92024 • (714) 436-3512

Computerware is a trademark of Computerware

369

PROGRAMMING TOOLS FOR YOUR TRS-80™ MODEL I AND MODEL III

INSTANT ASSEMBLER

The **INSTANT ASSEMBLER** is a powerful disk or tape-based assembler and debugger for the TRS-80. Now you can assemble directly to memory and immediately debug your program with the built in single stepping debugger. Quickly switch from assembler to debugger and back again without losing the source code. This feature makes **INSTANT ASSEMBLER** an excellent learning tool for assembly language programming.

INSTANT ASSEMBLER is absolutely unique among tape based assemblers in that it produces relocatable code modules that can be linked with the separate **LINKING LOADER**, which is supplied in two versions for loading programs into either high or low RAM. This lets you build long programs with small modules. **INSTANT ASSEMBLER** also features immediate detection of errors as the source code is entered, a compactly coded source format that uses 1/3 as much memory as standard source, and many operational features including single stroke entry of DEFB and DEFW, pinpoint control of listings, alphabetic listing of symbol table, separate commands for listing error lines or the symbol table, block move function, and verification of source tapes.

INSTANT ASSEMBLER's debugger provides single stepping with full register displays, decimal or hex entry of addresses, forward or backward memory displays, disassembly of object code in memory, memory display in ASCII format, and hex-to-decimal or decimal-to-hex conversion. The single-stepper will step one instruction at a time or at a fast rate to any defined address.

INSTANT ASSEMBLER occupies less than 8400 bytes of memory. In a 16K machine this will leave you enough memory to write assembly language programs of around 2000 bytes. This and its module-linking feature make **INSTANT ASSEMBLER** ideal for users with only 16K machines. The instruction manual may be purchased separately for \$3, which will apply towards the purchase of the **INSTANT ASSEMBLER**. In addition to disk I/O, the disk version includes a stand-alone version of the debugger.

Specify Model I or Model III. **TAPE INTASM** \$29.95 on tape
Specify Model I or Model III. **DISK INTASM** \$35.95 on disk

RESTORE DAMAGED TAPES WITH RESQ2

Cassette recordings are subject to several types of damage. Thin spots in the oxide, dirt, voltage fluctuations while recording, or stray magnetic fields can all contribute to lost or added bits. **RESQ2** was written to provide a method of restoring tapes that can no longer be loaded for these reasons. It can restore **BASIC**, **SYSTEM**, **ASSEMBLER**, and **DATA** tapes. **RESQ2** compares two copies of the damaged tape to attempt a restoration, though restoration can often be accomplished with only one copy. After the damaged data is corrected in memory, a new tape may be recorded and verified which does not contain the errors. The success rate of **RESQ2** will depend on the severity and quantity of errors. **RESQ2** comes with a comprehensive user manual and examples of two types of "crashed" programs to practice on.

Specify Model I or Model III. **RESQ2** \$19.95 on tape

RAM SPOOLER AND PRINT FORMATTER

This program is a full feature print formatting package featuring user definable line and page length (with line feeds inserted between words or after punctuation), screen dump, printer pause control, and baud rate selection. In addition, printing is done from a 4K expandable buffer area so that the **LPRINT** or **LLIST** command returns control to the user while printing is being done. Works with cassette or disk systems. Ideal for Selectric or other slow printers. Allows printing and processing to run concurrently. Output may be directed to either the parallel port, serial port, or the video screen. 80 Microcomputing said "I can only give my highest recommendation of Spooler and Mumford Micro Systems."

Specify Model I or Model III. **SPOOLER** \$16.95 on tape, \$21.95 on disk

DUPLICATE SYSTEM TAPES WITH CLONE

Make duplicate copies of almost any tape including **BASIC**, **SYSTEM**, data lists, assembler source, or "custom loaders". The file name, load address, entry point, and every byte (in ASCII format) are displayed on the video screen. Model III version allows changing tape speed so you can load in a tape at 500 baud and write it out at 1500.

Specify Model I or Model III. **CLONE** \$16.95 on tape, \$21.95 on disk

MACHINE CODE FAST FOURIER TRANSFORM

Written by Dr. A.H. Gray, Jr., co-author (with J.D. Markel) of the classic text "Linear Prediction of Speech", this complete package includes 3 versions of the machine language **FFTASM** routine assembled for 16, 32, and 48K machines, a short sample **BASIC** program to access them, a 10K **BASIC** program which includes sophisticated interactive graphing and data manipulation, and a manual of instructions and examples. The machine language sub-routines use variables defined by a supporting **BASIC** program to make data entry and retrieval automatic, without **PEEKs** and **POKEs**. They perform 20 to 40 times faster than their **BASIC** equivalent (256 points in 12.5 seconds), and handle up to a 1024 point complex FFT. The FFT is useful in analyzing stock market and commodity trends as well as for signal analysis.

Specify Model I or Model III. **FFTASM** \$49.95 on tape
FFTASM on disk with source code \$69.95

INSIDE LEVEL II

The Programmers Guide to the TRS-80 ROMS

INSIDE LEVEL II is a comprehensive reference guide to the Model I and Model III ROMs which allows the machine language or **BASIC** programmer to easily utilize the sophisticated routines they contain. Concisely explains set-ups, calling sequences, and variable passage for number conversion, arithmetic operations, and mathematical functions, as well as keyboard, tape, and video routines. Part II presents an entirely new composite program structure which loads under the **SYSTEM** command and executes in both **BASIC** and machine code with the speed and efficiency of a compiler. In addition, the 18 chapters include a large body of other information useful to the programmer including tape formats, RAM usage, relocation of **BASIC** programs, **USR** call expansion, creating **SYSTEM** tapes of your own programs, interfacing of **BASIC** variables directly with machine code, and special precautions for disk systems. **INSIDE LEVEL II** was reviewed in the April 1982 issue of 80 Microcomputing which said "The book has no flaws; it is a perfect gem." Byte Magazine said "I recommend this book to serious machine language programmers."

Includes updates for Model III. **INSIDE LEVEL II** \$15.95

SINGLE STEP THROUGH RAM OR ROM

STEP80 allows you to step through any **BASIC** or machine language program one instruction at a time, and see the address, hexadecimal value, Zilog mnemonic, register contents, and step count for each instruction. The top 14 lines of the video screen are left unaltered so that the "target program" may perform its display functions unobstructed. **STEP80** will follow program flow right into the ROMs, and is an invaluable aid in learning how the ROM routines function. Commands include step (trace), disassemble, run in step mode at variable step rate, display or alter memory or CPU registers, jump to memory location, execute a **CALL**, set breakpoints in RAM or ROM, write **SYSTEM** tapes, and relocate to any page in RAM. The display may also be routed to your line printer through the device control block so custom print drivers are automatically supported.

Specify Model I or Model III. **STEP80** \$16.95 on tape, \$21.95 on disk

SMART TERMINAL PROGRAM

This machine language program may be used as a smart terminal with time share systems or for high speed file transfers between two disk-based micros over modems or direct wire. It is menu driven and extremely simple to use. Functions include real-time terminal mode, save RAM buffer on disk, transmit disk file, receive binary files, examine and modify **UART** parameters, program 8 custom log-on messages, automatic 16-bit checksum verification of accurate transmission and reception, and many more user conveniences. Supports line printers and lowercase characters. With this program you will no longer need to convert machine language programs to ASCII for transmission, and you will know immediately if the transmission was accurate.

Specify Model I or Model III. **TELCOM** \$39.95 on disk

DISK INDEX VERSION 3.0

Our excellent disk indexing program has now been entirely rewritten in machine language. It will run on either a Model I or Model III and catalog disks for either machine regardless of which one is running it. (Model I owners must have double density to catalog Model III disks.) **DISK INDEX** will assemble an index of your entire program library by automatically reading program names and free space from each disk directory. The index may then be alphabetized or searched for any disk, program, or extension. Disks or programs may be added or deleted, and the whole index or any part may be sent to the printer. The index itself may also be stored on disk for future access and update. A 48K machine will hold over 2500 programs in each index, and you may build as many indexes as you need. Version 3.0 runs substantially faster than our previous version and works with any operating system written for the Model I or Model III except **CP/M**.

Specify Model I or Model III. **INDEX 3.0** \$29.95 on disk

4 SPEED OPTIONS FOR YOUR TRS-80

The **SK-2** clock modification allows CPU speeds to be switched between normal, an increase of 50%, or a 50% reduction; selectable at any time without interrupting execution or crashing the program. Instructions are also given for a 100% increase to 3.54 MHz. The **SK-2** may be configured by the user to change speed with a toggle switch or on software command. It will automatically return to normal speed any time a disk is active, requires no change to the operating system, and has provisions for adding an LED to indicate when the computer is not at normal speed. It mounts inside the keyboard unit with only 4 necessary connections for the switch option (switch not included), and is easily removed if the computer ever needs service. The **SK-2** comes fully assembled with socketed IC's and illustrated instructions.

Model I only. **SK-2** \$24.95

RAMTEST

This machine language program is a very thorough test for several types of RAM errors and will indicate which chip, if any, is faulty. It also includes a separate test for power line glitches.

Specify Model I or Model III. **RAMTEST** \$12.95 on tape, \$17.95 on disk

**MUMFORD
MICRO
SYSTEMS**

ORDERING: Complete satisfaction is guaranteed or a full refund will be made. Include \$2.00 for postage and handling. California residents add 6% sales tax. Visa, Mastercharge and COD orders accepted. **SPECIFY MODEL I OR MODEL III.** Dealer inquiries invited.

Box 400-E Summerland, California 93067 (805) 969-4557

Quality software since 1978

You could design a better computer!

Computer Assisted Electronics Design

John Harper
R#1 Box 252
Lawrenceburg, IN 47025

Before you can design an electronic circuit, you must organize your data to conform with your circuit design equations. To use a capacitor that is valued in picofarads in an electronic formula that evaluates capacitance in farads, you must convert picofarads into farads. The convert program (see Program Listing 1) does this. You enter the value in the form you have, and the equivalent value is returned. A more detailed description of this program and the other four appear in the individual program descriptions below.

Once the formula tells you the value of the electronic component you must find this component value in a store. While it normally is unnecessary to use the

exact value calculated, you would like the actual component value as close as possible to the calculated value. Finding a particular value is not always easy. It is sometimes convenient to combine two components in such a way that the combined value equals your desired value. The formula program (see Program Listing 2) does this. You enter the number of components you will combine and the individual value of each and the computer calculates the combined value.

One practical reason for calculating precise component values is in the construction of resonant circuits. A resonant circuit is designed to operate at a specific frequency. To construct

such a circuit, you must combine a specific value of capacitance and inductance which will resonate at your desired frequency. Program Listing 3 (CIRCUIT/RES) will calculate these component values. Enter the resonant frequency you want and either capacitance or inductance. When you have entered these two values, the computer calculates the third (unknown) value which will yield circuit resonance at your desired frequency.

The last two programs (Program Listings 4 and 5), are examples of specific filter circuits. Program Listing 4 (BAND/REJ), is a passive band reject filter. This circuit is composed of inductors and capacitors combined to block a specific range (band) of frequencies without interfering with frequencies above or below this band. Enter the high and low frequency range in which you wish the signal blocked. The computer cal-

Program Listing 1

```
10 CLS
20 PRINT "CONVERSION PROGRAM"
30 PRINT:PRINT "DO YOU WISH TO CONVERT MEASURES OF:"
40 PRINT TAB(20);"(1) CAPACITANCE"
50 PRINT TAB(20);"(2) INDUCTANCE"
60 PRINT TAB(20);"(3) FREQUENCY"
70 PRINT:INPUT "ENTER CHOICE (1,2, OR 3)";C
80 ON C GOTO 90,600,960
90 REM * CAPACITANCE *
100 CLS
110 PRINT "CONVERSION OPTIONS"
120 PRINT:PRINT
130 REM
140 PRINT TAB(5);"FROM";TAB(23);"INTO"
150 PRINT "(1) FARADS";TAB(20);"MICROFARADS"
160 PRINT "(2) FARADS";TAB(20);"PICAFARADS"
170 PRINT "(3) MICROFARADS";TAB(20);"PICAFARADS"
```

Listing 1 Continues

farads	into	microfarads
farads	into	picofarads
microfarads	into	picofarads
microfarads	into	farads
picofarads	into	farads
picofarads	into	microfarads
henries	into	microhenries
henries	into	millihenries
microhenries	into	henries
millihenries	into	henries
hertz	into	kilohertz
hertz	into	megahertz
kilohertz	into	hertz
megahertz	into	hertz

Table 1

The Key Box

Model I or III
16K RAM
Cassette or Disk Basic
Printer

```

180 PRINT(4) MICROFARADS";TAB(20)"FARADS"
190 PRINT(5) PICAFARADS";TAB(20)"FARADS"
200 PRINT(6) PICAFARADS";TAB(20)"MICROFARADS"
210 PRINT(7) RETURN TO MAIN MENU"
220 PRINT:INPUT"ENTER CHOICE (1-7)";C
230 ON C GOTO 240,300,360,420,480,540,10
240 CLS:PRINT"CONVERT FARADS INTO MICROFARADS"
250 INPUT"ENTER VALUE (IN FARADS) TO BE CONVERTED";F
260 M=F*(10{6)
270 PRINT:PRINT P;" FARADS ="M;" MICROFARADS"
280 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
290 GOTO 100
300 CLS:PRINT"CONVERT FARADS INTO PICAFARADS"
310 INPUT"ENTER VALUE (IN FARADS) TO BE CONVERTED";F
320 P=F*(10{12)
330 PRINT:PRINT P;"FARADS ="P;" PICAFARADS"
340 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
350 GOTO 100
360 CLS:PRINT"CONVERT MICROFARADS INTO PICAFARADS"
370 INPUT"ENTER VALUE (IN MICROFARADS) TO BE CONVERTED";M
380 P=M*(10{6)
390 PRINT:PRINT M;"MICROFARADS ="P;" PICAFARADS"
400 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
410 GOTO 100
420 CLS:PRINT"CONVERT MICROFARADS INTO FARADS"
430 INPUT"ENTER VALUE (IN MICROFARADS) TO BE CONVERTED";M
440 F=M*(10{-6)
450 PRINT:PRINT M;"MICROFARADS ="F;" FARADS"
460 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
470 GOTO 100
480 CLS:PRINT"CONVERT PICAFARADS INTO FARADS"
490 INPUT"ENTER VALUE (IN PICAFARADS) TO BE CONVERTED";P
500 F=P*(10{-12)
510 PRINT:PRINT P;"PICAFARADS ="F;" FARADS"
520 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
530 GOTO 100
540 CLS:PRINT"CONVERT PICAFARADS INTO MICROFARADS"
550 INPUT"ENTER VALUE (IN PICAFARADS) TO BE CONVERTED";P
560 M=P*(10{-6)
570 PRINT:PRINT P;"FARADS ="M;" MICROFARADS"
580 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
590 GOTO 100
600 REM * INDUCTANCE *
610 CLS
620 PRINT"CONVERSION OPTIONS"
630 PRINT:PRINT
640 PRINT TAB(5);"FROM";TAB(23);"INTO"
650 PRINT(1) HENRIES";TAB(20);"MICROHENRIES"
660 PRINT(2) HENRIES";TAB(20);"MILLIHENRIES"
670 PRINT(3) MICROHENRIES";TAB(20);"HENRIES"
680 PRINT(4) MILLIHENRIES";TAB(20);"HENRIES"
690 PRINT(5) RETURN TO MAIN MENU"
700 PRINT:PRINT:INPUT"ENTER CHOICE (1-5)";C
710 ON C GOTO 720,780,840,900,10
720 CLS:PRINT"CONVERT HENRIES INTO MICROHENRIES"
730 INPUT"ENTER VALUE (IN HENRIES) TO BE CONVERTED";H
740 M=H*(10{6)
750 PRINT:PRINT H;"HENRIES ="M;" MICROHENRIES"
760 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
770 GOTO 610
780 CLS:PRINT"CONVERT HENRIES INTO MILLIHENRIES"
790 INPUT"ENTER VALUE (IN HENRIES) TO BE CONVERTED";H
800 M=H*(10{3)
810 PRINT:PRINT H;"HENRIES ="M;" MILLIHENRIES"
820 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
830 GOTO 610
840 CLS:PRINT"CONVERT MICROHENRIES INTO HENRIES"
850 INPUT"ENTER VALUE (IN MICROHENRIES) TO BE CONVERTED";M
860 H=M*(10{-6)
870 PRINT:PRINT M;"MICROHENRIES ="H;" HENRIES"
880 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
890 GOTO 610
900 CLS:PRINT"CONVERT MILLIHENRIES INTO HENRIES"
910 INPUT"ENTER VALUE (IN MILLIHENRIES) TO BE CONVERTED";M
920 H=M*(10{-3)
930 PRINT:PRINT M;"MILLIHENRIES ="H;" HENRIES"
940 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
950 GOTO 610
960 REM * FREQUENCY *
970 CLS
980 PRINT"CONVERSION OPTIONS"
990 PRINT:PRINT
1000 PRINT TAB(5);"FROM";TAB(23);"INTO"
1010 PRINT(1) HERTZ";TAB(20);"KILOHERTZ"
1020 PRINT(2) HERTZ";TAB(20);"MEGAHERTZ"
1030 PRINT(3) KILOHERTZ";TAB(20);"HERTZ"
1040 PRINT(4) MEAGHERTZ";TAB(20);"HERTZ"
1050 PRINT(5) RETURN TO MAIN MENU"
1060 PRINT:INPUT"ENTER CHOICE (1-5)";C
1070 ON C GOTO 1080,1140,1200,1260,10
1080 CLS:PRINT"CONVERT HERTZ TO KILOHERTZ"
1090 INPUT"ENTER VALUE (IN HERTZ) TO BE CONVERTED";H
1100 K=H*(10{-3)
1110 PRINT:PRINT H;"HERTZ ="K;" KILOHERTZ"
1120 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
1130 GOTO 970
1140 CLS:PRINT"CONVERT HERTZ INTO MEGAHERTZ"
1150 INPUT"ENTER VALUE (IN HERTZ) TO BE CONVERTED";H
1160 M=H*(10{-6)
1170 PRINT:PRINT H;"HERTZ ="M;" MEGAHERTZ"
1180 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
1190 GOTO 970
1200 CLS:PRINT"CONVERT KILOHERTZ INTO HERTZ"
1210 INPUT"ENTER VALUE (IN KILOHERTZ) TO BE CONVERTED";K
1220 H=K*(10{3)
1230 PRINT:PRINT K;"KILOHERTZ ="H;" HERTZ"
1240 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
1250 GOTO 970
1260 CLS:PRINT"CONVERT MEGAHERTZ TO HERTZ"
1270 INPUT"ENTER VALUE (IN MEGAHERTZ) TO BE CONVERTED";M
1280 H=M*(10{6)
1290 PRINT:PRINT M;"MEGAHERTZ ="H;" HERTZ"
1300 PRINT:PRINT:INPUT"PRESS ENTER TO CONTINUE";A$
1310 GOTO 970

```

FREE NEBS COMPUTER FORMS CATALOG

Send today for our NEW full-color 56-page catalog with continuous checks, statements, invoices, stationery, envelopes, supplies and accessories. We will also send our FORMS SELECTOR GUIDE, to help you find the right forms for your software.

- Quality products at low prices
- Available in small quantities
- Fast Service
- Money-Back Guarantee
- Convenient TOLL-FREE ordering

Fast Service by mail or...PHONE TOLL FREE

1 + 800-225-9550

Mass. residents 1 + 800-922-8560

8:30 a.m. to 5:00 p.m. Eastern Time Monday — Friday

Please rush a new computer forms catalog to:

NAME _____

COMPANY _____

STREET _____

CITY, STATE and ZIP _____

PHONE _____

Hardware and Software being used. _____



Nebs
Computer Forms

CODE 15102

78 Hollis Street, Groton, Massachusetts 01471
A division of New England Business Service, Inc.

✓533

culates the necessary component values and draws the resulting circuit on the line printer indicating all components and values.

Program Listing 5 (Lowpass), is another example of a filter circuit. This time you are designing an active filter using resistors, capacitors, and an integrated circuit. This filter blocks signals above a specific frequency. Enter the desired cutoff frequency and the computer calculates the necessary component values and draws the circuit on the line printer.

These five programs aid in the construction of circuits designed to operate at a specific frequency. You can use the programs separately or combined. One supplies information used by another. Thus they serve for a wide range of applications. Warning: these programs do not

determine the suitability of any circuit for your intended use. Once you enter the required input, the computer will return a circuit or a component value, no matter how absurd or ineffective it may be for your use.

Convert

The programs require you to enter data via the keyboard in a specific form. One program may require you to enter a frequency in hertz while another program may require you to enter the frequency in megahertz. Convert eliminates the need of manually converting data from your form to the form the computer requires.

The program displays a table

of conversions that it can perform. Select your conversion by entering the number that appears beside it. Once you have made this selection, the computer instructs you to enter the value you wish to convert. If, for example, you wish to convert picofarads to farads, enter the value in picofarads and the computer will return the equivalent value in farads.

Table 1 lists the conversions the program can make.

Formula

Finding electronic components (resistors, capacitors, inductors, and coils) with the exact (or even approximate) value you need can be difficult. This program bypasses this circuit

design obstacle by calculating the performance of multiple electronic components when these components are combined in series or parallel. In this way, you can combine two or more standard components (those stocked by most electronic stores), to arrive at the value you need.

The program uses standard electronic formulas for calculating the combined values. Table 2 shows a complete list of these formulas. As listed, the program will calculate the results of connecting from 2-10 components. If you wish to calculate the results of connecting more than 10 items, add the appropriate dimension statements to the beginning of the program. If you

Program Listing 2

```

10 CLS
20 INPUT "DO YOU WISH OUTPUT TO LINE PRINTER (Y/N)";P$
30 CLS:PRINT "P R O G R A M   M E N U"
40 PRINT TAB(20);"(1) OHMS' LAW FOR DIRECT CURRENT"
50 PRINT TAB(20);"(2) RESISTANCE FORMULAS"
60 PRINT TAB(20);"(3) CAPACITANCE FORMULAS"
70 PRINT TAB(20);"(4) INDUCTANCE FORMULAS"
80 PRINT TAB(20);"(5) COIL WINDING FORMULAS"
90 PRINT:INPUT "ENTER CHOICE";V
100 ON V GOTO 110,470,820,1170,1520
110 CLS:PRINT "OHM'S LAW FOR DIRECT CURRENT"
120 PRINT:PRINT TAB(20);"DO YOU WISH TO CALCULATE:"
130 PRINT TAB(30);"(1) CURRENT"
140 PRINT TAB(30);"(2) VOLTAGE"
150 PRINT TAB(30);"(3) RESISTANCE"
160 PRINT:PRINT TAB(30);"(4) RETURN TO MAIN MENU"
170 PRINT:INPUT "ENTER CHOICE";C
180 ON C GOTO 200,280,350,30
190 GOTO 110
200 CLS:PRINT "CALCULATE CURRENT:"
210 INPUT "ENTER VOLTAGE IN VOLTS";E
220 INPUT "ENTER RESISTANCE IN OHMS";R
230 I=E/R:PRINT TAB(10);"CURRENT IN AMPERS = ";I
240 IF P$="N" GOTO 260
250 LPRINT "VOLTAGE IN VOLTS = ";E:LPRINT "RESISTANCE IN OHMS = ";R:LPRINT
  "CURRENT IN AMPERS = ";I
260 AS=INKEY$:IF AS="" GOTO 260
270 GOTO 420
280 CLS:PRINT "CALCULATE VOLTAGE:"
290 INPUT "ENTER CURRENT IN AMPERS";I
300 INPUT "ENTER RESISTANCE IN OHMS";R
310 E=I*R:PRINT TAB(10);"VOLTAGE IN VOLTS = ";E
320 IF P$="N" GOTO 340
330 LPRINT "CURRENT IN AMPERS = ";I:LPRINT "RESISTANCE IN OHMS = ";R:LPRINT
  "VOLTAGE IN VOLTS = ";E
340 AS=INKEY$:IF AS="" GOTO 260 ELSE 420
350 CLS:PRINT "CALCULATE RESISTANCE IN OHMS:"
360 INPUT "ENTER CURRENT IN AMPERS";I
370 INPUT "ENTER VOLTAGE IN VOLTS";E
380 R=E/I:PRINT TAB(10);"RESISTANCE IN OHMS = ";R
390 IF P$="N" GOTO 410
400 LPRINT "CURRENT IN AMPERS = ";I:LPRINT "VOLTAGE IN VOLTS = ";E:LPRINT
  "RESISTANCE IN OHMS = ";R
410 AS=INKEY$:IF AS="" GOTO 410 ELSE 420
420 CLS:PRINT "POWER EXPENDED IN LOAD RESISTANCE"
430 P=E*I
440 PRINT TAB(10);"POWER EXPENDED = ";P
450 IF P$="Y":LPRINT "POWER EXPENDED = ";P
460 AS=INKEY$:IF AS="" GOTO 460 ELSE 110
470 CLS:PRINT "RESISTANCE FORMULAS"
480 PRINT:PRINT TAB(20);"DO YOU WISH TO CALCULATE:"
490 PRINT TAB(30);"(1) RESISTORS IN SERIES"
500 PRINT TAB(30);"(2) RESISTORS IN PARALLEL"
510 PRINT:PRINT TAB(30);"(3) RETURN TO MAIN MENU"
520 PRINT:INPUT "ENTER CHOICE";C
530 ON C GOTO 540,680,30
540 CLS:PRINT "RESISTANCE IN SERIES"
550 INPUT "ENTER NUMBER OF RESISTORS IN SERIES";N
560 R=0
570 FOR A=1 TO N
580 PRINT "ENTER RESISTANCE (IN OHMS) OF RESISTOR # ";A
590 INPUT R(A):NEXT
600 FOR A=1 TO N:R=R(A)+R:NEXT
610 CLS:FOR A=1 TO N:PRINT "RESISTOR # ";A;" = ";R(A):NEXT
620 PRINT @ 400;"TOTAL CIRCUIT RESISTANCE = ";R
630 IF P$="N" GOTO 670
640 FOR A=1 TO N:LPRINT "RESISTOR # ";A;" = ";R(A):NEXT
650 LPRINT TAB(20);"TOTAL CIRCUIT RESISTANCE = ";R
660 FOR X=1 TO 5:LPRINT CHR$(13);":NEXT
670 AS=INKEY$:IF AS="" GOTO 670 ELSE 470

```

Listing 2 Continues

(I) Ohms Law for Direct Current

- (a) Current = Voltage ÷ Resistance
- (b) Voltage = Current × Resistance
- (c) Resistance = Voltage ÷ Current
- (d) Power = Voltage × Current

(II) Resistors In Parallel

- (a) Two Resistors
Total Resistance = $(R_1 \cdot R_2) \div (R_1 + R_2)$
- (b) More Than Two Resistors

$$\text{Total Resistance} = 1 \div \left(\frac{1}{R_1} + \frac{1}{R_2} + \frac{1}{R_3} + \dots + \frac{1}{R_N} \right)$$

Where: $R_1, R_2, R_3, \dots, R_N$ are
The Individual Resistors

(III) Resistors In Series

$$\text{Total Resistance} = R_1 + R_2 + R_3 + \dots + R_N$$

(IV) Capacitors In Parallel

$$\text{Total Capacitance} = C_1 + C_2 + C_3 + \dots + C_N$$

(V) Capacitors In Series

- (a) Two Capacitors
Total Capacitance = $(C_1 \cdot C_2) \div (C_1 + C_2)$
- (b) More Than Two Capacitors

$$\text{Total Capacitance} = 1 \div \left(\frac{1}{C_1} + \frac{1}{C_2} + \frac{1}{C_3} + \dots + \frac{1}{C_N} \right)$$

Where: $C_1, C_2, C_3, \dots, C_N$ are
The Individual Capacitors

(VI) Inductors In Series — No Mutual Inductance

$$\text{Total Inductance} = L_1 + L_2 + L_3 + \dots + L_N$$

(VII) Inductors In Parallel—No Mutual Inductance

- (a) More Than Two Inductors
Total Inductance = $1 \div \left(\frac{1}{L_1} + \frac{1}{L_2} + \frac{1}{L_3} + \dots + \frac{1}{L_N} \right)$
 - (b) Two Inductors
Total Inductance = $(L_1 \cdot L_2) \div (L_1 + L_2)$
- Where: $L_1, L_2, L_3, \dots, L_N$ Are
The Individual Inductors

(VIII) Coil Winding Formulas—Single Layer Coil

- (a) Inductance = $(N \cdot R)^2 \div [(9 \cdot R) + (10 \cdot L)]$
 - (b) Number of Turns = $\sqrt{I \cdot [(9 \cdot R) + (10 \cdot L)]} \div R$
- Where:
- I = Inductance
 - L = Length of Coil
 - R = Radius
 - N = Number of Turns

Table 2


```

680 CLS:PRINT"RESISTANCE IN PARALLEL"
690 INPUT"ENTER NUMBER OF RESISTORS IN PARALLEL CIRCUIT";N
700 FOR A=1 TO N
710 PRINT "ENTER RESISTANCE (IN OHMS) OF RESISTOR # ";A
720 INPUT R(A):NEXT
730 IF N>2 GOTO 760
740 R=(R(1)*R(2))/(R(1)+R(2))
750 GOTO 610
760 R=0
770 FOR A=1 TO N
780 R=1/R(A)+R
790 NEXT
800 R=1/R
810 GOTO 610
820 CLS:PRINT"CAPACITANCE FORMULAS"
830 PRINT:PRINT TAB(20);"DO YOU WISH TO CALCULATE:"
840 PRINT TAB(30);"(1) CAPACITORS IN PARALLEL"
850 PRINT TAB(30);"(2) CAPACITORS IN SERIES"
860 PRINT:PRINT TAB(30);"(3) RETURN TO MAIN MENU"
870 INPUT"ENTER CHOICE";C
880 ON C GOTO 890,1030,30
890 CLS:PRINT"CAPACITANCE IN PARALLEL"
900 INPUT"ENTER NUMBER OF CAPACITORS IN CIRCUIT";N
910 R=0
920 FOR A=1 TO N
930 PRINT"ENTER CAPACITANCE (IN PICAFARADS) OF CAPACITOR # ";A
940 INPUT R(A):NEXT
950 FOR A=1 TO N:R=R(A)+R:NEXT
960 CLS:FOR A=1 TO N:PRINT"CAPACITOR # ";A;"=";R(A):NEXT
970 PRINT @ 400, "TOTAL CIRCUIT CAPACITANCE = ";R
980 IF PS="N" GOTO 1020
990 FOR A=1 TO N:LPRINT "CAPACITOR # ";A;"=";R(A):NEXT
1000 LPRINT TAB(20);"TOTAL CIRCUIT CAPACITANCE = ";R
1010 FOR X=1 TO 5:LPRINT CHR$(13);" ":NEXT
1020 AS=INKEY$:IF AS="" GOTO 1020 ELSE 820
1030 CLS:PRINT"CAPACITANCE IN SERIES:"
1040 INPUT "ENTER NUMBER OF CAPACITORS IN SERIES CIRCUIT";N
1050 FOR A=1 TO N
1060 PRINT"ENTER CAPACITANCE (IN PICAFARADS) OF CAPACITOR # ";A
1070 INPUT R(A):NEXT
1080 IF N>2 GOTO 1110
1090 R=(R(1)*R(2))/(R(1)+R(2))
1100 GOTO 960
1110 R=0
1120 FOR A=1 TO N
1130 R=1/R(A)+R
1140 NEXT
1150 R=1/R
1160 GOTO 960
1170 CLS:PRINT"INDUCTANCE FORMULAS (WITH NO MUTUAL INDUCTANCE)"
1180 PRINT:PRINT TAB(20);"DO YOU WISH TO CALCULATE:"
1190 PRINT TAB(30);"(1) INDUCTORS IN SERIES"
1200 PRINT TAB(30);"(2) INDUCTORS IN PARALLEL"
1210 PRINT:PRINT TAB(30);"(3) RETURN TO MAIN MENU"
1220 INPUT"ENTER CHOICE";C
1230 ON C GOTO 1240,1380,30
1240 CLS:PRINT"INDUCTANCE IN SERIES"
1250 INPUT"ENTER NUMBER OF INDUCTORS IN CIRCUIT";N
1260 R=0
1270 FOR A=1 TO N
1280 PRINT"ENTER INDUCTANCE (IN MICROHENRIES) FOR INDUCTOR # ";A
1290 INPUT R(A):NEXT
1300 FOR A=1 TO N:R=R(A)+R:NEXT
1310 CLS:FOR A=1 TO N:PRINT"INDUCTOR # ";A;"=";R(A):NEXT
1320 PRINT @ 400, "TOTAL CIRCUIT INDUCTANCE = ";R
1330 IF PS="N" GOTO 1370
1340 FOR A=1 TO N:LPRINT "INDUCTOR # ";A;"=";R(A):NEXT
1350 LPRINT TAB(20);"TOTAL CIRCUIT INDUCTANCE = ";R
1360 FOR X=1 TO 5:LPRINT CHR$(13);" ":NEXT
1370 AS=INKEY$:IF AS="" GOTO 1370 ELSE 1170
1380 CLS:PRINT"INDUCTANCE IN PARALLEL --NO MUTUAL INDUCTANCE"
1390 INPUT"ENTER NUMBER OF INDUCTORS IN CIRCUIT";N
1400 FOR A=1 TO N
1410 PRINT"ENTER INDUCTANCE (IN MICROHENRIES) OF INDUCTOR # ";A
1420 INPUT R(A):NEXT
1430 IF N>2 GOTO 1460
1440 R=(R(1)*R(2))/(R(1)+R(2))
1450 GOTO 1310
1460 R=0
1470 FOR A=1 TO N
1480 R=1/R(A)+R
1490 NEXT
1500 R=1/R
1510 GOTO 1310
1520 CLS:PRINT"COIL WINDING FORMULAS:"
1530 PRINT TAB(1);"DO YOU WISH TO CALCULATE:"
1540 PRINT TAB(3);"(1) INDUCTANCE--GIVEN -- # OF TURNS, LENGTH, AND RADIUS"
1550 PRINT TAB(3);"(2) NUMBER OF TURNS ---GIVEN - LENGTH,RADIUS, AND INDUCTANCE"
1560 PRINT TAB(3);"(3) RETURN TO MAIN MENU"
1570 INPUT"ENTER CHOICE";C
1580 ON C GOTO 1590,1720,30
1590 CLS:PRINT"CALCULATE INDUCTANCE:"
1600 INPUT"ENTER NUMBER OF TURNS";N
1610 INPUT"ENTER MEAN RADIUS IN INCHES";A
1620 INPUT"ENTER LENGTH OF COIL IN INCHES";B
1630 L=((N*A)^2)/((9*A)+(10*B))
1640 PRINT:PRINT "GIVEN THE ABOVE DATA, THE INDUCTANCE = ";L
1650 IF PS="N" GOTO 1710
1660 LPRINT"NUMBER OF TURNS = ";N
1670 LPRINT"MEAN RADIUS IN INCHES = ";A
1680 LPRINT"LENGTH OF COIL IN INCHES = ";B
1690 LPRINT"INDUCTANCE IN MICROHENRYS = ";L
1700 FOR X=1 TO 5:LPRINT CHR$(13);" ":NEXT
1710 AS=INKEY$:IF AS="" GOTO 1710 ELSE 1520
1720 CLS:PRINT"CALCULATE NUMBER OF TURNS"
1730 INPUT "ENTER LENGTH OF COIL IN INCHES";B
1740 INPUT"ENTER INDUCTANCE DESIRED";L
1750 INPUT"ENTER MEAN RADIUS IN INCHES";A
1760 N=((9*A)+(10*B))/A
1770 PRINT:PRINT"GIVEN THE ABOVE DATA, THE NUMBER OF TURNS NEEDED FOR DESIRED INDUCTANCE = ";N
1780 GOTO 1650
1790 END

```

C/BS SAVED YOU TWICE•Only \$39⁰⁰ each!

•You can recover the cost the first week!

Introducing: "INVOICEM" - Models I & III

•Print invoices from Radio Shack Inventory Control I package (#26-1553)

•Produce plain-paper invoices by entering Stock No. and quantity. Description and price retrieved from Inventory file.

•Prices extended and totaled.

•Manual entries allowed.

✓479

Introducing: "SERIES-PRINT" - Model II

•If you use VISICALC for more than two files

"SERIES-PRINT" will greatly benefit you.

•Print up to 100 VISICALC DIF files without operator intervention.

•No longer necessary to load a file, print, load another, print, etc., etc...

•Tell "SERIES-PRINT" a range of file names and relax while your computer does your printing.

•Requires 64K Model II with 132-character printer (and, of course, VISICALC)

COMPUTER / BUSINESS SERVICES

28333 Suburban Drive, Warren, MI 48093

VisiCalc & DIF are trademarks of VisiCorp.

POCKET COMPUTER USERS

Here is what you have been looking for to protect and transport your complete TRS-80, PC-1, PC-2 or Sharp PC-1211, PC-1500 Pocket Computer System.

THE PC SYSTEM ATTACHE CASE

A durable, handsomely molded black case with two drawbolt keylocks. The interior has a soft foam lining which is cut to safely hold all this:

- Pocket Computer
- Printer/Interface
- Power Supply/Charger
- Small Tape Recorder*
- Two Rolls of Printer Paper
- Plus Room For Manuals Etc.

✓446

PLEASE SPECIFY:

PC-1, PC-1211 SYSTEM CASE - 54.50

PC-2, PC-1500 SYSTEM CASE - 59.50

*Instructions Included On How To Make Cut Out For Your Own Small Tape Recorder

SHALE DIVERSIFIED ENTERPRISES


108 Ferris Ave., Chardon, Ohio 44024

Maxell Floppy Disks

The Mini-Disks
with maximum quality.



Dealer inquiries invited. C.O.D.'s accepted. Call FREE (800) 235-4137.


**PACIFIC EXCHANGES**

100 Foothill Blvd., San Luis
San Luis Obispo, CA 93401.
In Cal. call (800) 592-5935 or
(805) 543-1037.

✓207

NO BREAKS

SLAVE DRIVER® KEEPS YOUR PRINTER WORKING WHILE YOU AND YOUR COMPUTER DO MORE IMPORTANT JOBS...



COMPUTERS ARE FAST... PRINTERS ARE SLOW. That's a problem more people are realizing every day as they wait for the slow printer to finish before they can use the fast computer again. Technology has come to the rescue by designing an electronic device that takes the output of the fast computer fast and feeds it to the slow printer slowly, as the printer needs it. It's called a printer buffer.

SLAVE DRIVER® is an inexpensive, universal printer buffer. It can be used with all popular micro-computers that have a centronics parallel port to the printer. **SLAVE DRIVER®** receives information from the computer at up to 4000 characters per second and holds it until your printer can handle it. Your **SLAVE DRIVER®** is controlled by a custom LSI and uses standard centronics signals.

60 SECOND INSTALLATION

SLAVE DRIVER® is designed to be plugged directly into the input port of the Epson and other similar printers. It is powered by the printer or an AC adapter. Other centronics compatible printers can be attached using the adapter cable. Installation can be completed in less than 60 seconds. Just plug it in. **SLAVE DRIVER®** takes up little space; about the size of a paper back book. Such a little fellow for such a big job!

EASY USE AND FLEXIBILITY

SLAVE DRIVER® is completely transparent to the user, no machine language programming to learn, no control codes to send, no programs to change. The buffer-full light and the reset switch give full flexibility of operation. List your program to **SLAVE DRIVER®**, return to programming while the listing prints. Dump a line of data to **SLAVE DRIVER®** and compute the next record while the data prints. Send complete reports to **SLAVE DRIVER®**, make disc back-ups, even turn off the computer and go home. **SLAVE DRIVER®** oversees the printer until all the work is done.

JUDGE FOR YOURSELF

Each **SLAVE DRIVER®** comes complete with interface cable, power supply, instruction manual, 30-day money-back guarantee and limited one year warranty. To order send your check or money order to the address below: \$189.95 for the expandable 8K model (holds approximately a 4-page letter); \$289.95 for the 64K model (holds a 32-page double-spaced report). Please include \$3.50 for shipping. Visa and MasterCard users may phone 703/228-5800 to hasten your order. (VA residents please add 4% sales tax)

IN STOCK AND AVAILABLE NOW

FREEDOM MICRO-SYSTEMS

Star Route 1 ★ Wytheville, VA 24382
703/228-5800



✓360

are to use over ten components for a desired operating point you may be doing something wrong.

When program execution begins, the following main menu is displayed and you select the topic of your choice.

Main Menu:

- (1) Ohm's Law for Direct Current
- (2) Resistance Formulas
- (3) Capacitance Formulas
- (4) Inductance Formulas
- (5) Coil Winding Formulas

Once you have selected from the main menu, a second menu is displayed. If you selected resistance formulas by entering number two from the main menu, the following category menu would be displayed.

Resistance Formulas:

Do you wish to calculate:

- (1) Resistors in Series
 - (2) Resistors in Parallel
 - (3) Return to Main Menu
- Enter Choice?

At this point, you enter the number (1, 2, or 3), which repre-

sents the circuit configuration you are working with. For example, enter 2 if you intend to combine the resistors in parallel.

Once you have made this choice, the program proceeds as follows asking you to enter the number of resistors in parallel in the circuit.

Enter the number of resistors you intend to combine. For example, use 2. The program next asks you to enter the resistance (in ohms) of resistor number one (I shall use 75 ohms as my example), and to enter the resistance (in ohms) of resistor number two (100 ohms is my second choice). The program will then display the total circuit resistance which in this example is 42.8571.

This is the resistance obtained when you combine 75 and 100 ohm resistors in parallel. The program will stop at this point until you press a key (any key continues program execution). When a key is pressed, the program will return to the resistance formulas

```
FREQUENCY          = 775  MEGAHERTZ
INDUCTANCE          = 8.4345 MICROHENRIES
```

```
INDUCTIVE REACTANCE *****
INDUCTANCE          = 8.4345E-06 HENRIES
FREQUENCY           = 7.75E+08 HERTZ
INDUCTIVE REACTANCE = 41050.7 OHMS
```

```
CIRCUIT RESONANCE *****
FREQUENCY           = 775  MEGAHERTZ
INDUCTANCE          = 8.43451 MICROHERTZ
CAPACITANCE         = 5.00002E-03 PICAFARADS
RESONANT FREQUENCY  = 775.398 MEGAHERTZ
```

```
CAPACITIVE REACTANCE *****
FREQUENCY           = 7.75001E+08 HERTZ
CAPACITANCE         = 5.00001E-15 FARADS
CAPACITIVE REACTANCE = 41093 OHMS
```

```
IMPEDANCE -- CAPACITANCE AND INDUCTANCE IN PARALLEL
*****
INDUCTIVE REACTANCE = 41050.7 OHMS
CAPACITAVE REACTANCE = 41093 OHMS
TOTAL IMPEDANCE     = 3.99561E+07
```

FILTER DESIGN

```
8.43451 uH
-----
11      11
.....1  1..... 775.398 Mhz
11      11
--( )--
5.00002E-03 Pfd
```

Figure 1


Micro-Grip™

FRICION FEED FOR YOUR EPSON

MX-70* or MX-80*

*MX-70 and MX-80 are Trademarks of EPSON, Inc.

- Converts your printer for friction feed of SINGLE SHEETS or ROLL PAPER.
- SIMPLE Installation (all you need is a screwdriver, no soldering).
- Tractor feed remains undisturbed.
- Only \$39⁹⁵
(add \$1.50 for postage)



SATISFACTION GUARANTEED OR YOUR MONEY BACK



✓ 161

MICRO-GRIP, Ltd.

P. O. Box 4278

Norton AFB, CA 92409

VISA & Master Card Accepted

(714) 864-6643

TRS-80 COLOR COMPUTER SOFTWARE

FORTH FOR THE TRS-80 COLOR COMPUTER DISK SYSTEM

Trying to get control of your Color Computer?? Tired of translating HEX to decimal?? Tired of remembering where the VDG and SAM are and how to program them?? Want to write machine language code with assembly language mnemonics instead of POKES??

Want to write programs in half the time?? Want to write lots of small pieces of code that you can put together in seconds to do BIG JOBS??? Want a language that is at least 5 to 10 times faster than BASIC??? Want to learn everything there is to know about FORTH, with the best manual on the market, including lots of examples of FORTH applications, and detailed explanations of how everything works??

CC

FORTH

NOW ONLY
\$99⁹⁵

Includes Editor, 6809 Assembler, String Functions, Disk Data File Operations and Much Much More!

FRANK HOGG LABORATORY

✓ 262

130 MIDTOWN PLAZA, SYRACUSE, NY 13210 (315) 474-7856

TRS-80™

LEND US YOUR EARS FOR OUR NEW MODEL I AND MODEL III PROGRAM PACKAGES

Basics and Beyond presents Microcosm II—a 20 program package with sound. Includes "Siege" a medieval clash of arms; "Computer Organ" to serenade you; "Long Division" that gently buzzes support of your step by step learning; "Pinball" that bongs and beeps from flipper to spinner; "Submarine" exploding with underwater excitement; and fifteen others. All 20 programs will echo in your home for just \$29.95.

Microcosm I and II, each \$24.95, prove that Basics and Beyond produces high quality, bug-free, challenging program packages for the TRS-80® microcomputers. Creative Computing declared Microcosm I "a worthwhile purchase"; 80-US agreed, calling it "exceptional". Now let us show you our new dimension. It's a sound investment.

BOX 10 • AMAWALK, N.Y. 10501 (914) 962-2355 ✓ 289

Basics & Beyond, Inc.
No charge for postage or handling. N.Y. residents add 5% sales tax.
TRS-80 is a trademark of Radio Shack, Division of Tandy Corp.
Master Charge and Visa accepted.

The Easy MANHATTAN Way To Handle EXPENSES, LISTS & MAILINGS

EXPENSE LEDGER — Files entries and generates reports on business or personal expenses. Sorts by date, finds and displays on-screen or prints out all expenses, month summary, or selection by payee, purpose or category. 15 categories assigned by user, displayed on screen when entering, editing or deleting. 48K version holds 470 entries, 32K holds 200 — use for year, quarter or month. \$35.

MAIL LIST MANAGER — Holds 1,000 names and addresses in 48K two-disk version or 400 in one-disk 32K version. Sorts by zip code or name (lightning fast in machine code), prints labels one-up or two-up, selectable by any combination of user-entered Print Key or geographic area. Prints full list in notebook format. Two-disk version \$50, one-disk \$45.

DISK LISTMAKER — User-friendly simple database, holds 1,000 names or items plus 5-digit codes in 48K, 500 in 32K. Displays on-screen and prints out lists and sub-lists. Full editing, sorts by name. Disk version of original cassette program in use by schools, real estate firms, many individuals. \$20.

For Models I or III [with DOS conversion]
Write for full catalog of disk & cassette programs
California residents add 6% tax

MANHATTAN SOFTWARE

Box 1063, Woodland Hills, CA 91365

24-hour Visa/MC Order Line [213] 704-8495

✓ 259

category menu.

From this point, you can examine the results of connecting different resistors or return to the main menu. Break stops program execution.

Resonant Frequency

Determining component values of resonant circuits for filters or amplifiers involves time-consuming calculations. Since the resonant frequency determines the frequency at which the circuit will operate, make these calculations accurately. This program takes the time and effort out of this process and reduces human error in making the calculations.

Enter the component values as instructed during program execution. The computer calculates: inductive reactance, capacitive reactance, circuit impedance, and draws the parallel filter circuit with component values needed to achieve the desired resonant frequency. This sample execution describes this process more fully.

First, enter the resonant frequency you wish to obtain. I will use 775. Then enter the capacitance in picofarads. In working with these circuits, I found I sometimes know the capacitance I intend to use and at other times I know the inductance. For this reason this program calculates either capacitance or inductance. You must enter resonant frequency and either capacitance or inductance. If you know the capacitance you would like the circuit designed around, enter that capacitance. If not, enter any trial value. The program will ask you to enter inductance. In this sample run, I shall assume ignorance of the capacitance, and enter five here and let the program continue.

Next enter inductance in microhenries. I shall use 8.4345 microhenries in this example. The program now has all the input necessary and will make the calculations, print these values, draw the filter circuit and list its component values (see Fig. 1).

Table 3 shows the formulas this program uses.

BAND/REJ

When working with a radio

frequency circuit or even when receiving a weak radio frequency (rf) signal in the presence of a strong one, you often need to block an interfering signal or band of signals. A band reject filter constructed with capacitors and inductors prevents unwanted rf energy from entering a circuit. When using this filter, you select a range (band) of frequencies you wish to block. Once you have selected this reject range, calculate the necessary values of capacitors and inductors which, when combined correctly, will block this unwanted band of frequencies. Frequencies above and below the limits you set for the filter pass without interference.

The BAND/REJ program eliminates the tedious calculations in finding the correct values of the electronic components needed to reject your specific

$$(I) \text{ Inductive Reactance} = 2 \cdot \pi \cdot F \cdot L$$

$$(II) \text{ Capacitive Reactance} = 1 \div (2 \cdot \pi \cdot F \cdot C)$$

$$(III) \text{ Resonant Frequency} = 1 \div (2 \cdot \pi \cdot \sqrt{L \cdot C})$$

Where:

L = Inductance

F = Frequency

C = Capacitance

$\pi = 3.14$

Table 3

$$L = (0.318 \cdot R) \div (F_2 - F_1)$$

$$C = [(7.96 \cdot (F_2 - F_1)) \cdot (10 \div 4)] \div (F_1 \cdot F_2 \cdot R)$$

$$L_2 = [0.76 \cdot (F_2 - F_1) \cdot R] \div (F_1 \cdot F_2)$$

$$C_2 = [3.18 \cdot (10 \div 5)] \div [(F_2 - F_1) \cdot R]$$

Where:

L, L₂ = Individual Inductors

C, C₂ = Individual Capacitors


F₂ = High Frequency

F₁ = Low Frequency

R = Line Load

Table 4

```
L1 = 4.77 MICROHENRYS
C1 = 8.89261E-03 PICAFARADS
L2 = 5.0021E-05 MICROHENRYS
C2 = 848 PICAFARADS
C2/2 = 424 PICAFARADS
L1/2 = 2.385 MICROHENRYS
2C1 = .0177852 PICAFARADS
2L2 = 1.00042E-04 MICROHENRYS
WHEN HIGH FREQUENCY = 775
AND LOW FREQUENCY = 770
AND LINE LOAD (OHMS) = 75
```



SYMBOLS

* = INDUCTOR
+ = CAPACITOR

Figure 2

WHY PAY MORE FOR LESS WHEN YOU CAN HAVE BOTH 5" & 8" FLOPPIES FOR ONLY \$169.95*

Some manufacturers charge you an arm and a leg for their Model-III# disk controller and then it only works with 5" floppy drives.


Some manufacturers sell controllers with cheaply made PC boards. These boards have poorly plated holes that can sometimes become intermittent. None are UL approved. Check our features and compare.

Almost none of the competitive boards have gold plated card edge connectors for reliability.

Some manufacturers sell controllers with part of the power supply included on the PC board to generate excessive heat to keep your disk controller warm on cold (and hot) days.

Some manufacturers get creative with their data separator circuitry to save money. These data separators generally work only with single sided disk drives.

Some manufacturers put only one connector on their PC board and give you a non-detachable umbilical cord hanging out the bottom to constantly get in your way.



FDC-3C FEATURES

- ☐ Gold Plated Card Edge Connectors for Reliability
- ☐ Proprietary Digital Phase Locked Lock Loop for NO MAINTENANCE operation with DOUBLE SIDED DRIVES
- ☐ Fully compatible with the Model-III# computer system
- ☐ Temperature Compensated Data Separator Circuitry
- ☐ Aerospace grade PC board material
- ☐ PC board material is UL Approved (R2 194V-0)
- ☐ Controls 5¼" Single and Double Density Drives
- ☐ Controls 8" Single and Double** Density Drives
- ☐ Controls Double Sided Drives
- ☐ 180 Day Warranty
- ☐ Switching Power Supply & Installation Kit available at extra cost.

Partial Dealer Listing (*denotes distributor)

*B.T. Enterprises (NY)	(516) 981-8568	Milo Systems (Mich)	(517) 487-4500
Compukit (Houston)	(713) 474-7342	Micro Systems Software (Florida)	(800) 327-8724
*Data-Mail (LA)	(213) 993-4804	Pioneer Electronics (Oregon)	(503) 668-8666
Freedom Technology (PA)	(215) 569-2381	Racet Computes (LA)	(714) 997-4950
Kif Computers (N. CA)	(707) 425-3472	Stevens Radio Shack (PA)	(800) 345-6279
*Level IV Products (Mich)	(313) 525-6200	Texas Computer Syst. (Dallas)	(800) 433-5184
Micro Data Supplies (Ohio)	(261) 951-6502	Traxx Computer (Chicago)	(800) 621-3102
Micro Facts (Florida)	(813) 876-4287		

Dealer Inquiries Appreciated

Attention OEMs and Manufacturers!!!

Micro Mainframe can supply your component parts at attractive prices. We also have a series of switching power supplies available for both floppy and hard disk subsystems. Please call or write with your requirements.

MICRO MAINFRAME
11325 Sunrise Gold Circle Building E
Rancho Cordova, CA 95670
(916) 635-3997

*Installation Kit and Power Supply available at extra cost.

**Double Density 8" Operation requires 4 MHz. CPU speedup.

Data-Writer™

**A powerful
data base manager.**

Data-Writer can be used
with your word processor or by
itself as a complete stand-alone
system for managing textual and
numeric data.

Use for order tracking, client billing,
expense recordkeeping, operational
reporting with totals and subtotals, form
letter production to a large list or a subset,
mailing list maintenance and other business
and personal applications. Data-Writer's ease
of use appeals to secretaries.

- Data Entry program to create your data base or add records to an existing data base. It has error checking features and supports both fixed and variable length fields.
- Machine-language File Editor lets you edit your data base without an independent word processor. Or, if you prefer, use your own word processor (Electric Pencil, Lazy Writer, Newscript or Scripsit) to create and edit your data base.
- Field Manager that lets you add, delete, re-order or append fields and merge or split data bases.
- Interactive, double-precision Math program that processes up to 20 equations of up to 255 characters using numbers you enter and your data base field labels. It includes an in-memory scratch pad to store temporary values.
- Two-level Sort that enables you to sort on any field, without having previously designated it as a key.
- Mailing Label program that allows you to print multiple labels from one to four across and to insert a fixed message on every label.
- Machine-language Form Letter processor that allows you to insert data from your data base into a form letter or contract. Store the text for use later.
- Report Generator for columnar tabulations with automatic headings, pagination, totals and subtotals, and sophisticated formatting control.
- Powerful Select-If command that lets you define a subset of your data base. With Select-If and Sort, you can create dozens of new data bases for specific purposes.
- Statistical check on your data base to locate data entry errors. Stats also reports maximum entered data length for each defined field, a tremendous aid when designing a report.
- **Data-Writer is both powerful and easy to use. "Why hasn't someone done this before!"**

For the TRS-80 Model I/III (48K, 2 disk drives, lower case required). Available from **Software Options**, 19 Rector Street, New York, N.Y. 10006. 212-785-8285. **Toll-free order line: 800-221-1624.** Price: \$125. (plus \$3 per order shipping and handling). New York State residents add sales tax. Visa/Mastercard accepted.



✓ 537

range of frequencies. Enter the low and high frequency where the signal will be blocked. The only other input is input line load. Once you have entered these three values, the program calculates all component values and draws the filter circuit on the line printer. A sample execution follows, and a list of formulas appears in Table 4.

First, enter upper frequency in megahertz, then enter lower frequency in megahertz, and then enter line load in ohms.

In my example I shall use 775 megahertz (MHz) for the upper frequency, 770 for the lower frequency and 75 ohms for the line load. These values are all you need supply. The program calculates the component values needed to block this range of frequencies, then lists these values on the line printer and draws the filter circuit with all component values listed on the circuit (see Fig. 2).

Lowpass

You can often design an active filter by using a standard circuit normalized to a base frequency. To use this process in designing your filter circuit, begin your analysis with the normalized circuit. There is a wide


variety of these circuits, each with its own advantages and disadvantages. This program uses the equal-component-value, Salen-Key, second-order low pass filter circuit.

To look at this base frequency circuit, load and run the Low-pass program. When program execution begins, this circuit (normalized to 10k and 1KHz cutoff frequency) is drawn on the line printer (see Fig. 3). This shows you what the circuit looks like and the component values needed to establish the normalized frequency.

To modify this circuit to work at your particular cutoff frequency, enter your cutoff frequency and which component you wish to vary (resistors or capacitors) when instructed to do so by the computer. In my example I use a cutoff frequency of 2KHz and vary the capacitors. The computer redraws the filter circuit with the new component values to obtain your operation frequency (see Fig. 4).

Be sure your cutoff frequency is within the operating limits of the integrated circuit being used. The program does not determine the suitability of this circuit for your use, nor does it determine if the frequency you

EQUAL-COMPONENT-VALUE, SALLEN-KEY SECOND-ORDER LOW-PASS FILTER
NORMALIZED TO 10K AND 1KHZ CUTOFF FREQUENCY



SYMBOL TABLE
 [] [] [] [] RESISTOR (IN OHMS)
 - - - - - CAPACITOR (IN MICAFARADS)

Figure 3

BASF 6106A DISK DRIVES

Reconditioned to new unit performance, 40 track, 12 M Sec T-T, SS, SD or DD.
Compatible with TRS-80* MOD I, III and color also Heath 8/9 computer.

BARE DRIVE	\$124.95
2-DRIVE CABLE	21.00
4-DRIVE CABLE	32.00
TECH MANUAL	10.00

(Sold only with drive)

POWER SUPPLIES

DUAL P/S W/CASE	74.95
DUAL P/S (BARE)	59.95
SINGLE P/S W/CASE	44.95
SINGLE P/S (BARE)	34.95

Cases finished in black wrinkle. Color options available, add \$2.00. Specify color: Tan, Blue, Green, Silver.

POWER SUPPLY KITS

DUAL P/S W/CASE	54.95
SINGLE P/S W/CASE	34.95

BASF DRIVE REPAIR 35.00 PLUS PARTS 90 DAY GUARANTEE

Terms:

Add 3% Visa/MC, COD, M.O. cashier's check, personal checks delay shipment.

Send to:

COMPUTER PERIPHERAL RESOURCES

(C.P.R.)

P. O. BOX 834, OAK HARBOR, WA 98277

or PHONE (206) 679-4797, ORDER NUMBER


✓420

All shipping UPS ground, western states add \$4.00, midwest and east add \$8.00. Washington residents add 6% sales tax.

select is within the ICs operating range. You must determine these facts for yourself. The

computer will assume your desired operating frequency will work and will draw a circuit. ■

LOW PASS ACTIVE FILTER
CUTOFF FREQUENCY = 2 KHZ



SYMBOL TABLE
[[[[[RESISTOR (IN OHMS)
- CAPACITOR (IN MICAFARADS)

Figure 4

ELECTRONIC MAIL

AceMail ELECTRONIC MAIL PICKUP AND DELIVERY

The unique Automated Computer Electronic Mail package allows you to send and receive ASCII files from your COMPLETELY UNATTENDED TRS-80! ACEMAIL can receive remote calls as a HOST and place PRESET CALLS as a TERMINAL.

Written exclusively for the Hayes Stack Smartmodem and the TRS-80 model I/III/48K with disk, ACEMAIL operates on DOSPLUS or NEWDOS/80 and comes supplied on 'tiny' DOSPLUS ready to run!

HAYES STACK SMARTMODEM 1200—\$619

HAYES STACK SMARTMODEM 300—\$239

ACEMAIL 1200 SOFTWARE—\$119

ACEMAIL SOFTWARE—\$79

ACE COMPUTER PRODUCTS OF FLORIDA, INC.
1640 N.W. 3rd St., Deerfield Beach, FL 33441
Data (305) 427-6300 / Voice (305) 427-4257

1-800-327-2283 MC/Visa accepted FL residents add sales tax
Freight incl. (UPS ground cont. USA)

1-800-327-2283

✓197

Program Listing 3


```

10 CLS
20 INPUT "ENTER FREQUENCY IN MEGAHERTZ";F
30 INPUT "ENTER CAPACITANCE IN PICAFARAD";C
40 LC=25330/(F[2]:L=LC/C
50 PRINT "INDUCTANCE NEEDED TO OBTAIN CIRCUIT RESONANCE = "
60 PRINT L;" MICROHENRYS"
70 INPUT "PRESS ENTER TO CONTINUE";AS
80 CLS
90 PRINT"INDUCTIVE REACTANCE"
100 PRINT"XL=2*PI*F*L"
110 PRINT
120 LPRINT "FREQUENCY          = ";F;" MEGAHERTZ"
130 F=(10[6]*F
140 INPUT"ENTER INDUCTANCE IN MICROHENRIES";I
150 LPRINT "INDUCTANCE          = ";I;" MICROHENRIES"
160 I=(10[-6]*I
170 FOR J=1 TO 5:LPRINT CHR$(13);" ":NEXT
180 XL=2*3.14*F*I
190 PRINT "INDUCTANCE = ";I;" HENRIES"
200 PRINT "FREQUENCY = ";F;" HERTZ"
210 PRINT "INDUCTIVE REACTANCE = ";XL;" OHMS"
220 LPRINT"INDUCTIVE REACTANCE *****"
230 LPRINT"INDUCTANCE          = ";I;" HENRIES"
240 LPRINT"FREQUENCY          = ";F;" HERTZ"
250 LPRINT"INDUCTIVE REACTANCE = ";XL;" OHMS"
260 FOR J=1 TO 5:LPRINT CHR$(13);" ":NEXT
270 CLS
280 GOSUB 550
290 XC=1/(2*3.14*F*C)
300 PRINT"FREQUENCY          = ";F;" HERTZ"
310 PRINT"CAPACITANCE          = ";C;" FARADS"
320 PRINT"CAPACITIVE REACTANCE = ";XC;" OHMS"
330 LPRINT "CAPACITIVE REACTANCE *****"
340 LPRINT "FREQUENCY          = ";F;" HERTZ"
350 LPRINT "CAPACITANCE          = ";C;" FARADS"
360 LPRINT "CAPACITIVE REACTANCE= ";XC;" OHMS"
370 FOR J=1 TO 5:LPRINT CHR$(13);" ":NEXT
380 CLS
390 PRINT "IMPEDANCE -- CAPACITANCE AND INDUCTANCE IN PARALLEL"
400 IF XL<XC GOTO 430
410 Z=(XL*XC)/(XL-XC)
420 GOTO 450

```

Listing 3 Continues

COLORPEDIA



An exciting new game from the company that is setting the standards. Colorful fast action play with arcade quality sound effects. 1 or 2 players. Pause feature. Demonstration mode. High score. Multicolored high resolution characters on a black background. Smooth accurate joy stick control. 100% machine language.

Cassette—\$29.95 Disk—\$34.95
Add \$1.50 for shipping; 4% tax in Mich.

VISA, MASTERCARD OR CHECK
DEALER INQUIRIES INVITED

 **intracolor**
COMMUNICATIONS
SETTING THE STANDARDS

6048 Horizon Drive, East Lansing, MI 48823

TRS 80 Color Computer is TM of Tandy Corp. ✓336

Which TRS-80* Accounting Software Do I Buy ...

That's a tough question. I know, I asked it myself not very long ago. I'm Mike Motta. As president of Shawmut Systems, specialists in TRS-80* custom software, my customers were asking me for Model II and 16 Accounting Software — GL, AR, AP and Payroll. But I said "Why write the software. There must be a good package already available." So I searched for the best I could find. And I found it!

Now, when I tell you that these are the best Accounting programs I've seen on a microcomputer, you probably think that you are just listening to another sales pitch. But you're not. You're listening to a businessman with over twenty years combined experience in sales, management, and programming. So when I say that these programs will work for you, it really means something.

Each program, designed for the Model II or 16, will work with one or more floppy or hard disks. With each program, I'll include a 200 page manual written with the first time user in mind, and a set of sample data files so you can start using the program right away.

But I won't stop there. If you have a question, or a problem, call me. You won't get an operator, or order taker. You'll get me. And if I can't talk to you on the spot, I'll call you back. And I'll fix your problem. FAST.

Now I could say a lot more about these programs, but you really won't know how good they are until you try them. So, order the programs you need, and try them for 14 days. If you're not convinced that these are the programs for you, send them back, and I'll refund your money.

My price for these programs is only \$289.00 each, postpaid. I could charge hundreds more, but I want you to have the best programs at the best possible price. So mail or call your order in today. I'll make sure you'll be satisfied.

Model II/16 Accounting Software Packages

Accounts Receivable	\$289	Accounts Payable	\$289
General Ledger	\$289	Payroll	\$289

SHAWMUT SYSTEMS
105 Circle Drive • PO Box 324-A
Somerset, MA 02726
(617) 672-9794


Ask about our Model I and III versions.

Send check, money order or Visa/MC number

*TRS-80 is a Trademark of Tandy Corp.

Mass. residents add 5% sales tax.

✓363



Ready to Run Software
from Canadian Computer Services.
Data Management Systems - Including the Data!

RETRIEVAL SYSTEM 80

Instantaneous access to all of the articles and programs in 'the magazine for TRS-80* users'.

Fast Random Access Retrieval
Super Fast Z80* Index Search and Scan
Index Search by One to Three Criteria Keys
Key Reference Help Page. Hardcopy and Sound
Easy to Use Single Entry Menu Commands

ARCHIVE RETRIEVAL SYSTEM

Create and maintain your own magazine archives with all of the above great features, plus:

User Defined Search Keys
Z80 Data Entry and Edit Routines
Super Fast In-Memory Key File Sorting
600/1200 Model I/III Records Per Data Disk

READY TO RUN DATA DISKS

No Typing Necessary
1980, 1981 and NEW 1982 80 micro* Data Disks
Covers Every Article and Program Published
General and Programmers' Archives Disks
For Use with Both of the Above Programs

Retrieval System 80	\$29.95
Archive Retrieval System	\$44.95
General Data 80, 81 & 82	each \$29.95
Program Data 80, 81 & 82	each \$29.95

For 48K 2 Disk TRS-80 Model I and III Computers

Mail Orders Rainbow Software Services Ltd.
7070B Farrell Road Southeast
Calgary, AB. T2H 0T2 Canada


Card Orders Action Line 1 (403) 253-6142

Dealer, distributor and club inquiries welcomed



CANADIAN COMPUTER SERVICES ✓460

*Trademarks TRS-80 Tandy Corporation - Z80 Zilog Inc. - 80 micro, 1001001 Inc.



Encloses LNW & MDX I & II
P.C. Boards, plus
Cabling, A/C Cords, etc.
Silver-gray Fiberglass

\$32.50 plus \$2.50 shipping
N.Y.S. residents add 7% tax

SYRACUSE R&D CENTER
Box 125, Dewitt, N.Y. 13214
"Specializing in Electronic Packaging"

☆☆ SUPER™ ☆☆☆ ISA's DATABASE

The only DBMS with all these features:

- ★ PROVEN in one year of test marketing
- ★ TOUGH, reliable file structure
- ★ MENU driven for simplicity and easy use
- ★ ARITHMETIC with stored calculations
- ★ FAST set-up and report formatting
- ★ CLEAR user-oriented documentation
- ★ PRINTS totals & subtotals - mail labels
- ★ REFORMATS and merges data files
- ★ MULTI-DISK files: Up to 128K records
- ★ SORTS full disks on up to 40 fields
- ★ PRODUCTION input of repetitive data
- ★ USE existing data files
- ★ COUPLES to word processors
- ★ POSTS transactions to master file
- ★ SEARCH by strings, ranges, comparisons
- ★ DATA COMPRESSION: Over twice as many labels as the other system

For TRS-80® Models I, II, III, & 16 - 250.00
CP/M+ - 295.00

Ask your Dealer or Write: ✓ 351

Institute for Scientific Analysis, Inc.
P. O. Box 7186, Dept. M-2
Wilmington, DE 19803 (215) 358-3735

*T.M. Tandy Corp. †T.M. Digital Research

SECUR-IT

Disk
File



Secur-It Disk File storage containers offer safe, no-spill portability and secure, orderly storage for your diskettes. 50 diskette capacity. Walnut wood grain or black for 5¼" or 8" diskettes. 5¼" files, \$29.95 ea. 8" files, \$39.95 ea. Specify color & size.

Model I/III Software

- Label Maker, \$12.95 • Page Maker (disk only), \$19.95 • Home Inventory, \$39.95 • Document Maker, \$39.95

- Send For Free Catalog • For Fastest Service Send Money Order Or Certified Check • Add \$2.00 Shipping Charge Per Order • Calif. Residents Add 6½% Sales Tax • All Merchandise Shipped From Stock •

REM Industries, Inc.

9420 "B" Lurline Ave., Chatsworth, Ca. 91311

(213) 341-3719 ✓ 481

Listing 3 Continued

```

430 Z=(XC*XL)/(XC-XL)
440 CLS
450 PRINT "INDUCTIVE REACTANCE = ";XL;" OHMS"
460 PRINT "CAPACITAVE REACTANCE = ";XC;" OHMS"
470 PRINT "TOTAL IMPEDANCE = ";Z
480 LPRINT"IMPEDANCE -- CAPACITANCE AND INDUCTANCE IN PARALLEL"
490 LPRINT"*****"
500 LPRINT "INDUCTIVE REACTANCE = ";XL;" OHMS"
510 LPRINT "CAPACITAVE REACTANCE = ";XC;" OHMS"
520 LPRINT "TOTAL IMPEDANCE = ";Z
530 FOR J=1 TO 5:LPRINT CHR$(13);":NEXT
540 GOTO 740
550 CLS
560 REM*CALCULATE CAPACITANCE TO ESTABLISH CIRCUIT RESONANCE*
570 F=(10[-6]*F:I=(10[6]*I
580 C=(25330/(F[2])/I
590 FO=F:IQ=I:CQ=C
600 PRINT "CIRCUIT RESONANCE"
610 LPRINT"CIRCUIT RESONANCE *****"
620 LPRINT"FREQUENCY = ";F;" MEGAHERTZ"
630 LPRINT"INDUCTANCE = ";I;" MICROHERTZ"
640 LPRINT"CAPACITANCE = ";C;" PICAFARADS"
650 I=(10[-6]*I:C=(10[-12]*C:F=(10[6]*F
660 FR=1/(2*3.14*(SQR(I*C)))
670 FR=(10[-6]*FR
680 LPRINT"RESONANT FREQUENCY = ";FR;" MEGAHERTZ"
690 FOR J=1 TO 5:LPRINT CHR$(13);":NEXT
700 PRINT"INDUCTANCE = ";I;" HENRYS"
710 PRINT"CAPACITANCE = ";C;" PICAFARADS"
720 PRINT"CIRCUIT RESONANCE @ ";FR;" MEGAHERTZ"
730 RETURN
740 LPRINT "FILTER DESIGN"
750 LPRINT "*****"
760 FOR J=1 TO 5:LPRINT CHR$(13);":NEXT
770 LPRINT" ";IQ;" uH"
780 LPRINT"-----"
790 LPRINT" 11 11"
800 LPRINT".....1 1.....";FR;" Mhz"
810 LPRINT" 11 11"
820 LPRINT" --( )--"
830 LPRINT" ";CQ;" Pfd"

```

```

10 REM* L-C BAND-REJECT FILTER *
20 CLS
30 PRINT "L=0.318*R/(F2-F1)-----C=(7.96(F2-F1)*10[4]/(F1*F2*R)-----L2=(.0
796*(F2-F1)*R)/(F1*F2)-----C2=(3.18*(10[5])/((F2-F1)*R)"
40 PRINT:PRINT:INPUT"ENTER UPPER FREQUENCY (MHZ)";F2
50 INPUT"ENTER LOWER FREQUENCY (MHZ)";F1
60 INPUT"ENTER LINE LOAD (IN OHMS)";R
70 L1=(0.318*R)/(F2-F1)
80 C1=(7.96*(F2-F1)*(10[4]/(F1*F2*R)
90 L2=(.0796*(F2-F1)*R)/(F1*F2)
100 C2=(3.18*(10[5])/((F2-F1)*R)
110 PRINT "L1 = ";L1
;C1 = ";C1
;L2 = ";L2
;C2 = ";C2
120 PRINT"C2/2 = ";C2/2
;L1/2 = ";L1/2
;2*C1 = ";2*C1
;2*L2 = ";2*L2
130 FOR K=1TO5:LPRINT CHR$(13);":NEXT
140 LPRINT"L1 = ";L1;" MICROHENRYS"
150 LPRINT"C1 = ";C1;" PICAFARADS"
160 LPRINT"L2 = ";L2;" MICROHENRYS"
170 LPRINT"C2 = ";C2;" PICAFARADS"
180 LPRINT"C2/2 = ";C2/2;" PICAFARADS"
190 LPRINT"L1/2 = ";L1/2;" MICROHENRYS"
200 LPRINT"2C1 = ";2*C1;" PICAFARADS"
210 LPRINT"2L2 = ";2*L2;" MICROHENRYS"
220 LPRINT"WHEN HIGH FREQUENCY = ";F2
230 LPRINT"AND LOW FREQUENCY = ";F1
240 LPRINT"AND LINE LOAD (OHMS) = ";R
250 FOR X=1 TO 5:LPRINT CHR$(13);":NEXT
260 LPRINT TAB(15);C2/2;TAB(45);C2/2
270 LPRINT TAB(10);"-----";TAB(40);"-----+++++++"
280 FOR X=1 TO 5:LPRINT TAB(10);"1";TAB(29);"1";TAB(40);"1";TAB(59);"1":NEX
T
290 LPRINT "-----"
300 LPRINT"1";TAB(5);"1";TAB(15);2*L2;TAB(45)2*L2
310 FOR X=1 TO 5
320 IF X=3 GOSUB 360
330 LPRINT"1";TAB(5);" ";TAB(35);" ";TAB(62);" ";
340 NEXT
350 GOTO 370
360 LPRINT"1";TAB(6);L1;TAB(36);L1/2;TAB(63);L1:RETURN
370 LPRINT"";"R;" OHMS"
380 LPRINT"";"INPUT"
390 FOR X=1 TO 5
400 IF X=3 GOSUB 440
410 LPRINT"1";TAB(5);" ";TAB(35);" ";TAB(62);" ";
420 NEXT
430 GOTO 460
440 LPRINT"1";TAB(6);C1;TAB(36);2*C1;TAB(63);C1:RETURN
450 GOTO 370
460 LPRINT"-----"
470 FOR JK=1 TO 5:LPRINT CHR$(13);":NEXT
480 LPRINT "SYMBOLS"
490 LPRINT "*****"
500 FOR JK=1 TO 2:LPRINT CHR$(13);":NEXT
510 LPRINT"* = INDUCTOR"
520 LPRINT"+ = CAPACITOR"
530 FOR JK=1 TO 5:LPRINT CHR$(13);":NEXT

```

Program Listing 4

```

10 CLS
20 PRINT"LOW-PASS ACTIVE FILTER DESIGN"
30 LPRINT"EQUAL-COMPONENT-VALUE, Sallen-Key SECOND-ORDER LOW-PASS FILTER"
40 LPRINT"NORMALIZED TO 10K AND 1KHZ CUTOFF FREQUENCY"
50 R3=39000:R2=39000:R1=10000:C1=.016
60 F=1:GOTO 220
70 J=2
80 CLS:PRINT"YOU MAY NOW CHANGE THIS CIRCUIT TO ACHIEVE YOUR DESIRED FREQUE
NCY"
90 INPUT"ENTER CUTOFF FREQUENCY (IN KHZ)";F
100 INPUT"ENTER DAMPING (MUST BE LESS THAN 2)";D
110 PRINT"DO YOU WISH TO CHANGE THE FREQUENCY SMOOTHLY BY VARYING THE RESIS
TORS (1) OR IN STEPS BY VARYING THE CAPACITORS (2)"
120 INPUT M
130 R2=39000*(2-D)
140 IF M=2 GOTO 170
150 R=1/F:R1=10000*R
160 GOTO 190
170 C=F/1
180 C1=.016/C
190 FOR X=1 TO 5:LPRINT CHR$(13);":NEXT
200 LPRINT "LOW PASS ACTIVE FILTER"
210 LPRINT "CUTOFF FREQUENCY = ";F;" KHZ"
220 FOR X=1 TO 5:LPRINT CHR$(13);":NEXT
230 LPRINT TAB(10)*"-----[|]|-----*-----[|]|-----*"
240 LPRINT TAB(10)*"TAB(16);R3;TAB(27);":TAB(32);R2;TAB(46) ".
250 LPRINTTAB(10)*"TAB(27) ".TAB(46) ".
260 LPRINT TAB(10)*"TAB(27) ".TAB(46) ".
270 LPRINT TAB(8)*"TAB(27) ".TAB(46) ".
280 LPRINT TAB(9)*"TAB(27) ".TAB(46) ".
290 LPRINT TAB(10)*"TAB(27) ".TAB(46) ".
300 LPRINT TAB(27)*"TAB(30) ".TAB(46) ".
310 LPRINT TAB(27)*"TAB(30) ".TAB(46) ".
320 LPRINT TAB(27)*"TAB(30) ".TAB(46) ".
330 LPRINT TAB(30)*"TAB(46) ".
340 LPRINT TAB(30)*"741TAB(46) ".
350 LPRINT TAB(30)*"-----*-----OUT"
360 LPRINT TAB(30)*"TAB(46) ".
370 LPRINT TAB(30)*"TAB(46) ".
380 LPRINT"O-----[|]|-----*-----+.TAB(46) ".
390 LPRINTTAB(4);R1;TAB(14) ".TAB(17);R1;TAB(26) ".TAB(30) ".TAB(46) ".
400 LPRINTTAB(14) ".TAB(26) ".TAB(30) ".TAB(46) ".
410 LPRINT TAB(14)*"TAB(26) ".TAB(46) ".
420 LPRINT TAB(14)*"TAB(26) ".TAB(46) ".
430 LPRINT TAB(14)*"TAB(26) ".TAB(46) ".
440 LPRINT TAB(8);C1;"UF" TAB(27);C1;"UF" TAB(46) ".
450 LPRINT TAB(14)*"TAB(26) ".TAB(46) ".
460 LPRINT TAB(14)*"TAB(26) ".TAB(46) ".
470 LPRINT TAB(14)*"TAB(26) ".TAB(46) ".
480 LPRINT TAB(14)*"TAB(24) ".TAB(46) ".
490 LPRINT TAB(14)*"TAB(25) ".TAB(46) ".
500 LPRINT TAB(14)*"TAB(26) ".TAB(46) ".
510 LPRINT TAB(14)*"TAB(46) ".
520 LPRINT TAB(14)*"TAB(46) ".
530 LPRINT TAB(14)*"....."
540 FOR X=1 TO 5:LPRINT CHR$(13);":NEXT
550 LPRINT"SYMBOL TABLE"
560 LPRINT"[[[[[ RESISTOR (IN OHMS)
570 LPRINT CHR$(13);":
580 LPRINT"--"
590 LPRINT"CAPACITOR (IN MICAFARADS)"
600 LPRINT"--"
610 FOR X=1 TO 5:LPRINT CHR$(13);":NEXT
620 IF J=2 GOTO 640
630 GOTO 70
640 END

```

Program Listing 5

*TRS-80 ASSEMBLY LANGUAGE PROGRAMMERS

Make the most of your programming time. ULTPLS could be the best assembly aid to be found anywhere any price! A keyboard monitor-powerful utilities. Both sharable. Load and schedule your (any) program, debug and modify, make and verify tapes.

ULTPLS COMMANDS--@sharable programs.

@LOAD MEMORY--From tape. (1st & by filename)

DUMP MEMORY--to tape. 3 address ranges+name.

@VERIFY TAPE--display of address range+name.

BREAK POINT--full display. Register cond.

@FIND DATA--displays address to screen (user).

DISPLAY and CHANGE MEMORY--both sequential.

SCHEDULE & DESCHEDULE PROGRAM--yours or any EDTASM 1.2 (Yours)-to & from ULTPLS.

ULTPLS standard mod 1 lev 2 specify mod 3. User Manual & Tape 19.95 (We pay postage)

BULLDOG SOFTWARE

210 LERAM

PALESTINE, TEXAS 75801

*TRS-80 is a trademark of Tandy Corp.

✓ 448

TAXES

TRS-80 MODEL II TRSDOS or CP/M

A complete coordinated tax system that includes most used forms and schedules. All schedules printed, no masks, no data field entered more than once. All data automatically passed between schedules and 1040. Fully supported all year. Partial or full system. System can be run for single or multiple returns. Extremely flexible.

FULL SYSTEM - \$600.00

OTHER CP/M SOFTWARE AVAILABLE

ANALYTICAL PROCESSES CORP.

635 MAIN ST. — NASSAU BLDG.

P.O. BOX 1313

MONTROSE, COLO. 81402

303-249-1400

VISA

✓ 341

OMNITERM

What is OMNITERM?

OMNITERM is a professional communications package for the TRS-80 that allows you to easily communicate and transfer files or programs with almost any other computer. We've never found a computer that OMNITERM can't work with. It's a complete package because it includes not only the terminal program itself, but also conversion utilities, a text editor, special configuration files, serious documentation and serious support.

Why do I need it?

You need OMNITERM if you need to communicate efficiently with many different computers, or if you want to customize your TRS-80 for use with one particular computer. You need OMNITERM to SOLVE your communications problems once and for all.

What do I get?

The OMNITERM package includes the OMNITERM terminal program, four conversion utilities, a text editor, and setting files for use with popular computers such as CompuServe, the Source, and Dow Jones — just as samples of what you can

The ULTIMATE TRS-80 Terminal Package

do for the computer you want to work with. The package includes six programs, seven data files, and real documentation: a 76-page manual that has been called "the best in the industry." And OMNITERM comes with real user support. We can be reached via CompuServe, Source, phone, or mail to promptly answer your questions about using OMNITERM.

What do I need to use OMNITERM?

A Model I or Model III TRS-80, at least 32K of memory, one disk, and the RS-232 interface, or Microconnection modem. OMNITERM works with all ROMs and DOSes, and will work with your special keyboard drivers.

What will it do?

OMNITERM allows you to translate any character going to any device: printer, screen, disk, keyboard, or communications line, giving you complete control and allowing you to redefine the character sets of all devices. It will let you transfer data, and run your printer while connected for a record of everything that happens. OMNITERM can reformat your screen so that 80, 32, or 40 column lines are easy to read and look neat on your TRS-80 screen. It even lets you get on remote computers with just one keystroke! The program lets you send special characters, echo characters, count UART errors, configure your UART, send True Breaks and use lower case. It accepts VIDEOTEX codes, giving you full cursor control. It will even let you review text that has scrolled off the screen! Best of all, OMNITERM will save a special file with all your changes so you

can quickly use OMNITERM for any one of many different computers by loading the proper file. It's easy to use since it's menu driven, and gives you a full status display so you can examine and change everything.

"OMNITERM has my vote as the top TRS-80 terminal program available today" Kilobaud Microcomputing, June 1981, pages 16-19.

OMNITERM is \$95 (plus shipping if COD) Call for 24 hour shipment. Manual alone \$15, applied toward complete package. Visa, M/C, and COD accepted. MA residents add 5% tax. Dealer inquiries invited.

Available this fall, OMNITERM for the TRS80 Model II and IBM personal computer. Contact Lindbergh Systems for details.

Lindbergh Systems

41 Fairhill Road, Holden, MA 01520 (617) 852-0233

Source: TCAB18 CompuServe 70310267 TRS-80 is a "m of Tandy Corp

✓ 135

Get enhanced printouts from a limited system.

PRINPUT

Dr. Stephen Mills
404 Wilson Ave.
Kinston, NC 28501

Any Model I TRS-80 which has a printer attached can be used for word processing. While some of these computers are used as dedicated devices, others are just dabbling dilettantes.

The dedicated TRS-80 which is heavily used for word processing typically has a high-quality printer, a lowercase video modification, a general-purpose word processing program in machine language (like Electric Pencil or Scripsit), and an operator trained in the software.

Consider the variations which may describe a machine used by an amateur: The machine may not have lowercase display; the user may not own a general-purpose program; the general-purpose word processor is not always suitable; or the user may want programs that are easy for untrained operators to use.

There is plenty of sophisticated help around for the dedi-

cated; this article is for the amateur. It's for the computer that doesn't even have a lowercase modification (although the information may be useful even to those who do). It's also for the user who wants to write special-purpose word processing programs in Basic. For people who do a lot of word processing with standard programs, this article offers special features.

The Missing Case

One problem you face is that the computer's keyboard does not respond like a typewriter. The unmodified video displays all characters as uppercase, since the computer is designed to interpret unshifted entries as uppercase. To input a lowercase ASCII code, you must press the shift key. This is not appropriate for word processing, since lowercase is used more frequently in most kinds of text.

Changing case can be treated as either an input problem (solved by modifying the computer's input functions) or as an output problem (solved by inverting the case of alphabetic characters as they go to the printer). But there is no reason to modify the keyboard and video drivers on a machine which cannot display lowercase letters on the CRT. Instead, it is better to leave these drivers alone, but ensure that the printer driver can substitute

uppercase letters for shifted input, and vice versa.

There are different ways of accomplishing this, depending on the printer. If your printer requires a special driver routine stored in RAM, it may be most efficient to modify the driver. If your printer works on the routine in Level II ROM, or if you just don't want to modify the drivers, use the routine in Program Listing 1. To use this program, the value of variable DR must be assigned the correct address for the printer driver (the one printed in the listing is the ROM address). Determine this address by the formula

$$DR = \text{PEEK}(16422) + \text{PEEK}(16423) * 256$$

when the printer is working.

Program Listing 1 sets up a machine-language interception of the printer routine. It examines the character being transferred to the printer, and changes the case. As written the converter packs the routine into a string variable, which means it must

be added to the beginning of a word-processing program. But by deleting line 3 and assigning the variable AD an address value in high RAM, the program can be stored in protected memory.

Feeding the Computer

The problem of inputting text is somewhat more complex. Level II Basic provides several ways of feeding ASCII text into the computer's memory, but none of them are ideal for word processing.

The two most obvious solutions have substantial, and similar, drawbacks. One way to manipulate the text to be printed is to edit the program itself, putting the text into LPRINT statements or data statements which will be read during a program run. Another way is to use input statements to enter the text while the program is running. But there are many drawbacks. Commas or double quotes cannot be handled easily, and control codes cannot be

```
0 REM * PRINTER OUTPUT <SHIFT> INVERTER - LOADS VX$
  INSERT APPROPRIATE DRIVER ADDRESS
1 DR=1421 ' ROM Driver Address * DATA CHECKSUM = 3061
2 DATA 245,121,254,124,48,20,254,97,56,4,62,224,24,10,254,91,48,
3 254,65,56,4,62,32,129,79,241,195
4 VX$=STRING$(29,201):X=VARPTR(VX$):AD=PEEK(X+1)+PEEK(X+2)*256
5 FORA=AD+27:READY:POKEA,Y:NEXT:P=DR:GOSUB6
6 P=AD:A=16422:GOSUB6:END
7 H=INT(P/256):L=P-H*256:POKEA,L:POKEA+1,H:RETURN
```

Program Listing 1

incorporated into the text except by longer strings. There is no way of distinguishing uppercase from lowercase text, since these functions are controlled by the ROM interpreter, and text cannot be automatically formatted to a certain length.

You get around all these problems by writing the text during an INKEY\$ loop. A crude version of such a routine is given in Program Listing 2. With this method you can limit the size of input by assigning a maximum string length to the variable MAX. This kind of input will accept commas and quotes freely, and conditional statements can be added to include or exclude control codes, to make substitutions, etc.

There are still problems, however. For instance, there is still no ready way of distinguishing shifted input from unshifted letters. Change the routine by typing in these lines:

```
40 X = ASC(X$):IF X>96 AND X<123
  THEN PRINT CHR$(143); ELSE
  PRINT X$;
45 Q$ = Q$ + X$:IF LEN(Q$) = MAX
  THEN RETURN
```

Now the program prints a graphic block on the CRT whenever a shifted alphabetic character is entered, instead of the character itself. Although you cannot actually see the letter typed, this is not a terribly serious problem. Since the actual code is stored in variable Q\$, just print Q\$ to be sure that the letters are correct.

Another problem, however, is more subtle. Program Listing 2 adds any control codes to the string indiscriminately. Although the left arrow, or delete key, appears to operate normally, it actually generates unusual strings. Suppose the string is to be the word "COMPUTER". The typist corrects an "N" to an "M" during input. The string appears on the screen as the eight-character string "COMPUTER", but the string Q\$ will be 10 characters long: "CON"+CHR\$(8)+"MPUTER." Some printers cause a backspace and overstroke in response to this string. Also, if you try to format the string by setting the variable MAX, each deletion counts against this maximum length.

This problem can be eliminated by inserting conditional tests into the routine, but that only aggravates another problem which is already bad enough in Listing 2. The input technique is slow. Machine response lags noticeably, and most typists experience lost letters. Apart from direct statement functions like Input, interpreter Basic just doesn't have the rapid response needed.

The need for speed is frequently a cue to use machine-language as an alternative. But machine-language programming is difficult to develop and to debug. The ideal compromise is the TRS-80's USR function. This alternative makes it possible to produce a Basic program with special input capabilities appropriate to word processing.

The USR function, however, is a very restrictive gate between machine language and Basic. It only passes numbers. How can you use the USR function to get the computer to accept and store strings?

In the computer's memory strings have to be stored somewhere, and their storage location is a numeric value. This is a value which the USR gate can transmit. In addition, the TRS-80 has a special function, VARPTR, which allows Basic to access the variable handling information of the ROM interpreter. So by using VARPTR in conjunction with the USR function, it is possible to get the machine language input routine and Basic to communicate about strings. Program Listing 3 shows how to set up a machine-language program which does this.

To use the subroutine you must set up an appropriate string variable in Basic. One way of doing this is by the string statement, which prepares a string of a specified length. The length of this string is used by the input subroutine to determine the maximum length of the entered string. For example, if you define A\$ = STRING\$(60,0), the input is limited to 60 characters. A USR call is made, passing the VARPTR value to the machine-language input routine. The fol-

lowing line of Basic shows how this can be done:

```
100 A$ = STRING$(60,0):V = VARPTR
    (A$):X = USR (V)
```

While execution is in the USR routine, text can be input as in Program Listing 2, except that the response of the computer is instantaneous, and letters are not lost during rapid typing.

The USR routine handles the left arrow as in an input statement, without adding CHR\$(8) to the string. (Program Listing 2 does not recognize the shift left arrow combination, which in Level II Basic deletes an entire line of text.)

If a letter is typed in with shift, a graphic block appears on the screen, and allows you to see text that will be printed uppercase. If enough characters are typed in to fill up the string, the keyboard only responds to Enter, which terminates the input, or to the left arrow. Once Enter is pressed, program execution returns to Basic. The string whose VARPTR value was sent to the input routine now has the text entered, and the string's length will be the input length, not the

length originally defined.

This USR routine, called Prinput (for printer-oriented input), begins by getting the VARPTR address. The length of the string involved is stored at this address. This value is put in the B register as a counter. Prinput then gets the string's address from the next two bytes. Next, working as an input loop, Prinput over-writes the current string with characters entered from the keyboard.

The program makes sure that you cannot advance, or backspace, beyond the limits of the existing string. When Enter is pressed, the length of the input is poked into the VARPTR location, and control returns to Basic.

Using Prinput

With Prinput added to the store of input functions, most of the string processing and program logic can be left in Basic. In most word processing applications, text is placed in a string array to sequence its output. The best way to do this is to use an ordinary string variable for the input. Then transfer

```
0 REM * A simple BASIC input subroutine using INKEY$
10 Q$="":PRINTCHR$(14);
20 X$=INKEY$:IFX$=""THEN20
30 IFX$=CHR$(13) THENRETURN
40 PRINTX$;:Q$=Q$+X$:IFLEN(Q$)=MAXTHENRETURN
50 GOTO20
```

Program Listing 2

```
0 'BASIC PRINPUT USR ROUTINE. YOU MUST DELETE EITHER LINE 2
  OR LINE 3 TO USE. LINE 3 IS USED IN A RUNNING PROGRAM TO PACK
  ROUTINE IN A STRING. LINE 2 PUTS PROGRAM IN HIGH MEMORY (VALUES
  MAY BE CHANGED) & SETS MEM SIZE BELOW IT.
1 DATA 205,127,10,229,70,4,35,94,35,86,72,62,14,205,58,3,205,132
  ,3,254,13,40,31,254,8,40,17,254,32,56,241,18,254,96,56,2,62,143,
  205,58,3,19,16,223,4,27,121,184,56,247,62,8,24,215,121,144,209,1
  8,62,13,195,58,3
2 POKE16561,127:POKE16562,126:CLR50:N=32385:N1=129:N2=126
3 CLR500:IVS=STRING$(75,0):V=VARPTR(IVS):N1=PEEK(V+1):N2=PEEK(
  V+2)::N=N2*256+N1
4 Y=0:FORX=NTON+62:READC:Y=Y+C:POKEX,C:NEXTX:IFY<>5815THENPRINT"
  BAD DATA":ENDELSEPOKE16526,N1:POKE16527,N2
```

Program Listing 3

```
0 REM * ENHANCED VERSION OF PRINPUT POKES ROUTINE INTO MEMORY
  AND SETS MEM SIZE.
1 POKE16561,94:POKE16562,126:CLR50:FORX=32352TO32459:READN:C=C
  +N:POKEX,N:NEXTX:IFC<>9751THENPRINT"BAD DATA":ENDELSEPOKE16526,9
  6:POKE16562,126:DELETE0-3
2 DATA 205,127,10,229,70,4,35,94,35,86,72,26,183,40,8,205,58,3,1
  9,16,246,24,66,62,14,205,58,3,205,132,3,254,32,48,35,254,13,40,6
  0,254,8,40,46,56,239,254,11,56,21,254,24,32,231,121,144,40,227
  3 DATA 111,27,62,8,205,58,3,45,32,247,65,24,214,254,9,32,2,62,94
  ,254,96,18,56,2,62,143,205,58,3,19,16,190,4,27,121,184,56,247,62
  ,8,24,182,121,144,209,18,62,13,195,58,3
```

Program Listing 4

the string to the array after calling Prinput.

Why not simply write text directly into the array, using `VARPTR(A$(N))` as a pointer? It is possible, but it won't work for the first element in the array, since the information Prinput recovers is misunderstood. And it can waste memory, since each array element is initialized to its maximum length, even though its length after the Prinput call may be shorter.

In fact, if memory space is a problem (and with word processing, it frequently is), the most economical way of using this version of Prinput is to set the length of the input string variable once early in the program. Restore it to maximum length by POKEing the desired value into its `VARPTR` address after the text is transferred to the array. This ensures that Basic will not reallocate string space every time a Prinput call is needed.

```
10 A$ = STRING$(60,0):V = VARPTR(A$): ' USE ONCE
```

```
900 X = USR(V):A$(N) = A$:POKEV, 60
```

It is possible to POKE a smaller value for shorter inputs, but do not exceed the original value.

Programs that use Prinput should also include some capabilities for reviewing and editing text. Editing is available in Basic using left and right string statements, or possibly by direct POKEs into the string. The string address itself can be recovered by the following formula:

```
AD = PEEK(VARPTR(A$) + 1) +  
PEEK(VARPTR(A$) + 2) * 256
```

Going Further

Program Listing 4 is a somewhat more sophisticated, but also longer, version of Prinput. It allows you to reenter a string to make corrections and additions. The routine begins by scanning the string, searching for null bytes. It bypasses and displays any non-zero elements

until a null is found, or until the end of the string is reached. You can use the `VARPTR` of an existing string, and Prinput will display it, leaving the cursor at the end of the string. You can delete letters or, if string length permits, add text to the end:

```
100 A$ = A$(N) :X = LEN(A$) :A$ =  
STRING$(60 - X,0)  
110 X = USR(VARPTR(A$)) : A$(N) =  
A$
```

Similarly, by POKEing a zero into the Nth position in the string, the Prinput call can be used to edit text at the Nth position. If `N=0`, the whole string can be replaced:

```
100 V = VARPTR(A$):AD = PEEK  
(V + 1) + PEEK(V + 2) * 256  
110 POKE AD + N,0 'SAVES FIRST N  
CHARACTERS  
120 X = USR(V)
```

This version of Prinput also recognizes the shift left arrow combination for deleting an entire line of input, and responds to the right arrow key by dis-

playing and adding the arrow, `CHR$(94)`. This arrow can be used in printer output for a horizontal tab.

The assembler source code for this version is given in Program Listing 5. The program is designed to be easily modified.


The HL register pair is not used during the input loop. Therefore, it's possible to use these registers to gather information which will be passed back to Basic. For instance, you might want to return the number of spaces (" " or `CHR$(32)`), or the position of the last space to justify or format the text. In Basic this can only be done by a slow For...Next loop.

All the machine-language routines discussed here contain no null bytes, and are completely relocatable. This means that any of them can be stored in string variables, packed into string constants or REM statements, or kept in reserved memory.

How these printer-oriented

✓ CHECK US FIRST! for DISCOUNT TRS-80® COMPUTERS

BUY DIRECT



TRS-80
CALL US FOR
OUR PRICES
and PRICE List

- ✓ No Out-of-State - Taxes - Kansans Add 4%
- ✓ Large Inventory for Immediate Shipment
- ✓ 100% TRS-80® Equipment
- ✓ Convenient Order Number
- ✓ F-48 Form Provided

1-800-835-9056

- ✓ Visa, Mastercard
- ✓ Wire Transfers
- ✓ Bank Cashier's
Checks & Money
Orders.

Jimscot, Inc.

1023 N. Kansas
P.O. Box 607
Liberal, Ks. 67901

Kansas Residents:
316-624-1919 (Collect)

TRS-80 is a registered Trademark of Tandy Corp.

routines are used is left up to you, the Basic programmer. But they make it easy for an amateur user of TRS-80s to do some sophisticated word processing.

You quickly get used to thinking of the capitals on the CRT as lowercase letters, and remembering to look for graphic blocks at the start of sentences.■

```

00010 ;EXTENDED PRINPOT USR ROUTINE
00020 ;BY STEPHEN MILLS/1981
00030 ;ON CALLING FROM BASIC, PASS STRING VARPTR VALUE
00040 ;N-CHARACTER INPUT FOR STRING$(N,0)
00050 ;
00060 ;NOTE: THIS VERSION ASSUMES THAT LEFT-ARROW
00070 ;WILL BE INTERPRETED BY PRINTER AS A TYPE-
00080 ;WRITER TAB. TO CHANGE THIS MOVE THE 'WRITE'
00090 ;INSTRUCTION AFTER 'NOTAB' TO POSITION
00100 ;IMMEDIATELY AFTER 'NORMAL'
00110 ;
033A 00120 PRINT EQU 33AH ;ROM DISPLAY ROUTINE
7E4B 00130 ORG 7E4BH
7E4B 21607E 00140 TEMP LD HL,ENTRY ;SET UP CODE
7E4E 228E40 00150 LD (16526),HL ;IN USR POINTER
7E51 215E7E 00160 LD HL,ENTRY-2 ;SET MEMORY SIZE
7E54 22B140 00170 LD (16561),HL
7E57 212C7E 00180 LD HL,ENTRY-52 ;ADJUST
7E5A 22A040 00190 LD (16544),HL ;CLEAR POINTER
7E5D C37200 00200 JP 72H
7E60 CD7F0A 00210 ENTRY CALL 0A7FH ;FETCH VARPTR VALUE
7E63 E5 00220 PUSH HL ;SAVE IT
7E64 46 00230 LD B,(HL) ;STORE STRING LENGTH
7E65 04 00240 INC B ;ADJUST FOR COUNTER
7E66 23 00250 INC HL
7E67 5E 00260 LD E,(HL) ;GET LSB OF STRING
7E68 23 00270 INC HL
7E69 56 00280 LD D,(HL) ;DE NOW HAS STRING ADDR
7E6A 48 00290 LD C,B ;WHERE STRING ADDITION
7E6B 1A 00300 FIND LD A,(DE) ;BEGINS
7E6C B7 00310 OR A ;TEST FOR 0
7E6D 2808 00320 JR Z,FOUND
7E6F CD3A03 00330 CALL PRINT ;DISPLAY CURRENT CHAR
7E72 13 00340 INC DE
7E73 19F6 00350 DJNZ FIND
7E75 1842 00360 JR BACKSP
7E77 3E0E 00370 FOUND LD A,14 ;TURN ON CURSOR

```

```

7E79 CD3A03 00380 MARK CALL PRINT
7E7C CD8403 00390 SEARCH CALL 384H ;KEYBOARD INPUT
7E7F FE20 00400 CP 32 ;TEST FOR NORMAL CHAR
7E81 3023 00410 JR NC,NORMAL ;CONTINUE IF NOT
7E83 FE0D 00420 CP 13 ;CARRIAGE RETURN
7E85 283C 00430 JR Z,DONE
7E87 FE08 00440 CP 8 ;IS IT A DELETION
7E89 282E 00450 JR Z,BACKSP
7E8B 38EF 00460 JR C,SEARCH
7E8D FE0B 00470 CP 11 ;PASS DOWN ARROW & TAB
7E8F 3815 00480 JR C,NORMAL
7E91 FE18 00490 CP 24 ;WHOLE LINE ERASE
7E93 20E7 00500 JR NZ,SEARCH
7E95 79 00510 LD A,C
7E96 90 00520 SUB B
7E97 28E3 00530 JR Z,SEARCH
7E99 6F 00540 LD L,A ;PUT IN COUNTER
7E9A 1B 00550 ERASE DEC DE ;DECREMENT POINTER
7E9B 3E08 00560 LD A,8 ;ERASE ON SCREEN
7E9D CD3A03 00570 CALL PRINT
7E90 2D 00580 DEC L ;DECREMENT COUNT
7EA1 20F7 00590 JR NZ,ERASE
7EA3 41 00600 LD B,C ;RESET STRING COUNT
7EA4 18D6 00610 JR SEARCH
7EA6 FE09 00620 NORMAL CP 9 ;CHECK FOR TYPEWRITER TAB
7EA8 2002 00630 JR NZ,NOTAB
7EAA 3E5E 00640 LD A,94 ;PUT IN ARROW
7EAC FE60 00650 NOTAB CP 96 ;CHECK FOR <SHIFT>
7EAE 12 00660 WRITE LD (DE),A
7EAF 3802 00670 JR C,NOCHNG
7EB1 3E8F 00680 LD A,143 ;REPLACE BY GRAPHIC BLOCK
7EB3 CD3A03 00690 NOCHNG CALL PRINT ;DISPLAY BYTE
7EB6 13 00700 JUMP INC DE
7EB7 10BE 00710 DJNZ FOUND
7EB9 04 00720 BACKSP INC B ;RESET COUNTER
7EBA 1B 00730 DEC DE
7EBB 79 00740 LD A,C ;FOR CORRECTION
7EBC B8 00750 CP B ;CAN'T BE EARLIER
7EBD 38F7 00760 JR C,JUMP
7EBF 3E08 00770 LD A,8 ;PRINT BACKSPACE
7EC1 18B6 00780 JR MARK
7EC3 79 00790 DONE LD A,C ;GET MAX LENGTH
7EC4 90 00800 SUB B ;CALCULATE STRING LENGTH
7EC5 D1 00810 POP DE ;RESTORE VARPTR
7EC6 12 00820 LD (DE),A ;STORE STRING LENGTH
7EC7 3E0D 00830 LD A,13 ;DO CAR. RETURN BEFORE
7EC9 C33A03 00840 JP PRINT ;GOING BACK TO BASIC
7E4B 00850 END TEMP
00000 TOTAL ERRORS

```

Program Listing 5

CONVERT YOUR SERIAL PRINTER TO PARALLEL

The UPI serial printer interfaces allow an ASCII serial printer to be connected to the parallel printer port on TRS-80 Models I, II and III.

Software compatibility problems are totally eliminated because the TRS-80 "Thinks" that a parallel printer has been attached. No machine language driver needs to be loaded into high memory. VISACALC, SCRIPSIIT, BASIC, FORTRAN, etc. all work as if a parallel printer was in use.

The UPI interfaces are completely self contained and ready to use. A 34 conductor cable and connector plugs onto the parallel printer port of the Model I expansion interface or onto the parallel printer port on the back of Models II and III. A DB25 socket mates with the cable from your serial printer. The UPI interfaces convert the parallel output of the TRS-80 printer port into serial data in both the RS232-C and 20 MA. loop formats.




BINARY DEVICES

Formerly SPEEDWAY ELECTRONICS
11560 TIMBERLAKE LANE
NOBLESVILLE, IN 46060
(317) 842-5020

106

TRS 80 is a trademark of Tandy

VISA MasterCard



Switch selectable options include:

- Linefeed after Carriage Return
- Handshake polarity (RS232-C)
- Nulls after Carriage Return
- 7 or 8 Data Bits per word
- 1 or 2 Stop Bits per word
- Parity or no parity
- ODD or EVEN parity

NEW VARIABLE BAUD RATE MODELS

Switch selectable from 110-9600 BAUD

UPI-3VB for models I or III	\$149.95
UPI-2VB for model II	\$149.95
UPI-3VB-6 for model I or III with 6 ft. cable	\$159.95
UPI-2VB-6 for model II with 6 ft. cable	\$159.95

Shipping and handling on U.S. orders. \$4.00
90 day warranty on all interfaces, ten day return privilege.

A new way to use Break.

On Break GOTO

SFC Roger E. Donais
USAEDFE
P.O. Box 426
APO SF 96301

Most programs are usually full of little tests and traps

to keep a user's input from making it bomb. Is the menu selection valid? Does the index exceed the limits of the array? Will we move off the screen? It seems the less experienced the user, the more complex the checks. Have you ever watched someone simply press Break to exit the sophisticated program

you thought could handle anything?

The simple cure is to disable the Break key. The instruction POKE 16396,175 does this admirably. Processing a Break sends the Z80 through the restart table (RST-28H). We merely take control at the vector address (16396-16398d) and alter the A register so it is no longer a recognizable Break. Even this simple solution has a few options. We can XOR A, which clears the A register so it appears that no key was ever pressed. We can also ADD A, SUB A, rotate A, or load A with another value. In fact, we can do anything that prevents a one from remaining there. If other than zero, the program could IN-KEY\$ the character and perform its own interrupt sequence.

If you have already used this method and forgot to restore the key as part of the program's exit procedure, welcome to the club. (Club members are allowed to kick the cat and utter one obscenity as they reboot to get out of automatic line numbering.) This makes the selective break POKE 16396,165 less exasperating. This break capitalizes on the difference in processing shifted and non-shifted charac-

ters. A little experimental testing finds register L to be constant and provides a mask that disables the Break key while allowing a shifted break to work.

Yet, this returns nothing or a one, and the program can no longer use the key for its own purpose. After thoroughly examining the situation (extensive trial and error) a new patch evolves. POKE 16396,123 POKE 16397,61 presents a beautiful use for garbage. This time both the Break and shifted Break return a value of three while a true Break is available using the shift down arrow control feature. This gives the Break key to your program, while still providing a true break using a control A.

What use the Break could have within a program can best be explained by an example. A file maintenance program making a sequential search has just printed the record you wanted. You press Break to stop the search. Since you now want to display a block of records on either side of it, you enter a GOTO instead of CONT. This requires that you know the line number to the command input routine or menu driver. A special key available to the program could signal your wish to stop the search and return to the program's command input routine. The user does not have to be concerned with the program's structure.

The difficulty in controlling

```

100 REM *****: ON BREAK GOTO ... DEMONSTRATION *****
110 REM
120 IF PEEK(16396)=195 GOTO 310 ' PATCH INSTALLED ?
130 REM ***** RESET MEMORY-SIZE *****
140 ADDR = PEEK(16561) + PEEK(16562) * 256 - 10
150 POKE 16562, ADDR / 256
160 POKE 16561, ADDR - PEEK(16562) * 256
170 CLEAR
180 REM ***** ENTER CODE PATCH *****
190 POKE 16553,255 ' ROM-DATA-READ PIX
200 START = PEEK(16561) + PEEK(16562) * 256 + 1
210 FOR ADDR = START TO START + 9
220 READ CODE
230 POKE ADDR, CODE
240 NEXT ADDR
250 REM ***** RESET VECTOR BACKWARDS FOR NO BOMB *****
260 POKE 16398, START / 256
270 POKE 16397, START - PEEK(16398) * 256
280 POKE 16396, 195 ' JUMP TO PATCH
290 REM
300 REM ***** INITIALIZE BASIC VARIABLES & CONSTANTS *****
310 IF BREAK PRINT: PRINT "--USER ABORT--": GOTO 380
320 CLEAR 50
330 BREAK = -1
340 REM
350 REM *****
360 REM ***** NORMAL PROGRAM EXECUTION RESUMES HERE *****
370 REM
380 PRINT "MEMORY = " MEM, "INPUT = " AS, "COUNT = " X
390 PRINT "TO EXIT TEST & RESTORE TRS-80, ENTER SPACES."
400 INPUT "HOW MANY SUBROUTINES TO STACK "; AS
410 IF AS<0 GOTO 500 ' EXIT PROGRAM
420 X=VAL(AS)
430 COSUB 440 ' EXERCISE STACK
440 PRINT, "MEMORY = "; MEM
450 IF X<-1
460 IF X>0 GOTO 430 ELSE 300
470 REM
480 REM *****
490 REM ***** RESTORE MEMORY SIZE & BREAK VECTOR *****
500 X=PEEK(16561) + PEEK(16562) * 256 + 10
510 POKE 16396, 201 ' BREAK ADDR = RETURN
520 POKE 16562, X / 256
530 POKE 16561, X - PEEK(16562) * 256
540 REM BASIC POINTERS ARE OKAY, STRING BUFFER INCREASED BY 10
550 REM
560 REM ***** MACHINE CODE PATCH *****
570 DATA 205,143,27, 42,164,64,43, 195,30,29
580 REM CALL 1B8F, HL=(40AF)-1, JP 1D1E
590 REM RESET STACK, ADJ TOKEN POINTER, STATEMENT PROCESSOR

```

Program Listing 1

The Key Box

Model I

this is directly related to the program's complexity. Input statements require a Break-Enter sequence and have to check for the character's presence. Executing a simple GOTO from within a subroutine leaves the stack expanded with the parameters for all returns in active For loops. A Break request can only be INKEY\$ in at pre-arranged levels and all higher routines must constantly check for the returning Break request flag.

What we really need is an ON Break GOTO nnn! Such a feature must not alter or delete any variables, including variable definitions. But it must reset the hardware stack, reposition the interpreter's token pointer, and resume program execution at a predetermined line as smoothly as a GOTO statement. The program in Listing 1 does this using a combination of Basic and machine code. As before, the key is trapped at the restart vector. The patch resets the hardware stack, positions the token pointer to the beginning of the Basic program, and resumes execution at the interpreter's statement-processing routine. The Basic program then provides the GOTO part of the feature. This means the first Basic instruction must know if this is a fresh run, or a returning Break. This is easy enough, since Run clears all variables unless they have actually been assigned a

value. The existence of a known variable signals a returning Break; otherwise we assume a new run.

There is one potential problem. Error processing and Stop do not use this vector. These Breaks will not be trapped and control will leave the program. Under these circumstances, variables will be destroyed if the program is altered or a Run executed, while the patch, installed in protected memory will be unaffected. A plus factor is that Break will work in reverse, putting you into the program with one stroke. The problem is that the patch would be re-entered, consuming an additional amount of system memory. The solution is to divide the GOTO, having the first half check for the patch and the second half check for variables. The flowchart in Fig. 1 can best explain Basic's supporting role.

That is all there is to it. A small code patch and two conditional statements provide On Break GOTO nnn. To prevent a premature jump through the restart table, change the vector's return (201d) to a jump (195d) last. If the jump is not present, ten bytes of system memory are reserved. Line 140 determines the new memory size, and the following two lines reset it.

A word of caution for those who will use this technique for other applications. Only one of

several closely related parameters has been changed. Re-sizing is not complete until the remaining pointers are also adjusted. Strings will still use this newly reserved space if the next available buffer position points above it! If the string buffer was smaller than what we reserved, we are now ready to punch values into the hardware stack. Clear will automatically reset the remaining pointers, using the one we have changed as the base position. So Clear now and save yourself some heartache.

The remaining statements enter the code and activate the patch. Control then resumes at the second conditional jump where program initialization is checked based upon the variable "Break" being true.

The test program makes a series of subroutine calls. This forces return parameters onto the stack, reducing the amount of available memory. The remaining memory is displayed after each call. Control eventually goes to the input line and prompts for another count. Whenever the Break key is pressed, the available memory is displayed to show that the stack has been reset. The last input value and the loop count are also printed to show that variables remain unaltered.

As mentioned, error processing will not be trapped. The On Error GOTO statement can be

used anyplace after the last Clear. Effective error processing within the program could make it impossible for anyone to make an uncontrolled exit, short of pulling the plug.

Another application initializes the USR function to the break vector (400CH or 16396D). USR now gives Basic a software breakpoint. This could ease program design. High-level routines need not be cluttered with tests and traps watching for low level problems. Any level could print its error message and use the USR function as a direct patch back to the main line, circumventing all callers, and not worrying about expanding the stack.

Add these techniques to your scrapbook. The next time the Break key becomes a liability, change it to an asset. ■




Fig. 1. Basic Program Support for Break GOTO nnn.

DISCOUNT COMPUTERS

100% RS COMPONENTS, NO FOREIGN DRIVES OR MEMORY—FULL WARRANTY

16K COLOR COMPUTER	427.00	DMP-500 PRINTER	1398.00
32K COLOR COMPUTER	497.00	DMP-100 PRINTER	299.00
16K MODEL III	815.00	DMP-200 PRINTER	599.00
48K MODEL III, 1 DR.	1549.00	DWP-410 DAISY	1195.00
48K MODEL III, 2 DR. RS232	1795.00	DAISY WHEEL II	1599.00
64K MODEL II, 1 DR.	2799.00	1 DR. EXPANSION MODEL II	919.00
128K MODEL 16, 1 DR.	3898.00	8.4 MEG HARD DISK MODEL II/16	3599.00
128K MODEL 16, 2 DR.	4510.00	ALL RS SOFTWARE	20% OFF

CASHIERS CHECK OR MONEY ORDER MUST ACCOMPANY ALL ORDERS.

(817) 825-4027

NOCONA ELECTRONICS • Box 593 • Nocona, TX 76255

✓232

Analysis of Variance

The analysis of variance (ANOVA) program in Listing 1 will calculate the ANOVA of experiments with as many as five different factors and as many as three levels per factor. A more practical limit would be any experiment with less than 400 observations in five factors. All of the experimental data is calculated as

Fig. 1. Input Format for Analysis of Variance Program

GRAND MEAN = 10.22222222222222			
SOURCE OF VARIATION	SS	DF	MS
A	134.2222	2	67.1111
B	64.8889	2	32.4444
A B	8.4444	4	2.1111
TOTALS 207.5555555555556	DF	TOTAL = 8	

DO YOU HAVE ANOTHER PROBLEM ? ←

an ANOVA with one observation per cell. Almost any type of experimental design can fit into this ANOVA form except the partially replicated experiments.

Data Input

A sample of the data input format is shown in Fig. 1. The illustration is a two factor experiment with three levels per factor. First, the program requests you to Enter the number of factors in the experiment. It then requires a four character label and the number of levels for each factor. The actual experimental data is then entered.

In entering the data into the ANOVA program, Enter the data in the correct sequence since the data will land in a single dimension array. The data entry section of the program, lines 270-470, specifically identifies which data element of the experiment to enter. However, the program contains no data review function. If you make a mistake, you must start over.

Output Format

Fig. 2 shows the program output for the sample input in Fig. 1. The output includes the source of variation in the experiment, sum of squares, degrees of freedom and the mean square. When the program lists more than one factor on a line under the label source of variation, it refers to interaction sources of variation between the factors listed. The program does not calculate f ratios.

Verification of the Basic Program

Calculating accuracy is al-

ways important in statistical programs. In converting a program from one language to another, there is always a chance for a major blunder. To test the Basic program in Listing 1, I entered the sample experiment listed in the IBM SSP manual. The setup and actual data of the SSP manual sample experiment is shown in Fig. 3. Fig. 4 shows the resulting sum of squares output from the Basic program and that listed in the SSP manual.

The two programs produced almost identical results for the sum of squares for each variation source. The Basic program in Listing 1 produces the same output as the IBM Fortran program. The differences in the sum of squares in Fig. 4 usually occur in the sixth or seventh significant digit. This should be enough for most experimental applications. If you need greater precision in your experimental analysis, avoid the program in Listing 1.

Versatility of the Program

We converted the SSP program to Basic to tap the SSP versatility of the original which suits almost any experimental design within its limited factors and observations. The ANOVA of nested and multi-observation per cell experiments are constructed from the output of the program. Combining the sum of squares and degrees of freedom from listed sources of variation accomplishes this.

Take the ANOVA listed in Fig. 1. The experiment was a two factor experiment with three levels of each factor. If it were a single factor experiment with three ob-

servations per cell, the ANOVA program would produce the same analysis of variance. The listed sources of variation should condense into appropriate experimental form. In this example, assume that factor B is the three observations per cell. The B sum of squares and the A by B interaction sum of squares would be condensed in the error sum of squares, along with the degrees of freedom of each. The resulting condensed ANOVA is found in Fig. 5.

IBM Copyright Violation

I have respected the copyright to the original IBM

program. Before starting this article, IBM personnel in Kansas City, Missouri determined that IBM had no proprietary rights to the programs in the Scientific Subroutine Package.

If you want a copy of the SSP, you can either poke around the dust filled enclosures of a used book store or you can write IBM Corporation, Technical Publications Department, 112 East Post Road, White Plains, New York 10601. ■

George Gille is an Associate Professor of Agriculture at Northwest Missouri State University.

Source of Variation	Experiment Sum of Squares	
	TRS-80 Program	IBM Program
A	229.0417	229.0416
B	722.6944	722.6943
A B	1382.0833	1382.0832
C	55.1111	55.1111
A C	42.0000	42.0000
B C	13.1389	13.1388
A B C	140.7500	140.7500
R	141.6806	141.6805
A R	18.8194	18.8194
B R	6.0278	6.0277
A B R	176.9722	176.9722
C R	40.7778	40.7777
A C R	50.5556	50.5555
B C R	62.6389	62.6388
A B C R	151.0278	151.0277

Fig. 4. Compares the Sum of Squares of the Sample Experimental Data in the SSP and the Basic Program Listing 1

Source of variation	SS	DF	MS
A	134.2222	2	67.1111
Error (B + A&B)	73.3333	6	12.2222
Total	207.5555	8	

Fig. 5. Adjusted Analysis of Variance for Output Shown in Fig. 2

Scientific Subroutine Package Sample Analysis of Variance

A four (4) factor experiment with the following factor levels:

- Factor A with 4 levels.
- Factor B with 3 levels.
- Factor C with 3 levels.
- Factor R with 2 levels.

Data values for the above sample experimental data.

Factors	B-1	B-2	B-3
	A-1 A-2 A-3 A-4	A-1 A-2 A-3 A-4	A-1 A-2 A-3 A-4
C-1	3 10 9 8	24 8 9 3	2 8 9 8
R-1 C-2	4 12 3 9	22 7 16 2	2 2 7 2
C-3	5 10 5 8	23 9 17 3	2 8 6 3
C-1	2 14 9 13	29 16 11 3	2 7 5 3
R-2 C-2	7 11 5 8	28 18 10 6	6 6 5 9
C-3	9 10 27 8	28 16 11 7	8 9 8 15

Fig. 3. Sample Analysis from IBM SSP

Program Listing 1

```

10 CLEAR 500
20 DIM MS(50)
30 DIM PS(5)
40 DIM X$(1000),HS(5),LG(5),IE(5),KN(5),LA(5)
50 DIM SQ$(50),ND(50),SM$(50)
60 CLS:PRINT"***** A N O V A *****"
70 PRINT STRING$(64,140)
80 PRINT"CONVERTED FROM IBM-SSP ANALYSIS OF VARIANCE. THIS PROGRAM"
90 PRINT"CALCULATES ANALYSIS OF VARIANCE PROBLEMS OF UP TO FIVE"
100 PRINT"AND 10 LEVELS OF EACH AS ONE-OBSERVATIONS PER CELL."
110 PRINT STRING$(64,140):PRINT"STAND BY - SETUP IN PROGRESS"
120 FOR I=1 TO 1000:X$(I)=0.000000000:NEXT I:PRINT STRING$(64,140)
130 INPUT"INPUT THE NUMBER OF FACTORS IN PROBLEM";K:PRINT STRING$(64,140)
140 PRINT"INPUT THE LEVELS OF EACH FACTOR"
150 IF K > 5 THEN 2350
160 FOR I = K TO 5
170 HS(I) = "NONE"

```

Listing continues

**MAKE YOUR PRINTER
A REAL WORKHORSE
WITH OUR NEW
PRINTER
CONTROLLER
BOARD**

Remove the controller board in your printer and plug ours in to add the following capabilities:

- Bidirectional printing
- Full UPPER/lower case ASCII *plus* TRS-80 graphics or DSE scientifics character sets in 9×7 dot matrix format (9×9 available as option — requires print head change)
- Motor control — turns off the motor when the printer is not in use
- 2048 character buffer
- Software selectable features
 - transfer protocol (XON/XOFF or none)
 - character densities (10, 12, 15, 16.5 cpi *plus* double width in each size)
 - self-test
 - forms, length, control

\$350 assembled and tested

✓ 269

Radix Technologies

Suite 400 Carolyn Building
10400 Eaton Place
Fairfax, VA 22030 (7

(703) 385-0900

VISA, MasterCard, check, COD accepted

Listing continued

```

100 LG(I) = 1
190 NEXT I
200 FOR I = 1 TO K
210 PRINT "FOR FACTOR ";I;" OF ";K" FACTORS
220 INPUT "INPUT A 4 CHARACTER NAME OF FACTOR";H$(I)
230 IF LEN(H$(I))>4 THEN 220
240 IF LEN(H$(I))<>4 THEN H$(I)=" "+H$(I);GOTO 240
250 INPUT "INPUT THE NUMBER OF LEVELS IN THE FACTOR";LG(I)
260 PRINT STRING$(63,140);NEXT I
270 CLS:PRINT "INPUT THE ANOVA MATRIX VALUES AS REQUESTED BELOW"
280 W$:="FACTOR   %    %    %    %    %    VALUE"
290 W$="      #####     #####     #####     #####     #####"
300 PRINT "LEVELS WITHIN A FACTOR ARE LISTED AS NUMBERS UNDER FAC-
TOR"
310 GOSUB 2340
320 J = 1:L = 0
330 FOR I1 = 1 TO LG(5)
340 FOR I2 = 1 TO LG(4)
350 FOR I3 = 1 TO LG(3)
360 FOR I4 = 1 TO LG(2)
370 FOR I5 = 1 TO LG(1)
380 PRINT USING W$;I1,I2,I3,I4,I5;
390 L=L+1
400 INPUT "          VALUE = "; X$(J)
410 IF L=13 THEN GOSUB 2340:L=L-0
420 J = J + 1
430 NEXT I5
440 NEXT I4
450 NEXT I3
460 NEXT I2
470 NEXT I1
480 M = LG(1) + 1
490 N = LG(1)
500 FOR I = 2 TO K
510 M = M * (LG(I) + 1)
520 N = N * LG(I)
530 NEXT I
540 MM = M + 20
550 IZ = 1
560 REM ***** START AVDAT *****
570 MM = LG(1) + 1
580 FOR I = 2 TO K
590 MM = MM * (LG(I) + 1 )
600 NEXT I
610 N1 = MM + 1
620 N2 = N + 1
630 FOR I = 1 TO N
640 N1 = N1 - 1
650 N2 = N2 - 1
660 X$(N1) = X$(N2)
670 NEXT I
680 IE(1) = 1
690 FOR I = 2 TO K
700 IE(I) = IE(I-1) * (LG(I-1) + 1)
710 NEXT I
720 FOR I = 1 TO K
730 KN(I) = 1
740 NEXT I
750 N1 = N1 - 1
760 FOR I = 1 TO N
770 L = KN(1)
780 FOR J = 2 TO K
790 L = L + IE(J) * (KN(J) - 1)
800 NEXT J
810 N1 = N1 + 1
820 X$(L) = X$(N1)
830 FOR J = 1 TO K
840 IF (KN(J) - LG(J)) = 0 THEN 870 ELSE 850
850 KN(J) = KN(J) + 1
860 GOTO 890
870 KN(J) = 1
880 NEXT J
890 NEXT I
900 REM ***** START AVCAL *****
910 LA(1) = L + 1
920 FOR I = 2 TO K
930 LA(I) = LA(I-1) + IE(I)
940 NEXT I
950 FOR I = 1 TO K
960 L = 1
970 LL = 1
980 SV# = 0.0
990 NN = LG(I)
1000 ZN = NN
1010 IW = IE(I)
1020 LH = LA(I)
1030 FOR J = 1 TO NN
1040 SV# = SV# + X$(L)
1050 L = L + IW
1060 NEXT J
1070 X$(L) = SV#
1080 FOR J = 1 TO NN
1090 X$(LL) = NN * X$(LL) - SV#
1100 LL = LL + IW
1110 NEXT J
1120 SV# = 0.0
1130 IF (L - LH) >= 0 THEN 1210
1140 IF (L-LH + IW) > 0 THEN 1180
1150 L = L + IW
1160 LL = LL + IW
1170 GOTO 1030
1180 L = L + IW + 1 - LH
1190 LL = LL + IW + 1 - LH
1200 GOTO 1030
1210 NEXT I
1220 REM ***** START MEANQ *****
1230 REM CHANGE N TO NZ
1240 NZ = LG(1)
1250 FOR I = 2 TO K
1260 NZ = NZ * LG(I)
1270 NEXT I
1280 LA(1) = LG(1)
1290 FOR I = 2 TO K
1300 LA(I) = LG(I) + 1
1310 NEXT I

```

Listing continues

Listing continued

```

1320 NN = 1
1330 LL = (2(K) - 1
1340 MS(1) = 1
1350 FOR I = 2 TO K
1360 MS(I) = MS(I-1)*2
1370 NEXT I
1380 FOR I = 1 TO LL
1390 SQ(I) = 0.0
1400 NEXT I
1410 FOR I = 1 TO K
1420 KN(I) = 0
1430 NEXT I
1440 L = 0
1450 FOR I = 1 TO K
1460 IF (KN(I) - LA(I)) = 0 THEN 1530
1470 IF L > 0 THEN 1520
1480 KN(I) = KN(I) + 1
1490 IF (KN(I) - LG(I)) > 0 THEN 1530
1500 L = L + MS(I)
1510 GOTO 1540
1520 IF (KN(I) - LG(I)) = 0 THEN 1540 ELSE 1500
1530 KN(I) = 0
1540 NEXT I
1550 IF L > 0 THEN 1560 ELSE 1590
1560 SQ(L) = SQ(L) + X*(NN) * X*(NN)
1570 NN = NN + 1
1580 GOTO 1440
1590 ZN = NZ
1600 GE# = X*(NN) / ZN
1610 FOR I = 2 TO K
1620 MS(I) = 0
1630 NEXT I
1640 NN = 0
1650 MS(1) = 1
1660 N9 = 1
1670 N8 = 1
1680 FOR I = 1 TO K
1690 IF (MS(I)) = 0 THEN 1720
1700 N9 = N9 * LG(I)
1710 N8 = N8 * (LG(I)-1)
1720 NEXT I
1730 Z9 = NZ * N9
1740 Z8 = N8
1750 NN = NN + 1
1760 SQ(NN) = SQ(NN)/Z9
1770 ND(NN) = N8
1780 SM(NN) = SQ(NN) / Z8
1790 IF (NN - LL) >= 0 THEN 1870
1800 FOR I = 1 TO K
1810 IF MS(I) = 0 THEN 1840
1820 MS(I) = 0
1830 GOTO 1860
1840 MS(I) = 1
1850 GOTO 1660
1860 NEXT I
1870 REM ***** END MEANQ *****
1880 REM ***** MAIN PROGRAM *****
1890 CLS:QQ=0
1900 PRINT"*****"
1910 PRINT"GRAND MEAN =" ;GE#
1920 PRINT"SOURCE OF VARIATION"
1930 PRINT"-----"
1940 LL = (2(K) - 1
1950 IE(1) = 1
1960 FOR I = 2 TO K
1970 IE(I) = 0
1980 NEXT I
1990 FOR I = 1 TO 5
2000 US = BS
2010 NEXT I
2020 NN = 0
2030 SV# = 0.0
2040 NN = NN + 1
2050 L = 0
2060 FOR I = 1 TO K
2070 FS(I) = BS
2080 IF IE(I) = 0 THEN 2110
2090 L = L + 1
2100 FS(L) = HS(I)
2110 NEXT I
2120 SA# = SQ(NN)
2130 NA = ND(NN)
2140 AA# = SM(NN)
2150 FOR I=1 TO 5:PRINT USING "% % ";FS(I);:NEXT I
2160 PRINT USING "#####";SA#;:PRINT USING " ## ";NA;
2170 PRINT USING " #####";AA#
2180 QQ=QQ+1
2190 IF QQ=10 OR QQ=24 THEN INPUT"<< PRESS ENTER FOR REST >>";QQ
2200 SV# = SV# + SQ(NN)
2210 IF (NN-LL) >= 0 THEN 2290
2220 FOR I = 1 TO K
2230 IF IE(I) = 0 THEN 2260
2240 IE(I) = 0
2250 GOTO 2280
2260 IE(I) = 1
2270 GOTO 2040
2280 NEXT I
2290 N = N - 1
2300 PRINT"-----"
2310 PRINT" TOTALS " ;SV#; " DF TOTAL =" ;N
2320 INPUT"DO YOU HAVE ANOTHER PROBLEM ";QQ$
2330 IF QQ$="YES" THEN 120 ELSE 2360
2340 PRINT USING W1$;H$(5),H$(4),H$(3),H$(2),H$(1):PRINT STRINGS
(63,140):RETURN
2350 CLS:PRINT"ANALYSIS TOO LARGE - USE TIME SHARE SYSTEM"
2360 PRINT"END OR PROGRAM"
2370 END

```

PRICE BREAKTHRU- BULL! IT'S A MIRACLE!!

SMITH CORONA TPI Daisy Wheel Printer

Std. Opts.: Serial (RS232)
Parallel, 10/12 pitch—
Please Specify
Cable Extra—
Factory Warranty

\$639.00

LIMITED SUPPLY TANDON FLOPPY DISK DRIVES

For Mod I, Mod III, IBM-PC,
etc. inc. PS & case
Add \$100 for 80 track
Floppy Disk Case and Power
Supply—\$49.95

**SSDD * 40tk
\$195.00**

Available as Bare Drives

**DSDD * 40tk
\$295.00**

*SSDD—Single Side Double
Density, DSDD—Double Side
Double Density

MIRACLE of the MONTH

\$1599.00 Complete
Famous Manufacturer 6.3
Meg Winchester Disk System
Inc. Power Supply, Case,
Cables & DOS Assembled &
Tested—120 Day Warranty
Available for IBM-PC

9.6 Meg **\$1799**
complete
12.6 Meg
complete **\$2399**
(2 drives)
19.2 Meg
complete **\$2799**
(2 drives)

Coming Soon—Mod III & IBM Internal Winchester
MOD I— Floppy-Winchester Combo. pkg.

"LAST but not LEAST"

TRS-80 Mod III 48K

\$899

+ 1 Floppy disk*

\$1349

+ 2 Floppy disks*

\$1549

RS 232C

add **\$70**

Add \$100 ea. for 80 tk drives—
TRSDOS & Manual \$21—

DOS + **\$99**

*Available Separately as complete kits— 1 dr. \$440 2 dr. \$630

BACK better than EVER

Terms—COD or Prepaid Only
F.O.B. Shipping Point
(215) 461-5437
Prices Subject to Change
Without Notice.

DISK SUPPLY CO.
Suite 439
111 S. Olive St.
Media, PA 19063

TRS-80 Trademark of Tandy Corp.

Use the Z80's interrupt versatility to soup up your Model I.

We Interrupt This Program...

Dennis Workman
15940 Jackson Oaks Drive
Morgan Hill, CA 95037

The Z80 microprocessor has the most versatile interrupt processing capabilities of any eight bit CPU. In most respects it equals or exceeds those available on minicomputers. A few simple hardware modifications can equip the Model I with the Z80's interrupt capabilities. The modifications will not introduce incompatibilities with software or operating systems not using the real time clock. The clock may be retained by installing a switch.

The Z80 has three *maskable* interrupt modes: Mode 0, Mode 1 and Mode 2. The modes are called maskable because they are enabled or disabled (masked) with

software instructions. The Z80's one non-maskable interrupt is used in the Model I for reset purposes.

Mode 0 asserts an interrupt request by placing a low logic level on signal input line $\overline{\text{INT}}$. The line is brought out of the Model I through the expansion interface bus. If the interrupt system is enabled by the software, the Z80 acknowledges the interrupt by simultaneously asserting low logic levels on signal lines $\overline{\text{IORQ}}$ and $\overline{\text{M1}}$. These lines are not available as outputs. An output called $\overline{\text{INTAK}}$ is available on the expansion interface bus. $\overline{\text{INTAK}}$ is the logical AND of $\overline{\text{M1}}$ and $\overline{\text{IORQ}}$, and becomes a logic low when $\overline{\text{M1}}$ and $\overline{\text{IORQ}}$ are both low. When $\overline{\text{INTAK}}$ is low it becomes the responsibility of the interrupting device to place a single eight bit word on the data bus. The Z80 interprets this word as its next instruction.

Mode 0 is not useful in a Model I with the Basic interpreter in ROM. The reason for this lack of utility becomes obvious when you consider the repertoire of single byte instructions available with the Z80. None of these instructions can vector the CPU to an interrupt service routine except the re-

start instructions. All of these instructions vector the Z80 to a location in its address space occupied by the interpreter ROM.

Mode 1 also makes its presence known by asserting a low logic level on $\overline{\text{INT}}$. In this case Z80 responds by jumping to 38H. Similar to the non-maskable interrupt, in this mode program execution begins at a fixed address. The non-maskable interrupt vectors the CPU to 66H.

Mode 1 is used by the real time clock and the floppy disk controller processing routines. It is possible to utilize the Mode 1 interrupt by disrupting the normal processing routines exiting the interpreter ROM via hooks to low RAM. (See The Assembly Line, *80 Microcomputing*, October 1981.)

The Basic interpreter has a JP 4012H instruction at 38H. By disabling the real time clock, this interrupt mode could be used to access an interrupt service routine since 4012H lies above the interpreter. Another JP instruction could be placed at 4012H to vector the CPU to any location in RAM.

This interrupt mode has limited power. A polling routine must determine what device produced the interrupt.

Mode 2 is the most powerful Z80 interrupt mode. It is similar to the interrupt structure of most large computers. The interrupting device can directly vector the CPU to any location in its address space. No polling routines are required.

The Key Box

Model I




Fig. 1
Original Keyboard Circuitry




Fig. 2
Modified Keyboard Circuitry

The sequence of steps when the CPU is configured (by software) for Mode 2 are:

- The interrupting device asserts an interrupt by placing a logic low on the signal line \overline{INT} ;
- Shortly after the end of the current instruction, Z80 acknowledges the interrupt by placing low logic levels on lines $\overline{M1}$ and \overline{IORQ} . (\overline{INTAK} at the expansion bus output will go low.);
- The interrupting device must place an eight bit value on the data bus when \overline{INTAK} is low. The Z80 reads this value on the rising edge of \overline{INTAK} ;
- Z80 uses the eight bit value read above in conjunction with another eight bit value the programmer has previously placed in the I Register to form a 16 bit word. This word is referred to as a pointer;
- The 16 bit pointer is employed to point to the location in RAM containing the starting address of the interrupt service routine. The 16 bit pointer does not point to the service routine; it points to a location in RAM containing the starting address of the service routine;
- Z80 loads the eight bits of data contained in the memory location defined by the pointer into the lower

eight bits of the program counter. The eight bits of data contained in the memory location defined by the pointer plus one are loaded into the higher eight bits of the program counter;

• Program execution begins at the address now in the program counter.

When a non-maskable interrupt is accepted by Z80, further non-maskable interrupts are inhibited until the software enables them again.

Mode 2 allows direct access to 128 independent interrupt service routines which could correspond to 128 separate interrupting devices. Alternatively, a single device could elicit 128 different responses. It is possible to rate the interrupting devices so they do not interrupt one another.

Hardware Limitations

A variety of sources including "The Assembly Line" and the Radio Shack Model I technical manual state it is impossible to access Mode 2 interrupts due to inherent TRS-80 hardware limitations. Some sources describe these limitations as a lack of $\overline{M1}$ and \overline{IORQ} at the expansion bus output, inherent software defects in the Basic interpreter, specially designed Z80's which do not allow this mode and others.

There are two reasons the Mode 2 will not work on an unmodified Model I. First, when interrupts are enabled by the software the real time clock generates an interrupt request as it does every 25 milliseconds. This request is interpreted as a valid Mode 2 request. The Z80 will be vectored to an invalid memory location and hang or boot a disk drive. I have long regarded the clock as a nuisance and welcomed this motivation to disable it.

Second, although Radio Shack obligingly provided the \overline{INTAK} signal at the expansion bus output, they neglected to allow the data bus to read the data presented by the interrupting device. When \overline{INTAK} is low the data bus is placed in a write state by the hardware and the

external device is ignored.

Modifying the Hardware

A majority of TRS-80 users have probably never loosened the screws on their keyboards. Bold intimidating warnings scare many people away. Truth is, the Model I is a rugged indestructible piece of equipment. The risk of damage, if reasonable care is taken, is negligible. Radio Shack will bail you out if it does not go well.

You will need a small Phillips screwdriver, a soldering iron (25 watts or less) and solder, a small wirecutter, about a foot of 24-28 gauge wire, an Exacto knife and small needle nosed pliers.

Keyboard Unit Modification

Disassemble the keyboard unit and place the circuit side of the PC board up. Locate integrated circuit Z53. This IC is a 74LS132. Connect Pin 4 of Z53 directly to Pin 3 of Z73. Fig. 1 shows the unmodified circuitry. Fig. 2 shows the modified circuitry. Disconnect Pin 4 of Z53 from line going to the Z80 \overline{BUSRQ} input. Cut Pin 4 of Z53 as close to the printed circuit board as possible using a small wirecutter. Carefully bend the cut pin to an approximately horizontal position. Solder a wire between the cut pin and pin 3 of Z73; the modification is complete.

With this modification the data bus exiting the keyboard unit is in the read state when \overline{INTAK} is low. Previous operation of the keyboard will be unaffected.

Expansion Interface Modification

There are at least two generations of expansion interface units; the modifications required differ.

The older expansion interfaces are characterized by a buffered

interface cable. The newer interfaces have no buffered interface cable. The newer interfaces source the \overline{INT} signal to the keyboard unit from Pins 10 and 12 of Z34. The older units source \overline{INT} from Pin 3 of Z39. Fig. 3 shows partial schematic diagrams for each unit.

On newer interfaces cut the trace connecting Pin 9 of Z26 to Pin 13 of Z34. Ground Pin 13. Fig. 4 shows the modification and how to install a switch restoring the clock.

For older interfaces cut the trace connecting Pin 8 of Z30 to Pins 9 and 10 of Z35. Fig. 5 shows the modification and how to install a switch.

Fig. 6 details a simple interrupt generator. SW1, a dip switch, selects the interrupt vector. IC1 is an octal tri-state driver used to place the selected vector on the data bus when \overline{INTAK} is low. Switch (pushbutton) SW2 generates the interrupt request.

Z80 interrupt capability is now available on your Model I. The new hardware and software capabilities are worthwhile particularly in applications characterized by a very busy CPU. ■




Fig. 3. Interface Comparison




Fig. 4. Newer Modification




Fig. 6. Simple \overline{INT} Generator



If I marry your sister, will we be related?

The Family Tree

Richard W. Castor
345 South 51st Avenue
Bellwood, IL 60104

Computerized genealogies in recent literature are too sophisticated, detailed and overpowering for the average individual. The average family does not have the hardware needed for such programs.

To make computerized genealogies useful to the public, they should require minimal information from normal family records. Not everyone interested in ancestry has the time or inclination to do extensive research into public records.

Genealogy II, a stripped-down version of more comprehensive renditions, is written in Basic for a TRS-80 Level II 16K. It generates and manipulates a string matrix.

Genealogy II traces ancestry back four generations (to great-great-grandparents) and identifies aunts, uncles, and first cousins from simple family records consisting of the names of the father, mother, and their children.

The names must be unique; use Jr., Sr., I, II, or III where ancestors have identical surnames and given names. If you use only the middle initial do not inadvertently destroy the uniqueness of the names involved.

Program Listing 1 generates the genealogical matrix G(R,C)$

and provides a menu to edit, add, delete, display, and store its elements. Program Listing 2 manipulates G(R,C)$ to form the ancestral list F(N)$. Program Listing 3 manipulates G(R,C)$ to create the family relationship matrix V(R,V)$.

The matrices associated with these three programs are in Fig. 1. The program does not alphabetize the records. If you desire a better organized file, enter the data systematically based on generation or side of the family.

A written transcript of the record number and its associated name aids in future updates. Option two of Listing 1 displays this information.

The six Level II Basic string handling statements format Print # -1 and Input # -1 print string routines which reduce data transfer time to less than 3.5 seconds per family record (see Listing 1 lines 800-999). The Print # -1 routine empties the G(R,C)$ matrix to reuse the memory for the print strings. Conversely, the Input # -1 routine nulls the print strings. Without this you would soon use up the available memory in a 16K system.

Delete the monitor display statements associated with print string formatting after you have used them for study or debugging.

Since string spacing is significant and must be identical for proper searching and sorting, omit both leading and trailing

spaces. Pay particular attention to internal spacing between the elements of all names. Omit such punctuation as a comma between last and first names.

Genealogy II provides a starting point for a more comprehensive rendition of lineage. Each record in the genealogical matrix G(R,C)$ can be expanded to include dates and places of birth and death, date and place of marriage and places of residence. For most individuals, blank or unknown entries exceed the known entries in such an expanded version.

You can organize and display

the lineage and family relationships of any individual whose name appears under issue in a family record. The degree to which you accomplish this depends upon the completeness of each family record. The ancestry and family relationships become more complete as you enter more records. The pro-

The Key Box

Basic Level II
Model I
16K RAM

Program Listing 1

```

8  ON ERROR GOTO 20
10 CLEAR 7000:DIMS(12,75)
15 DIML1(30),P$(30)
20 PRINTTAB(5)***** GENEALOGY PROGRAM *****
21 PRINTTAB(10)***** MENU *****
30 PRINT "TYPE (1) TO BUILD A FILE"
40 PRINT TAB(6)"(2) TO SEE THE ENTIRE FILE"
50 PRINT TAB(6)"(3) TO SEE AN INDIVIDUAL RECORD"
60 PRINT TAB(6)"(4) TO MAKE CORRECTIONS"
70 PRINT TAB(6)"(5) TO SAVE THE CURRENT FILE ON CASSETTE"
80 PRINT TAB(6)"(6) TO UPDATE CURRENT FILE TAPE"
81 PRINT TAB(6)"(7) TO END PROGRAM"
90 INPUT Q:ON Q GOTO 110,340,600,400,800,900,1000
110 CLS:LET C=1
120 FOR C=1 TO 75:CLS:IFC>75 GOTO 800
130 PRINT"THIS IS RECORD #";C
140 INPUT "FATHER'S NAME:";G$(1,C)
150 INPUT "MOTHER'S NAME:";G$(2,C)
155 PRINT "TO END RECORD TYPE ***** (FIVE *'S) AS LAST RECORD"
160 PRINT "ENTER ISSUE:"
170 INPUT "1";G$(3,C):IF G$(3,C)="*****" GOTO 281
180 INPUT "2";G$(4,C):IF G$(4,C)="*****" GOTO 281
190 INPUT "3";G$(5,C):IF G$(5,C)="*****" GOTO 281
200 INPUT "4";G$(6,C):IF G$(6,C)="*****" GOTO 281
210 INPUT "5";G$(7,C):IF G$(7,C)="*****" GOTO 281
220 INPUT "6";G$(8,C):IF G$(8,C)="*****" GOTO 281
230 INPUT "7";G$(9,C):IF G$(9,C)="*****" GOTO 281
240 INPUT "8";G$(10,C):IF G$(10,C)="*****" GOTO 281
250 INPUT "9";G$(11,C):IF G$(11,C)="*****" GOTO 281
260 INPUT "10";G$(12,C):IF G$(12,C)="*****" GOTO 281
281 IF PRE(X$)<200 THEN PRINT"WARNING---FILE END NEAR"
282 IF PRE(X$)<=0 GOTO 998
290 PRINT"TO ENTER ANOTHER RECORD, TYPE 1"
300 PRINT"OTHERWISE, TYPE 0"
310 INPUT A
320 IF A<>1 THEN P1=C:PRINT"FILE CLOSED":GOTO 20

```

Listing 1 Continues

Listing 1 Continued

```

330 NEXT C
340 CLS:PRINT"RECORD #";TAB(10)"NAME"
345 FOR C=1 TO P1
350 PRINTC,TAB(10)G$(1,C)
355 FOR N=1 TO 10
360 LET N1=10*N
365 IF C=N1 THEN INPUT"HIT ENTER TO CONTINUE";X:GOTO 375
370 NEXT N
375 NEXT C
380 INPUT"TO SEE THE MENU, HIT ENTER";X:GOTO 20
400 CLS:PRINT"IF THE RECORD NUMBER TO BE CHANGED IS KNOWN, TYPE
AND ENTER IT HERE. IF IT IS NOT KNOWN, TYPE 0"
410 INPUT C
420 IF C<>0 GOTO 480
430 INPUT"ENTER THE NAME (LAST, FIRST, MIDDLE) OF THE RECORD TO
BE CHANGED";GS
440 FOR C=1 TO P1
450 IF GS=GS(1,C) GOTO 480
455 IF GS=GS(2,C) GOTO 480
460 NEXT C
470 PRINT"NAME NOT IN FILE":GOTO 550
480 FOR T=1 TO 12
490 PRINTGS(T,C)
500 INPUT"IS THIS DATA CORRECT? ENTER YES OR NO";B1$
510 IF B1$="YES" GOTO 530
520 INPUT"ENTER CORRECT DATA";GS(T,C)
530 PRINT"DATA NOW READS---";GS(T,C)
540 NEXT T
550 INPUT"FOR ANOTHER CORRECTION, TYPE 1; OTHERWISE, TYPE 0";X
560 IF X=1 THEN 400 ELSE 20
600 CLS:PRINT"IF THE RECORD NUMBER TO BE VIEWED IS KNOWN, TYPE A
ND ENTER IT HERE. IF IT IS NOT KNOWN, TYPE 0"
610 INPUT C
620 IF C<>0 GOTO 680
630 INPUT"ENTER THE NAME (LAST, FIRST, MIDDLE) OF THE RECORD TO
BE VIEWED";GS
640 FOR C=1 TO P1
650 IF GS=GS(1,C) GOTO 680
655 IF GS=GS(2,C) GOTO 680
660 NEXT C
670 PRINT"NAME NOT IN FILE":GOTO 710
680 FOR T=1 TO 12
690 PRINTT, GS(T,C)
700 NEXT T
710 INPUT"FOR ANOTHER RECORD, TYPE 1; OTHERWISE, TYPE 0";X
720 IF X=1 THEN 600 ELSE 20
800 CLS:PRINT"NOTE CASSETTE COUNTER FOR START OF THIS FILE":INPU
T"PLACE CASSETTE IN <RECORD> MODE. WHEN READY, PRESS <ENTER>";X:
CLS:PRINTTAB(23)*****COPYING*****:PRINT
801 PRINT"THE LAST RECORD IN THIS FILE IS #";P1
805 C1=1:R1=1:P1=D1=0:PS(P)=
810 IF C1>P1 THEN PRINT"FORMATTING COMPLETE":C2=C1-1:L1(P)=D1:GOTO8
70
815 L=LEN(G$(R1,C1))
820 L$=STR$(L)
825 IFL<10 THEN L$=RIGHT$(L$,1):L$="0"+L$
830 IFL>10 THEN L$=RIGHT$(L$,2)
840 IF GS(R1,C1)="ORL=0 THEN L$="05":GS(R1,C1)=STRING$(5,32):L=5
845 GS(R1,C1)=L$+GS(R1,C1):L$=""
850 D1=D1+(L+2)
855 IF 248-D1<L+2 THEN L1(P)=D1-(L+2):D1=L+2:P=P+1:PS(P)=
860 PS(P)=PS(P)+GS(R1,C1)
861 PRINTP,D1,PS(P)
862 IF GS(R1,C1)="05*****" THEN GS(R1,C1)="":R1=1:C1=C1+1:GOTO810
863 GS(R1,C1)="":R1=R1+1
864 IF R1=13 THEN R1=1:C1=C1+1
865 GOTO810
870 PRINT#-1,P,C2
875 FOR P1=1 TO P
876 PRINTP1,L1(P1),PS(P1)
880 PRINT#-1,L1(P1),PS(P1)
885 NEXT P1
890 PRINT"NUMBER OF RECORDS ";C2:P1=C2
895 PRINT"COMPLETE--NOTE TAPE LOCATION"
896 INPUT"DO YOU WANT A DUPLICATE DATA TAPE (Y/N)";A$:IF NOT A$="Y
" THEN GOTO899
897 CLS:PRINT"NOTE CASSETTE COUNTER FOR START OF THIS FILE":INPU
T"PLACE CASSETTE IN <RECORD> MODE. WHEN READY, PRESS <ENTER>";X:
CLS:PRINTTAB(21)*****DUPLICATING*****:PRINT
898 PRINT"THE LAST RECORD IN THIS FILE IS #";P1:GOTO870
899 PRINT"SESSION COMPLETE":END
900 PRINT"PLACE TAPE CASSETTE IN <PLAY> MODE AT PROPER LOCATION"
:INPUT"WHEN READY, PRESS <ENTER>";X:CLS
905 INPUT #-1,P,C2
910 PRINT"THIS FILE CONTAINS ";P; "PRINT STATEMENTS":PRINT"THE L
AST RECORD ON FILE IS #";C2
915 FOR P1=1 TO P
920 INPUT #-1,L1(P1),PS(P1)
925 PRINTP1,L1(P1),PS(P1)
930 NEXT P1
935 PRINT"RETRIEVAL COMPLETE":INPUT"PRESS <ENTER> TO CONTINUE";X
:CLS
940 C1=1:R1=1:P1=D1=1
945 GS(R1,C1)=MID$(PS(P1),(D1+2),VAL(MID$(PS(P1),D1,2))):PRINTD1
:P1;R1;C1;GS(R1,C1)
950 D1=D1+2+VAL(MID$(PS(P1),D1,2)):IF D1>L1(P1) THEN PS(P1)="":P1=P
1+1:D1=1
955 IF C1>C2 THEN GOTO980
960 IF GS(R1,C1)="*****" THEN R1=1:C1=C1+1:GOTO945
965 R1=R1+1
970 IF R1=13 THEN R1=1:C1=C1+1
975 GOTO945
980 P1=C2:PRINT"DONE--MATRIX RESTORED":INPUT"PRESS <ENTER> TO CO
NTINUE";X:CLS
981 PRINT"TYPE (1) TO SEE CURRENT FILE"
982 PRINTTAB(6)***** (2) TO SEE AN INDIVIDUAL RECORD"
983 PRINTTAB(6)***** (3) TO CORRECT CURRENT FILE"
984 PRINTTAB(6)***** (4) TO ADD TO CURRENT FILE"
985 INPUT U:ON U GOTO 340,600,400,990
990 FOR C=(P1+1) TO 75:IF C>75 PRINT "FILE FULL---ENTER OPTION 1
, 2, 3":GOTO 981
991 GOTO 130
998 LET P1=C
999 PRINT"FILE CLOSED"
1000 INPUT "HAS THIS FILE BEEN SAVED? TYPE YES OR NO";A1$
1010 IF A1$="YES" THEN 1020 ELSE 20
1020 END

```

grams accomodate 75 such records, somewhat more than the average beginning genealogist can construct.

These programs use nearly all available memory of a 16K

TRS-80 Level II. Although they run spaced as listed for ease of typing, compress them to conserve memory. Use a high-quality recording medium (Memorex MRX, Oxide or equivalent). A

G\$(R,C)	F\$(N)	F\$(N)	V\$(R,C)
1 FATHER	1 CLIENT	1 CLIENT	1 UNCLE
2 MOTHER	2 FATHER	2 FATHER	2 AUNT
3	3 MOTHER	3 MOTHER	3
4	4	4	4 1ST
5	5 G	5 AUNTS	5 C
6 I	6 R	6 UNCLES	6 O
7 S	7 A	7 PARENTS	7 U
8 U	8 N	8	8 S
9 E	9 D	9 BROTHERS	9 I
10	10 P	10 SISTERS	10 N
11	11 A	11	11 S
12	12 R	12	12
.....	30 T		
	31 S		
	32		

Fig. 1. String Matrices Constructed.

Program Listing 2

```

8 ON ERROR GOTO 110
10 CLS:CLEAR 7000:DIMS(12,75):DIMF$(32),L1(30),P$(30)
15 PRINTTAB(24)*****ANCESTRY*****
20 PRINT"PLACE TAPE CASSETTE IN <PLAY> MODE AT PROPER LOCATION"
:INPUT"WHEN READY, PRESS <ENTER>";X:CLS
25 INPUT#-1,P,C2
30 PRINT"THIS FILE CONTAINS ";P; "PRINT STATEMENTS":PRINT"THE LA
ST RECORD ON FILE IS #";C2
35 FOR P1=1 TO P
40 INPUT#-1,L1(P1),PS(P1)
45 PRINTP1,L1(P1),PS(P1)
50 NEXT P1
55 PRINT"RETRIEVAL COMPLETE":INPUT"PRESS <ENTER> TO CONTINUE";X:
CLS
60 C1=1:R1=1:P1=D1=1
65 GS(R1,C1)=MID$(PS(P1),(D1+2),VAL(MID$(PS(P1),D1,2))):PRINTD1
:P1;R1;C1;GS(R1,C1)
70 D1=D1+2+VAL(MID$(PS(P1),D1,2)):IF D1>L1(P1) THEN PS(P1)="":P1=P
1+1:D1=1
75 IF C1>C2 THEN GOTO100
80 IF GS(R1,C1)="*****" THEN R1=1:C1=C1+1:GOTO65
85 R1=R1+1
90 IF R1=13 THEN R1=1:C1=C1+1
95 GOTO65
100 P1=C2:PRINT"DONE--MATRIX RESTORED":INPUT"PRESS <ENTER> TO CO
NTINUE";X:CLS
110 CLS:INPUT "TYPE NAME OF INDIVIDUAL WHOSE ANCESTRY IS DESIRED
(LAST FIRST MIDDLE INITIAL)";F$(1)
120 FOR K=2 TO 32
125 LET F$(K) = "*****"
130 NEXT K
140 FOR C=1 TO P1
150 FOR R=3 TO 12
170 IF GS(R,C)=F$(1) GOTO 200
175 IF GS(R,C)="*****" GOTO 185
180 NEXT R
185 NEXT C
190 INPUT"NAME NOT IN FILE. PRESS ENTER";X:GOTO110
200 INPUT "WHICH SIDE OF THE HOUSE IS DESIRED? TYPE FATHER
OR MOTHER";H$
210 IF H$="FATHER" THEN F$(2)=GS(1,C) ELSE F$(2)=GS(2,C)
240 FOR C=1 TO P1:FOR R=3 TO 12
250 IF GS(R,C)=F$(2) GOTO 270
255 IF GS(R,C)="*****" GOTO 265
260 NEXT R
265 NEXT C:GOTO 100
270 LET F$(3)=GS(1,C)
280 LET F$(4)=GS(2,C)
290 FOR C=1 TO P1:FOR R=3 TO 12
300 IF GS(R,C)=F$(3) GOTO 320
305 IF GS(R,C)="*****" GOTO 315
310 NEXT R
315 NEXT C:GOTO 340
320 LET F$(5)=GS(1,C)
330 LET F$(7)=GS(2,C)
340 FOR C=1 TO P1:FOR R=3 TO 12
350 IF GS(R,C)=F$(4) GOTO 370
355 IF GS(R,C)="*****" GOTO 365
360 NEXT R
365 NEXT C:GOTO 390
370 LET F$(6)=GS(1,C)
380 LET F$(8)=GS(2,C)
390 FOR C=1 TO P1:FOR R=3 TO 12
400 IF GS(R,C)=F$(5) GOTO 420

```

Listing 2 Continues

Listing 2 Continued

```

405 IF GS(R,C)="*****" GOTO 415
410 NEXT R
415 NEXT C: GOTO 440
420 LET FS(9)=GS(1,C)
430 LET FS(11)=GS(2,C)
440 FOR C=1 TO P1:FOR R=3 TO 12
450 IF GS(R,C)=FS(7) GOTO 470
455 IF GS(R,C)="*****" GOTO 465
460 NEXT R
465 NEXT C: GOTO 490
470 LET FS(13)=GS(1,C)
480 LET FS(15)=GS(2,C)
490 FOR C=1 TO P1:FOR R=3 TO 12
500 IF GS(R,C)=FS(6) GOTO 520
505 IF GS(R,C)="*****" GOTO 515
510 NEXT R
515 NEXT C: GOTO 540
520 LET FS(10)=GS(1,C)
530 LET FS(12)=GS(2,C)
540 FOR C=1 TO P1:FOR R=3 TO 12
550 IF GS(R,C)=FS(8) GOTO 570
555 IF GS(R,C)="*****" GOTO 565
560 NEXT R
565 NEXT C: GOTO 590
570 LET FS(14)=GS(1,C)
580 LET FS(16)=GS(2,C)
590 FOR C=1 TO P1:FOR R=3 TO 12
600 IF GS(R,C)=FS(9) GOTO 620
605 IF GS(R,C)="*****" GOTO 615
610 NEXT R
615 NEXT C: GOTO 640
620 LET FS(17)=GS(1,C)
630 LET FS(19)=GS(2,C)
640 FOR C=1 TO P1:FOR R=3 TO 12
650 IF GS(R,C)=FS(11) GOTO 670
655 IF GS(R,C)="*****" GOTO 665
660 NEXT R
665 NEXT C: GOTO 690
670 LET FS(21)=GS(1,C)
680 LET FS(23)=GS(2,C)
690 FOR C=1 TO P1:FOR R=3 TO 12
700 IF GS(R,C)=FS(13) GOTO 720
705 IF GS(R,C)="*****" GOTO 715
710 NEXT R
715 NEXT C: GOTO 740
720 LET FS(25)=GS(1,C)
730 LET FS(27)=GS(2,C)
740 FOR C=1 TO P1:FOR R=3 TO 12
750 IF GS(R,C)=FS(15) GOTO 770
755 IF GS(R,C)="*****" GOTO 765
760 NEXT R
765 NEXT C: GOTO 790
770 LET FS(29)=GS(1,C)
780 LET FS(31)=GS(2,C)
790 FOR C=1 TO P1:FOR R=3 TO 12
800 IF GS(R,C)=FS(10) GOTO 820
805 IF GS(R,C)="*****" GOTO 815
810 NEXT R
815 NEXT C: GOTO 840
820 LET FS(18)=GS(1,C)
830 LET FS(20)=GS(2,C)
840 FOR C=1 TO P1:FOR R=3 TO 12
850 IF GS(R,C)=FS(12) GOTO 870
855 IF GS(R,C)="*****" GOTO 865
860 NEXT R
865 NEXT C: GOTO 890
870 LET FS(22)=GS(1,C)
880 LET FS(24)=GS(2,C)
890 FOR C=1 TO P1:FOR R=3 TO 12
900 IF GS(R,C)=FS(14) GOTO 920
905 IF GS(R,C)="*****" GOTO 915
910 NEXT R
915 NEXT C: GOTO 940
920 LET FS(26)=GS(1,C)
930 LET FS(28)=GS(2,C)
940 FOR C=1 TO P1:FOR R=3 TO 12
950 IF GS(R,C)=FS(16) GOTO 970
955 IF GS(R,C)="*****" GOTO 965
960 NEXT R
965 NEXT C: GOTO 1000
970 LET FS(30)=GS(1,C)
980 LET FS(32)=GS(2,C)
1000 CLS
1010 IF HS="FATHER" THEN PRINT TAB(18) "**** PATERNAL ANCESTRY ****"
ELSE PRINT TAB(18) "**** MATERNAL ANCESTRY ****"
1020 PRINT:PRINTTAB(20) FS(1):PRINT
1030 IF HS="FATHER" THEN PRINTTAB(29) "FATHER" ELSE PRINTTAB(29) "M
OTHER"
1040 PRINT:PRINTTAB(20) FS(2)
1050 PRINT:PRINTTAB(26) "GRANDPARENTS"
1060 PRINT:PRINTFS(3),TAB(42)FS(4):PRINT
1070 INPUT"TO CONTINUE, HIT ENTER";X:CLS
1080 PRINT:PRINTTAB(23) "GREAT GRANDPARENTS"
1090 PRINT:PRINTFS(5),TAB(42)FS(6)
1100 PRINTFS(7),TAB(42)FS(8)
1110 PRINT:PRINTTAB(20) "GREAT GREAT GRANDPARENTS"
1120 PRINT:PRINTFS(9),TAB(42)FS(10)
1130 PRINTFS(11),TAB(42)FS(12)
1140 PRINTFS(13),TAB(42)FS(14)
1150 PRINTFS(15),TAB(42)FS(16)
1160 INPUT"TO CONTINUE, HIT ENTER";X:CLS
1170 PRINT:PRINTTAB(17) "GREAT GREAT GREAT GRANDPARENTS"
1180 PRINT:PRINTFS(17),TAB(42)FS(18)
1190 PRINTFS(19),TAB(42)FS(20)
1200 PRINTFS(21),TAB(42)FS(22)
1210 PRINTFS(23),TAB(42)FS(24)
1220 PRINTFS(25),TAB(42)FS(26)
1230 PRINTFS(27),TAB(42)FS(28)
1240 PRINTFS(29),TAB(42)FS(30)
1250 PRINTFS(31),TAB(42)FS(32)
1300 INPUT"DO YOU WANT THE OTHER SIDE OF THE HOUSE? IF YES, TYPE
1,
OTHERWISE TYPE 0";X
1310 IF X=1 GOTO 110
1320 INPUT"DO YOU WANT TO TERMINATE THIS RUN? ENTER YES OR NO";A
S
1330 IF AS="NO" GOTO 110
1340 IF AS="YES" THEN END

```

lost bit can create havoc!

Enter the programs which follow and undertake challenging adventure—organizing your past. Genealogy II gets you started in the right direction. ■

Richard Castor has been an electronics engineer in both the public and private sectors for 30 years. He is currently a consultant for computer sorting systems.

```

8 ON ERROR GOTO 110
10 CLS: CLEAR 7000: DIMGS(12,75): DIMFS(12): DIMVS(12,10), L1(30), P
S(30)
15 PRINTTAB(18) "**** FAMILY RELATIONSHIPS ****"
20 PRINT"PLACE TAPE CASSETTE IN <PLAY> MODE AT PROPER LOCATION":
INPUT"WHEN READY, PRESS <ENTER>";X:CLS
25 INPUT#-1,P,C2
30 PRINT"THIS FILE CONTAINS ";P;" PRINT STATEMENTS":PRINT"THE LA
ST RECORD ON FILE IS #";C2
35 FORP1=1TOP
40 INPUT#-1,L1(P1),PS(P1)
45 PRINTP1,L1(P1),PS(P1)
50 NEXTP1
55 PRINT"RETRIEVAL COMPLETE":INPUT"PRESS <ENTER> TO CONTINUE";X:
CLS
60 C1=1:R1=1:P1=1:D1=1
65 GS(R1,C1)=MID$(PS(P1),(D1+2),VAL(MID$(PS(P1),D1,2))):PRINTD1,
P1;R1;C1;GS(R1,C1)
70 D1=D1+2+VAL(MID$(PS(P1),D1,2)):IFD1>L1(P1) THENPS(P1)="":P1=P
1+1:D1=1
75 IFCL=C2 THENGOTO100
80 IFGS(R1,C1)="*****" THENR1=1:C1=C1+1:GOTO65
85 R1=R1+1
90 IFR1=13 THENR1=1:C1=C1+1
95 GOTO65
100 P1=C2:PRINT"DONE--MATRIX RESTORED":INPUT"PRESS <ENTER> TO CO
NTINUE";X:CLS
110 CLS: INPUT"TYPE AND ENTER NAME OF INDIVIDUAL WHOSE FAMILY RE
LATIONSHIPS ARE DESIRED (LAST FIRST MIDDLE INITIAL)";FS(1)
120 FOR K=2 TO 12
121 LET FS(K)="*****"
122 NEXT K
123 FOR K=1 TO 12
124 FOR L=1 TO 10
125 LET VS(K,L)="*****"
126 NEXT L
127 NEXT K
150 FOR C=1 TO P1:FOR R=3 TO 12
160 IF GS(R,C)=FS(1) GOTO 180
165 IF GS(R,C)="*****" GOTO 175
170 NEXT R
175 NEXT C:INPUT"NAME NOT IN FILE. PRESS ENTER";X:GOTO110
180 INPUT"WHICH SIDE OF THE HOUSE IS DESIRED? TYPE FATHER OR
MOTHER";HS
190 IF HS="FATHER" THEN FS(2)=GS(1,C) ELSE FS(2)=GS(2,C)
200 FOR C=1 TO P1:FOR R=3 TO 12
210 IF GS(R,C)=FS(2) GOTO 230
215 IF GS(R,C)="*****" GOTO 225
220 NEXT R
225 NEXT C: GOTO 110
230 IF R=3 GOTO 270
240 FOR T=3 TO (R-1)
245 IF GS(T,C)="*****" GOTO 300
250 LET FS(T)=GS(T,C)
255 IF GS(R,C)="*****" GOTO 300
260 NEXT T
270 FOR T=(R+1) TO 12
275 IF GS(T,C)="*****" GOTO 300
280 LET FS(T-1)=GS(T,C)
285 IF GS(R,C)="*****" GOTO 300
290 NEXT T
295 STOP:PRINT" TYPE CONT TO CONTINUE"
300 FOR N=3 TO 12
310 GOSUB 340
320 NEXT N
330 GOTO 1000
340 FOR C=1 TO P1
350 IF FS(N)="*****" GOTO 1000
360 IF FS(N)=GS(1,C) GOTO 390
370 IF FS(N)=GS(2,C) GOTO 390
380 NEXT C
390 FOR R=1 TO 12
400 LET V=(N-2)
410 LET VS(R,V)=GS(R,C)
420 IF GS(R,C)="*****" GOTO 440
430 NEXT R
440 RETURN
1000 CLS
1010 IF HS="FATHER" THEN PRINT TAB(12) "**** PATERNAL FAMILY RELA
TIONSHIPS ****" ELSE PRINT TAB(12) "**** MATERNAL FAMILY RELATION
SHIPS ****"
1020 PRINT FS(1),TAB(32)FS(2)
1030 FOR V=1 TO 10
1040 PRINT TAB(20) "**** AUNTS & UNCLES ****",PAGE;V
1050 GOSUB 1130
1060 INPUT"FOR NEXT PAGE, HIT ENTER";X:CLS
1070 NEXT V
1080 INPUT "DO YOU WANT THE OTHER SIDE OF THE HOUSE? IF YES, TYP
E 1; OTHER- WISE TYPE 0";X
1090 IF X=1 GOTO 110
1100 INPUT "DO YOU WANT TO TERMINATE THIS RUN? ENTER YES OR NO";
AS
1110 IF AS="NO" GOTO 110
1120 IF AS="YES" THEN END
1130 FOR R=1 TO 12
1140 IF R=3 THEN PRINT TAB(20) "**** FIRST COUSINS ****"
1150 PRINT TAB(20) VS(R,V)
1160 IF VS(R,V)="*****" GOTO 1180
1170 NEXT R
1180 RETURN

```

Program Listing 3

HOBBY COMPUTERS ARE HERE! If you want to come up to speed on how computers work—hardware and software—this is an excellent book. It starts with fundamentals and explains the circuits and the basics of programming, along with a couple of TVT construction projects, ASCII, Baudot, etc. This book has the highest recommendations as a teaching aid. \$2.97. * BK7322

THE NEW HOBBY COMPUTERS—This book takes up from where Hobby Computers Are Here! leaves off, with chapters on Large-Scale Integration, how to choose a microprocessor chip, an introduction to programming, low-cost I/O for a computer, computer arithmetic, checking memory boards...and much, much more! Don't miss this tremendous value! BK7340 Only \$2.97.*


**BOTH VOLUMES FOR \$4.95!
ORDER HC002**

NEW NEW NEW

INTRODUCTION TO WORD PROCESSING by Hal Glatzer. This book explains in plain language what a word processor can do, how to use one, how it improves productivity—especially in businesses that handle lots of words—and how to buy one wisely. No technical knowledge required, for all first-time users and those considering purchasing a word processor. BK1238 \$12.95

A USER GUIDE TO THE UNIX SYSTEM by Jean Yates and Rebecca Thomas. Here at last is a clearly written book that allows you to use the Unix operating system easily, and at a fraction of the time it previously took. If you're using, evaluating or simply curious about this system, this is your book. BK1242 \$15.99

WORDSTAR MADE EASY by Walter A. Ettlin. Now WordStar is as simple to learn as it is easy to use. This book teaches WordStar in 14 easy lessons, saving hours of hard work. It comes with a convenient pull-out Command Card. BK1239 \$11.95




• SOME OF THE BEST FROM KILOBAUD MICROCOMPUTING—BK7311—A collection of the best articles that have appeared in Kilobaud MICROCOMPUTING. Included is material on the TRS-80 and PET systems, CP/M, the 8080/8085/Z-80 chips, the ASR-33 terminal. Data base management, word processing, text editors and file structures are covered too. Programming techniques and hard-core hardware construction projects for modems, high speed cassette interfaces and TVTs are also included in this large format, 200 plus page edition \$10.95.*

DON'T (or How to Care for Your Computer)—by Rodney Zaks. In plain language, with numerous illustrations, this book tells all the do's and don't's of the care, preservation and correct operation of the small computer system. Specific chapters cover each piece of hardware and software, as well as safety and security precautions and help for problem situations. Have your computer work right the first time and keep it working. No technical background required. For all computer users. BK1237 \$11.95.

YOUR FIRST COMPUTER—by Rodney Zaks. Whether you are using a computer, thinking about using one or considering purchasing one, this book is indispensable. It explains what a computer system is, what it can do, how it works and how to select various components and peripheral units. It is written in everyday language and contains invaluable information for the novice and the experienced programmer. (The first edition of this book was published under the title "An Introduction to Personal and Business Computing"). BK1191 \$8.95*

MICROPROCESSOR INTERFACING TECHNIQUES—by Austin Lessea & Rodney Zaks—will teach you how to interconnect a complete system and interface it to all the usual peripherals. It covers hardware and software skills and techniques, including the use and design of model buses such as the IEEE 488 or S-100. BK1037 \$17.95.*



AN INTRODUCTION TO MICROCOMPUTERS, VOL. 0—The Beginner's Book—Written for readers who know nothing about computers—for those who have an interest in how to use computers—and for everyone else who must live with computers and should know a little about them. The first in a series of 4 volumes, this book will explain how computers work and what they can do. Computers have become an integral part of life and society. During any given day you are affected by computers, so start learning more about them with Volume 0. BK1130 \$12.50.*


VOL. I—NEW 3rd Edition! Dedicated to the basic concepts of microcomputers and hardware theory. The purpose of Volume 1 is to give you a thorough understanding of what microcomputers are. From basic concepts (which are covered in detail), Volume 1 builds the necessary components of a microcomputer system. This book highlights the difference between minicomputers and microcomputers. BK1030 \$15.95

KILOBAUD KLASROOM—by George Young and Peter Stark. Learning electronics theory without practice isn't easy. And it's no fun to build an electronics project that you can't use. *Kilobaud KLASROOM*, the popular series first published in *Kilobaud Microcomputing*, combines theory with practice. This is a *practical* course in digital electronics. It starts out with very simple electronics projects, and by the end of the course you'll construct your own working microcomputer!

Authors Young and Stark are experienced teachers, and their approach is simple and direct. Whether you're learning at home or in the classroom, this book provides you with a solid background in electronics—and you'll own a computer that you built yourself! BK7386 \$14.95

TOOLS & TECHNIQUES FOR ELECTRONICS—by A. A. Wicks. This is an easy-to-understand book written for the beginning kit-builder as well as the experienced hobbyist. It has numerous pictures and descriptions of the safe and correct ways to use basic and specialized tools for electronic projects, as well as specialized metal-working tools and the chemical aids which are used in repair shops. \$4.95.* BK7348

• UNDERSTANDING AND PROGRAMMING MICROCOMPUTERS—BK7382—A valuable addition to your computing library. This two-part text includes the best articles that have appeared in 73 and Kilobaud Microcomputing magazines on the hardware and software aspects of microcomputing. Well-known authors and well-structured text helps the reader get involved. \$10.95*





DOS RANDOM ACCESS & BASIC FILE HANDLING—By H.J. Muller. This book was written for the nonprogrammer. It is ideal for the businessman or professional who needs to solve and write special programs for in-house business problems, or the hobbyist who wants to go beyond the cassette recorder and into disk storage and file manipulation. It is written as a self-instruction tutorial and will provide anyone with some Level II experience with the ability to write special programs for inventories, mailing list, work scheduling, record keeping, research project data manipulation, etc. 150 pages. BK1236 \$29.50

TRS-80 DISK AND OTHER MYSTERIES—by Harvard C. Pennington. This is the definitive work on the TRS-80 disk system. It is full of detailed "How to use," information with examples, samples and in-depth explanations suitable for beginners and professionals alike. The recovery of one lost file is worth the price alone. BK1181 \$22.50.*

MICROSOFT BASIC DECODED AND OTHER MYSTERIES—by James Farvour. From the company that brought you *TRS-80 DISK AND OTHER MYSTERIES*. Contains more than 6500 lines of comments for the disassembled Level II ROMs and six additional chapters describing every BASIC subroutine, with assembly language routines showing how to use them. Flowcharts for all major routines give the reader a real insight into how the interpreter works. BK1186 \$29.50.*

80 micro BOOK SHELF



Special Interests

MOD III ROM COMMENTED—Soft-Sector marketing, 1981. This book is not an instruction course on machine language, but rather an information source that you can use time and time again for writing your own program or patching old Mod III machine language programs. It contains an explanation of ROMs in the latest machine from Tandy, with most every location of the 14K ROMs listed, with comments. BK1235 \$22.50.

THE CUSTOM TRS-80 AND OTHER MYSTERIES—by Dennis Kitz. More than 300 pages of TRS-80 customizing information. With this book you'll be able to explore your computer like never before. Want to turn an 8 track into a mass storage unit? Individual reverse characters? Replace the BASIC ROMs? Make Music? High speed, reverse video, Level I and Level II? Fix it if it breaks down? All this and much, much more. Even if you have never used a soldering iron or read a circuit diagram, this book will teach you how! This is the definitive guide to customizing your 80! BK1218 \$29.95.

BASIC FASTER AND BETTER AND OTHER MYSTERIES—by Lewis Rosenfelder. You don't have to learn assembly language to make your programs run fast. With the dozens of programming tricks and techniques in this book you can sort at high speed, swap screens in the twinkling of an eye, write INKEY routines that people think are in assembly language and add your own commands to BASIC. Find out how to write elegant code that makes your BASIC really hum, and explore the power of USR calls. BK1221 \$29.95.*

THE CP/M HANDBOOK (with MP/M)—by Rodney Zaks. A complete guide and reference handbook for CP/M—the industry standard in operating systems. Step-by-step instruction for everything from turning on the system and inserting the diskette to correct user discipline and remedial action for problem situations. This also includes a complete discussion of all versions of CP/M up to and including 2.2, MP/M and CDOS. BK1187 \$14.95.*

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign airmail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the following address. Use the order card in this magazine or itemize your order on a separate piece of paper and mail to 80 Micro Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information.

For Toll Free Ordering Call 1-800-258-5473

80 micro BOOK SHELF



INSIDE LEVEL II—For machine language programmers. This is a comprehensive reference guide to the Level II ROMs, allowing easy utilization of the sophisticated routines they contain. It concisely explains set-ups, calling sequences, variable passage and I/O routines. Part II presents an entirely new composite program structure which unloads under the SYSTEM command and executes in both BASIC and machine code with the speed and efficiency of a compiler. Special consideration is given to disk systems. BK1183 \$15.95.*

• **Z-80 ASSEMBLY LANGUAGE PROGRAMMING**—BK1177—by Lance A. Leventhal. This book thoroughly covers the Z-80 instruction set, abounding in simple programming examples which illustrate software development concepts and actual assembly language usage. Features include Z-80 I/O devices and interfacing methods, assembler conventions, and comparisons with 8080A/8085 instruction sets and interrupt structure. \$16.99.*

Z80



TRS-80 ASSEMBLY LANGUAGE—by Hubert S. Howe, Jr. This book incorporates into a single volume all the pertinent facts and information you need to know to program and enjoy the TRS-80. Included are clear presentations of all introductory concepts, completely tested practical programs and subroutines, details of ROM and RAM and disk operating systems, plus comprehensive tables, charts and appendices. Suitable for the first time user or more experienced users. BK1217 \$9.95.*

PROGRAMMING THE Z-80—by Rodney Zaks. Here is assembly language programming for the Z-80 presented as a progressive, step-by-step course. This book is both an educational text and a self-contained reference book, useful to both the beginning and the experienced programmer who wish to learn about the Z-80. Exercises to test the reader are included. BK1122 \$15.95.*



6809

6809 MICROCOMPUTER PROGRAMMING AND INTERFACING—by Andrew C. Staagaard, Jr. Getting involved with Tandy's new Color Computer? If so, this new book from the Blacksburg Group will allow you to exploit the awesome power of the machine's 6809 microprocessor. Detailed information on processor architecture, addressing modes, register operation, data movement, arithmetic logic operations, I/O and interfacing is provided, as well as a review section at the end of each chapter. Four appendices are included covering the 6809 instruction set, specification sheets of the 6809 family of processors, other 6800 series equipment and the 6809/6821 Peripheral Interface Adapter. This book is a must for the serious Color Computer owner. BK1215 \$13.95.*



NANOS SYSTEM REFERENCE CARDS

For Models I, II, III and color computer

At last! No more flipping through the pages of the Basic manual! No more working through the maze of machine language instructions! These cards completely summarize the Basic and Assembler manuals! FEATURES INCLUDE:

memory map, eyeball graphics, math instructions, basic commands, store instructions, basic functions, load instructions, basic statements, move instructions, special keys, exchange instructions, print using examples, shift instructions, basic special characters, compare instructions, basic and assembler messages and codes, branch instructions, basic facts, data

alteration instructions, reserved words, I/O instructions, ROM routines, complete character chart with graphics and space-compression codes, hex-dec chart, control code cross-reference, assembler instructions commands and operators, screen line layout, editor commands & subcommands, condition code easy access

Designed as a fold-up, accordion-style card, fits in your pocket. Panels organized for optimum speed for reference.

Model I: Basic only FC1001	\$2.95
Model I: BASIC and Assembler FC1002	\$4.95
Model II: BASIC and Assembler FC1005	\$5.95
Model II: BASIC only FC1004	\$3.95
Model III: BASIC and Assembler FC1003	\$5.95
Color: BASIC and Extended FC1006	\$4.95
Apple II: BASIC only FC1007	\$3.95
Apple II: BASIC & 6502 FC1008	\$4.95

MICROCOMPUTING CODING SHEETS *Microcomputing's* dozen or so programmers wouldn't try to work without these handy scratch pads, which help prevent the little errors that can cost hours and hours of programming time. Available for programming is Assembly/Machine Language (PD1001), which has columns for address, instruction (3 bytes), source code (label, op code, operand) and comments; and for BASIC (PD1002) which is 72 columns wide. 50 sheets to a pad. \$2.39.*

ALL NEW FOR 80 OWNERS ENCYCLOPEDIA FOR THE TRS-80*


ENCYCLOPEDIA FOR THE TRS-80** is the newest peripheral for your microcomputer. This ten-volume reference series contains programs and articles especially selected to extend the documentation that comes with the TRS-80. Volumes of the **Encyclopedia** are being issued one-at-a-time, approximately six weeks apart. This means that each new volume will reflect the latest developments in TRS-80 microcomputing. **Encyclopedia for the TRS-80** is available in two editions. The deluxe **COLLECTOR'S EDITION** has a handsome green and black hard cover with a dust jacket. A soft cover edition is also available.

To order single hard cover volumes of the **Encyclopedia** please specify:

Volume 1	EN8101	\$19.95*
Volume 2	EN8102	\$19.95*
Volume 3	EN8103	\$19.95*
Volume 4	EN8104	\$19.95*
Volume 5	EN8105	\$19.95*
Volume 6	EN8106	\$19.95*
Volume 7	EN8107	\$19.95*
Volume 8	EN8108	\$19.95*
Volume 9	EN8109	\$19.95*
Volume 10	EN8110	\$19.95*

To order single softcover volumes of the **Encyclopedia** please specify:

Volume 1	EN8081	\$10.95*
Volume 2	EN8082	\$10.95*
Volume 3	EN8083	\$10.95*
Volume 4	EN8084	\$10.95*
Volume 5	EN8085	\$10.95*
Volume 6	EN8086	\$10.95*
Volume 7	EN8087	\$10.95*
Volume 8	EN8088	\$10.95*
Volume 9	EN8089	\$10.95*
Volume 10	EN8090	\$10.95*



ENCYCLOPEDIA LOADER is the software companion to the **Encyclopedia** for the TRS-80. This special series of cassettes will allow you to load selected programs from the **Encyclopedia** instantly. Hours of keyboarding time and the aggravating search for typos is eliminated by using the **Encyclopedia Loader**.

Encyclopedia Loader for Volume 1 of the **Encyclopedia** of the TRS-80 is available at a **Special Introductory Price** of \$12.95 (a \$14.95 value). To take advantage of this offer specify:

EL800111 \$12.95*

Additional **Encyclopedia Loaders** will be available as each volume of the **Encyclopedia** for the TRS-80 is issued. To order specify **Encyclopedia Loader**:

Volume 2	EL8002	\$14.95*
Volume 3	EL8003	\$14.95*
Volume 4	EL8004	\$14.95*
Volume 5	EL8005	\$14.95*
Volume 6	EL8006	\$14.95*
Volume 7	EL8007	\$14.95*
Volume 8	EL8008	\$14.95*
Volume 9	EL8009	\$14.95*
Volume 10	EL8010	\$14.95*

SPECIAL INTRODUCTORY OFFER

Order the entire set of the **Encyclopedia** for the TRS-80 and receive the tenth volume FREE!

10 Volume deluxe hard cover **COLLECTOR'S EDITION**, a \$199.50 value. EN8100
\$164.00 postpaid

10 Volume soft cover edition, a \$109.50 value. EN8080 **\$83.00 postpaid**

SPECIAL OFFER

All 10 Volumes of **ENCYCLOPEDIA LOADER™**

A \$149.50 value for only \$119.97


EL8000 \$119.97

(shipping included)

No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign airmail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the following address. Use the order card in this magazine or itemize your order on a separate piece of paper and mail to 80 Micro Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information.

For Toll Free Ordering Call 1-800-258-5473

Basic & Pascal



THE BASIC HANDBOOK—SECOND EDITION—by David Lien. This book is unique. It is a virtual ENCYCLOPEDIA of BASIC. While not favoring one computer over another, it explains over 250 BASIC words, how to use them and alternate strategies. If a computer does not possess the capabilities of a needed or specified word, there are often ways to accomplish the same function by using another word or combination of words. That's where the HANDBOOK comes in. It helps you get the most from your computer, be it a "bottom-of-the-line" micro or an oversized monster. BK1174 \$19.95.*

LEARNING TRS-80 BASIC—by David A. Lien, Dr. Lien, who is the author of THE BASIC HANDBOOK and the original Radio Shack LEVEL I USER'S MANUAL, has compiled a tutorial which includes portions of the original USER'S MANUAL, and most of LEARNING LEVEL II along with extensive additions. It will completely cover the TRS-80 Models I, II, III, and 16 (sorry, not the color or pocket computers). It is, of course, written in the easy learning style which readers of Dr. Lien's books have come to enjoy. BK1175 \$19.95.

BASIC BASIC (2ND EDITION)—by James S. Coan. This is a textbook which incorporates the learning of computer programming using the BASIC language with the teaching of mathematics. Over 100 sample programs illustrate the techniques of the BASIC language and every section is followed by practical problems. This second edition covers character string handling and the use of data files. BK 1026 \$11.50.*

INTRODUCTION TO TRS-80 LEVEL II BASIC AND COMPUTER PROGRAMMING—by Michael P. Zabiniski. Written by an experienced educator, this is the book for those beginners who want to learn about computers without having to become an expert. It has practical programs, useful line-by-line comments, excellent flowcharts accompanied by line numbers and over 200 exercises which help the reader assess progress, reinforce comprehension, and provide valuable practical experience. BK1219 \$10.95.*

50 BASIC EXERCISES—by J. P. Lamoitier. This book is structured around the idea that the best way to learn a language is through actual practice. It contains 50 completely explained exercises: statement and analysis of the problem, flowcharts, programs and actual runs. Program subjects include mathematics, business, games, and operations research, and are presented in varying levels of difficulty. This format enables anyone to learn BASIC rapidly, checking their progress at each step. BK1192 \$12.95.*

PROGRAMMING IN PASCAL—by Peter Grogono. The computer programming language PASCAL was the first language to embody in a coherent way the concepts of structured programming, which has been defined by Edsger Dijkstra and C.A.R. Hoare. As such, it is a landmark in the development of programming languages. PASCAL was developed by Niklaus Wirth in Zurich; it is derived from the language ALGOL 60 but is more powerful and easier to use. PASCAL is now widely accepted as a useful language that can be efficiently implemented, and as an excellent teaching tool. It does not assume knowledge of any other programming language and therefore suitable for an introductory course. BK1140 \$12.95.*

ADVANCED BASIC—Applications including strings and files, coordinate geometry, area, sequences and series, simulation and graphing and games. BK1000 \$11.50

INTRODUCTION TO PASCAL—By Rodney Zaks. A step-by-step introduction for anyone wanting to learn the language quickly and completely. Each concept is explained simply and in a logical order. All features of the language are presented in a clear, easy-to-understand format with exercises to test the reader at the end of each chapter. It describes both standard PASCAL and UCSD PASCAL, the most widely used dialect for small computers. No computer or programming experience is necessary. BK1189 \$15.95

Moneymaking

HOW TO MAKE MONEY WITH COMPUTERS—In 10 information-packed chapters, Jerry Felsen describes more than 30 computer-related, money-making, high profit, low capital investment opportunities. BK1003 \$15.00.*

HOW TO SELL ANYTHING TO ANYBODY—According to *The Guinness Book of World Records*, the author, Joe Girard, is "the world's greatest salesman." This book reveals how he made a fortune—and how you can, too. BK7306 \$2.25.*

THE INCREDIBLE SECRET MONEY MACHINE—by Don Lancaster. A different kind of "cookbook" from Don Lancaster. Want to slash taxes? Get free vacations? Win at investments? Make money from something that you like to do? You'll find this book essential to give you the key insider details of what is really involved in starting up your own money machine. BK1178 \$5.95.*

Business

SOME COMMON BASIC PROGRAMS—Published by Adam Osborne & Associates, Inc. Perfect for non-technical computerists requiring ready-to-use programs. Business programs, plus miscellaneous programs. Invaluable for the user who is not an experienced programmer. All will operate in the stand-alone mode. BK1053 \$14.99 paperback.

THEORY Z—How American Business Can Meet the Japanese Challenge—by William Ouchi. Why are the Japanese catching up and surpassing American industrial productivity? What allows Japanese industrialists to offer guaranteed lifetime employment to their workforce? This book will help you understand the Theory Z managerial philosophy and its implications for the American corporate future. Examples are given of the American industrial giants already operating under Z-style management, and the impact of this style on the quality of their executives and workers is explored. A must for the alert businessman, large or small. BK1226 \$12.95.*

BUSINESS SYSTEM BUYER'S GUIDE—By Adam Osborne with Steven Cook. When you enter the market place of small business computers, you face a bewildering array of products, prices, features and fables. This guide cuts through the jargon and unravels the task of buying the right computer system. This book provides solid information on how to determine your needs, how to choose software and hardware for all business applications, what to expect from vendors, what to avoid, and what questions you must ask. It also provides a wealth of detailed information on products, manufacturers, retailers and the whole microcomputer market. BK1229 \$9.95


SO YOU ARE THINKING ABOUT A SMALL BUSINESS COMPUTER—by Richard G. Canning and Nancy C. Leeper. For a well-organized manual on the process of selecting the right computer system for your small business, this text can't be excelled. Designed to introduce the novice in data and word processing to the real benefits of computerization, the book is filled with money- and time-saving tips, photos of equipment, lists of suppliers, prices, explanations of computer terminology, and helpful references to additional sources of information. Everyone contemplating a first computer installation should have this book. BK1222 \$14.00.*

No C.O.D. orders accepted. All orders add \$1.50 for first book, \$1.00 each additional book, \$10.00 per book foreign airmail. Please allow 4-6 weeks for delivery. Questions regarding your order? Please write to Customer Service at the following address. Use the order card in this magazine or itemize your order on a separate piece of paper and mail to 80 Micro Book Department • Peterborough NH 03458. Be sure to include check or detailed credit card information.

For Toll Free Ordering Call 1-800-258-5473

80 micro BOOK SHELF

NEW
NEW
NEW



ANNOTATED BASIC—A NEW TECHNIQUE FOR NOOPHYTES—BASIC programming was supposed to be simple—a beginner's programming language which was so near to English that it could be easily understood. But, in recent years, BASIC has become much more powerful and therefore much more difficult to read and understand. BASIC simply isn't basic anymore.

Annotated BASIC explains the complexities of modern BASIC. It includes complete TRS-80® Level II BASIC programs that you can use. Each program is annotated to explain in step-by-step fashion the workings of the program. Programs are flowcharted to assist you in following the operational sequence. And—each chapter includes a description of the new concepts which have been introduced.

Annotated BASIC deals with the hows and whys of TRS-80 BASIC programming. How is a program put together? Why is it written that way? By observing the programs and following the annotation, you can develop new techniques to use in your own programs—or modify commercial programs for your specific use. *Annotated BASIC Volume 1* BK7384 \$10.95. *Annotated BASIC Volume 2* BK7385 \$10.95. Order Both Volumes and Save! BK7384/5 \$18.95

Games

CAPTAIN 80 BOOK OF BASIC ADVENTURES—by Robert Liddil. This book contains 18 of the most popular Adventure programs available today; all in one easy to read book with listings ready to be keyed in to your computer. This unique book also contains an ADVENTURE GENERATOR program, not available from any other source. This generator program will actually write another BASIC ADVENTURE PROGRAM! Although specifically written for the TRS-80 Model I & III, these programs are adaptable to other computers using Microsoft BASIC. BK 1240 \$19.95.

40 COMPUTER GAMES FROM KILOBAUD MICROCOMPUTING—Forty games in all in nine different categories. Games for large and small systems, and even a section on calculator games. Many versions of BASIC used and a wide variety of systems represented. A must for the serious computer gamesman. BK7381 \$7.95.*

BASIC COMPUTER GAMES—Okay, so once you get your computer and are running in BASIC, then what? Then you need some programs in BASIC, that's what. This book has 101 games for you from very simple to real buggers. You get the games, a description of the games, the listing to put in your computer and a sample run to show you how they work. Fun. Any one game will be worth more than the price of the book for the fun you and your family will have with it. BK1074 \$7.50.*

MORE BASIC COMPUTER GAMES—Edited by David H. Ahl. More fun in BASIC! 84 new games from the people who brought you *BASIC Computer Games*. Includes such favorites as Minotaur (battle the mythical beast) and Eliza (unload your troubles on the doctor at bargain rates). Complete with game description, listing and sample run. BK1182 \$7.50.*

WHAT TO DO AFTER YOU HIT RETURN—PCC's first book of computer games... 48 different computer games you can play in BASIC... programs, descriptions and many illustrations. Lunar Landing, Ham-murabi, King, Civel 2, Qubic 5, Taxman, Star Trek, Crash, Market, etc. BK1071 \$16.50.*

Randy Hawkins
6214 Hidden Cove
Corpus Christi, TX 78412

Checksums are calculated and compared periodically for System tapes; the "C" message

Your newly revised program will look like a machine-language program, impossible for

Save Program Listing 1 on tape (using the CSAVE "S" com-

Add these two lines of code at the beginning of the Basic program:

```
0 REM.....
1 ST = PEEK (16548) + 256*PEEK(16549)
+5:FOR I = ST TO ST+29: READ X :
POKE I,X: NEXT I: DATA 205,248,26,35,
34,249,64,42,167,64,54,82,35,54,85,
35,54,78,35,175,119,42,167,64,62,
13,43,195,129,26: DELETE 1
```

Double check the numerical entries in the Data statement of line one, and enter Run. You must use line zero, REM (not the apostrophe shorthand), and exactly 30 periods. After running, do not be alarmed when listing to see strange symbols and screen action at line zero. Do not try to edit line zero once it is set up.

These two lines POKE a machine-language routine into the unused area behind the REM command of line zero. The routine jumps into ROM where the Basic Run command should have sent the computer. The starting point of this routine will be entered as the execution point for the System copy of the program. When you enter a slash at the *? prompt of the System procedure control transfers to our new routine, which in turn begins a Run. The source code for the routine POKEd into

```

10  CLS:PRINT"SAVE COMMAND IS BEING ACTIVATED..."
20  REM      SET MEMORY SIZE TO 32680
30  POKE16561,88:POKE16562,127:CLRAS0
30  REM
40  REM      READ STARTING ADDRESS IN HEX
50  READ ST$:FORI=1TO4:AS(I)=MID$(ST$,I,1)
60  A(I)=ASC(AS(I))-48+7*(AS(I)-9)*NEXTI
70  ST = 4096*A(1) + 256*A(2) + 16*A(3) + A(4)
80  REM
90  REM      READ MACHINE CODE INSTRUCTIONS
100 REM      AND POKE INTO HIGH MEMORY LOCATION
110 READ IS:IFIS="END"THEN400
120 FORI=1TOLEN(IS)STEP2
130 AS(I)=MID$(IS,I,1):AS(2)=MID$(IS,I+1,1)
140 FORJ=1TO2:A(J)=ASC(AS(J))-48+7*(AS(J)>"9"):NEXTJ
150 POKEST,A(1)*16+A(2):ST=ST+1:NEXTI:GOTJ100
160 DATA 7F5F,21F37FCDA728CDB31B
170 DATA B7C2191AD7C26C7F06063620
180 DATA 2310FB4FCFD1282CD80722AA7
190 DATA 40D72B3E55CD640206067ECD
200 DATA 64022310F9ED5BF9402AA440
210 DATA 3E3CCD6402064078CD64020E
220 DATA 007DCDEB7F7CDEB7F7E23CD
230 DATA EB7F5B373FBD52E1280810F1
240 DATA 79CD640218D610021806AFCD
250 DATA EB7F10FB79CD64023E78CD64
260 DATA 022AA440232323237DCD64
270 DATA 027CCD6402CDF80B13191AF5
280 DATA 814FF1CD6402C950524F4752
290 DATA 414FD204E414D4500,END
300 REM
400 REM      SET UP "SAVE" COMMAND
410 POKE 16801,95: POKE 16802,127
420 PRINT:PRINT:PRINT"AFter adding the special line 0 to your pr
ogram,"
TYPE "CHR$(34)"SAVE"CHR$(34)" AND PRESS ENTER. AT THE
PROMPT, TYPE IN A SIX CHARACTER OR LESS PROGRAM NAME,
PREPARE THE CASSETTE TO RECORD, AND PRESS ENTER.  TO"
430 PRINT"LOAD THE PROGRAM, USE THE SYSTEM COMMAND. AFTER
LOADING, ENTER A SLASH TO BEGIN NORMAL BASIC EXECUTION.":PRINT:P
RINT

```

Program Listing 1

**Basic Level II
Model I or III
16K RAM**


```

00010 ;
00020 ; SYSTEM-SAVE ROUTINE FOR BASIC
00030 ; BY RANDY HAWKINS
00040 ; 6214 HIDDEN COVE
00050 ; CORPUS CHRISTI, TX
00060 ;
00070 ; THIS ROUTINE STORED IN HIGH
00080 ; MEMORY WILL BE ACTIVATED BY
00090 ; THE COMMAND "SAVE" AND STORE
00091 ; A BASIC PROGRAM ON TAPE IN A
00092 ; FORMAT THAT CAN BE READ BY THE
00093 ; SYSTEM COMMAND. IF ENTERED AS A
00094 ; SYSTEM TAPE, YOU MUST FIRST SET
00095 ; MEMORY SIZE? AT 32600. 6/6/81
00096 ;

41A1 00100 ORG 41A1H ;REDIRECT "SAVE"
41A1 5F7F 00110 DEFWD START ;COMMAND TO START
7F5F 00120 ORG 7F5FH
7F5F 21F37F 00130 START LD HL,NAME ;MESSAGE "PROGRAM
7F62 CDA728 00140 CALL 28A7H ;NAME" TO SCREEN
7F65 CDB31B 00150 CALL 1BB3H ;INPUT NAME
7F68 B7 00160 OR A ;IF BREAK ...
7F69 C2191A 00170 JP NZ,1A19H ;GO TO READY
7F6C D7 00180 ONE RST 10H
7F6D C26C7F 00190 JP NZ,ONE
7F70 0606 00200 LD B,6 ;FOLLOW INPUT
7F72 3620 00210 LD (HL),20H ;WITH 6
7F74 23 00220 INC HL ;BLANKS
7F75 10FB 00230 DJNZ TWO
7F77 AF 00240 XOR A
7F78 CD1202 00250 CALL 0212H ;DEFINE DRIVE
7F7B CD8702 00260 CALL 0287H ;WRITE LEADER
7F7E 2AA740 00270 LD HL,(40A7H)
7F81 D7 00280 RST 10H
7F82 2B 00290 DEC HL
7F83 3E55 00300 LD A,55H ;WRITE SYNC BYTE
7F85 CD6402 00310 CALL 0264H
7F88 0606 00320 LD B,6
7F8A 7E 00330 THREE LD A,(HL) ;WRITE FILE NAME
7F8B CD6402 00340 CALL 0264H
7F8E 23 00350 INC HL
7F8F 10F9 00360 DJNZ THREE
7F91 ED5BF940 00370 LD DE,(40F9H) ;END ADDRESS
7F95 2AA440 00380 LD HL,(40A4H) ;START ADDRESS
7F98 3E3C 00390 LD A,3CH ;DATA HEADER CODE
7F9A CD6402 00400 CALL 0264H
7F9D 0640 00410 LD B,40H ;SAVE 64-BYTE BLOCK
7F9F 78 00420 LD A,B
7FA0 CD6402 00430 CALL 0264H

7FA3 0E00 00440 LD C,0 ;START CHECKSUM
7FA5 7D 00450 LD A,L ;TOTAL IN C REG
7FA6 CDEB7F 00460 CALL CHKSUM
7FA9 7C 00470 LD A,H
7FAA CDEB7F 00480 CALL CHKSUM
7FAD 7E 00490 FIVE LD A,(HL)
7FAE 23 00500 INC HL
7FAF CDEB7F 00510 CALL CHKSUM
7FB2 E5 00520 PUSH HL
7FB3 37 00530 SCF
7FB4 3F 00540 CCF
7FB5 ED52 00550 SBC HL,DE ;CHECK FOR END
7FB7 E1 00560 POP HL ;OF PROGRAM
7FB8 2808 00570 JR Z,SIX
7FBA 10F1 00580 DJNZ FIVE
7FBC 79 00590 LD A,C ;OUTPUT C REGISTER
7FBD CD6402 00600 CALL 0264H ;(CHECKSUM TOTAL)
7FC0 18D6 00610 JR FOUR
7FC2 1002 00620 SIX DJNZ SEVEN
7FC4 1806 00630 JR NINE
7FC6 AF 00640 SEVEN XOR A
7FC7 CDEB7F 00650 EIGHT CALL CHKSUM
7FCA 10FB 00660 DJNZ EIGHT
7FCC 79 00670 NINE LD A,C ;END OF PROGRAM ...
7FCD CD6402 00680 CALL 0264H ;SEND FINAL CHKSUM
7FD0 3E78 00690 LD A,78H ;ENTRY POINT CODE
7FD2 CD6402 00700 CALL 0264H
7FD5 2AA440 00710 LD HL,(40A4H)
7FD8 23 00720 INC HL ;EXECUTE ADDRESS
7FD9 23 00730 INC HL ;IS AT START OF
7FDA 23 00740 INC HL ;GO TO READY
7FDB 23 00750 INC HL ;PLUS 5 BYTES
7FDC 23 00760 INC HL
7FDD 7D 00770 LD A,L
7FDE CD6402 00780 CALL 0264H
7FE1 7C 00790 LD A,H
7FE2 CD6402 00800 CALL 0264H
7FE5 CDF801 00810 CALL 01F8H ;STOP CASSETTE
7FE8 C3191A 00820 JP 1A19H ;GO TO READY
7FEB F5 00830 CHKSUM PUSH AF ;SUBROUTINE TO
7FEC 6F 00840 ADD A,C ;COMPUTE CHKSUM
7FED 4F 00850 LD C,A ;AND OUTPUT BYTE
7FEE F1 00860 POP AF ;IN A REGISTER
7FEF CD6402 00870 CALL 0264H
7FF2 C9 00880 RET
7FF3 50 00890 NAME DEFM 'PROGRAM NAME'
7FF8 00 00900 DEFB 0
1A19 00910 END 1A19H
00000 TOTAL ERRORS

```

Program Listing 2

line zero is in Program Listing 3.

CLOAD and run the special Save activator you typed in from Program Listing 1. You should see the message indicating that all went as planned and the Save command is ready. Type New to clear that program out of memory, and run the demonstration program in Program Listing 4; it already contains lines zero and one. Line zero will be altered and line one will be deleted. Run the program once to see it operate as a normal Basic program. Now type the word Save and enter. The TRS-80 prompts you for a program name. You can enter up to six characters to identify the program (call this program Demo). Before pressing Enter, set the cassette to record the new program just as in a normal CSAVE operation. You might save a second copy in case of a bad copy, but there is no verification like CLOAD? when using this step.

You can either turn off the computer or type New and remove your program. Rewind the tape and press play. Type System and at the *? prompt, enter Demo. At the second *?

prompt type a slash and press Enter. The program should fill the screen with the graphics demonstration just as it did using the Run command a few moments before.

Because of the lack of a verification command, do not completely abandon the CSAVE command. During development of a new program, CSAVE the program as it changes. CSAVE a verified final copy and prepare a System-readable copy using the Save command for everyday use.

The starting address of the program is permanently stored on tape. Different TRS-80 models use different starting points for the beginning of a Basic program; a program you have saved on your Model III will probably not work on a friend's Model I. Disk systems alter the starting address also. However, any tape you prepare on your TRS-80 should always work on your TRS-80, and any identical TRS-80's. ■

Randy Hawkins, a chemical engineer, uses his TRS-80 for entertainment, personal and educational applications.

```

00010 ;
00020 ; START BASIC EXECUTION ROUTINE
00030 ; BY RANDY HAWKINS
00040 ; 6214 HIDDEN COVE
00050 ; CORPUS CHRISTI, TX
00060 ;
00070 ; THIS IS THE ROUTINE WHICH IS
00080 ; POKED INTO THE ROM STATEMENT
00090 ; AS OUTLINED IN THE ARTICLE.
00091 ; WHEN EXECUTED AT THE SYSTEM
00092 ; "SLASH" ENTRY, A NORMAL BASIC
00093 ; RUN COMMAND IS ENTERED AND
00094 ; ACTIVATED. 6/6/81
00095 ;

42EE 00240 ORG 42EEH ;START ADDRESS
42EE CDF81A 00250 CALL 1AF8H ;ROM ROUTINE
42F1 23 00260 INC HL
42F2 22F940 00270 LD (40F9H),HL ;END OF PROG
42F5 2AA740 00280 LD HL,(40A7H) ;BUFFER ADD.
42F8 3652 00290 LD (HL),'R'
42FA 23 00300 INC HL
42FB 3655 00310 LD (HL),'U'
42FD 23 00320 INC HL
42FE 364E 00330 LD (HL),'N'
4300 23 00340 INC HL
4301 AF 00350 XOR A ;ZERO BYTE
4302 77 00360 LD (HL),A
4303 2AA740 00370 LD HL,(40A7H)
4306 3E0D 00380 LD A,13
4308 2B 00390 DEC HL
4309 C3811A 00400 JP 1A81H ;ROM ENTRY POINT
0000 00410 END
00000 TOTAL ERRORS

```

Program Listing 3

```

0 REM.....
1 ST=PEEK(16548)+256*PEEK(16549)+5:FORI=STTOST+29:READX:POKEI,X:
NEXTI:DATA205,248,26,35,34,249,64,42,167,64,54,82,35,54,85,35,54,
178,35,175,119,42,167,64,62,13,43,195,129,26:DELETEI
10 CLS:POKEI6396,23:REM TO DISABLE THE BREAK KEY
20 FORZ=1TO3:FORI=15360TO16383STEP64
25 K=128+RND(63)
30 FORJ=0TO63:POKEI+J,K:NEXTJ
35 K=128+RND(63)
40 I=1+64:FORJ=63TO0STEP-1:POKEI+J,K
45 NEXTJ,I,Z:POKEI6396,201

```

Program Listing 4



A trace table to avoid a cluttered screen.

Clean Up Your TRON/TROFF

Arne Rohde
Pilevej 31
7600 Struer
Denmark

One of the main advantages of Basic on the TRS-80 is the ability to write and test programs interactively. Programs can be run immediately after making changes to them, without going through compilation and linking phases. Development time with Basic can be reduced significantly for smaller

programs compared to similar compiled languages. Yet, when programs become larger and the logic more complicated, the time required to test and debug becomes more significant, and the quality of the testing tools available becomes more important. The testing and debugging tools may be built into the language itself, or be available as separate packages which can be used as required. One of the features built into Level II Basic on the TRS-80 is the trace facility.

Program Tracing

How often have you encountered an error in a Basic program, but have been unable to determine the logic flow from the values of the variables at the time the error occurred? When you rerun the program, you can either set on the Basic trace function with the TRON command or embed instructions in the program to give a simulated trace, possibly with variable values displayed. Both methods have one major disadvantage: Any screen display will be destroyed unless the trace commands in the program direct the output to a printer. The Basic trace produces a mass of output

unless carefully controlled with TRON and TROFF embedded in the program, especially in loops waiting for input with the INKEY\$ function. The screen will fill with trace information, and any operator prompt will be lost.

A more useful trace function for many of the errors encountered during program development would be one which maintains a trace table in memory but only prints the results after the error has occurred. A trace function of this type is hidden during normal program execution; no program changes are required to run with or without the trace function. The disadvantages of this approach, apart from the increase in execution time, are that the trace table is of limited length, and variable values normally will not be stored. If variable values are required during the run, instructions to list these can be embedded in the program.

Program Listing 1 shows a routine which can be used to maintain a Basic trace table in memory. Data from the trace table can be printed either with a single Basic line executed directly from the keyboard, or with an error routine embedded in the

program. An embedded routine can also be executed directly from the keyboard with a GOTO line number.

The routine was written for use with disk Basic; only a single line needs to be changed if it is used on a cassette-based system. The jump instruction in line 350 returns to DOS after initializing various pointers. For a tape system, the address in this instruction should return to the Basic Ready prompt. It was also written for a 48K system, with another routine resident from about FF00H, hence the start address FE00H. The start address can be changed (in line 180) to any desired value, and the routine reassembled. The relocation can be done manually, but the addresses in 12 of the instructions will have to be changed.

In disk operating systems, the routine is loaded before entering Basic; on entry to Basic, memory must be reserved for the routine. Alternately, after entering Basic, the routine could be POKEd into memory. In tape systems the routine can be written as a System tape and loaded after powering up the system. Again, memory must be

The Key Box

Disk Basic
Model I
48K RAM

reserved for the routine

The trace table has room for 10 entries. Unlike the built-in Basic trace, an entry will not be created for each command within a line. Instead the line number is associated with an execution count; this count is used each time a command is executed in the same line as the previous command. The maximum execution count is 255, and any excess count will be lost. Thus single-line loops will not fill up the trace table, whereas multi-line loops will have an entry for each line in the loop. When waiting for a key to be depressed, for example, the construct `200 AS=INKEY$;IF AS="" THEN 200` should be used instead of

```
200 AS=INKEY$
210 IF AS="" THEN 200
```

if the longest possible trace is desired. The latter will fill the table with line 200 and 210, the former will only have a single entry for line 200 with the remaining nine still showing the previous line numbers executed. An execution count greater than 255 will still be shown with the value 255.

Accessing Data

There are two methods for accessing data in the trace table. One is to type in a single line when data is needed; the other is to embed the access routine in the program so it will be executed when an error occurs or when a GOTO to the line is executed. For access from the keyboard, the address of the trace table must be known. As shown, it is resident from FE24H to FE41H, or -476 to -447 using the Basic method of addressing. Each entry in the table consists of three bytes, two for the line number and one for the execution count. The table can be printed with the line `FOR I=-476 TO -449 STEP 3:PRINT PEEK(I)+256*PEEK(I+1);PEEK(I+2);NEXT.`

For automatic access, the trace table address is stored in the two bytes immediately preceding the routine entry point. The entry point can be found in the keyboard device control block at address 16406 and 16407. The program lines required for implementing an

automatic print of the table are:

```
10 ON ERROR GOTO 65500
```

```
65500 PRINT "ERROR";ERR/2+1;"IN
LINE";ERL;"TRACE TABLE ENTRIES:"
65501 !! = PEEK(16406)+256*PEEK(16407):
IF !!>32767 THEN !! = !! - 65536
65502 !! = PEEK(!!-1)+256*PEEK(!!-2):IF
!!>32767 THEN !! = !! - 65536
65503 FOR I = !! TO !!+27 STEP 3:PRINT
PEEK(I)+256*PEEK(I+1);
PEEK(I+2);NEXT:ON ERROR GOTO
0:END
```

Line 10 will cause control to be passed to line 65500 if an error occurs in the program. Line 65500 will first print the error number and the error line number, since the normal Basic error display has been suppressed. Line 65501 gets the routine start address from the keyboard device control block, and converts it to the required Basic format if it points to an address above 32767. Line 65502 will use this address to get the start address of the trace table, again converting it to Basic format. Line 65503 will then print the actual trace table entries. If the routine is required other than in an error trap, GOTO 65501 can be executed from the keyboard.

Lines executed directly from the keyboard and program lines with line numbers greater than 65279 will not be traced because of routine coding. The four lines used for printing the table will therefore not appear in the trace table listing, even though the trace routine is active while they are being executed.

Program Description

The normal Basic trace routine is resident in read-only memory, and can not be modified to provide the required trace information. However, the interpreter calls a keyboard scan routine immediately before executing each statement and before checking for trace on or off. The keyboard scan routine was a logical choice for inserting the trace code, with a check inserted to use the trace table only when a Basic program is executing. The call to the scan routine is found at address 1D1EH; the return address on the stack should be 1D21H. Other information has been put on the stack before getting to the keyboard routine, so the address can be found at displace-

ment 14 from the current stack pointer value. The first statement in a program is not executed beginning at address 1D1EH, and the line number will

not appear in the trace table unless it contains multiple statements.

The address of the next command to be executed has also

Program Listing

```
00100 ;
00110 ;KEYBOARD INTERCEPT AND TRACE ROUTINE
00120 ;MAINTAINS TRACE TABLE FOR LINE NUMBERS < FF
00130 ;TOGETHER WITH ONE-BYTE EXECUTION COUNT (MAX
255)
00140 ;
00150 ;PROGRAMMED BY ARNE ROHDE, PILEVEJ 31,
00160 ;7600 STRUER, DENMARK, OCTOBER 1980
00170 ;
FE00 00180 ORG 0FE00H
FE00 00190 INTKYB EQU $ ;INITIALISE
KEYBD ROUTINE
FE00 2A1640 00200 LD HL,(4016H) ;PRESENT DRI
VER ADDR
FE03 EB 00210 EX DE,HL ;ADDRESS TO
DE
FE04 2144FE 00220 LD HL,KYBRUT ;NEW ADDRESS
FE07 DF 00230 RST 24 ;COMPARE DE,
HL
FE08 280A 00240 JR Z,CLRTAB ;ALREADY ENT
ERED
FE0A EB 00250 EX DE,HL ;BACK TO HL
FE0B 22A4FE 00260 LD (JPRET+1),HL ;STORE IN RE
TURN
FE0E 2144FE 00270 LD HL,KYBRUT ;NEW KEYBOAR
D ROUTINE
FE11 221640 00280 LD (4016H),HL ;INSERT IN D
CB
FE14 00290 CLRTAB EQU $
FE14 2124FE 00300 LD HL,TRCTAB
FE17 3600 00310 LD (HL),0 ;CLEAR TRACE
TAB
FE19 1125FE 00320 LD DE,TRCTAB+1
FE1C 011D00 00330 LD BC,TRCTBE-TRCTAB-1
FE1F EDB0 00340 LDIR
FE21 C32D40 00350 JP 402DH ;RETURN TO D
OS
00360 ;
00370 ;TRACE TABLE
FE24 00380 TRCTAB EQU $
FE42 00390 TRCTBE EQU TRCTAB+30 ;10 ENTRIES
OF 3 BYTES
FE3F 00400 TABLIN EQU TRCTBE-3 ;CURRENT LIN
E NO
00410 ;TABLE ADDRESS
FE42 00420 ORG TRCTBE
FE42 24FE 00430 DEFW TRCTAB ;PRECEDES KY
BRUT
00440 ;
00450 ;KEYBOARD INTERCEPT ROUTINE
FE44 00460 KYBRUT EQU $
FE44 210E00 00470 LD HL,14 ;RETURN ADDR
IN STACK
FE47 39 00480 ADD HL,SP ;ADDR TO HL
FE48 5E 00490 LD E,(HL) ;LSB TO E
FE49 23 00500 INC HL
FE4A 56 00510 LD D,(HL) ;MSB TO D
FE4B 21211D 00520 LD HL,1D21H ;EXPECTED AD
DR
FE4E DF 00530 RST 24 ;COMPARE VAL
UE
FE4F 203F 00540 JR NZ,DEBNCE ;NOT EQ, IGN
ORE
FE51 210600 00550 LD HL,6 ;OLD HL VALU
E IN STACK
FE54 39 00560 ADD HL,SP ;ADDR TO DE
FE55 5E 00570 LD E,(HL)
FE56 23 00580 INC HL
FE57 56 00590 LD D,(HL)
FE58 1A 00600 LD A,(DE) ;NEXT CHAR T
O A
FE59 B7 00610 OR A ;CHECK FOR 0
FE5A 2AA240 00620 LD HL,(40A2H) ;GET LINE NO
FE5D 200C 00630 JR NZ,STORLN ;NON-ZERO, S
TORE LINE
FE5F EB 00640 EX DE,HL ;ADDR TO HL
FE60 23 00650 INC HL ;BYPASS NEXT
ADDR
FE61 7E 00660 LD A,(HL) ;CHECK FOR E
ND OF PROG
FE62 23 00670 INC HL
FE63 B6 00680 OR (HL) ;CHECK NEXT
ADDR =0
FE64 282A 00690 JR Z,DEBNCE ;YES, IGNORE
FE66 23 00700 INC HL
FE67 5E 00710 LD E,(HL) ;GET LINE NO
FE68 23 00720 INC HL
FE69 56 00730 LD D,(HL)
FE6A EB 00740 EX DE,HL ;LINE NO TO
HL
FE6B 00750 STORLN EQU $
FE6B 7C 00760 LD A,H ;CHECK MSB=F
F
FE6C 3C 00770 INC A ;LINE NO >65
279
FE6D 2821 00780 JR Z,DEBNCE ;YES, IGNORE
FE6F EB 00790 EX DE,HL ;LINE NO TO
```

Program continues

Program continued

```

DE      FE70 2A3FFE 00800      LD      HL,(TABLIN)      ;LAST LINE N
O IN TABLE
FE73 DF      00810      RST      24      ;COMPARE DE,
HL
FE74 3A41FE 00820      LD      A,(TABLIN+2)      ;PRESENT COU
NT
FE77 2811      00830      JR      Z,INCRPT      ;INCREMENT R
EPEAT COUNT
FE79 D5      00840      PUSH     DE      ;STORE LINE
NO
FE7A 2127FE 00850      LD      HL,TRCTAB+3      ;MOVE TABLE
LEFT
FE7D 1124FE 00860      LD      DE,TRCTAB      ;
FE80 011B00 00870      LD      BC,TRCTBE-TRCTAB-3
FE83 EDB0      00880      LDIR
FE85 E1      00890      POP      HL      ;LINE NO
FE86 223FFE 00900      LD      (TABLIN),HL      ;STORE NEW N
UMBER
FE89 AF      00910      XOR      A
FE8A      00920      EQU      $
FE8A 3C      00930      INC      A
FE8B 2803      00940      JR      Z,DEBNCE      ;INCR COUNT
;OVER MAX CO
UNT
FE8D 3241FE 00950      LD      (TABLIN+2),A      ;STORE NEW
FE90      00960      EQU      $      ;DEBOUNCE RO
UTINE
FE90 118038 00970      LD      DE,3880H      ;KEYBOARD AR
EA
FE93 213540 00980      LD      HL,4035H      ;PREVIOUS VA
LUES
FE96      00990      NXKY      EQU      $
FE96 CB03      01000      RLC      E      ;TO NEXT ADD
R
FE98 F8      01010      RET      M      ;NO CHANGE,
RETURN
FE99 2C      01020      INC      L      ;NEXT OLD VA
LUE
FE9A 1A      01030      LD      A,(DE)      ;GET KEYS
FE9B AE      01040      XOR      (HL)      ;COMP WITH P
REVIOUS
FE9C 28F8      01050      JR      Z,NXKY      ;REPEAT IF S
AME
FE9E 0605      01060      LD      B,5      ;DELAY VALUE
FEA0 CD6000 01070      CALL     0060H      ;DELAY ROUTI
NE
FEA3 C3E03      01080      JPRET     JP      03E3H      ;CONTINUE KE
YBOARD ROUTINE
NGED BY INITL      01090
FE00      01100      END      INTKYB
00000 TOTAL ERRORS

```

been stored on the stack, and this value will be found at displacement six. If this address points to a byte containing binary zero, a new line is to be executed; the line number will be found at displacement three from the address. If the byte is non-zero, a new command within the current line is to be executed, and the current line number will be found at location 40A2H.

Lines 190-350 in the routine are used for initialization, and are usually executed only once. A check has been made for inadvertent execution more than once, to avoid an endless loop. The current keyboard driver address is compared to the routine entry point, and if identical no new address is stored in the keyboard device control block. Otherwise the trace routine start address is stored in the jump instruction JPRET; the current routine will be used after the trace routine has been executed. The trace table is then cleared, ready to accept trace information, followed by a jump to the DOS entry point (402DH). This address should be changed to 72H if the routine is used on a tape system.

Trace Table

The trace table itself is defined in lines 380-400, and consists of 10 entries, each three bytes long. The first two bytes in each entry are the line number, the last is the execution count. The trace table could be defined with any desired number of entries by changing the value in line 390, and reassembling the routine. More entries will require more storage and slow down execution of Basic programs since the whole table is moved for each new line executed. The current line will always be in the last table entry, easing access to the table at a cost in execution time. A circular table with pointers could have been used, but would have complicated the table access logic.

The keyboard intercept and trace routine starts with the label KYBRUT in line 460, and is preceded by the table start address to allow easy relocation of the table. The stack is accessed

to check for the return address. If this is not equal to 1D21H the remainder of the routine is skipped. The current execution address is then found at displacement six in the stack. If this points to a non-zero byte the line number at 40A2H is used; otherwise, a check for end of program is made and the line number of the next line is found. Line numbers with the most significant byte equal to FFH will be ignored. This takes care of directly executed statements (line number FFFFH) and line numbers greater than 65279. If only directly executed statements are to be ignored, line 765 should be inserted with the statement AND L. If the current line number is equal to the last line number in the table then the execution count is incremented (unless it already contains the value 255). If the line numbers differ, the table is shifted left one entry, the new line number inserted in the last entry, and the execution count is set to one.

Since the routine is inserted in the keyboard scan procedure, it was logical to try and fix keyboard debounce. The debounce routine is found in lines 970-1070. If your system already contains an effective keyboard debounce routine these lines should be deleted. These lines, together with the return jump instruction, could also be used as an independent keyboard debounce, and will execute faster than the one in read-only memory if there is no change in keyboard status.

Modifications

The routine could be modified to increase the execution count to a two byte value if 255 as maximum is too restrictive. Modifications could also be made so only certain command types are traced, or so tracing could be switched off under program control to save execution time. It should also be possible to include single-stepping or slow execution, controlled from the keyboard or by the program being executed. Note: The routine is for Model I; changes will probably be required to run on Model III. ■

AT LAST! A PROFESSIONAL JOURNAL FOR ENGINEERS SCIENTISTS MATHEMATICIANS & STATISTICIANS USING MICROCOMPUTERS. PLUG INTO... ACCESS!

The Journal of Microcomputer Applications
for

- * numerical analysis
- * math modeling
- * statistical analysis
- * computerized design
- * process simulation
- * report generation

The articles in ACCESS are written by working engineers and scientists who share their knowledge of how to make productive use of microcomputers with you. Your subscription to ACCESS will make your microcomputer more useful in all areas where engineers and scientists use microcomputers. And you'll even find ways to use your computer you hadn't thought of. The articles in ACCESS are written with you in mind and are aimed at helping you turn your microcomputer into the most productive tool possible. Sign up NOW be a charter subscriber. Join the other engineers and scientists who make ACCESS their source of information on microcomputer applications. Charter rates are 6 issues for \$16. (Canada & Mexico \$20. Other \$32). Fill out the coupon below TODAY. Send check, money order, purchase order, or use your VISA or MASTER CARD.

☐ Sign me up. \$16 ☐ enclosed ☐ Bill me ☐ Bill ☐ 155
 Company Charge VISA ☐ MC # _____
 Exp _____ ☐ Send sample issue here's \$3
 Name & address _____
 City State and ZIP _____

Mail to ACCESS PO Box 12847 Research Triangle Park,
NC 27709 Published by LEDS Publishing Co., Inc.

MASTER ELECTRONICS, INC.


*TRS-80 is a trademark of Tandy

CAN SET YOU UP IN A

TRS-80

STATE-OF-THE-ART-COMPUTER

STARTING AT 15% DISCOUNT!



FULLY STOCKED

IN: Model II's

Model III's

ALL-PRINTERS
AND — MORE!!

* PLUS *

THE ALL NEW:

Model 16 and the 8.5 meg. Hard Drive!

CALL US NOW!!!

Toll FREE: 1-800-531-7323

TEXAS CALL COLLECT: 512/689-5536



MASTER ELECTRONICS, INC.
154 NORTH 5th
RAYMONDVILLE, TX 78580



✓ 146

Color Computer News



Subscribe
to CCN

Are you tired of searching the latest magazine for articles about your new Color Computer? When was the last time you saw a great sounding program listing only to discover that it's for the Model I and it's too complex to translate? Do you feel that you are all alone in a sea of Z-80's? On finding an ad for a Color Computer program did you mail your hard earned cash only to receive a turkey because the magazine the ad appeared in doesn't review Color Computer Software? If you have any of these symptoms you're suffering from Color Computer Blues!

But take heart there is a cure!

It's COLOR COMPUTER NEWS.

The monthly magazine for Color Computer owners and only Color Computer owners. CCN contains the full range of essential elements for relief of CC Blues. Ingredients include: comments to the ROMs, games, program listings, product reviews, and general interest articles on such goodies as games, personal finances, a Kid's page and other subjects.

The price for 12 monthly treatments is only \$21.00 and is available from:



Mail
Today!

REMarkable Software

P.O. Box 1192
Muskegon, MI 49443 ✓ 145

NAME _____

ADDRESS _____

CITY _____


State _____

Zip _____

Allow 8-10 weeks for 1st issue.

80 M

CONVERT YOUR TRS-80 MODEL-I OR III INTO A DEVELOPMENT SYSTEM



Now you can develop Z-80 based, stand-alone devices such as games, robots, instruments and peripheral controllers, by using your TRS-80 as a development system. The DEVELOPMATE plugs into the expansion connector of your TRS-80 and adds **PROM PROGRAMMING** and **IN-CIRCUIT-EMULATION** capabilities to your system (with or without expansion interface).

Complete instructions and sample schematics are included to help you design your own simple stand-alone microcomputer systems. THESE SYSTEMS CAN BE AS SIMPLE AS FOUR ICs: one TTL circuit for clock and reset, a Z-80, an EPROM, and one peripheral interface chip.

When the In-Circuit-Emulation cable is plugged into the Z-80 socket of your stand-alone system, the system becomes a part of your TRS-80. You can use the full power of your editor/assembler's debug and trace program to check out both the hardware and the software. Simple test loops can be used to check out the hardware, then the system program can be run to debug the logic of your stand-alone device.

Since the program is kept in TRS-80 RAM, changes can be made quickly and easily. When your stand-alone device works as desired, you use the Developmate's PROM PROGRAMMER to copy the program into a PROM. With this PROM, and a Z-80 in place of the emulation cable, your stand-alone device will work by itself.

The DEVELOPMATE is extremely compact. Both the PROM programmer and the In-Circuit-Emulator are in one small plastic box only 3.2" x 5.4". A line-plug mounted power supply is included. The PROM programmer has a "personality module" which defines the voltages and connections of the PROM so that future devices can be accommodated. However, the system comes with a "universal" personality module which handles 2758, 2508 (8K), 2716, 2516 (16K), 2532 (32K), as well as the new electrically alterable 2816 and 48016 (16K EEPROMs).

The COMPLETE DEVELOPMATE 81, for Model I, with software, power supply, emulation cable, TRS-80 cable, and "universal" personality module \$329

DEVELOPMATE 83, Model III version, same as above \$329

PM2 PERSONALITY MODULE for 2732A EPROM \$15

PM3 PERSONALITY MODULE for 2764 EPROM \$15

**ORION
INSTRUMENTS**

172 Otis Avenue, Dept. M, Woodside,
CA 94062

(415) 851-1172 ✓ 151

Master Charge and Visa phone orders accepted.
California residents please add 6% sales tax.

Take the tedium out of debugging.

Checksum

Howard F. Batie
12002 Cheviot Drive
Herndon, VA 22070

Debugging long listings gets tedious whether you mind keying in listings or not. If you have a Model I or Model III Level II TRS-80, you can add this 800-byte program to the end of any Basic program to hasten debugging by producing checksums for the main program

listing.

Generation of checksums must be simple, uniform and consistent. The Checksum listing in Program Listing 1 computes and displays a single checksum value for each program line. It also generates the total of all checksums in each successive block of ten program lines. The main program lines may contain multiple statements separated by a colon. The reader can then compare his checksums to those generated by the author of the program. They will show correct and incorrect program lines. The actual checksum value is the sum of the contents of all memory locations after the next-line pointer and up to the first re-

mark statement on each line.

How do we find out what memory locations belong to each program line? Let's use the short "Formula 80" Basic program from the August 1981

statements in compression code format where applicable (see "Mysteries of the Level II ROM," *80 Microcomputing*, December 1980, p. 150). Each program ends with 0. The check-

*"How do we find out
what memory locations
belong to each program line?"*

issue as an example (Program Listing 2). Table 1 shows how the first two lines are stored in RAM on the Model I.

The first two locations of each line point to the beginning of the next program line. The following two memory locations specify the program line number. If the line number were greater than 255, then location 17132 would contain the most significant byte of the line number. The succeeding memory locations contain the program

sum value for line 100 of Listing 2 is the sum of the contents of addresses 17131-17138. The checksum value includes the line number but not the next line pointer (17129-17130). Thus the checksum value is independent of where the program line resides in RAM.

The Checksum listing should have high line numbers so the main program is not disturbed. The Checksum program in Listing 1 generates checksums for all program lines up to but excluding the lines of the Checksum program itself. Since Checksum appends the main Basic program listing and can run separately, it will not interfere with the variables tables, string or array storage area or protected memory (if used). The Checksum program can use the

Address	Contents	Meaning
17129	244	Next line
17130	66	at 17140
17131	100	This line
17132	0	Nr 100
17133	132	CLS
17134	58	:
17135	153	DEFINT
17136	65	A
17137	206	—
17138	87	W
17139	0	End of Line
17140	3	Next line
17141	67	at 17155
17142	110	This line
17143	0	Nr 110
17144	72	H
17145	79	O
17146	213	=
17147	51	3
17148	50	2
17149	58	:
17150	74	J
17151	213	=
17152	72	H
17153	79	O
17154	0	End of Line

Table 1

```

LINE      CHECKSUM
100       801
110       1071
120       768
130       1734
140       1932
150       1946
160       2389
170       1314
180       2004
190       2499

BLOCK 1   16458
HIT ENTER TO CONTINUE?_

```

Figure 1

The Key Box

Basic Level II
Model I or III

Dealers

SELL

Selling *80 Micro* will make money for you. Consider the facts:

Fact #1: Selling *80 Micro* increases store traffic—our dealers tell us that *80 Micro* is the hottest-selling computer magazine on the newsstands.

Fact #2: There is a direct correlation between store traffic and sales—increase the number of people coming through your door and you'll increase sales.

Fact #3: Fact #1 + Fact #2 = INCREASED SALES, which means more money for you. And that's a fact.

For information on selling *80 Micro*, call 800-343-0728 and speak with Ginnie Boudrieau, our bulk sales manager. Or write to her at *80 Micro*, 80 Pine St., Peterborough, NH 03458.

80micro

80 Pine Street Peterborough, NH 03458

800-343-0728

POCKET COMPUTER NEWSLETTER



A NEWSLETTER FOR POCKET COMPUTER USERS

This timely, compact publication provides up to the minute information on pocket computers, including models such as the Radio Shack TRS-80 PC-1 and PC-2, Sharp Electronic's PC-1500 and PC-1211, and others as they are announced. Subscribe now to receive a valuable bonus absolutely FREE!

■ Up to the Minute News ■ Product & Equipment Reviews ■ Important Operating Tips ■ Practical Programs ■ More By Subscription Only: for a calendar year period (January – December). You get all issues published to date for the calendar year in which you subscribe, at the time you subscribe.

MC/VISA Phone Subscriptions: (203) 888-1946

- ☐ I am interested. Please send me more information. I have a:
 - ☐ Radio Shack PC-2 ☐ Sharp PC-1500 ☐
- ☐ 1982 Regular Subscriber (Issues 11 – 20). \$30.00 in U.S. (U.S. \$36.00 to Canada. U.S. \$45.00 elsewhere.)
- ☐ 1982/83 Subscriber (Issues 11 – 30). \$60.00 in U.S. (U.S. \$72.00 to Canada. U.S. \$90.00 elsewhere.)
- ☐ 1983 Regular Subscriber (Issues 21 – 30). \$36.00 in U.S. (U.S. \$42.00 to Canada. U.S. \$50.00 elsewhere.)

Orders must be accompanied by payment in full. We do not issue invoices for the POCKET COMPUTER NEWSLETTER.

Thank you for your remittance.

Name: _____

Addr: _____

City: _____ State: _____ Zip: _____


MC/VISA #: _____ Expires: _____

Signature: _____

POCKET COMPUTER NEWSLETTER
P.O. Box 232, Seymour, CT 06483

✓ 25

SAVE TRS-80's



TRS-80's™

by RADIO SHACK

Best Discounts Possible

WE PAY SHIPPING in the 48 continental states on prepaid orders of \$100.00 or more.

NO TAXES are collected on out-of-state shipments.

WE ACCEPT Visa, MasterCard and American Express, or you can save additional money by paying cash.

Pan American Electronics

TOLL FREE ORDER NUMBER 800/531-7466

1117 Conway • Dept. 36

Mission, Texas 78572

Phone 512/581-2766 • Telex Number 767339



TM — Trademark of Tandy Corporation

✓ 122

same variables since running the main program automatically reestablishes the proper variables tables. An End statement separates the last line of the main program from the Checksum listing.

Program authors should integrate checksums for each line in their program listing so that users can double-check manually-entered listings. To generate checksums, the program author would perform the following steps:

Directions

- Enter manually or CLOAD as directed the debugged main

program listing for which you desire checksums.

- Key in manually and add to the main program listing the Checksum listing in Listing 1.

- RUN 65000. The checksums for each line will display in 10 line blocks, and a block total will show as in Fig. 1.

- Copy the checksum for each line of the main program listing and the block total for each 10 lines.

- Edit each line and add either " ' (checksum)" or ":REM (checksum)". Add no space after the last character of the original line and the apostrophe. The remark form requires no

```
65000 A=PEEK(16549)*256+PEEK(16548): D=0
65010 CLS: D=D+1: E=0: PRINT, "LINE", "CHECKSUM"
65020 FOR I=1 TO 10: C=0: L=PEEK(A+3)*256+PEEK(A+2)
65030 IF L<65000 PRINT, L: B=PEEK(A+1)*256+PEEK(A): ELSE 65070
65040 FOR J=A+2 TO B-1: F=PEEK(J): IF F=147 C=C-58: GOTO 65060
65050 C=C+F: NEXT J
65060 PRINT C: A=B: E=E+C
65070 NEXT I: PRINT, "BLOCK"; D; E: PRINT: IF L>64999 END
65080 PRINT, "HIT ENTER TO CONTINUE";: INPUT C: GOTO 65010
```

Program Listing 1. Checksum

space before or after the colon. Program Listing 3 shows the new listing. Table 2 shows how it is stored in RAM.

- Provide the block totals in a single figure or table for the magazine to print as part of the article.

- CSAVE the new program

listing in Listing 3 (with lines 65000-65080 still appended) to tape. The publisher prints the listing from this tape.

The reader should manually key in the entire listing as shown in Listing 3, but omit the checksum values at the end of each program line. When the reader

```
100 CLS:DEFINT A-W
110 HO=32:J=HO
120 GOSUB 290:GOTO 230
130 Z=SIN(9*X)*15*P
140 IF PEEK(15350)=32HO=HO-2
150 IF PEEK(15350)=64HO=HO+2
160 A4=A3:A3=A2:A2=A1:A1=Z+23
170 IFTIME<5A4=23
180 PRINT TAB(Z+23);CHR$(124);CHR$(191);
190 PRINT @ 768+HO,CHR$(134);CHR$(143);CHR$(137);
200 Y=702+J:PRINT @Y," "CHR$(133)" "J=HO
210 PRINT @1001+Z,CHR$(191);CHR$(124);R=A4:S=A4+18
220 IF HO>SORHO<RPRINT "CRASH!!!!":PRINT "TIME="TIME;:GOSUB 280
230 IFTIME<10GOTO 270
240 ONRND(2)GOTO 250,260
250 X=X+.3
260 X=X-.3
270 TIME=TIME+1:GOTO 130
280 FOR I=1 TO 500:NEXT
290 ONRND(2)GOTO 300,310
300 P=-1:RETURN
310 P=1:RETURN
320 END
```

Program Listing 2. Formula 80

TRS-80™ "CAN YOU BUY DIRECT?"

Buying a GENUINE TRS-80 direct, literally, means buying from the Tandy Warehouses in Fort Worth. For the end user this is not possible. However, the closer a retailer is located to the source the lower his cost per unit and the closer his buyer can come to "almost" buying direct. WE ARE CLOSER so WE SELL LOWER. It only takes a FREE phone call to verify this FACT.

WARRANTY:

ONLY A GENUINE TRS-80 purchased from an Authorized-Outlet can have the Radio Shack Warranty. BUYER BEWARE OF IMITATIONS.



SAVE SALES TAX*
PLUS DISCOUNT

*TEXAS RESIDENTS ADD ONLY 4%

"WE ARE CLOSER"

FORT WORTH COMPUTERS

IN TEXAS CALL 817-573-4111

TOLL FREE ORDER NUMBER: 1-800-433-S-A-V-E

TM: TRADE MARK OF THE TANDY CORPORATION

377 PLAZA GRANBURY • FORT WORTH • TEXAS 76048

214

executes RUN 65000 he can compare the checksum for each program line displayed to the author's checksum value in the magazine listing. When all your line checksums agree with the article, you will know that the listing you entered manually is the same as the author's, or your errors are self-cancelling

on the same line, a remote possibility. Error messages would show up quickly when run.

Now you can delete lines 65000-65080 if you like and leave the Checksum program appended to the main program. It will not interfere with execution of the main program. Type run and Enter. ■

Lieutenant Commander Ba-
tie, USN, is the program coordin-

ator for the Navy's Fleet Satel-
lite Communications system.

Address	Contents	Meaning			
17129	251	Next line	17148	67	at 17169
17130	66	at 17147	17149	110	This line
17131	100	This line	17150	0	Nr 110
17132	0	Nr 100	17151	72	H
17133	132	CLS	17152	79	O
17134	58	:	17153	213	=
17135	153	DEFINT	17154	51	3
17136	65	A	17155	50	2
17137	206	-	17156	58	:
17138	87	W	17157	74	J
17139	58	:	17158	213	=
17140	147	REM See	17159	72	H
17141	251	Note	17160	79	O
17142	32	SPACE	17161	58	:
17143	56	8	17162	147	REM
17144	48	0	17163	32	SPACE
17145	49	1	17164	49	1
17146	0	End of line	17165	48	0
17147	17	Next line	17166	55	7
			17167	49	1
			17168	0	End of line

Table 2

```


100 CLS:DEFINTA-W: 801
110 HO=32:J=HO:REM 1071
120 GOSUB290:GOTO230:REM 768
130 Z=SIN(9*X)*15*P:REM 1734
140 IFPEEK(15350)=32HO=HO-2:REM 1932
150 IFPEEK(15350)=64HO=HO+2:REM 1946
160 A4=A3:A3=A2:A2=A1:A1=Z+23:REM 2389
170 IFTIME<5A4=23:REM 1314
180 PRINTTAB(Z+23)CHR$(124)CHR$(191):REM 2004
190 PRINT@768+HO,CHR$(134)CHR$(143)CHR$(137):REM 2499
200 Y=702+J:PRINT@Y,"CHR$(133)"":J=HO:REM 2761
210 PRINT@1001+Z,CHR$(191)CHR$(124):R=A4:S=A4+18:REM 3198
220 IFHO>SORHO<RPRINT"CRASH!!!!":PRINT"TIME="TIME:GOSUB280:REM 3633
230 IFTIME<10GOTO270:REM 1281
240 ONRND(2)GOTO250,260:REM 1242
250 X=X+.3:REM 941
260 X=X-.3:REM 697
270 TIME=TIME+1:GOTO130:REM 1435
280 FORI=1TO500:NEXT:REM 1020
290 ONRND(2)GOTO300,310:REM 1029
300 P=-1:RETURN:REM 797
310 P=1:RETURN:REM 601
320 END:REM 193
65000 A=PEEK(16549)*256+PEEK(16548):D=0
65010 CLS:D=D+1:E=0:PRINT,"LINE","CHECKSUM"
65020 FORI=1TO10:C=0:L=PEEK(A+3)*256+PEEK(A+2)
65030 IFL<65000PRINT,L:B=PEEK(A+1)*256+PEEK(A):ELSE65070
65040 FORJ=A+2TOB-1:F=PEEK(J):IFF=147C=C-58:GOTO65060
65050 C=C+F:NEXTJ
65060 PRINTC:A=B:E=E+C
65070 NEXTI:PRINT,"BLOCK":D,E:PRINT:IFFL>64999END
65080 PRINT,"HIT ENTER TO CONTINUE":INPUTC:GOTO65010

```

Program Listing 3. Formula 80 and Checksum

Comp Case

IS THE PERFECT GIFT FOR THE COMPUTER THAT HAS EVERYTHING



Your investment in a computer is long term. You expect many years of reliable service. Comp Case protects your investment when not in use or while transporting it from office or home. Your computer never leaves the case — you simply remove the lid, make the electrical connection, and operate. Comp Cases are available for most brands of computers and peripherals.

Comp Case is the perfect Christmas gift. Comp Cases are available in better computer stores in our area. Or call 800-848-7548 direct to receive your Comp Case in time for Christmas.



COMPUTER CASE COMPANY • 5650 INDIAN MOUND COURT • COLUMBUS, OHIO 43213 139

**computer
case
company**



This algorithm sorts quickly.

Quicksort

Don C. Brumm
3559 Walton Way
San Jose, CA 95117

Most data processing applications must sooner or later present data in sequence. As a corollary to Murphy's law, that sequence is not the one that is kept in the data. Thus the need to sort is born. There are a number of algorithms for sorting, some fast and some slowly. Quicksort is the fastest available.

The Quicksort algorithm is simple and, with a little study, easy to understand. An array to be sorted is partitioned into two subarrays. To form the subarrays you choose an element within the array and search up until you locate an element greater than or equal to the chosen element. Then you search down for an element less than or equal to the chosen element.

The stopping elements are exchanged, and the scan repeats until the indices cross. The result is two subarrays (partitions). The left contains elements less than or equal to the chosen element; the right contains elements greater than or

equal to the chosen element.

In more detail, the algorithm is: Given an array $K(0)...K(N)$ to be sorted, pick an element for use in the partitioning process ($P = K(I)$). Then scan from $K(0)$ up for an element greater than or equal to P . When you find one,

scan from $K(N)$ down for an element less than or equal to P . If the indices have not crossed, exchange the two elements and continue the scan. When the indices cross, the left partition contains all elements less than or equal to P , and the right parti-

```

10 CMD"LOAD QSORT3/CMD"
20 CLS: CLEAR 20000
30 DEFUSR0=&HFE5B:DEFINTI-Z:DEFSTRA-H
40 DIM A(999), I(999), B(3)
50 CMD"TIME,00:00:00"
60 FOR K9=199 TO 999 STEP 200
70 X=0: B(0)=RIGHT$(TIMES,9)
80 FOR J=K9-199 TO K9
90 L=RND(7)
100 B=STRING$(12," ")
110 FOR K=0 TO L:MID$(B,12-K,1)=CHR$(64+RND(26)):NEXT K
120 A(J)=B
130 PRINT#128,J;
140 NEXT J
150 I(0)=K9:I(1)=VARPTR(A(0))
160 B(1)=RIGHT$(TIMES,9)
170 X=USR0(VARPTR(I(0)))
180 B(2)=RIGHT$(TIMES,9)
190 FOR J=0 TO K9-1
200 IF A(I(J)).G.A(I(J+1)) THEN PRINT J;I(J);A(I(J));I(J+1);A(I(J+1))
210 NEXT J
220 B(3)=RIGHT$(TIMES,9)
230 LPRINT"SORT OF "K9+1" ELEMENTS"
240 LPRINT"ARRAY BUILD START WAS ";B(0)
250 LPRINT"END WAS ";B(1)
260 LPRINT"SORT ENDED AT ----- ";B(2)
270 LPRINT"VERIFY ENDED AT ----- ";B(3)
280 LPRINT
290 LPRINT
300 NEXT K9
310 LPRINT CHR$(12)
320 C=" J A(J) I(J) A(I(J))"
330 D=" ## (% ## (% ## (% ## (%"
340 LPRINT C
350 LPRINT
360 FOR J=0 TO 19
370 LPRINT USING D;J,A(J),I(J),A(I(J))
380 NEXT J
390 LPRINT CHR$(12)
400 GOTO 400

```

The Key Box

Basic Level II
Model I

Program Listing 1. SORTTST

tion holds all elements greater than or equal to P.

If you invoke the above process for each resulting partition containing more than one element, the array will be sorted. The bookkeeping is complex but the concept is simple.

How "Intuitive" is Quicksort?

To prove just how "intuitive" Quicksort is relative to other algorithms, try the following experiment. Shuffle a deck of cards and deal four bridge hands. Then sort each hand with a different algorithm. The results will surprise those who advocate the bubble sort! I found that an insertion sort is most natural (probably because the eye scans the entire hand). A warning: Do not assume that ten minutes is enough time.

In non-recursive implementations, an auxiliary stack remembers one partition while another is sub-partitioned. This adds to the already complex bookkeeping.

Limitations

There are two potential problems with Quicksort. If the comparison key is the largest or smallest in the partition, we subdivide to a one element and an (N-1) element pair. If this occurs on every choice of comparison

key, our sort degenerates into an order N squared sort, no improvement over a bubble sort! Also, if in this case we stack the smaller partition, our stack requires (N-1) positions. This is not good for a minimum core sort.

The auxiliary stack problem is easy to solve. We can limit our stack to $\ln(N)$ by stacking the largest partition and sorting the smaller one. (Not too bad: 4K elements require 12 stack positions.)

The problem of the worst-case performance of the sort is not so easy to solve. There are two ways to attack it. The first method is to choose the partitioning key as the median of a small sample. This also improves the average performance of the sort. The second method is to choose the partitioning key at random. I have used this method in my Quicksort implementation. The Z80 refresh register provides an easy method for obtaining a random number.

The Program Listings are for a TRS-80 Model I with Level II Basic, but you can modify it to run on any Z80 system by changing the compare, set center, exchange and initialization routines.

SORTTST (Program Listing 1) serves as a test of the sort and an example of the arrays and calling sequence for the sort. Line 30 defines the entry point of the sort and types the variables. Line 40 dimensions the alpha array to be sorted (A) and the pointer array (I). Line 70 references the return code variable (X). Line 150 sets the high element index and the address of the string array. Line 170 invokes the sort.

The sort operates indirectly: It provides a sequential index list to the alpha array in the pointer array. I chose this method for two reasons. First, this fits well with the Radio Shack mailing list programs. Second, it does not change the original data sequence.

A warning about the calling sequence! Array variables are moved down when new variables are introduced. For safety, the calling sequence should begin with an assignment to all variables used in it.

```

SORT OF 200 ELEMENTS
ARRAY BUILD START WAS 00:00:01
END WAS 00:00:35
SORT ENDED AT 00:00:36
VERIFY ENDED AT 00:00:39

SORT OF 400 ELEMENTS
ARRAY BUILD START WAS 00:00:52
END WAS 00:01:21
SORT ENDED AT 00:01:25
VERIFY ENDED AT 00:01:32

SORT OF 600 ELEMENTS
ARRAY BUILD START WAS 00:01:45
END WAS 00:02:17
SORT ENDED AT 00:02:22
VERIFY ENDED AT 00:02:32

SORT OF 800 ELEMENTS
ARRAY BUILD START WAS 00:02:44
END WAS 00:03:15
SORT ENDED AT 00:03:21
VERIFY ENDED AT 00:03:34

SORT OF 1000 ELEMENTS
ARRAY BUILD START WAS 00:03:47
END WAS 00:06:30
SORT ENDED AT 00:06:38
VERIFY ENDED AT 00:06:54

```

J	A(J)	I(J)	A(I(J))
0	(JACVEDR)	368	(AE
1	(DUNDF)	758	(AK
2	(IYDQO)	270	(AN
3	(NS)	884	(BS
4	(MKCV)	757	(BP
5	(IJOTUOL)	699	(BJ
6	(RUCZ)	752	(BY
7	(CHUORU)	327	(BZ
8	(FUEH)	992	(CD
9	(SEHST)	784	(CW
10	(FZ)	618	(DD
11	(ZHJEMFI)	881	(DO
12	(NULUUN)	161	(DP
13	(IJNECFP)	701	(DT
14	(PKN)	466	(EK
15	(CAGI)	453	(ER
16	(KXZ)	188	(FC
17	(IFCGJAJ)	181	(EZ
18	(FVING)	351	(FD
19	(PVXAOZP)	144	(FX

Figure 1

THERE'S A NEW TERM FOR MOD III USERS . . . TELETERM

The TELETERM Communications System is the most powerful **and** most user-oriented terminal package available today for the TRS-80 Model III!

TELETERM will turn any Model III, with **at least** 32K of memory, single disk drive, and RS-232-C board and modem into an Intelligent Terminal capable of communicating with nearly all types of computer hardware. **AND**, it will allow you to define its parameters in virtually any way you wish!

Only TELETERM gives you these (plus many more) features, all in a single package:

- DIRECT TRS-80 to TRS-80 DISK TO DISK TRANS- MISSION*** ➤ Makes transmitting as easy as copying a file!
- DIRECT FILE TRANS- MISSION FROM DISK**** ➤ Eliminates buffer limitations
- SUPPORTS PROMPTED OR NON-PROMPTED TRANSMISSION** ➤ Flexible capabilities
- ON-LINE/OFF-LINE TEXT EDITOR** ➤ Creation of text for transmission and review and modification of memory buffer
- VIDEO PAGING** ➤ Communicates at Baud rates above 300 with no character loss due to scrolling
- SPLIT-WINDOW VIDEO** ➤ Separate simultaneous viewing of typed and received data.
- RECALL SCREEN** ➤ Allows you to review previous 15 lines received
- WORD WRAPPING** ➤ Automatically "wraps" words extending past a line's end instead of "chopping" them
- USER-DEFINABLE TRANSLATION TABLES** ➤ Allows you to define **and** save as an initialization table nearly all RS-232 and local parameters, as well as many system functions
- VIDEOTEX CODES SUPPORTED** ➤ Access timesharing systems that require Videotex codes

*when communicating with another TELETERM system.
**to any computer with which you can communicate.

TO ORDER - Complete the coupon below and mail it with your check, money order, VISA or MasterCard # to:
TELEXPRESS, INC., P.O. Box 217, Willingboro, NJ 08046

Name _____
Address _____
City, State, Zip _____
Phone _____
Send me _____ copies of TELETERM @ \$125.00 per copy (includes User's Manual)
Send me _____ of the TELETERM User's Manual at \$10.00 per copy (Refundable when TELETERM program is purchased.)
Payment: _____ Check _____ Money Order _____ VISA _____ MasterCard _____
Credit Cards Only: Acct.# _____ Exp. Date _____
Amount of Payment: \$ _____
Please note: Credit card holders may expedite their orders by phoning (609) 877-4900.

TELEXPRESS™ Inc., P.O. Box 217, Willingboro, NJ 08046
TRS-80 is a trademark of the Tandy Corporation.

504

```

1000 REM CALL QUICKSORT
1010 REM ASSUME AS AND I ARE
    DIMENSIONED AND THAT
1020 REM N HAS THE INDEX VALUE
    FOR THE LAST
1030 REM ELEMENT IN AS TO BE
    SORTED
1040 RC=0: 'USE THE RETURN
    CODE
1050 I(0)=N: I(1)=VARPTR(AS(0)): '
    SET SORT PARAMS
1060 RC=USR0 (VARPTR(I(0))): 'CALL
    SORT

```

SORTTST provides a CPU intensive set of data to be sorted. The comparison in the sort terminates on the first unequal character. The data has a minimum of four leading blanks and an average of eight. If viewed as a list of names, the sort is operating on the Smith or Jones section of a phone book.

SORTTST also uses the fact that the sort preserves the original order of the data. As the sample run shows, most time is taken in building the test data.

NEWDOS80 simplifies the steps necessary to invoke the

sort. The default memory size is set automatically at IPL to X'FD80', and the sort is loaded by the program itself. The program sets the time to zero.

The benchmark run (Fig. 1) took about seven minutes. Of that time, 23 seconds were used to sort 3000 strings. In no case did even the verification of the sequence match the sort time.

The Sort

The sort (see Program Listing 2) is organized with data areas first, followed by subroutines, and then the sort itself.

Lines 430-540 declare the data areas. Lines 550-2120 are the subroutines. Lines 2130-4570 are the main program.

Lines 2160-2610 edit the values passed to the sort. Lines 2650-2790 initialize the indirect pointer array. Lines 2800-2860 place the initial partition on the stack. The sort begins at line

2920 by unstacking the first partition to split. If the stack is empty, indicated by the value X'FF', the sort is completed and zero is returned to Basic.

Lines 3110-3370 select the partitioning element. This element remains constant throughout the process so the string descriptor is saved.

Lines 3410-3460 scan the partition from left to right until an element greater than or equal to the partitioning element is located. Lines 3500-3540 scan from right to left. These two sections of code are the meat of the sort.

Lines 3600-3620 check whether an exchange is required. Avoiding the exchange when the left and right pointers are the same is simply a time saver.

Lines 3660-3870 perform the exchange of the index array elements. Lines 3880-3910 are, again, time savers.

Lines 3950-4190 determine

the smaller of the new partitions and select the routine which will stack the larger one.

Lines 4230-4320 stack the left to J partition if it is not empty, and select the II to right partition to sort. Lines 4360-4450 do the reverse.

Lines 4500-4570 check if the partition selected for sorting is empty and if so, transfers to unstack a partition. Otherwise, the selected partition is sorted.

The program's comments tell the story of its operation. The method of use is easy to understand for those who do not want to explore Assembly language or sorting theory. This program is easy to install and a time saver in conjunction with Radio Shack's original mailing list program. ■

Don Brumm is a systems programmer in operating systems development.

Program Listing 2

```

IC.          00010 ;
              00020 ;THIS SORT IS DESIGNED TO BE CALLED FROM BAS
              00030 ;
              00040 ;IT SORTS A STRING ARRAY INTO ALPHA SEQUENCE
WITH          00050 ;SPECIAL TREATMENT OF UNEQUAL LENGTH STRINGS
. NULL       00060 ;STRINGS ARE ALLOWED, THEY ARE LOWEST IN SEQ
UENCE.       00070 ;STRINGS OF UNEQUAL LENGTHS WHICH ARE OTHERW
ISE EQUAL    00080 ;ARE SEQUENCED WITH THE SHORTER STRING FIRST
              00090 ;ARRAY SIZE IS LIMITED TO 4096 ELEMENTS.
              00100 ;
              00110 ;CALLING SEQUENCE: GIVEN AN ARRAY AS(0)-AS(N
)             00120 ; AN INDEX ARRAY I(0)-I(N), AND N THE NUMBER
OF ELEMENTS 00130 ; TO BE SORTED.
              00140 ; I(0)=N: I(1)=VARPTR(AS(0))
              00150 ; RC=USR0 (VARPTR(I(0))): REM RC HAS THE SORT
RETURN CODE   00160 ; ON A SUCCESSFUL SORT, I(0)-I(N) PROVIDES A
SEQUENTIAL   00170 ; INDEX FOR THE ARRAY AS. I.E.
              00180 ; FOR K=0 TO N: AS(I(K)) WILL ACCESS AS IN S
EQUENCE      00190 ;
              00200 ; THE VALUE OF RC IS:
              00210 ; 0 THE SORT WAS SUCCESSFUL
              00220 ; 1 - 6 THE SORT DID NOT TAKE PLACE
              00230 ; 1 I IS NOT AN INTEGER ARRAY
              00240 ; 2 I IS NOT SINGLE DIMENSIONED
              00250 ; 3 I IS DIMENSIONED LESS THAN N
              00260 ; 4 AS IS NOT A STRING ARRAY
              00270 ; 5 AS IS MULTI-DIMENSIONED
              00280 ; 6 AS IS DIMENSIONED LESS THAN N
              00290 ;
              00300 ; A COMMON CAUSE OF CODES 4-6 IS TO INTRODUC
E RC AS A     00310 ; NEW (NOT PREVIOUSLY ACCESSED) VARIABLE. B
ASIC, NOT    00320 ; KNOWING YOU HAVE SAVED THE ADDRESS OF AS(0
), MOVES     00330 ; THE ARRAY AS DOWN IN MEMORY TO MAKE ROOM F
OR THE NEW   00340 ; SCALAR VARIABLE RC. IF THIS HAPPENS, YOU
CAN EITHER   00350 ; RE-INVOKE THE SORT'S CALLING SEQUENCE OR A
DD AN        00360 ; ASSIGNMENT OF THE FORM RC=0 PRIOR TO THE C
ALLING       00370 ; SEQUENCE.
              00380 ;
              00390 ;
              00400 ;
              00410 ;
              00420 ;
              00430 N9 .
FD80          ORG 0FD80H ;FOR 48K SYSTEM
FD80 0000     DEFW 0 ;COUNT OF STRINGS IN
              AS LESS 1
              FDB2 0000 00440 II DEFW 0 ;INDEX I, NORMALLY I
              N DE
              FDB4 0000 00450 J DEFW 0 ;INDEX J, NORMALLY I
              N HL
              FDB6 0100 00460 LEFT DEFW 1 ;LEFT LIMIT VALUE
              FDB8 0000 00470 RIGHT DEFW 0 ;RIGHT LIMIT VALUE
              FDBA FFFF 00480 RSTK DEFW 0FFFFH ;RIGHT STACK IX STOP
PER          0018 00490 DEFS 24 ;STACK SPACE
              FDA4 FFFF 00500 LSTK DEFW 0FFFFH ;LEFT STACK IY STOPP
ER          0018 00510 DEFS 24 ;STACK SPACE
              0003 00520 CENTR DEFS 3 ;SPACE FOR COMP DESC
              FDC1 0000 00530 VPTRI DEFW 0 ;ADDR OF ARRAY I
              FDC3 0000 00540 VPTRA DEFW 0 ;ADDR OF ARRAY A
              00550 ;
              00560 ; SUBROUTINES
              00570 ;
              00580 ; GETNA RETURNS THE ADDRESS OF THE STRING DE
SCRIPTOR      00590 ; AT AS(I(HL)). INPUT IS THE I INDEX
IN HL.       00600 ; OUTPUT IS EQUIVILENT TO VARPTR(AS(I(
HL))) AND    00610 ; IS RETURNED IN HL.
              00620 ;
              00630 ;
              00640 GETNA PUSH DE ;SAVE DE
              FDC6 29 ADD HL,HL ;GET INDEX INTO I
              FDC7 ED5BC1FD LD DE,(VPTRI) ; GET ADDRESS OF
I             00670 ADD HL,DE ;AND I(HL)
              FDCB 19 FDCD CDF1FD CALL GETVAL ;LOAD CONTENTS INTO
DE            00680 LD HL,DE ;AND INTO HL
              FDCD 62 LD L,E
              FDD0 6B LD HL,HL ;INDEX*2
              FDD1 29 ADD HL,DE ;INDEX*3
              FDD2 19 ADD HL,DE ;INTO DE
              FDD3 EB EX DE,HL
              FDD4 2AC3FD LD HL,(VPTRA) ;GET ARRAY ADDR
              FDD7 19 ADD HL,DE ;PLUS INDEX
              FDD8 D1 POP DE ;RESTORE DE
              FDD9 C9 RET ;AND EXIT
              00780 ;
              00790 ; ACHECK CHECKS THE ARRAY DESCRIPTIONS FOR T
YPE          00800 ; (PASSED IN A), NUMBER OF DIMENSIONS
(MUST        00810 ; BE 1), AND LOADS THE NUMBER OF ELEME
NTS IN       00820 ; DE. ON A GOOD RETURN, B IS SET TO 0
, AND        00830 ; HL WILL POINT TO THE ZERO'TH ELEMENT
              00840 ; ON ENTRY, HL POINTS TO THE ARRAY'S 2
ERO'TH       00850 ; ELEMENT. (HL=VARPTR(A(0)))
              00860 ;
              00870 ACHECK LD DE,-8 ;BACK UP 8 TO POINT
TO           00880 ;
              00890 ;
              00900 ;
              00910 ;
              00920 ;
              00930 ;
              00940 ;
              00950 ;
              00960 ;
              00970 ;
              00980 ;
              00990 ;
              01000 ;
              01010 ;
              01020 ;
              01030 ;
              01040 ;
              01050 ;
              01060 ;
              01070 ;
              01080 ;
              01090 ;
              01100 ;
              01110 ;
              01120 ;
              01130 ;
              01140 ;
              01150 ;
              01160 ;
              01170 ;
              01180 ;
              01190 ;
              01200 ;
              01210 ;
              01220 ;
              01230 ;
              01240 ;
              01250 ;
              01260 ;
              01270 ;
              01280 ;
              01290 ;
              01300 ;
              01310 ;
              01320 ;
              01330 ;
              01340 ;
              01350 ;
              01360 ;
              01370 ;
              01380 ;
              01390 ;
              01400 ;
              01410 ;
              01420 ;
              01430 ;
              01440 ;
              01450 ;
              01460 ;
              01470 ;
              01480 ;
              01490 ;
              01500 ;
              01510 ;
              01520 ;
              01530 ;
              01540 ;
              01550 ;
              01560 ;
              01570 ;
              01580 ;
              01590 ;
              01600 ;
              01610 ;
              01620 ;
              01630 ;
              01640 ;
              01650 ;
              01660 ;
              01670 ;
              01680 ;
              01690 ;
              01700 ;
              01710 ;
              01720 ;
              01730 ;
              01740 ;
              01750 ;
              01760 ;
              01770 ;
              01780 ;
              01790 ;
              01800 ;
              01810 ;
              01820 ;
              01830 ;
              01840 ;
              01850 ;
              01860 ;
              01870 ;
              01880 ;
              01890 ;
              01900 ;
              01910 ;
              01920 ;
              01930 ;
              01940 ;
              01950 ;
              01960 ;
              01970 ;
              01980 ;
              01990 ;
              02000 ;
              02010 ;
              02020 ;
              02030 ;
              02040 ;
              02050 ;
              02060 ;
              02070 ;
              02080 ;
              02090 ;
              02100 ;
              02110 ;
              02120 ;
              02130 ;
              02140 ;
              02150 ;
              02160 ;
              02170 ;
              02180 ;
              02190 ;
              02200 ;
              02210 ;
              02220 ;
              02230 ;
              02240 ;
              02250 ;
              02260 ;
              02270 ;
              02280 ;
              02290 ;
              02300 ;
              02310 ;
              02320 ;
              02330 ;
              02340 ;
              02350 ;
              02360 ;
              02370 ;
              02380 ;
              02390 ;
              02400 ;
              02410 ;
              02420 ;
              02430 ;
              02440 ;
              02450 ;
              02460 ;
              02470 ;
              02480 ;
              02490 ;
              02500 ;
              02510 ;
              02520 ;
              02530 ;
              02540 ;
              02550 ;
              02560 ;
              02570 ;
              02580 ;
              02590 ;
              02600 ;
              02610 ;
              02620 ;
              02630 ;
              02640 ;
              02650 ;
              02660 ;
              02670 ;
              02680 ;
              02690 ;
              02700 ;
              02710 ;
              02720 ;
              02730 ;
              02740 ;
              02750 ;
              02760 ;
              02770 ;
              02780 ;
              02790 ;
              02800 ;
              02810 ;
              02820 ;
              02830 ;
              02840 ;
              02850 ;
              02860 ;
              02870 ;
              02880 ;
              02890 ;
              02900 ;
              02910 ;
              02920 ;
              02930 ;
              02940 ;
              02950 ;
              02960 ;
              02970 ;
              02980 ;
              02990 ;
              03000 ;
              03010 ;
              03020 ;
              03030 ;
              03040 ;
              03050 ;
              03060 ;
              03070 ;
              03080 ;
              03090 ;
              03100 ;
              03110 ;
              03120 ;
              03130 ;
              03140 ;
              03150 ;
              03160 ;
              03170 ;
              03180 ;
              03190 ;
              03200 ;
              03210 ;
              03220 ;
              03230 ;
              03240 ;
              03250 ;
              03260 ;
              03270 ;
              03280 ;
              03290 ;
              03300 ;
              03310 ;
              03320 ;
              03330 ;
              03340 ;
              03350 ;
              03360 ;
              03370 ;
              03380 ;
              03390 ;
              03400 ;
              03410 ;
              03420 ;
              03430 ;
              03440 ;
              03450 ;
              03460 ;
              03470 ;
              03480 ;
              03490 ;
              03500 ;
              03510 ;
              03520 ;
              03530 ;
              03540 ;
              03550 ;
              03560 ;
              03570 ;
              03580 ;
              03590 ;
              03600 ;
              03610 ;
              03620 ;
              03630 ;
              03640 ;
              03650 ;
              03660 ;
              03670 ;
              03680 ;
              03690 ;
              03700 ;
              03710 ;
              03720 ;
              03730 ;
              03740 ;
              03750 ;
              03760 ;
              03770 ;
              03780 ;
              03790 ;
              03800 ;
              03810 ;
              03820 ;
              03830 ;
              03840 ;
              03850 ;
              03860 ;
              03870 ;
              03880 ;
              03890 ;
              03900 ;
              03910 ;
              03920 ;
              03930 ;
              03940 ;
              03950 ;
              03960 ;
              03970 ;
              03980 ;
              03990 ;
              04000 ;
              04010 ;
              04020 ;
              04030 ;
              04040 ;
              04050 ;
              04060 ;
              04070 ;
              04080 ;
              04090 ;
              04100 ;
              04110 ;
              04120 ;
              04130 ;
              04140 ;
              04150 ;
              04160 ;
              04170 ;
              04180 ;
              04190 ;
              04200 ;
              04210 ;
              04220 ;
              04230 ;
              04240 ;
              04250 ;
              04260 ;
              04270 ;
              04280 ;
              04290 ;
              04300 ;
              04310 ;
              04320 ;
              04330 ;
              04340 ;
              04350 ;
              04360 ;
              04370 ;
              04380 ;
              04390 ;
              04400 ;
              04410 ;
              04420 ;
              04430 ;
              04440 ;
              04450 ;
              04460 ;
              04470 ;
              04480 ;
              04490 ;
              04500 ;
              04510 ;
              04520 ;
              04530 ;
              04540 ;
              04550 ;
              04560 ;
              04570 ;
              04580 ;
              04590 ;
              04600 ;
              04610 ;
              04620 ;
              04630 ;
              04640 ;
              04650 ;
              04660 ;
              04670 ;
              04680 ;
              04690 ;
              04700 ;
              04710 ;
              04720 ;
              04730 ;
              04740 ;
              04750 ;
              04760 ;
              04770 ;
              04780 ;
              04790 ;
              04800 ;
              04810 ;
              04820 ;
              04830 ;
              04840 ;
              04850 ;
              04860 ;
              04870 ;
              04880 ;
              04890 ;
              04900 ;
              04910 ;
              04920 ;
              04930 ;
              04940 ;
              04950 ;
              04960 ;
              04970 ;
              04980 ;
              04990 ;
              05000 ;
              05010 ;
              05020 ;
              05030 ;
              05040 ;
              05050 ;
              05060 ;
              05070 ;
              05080 ;
              05090 ;
              05100 ;
              05110 ;
              05120 ;
              05130 ;
              05140 ;
              05150 ;
              05160 ;
              05170 ;
              05180 ;
              05190 ;
              05200 ;
              05210 ;
              05220 ;
              05230 ;
              05240 ;
              05250 ;
              05260 ;
              05270 ;
              05280 ;
              05290 ;
              05300 ;
              05310 ;
              05320 ;
              05330 ;
              05340 ;
              05350 ;
              05360 ;
              05370 ;
              05380 ;
              05390 ;
              05400 ;
              05410 ;
              05420 ;
              05430 ;
              05440 ;
              05450 ;
              05460 ;
              05470 ;
              05480 ;
              05490 ;
              05500 ;
              05510 ;
              05520 ;
              05530 ;
              05540 ;
              05550 ;
              05560 ;
              05570 ;
              05580 ;
              05590 ;
              05600 ;
              05610 ;
              05620 ;
              05630 ;
              05640 ;
              05650 ;
              05660 ;
              05670 ;
              05680 ;
              05690 ;
              05700 ;
              05710 ;
              05720 ;
              05730 ;
              05740 ;
              05750 ;
              05760 ;
              05770 ;
              05780 ;
              05790 ;
              05800 ;
              05810 ;
              05820 ;
              05830 ;
              05840 ;
              05850 ;
              05860 ;
              05870 ;
              05880 ;
              05890 ;
              05900 ;
              05910 ;
              05920 ;
              05930 ;
              05940 ;
              05950 ;
              05960 ;
              05970 ;
              05980 ;
              05990 ;
              06000 ;
              06010 ;
              06020 ;
              06030 ;
              06040 ;
              06050 ;
              06060 ;
              06070 ;
              06080 ;
              06090 ;
              06100 ;
              06110 ;
              06120 ;
              06130 ;
              06140 ;
              06150 ;
              06160 ;
              06170 ;
              06180 ;
              06190 ;
              06200 ;
              06210 ;
              06220 ;
              06230 ;
              06240 ;
              06250 ;
              06260 ;
              06270 ;
              06280 ;
              06290 ;
              06300 ;
              06310 ;
              06320 ;
              06330 ;
              06340 ;
              06350 ;
              06360 ;
              06370 ;
              06380 ;
              06390 ;
              06400 ;
              06410 ;
              06420 ;
              06430 ;
              06440 ;
              06450 ;
              06460 ;
              06470 ;
              06480 ;
              06490 ;
              06500 ;
              06510 ;
              06520 ;
              06530 ;
              06540 ;
              06550 ;
              06560 ;
              06570 ;
              06580 ;
              06590 ;
              06600 ;
              06610 ;
              06620 ;
              06630 ;
              06640 ;
              06650 ;
              06660 ;
              06670 ;
              06680 ;
              06690 ;
              06700 ;
              06710 ;
              06720 ;
              06730 ;
              06740 ;
              06750 ;
              06760 ;
              06770 ;
              06780 ;
              06790 ;
              06800 ;
              06810 ;
              06820 ;
              06830 ;
              06840 ;
              06850 ;
              06860 ;
              06870 ;
              06880 ;
              06890 ;
              06900 ;
              06910 ;
              06920 ;
              06930 ;
              06940 ;
              06950 ;
              06960 ;
              06970 ;
              06980 ;
              06990 ;
              07000 ;
              07010 ;
              07020 ;
              07030 ;
              07040 ;
              07050 ;
              07060 ;
              07070 ;
              07080 ;
              07090 ;
              07100 ;
              07110 ;
              07120 ;
              07130 ;
              07140 ;
              07150 ;
              07160 ;
              07170 ;
              07180 ;
              07190 ;
              07200 ;
              07210 ;
              07220 ;
              07230 ;
              07240 ;
              07250 ;
              07260 ;
              07270 ;
              07280 ;
              07290 ;
              07300 ;
              07310 ;
              07320 ;
              07330 ;
              07340 ;
              07350 ;
              07360 ;
              07370 ;
              07380 ;
              07390 ;
              07400 ;
              07410 ;
              07420 ;
              07430 ;
              07440 ;
              07450 ;
              07460 ;
              07470 ;
              07480 ;
              07490 ;
              07500 ;
              07510 ;
              07520 ;
              07530 ;
              07540 ;
              07550 ;
              07560 ;
              07570 ;
              07580 ;
              07590 ;
              07600 ;
              07610 ;
              07620 ;
              07630 ;
              07640 ;
              07650 ;
              07660 ;
              07670 ;
              07680 ;
              07690 ;
              07700 ;
              07710 ;
              07720 ;
              07730 ;
              07740 ;
              07750 ;
              07760 ;
              07770 ;
              07780 ;
              07790 ;
              07800 ;
              07810 ;
              07820 ;
              07830 ;
              07840 ;
              07850 ;
              07860 ;
              07870 ;
              07880 ;
              07890 ;
              07900 ;
              07910 ;
              07920 ;
              07930 ;
              07940 ;
              07950 ;
              07960 ;
              07970 ;
              07980 ;
              07990 ;
              08000 ;
              08010 ;
              08020 ;
              08030 ;
              08040 ;
              08050 ;
              08060 ;
              08070 ;
              08080 ;
              08090 ;
              08100 ;
              08110 ;
              08120 ;
              08130 ;
              08140 ;
              08150 ;
              08160 ;
              08170 ;
              08180 ;
              08190 ;
              08200 ;
              08210 ;
              08220 ;
              08230 ;
              08240 ;
              08250 ;
              08260 ;
              08270 ;
              08280 ;
              08290 ;
              08300 ;
              08310 ;
              08320 ;
              08330 ;
              08340 ;
              08350 ;
              08360 ;
              08370 ;
              08380 ;
              08390 ;
              08400 ;
              08410 ;
              08420 ;
              08430 ;
              08440 ;
              08450 ;
              08460 ;
              08470 ;
              08480 ;
              08490 ;
              08500 ;
              08510 ;
              08520 ;
              08530 ;
              08540 ;
              08550 ;
              08560 ;
              08570 ;
              08580 ;
              08590 ;
              08600 ;
              08610 ;
              08620 ;
              08630 ;
              08640 ;
              08650 ;
              08660 ;
              08670 ;
              08680 ;
              08690 ;
              08700 ;
              08710 ;
              08720 ;
              08730 ;
              08740 ;
              08750 ;
              08760 ;
              08770 ;
              08780 ;
              08790 ;
              08800 ;
              08810 ;
              08820 ;
              08830 ;
              08840 ;
              08850 ;
              08860 ;
              08870 ;
              08880 ;
              08890 ;
              08900 ;
              08910 ;
              08920 ;
              08930 ;
              08940 ;
              08950 ;
              08960 ;
              08970 ;
              08980 ;
              08990 ;
              09000 ;
              09010 ;
              09020 ;
              09030 ;
              09040 ;
              09050 ;
              09060 ;
              09070 ;
              09080 ;
              09090 ;
              09100 ;
              09110 ;
              09120 ;
              09130 ;
              09140 ;
              09150 ;
              09160 ;
              09170 ;
              09180 ;
              09190 ;
              09200 ;
              09210 ;
              09220 ;
              09230 ;
              09240 ;
              09250 ;
              09260 ;
              09270 ;
              09280 ;
              09290 ;
              09300 ;
              09310 ;
              09320 ;
              09330 ;
              09340 ;
              09350 ;
              09360 ;
              09370 ;
              09380 ;
              09390 ;
              09400 ;
              09410 ;
              09420 ;
              09430 ;
              09440 ;
              09450 ;
              09460 ;
              09470 ;
              09480 ;
              09490 ;
              09500 ;
              09510 ;
              09520 ;
              09530 ;
              09540 ;
              09550 ;
              09560 ;
              09570 ;
              09580 ;
              09590 ;
              09600 ;
              09610 ;
              09620 ;
              09630 ;
              09640 ;
              09650 ;
              09660 ;
              09670 ;
              09680 ;
              09690 ;
              09700 ;
              09710 ;
              09720 ;
              09730 ;
              09740 ;
              09750 ;
              09760 ;
              09770 ;
              09780 ;
              09790 ;
              09800 ;
              09810 ;
              09820 ;
              09830 ;
              09840 ;
              09850 ;
              09860 ;
              09870 ;
              09880 ;
              09890 ;
              09900 ;
              09910 ;
              09920 ;
              09930 ;
              09940 ;
              09950 ;
              09960 ;
              09970 ;
              09980 ;
              09990 ;
              10000 ;
              10010 ;
              10020 ;
              10030 ;
              10040 ;
              10050 ;
              10060 ;
              10070 ;
              10080 ;
              10090 ;
              10100 ;
              10110 ;
              10120 ;
              10130 ;
              10140 ;
              10150 ;
              10160 ;
              10170 ;
              10180 ;
              10190 ;
              10200 ;
              10210 ;
              10220 ;
              10230 ;
              10240 ;
              10250 ;
              10260 ;
              10270 ;
              10280 ;
              10290 ;
              10300 ;
              10310 ;
              10320 ;
              10330 ;
              10340 ;
              10350 ;
              10360 ;
              10370 ;
              10380 ;
              10390 ;
              10400 ;
              10410 ;
              10420 ;
              10430 ;
              10440 ;
              10450 ;
              10460 ;
              10470 ;
              10480 ;
              10490 ;
              10500 ;
              10510 ;
              10520 ;
              10530 ;
              10540 ;
              10550 ;
              10560 ;
              10570 ;
              10580 ;
              10590 ;
              10600 ;
              10610 ;
              10620 ;
              10630 ;
              10640 ;
              10650 ;
              10660 ;
              10670 ;
              10680 ;
              10690 ;
              10700 ;
              10710 ;
              10720 ;
              10730 ;
              10740 ;
              10750 ;
              10760 ;
              10770 ;
              10780 ;
              10790 ;
              10800 ;
              10810 ;
              10820 ;
              10830 ;
              10840 ;
              10850 ;
              10860 ;
              10870 ;
              10880 ;
              10890 ;
              10900 ;
              109
```



```

IF SINGLE.      00880 ;      ARRAY DESCRIPTOR. (
                                DIMENSION.)
FDDD 19         00890 ;      ADD HL,DE
                                00900 ;
                                00910 ;
                                00920 ; FORMAT OF THE DESCRIPTOR IS:
                                00930 ; DISPLACEMENT CONTENTS
                                00940 ; 0 TYPE CODE (2=INTEGER, 3=STRI
NG)              00950 ;      1 2 BYTE NAME
                                00960 ;      3 SIZE IN BYTES
                                00970 ;      5 NUMBER OF DIMENSIONS
                                00980 ;      6 2 BYTE COUNT OF ELEMENTS
                                00990 ;      8 FIRST ELEMENT (IF 1 DIMENSIO
N)
FDEE BE         01000 ;      CP (HL) ;CHECK TYPE
FDDF 200A      01010 ;      JR NZ,ACHK0 ;WRONG - OUT WITH
ERROR          01020 ;
FDE1 110500    01030 LD DE,5 ; POINT TO # DIM
FDE4 19        01040 ADD HL,DE
FDE5 46        01050 LD B,(HL) ;GET IN B
FDE6 1806      01060 DJNZ ACHK1 ;IF NOT 1 OUT
FDE8 23        01070 INC HL ;POINT TO ELE. COUNT

FDE9 1806      01080 JR GETVAL ;AND EXIT VIA LOAD O
F COUNT
FDEB 0601      01090 ACHK0 LD B,1 ;SET TYPE BAD
FDED C9        01100 RET
FDEE 0602      01110 ACHK1 LD B,2 ;SET MULTI-DIM.
FDF0 C9        01120 RET
                                01160 ;
                                01170 ; GETVAL LOADS THE INTEGER POINTED TO BY HL
INTO DE.
EGER.          01180 ; HL, ON EXIT, POINTS TO THE NEXT INT
                                01190 ;
FDF1 5E        01200 GETVAL LD E,(HL) ;GET LOW BYTE
FDF2 23        01210 INC HL
FDF3 56        01220 LD D,(HL) ;GET HIGH BYTE
FDF4 23        01230 INC HL
FDF5 C9        01240 RET
                                01250 ;
                                01260 ; STACLR STACKS DE IN LSTK, HL IN RSTK AND
                                01270 ; ADJUSTS IX AND IY ACCORDINGLY
                                01280 ;
FDF6 DD23      01290 STACLR INC IX
FDF8 DD23      01300 INC IX
FDF9 DD7500    01310 LD (IX),L
FDFD DD7401    01320 LD (IX+1),H ;STACK RIGHT

FE00 FD23      01330 INC IY
FE02 FD23      01340 INC IY
FE04 FD7300    01350 LD (IY),E
FE07 FD7201    01360 LD (IY+1),D ;AND LEFT
FE0A C9        01370 RET
                                01380 ;
                                01390 ;COMPARE HL TO DE. C IS SET IF DE>HL
                                01400 ;
FE0B 7C        01410 CHLDE LD A,H
FE0C BA        01420 CP D ;COMP HIGH BYTES
FE0D C0        01430 RET NZ ;UNEQUAL SO RETURN
FE0E 7D        01440 LD A,L
FE0F BB        01450 CP E
FE10 C9        01460 RET
                                01470 ;
                                01480 ;SETCEN CAPTURES THE STRING DESCRIPTOR (POIN
TED TO BY
TITION.        01490 ; HL) OF THE SELECTED COMPARAND FOR THE PAR
ND STILL
                                01500 ; THIS ALLOWS US TO EXCHANGE IN THE ARRAY A
                                01510 ; MAINTAIN A FIXED COMPARAND.
                                01520 ;
FE11 E5        01530 SETCEN PUSH HL ;SAVE REGS USED
FE12 D5        01540 PUSH DE
FE13 C5        01550 PUSH BC
FE14 CDC5FD    01560 CALL GETNA ;GET ADDRESS OF DESC
FE17 11BEFD    01570 LD DE,CENTR ;AND ADDR OF
SAVE
FE1A 010300    01580 LD BC,3 ;SET COUNT
FE1D ED00      01590 LDIR ;AND SAVE THE DESC.
FE1F C1        01600 POP BC ;RESTORE REGS
FE20 D1        01610 POP DE
FE21 E1        01620 POP HL
FE22 C9        01630 RET ;AND RETURN
                                01640 ;
                                01650 ; CMPCEN COMPARES NAMES(HL) TO THE CENTER NA
ME
                                01660 ; CARRY IS SET IF NAME(HL)<CENTER, ZERO IF =
                                01670 ; ALL REGISTERS EXCEPT A ARE PRESERVED
                                01680 ;
FE23 B5        01690 CMPCEN PUSH HL
FE24 D5        01700 PUSH DE
FE25 C5        01710 PUSH BC ;SAVE REGISTERS
FE26 CDC5FD    01720 CALL GETNA ;COMPUTE ADDR OF N(H
L)
FE29 46        01730 LD B,(HL) ;LOAD LENGTH
FE2A 23        01740 INC HL
FE2B 5E        01750 LD E,(HL)
FE2C 23        01760 INC HL
FE2D 56        01770 LD D,(HL) ;AND STRING ADDR
FE2E 3ABEFD    01780 LD A,(CENTR) ;CENTER LENGTH
FE31 4F        01790 LD C,A
FE32 2ABFFD    01800 LD HL,(CENTR+1) ;AND STRING ADD
R
FE35 78        01810 LD A,B ;COMP LENGTH
FE36 B7        01820 OR A ;IS IT NULL
FE37 2003      01830 JR NZ,COMP0 ;IF NOT CONTINUE
FE39 B9        01840 CP C ;MAYBE BOTH NULL
FE3A 181B      01850 JR COMPX ;OUT
FE3C 79        01860 COMP0 LD A,C ;TRY CENTER
FE3D B7        01870 OR A ;FOR NULL

```

Listing 2 Continues

9 GREAT NEW PROGRAMS FROM Single SOURCE Solution™

1 RIMS - Rental Inventory Management System \$795.00

RIMS, a Rental Inventory Management System, is a fully automated system designed to meet the needs of the typical Time Rental Business. RIMS will save the average business over \$4,000. per year. RIMS tracks each item in your time rental inventory, as well as maintaining performance and income records. RIMS can be used to operate the computer as a cash register. RIMS has extensive error checking capabilities. RIMS automatically calculates deposits, time-out, prints rental receipt on rental and return, allows instant inquiry into current status of an item, reports daily, monthly, yearly income, expenses, cashflow, produces statements for customers with term rentals, produces inventory labels and rolodex cards, uses a warning horn to alert you to potential problems and much more! Model III.

2 FPSS™ FINANCIAL PACKAGE FOR SERVICE STATION ONLY \$349.50

FPSS™ is a complete financial and bookkeeping package for Retail Petroleum Service Stations. **FPSS** is written in Microsoft **Basic**™ for the **TRS-80** Model III. **FPSS™**, which includes a 90 page detailed User's Manual, offers specialized accounting modules tailored for the retail petroleum industry. **FPSS™** is menu driven, keeps track of each sale, purchase, charge and collection of a service station, with daily, weekly, monthly or annual reports at the user's command. Inventory control is especially detailed, allowing for determining gasoline leakage. Commissions to employees can be tracked, with two commission rates setup.

3 FORMGEN™ 2.7 ONLY \$249.95

Formgen™ 2.7 is a sophisticated screen and form generator which in three separately callable modules gives users the ability to create their own forms or set up easy menu driven inputs for standardized forms. Complicated calculations may be included as part of the form output, based on the input data. Screen layout, variable array lengths, field sizes, prompt messages, form printing positions and variables used may all be modified without breaking the program. Users save time and very little memory is used because most things are done as part of subroutines. **Formgen™ 2.7** has been used in over 100 Beta test sites in very powerful applications with impressive results.

4 CCMS ESTIMATING SYSTEM \$499.95

The **CCMS Estimating System** is a comprehensive construction cost estimating system written by a contractor/programmer for contractors. **CCMS** "talks" the contractor's language with several menu driven files. The key is the systems cost code, which references the unit prices established earlier and organizes the estimate into divisions modeled after the uniform system adopted by the **AIA**, **AGCA** and **CSII**. Models I and II and Compiler Basic.

5 TRSFLOW™ 1.1 ONLY \$149.50

TRSFLOW™ 1.1 is a hydraulic model based upon the popular Hardy-Cross method of pipe network analysis. By telling the program certain system parameters such as the length, diameter and type of pipes, **TRSFLOW™** calculates head values up to 150 pipe junctions and the flows through 150 system elements. Within the 150 system elements, **TRSFLOW™** can handle 10 pumps and 10 fixed head conditions. **TRSFLOW™** allows the system designated to accurately determine pump and pipe sizes in any desired network. **TRSFLOW™** works with level II **Basic** on **TRSDOS**.

6 BUSINESS MULTI-PACK \$99.95

BUSINESS MULTI-PACK blends four important business functions: sales forecasting (arithmetic avg, regression analysis, exponential smoothing, futures analysis), determines the economic order quantity, LIFO or FIFO inventory analysis, and a cache of general business utilities. These utilities include Pricing Merchandise to achieve a desired profit margin, a perpetual calendar, future value of a present sum, present value of a future sum, an amortization schedule. Model III, 48Kbytes, one disk.

7 PERSONAL ACCOUNTER™ 2.4 ONLY \$59.95

Personal Accounter™ 2.4 is an easy to use program for keeping track of one or more separate accounts and enables the user to see the current balance, search for check entries by specific dates, months or year, call up total monthly expenditures, or check when a certain account was paid. A printed copy of all checking account reports may be ordered. **Personal Accounter™ 2.4** is very easy to use and comes with a reference manual.

8 BISPLAN \$69.96

BISPlan™ is a program for making business plans and projections. With **BISPlan™** you are led through screen prompts to enter data concerning your business plans. You can enter estimates of a business proposal that you are considering and produce projections of potential earnings. **BISPlan™** will help you assess: financing requirements, loan payoff rates, length of time before return on investment, and profit potential. Estimates can be projected up to five years, and dumped from screen to line printer. **BISPlan™** is menu driven and includes a manual. Available in 16K for the Model I with a more extensive version in Models II and III.

9 DISMON - An Interactive Disassembler \$49.95

Now you can control the entire disassembling process through **DISMON**, an interactive disassembler. Code resides in middle memory and can be used to disassemble programs in either high or low memory. Models I or III, 16Kbytes with cassette, 48Kbytes with disk.

Dear Single SOURCE Solution,
Please enter my order for the following programs at your special 10% discount rate through 1982.

Circle program(s) ordered: 1 2 3 4 5 6 7 8 9

NAME _____

ADDRESS _____

CITY _____ STATE _____ ZIP _____

PHONE (____) _____

Make check or money order payable to: Single SOURCE Solution
(California residents add 6%) Postage and Handling add \$2.00. C.O.D. add \$1.50

TOTAL AMOUNT ENCLOSED \$ _____

Satisfaction Guaranteed or Your Money Back in 10 Days • Dealer Inquiries Invited
Mail today to: Single SOURCE Solution

2699 Clayton Rd., Concord, CA 94519 or call (415) 680-0202

Listing 2 continued

```

FE3E 2003 01880 JR NZ,COMP1 ;NEITHER IS NULL
FE40 3C 01890 INC A ;CY OFF AND Z OFF
FE41 1814 01900 JR COMXP ;OUT COMP>CENTER
01910 ; NEITHER IS NULL - COMPARE FOR SHORTEST LEN

GTH
FE43 C5 01920 COMP1 PUSH BC ;SAVE LENGTHS
FE44 79 01930 LD A,C
FE45 B8 01940 CP B
FE46 3001 01950 JR NC,COMP2 ;SHORT IN B
FE48 41 01960 LD B,C
01970 ;NOW WE CAN COMPARE THE STRINGS
FE49 1A 01980 COMP2 LD A,(DE) ;GET COMP BYTE
FE4A BE 01990 CP (HL) ;COMPARE TO CENTER
FE4B 2009 02000 JR NZ,COMP3 ;NOT EQ SO OUT
FE4D 13 02010 INC DE
FE4E 23 02020 INC HL ;STEP POINTERS
FE4F 10F8 02030 DJNZ COMP2 ;CONTINUE TO END OF
SHORT
FE51 C1 02040 POP BC ;GET LENGTHS BACK
FE52 78 02050 LD A,B
FE53 B9 02060 CP C ;COMP TO CENT
FE54 1801 02070 JR COMXP
FE56 C1 02080 COMP3 POP BC
FE57 C1 02090 COMPX POP BC
FE58 D1 02100 POP DE
FE59 E1 02110 POP HL ;RESTORE REGS
FE5A C9 02120 RET ;AND RETURN
02130 ;
02140 ; INITIALIZE FOR SORT
02150 ;
FE5B CD7F0A 02160 START CALL 0A7FH ;GET THE ARGUMENT
02170 ;
02180 ; FIRST WE EDIT THE PASSED PARAMETERS AS WEL
L AS WE
02190 ; CAN. THIS CAN SAVE UNEXPECTED RE-BOOTS AN
D LOCK-
02200 ; UPS. IF THE EDIT IS SUCCESSFUL, WE WILL I
NITIALIZE
02210 ; I(0)-I(N) WITH THE INTEGERS 0-N. THESE IN
DIRECT
02220 ; POINTERS INTO A$ ARE WHAT ARE EXCHANGED IN
THE SORT.
02230 ;
FE5E 22C1FD 02240 LD (VPTRI),HL ;SAVE POINTE
R TO I(0)
FE61 3E02 02250 LD A,2 ;TARGET TYPE

FE63 CDDAFD 02260 CALL ACHECK ;CHECK THYP AND DIM
FE66 78 02270 LD A,B ;GET RET
FE67 B7 02280 OR A ;CHECK IT
FE68 201B 02290 JR NZ,ERRET ;IF BAD - OUT
FE6A D5 02300 PUSH DE ;SAVE ELEMENT COUNT
FE6B CDF1FD 02310 CALL GETVAL ;LOAD N
FE6E ED5380FD 02320 LD (N9),DE ;AND SAVE IT
FE72 CDF1FD 02330 CALL GETVAL ;GET A$(0) ADDRESS
FE75 ED53C3FD 02340 LD (VPTRA),DE ;AND SAVE IT
FE79 2A80FD 02350 LD HL,(N9) ;GET N BACK
FE7C D1 02360 POP DE ;AND ELEMENT COUNT
FE7D B7 02370 OR A ;CLEAR CARRY
FE7E ED52 02380 SBC HL,DE ;N-E COUNT
FE80 FA8BFE 02390 JP M,IISOK ;I IS OK
FE83 3E03 02400 LD A,3 ;SET ERROR CODE
02410 ;
02420 ; RETURN TO BASIC WITH RETURN CODE IN HL
02430 ;
FE85 6F 02440 ERRET LD L,A ;SET LOW BYTE
FE86 2600 02450 LD H,0 ;AND HIGH BYTE
FE88 C39A0A 02460 JP 0A9AH ;AND RETURN
02470 ;
02480 ; CHECK ARRAY A$ DESCRIPTOR
02490 ;
FE8B 2AC3FD 02500 IISOK LD HL,(VPTRA) ;POINT TO A$
(0)
FE8E 3E03 02510 LD A,3 ;SET TYPE
FE90 CDDAFD 02520 CALL ACHECK ;GO CHECK IT
FE93 78 02530 LD A,B ;GET RET CODE
FE94 B7 02540 OR A ;CHECK IT
FE95 200A 02550 JR NZ,ERRA ;IF BAD - OUT
FE97 2A80FD 02560 LD HL,(N9) ;GET N
FE9A ED52 02570 SBC HL,DE ;CHECK SIZE OF A$
FE9C FAASFE 02580 JP M,FILLI ;OK - FILL I
FE9F 3E03 02590 LD A,3 ;SET CODE
FEA1 C603 02600 ERRA ADD A,3 ;INDICATE A$ IN ERRO
R
FEA3 18E0 02610 JR ERRET ;AND GET OUT
02620 ;
02630 ; NOW WE CAN INITIALIZE I(0)-I(N)
02640 ;
FEA5 19 02650 FILLI ADD HL,DE ;GET COUNT BACK
FEA6 EB 02660 EX DE,HL ;AND INTO DE
FEA7 2AC1FD 02670 LD HL,(VPTRI) ;POINT TO ARRAY
FEAA 19 02680 ADD HL,DE ;ADD N
FEAB 19 02690 ADD HL,DE ;TWICE FOR LAST ELEM
ENT
FEAC 23 02700 INC HL ;POINT TO HIGH BYTE
FEAD 72 02710 FILLI LD (HL),D ;STORE HIGH
FEAE 2B 02720 DEC HL ;POINT TO LOW
FEAF 73 02730 LD (HL),E ;AND STORE IT
FEB0 7A 02740 LD A,D
FEB1 B3 02750 OR E ;ARE WE DONE
FEB2 2804 02760 JR Z,FILLI ;YES - DO SO
RT
FEB4 1B 02770 DEC DE ;COUNT DOWN
FEB5 2B 02780 DEC HL ;POINTER TOO
FEB6 18F5 02790 JR FILLI ;AND DO ANOTHER
FEB8 2A80FD 02800 FILLI LD HL,(N9) ;GET COUNT
FEBB FD21A4FD 02820 LD IX,LSTK
FEBF DD218AFD 02830 LD IX,RSTK ;SET POINTER
S TO AUX
02840 ;
02850 ; STACK OF UNS
ORTED PARTS
FE3 110000 02850 LD DE,0 ;INITIAL LEF
T MARGIAN
FE6 CDF6FD 02860 CALL STACLR ;STACK INITI
AL VALUES

```

```

02870 ;
02880 ; -BEGIN QUICKSORT. THIS ALGORITHM IS AN ADA
PTATION
02890 ; OF THAT FOUND IN "ALGORITHMS + DATA STRUCT
URES =
02900 ; PROGRAMS" BY NICLAUS WIRTH.
02910 ;
FECD D7E01 02920 U$STK LD A,(IX+1) ;GET MSB OF
RIGHT
FECC FEF 02930 CP 255 ;CHECK FOR S
TOPPER
FECE 2006 02940 JR NZ,UNSTK0 ;NOT THERE S
O CONTINUE
02950 ;
02960 ; THE SORT IS DONE SO RETURN A ZERO
02970 ;
FED0 210000 02980 LD HL,0 ;GET A ZERO
FED3 C39A0A 02990 JP 0A9AH ;DO THE RETU
RN
03000 ; CONTINUE THE UNSTACKING OF A PARTITION
FED6 67 03010 UNSTK0 LD H,A
FED7 D16E00 03020 LD L,(IX) ;RIGHT LIMIT
IN HL
FEDA FD5601 03030 LD D,(IX+1)
FEDD FD5E00 03040 LD E,(IX) ;LEFT LIMIT
IN DE
FEE0 DD2B 03050 DEC IX
FEE2 DD2B 03060 DEC IX ;DEC RIGHT P
OINTER
FEE4 FD2B 03070 DEC IY
FEE6 FD2B 03080 DEC IY ;AND LEFT PO
INTER
FEE8 2288FD 03090 LD (RIGHT),HL ;SAVE RIGHT
FEEB ED5386FD 03100 LD (LEFT),DE ;AND LEFT
FEEF E5 03110 GETCN PUSH HL ;SAVE RIGHT
IN STACK
03120 ;
03130 ; WE PICK A RANDOM KEY AS COMPARAND TO AVOID
THE
03140 ; WORSE CASE PERFORMANCE OF THE ALGORITHM.
03150 ;
FEF0 AF 03160 XOR A ;CLEAR A AND CY
FEF1 ED52 03170 SBC HL,DE ;GET LEFT-RIGHT
FEF3 BC 03180 CP H ;CHECK SPAN OVER 256
03190 ;
FEF4 200E 03190 JR NZ,GT255 ;IF SO GET RND 0-25
5
FEF6 ED5F 03200 LD A,R ;GET RND 0-127
FEF8 063F 03210 LD B,63 ;SET MASK
FEFA BD 03220 CK00 CP L ;IS RND IN SPAN
FEFB 380F 03230 JR C,AISOK ;L GREATER
FEFD 280D 03240 JR Z,AISOK ;OR EQUAL IS OK
FEFF A0 03250 AND B ;TAKE TOP BIT OFF
FF00 CB38 03260 SRL B ;HALVE MASK
FF02 18F6 03270 JR CK00
FF04 ED5F 03280 GT255 LD A,R ;GET RND 0-127
FF06 CB45 03290 BIT 0,L ;IF DIFF IS ODD
FF08 2802 03300 JR Z,AISOK ;WE
FF0A F680 03310 OR 128 ;SCALE TO 128-255
FF0C 6F 03320 AISOK LD L,A ;SET RND IN L
FF0D 2600 03330 LD H,0 ;AND FORCE H TO 0
FF0F 19 03340 ADD HL,DE ;AND GET INDEX
FF10 CD11FE 03350 CALL SETCN ;GO GET COMPARAND
03360 ; LEFT IS IN DE
FF13 E1 03370 POP HL ;AND R IN HL
03380 ;
03390 ; NARROW THE LEFT PARTITION IN RELATION TO C
ENT
03400 ;
FF14 EB 03410 EX DE,HL ;POSITION L IN HL
FF15 CD23FE 03420 NROWL CALL CMPCN ;COMPARE NAM
E(LEFT):C
FF18 3003 03430 JR NC,DORT ; (LEFT)>C
FF1A 23 03440 INC HL ;STEP LEFT I
NDEX
FF1B 18F8 03450 JR NROWL ;CONTINUE
FF1D EB 03460 DORT EX DE,HL ;GET RIGHT B
ACK IN HL
03470 ;
03480 ; NARROW THE RIGHT PARTITION IN RELATION TO
CENT
03490 ;
FF1E CD23FE 03500 NROWL CALL CMPCN ;COMPARE NAM
E(RIGHT):C
FF21 3805 03510 JR C,DONER ; (RIGHT)<=C
FF23 2803 03520 JR Z,DONER
FF25 2B 03530 DEC HL ;NARROW RIGH
T
FF26 18F6 03540 JR NROWL ;CONTINUE
03550 ;
03560 ; EITHER OUT OF SEQUENCE OR AT CENTER. NOTE
THAT
03570 ; OUT OF SEQUENCE ==> LEFT>RIGHT SO WE EXCHA
NGE
03580 ; LEFT AND RIGHT WHICH FORCES L<C<R.
03590 ;
FF28 CD0BFE 03600 DONER CALL CHLDE ;CHECK POINTERS
FF2B 2825 03610 JR Z,LEQR ;AT CENTER -
NO EXCH
FF2D 3825 03620 JR C,LGTR ;WE HAVE CROSSED OVE
R
03630 ;
03640 ; EXCHANGE STRING DESCRIPTORS
03650 ;
FF2F D5 03660 PUSH DE ;SAVE LEFT AND RIGHT
FF30 E5 03670 PUSH HL
FF31 E5 03680 PUSH HL ;AND SAVE RIGHT AGAI
N
FF32 2AC1FD 03690 LD HL,(VPTRI) ;GET ADDR OF I(0)
FF35 EB 03700 EX DE,HL ;POSITION IT FOR SAV
E
FF36 29 03710 ADD HL,HL ;INDEX * 2

```

Listing 2 continues

```

FF37 19      03720      ADD      HL,DE      ; + ADDR I(0) = ADDR
LEFT
FF38 E3      03730      EX        (SP),HL ;SAVE AND GET RIGHT
FF39 29      03740      ADD      HL,HL      ;INDEX * 2
FF3A 19      03750      ADD      HL,DE      ; + ADDR I(0) = ADDR
RIGHT
FF3B D1      03760      POP       DE        ; RESTORE ADDR LEFT
FF3C 0602    03770      LD        B,2    ;SET COUNT
FF3E 1A      03780      EXCH      LD      A,(DE) ;GET DE
FF3F 4E      03790      LD        C,(HL) ;AND HL
FF40 77      03800      LD        (HL),A ;DE OVER HL
FF41 79      03810      LD        A,C    ;POSITION HL
FF42 12      03820      LD        (DE),A ;HL OVER DE
FF43 23      03830      INC       HL
FF44 13      03840      INC       DE    ;STEP POINTERS
FF45 10F7    03850      DJNZ      EXCH    ;DO 2 TIMES
FF47 E1      03860      POP       HL
FF48 D1      03870      POP       DE        ;RESTORE HL
AND DE
FF49 13      03880      INC       DE        ;LEFT +1
FF4A 2B      03890      DEC       CH      ;RIGHT -1
FF4B CD0BFE  03900      CALL      HLDE    ;CHECK POINTERS AGAI
N
FF4E 3804    03910      JR        C,LGTR ;HL < DE HAVE CROSSE
D
FF50 18C2    03920      JR        NROWL-1 ;DE NOT>HL C
ONTINUE
FF52 13      03930      LEQR     INC      DE        ;STEP LEFT
FF53 2B      03940      DEC       HL      ;AND DECR RIGHT
FF54 ED5382FD 03950      LGTR     LD      (II),DE
FF58 2284FD  03960      LD        (J),HL
03970 ;
03980 ; THE WORKING POINTERS HAVE CROSSED OVER EAC
H OTHER
03990 ; THE CENTER OF THE PARTITION N(LEFT) TO N(R
IGHT) IS
04000 ; NOW THE MEDIAN VALUE. (ALL TO THE LEFT AR
E <=
04010 ; CENTER <= ALL TO THE RIGHT) THIS GIVES 2 N
EW PARTITIONS
04020 ; II TO RIGHT AND LEFT TO J. WE WILL SORT T
HE SHORTEST
04030 ; AND STACK THE LARGEST IF IT IS NOT EMPTY.
WHEN THE
04040 ; SHORTEST IS EMPTY, WE WILL UNSTACK A PARTI
TION AND
04050 ; CONTINUE UNTIL THE STACK IS EMPTY. THIS C
OMPLETES
04060 ; THE SORT.
04070 ;
04080 ;
FF5B E5      04090      PUSH     HL        ;SAVE J
FF5C 2A88FD  04100      LD        HL,(RIGHT) ;GET RIGHT
FF5F AF      04110      XOR      A        ;CLEAR CARRY
FF60 ED52    04120      SBC      HL,DE    ;MINUS II
FF62 E3      04130      EXCH      (SP),HL ;SAVE R-II A
ND GET J
FF63 ED5B86FD 04140      LD        DE,(LEFT) ;GET LEFT
FF67 AF      04150      XOR      A        ;CLEAR CARRY
FF68 ED52    04160      SBC      HL,DE    ;AND COMPUTE
J-LEFT
FF6A D1      04170      POP       DE        ;RELOAD R-II
FF6B AF      04180      XOR      A        ;CLEAR CARRY
FF6C ED52    04190      SBC      HL,DE    ;(J-LEFT)-(R
IGHT-II)
FF6E FA89FF  04200      JP        M,ISTAK ;<0 ==> J,LE
FT SMALLER
04210 ;
04220 ; STACK LEFT:J. IF EQUAL IN SIZE WE STACK LE
FT:J
04230 ;
04240 ;
FF71 AF      04250      XOR      A        ;CLEAR CARRY
FF72 ED5A    04260      ADC      HL,DE    ;GET FLAGS FOR J-LEF
T
FF74 FA81FF  04270      JP        M,SKPJ ;IF <0 EMPTY
FF77 2808    04280      JR        Z,SKPJ ;IF =0 EMPTY
FF79 ED5B86FD 04290      LD        DE,(LEFT) ;PREPARE TO
STACK L,J
FF7D 19      04300      ADD      HL,DE    ;GET J BACK
FF7E CDF6FD  04310      CALL     STACLR ;STACK LEFT:J PARTI
TION
FF81 2A82FD  04320      SKPJ     LD      HL,(II)
FF84 2286FD  04330      LD        (LEFT),HL ;SORTABLE IS
II:RIGHT
FF87 1818    04340      JR        TSTLLR ;CHECK FOR L
EFT<RIGHT
04350 ;
04360 ; STACK I:RIGHT PARTITION
04370 ;
04380 ;
FF89 CB7A    04390      ISTAK    BIT      7,D ;SIGN OF RIGHT-I
FF8B 200F    04400      JR        NZ,SKPI ;IF SET ==> I>RIGHT
FF8D 7A      04410      LD        A,D
FF8E B3      04420      OR       E        ;NO BITS ==> I=RIGHT
04430 ;
04440 ;
FF8F 280A    04450      JR        Z,SKPI ;GET RIGHT
FF91 2A88FD  04460      LD        HL,(RIGHT) ;AND II
FF94 ED5B82FD 04470      LD        DE,(II) ;STACK PARTI
TION
FF98 CDF6FD  04480      CALL     STACLR ;GET J
FF9B 2A84FD  04490      SKPI     LD      HL,(J) ;AS NEW RIGH
T
FF9E 2288FD  04500      LD        (RIGHT),HL
04510 ;
04520 ; PARTITION MAY BE EMPTY. IN THAT CASE, WE
04530 ;
04540 ; OFF THE STACKED PARTITIONS
04550 ;
FFA1 ED5B86FD 04560      TSTLLR LD      DE,(LEFT)
FFA5 2A88FD  04570      LD        HL,(RIGHT)
FFA8 AF      04580      XOR      A        ;CLEAR CARRY
FFA9 ED52    04590      SBC      HL,DE
FFAB FAC9FE  04600      JP        M,UNSTK ;EMPTY
FFAE CAC9FE  04610      JP        Z,UNSTK
FFB1 19      04620      ADD      HL,DE    ;GET RIGHT BACK
FFB2 C3EFFE  04630      JP        GETCN ;GO SORT NEW ONE
0000
00000 TOTAL ERRORS

```

YORK 10 BASF-DPS WORLD STANDARD TAPE




**MONEY BACK
GUARANTEE**


**COMPUTER GRADE
BLANK CASSETTES**

PREMIUM 5-SCREW
SHELL FITS ALL
STANDARD RECORDERS

DATA TRAC / C-05, C-10, C-20



PHILIPS (NORELCO)
TYPE HARD BOXES



SOFT PROPYLENE
HINGED BOXES



6 CAPACITY
CASSETTE ALBUMS



TRACTOR FEED
BLANK DIE-CUT LABELS

**HERE'S WHAT
USERS SAY ABOUT YORK 10 CASSETTES:**

"We monitored the output to the computer with a specially built meter and found absolutely no dropouts throughout the tape..."
Stace Papadopoulos
Beaverton, OR

"It's nice to have a tape you can rely on 100% of the time to perform with such quality. And the fast, courteous service was a pleasant surprise."
Tom Parkinson
Madison, OH

"Your price is slightly higher than the competition, but your quality is vastly superior..."
F. L. Brandon
Greenville, TX

"Your price is right - your service and quality is excellent. We'll be doing business again!"
Richard P. Thrun
APO New York



Call: 213/710-1430

for IMMEDIATE SHIPMENT
on Credit Card Orders.



ORDER NOW... YORK 10 Computerware

156 MAIL TO: 24573 Kittridge St., #80L, Canoga Park, CA 91307

ORDER FORM

ITEM	1 DOZEN	2 DOZEN	TOTAL
C-05	<input type="checkbox"/> 7.50	<input type="checkbox"/> 13.50	
C-10	<input type="checkbox"/> 8.00	<input type="checkbox"/> 14.40	
C-20	<input type="checkbox"/> 10.00	<input type="checkbox"/> 18.00	
Hard Box	<input type="checkbox"/> 2.50	<input type="checkbox"/> 4.00	
Soft Box	<input type="checkbox"/> 2.00	<input type="checkbox"/> 3.40	
6 Cap. Album @ \$6.95 each	quantity		
Blank labels	<input type="checkbox"/> 4.00/100	<input type="checkbox"/> 30.00/1000	
SUB TOTAL			
Calif. residents add 6% sales tax			
Shipping 1 doz. \$2.2 doz. \$3.50; 3 doz. \$4.50 each additional doz. \$.50			
For Parcel Post instead of UPS ADD \$1			
Outside Continental USA, ADD \$2			
TOTAL			

Each cassette includes two YORK 10 labels only. Boxes are sold separately. Shipments are by UPS unless Parcel Post requested.

Boxes, albums, & blank labels are free of shipping charges when ordered with cassettes. When ordered separately Minimum shipping is \$2.00

PLEASE SEND QUANTITY DISCOUNTS ☐

Check or M.O. enclosed ☐ Charge to Credit Card: ☐ VISA ☐ MASTERCARD

Card No. _____ Exp. _____

Name _____

Address _____

City _____ State/Zip _____

Signature _____

Computer make & model _____

Protect high memory with this simple patch.

Relocated ULCBAS

Samuel D. Pincus
10 South 671 Ivy Lane
Hinsdale, IL 60521

I purchased my Model I mainly for word processing functions. I installed the lowercase modification for use with the Scripsit package. As time went on I started using lowercase characters in my Basic programs. Now I find that it feels unnatural not using lowercase whenever I code.

To speed up the tape I/O on my 48K system, I recently purchased the TC-8 tape system. I was dismayed to find that their software drivers reside at the top of core. According to Radio Shack I could no longer use the ULCBAS routine for lowercase: "ULCBAS and ULCDVR... move themselves to the top of mem-

ory... make sure that your own machine-language programs do not disturb this protected area... 48K computers, FDDO-FFFF." (This is not true—in a 48K system, it resides at FDF2-FFFF.) How could ULCBAS be sophisticated enough to relocate itself to top of memory but not be able to relocate itself below a protected memory area?

In addition, ULCBAS had a bug in it; to make it work, I must POKE values into memory loca-

1981 issue of *80 Micro* on load addresses for their programs, I looked for it at 6C00H. No luck; I found the code instead between 7000H and 7269H.

After a brief look at the code, I located the problem. Radio Shack wrote ULCBAS in two pieces. The first piece is a relocater for the main code. It finds the top of memory located at 40B1H, modifies all the jump addresses within the main code, moves this main code to the top

missed, and the program is truly relocatable.

To make the patch, use a machine-language monitor. Load ULCBAS and put in the following data starting at 6FF9H: 22 9D 70 E5 2B 18 0B. Then change the data at 7009H-700AH to read 18 EE. Punch out a new System tape for ULCBAS starting at 6FF9H, ending at 7269H with the entry point at 7000H.

The new System tape is truly self-relocating. All you need do is answer the "Memory Size" question with the start of memory address that you want protected from Basic and ULCBAS. Press enter if you do not want to protect any memory. Then load your new System tape and execute as you normally would with / enter. ULCBAS will now relocate itself to the top 525 bytes below your protected memory. ■

*"ULCBAS has
at least one
major flaw."*

tions 28829 and 28830 before executing. This means that the program has at least one major flaw.

Here's the Problem!

After loading my trusty disassembler, I tried to disassemble ULCBAS. Using the information from Radio Shack in the October

of memory and resets the top of memory pointer.

However, they missed one address! This is what the POKES are for; to make the POKES work properly, ULCBAS has to reside at the very top of core. All it takes is a simple patch to modify the address Radio Shack

The Key Box

Basic Level II
Model I
ULCBAS

Use a second cassette recorder to add sound to your programs.

Sound OFF!

Bertram A. Thiel
159 West Main Street
Frostburg, MD 21532

Something is missing from the TRS-80 in the classroom. It lacks both a record of the student's responses, to be checked by the teacher at a later time and an audio output. If you have an expansion interface (or other dual cassette drive interface) and an extra cassette tape deck these missing factors can be realized using the INPUT# and OUTPUT# statements.

The programs shown here ad-

minister a spelling test in the absence of the teacher. Because the computer cannot print the word to be spelled questions must be audible. The computer synchronizes the word list and records the answers as data on tape. When time permits, the teacher plays the answer tape to make corrections. With proper preparation and structure a computer can save the teacher considerable time.

This is a simplistic use of the computer; expand the concept to include sounds (a lion's roar, a cricket's chirp, or the theme to Beethoven's Fifth) and visual output (animation or other graphics), to create sophisticated learning and testing modules.

Start at the base of the learning pyramid by using the programs described here for a TRS-80 with two cassettes and a

dual cassette drive. Conversion to other computer systems and cassette/disk combinations is not difficult.

Set-Up

Program Listing 1 allows you to make the audio tape. The program turns the cassette on for

four seconds so you can ask for the student's name and then dictate the spelling list, one word at a time. The time delay and the tape deck control are provided by PRINT#-1,"". The statement turns on the tape deck motor, puts out the character string used when you save a

The Key Box

Two or more CTRs
Dual Cassette Drive Interface

```
10 : TEACHER'S SET-UP PROGRAM
20 :
30 : B.THIEL, MARCH 1981
40 :
50 CLS: INPUT "HOW MANY QUESTIONS WILL THERE BE?";X
60 CLS
70 PRINT "READY THE CASSETTE TAPE RECORDER SO THAT IT WILL RECORD
YOUR VOICE. DO SO BY UNPLUGGING THE 'AUX' PLUG, AND POSITION
IT SO THAT THE BUILT-IN CONDENSER MIC WILL PICK UP YOUR VOICE
. PLACE A BLANK TAPE IN IT AND DEPRESS RECORD AND PLAY KEYS."
80 PRINT:PRINT "WHEN YOU ARE READY TO RECORD, JUST PRESS THE ENTER KEY."
90 PRINT:PRINT "START BY ASKING THE STUDENT TO TYPE IN HIS/HER NAME."
100 PRINT:PRINT "DEPRESS <ENTER> KEY WHEN READY"
110 AS=INKEY$:IF AS="" GOTO 110
120 PRINT#-1," "
130 FOR L=1 TO X
140 CLS: PRINT "QUESTION NUMBER";L
150 PRINT:PRINT "PRESS <ENTER> WHEN READY TO ASK QUESTION"
160 AS=INKEY$:IF AS="" GOTO 160
170 PRINT#-1," "
180 NEXT L
190 CLS:PRINT "QUESTION TAPE IS COMPLETE. PLAY IT BACK TO CHECK RECORDING."
```

Program Listing 1

```
10 : STUDENTS' ANSWER PROGRAM
20 :
30 : B.THIEL MARCH 1981
40 CLEAR 255
50 DIMAS(50):CLS:PRINTCHR$(23):PRINTTAB(12);"HELLO":PRINT
60 PRINT:PRINT "GET READY FOR A LITTLE TEST BY DOING THE FOLLOWING:
1. PUT THE QUESTION TAPE IN THE TAPE RECORDER
THAT HAS THE LABEL ON IT THAT SAYS <QUESTION>."
70 PRINT:PRINT "WHEN YOU HAVE DONE THAT PUSH MY <ENTER> KEY"
80 ES=INKEY$:IF ES=""80
90 CLS:PRINTCHR$(23)
100 PRINT "2. NOW MAKE SURE THAT THE <EAR> PLUG IS NOT IN THE <EAR> HOLE IN THE TAPE RECORDER."
110 PRINT:PRINT "WHEN YOU HAVE DONE THAT PUSH MY <ENTER> KEY"
120 ES=INKEY$:IF ES=""120
130 CLS:PRINTCHR$(23)
140 PRINT:PRINT "3. NOW PRESS THE PLAY BUTTON ON THE <QUESTION> TAPE RECORDER."
150 PRINT:PRINT "WHEN YOU HAVE DONE THAT PRESS MY <ENTER> KEY"
160 ES=INKEY$:IF ES=""160
170 CLS:PRINTCHR$(23)
180 PRINT:PRINT "NOW PUT YOUR ANSWER TAPE IN THE TAPE RECORDER LABELED <ANSWER>"
190 PRINT:PRINT "THEN PRESS BOTH THE RECORD AND THE PLAY BUTTONS"
200 PRINT:PRINT "AFTER YOU DO THAT PRESS MY <ENTER> KEY"
210 ES=INKEY$:IF ES=""210
220 CLS:PRINTCHR$(23)
230 PRINT:PRINT "MAKE SURE ALL THE PLUGS ARE IN AND THEN GET READY TO TAKE YOUR TEST."
240 PRINT:PRINT "PRESS MY <ENTER> KEY WHEN YOU ARE READY."
250 ES=INKEY$:IF ES=""250
260 CLS:PRINTCHR$(23)
270 PRINT#-1," "
280 PRINT "PLEASE TYPE IN YOUR NAME. WHEN YOU ARE DONE PUSH THE <ENTER> KEY."
290 INPUT NS
300 AS(0)=NS
310 PRINT:PRINT "IF YOU ARE READY TO TAKE THE TEST, PRESS MY <ENTER> KEY."
320 ES=INKEY$:IF ES=""320
330 FOR C=1 TO 20
340 PRINT "TYPE IN ANSWER NUMBER";C
350 PRINT#-1," "
360 INPUT AS(C)
370 NEXT C
380 PRINT#-2,AS(0),AS(1),AS(2),AS(3),AS(4),AS(5),AS(6),AS(7),AS(8),AS(9),AS(10),AS(11),AS(12),AS(13),AS(14),AS(15),AS(16),AS(17),AS(18),AS(19),AS(20)
390 CLS:PRINTCHR$(23)
400 PRINT "OKEY, YOUR TEST IS DONE, NOW REWIND BOTH TAPES AND GIVE THEM BACK TO THE TEACHER."
410 PRINT:PRINTTAB(12);"THANK YOU"
420 END
```

Program Listing 2

program, sends the data (in this case a single space), and sends the closing string. If the data within the quotes is 255 characters long (the maximum length allowed) the total time is 8.3 seconds. Run a test on your com-

puter to determine your times. Since the other two programs are set up for 20 questions, use 20 as your answer to the first input request and follow the program directions. Use a leaderless cassette tape rewound to the very beginning so it is synchronized with the program.

Answer Program

The student answer program (Program Listing 2) gives instructions for tape recorder set-

up and turns on your question tape. The program gives the student the test, stores answers in the A\$ matrix, and records them on the second tape deck as a data string (see line 380). Use a leaderless tape to avoid losing

data. In the classroom label the cassette recorders "question machine" and "answer machine" to avoid confusion. Label the two tapes the same way. Program Listing 3 extracts data from the student's answer tape using the INPUT#-1 statement. Level III or other keyboard abbreviation systems are useful when creating long INPUT#- and PRINT#- statements. I redefined the shifted A key to give "A\$". Use your own voice in

the question tapes. Students enjoy hearing their own teacher on the recorder, and it gives a sense of continuity. The computer should be an extension of the teacher rather than something separate.

Modifications

Modify the programs here to suit your own situation. Consider a more complicated method of controlling the audio deck. Use the following line: FOR X = 1

TO Z:OUT 255,4:NEXT X in place of the PRINT#-1,"" control (line 120 in Listing 1 and line 350 in Listing 2). Use Z as a varying number stored in another matrix, transmitted from the teacher's program to the student's answer program. This varies the time the audio portion is on. Experiment to find out how long the For...Next loop is for various values of Z. Use a Step factor so the Z number translates directly to seconds of on-time. ■

"The computer should be an extension of the teacher rather than something separate."

```
10 : ANSWER CHECKING PROGRAM
20 :
30 : B.THIEL MARCH, 1981
40 CLEAR 255
50 DIM A$(255)
60 PRINT"ANSWER PROGRAM, LOAD STUDENT'S ANSWER TAPE IN TAPE RECORDER AND DEPRESS <PLAY> BUTTON."
70 PRINT"RECHECK PROGRAM IF NECESSARY TO MAKE SURE THE NUMBER OF INPUTS AND THE FOR-NEXT LOOP AGREE WITH THE NUMBER OF QUESTION S IN THE TEST."
80 PRINT:PRINT"IF READY PRESS THE <ENTER> KEY"
90 ES=INKEY$:IF ES=" "GOTO 100
100 INPUT#-1,A$(0),A$(1),A$(2),A$(3),A$(4),A$(5),A$(6),A$(7),A$(8),A$(9),A$(10),A$(11),A$(12),A$(13),A$(14),A$(15),A$(16),A$(17),A$(18),A$(19),A$(20)
110 PRINT"STUDENT'S NAME: ";A$(0)
120 FOR X=1 TO 20 STEP 2
130 PRINTX;A$(X),
140 PRINTTAB(30);X+1;A$(X+1)
150 NEXT X
160 GOTO 160
```

Program Listing 3



"Deck The Halls With 80 MICRO..."

Make 80 MICRO part of your holiday season. Every month, 80 MICRO provides its readers with more TRS-80* related programs, articles, applications, new product announcements, and reviews than any other magazine.

And it's as enjoyable as it is informative.

What a perfect way to say Happy Holidays to your favorite Radio Shack microcomputerist.

Give a gift that will last throughout the year. Give a subscription to 80 MICRO.

*TRS-80 is a trademark of the Radio Shack Division of Tandy Corp.

YES, I want to give a subscription to 80 MICRO for the Holidays (12 issues—\$24.97)

☐ Check enclosed
☐ MC ☐ VISA ☐ AE ☐ Bill me

Card# _____

Expire Date _____

Signature _____

Interbank # _____

My Name _____

Address _____

City _____ State _____ Zip _____

Please enter a one year gift subscription to:

Name _____

Address _____

City _____ State _____ Zip _____

Canada & Mexico \$27.97, 1 year only U.S. Funds
Foreign \$44.97, 1 year only U.S. Funds drawn on U.S. Bank
All Gift Subscriptions Begin With Jan. 1983 Issue.
80 Micro • Box 981 • Farmingdale, NY 11737

62NR8



Send Tape-Disk into higher memory.

TDRELO

Barry Kornfeld
190 Waverly Place
New York, NY 10014

Being an incurable machine language patcher, I have oft bemoaned the lack of a utility to do a simple save from memory to disk, down in the 5200H range, where so much important software—Scripsit and Visicalc—resides.

I usually use Tape-Disk for dumps but it won't save anything below 5400H (that's where

Tape-Disk lives and works). The TRSDOS/NEWDOS 2.1 Dump command is useless; it won't save anything below 7000H and the syntax is next to impossible to type correctly.

NEWDOS 80's Dump command solves all of those problems, but one can't always work in NEWDOS 80, and not everyone owns it.

Superzap is great for little modifications, but tedious for longer patches. Plus, you'll have extra work counting bytes, updating directories and such.

In response to those frustrations I wrote TDRELO to relocate Tape-Disk into higher memory. I can now write patches on Editor/Assembler, load the main program and the patch into

memory and save the whole thing as one big file—with the disk operating system counting all of the bytes and updating the directory.

Only 70 Bytes

TDRELO is a scant 70 bytes that can be quickly assembled with EDTASM or via a Basic POKE program.

If you are using EDTASM:

- Type the source code, assemble and save as a disk file.

- Exit to DOS and LOAD TAPEDISK/CMD.

- RUN TDRELO.

- When the Tape-Disk prompt comes up on the screen enter:

F filespec/CMD:0 B200 B3F1 B200

Locating Tape-Disk at B200H is adequate for all my needs (so far) and works for both 32K and 48K systems. But you can relocate Tape-Disk elsewhere by simply changing line 700 to:

NEWADR EQU 0NNH

and readjusting the save addresses. Enter a new start address: NN00; a new end address: NN00 + 01F1H; and a new execution address: NN00.

NN equals the starting location "page." For example 0E0H relocates Tape-Disk to E000H. The response to the Tape-Disk prompt is:

NB: NN should not be less than 55 or more than FD.

The Basic Version

If you feel more comfortable in Basic, try this POKE program:

- Go into Basic with your memory size at 28670.

- Type and execute the program.

- CMD"S" or reboot to get back to DOS.

- Run Tape-Disk and answer the Tape-Disk prompt with:

F TDRELO/CMD:0 7000 7045 7000

- Exit Tape-Disk with the E command or hit the reset button.

- Follow the last two steps in the EDTASM instructions.

To relocate Tape-Disk elsewhere with the Basic program follow the relocation directions given after the EDTASM instructions. Note, however, that NN in the Basic program is the data item in line 60 entered in decimal. Disk Basic doesn't seem to like &H DATA items.

Also note that NN should be between 84 (54H) and 253 (0FDH), but cannot be 111 (6FH) or 112 (70H). ■

Program Listing 1. Machine-language program to relocate Tape-Disk

```

00100 ; LISTING # 1
00200 ; TDRELO: A PROGRAM TO RELOCATE TAPEDISK
00300 ; BY BARRY KORNFELD
00400 ;
00500 ;*****
*
00600 ;
00B2 00700 NEWADR EQU 0B2H
00800 ;

00900 ; NEWADR = THE MSB OF THE RELOCATION ADDRESS
01000 ; (THE LSB IS ALWAYS 00)
01100 ;AS GIVEN ABOVE THE NEW START ADDRESS WILL B
E 0B200H
ATE AT
ON 5404H

01200 ; CHANGE THIS EQU BEFORE ASSEMBLY TO RELOC
01300 ; THE ADDRESS OF YOUR CHOICE.
01400 ;OR BY USING A MONITOR TO EDIT MEMORY LOCATI
01500 ; MINIMUM MSB = 55H, MAXIMUM = 0FDH
01600 ;
01700 ;*****
*
```

Program Listing 1 Continues

F filespec/CMD:0 E000 E1F1 E000

The Key Box

Disk Basic
32K RAM

```

01800 ;
01900 ;CALCULATE NEW ADDRESS, OFFSET, AND RELOCATE

THE CODE
02000 ;
5400 02100 ORG 5400H
5400 31FC41 02200 START LD SP,41FCH ;SET STACK
5403 3EB2 02300 LD A,NEWADR ;MSB OF NEW ADDRESS
5405 D652 02400 SUB 52H ;CALCULATE OFFSET
5407 67 02500 LD H,A ;FULL OFFSET IN HL
5408 2E00 02600 LD L,00
540A E5 02700 PUSH HL ;SAVE IT
540B 110052 02800 LD DE,5200H ;ORIG. TAPEDISK STAR
T ADDRESS
540E 19 02900 ADD HL,DE ;NEW START ADDRESS I
N HL
540F E5 03000 PUSH HL ;SAVE IT
5410 EB 03100 EX DE,HL ;SWAP TO SETUP LDIR
5411 01F201 03200 LD BC,01F2H ;# OF BYTES IN TAPED
ISK
5414 EDB0 03300 LDIR ;RELOCATE TAPEDISK!!
!
03400 ;
03500 ;*****
03600 ;
03700 ;CORRECT FOR CALLS AND JPS
03800 ;
03900 ;
5416 E1 04000 POP HL ;GET NEW START ADDR.
5417 D1 04100 POP DE ;GET OFFSET
5418 01D001 04200 LD BC,1D0H ;# OF BYTES TO CHECK
541B C5 04300 PUSH BC ;AND SAVE THEM ALL F
OR
541C D5 04400 PUSH DE ; SECOND PASS
541D E5 04500 PUSH HL
541E 3E52 04600 LD A,52H ;CORRECT 5200H PAGE
5420 CD3754 04700 CALL RAISER ; DO IT!
5423 E1 04800 POP HL ;GET NEW START ADDRE
SS
5424 D1 04900 POP DE ; AND OFFSET
5425 C1 05000 POP BC ; AND # OF BYTES
5426 D5 05100 PUSH DE ;RESAVE OFFSET
5427 3E53 05200 LD A,53H ;CORRECT 5300H PAGE
5429 CD3754 05300 CALL RAISER ; DO IT!
05400 ;*****
05500 ;
05600 ;RESTORE 52H AT ORIGINAL MEM LOCATION 527EH
05700 ;
05800 ;
05900 ;
542C D1 06000 POP DE ;GET OFFSET
542D 217E52 06100 LD HL,527EH ;ORIG MEM LOC TO BE
RESTORED
5430 19 06200 ADD HL,DE ;NEW MEM LOCATION
5431 3E52 06300 LD A,52H ;PUT IT IN
5433 77 06400 LD (HL),A
5434 C30052 06500 JP 5200H ;JUMP TO TAPEDISK
06600 ;
06700 ;USE TAPEDISK 'F' COMMAND TO SAVE RELOCATED
TAPEDISK
06800 ;END ADDRESS = START ADDRESS + 01F1H
06900 ;EXECUTION ADDRESS = START ADDRESS
07000 ;FOR 'NEWADR EQU 0B2H' AS GIVEN IN LINE 0080
0
07100 ;
07200 ;*****
07300 ;
07400 ;SUBROUTINE TO CORRECT FOR NON-RELOCATABLE C
ALLS & JPS
07500 ;
07600 RAISER CPI ;IS IT 52H OR 53H
5437 EDAL 07700 JR Z,RAISIT ;YES? GO!
5439 2803 07800 RET PO ;DONE? RETURN
543B E0 07900 JR RAISER ;ELSE TRY NEXT BYTE
543C 18F9 08000 PUSH AF ;SAVE BYTE
543E F5 08100 ADD A,D ;ADD MSB OF OFFSET T
543F 82 08200 DEC HL ;GET MEM LOCATION TO
O MSB OF ADDR
5440 2B 08300 LD (HL),A ;PUT IN CORRECTED BY
BE CORRECTED
5441 77 08400 INC HL ;RESTORE HL
TE
5442 23 08500 POP AF ;GET BYTE
5443 F1 08600 JR RAISER ;TRY NEXT BYTE
5444 18F1 08700 END START
5400 08800 TOTAL ERRORS
00000

```

TRS-80 MODELS I OR III, 32K, 1 DISK DRIVE

Your personal money manager, DOUGHFLO!

Doughflo is a complete accounting system that grows as you need it —

FEATURING:

- ✓ Excellent for use as a general ledger, tax preparation system, or accounts payable system.
- ✓ Reports which compare totals from up to 24 months. Automatically form income and expense averages, and budgets.
- ✓ Interactive checkbook balancing while expenses are being entered. Complete check-writing logic customized to your own checks.
- ✓ Versatile report generator searches and lists all totals and balances.
- ✓ User friendly documentation — includes sample data ready to run.

Pay your bills, and gain valuable insight. Create a complete financial database for your home or office... **\$79.95 complete.** Demonstration disk available for \$12.00 postpaid. to be put towards future purchase. For more information check reader service number. Specify Model I or III.

112

"A Perfect Clod Every Time"*

*From a review in September-October 1980
Elementary Electronics Reprints available



TRS-80 TAPE DIGITIZER ► \$49.95!

At last there is a cure for TRS-80 tape clodding blues! For over three years, Alphanetics has been selling the TRS-80 Tape Digitizer, a proven hardware solution for your software problems. No longer need you juggle the recorder's volume control endlessly, trying for a perfect clod of a pre-recorded program. Just pop the tape into the cassette recorder, process the signal through our digitizer, and you're ready to RUN a perfect load!

Just check out the Tape Digitizer's features...

- ✓ Makes tape program loading virtually independent of volume control setting.
- ✓ Allows copying system and normal tapes without using computer.
- ✓ Makes a perfect digital copy of any tape without using computer, removing hum, noise, and cures minor dropouts.
- ✓ Cassette switch allows manual control of cassette recorder, independent of computer control.
- ✓ "GOOD DATA" indicator easily enables setting proper volume... doubles as a tape monitor.
- ✓ A.C. powered — no batteries to replace.
- ✓ Housed in a sturdy, attractive metal case.
- ✓ Completely compatible with Level I & II, also LOW speed (500 baud) Model III.

Feed your cassette to the Alphanetics Tape Digitizer and feed your computer the exact digital waveform the TRS-80 gave your tape. Get rid of your tape bugs today — \$49.95 postpaid to continental North America, or return within 10 days for a full refund!

113

We welcome Visa or MasterCard.

alphanetics

Box 597, Forestville, CA 95436
24 hr. phone (707) 887-7237

```

4 REM * LISTING # 2
5 REM * TDRELO: BASIC POKE PROGRAM
6 REM * BY BARRY KORNFIELD
10 FOR X=&H7000 TO &H7045
20 READ Y
30 POKE X,Y
40 NEXT
50 DATA 49,252,65,62
55 REM * THE FOLLOWING DATA ITEM '17B' = 0B2h
56 REM * CHANGE TO RELOCATE TAPEDISK ELSEWHERE.
60 DATA 17B
70 DATA 214,82,103,46,0,229,17,0,82,25,229,235,1,242,1,237
80 DATA 176,225,209,1,208,1,197,213,229,62,82,205,55,112
90 DATA 225,209,193,213,62,83,205,55,112,209,33,126,82,25
100 DATA 62,82,119,195,0,82,237,161,40,3,224,24,249,245,130,43
110 DATA 119,35,241,24,241

```

Program Listing 2. TDRELO, the Basic version

Hit a bull's-eye with this polynomial factoring program.

Algebraic Archery

Michael A. Duffin
1507 East Avenue
Berwyn, IL 60402

It has always disturbed me that the computer is useless for algebraic applications. My Level II TRS-80 can add, subtract, multiply, divide and determine certain trigonometric identities; when it comes to factoring a simple polynomial the computer knows zip.

The program in Listing 1 presents a student with a polynomial to factor. It gives five chances to answer correctly. If the student fails, the program tells the correct answer and shows how to determine it.

Polynomial Lingo

A variable is a character representing a number or a group of numbers (X, Y or A, for example). A term is a combination of variables and numbers. Terms are separated by plus or minus signs. An example of the type of polynomial factored by this program is $X^2 + 7X + 10$.

The Key Box

Basic Level II
Model I or II
16K RAM

A..... Random Number
B..... Random Number
X..... The sum of A and B
Y..... Product of A and B
AS..... One possible answer to the problem
BS..... Alternate answer to problem
CS..... User's answer
SAS... Sign in front of X (+ or -)
SBS... Sign in front of Y (+ or -)
ZS..... Problem presented by computer

Table 1. Algebra Variables

To factor, you must find two polynomials which when multiplied together equal the polynomial given. The answer to the problem above is $(X + 5)(X + 2)$.

To check the answer, multiply $(X + 5)$ times $(X + 2)$. Do this by multiplying X times $(X + 2)$ and 5 times $(X + 2)$, and add the results. The following details the steps:

$$\begin{aligned}(X + 5)(X + 2) &= \\X(X + 2) + 5(X + 2) &= \\X^2 + 2X + 5X + 10 &= \\X^2 + 7X + 10 &\end{aligned}$$

Now that we see how factoring works are there any tricks to make programming it any easier? Look at the problem and answer again.

Problem	$X^2 + 7X + 10$
Answer	$(X + 5)(X + 2)$

The middle number in the problem (here, 7) is always the sum of the numbers in the answer ($5 + 2 = 7$). The coefficient of the third term (here, 10) is always the product of these numbers ($5 * 2 = 10$).

The Program

My program selects two random numbers, A and B. It determines their sum (the variable X) and their product (the variable Y). Then it uses these two numbers to present the problem (Z\$). The person running the program has to determine the factors.

The 10 program variables are described in Table 1. The subroutine between lines 1000 and 1030 determines the random numbers in the problem and the sign used with each number. The subroutine also builds the problem and stores it in the variable Z\$.

STR\$ places the numeric values X and Y within the string. If the STR\$ instruction is not used, a Type Mismatch (TM) error occurs. Thus, this line takes the characters "X² + ", the value of the number X, the characters "X + " and the value of the

number Y (the product of A and B) and puts them together (concatenates them). If A is 3 and B is 2, $X^2 + 5X + 6$ appears on the screen when Z\$ is printed (see line 120).

The subroutine at lines 2000-2020 sets the strings B\$ and A\$ to the acceptable answers. In our example the values of these variables would be $(X + 3)(X + 2)$ or $(X + 2)(X + 3)$.

The user must place a blank before the numeric part of each answer because the STR\$ instruction reserves a position for the sign of the number.

The routine between lines 4000 and 4060 informs the student of the possible correct answers and tells how that answer was derived.

The subroutine in lines 3000-3020 gives the student time to read the answer and study it if necessary. Line 3010 loops to itself until a key is pressed. The INKEY\$ instruction in this line allows input from the keyboard while the program is running.

Although this program teaches a person to factor rudimentary polynomial equations, it suffers the same ailment as many mathematical applications: It is boring.

Archery Game

I assigned my data processing class to develop a game or educational application on the TRS-80. The hardest thing about this assignment is generating an idea. One of my students came up with the program in Listing 2, Archery Game.

The player fires an arrow at a target. Up to 20 individuals may play; a player with over 200 points wins. The amount of points scored is determined by the level of play.

Look at the variables listed in Table 2. They are grouped according to their functions.

Line 19 sets up the initial values to start the graphics. Lines 20 and 40-90 explain how the game works. Line 100 sets up the maximum number of elements for the array with the DIM instruction. This line also initializes some variables used in the program.

The maximum number of players is ob-

"... when it comes to factoring a simple polynomial the computer knows zip."

tained by the Input instruction in line 110 (variable N). Lines 120-140 ask for each player's name and store it in the array A\$ indexed by the variable I.

An array is a storage area. It contains multiple elements (pieces of data or groups of numbers) identified by one variable name and a subscript or index. We could choose different variables for each player's name, such as NAME1, NAME2, NAME3, NAME4. By specifying A\$(I) and changing the value of I we can store all the names and refer to only one variable (A\$). In our case, we identify a person's name and score with the same index number. Thus, S(1) is the score of the person whose name is A\$(1).

The For...Next loop starting at line 160 and ending at line 312 contains the body of the program. The variable QQ points to the array elements of the current player. Look at line 300 to determine what this really means.

```
300 S(QQ)=S(QQ)+B:PRINT "TOTAL SCORE FOR
    "A$(4)" = "S(4)
```

In this line a player's score is incremented by the value of B. For the fourth player this line would read:

```
300 S(4)=S(4)+B:PRINT "TOTAL SCORE FOR "A$(4)"
    = "S(4)
```

Only the fourth player's score is incremented and only his or her name is printed.

At line 181 of the For...Next loop we enter two subroutines. GOSUB 22 prints the target, the bow and the arrow; GOSUB 501 moves the arrow.

The remainder of this For...Next loop is arranged sequentially. Line 165 prints 30 blanks at the top of the screen. This erases the line previously starting at screen position zero. Line 170 identifies the player whose turn it is and asks what type of throw is wanted (1, 2 or 3). Line 180 makes sure 1, 2 or 3 was entered and line 181 goes to the subroutines to construct the graphics.

The routine in lines 190-280 determines the number of points scored. The player who

enters number 1 has only a 50-50 chance of getting any score. This player stands a better chance of getting a bullseye, however. The player who enters number 2 has a 99 percent chance of getting some score and the player who enters number 3 has a 95 percent chance of scoring.

Line 300 increments the player's score. Line 310 checks to see if we have a winner and line 320 starts the routine over for the next player.

Once the For...Next loop is complete lines 320 and 325 increment the round number and print it. Then lines 330 and 335 determine if we have a winner. If there is no winner yet, the For...Next loop starts again. If we have a winner final messages print.

Algebraic Archery

In the first part of this article I talked about a program to factor simple polynomial equations. In the second part a number of players were able to try their luck at hitting a target with a bow and arrow. As different as these programs are, they suffer from a similar problem. After a short time they become very dull. Next I combined the two games.

First, I renumbered the Algebra game starting with line 600 and incrementing it by 100 with Radio Shack's RENUM package. I stored the renumbered program on tape using the CSAVE command.

I restored my system to its original status (power off-power on). I then loaded the Archery program into the system using the CLOAD command.

To store two programs in the machine at once, CLOAD the first program and then enter the following instructions:

```
PRINT PEEK (16633),PEEK(16634)
```

The resulting values on my machine for the Archery game were 168 and 78. Subtract 20 from the first value and enter the following POKE instructions.

```
POKE 16548,166 :POKE 16549,78
```

W, Q, O, X, Y, Z..... Used in the POKE instructions and the For...Next loops that graphically display the Target, Bow and Arrow and the Arrow's movement
A\$..... An array containing the names of up to 20 players
S..... An array containing each player's score
I, QQ..... Indices used in the above arrays
B..... Score received by a player in a particular round
M..... Switch set when a player has scored over 200 points (M = 1)
T..... Type of shot (1, 2 or 3)
U..... Shorthand for the expression RND(100)/100
P1, P2, P3, P4..... Predetermined values depending on the value of T selected. These are used with the random number U to determine the score of the player
R..... The round being played

Table 2. Archery Variables

Most Disk-Directories show only the filespecs plus some hard-to-understand superfluous information. Our

DISK-MENU & DIRECTORY

DISPLAYS DETAILED DESCRIPTION
OF EACH PROGRAM

ON A DISKETTE,

filespec and date of creation.

SELECT & RUN PROGRAMS

INSTANTLY.


(For Model I/III, all systems)

\$29⁹⁵ + 1⁵⁰ shipping & handling

**INTERNATIONAL
COMPUTER PRODUCTS**

346 NO. WESTERN AVE.

LOS ANGELES, CALIF. 90004



dadsgame
SUPER GRAPHICS SOUND

NOT JUST ANOTHER SHOOT 'EM DOWN GAME, DADSGAME REQUIRES SOME DECISION MAKING. EXPLORE 33 DIFFERENT STARS WITH OVER 100 PLANETS. ENCOUNTER THE LASER EYED DRAGON. THE ZOOTING WITCH. SPACE DEMONS AND MUCH MORE! DEFEAT THE ROBOT SHIPS OF THE WICKED OR STRANGLER. BUT WATCH OUT FOR THOSE DEADLY EXORZAP MISSILES! TOO LATE! YOU'VE JUST TAKEN A HIT! THE ENTIRE SHIP IS SHAKING AND YOU'RE ALMOST OUT OF ENERGY. YOU'RE GOT TO MAKE IT TO A FRANKLY PLANET. ONLY ONE THING TO DO NOW. YOU'VE GOT TO BLOW UP THE HOSTILE PLANET TO ESCAPE. STILL AHEAD LIE THE MYSTERY BLOCKS. THE ZOOTING WITCH. SPACE FORTRESS AND THE ENERGY MAZE. CAN YOU MAKE IT THROUGH? THE DECISION IS YOURS. FIND OUT BY SENDING FOR DADSGAME.

FOR MODEL I AND III TRS-80

15K TAPE.....\$14.95 post paid
32K DISK.....\$19.95 post paid

BE SURE TO INCLUDE MODEL AND WHETHER FOR DISK OR TAPE.
VISA ACCEPTED - BUT REMEMBER TO INCLUDE EXPIRATION DATE.

SEND ORDER TO: KATAHDIN SOFTWARE
35 W. BROADWAY
LINCOLN, MAINE 04457

Software from the Kat Dealer inquiries welcomed

DECIPHER



the
finest dis-
assembler available, with "load
registers" before jump, search,
insert & much more.
for TRS-80 Mode II w/64k' \$48

ALDEVCO (513) 561-7671
5725 Dragon Way
Cincinnati, Ohio 45227

TRS-80™ MODEL III TRSDOS™ 1.3 Users

Super-DIR 1.3

SDIR a directory maintenance and display program enhancing present commands and allows unlimited access to your disk and disk files. Not recommended for those who need to be protected from themselves.

Among its many features:

- SDIR run under TRSDOS 1.3.
- SDIR abbreviated (horizontal or vertical) or super expanded listing with scrolling.
- SDIR graphic diskette map with areas marked by file type.
- SDIR map showing location of any file.
- SDIR single stroke commands.
- SDIR list files a granule at a time.
- SDIR sort by name, extension, size, starting location or back as it was.
- SDIR rearrange order for special needs.
- SDIR most modifications either temporary or permanent.
- SDIR create, kill, rename, change attributes or reposition files.
- SDIR reduce number of extents, speed up direct file handling.
- SDIR change any byte on disk.
- SDIR pack out holes in disk space.

Comes complete with manual which also describes the directory. How to add your name to boot message, substitute SDIR for DIR, backup protect your files like Scripsit™ and many many more.

Price \$59.95. Send check or money order to:

SMS Products ✓ 499
1117 32nd. Ave, SE Albany, OR 97321

™ trademark of TANDY CORP.

"... this program ... suffers the same ailment as many mathematical applications: It is boring."

The POKE instructions change the starting address where the second program is loaded. If the value from PEEK(16633) is less than two, subtract one from the second value and add 256 to the first.

Now CLOAD the second program. Restore the pointers to their original locations with the following instructions:

POKE 16548,233 :POKE 16549,66

The archery program existed at lines 10-511 and the Algebra program existed between lines 600 and 3200. The programs in my machine were still independent of one another.

Final Product

A player is required to factor a polynomial. If the answer is correct, an arrow fires at a target. The number of points scored is determined by the number of tries it takes to factor the problem correctly. Up to 20 individuals may play; the first player to score over 200 points wins.

A few program modifications make the contest more interesting. During the first round each player gets only one chance to answer the problem correctly. Thus, a

player receives zero or 50 points. During subsequent rounds, the player with the highest number of points receives only one chance to factor the problem correctly. All other players receive up to five chances to answer the problem.

I made modifications to the games to make them work in this manner. Lines 40-70 in Archery-Algebra direct you to the new instructions for this game.

Notice that line 70 is only a REM instruction. When I modify programs I find it beneficial to put in dummy lines. When modifying programs unfamiliar to you, avoid a UL (Undefined Line) error by replacing deleted lines with a REM. The dummy REM statement allows you to insert lines of code at the start of a GOSUB or GOTO routine which were not identified when the GOTO or GOSUB statement was written.

The next group of instructions modified appears between lines 164 and 180. Line 164 sends us to a subroutine starting at line 4000. This routine erases only the top half of the screen. Thus, it is unnecessary to redraw the target and the bow each time. The PRINT@ writes an entire line of blanks. The POKE instruction would have required POKEing each screen position.

TRS-80 Model III/I

WOBOS™ I

WEATHER OPERATIONS

Basic Operating System

WOBOS I is a menu driven, prestructured program in BASIC that provides access to over 30 utility functions during development or actual use of a program. Its unique layout allows you to develop your programs within a well organized environment that provides a very strong foundation to build upon. You always had to start from scratch before but now, after loading WOBOS I, you'll start with over 11K of subroutines and system utilities. Imagine what this can do for your productivity! WOBOS I is not an accessory to your program. It actually becomes YOUR program!



WOBOS I for Model III BASIC		03/01/82 12:34:56	
PROGRAM	MENU	UTILITIES	
1	Your Program A	11	Data List
2	B	22	Sort
3	C	33	Renummer
4	D	44	Append
5	E	55	Memory Dump
6	Graphics Synthesis	66 Map
7	Special characters 0-31	77 Size
8	91-127	88	New Data Entry
9	192-255	99	Device I/O

- * It will add multifrequency SOUND to your TRS-80
- * It will standardize your writing and save you many hours of debugging and rewriting utility functions.
- * It will help you structure YOUR OWN programs.

"Once you've used it, you'll never write another program without it!"

Model	III	I
BASIC MODEL III	DISK	LEVEL II DISK
P-N	CC1021 CD1031	CC1022 CD1032
DEMO	CC1041	CC1042

DEMO TAPE: \$10 FULLY REFUNDABLE.
ON QUALITY CASSETTE & MANUAL

ORDER PHONE (503) 649-4526   ONLY \$35

SEND CHECK, MONEY ORDER OR NUMBER AND EXPIRATION DATE OF YOUR CREDIT CARD TO:

WEATHER OPERATIONS ✓ 179

6640 SW 173 AVENUE, BEAVERTON, OREGON 97007

Dedicated to Excellence since 1976

• TRS-80 is a TM of TANDY CORP.

```

2 REM*****
4 REM*
6 REM*      ALGEBRA-----FACTORING SIMPLE POLYNOMIALS
7 REM*
8 REM*      BY MICHAEL A. DUFFIN
9 REM*
10 REM*      MORTON COLLEGE-----CICERO, ILL.
12 REM*
14 REM*****
90 CLS: CLEAR 100: D=1
100 PRINT "FACTOR THE FOLLOWING PROBLEM"
110 GOSUB 1000
120 PRINT Z$
130 GOSUB 2000
140 INPUT "WHAT IS THE ANSWER "; C$
142 IF D>=5 THEN GOTO 4000
150 IF C$=A$ OR C$=B$ THEN PRINT "THATS RIGHT !!": GOSUB 3000: GOTO 10
160 ELSE PRINT "TRY AGAIN ": D=D+1: GOTO 140
1000 A=RND(5)+1: B=RND(5)+1
1002 IF RND(2)=1 THEN A=-A: S1$="-" ELSE S1$="+"
1004 IF RND(2)=1 THEN B=-B: S2$="-" ELSE S2$="+"
1010 X=A+B: Y=A*B
1020 Z$="X^2 + "+STR$(X)+"X + "+STR$(Y)
1030 RETURN
2000 B$="(X"+S1$+STR$(ABS(A))+") (X"+S2$+STR$(ABS(B))+")"
2010 A$="(X"+S1$+STR$(ABS(B))+") (X"+S1$+STR$(ABS(A))+")"
2020 RETURN
3000 PRINT "PRESS ANY KEY TO CONTINUE."
3010 IF INKEY$="" THEN GOTO 3010
3020 RETURN
4000 CLS: PRINT "THE FACTORS OF "Z$
4010 PRINT "ARE EITHER "B$" OR "A$"
4020 PRINT "AS YOU CAN SEE"
4030 PRINT "THE SUM OF "STR$(A)" AND "STR$(B)" IS "STR$(X)
4040 PRINT "AND THE PRODUCT OF "STR$(A)" AND "STR$(B)" IS "STR$(Y)
4050 GOSUB 3000
4060 GOTO 10
  
```

Program Listing 1

TAKE THE NEXT STEP IN MICRO COMPUTER EVOLUTION..... PUT THE LANGUAGE OF THE FUTURE ON YOUR COMPUTER TODAY.

Let ALCOR Pascal transform your computer into a truly professional development system.
No other language system offers as much power, efficiency, and versatility.

EASY TO LEARN

Alcor Pascal is easy to learn. It comes with a 250 page documentation package which includes a 100 page tutorial that introduces Pascal to the beginning programmer.

Also included in the language are many of the string functions that are familiar to Basic programmers.

SPEED

Important to many users is the fact that Alcor Pascal programs execute between 10-20 times faster than interpreted Basic programs.

ALCOR SYSTEMS SUPPORT

Alcor Systems stands behind its products with a free one year service contract that includes upgrades to new Alcor Pascal releases for a nominal fee. Also included free is a one year subscription to the Alcor Pascal Newsletter. Programs may be developed for resale that execute like stand alone machine language programs. (Absolutely no licensing fees)

COMPATIBLE COMPUTERS AND OPERATING SYSTEMS

48K memory / One disk drive Single or Double Density
(Two Drives Recommended)

TRS Model I

Trsdos 2.3, Ldos 5.1, Newdos 2.0, Dosplus 3.3, 3.4

TRS80 Model III

Trsdos 1.3, Ldos 5.1, Newdos 2.0, Dosplus 3.3, 3.4

Osborne - I CP/M

Apple II CP/M (Z-80 softcard)

Other Z-80 CP/M based systems (8" drives)

Pascal Features

A complete Jensen and Wirth Standard Pascal
Produces compact efficient code that executes 10-20 times faster than interpreted BASIC
Can compile large programs (4000 lines +)
Fast one pass compiler
Simple commands for compiling and running programs
Supports separate compilation of procedures and functions
Compiler switch options, including conditional compilation
Full heap support including NEW and DISPOSE procedures that perform true heap allocation.
Complete implementation of sets with up to 256 members.
Variant records are fully supported
Supports single and double precision REAL
Files are compatible with TRSDOS

250 Page Documentation Pkg.

Beginner's guide
Pascal Tutorial with 500 line Data Base program (source supplied on diskette)
Pascal Reference Manual
System Implementation Manual
Text Editor Manual
Handy System Reference Card
Cross reference index for documentation package

The Best of Both Worlds

Pseudocode (Pcode) for compactness
Allows large programs in small memory space (8500 line + programs can execute in 48k)
Native code for speed
Optional code generator produces Z80 instructions
Z80 code can be mixed with Pcode

Extensions

OTHERWISE clause on case statements
Identifiers may contain '\$' and '-' characters
Automatic type conversion in arithmetic expressions and assignment statements
Constants may be expressed in decimal or hexadecimal
Characters within strings may be specified by ascii code
Allows non-printable characters in strings
Type transfer operator to override type matching
ESCAPE allows exit from anywhere in a procedure
LOCATION function returns the address of a variable
SIZE function returns the amount of memory for a variable

Full Screen Text Editor

Included with Pascal
No limit on file size (except disk capacity)

Optional Advanced Development Pkg.

Pcode optimizer
Reduces the size of a program by 25-30%
Increases execution speed
Z80 native code generator
Produces relocatable, reentrant native code for the Z80
Native code executes 3-5 times faster than Pcode
Native code can be mixed with Pcode to provide speed where required and still benefit from the compactness of Pcode

Linking Loader

Links separately compiled routines - Supports procedure and function libraries - Can create command files


trademark
TRS-80 Tandy Corporation
CP/M Digital Research, Inc.
Z80 Zilog, Inc.
APPLE II Apple Computer, Inc.
OSBORNE I Osborne Computer Corp.
ALCOR PASCAL Alcor Systems

DEALER
INQUIRIES
INVITED

ALCOR SYSTEMS

800 W. Garland Avenue, #100 • Garland, Texas 75040
For immediate service call (214) 226-4476

✓75



EXPAND YOUR HORIZONS WITH ALCOR PASCAL

THE FIRST IN OUR LANGUAGE SERIES

TRS-80*

SAVE A BUNDLE

When you buy your
TRS-80™ equipment!

Use our toll free number to
check our price before you buy
a TRS-80™ . . . anywhere!

TRS-80 is a trademark of the Radio Shack Division of Tandy Corporation.

Don't delay . . . CALL TODAY



✓189

SALES COMPANY

704 West Michigan

P.O. BOX 8098 PENSACOLA FL 32505

904/438-6507

nationwide 1-800-874-1551

"The programs in my machine were still independent of one another."

Line 172 sets T equal to six during the first round. Each player has only one chance to answer a problem during the first round. Line 175 performs a similar function. The player with the high score is allowed only one chance to answer a problem.

Line 180 sends us to the Algebra program, now a subroutine of the Archery program. The major differences in the Algebra subroutine exist between lines 1020 and 1390. Note the relationship between the variables T and D. The Algebra subroutine uses D as the number of tries it takes a player to answer the math problem correctly. The original Archery program used T to determine the score of the player. Since D now determines the score, lines 600 and 1390 set them equal to one another so the same value is used for both parts of the program.

There is an exception to this rule. Lines 172 and 175 set the value of T to six when a player gets only one try to answer the problem. If the player answers the problem correctly, we must make sure he or she receives the correct score. Line 1380 resets D to one.


Line 1020 in the Algebra subroutine

clears the third line of the screen of the previous incorrect answer. Lines 1100-1300 check the answer. If it is correct we exit the subroutine. If the answer is incorrect and D is less than five, the player is given another chance. If the player fails to answer within five tries, the correct answer is given and we exit the subroutine.

Lines 190-280 no longer use the variables P1-P4 of the original Archery game. Probabilities are no longer a factor. The player who answers correctly on the first try receives 50 points. If it takes two tries the player receives 40 points, and so on.

That covers the differences in the three games. This might make algebra more interesting to 6th and 7th graders. If anyone uses this program or a modification of it in a grammar school or high school environment, I would like to hear about it. ■

Michael Duffin is employed full time by International Harvester as a Technical Assistant at their Broadview location. He is employed part time as a data processing instructor at Morton College and Northeastern Illinois University.



First in
Its Class
and
Looking
for
Work.

TRS-80 Model I, II, III

Five multiple regression procedures (including stepwise, backward elimination, all subset, and ridge), 24 transformations, comprehensive data base manager (with search and sort), descriptive statistics, hypothesis testing (7 tests), time series analysis (7 models), random variate generation, discrete probability distributions, sampling distributions, nonparametrics (5 tests), and complete documentation.

Complete package with manual — \$125

To order, send payment plus \$2.00 shipping and handling to:

Quant Systems

P.O. Box 628

Charleston, S.C. 29402

803-571-2825

✓194

S.C. residents add 4% sales tax
Overseas orders add \$7 for shipping

Program Listing 2

```

3 CLS
10 REM ARCHERY GAME
19 X=15360:Y=15360:Z=16173
20 PRINT@ 0, "GAME OF ARCHERY":PRINT:RANDOM
21 GOTO 40
22 POKE 16000,188:FOR W=16001 TO 16012:POKE W,140:NEXT W:POKE 16
013,188
23 POKE 16064,191:POKE 16067,131:POKE 16074,131:POKE 16075,191:P
OKE 16077,191:FOR V=16068 TO 16073:POKE V,179:NEXT V:POKE 16066,
191
24 POKE 16128,191:POKE 16130,191:POKE 16132,191:POKE 16134,188:P
OKE 16135,188:POKE 16137,191:POKE 16139,191:POKE 16141,191
25 POKE 16192,191:POKE 16194,191:POKE 16196,143:FOR Q=16197 TO 1
6200:POKE Q,140:NEXT Q:POKE 16201,143:POKE 16203,191:POKE 16205,
191
26 POKE 16256,191:POKE 16257,176:FOR O=16258 TO 16267:POKE O,179
:NEXT O:POKE 16268,176:POKE 16269,191
27 Y=15360
28 POKE Y+692,188:POKE Y+691,176:POKE Y+755,131:POKE Y+754,143:P
OKE Y+753,188:POKE Y+752,176:POKE Y+816,131:POKE Y+815,191:POKEY
+879,131:POKE Y+880,143:POKE Y+881,188:POKE Y+882,176:POKE Y+946
,131:POKE Y+947,143:POKE Y+948,188
29 POKE Y+693,148:POKE Y+757,149:POKE Y+821,149:POKE Y+885,149:P
OKE Y+949,149
30 Z=16173
31 POKE Z,140:POKE Z+1,140:POKE Z+3,140:POKE Z+4,140:POKE Z+5,14
0:POKE Z+6,140:POKE Z+7,140
35 RETURN
40 PRINT "IN THIS GAME, UP TO 20 PLAYERS SHOOT ARROWS AT A TARGE
T."
50 PRINT "WITH 10,20,30,AND 40 POINT ZONES,THE OBJECT IS TO GET
200 POINTS."
60 PRINT "THROW","DESCRIPTION","PROBABLE SCORE"
70 PRINT"1","FAST SPEED SHOT","BULLSEYE OR COMPLETE MISS"
80 PRINT"2","MID SPEED SHOT","10,20,OR 30 POINTS"
90 PRINT"3","SLOW SPEED SHOT","ANYTHING":PRINT
100 DIM A$(20),S(20),W(10):R=0:M=0:S(I)=0:FOR I=1 TO 20
110 INPUT "HOW MANY PLAYERS":N:PRINT
115 CLS
120 FOR I=1 TO N
130 PRINT "NAME OF PLAYER" I:INPUT A$(I)
135 CLS

```

Listing 2 continues

Announcing:

LOG

ELECTRONIC NOTEBOOK

LOG Documentation	PAGE 2	08 02 81	16 04 00 P
CONTENTS			
Cursor positioning commands	pages 3-4		
Page positioning commands	pages 5-7		
Write commands	pages 8-11		
Lineprinter commands	page 12		
Special commands	pages 13, 14		
Search command	pages 15-20		
New page creation	page 21		
Entry options	pages 22-26		
Exit	page 27		
Technical Information	pages 28-33		
Suggestions for use	pages 34-37		

continue to next page

A totally new concept in small-scale information management for the TRS-80 (R). LOG is an assembly language utility which fills the gap between text editors and data base managers to provide a true free-form information storage and retrieval system with unheard-of ease of operation.

LOG-CMD creates on a formatted diskette a LOG file from 1 to 170 pages long, each page containing 1 full screen of information. Pages are accessed individually or sequentially, as if thumbing through a book. Information is added, updated, or deleted from each page in free form by an integral cursor-oriented text editor. Each diskette becomes a separate organized notebook to use and re-use as you please.

Insert, Delete, Tab, Clear, and full cursor positioning are supported, as well as blinking cursor and auto-repeat. All functions operate with the ease of a single keystroke including Global Search. Output to printer is provided. LOG can even be accessed from BASIC without loss of program.

Why, when you own a computer, do you still keep records by hand? Throw away your pencil and paper! Use your computer as you never dreamed of before!

Model I	32 or 48K	\$44.95	(uppercase only)
Model III	32 or 48K	\$49.95	(uppercase/lowercase)

(minimum system: 32K, 2 disk drives,
DOS 2.3 (I) or 1.3 (III) required)

Write or Call for further information:


KSoft
318 Lakeside Drive
Brandon, MS 39042

(601) 992-2239

MasterCard and Visa accepted.
MS Residents pay 5% sales tax.
We pay shipping and handling.

(TRS-80 is a trademark of Tandy Corporation)

✓331



- DISK VERSION TALKS!
- Model I or Model III
- Disk saves hi-scores
- Keeps top ten scores
- Fast action graphics
- Joystick compatible
- Machine Language
- Extensive sound
- Self-booting disk

80/2 INVADERS

The best Invaders type game yet. You have played the rest, now try out the best. Endless hordes of invaders try to overtake your base station. You must save earth from alien destruction.

Quick, shoot the mystery ship and see if you can get a 300 point bonus! Many other bonuses are also included throughout the entire program.

16K Tape \$14.95 48K Disk \$18.95

Send check or money order to:

Banana Soft


The company with A-Peal
1601 Wildwood Drive Fallston Md. 21047
(301) 879-8149

Specify Model I or Model III
Add \$2.00 for shipping and handling charges
Add \$3.25 if outside of the United States
Maryland residents add 5% for sales tax
Dealer inquiries invited

✓176


COOSOL COMPUTER PRODUCTS

PRINTERS



- EPSON MX70 \$288
- EPSON MX80 GRAFTRAX + CALL
- EPSON MX80 F/T GRAFTRAX + CALL
- EPSON MX100 GRAFTRAX + CALL
- NEC PC-8023A-C CALL
- NEC 3550 CALL
- NEC 3510, 3515, 3530 \$1695
- NEC 7710, 7715, 7730 \$2275
- NEC 7720, 7725 \$2645
- C.I.TOH 8510AP \$499 • 8510ACD \$616
- C.I.TOH 1541S—P \$769 • 1541SRE \$839
- C.I.TOH F10-40PU \$1395 • F10-40RU \$1395
- C.I.TOH F10-55PU \$1745 • F10-55RU \$1745
- OKIDATA 82A CALL • 83A CALL
- OKIDATA 84A CALL • 82A TRACTOR \$60
- TALLY MT 1602 MT 1605 \$1495
- TALLY MT 1802 MT 1805 \$1795
- DIABLO 630R132 \$2395 • 630R101 \$1749
- DIABLO 630R104 \$2395 • 630K104 \$2949
- QUME SPRINT 5 45/RO, KSR & CALL
- 55/RO, KSR
- ANADEX ADX-9500-P ADX-950-P \$1295
- SMITH-CORONA TP-1 CALL

HAYES SMART MODEM & CHRONOGRAPH



- HAYES SMARTMODEM 300 BAUD \$229
- HAYES SMARTMODEM 300 & 1200 BAUD \$599
- RS-232C COMPATIBLE
- FULL and HALF-DUPLEX OPERATION WITH BOTH
- TOUCH TONE and PULSE DIALING
- AUTO-ANSWER/DIAL/REPEAT
- COMPLETELY PROGRAMMABLE
- BUILT-IN AUTO MONITOR
- STATUS AT A GLANCE
- DIRECT-CONNECT DESIGN
- HAYES CHRONOGRAPH \$209
- NOVATION AUTO-CAT AUTO ANS \$219


Monitors

- NEC JC-1202DH RGB HIGH RES. COLOR \$799
- AMDEK COLOR-II RGB HIGH RES. COLOR \$769
- NEC PC-1201M(A) HIGH RES. GREEN \$179

Terminals

- TELEVIDEO 910 \$595, • 912 \$705
- TELEVIDEO 920 \$750, • 950 \$959
- ADDS Viewpoint A1, A2, A3, \$535

NEC COMPUTER



- Above NEC System with PC-8001A CPU/KBD, PC-8012A I/O Exp., PC-8031A Dual Disk, & JB-1201 Green Monitor \$2149
- NEC ACCESSORIES & SOFTWARE CALL


Other Computers

- EPSON HX-20 CALL
- ALTOS 8000 SERIES COMPUTERS CALL
- ALTOS 5-15D \$2299
- ALTOS 5-5D, SOFTWARE and etc CALL
- ATARI 800 48K, and 810 \$1249
- ATARI PERIPHERALS and SOFTWARE CALL
- DYNABYTE 5605-6-1 \$5999
- DYNABYTE OTHER SYSTEMS CALL
- SANYO MBC-1000 \$1639
- SANYO MBC-2000 \$2899
- SANYO MBC-3000 \$4999
- ADD-ON DISK DRIVES CALL
- SOFTWARE for the above CALL

Calif. (714) 545-2216
(800) 854-8498

COOSOL, INC. P.O. BOX 743, ANAHEIM, CALIFORNIA 92805-0743

✓105



THE KING OF UTILITIES SUPER UTILITY PLUS

*"I believe
SUPER UTILITY or
SUPER UTILITY PLUS
should be present at
every TRS-80 disk
installation."*

*We didn't say this; Paul Wiener did in 80
Microcomputing, Jan. '82...but we sure
agree with him!*

You heard about it! You read about it (80
Microcomputing). Now get the "cadillac"
at a special price!

Compatible with MOD I, and MOD III, and
all the current operating systems! Copy
files from any DOS to any DOS, MOD I or
III, without converting!

Zap
Purge
Format
Special Format
Disk Repair
Memory
File Utility
Tape Copy
Format without erase
Disk Copy
Special Disk Copy
Configurable System

MUCH MORE · Mod I & Mod III on Same Disk

For MOD I/III... \$74.95

NEW

Back up copy **NOW** included.

Also Available:

Super Utility Plus Tech. Manual... \$14.95
"Inside Super Utility Plus"..... \$19.95

POWERJOE

A Division of Breeze/QSD, Inc. ✓ 315
11500 Stemmons Fwy., Dallas, Texas 75229
To order call toll free 1-800-527-7432
For product information (214) 484-2976

Listing 2 continued

```

140 NEXT I
150 REM
160 FOR QQ=1 TO N
165 PRINT@ 0,STRING$(30," ");
170 PRINT@ 0, A$(QQ) "S THROW";:INPUT T
180 IF T<0 OR T>3 THEN PRINT "INPUT 1,2,OR 3":GOTO 170
181 GOSUB 22:GOSUB 501
190 ON T GOTO 200,210,220
200 P1=.65:P2=.55:P3=.50:P4=.50:GOTO 230
210 P1=.99:P2=.77:P3=.43:P4=.01:GOTO 230
220 P1=.95:P2=.75:P3=.45:P4=.05
230 U=RND(100)/100
240 IF U>P1 THEN PRINT"BULLSEYE!! 40 POINTS! "A$(QQ):B=40:GOTO 2
90
250 IF U>P2 THEN PRINT"30-POINT ZONE! "A$(QQ):B=30:GOTO 290
260 IF U>P3 THEN PRINT"20-POINT ZONE! "A$(QQ):B=20:GOTO 290
270 IF U>P4 THEN PRINT"10-POINT ZONE! "A$(QQ):B=10:GOTO 290
280 PRINT "HA-HA, YOU MISSED THE TARGET!! "A$(QQ):B=0
290 REM
300 S(QQ)=S(QQ)+B:PRINT "TOTAL SCORE FOR "A$(QQ)" = "S(QQ)
310 IF S(QQ)>200 THEN M=M+1:W(M)=1
312 NEXT QQ
320 R=R+1
325 PRINT "ROUND "R
330 IF M=0 THEN GOTO 150
335 IF M=1 THEN GOTO 340
340 PRINT:PRINT "WE HAVE A WINNER!!":PRINT
350 PRINT A$(W(M)) " SCORED " S(W(M)) " POINTS."
360 PRINT:PRINT A$(W(M)) " WANTS YOU TO PAY UP NOW!":END
500 GOSUB 21
501 POKE Z,32:POKE Z+1,32:POKE Z+3,32:POKE Z+4,32:POKE Z+5,32:PO
KE Z+6,32:POKE Z+7,32
502 POKE Z-7,140:POKE Z-6,140:POKE Z-5,140:POKE Z-4,140:POKE Z-3
,140:POKE Z-2,140:POKE Z-1,140
503 POKE Z-7,32:POKE Z-6,32:POKE Z-5,32:POKE Z-4,32:POKE Z-3,32:
POKE Z-2,32:POKE Z-1,32
504 POKE Z-15,140:POKE Z-14,140:POKE Z-13,140:POKE Z-12,140:POKE
Z-11,140:POKE Z-10,140:POKE Z-9,140:POKE Z-8,140
505 POKE Z-15,32:POKE Z-14,32:POKE Z-13,32:POKE Z-12,32:POKE Z-1
1,32:POKE Z-10,32:POKE Z-9,32:POKE Z-8,32
506 POKE Z-23,140:POKE Z-22,140:POKE Z-21,140:POKE Z-20,140:POKE
Z-19,140:POKE Z-18,140:POKE Z-17,140:POKE Z-16,140
507 POKE Z-23,32:POKE Z-22,32:POKE Z-21,32:POKE Z-20,32:POKE Z-1
9,32:POKE Z-18,32:POKE Z-17,32:POKE Z-16,32
508 POKE Z-31,140:POKE Z-30,140:POKE Z-29,140:POKE Z-28,140:POKE
Z-27,140:POKE Z-26,140:POKE Z-25,140:POKE Z-24,140
509 POKE Z-31,32:POKE Z-30,32:POKE Z-29,32:POKE Z-28,32:POKE Z-2
7,32:POKE Z-26,32:POKE Z-25,32:POKE Z-24,32
510 POKE Z,140:POKE Z+1,140:POKE Z+3,140:POKE Z+4,140:POKE Z+5,1
40:POKE Z+6,140:POKE Z+7,140
511 RETURN

```

Program Listing 3

```

3 CLS
5 CLEAR 1000
6 JJ$=""
10 REM ARCHERY GAME
19 X=15360:Y=15360:Z=16173
20 PRINT@ 0, "GAME OF ARCHERY":PRINT:RANDOM
21 GOTO 40
22 POKE 16000,188:FOR W=16001 TO 16012:POKE W,140:NEXT W:POKE 16
013,188
23 POKE 16064,191:POKE 16067,131:POKE 16074,131:POKE 16075,191:P
OKE 16077,191:FOR V=16068 TO 16073:POKE V,179:NEXT V:POKE 16066,
191
24 POKE 16128,191:POKE 16130,191:POKE 16132,191:POKE 16134,188:P
OKE 16135,188:POKE 16137,191:POKE 16139,191:POKE 16141,191
25 POKE 16192,191:POKE 16194,191:POKE 16196,143:FOR Q=16197 TO 1
6200:POKE Q,140:NEXT Q:POKE 16201,143:POKE 16203,191:POKE 16205,
191
26 POKE 16256,191:POKE 16257,176:FOR O=16258 TO 16267:POKE O,179
:NEXT O:POKE 16268,176:POKE 16269,191
27 Y=15360
28 POKE Y+692,188:POKE Y+691,176:POKE Y+755,131:POKE Y+754,143:P
OKE Y+753,188:POKE Y+752,176:POKE Y+816,131:POKE Y+815,191:POKEY
+879,131:POKE Y+880,143:POKE Y+881,188:POKE Y+882,176:POKE Y+946
,131:POKE Y+947,143:POKE Y+948,188
29 POKE Y+693,148:POKE Y+757,149:POKE Y+821,149:POKE Y+885,149:P
OKE Y+949,149
30 Z=16173

```


Listing 3 continues

```

31 POKE Z,140:POKE Z+1,140:POKE Z+3,140:POKE Z+4,140:POKE Z+5,14
0:POKE Z+6,140:POKE Z+7,140
35 RETURN
40 INPUT "DO YOU NEED INSTRUCTIONS ";II$
50 IF II$="NO" THEN GOTO 70
60 GOSUB 5000
70 REM
100 DIM A$(20),S(20),W(10):R=1:M=0:S(I)=0:FOR I=1 TO 20
110 INPUT "HOW MANY PLAYERS";N:PRINT
115 CLS
120 FOR I=1 TO N
130 PRINT "NAME OF PLAYER" I:INPUT A$(I)
140 NEXT I
145 GOSUB 22
150 REM
160 FOR QQ=1 TO N
164 GOSUB 4000
170 PRINT@ 0, A$(QQ) "'S PROBLEM"
172 IF R=1 THEN T=6:GOTO 180
175 IF S(QQ)=HS THEN T=6 ELSE T=1
180 GOSUB 600
181 GOSUB 501
190 ON T GOTO 230,240,250,260,270
200 GOTO 280
230 PRINT "BULLSEYE !! "A$(QQ):B=50:GOTO 290
240 PRINT "40-POINT ZONE! "A$(QQ):B=40:GOTO 290
250 PRINT "30-POINT ZONE! "A$(QQ):B=30:GOTO 290
260 PRINT "20-POINT ZONE! "A$(QQ):B=20:GOTO 290
270 PRINT "10-POINT ZONE! "A$(QQ):B=10:GOTO 290
280 PRINT "TOO BAD "A$(QQ) " YOU MISSED." :B=0
290 REM
300 S(QQ)=S(QQ)+B:PRINT "TOTAL SCORE FOR "A$(QQ)" = "S(QQ)
305 IF HS<S(QQ) THEN HS=S(QQ)
308 PRINT "HIGH SCORE = "HS
310 IF S(QQ)>200 THEN M=M+1:W(M)=1:WW=S(QQ)
311 GOSUB 2300:IF N=QQ THEN R=R+1
312 NEXT QQ
330 IF M=0 THEN GOTO 150
335 IF M=1 THEN GOTO 340
340 PRINT:PRINT "WE HAVE A WINNER!":PRINT
350 PRINT A$(W(M)) " SCORED " WW " POINTS."
360 PRINT:PRINT A$(W(M)) " WANTS YOU TO PAY UP NOW!":END
501 POKE Z,32:POKE Z+1,32:POKE Z+3,32:POKE Z+4,32:POKE Z+5,32:PO
KE Z+6,32:POKE Z+7,32
502 POKE Z-7,140:POKE Z-6,140:POKE Z-5,140:POKE Z-4,140:POKE Z-3
,140:POKE Z-2,140:POKE Z-1,140
503 POKE Z-7,32:POKE Z-6,32:POKE Z-5,32:POKE Z-4,32:POKE Z-3,32:
POKE Z-2,32:POKE Z-1,32
504 POKE Z-15,140:POKE Z-14,140:POKE Z-13,140:POKE Z-12,140:POKE
Z-11,140:POKE Z-10,140:POKE Z-9,140:POKE Z-8,140
505 POKE Z-15,32:POKE Z-14,32:POKE Z-13,32:POKE Z-12,32:POKE Z-1
1,32:POKE Z-10,32:POKE Z-9,32:POKE Z-8,32
506 POKE Z-23,140:POKE Z-22,140:POKE Z-21,140:POKE Z-20,140:POKE
Z-19,140:POKE Z-18,140:POKE Z-17,140:POKE Z-16,140
507 POKE Z-23,32:POKE Z-22,32:POKE Z-21,32:POKE Z-20,32:POKE Z-1
9,32:POKE Z-18,32:POKE Z-17,32:POKE Z-16,32
508 POKE Z-31,140:POKE Z-30,140:POKE Z-29,140:POKE Z-28,140:POKE
Z-27,140:POKE Z-26,140:POKE Z-25,140:POKE Z-24,140
509 POKE Z-31,32:POKE Z-30,32:POKE Z-29,32:POKE Z-28,32:POKE Z-2
7,32:POKE Z-26,32:POKE Z-25,32:POKE Z-24,32
510 POKE Z,140:POKE Z+1,140:POKE Z+3,140:POKE Z+4,140:POKE Z+5,1
40:POKE Z+6,140:POKE Z+7,140
511 REM
520 RETURN
600 D=T
700 PRINT@ 64, "FACTOR THE FOLLOWING PROBLEM"
800 GOSUB 1400
900 PRINT Z$
1000 GOSUB 2000
1010 REM
1020 PRINT@ 192,JJ$;
1100 PRINT@ 192, "WHAT IS THE ANSWER ";:INPUT C$
1110 IF C$=A$ OR C$=B$ THEN PRINT "THAT'S RIGHT !!!":GOTO 1380
1300 IF D<5 THEN D=D+1:PRINT "TRY "D:GOTO 1010
1310 GOSUB 2600
1320 GOTO 1390
1380 IF D=6 THEN D=1
1390 T=D
1399 RETURN
1400 A=RND(5)+1:B=RND(5)+1
1500 IF RND(2)=1 THEN A=-A:SA$="-" ELSE SA$="+"
1600 IF RND(2)=1 THEN B=-B:SB$="-" ELSE SB$="+"
1700 X=A+B:Y=A*B
1800 Z$="X(2 + "+STR$(X)+"X + "+STR$(Y)
1900 RETURN
2000 B$="(X"+SA$+STR$(ABS(A))+") (X"+SB$+STR$(ABS(B))+") "

```

Listing 3 continues



THE MOST POWERFUL, FLEXIBLE DISK MAILING SYSTEM FOR THE TRS80 *SUPPORTS 65,000 NAMES*

PowerMAIL is a highly sophisticated mass mailing system designed to run under all of the popular DOS's currently available for the Mod I or III. The program is written entirely in machine language for maximum operation speed, and occupies only 4K of the available RAM in your computer. There are no 'slow' periods when PowerMAIL is running. New features have been added to the program that others have always lacked. You now have the ability to keep track of mailings using the 24 'flags' that are incorporated into the PowerMAIL program. The PowerMAIL system will handle a file up to 8 megabytes, or 65535 names, whichever is smaller. The program will run in as little as 32K and one disk drive, although 48K and 2 drives are desirable. The program will also sort the entire maximum file size and open up to 168 files simultaneously during the process. Author Kim Watt.

For MOD I/III...\$99.95

Hundreds of Satisfied Users...Scriplus 3.0

Scriplus is a modification to Scrispit*™ which enables you to take advantage of the special functions, features, and print formats of your printer while your document is being printed. Allows you to:

change expanded print
change no. of characters per inch
or underlining in mid-line*

Features:

- Compatible with all current DOS's (I or III).
- Modifies ALL versions of SCRIPST*™.
- Allows usage of MOD I version on MOD III.
- Allows MOD III versions to be BACKED UP for your protection.
- Files can be killed, loaded, merged, or chained from the Scriplus directory.
- Scriplus supplies an ALPHABETIZED directory with FREE space shown.
- "END" returns to DOS READY instead of rebooting.
- Printer can be stopped for insertion of text or forms alignment. Inserted text can be edited prior to resumption of printing.
- Specifically written for the MX-80 but will work with any printer that accepts CHR\$ codes for control.
- Optionally select line feed after carriage return.

For MOD I/III...\$39.95

POWERSOFT

A Division of Breeze/QSD, Inc. ✓ 378
11500 Stemmons Fwy., Dallas, Texas 75229
To order call toll free 1-800-527-7432
For product information (214) 484-2976

**COLOR COMPUTER SOFTWARE
16-K EXTENDED BASIC
Adventure word games**

THE ALCHEMIST'S LABORATORY - \$14.95

mix the ingredients yourself

LOKAR'S MAGIC STAFF - \$14.95

five crystal statues, the magic staff, and a castle filled with wild animals.

NIGHT TOWER DESCENT - \$14.95

ten floors of danger, treasure, and magic are between you and freedom.

SQUEEZE - \$14.95

arcade style game where aliens close in from both sides at once.

GRAPHIC SCREEN EDITOR - \$16.95

create pictures on the screen using joysticks or arrow keys—save on tape, erase, paint, and many other features.

COLOR SHOW DISPLAYS - \$8.95

five graphics programs that create endless changing patterns.

all programs 16-K extended basic cassette only. Send for free catalogue or order now in time for Xmas. We accept checks, money orders, Visa and Mastercharge. (no C.O.D.'s) Please add \$1.00 for shipping. Send to:

REAL SOFTWARE CO.

P.O. BOX 401

HOPEDALE, MA 01747

(617) 393-6281

✓345

Mass. residents add 5% sales tax

* dealer inquiries welcomed *

**2 OR MORE PRINTERS TO CONNECT
TO YOUR COMPUTER(S)?.....VICE VERSA?**

- STOP PLUGGING AND UNPLUGGING CABLES to change back and forth. It may damage them...or you may damage your computer.
- UNIVERSAL PrinterPicker® switching unit lets you change printers at the flip of a switch. One PrinterPicker® will control 2 printers, and
- MULTIPLE PrinterPicker® UNITS MAY BE INTERCONNECTED to form a system to interswitch any number of printers and/or computers.
- LOCATE PrinterPicker® WHEREVER IT'S CONVENIENT FOR YOU... within the 3 ft. reach of the adaptor cable.
- WORKS WITH ALL STANDARD, PARALLEL-INTERFACED PRINTERS.
- WORKS WITH ALL COMPUTERS with appropriate adaptor cable set (we can provide those listed below).
- ALL CONNECTIONS ARE GOLDPLATED for maximum reliability.
- VICE VERSA? You bet! PrinterPicker® will also interswitch multiple, intermixed or similar computers to one or more printers.

ALL ORDERS add \$3.50 for shipping and handling.

PrinterPicker® Switch Unit.....\$65.00

Adaptor Cable Set.....\$25.00

* Each PrinterPicker® Switching Unit requires an Adaptor Cable Set. Specify type: TRS-80 Model I, Model II, or Model III; or EXTENDER (for connection to another PrinterPicker® Switch Unit); or NON-TRS-80* (for all other computers).

NOTE: All computer systems require a TRS-80 Model I or III Printer Cable Set for each printer (No. 26-1401). our price: \$25.00.

* TRS-80 is a trademark of the Tandy Corporation.

✓511



COMPUWARE Corporation
1008 Abington Road
Cherry Hill, NJ 08034
609-428-2309

New Jersey buyers: ADD 5%
Taxes: CASH; MC; or Visa


Listing 3 continued

```

2100 A$="(X"+SB$+STR$(ABS(B))+") (X"+SA$+STR$(ABS(A))+")"
2200 RETURN
2300 PRINT "PRESS ANY KEY TO CONTINUE"
2400 IF INKEY$="" THEN GOTO 2400
2500 RETURN
2600 GOSUB 4000:PRINT@ 0, "THE FACTORS OF "Z$
2700 PRINT "ARE EITHER "B$" OR "A$
2800 PRINT "AS YOU CAN SEE"
2900 PRINT "THE SUM OF "STR$(A)" AND "STR$(B)" IS "STR$(X)
3000 PRINT "AND THE PRODUCT OF "STR$(A)" AND "STR$(B)" IS "STR$(
Y)
3120 D=6
3200 RETURN
4000 PRINT@ 0,JJ$:PRINT@ 64,JJ$:PRINT@ 128,JJ$:PRINT@ 192,JJ$
4010 PRINT @256,JJ$:PRINT@ 320,JJ$:PRINT@ 384,JJ$
4200 RETURN
5000 PRINT "IN THIS GAME UP TO TWENTY PLAYERS GET TO"
5010 PRINT "FACTOR POLYNOMIALS."
5020 PRINT
5030 PRINT "DOESN'T THAT SOUND EXCITING ?"
5040 PRINT
5050 PRINT "A CORRECT ANSWER TO A PROBLEM WILL CAUSE AN ARROW"
5060 PRINT "TO BE SHOT AT A BULLSEYE."
5070 PRINT
5080 PRINT "A PLAYER WILL RECIEVE FROM 10 TO 50 POINTS FOR"
5090 PRINT "A SHOT. THE AMOUNT OF POINTS IS DEPENDENT ON"
5100 PRINT "THE NUMBER OF TRIES NEEDED TO ANSWER THE PROBLEM."
5110 PRINT
5120 GOSUB 2300
5125 CLS
5130 PRINT "THE WINNER OF THE GAME IS THE FIRST PLAYER TO GET"
5140 PRINT "200 POINTS."
5150 PRINT
5160 PRINT "DURING THE FIRST ROUND EACH PLAYER GETS ONLY ONE TUR
N."
5170 PRINT "DURING THE FOLLOWING ROUNDS EACH PLAYER GETS 5"
5180 PRINT "TRIES TO ANSWER THE PROBLEM CORRECTLY EXCEPT "
5190 PRINT "FOR THE PLAYER WITH THE MOST POINTS."
5200 PRINT
5210 PRINT "THE PLAYER WITH THE LARGEST NUMBER OF POINTS"
5220 PRINT "GETS ONLY ONE CHANCE TO ANSWER THE PROBLEM"
5230 PRINT "CORRECTLY"
5240 GOSUB 2300
5250 CLS
5260 PRINT "ANSWERS TO THE PROBLEMS MUST BE IN THE FOLLOWING FOR
MAT: "
5270 PRINT
5280 PRINT
5290 PRINT " (X+ 3) (X- 4) "
5300 PRINT
5310 PRINT "THAT IS A SPACE MUST BE PLACED AFTER EACH '+'"
5320 PRINT " OR '-' SIGN .
5330 GOSUB 2300
5900 RETURN

```

SOFTWARE COMPATIBLE MACHINES CP/M and TRSDOS




Custom 3

MOD III & CP/M SOFTWARE COMPATIBLE
DUAL 40 TRACK 5 1/4" DISK DRIVES
8" DRIVE CONTROLLER
1 YEAR WARRANTY

48K\$2,233.00

64K 2,449.00

OTHER DRIVE CONFIGUR-
ATIONS AVAILABLE INCLUDING
INTERNAL HARD DISK




LNW
Research

MOD I & CP/M SOFTWARE COMPATIBLE
DUAL 40 TRACK 5 1/4" DISK DRIVES
8" DRIVE CONTROLLER — HI-RES &
COLOR GRAPHICS 4 Mhz SPEED—Z80A
PROCESSOR—FAN

48K\$2495.00

96K 3095.00

48K without
CP/M 2295.00



Freedom
Boards

CP/M CONVERSION BOARDS FOR
THE TRS-80 AND LNW COMPUTERS
FROM FREEDOM TECHNOLOGY
INTERNATIONAL

Freedom Option\$222.00

Freedom Plus 444.00

-adds 16K of RAM

MERIDIAN

119 N. 18th Street Phila., PA 19103
(215)-569-2420

✓507

Tandy Corp.—TRS-80, TRSDOS. Digital Research—CP/M.

is **HARD COPY** **STORAGE** a problem?

Here's the ideal way to keep your growing collection of *80 Micro* in order! The *80 Micro* Library Shelf Boxes.



... sturdy, corrugated, white, dust-resistant boxes will keep your issues of *80 Micro* orderly and available for constant reference. Self-sticking labels are available for the boxes, too, not only for *80* but also for *Microcomputing*, *73 Magazine*, *CQ*, *QST*, *Ham Radio*, *Personal Computing*, *Interface Age*, *Byte* and *Radio Electronics*. Ask for whichever labels you want with your box order. Each box holds a full year of the above magazines. Your magazine library is your prime reference: Keep it handy and keep it neat with these strong library shelf boxes. One box (BX1000) is \$2.00, 2-7 boxes (BX1001) are \$1.50 each, and 8 or more boxes (BX1002) are \$1.25 each. Be sure to specify which labels we should send. *Shipping and handling charges are \$2.00 per order. Call in your credit card orders on our toll-free line 800-258-5473, or use the order card in the back of the magazine and mail to:*

80micro

ATTN: BOOK SALES

Please allow 4-6 weeks for delivery. No COD orders accepted

Peterborough,
NH 03458

Sales Opportunity


A few select territories available

Join a fast growing company involved in the microcomputer industry as a direct salesman. Sales involve our wide selection of books, four publications and software. We are looking for a non-smoking individual with a good sales background and a basic understanding of microcomputers. An excellent career awaits the person who wants to be "on his own." It will be the responsibility of our direct salesman to become familiar with all makes of computers and their sales outlets, amateur radio and electronic stores, book stores, and other outlets for our products in your given territory. We will also add other lines as they become available. Arrangements are being made to coordinate efforts with some other firms in the

area, including a major printer manufacturer. We offer an excellent growth potential with a highly motivated, young corporation. If you or someone you know is interested in the opportunities available at Wayne Green Inc., please submit your background in detail, including sales experience, recent work history, knowledge of the microcomputing industry, educational background and references to:

Sales Manager
Wayne Green, Inc.
Peterborough, NH 03458

All replies will be immediately acknowledged and held in the strictest of confidence.



WAYNE GREEN, INC.
(E-11) Pine Street
Peterborough, N.H. 03458

>> *JMG* Announces 3 NEW RELEASES <<
=> TOP QUALITY GAME SOFTWARE <=

SOMETHING FOR EVERYONE:

(MODEL I/III)

SUPREME RULER



YOU HAVE JUST BEEN ELECTED TO OFFICE IN YOUR COUNTRY. NOW YOU MUST KEEP YOUR ECONOMY AFLOAT, WHILE TRYING TO AVOID YOUR NASTY NEIGHBOURS. YOUR MAIN TASK IS TO RUN YOUR COUNTRY AND BUILD YOUR ARMY TO TAKE OVER ALL THE OTHER NATIONS WITHOUT KILLING OFF YOUR POPULATION OR GOING BANKRUPT.

CAN YOU DO IT??

FOR 1-4 PLAYERS, WITH 0-4 COMPUTER-CONTROLLED COUNTRIES. A CHALLENGING PROGRAM !! --\$18.50

THE BATTLE OF ZEIGHTY



YOU HAVE BECOME THE GENERAL OF A STRUGGLING ARMY. YOU HAVE TO SET UP AN ATTACKING FORCE AND TAKE ZEIGHTY PASS. THE COMPUTER HAS CONTROL OF ALL ASPECTS OF THE DEFENDERS, AND PROVIDES QUITE A CHALLENGE. YOU'LL HAVE TO THINK TO WIN !! --\$18.50


ORDER FROM:

OR:

P.O. BOX 598
FALLS STATION
NIAGARA FALLS, NY
U.S.A. 14303-1598

710 UPPER JAMES ST.
HAMILTON, ONTARIO
CANADA, L9C-2Z8
PHONE: 416-389-6086

EXTERMINATE!!



EXTERMINATE IS A NEW IDEA IN AN ARCADE GAME, NOT A COPY OF SOMEONE ELSE'S. YOU ARE UP AGAINST A HORDE OF ALIEN "BUGS", AND YOU HAVE TO GET RID OF THEM BEFORE THEY GET OUT OF CONTROL. USE YOUR SUPERIOR SPEED AND WEAPONS, BUT WATCH OUT! THEY BREED QUICK! MACHINE LANGUAGE, OF COURSE, AND ITS FAST, WITH GOOD GRAPHICS.

---\$14.50

JMG SOFTWARE
INTERNATIONAL

DEALER ENQUIRIES INVITED.

NO SHIPPING CHARGE FOR 2 OR MORE GAMES

✓ 126

VISA AND MASTERCARD ACCEPTED
ALL PRICES IN U.S. FUNDS
DISK VERSIONS, \$2.00 EXTRA
PLEASE ADD \$2.00 FOR SHIPPING
ALLOW 2 WEEKS FOR PERSONAL CHECKS
PLEASE ADD \$1.50 FOR C.O.D.



Keep track of your books.

Homebrew Librarian

Larry R. Hamilton
306 Torrent Court
Rochester, MI 48063

in a safe deposit box for insurance purposes.

Program Routines

The file consists of nine data

fields necessary to assist in replacing any given book. A description of each field, the program variable used to store that field, and a suggested maximum

length of each field is shown in Table 1.

The program does not edit each field for the suggested maximum length. The more characters you use, however, the faster you will use up your free string space.

Line 40 clears 7000 bytes of memory string space, enough for at least fifty books (the limit set by the dimension statement in line 50). You can store 100 or 150 books in 32K and 48K systems. Be sure to change the value of N in line 70.

Table 2 lists all variables. If you do not want the ISBN or Library of Congress Catalog Number in your file you can build more than fifty records at one time in memory. Experiment to determine

As a member of several book clubs for many years, I have accumulated a large collection of professional books. Most books from my college studies are also part of my library. The value of these books along with the difficulty of their replacement prompted me to write a program to keep track of them. Program Listing 1 is written for my TRS-80 Level II 16K cassette system attached to an Epson MX-80 printer.

The program stores the value of my books and enough data to assist me in replacing them if necessary. This program provides for data storage on cassette tape and a printed listing of my book inventory which I store

Variable Name	Use
AS(x)	Book Author
D(x)	Date of Book Purchase
H1\$	Heading for Listing
H2\$	Heading for Listing
IS(x)	International Standard Book Number
J	Index Used in Loops
K	Index Used in Loops
K\$	Book Number Input Variable
L	Line Number Counter for Listing
L\$(x)	Library of Congress Catalog Number
M\$	Search Argument
N	Loop Control—Maximum Books in Memory
NS(x)	Book Number
P	Page Number for Listing
P1	Switch for Additional Files During Listing
PS(x)	Book Publisher and Date
Q	Menu Input
S	Total Book Value Counter
SS	Total Book Value—For Listing
SS\$(x)	Book Subject
TT	Book Counter—For Listing
T	Book Counter
TS(x)	Book Title
V(x)	Book Value
X\$	Search Argument
Z\$	Menu Control

Table 1

The Key Box
Basic Level II
Model I
16K RAM
Printer required

how many fit in your machine.

A functional diagram of the program routines is shown in Fig. 1. The numbers above each box are entered from the main menu to direct the program. The numbers below each box are the line numbers used in each routine.

Lines 1240-1350 display data on the screen. This subroutine is used in most of the functions. Line 1350 re-directs all functions

back to the main menu.

The key to the Book Inventory file is the Book Number field, used while adding or changing records. Code the Book Number value as you like. You could use a sequential number, an alphanumeric code to distinguish hardback books from paperbacks, a coding system to identify location by room, shelf and position, or a combination of all

these examples. Since the number is a string variable, it does not have to be numeric. Because I am not interested in locations or special codes to indicate the type of book, I number my books sequentially. The file building routine in lines 210-390 allows you to add records after a file is read into memory from tape. Line 190 searches the file in memory and sets the index equal to the next available position less than 50. The search is based on the first Book Value (V\$) equal to zero and is the first available index used. Each book must have some value or the program assumes no book record for that particular index.

Search the book records in memory by Book Number (lines 400-470), by Book Title (lines 480-560), and by Book Subject (lines 570-650).

When searching by Book Number, the number must match

one in memory exactly or a prompt will return you to the main menu.

The other two search routines do not require the entire title or subject. Each routine compares the title or subject in memory to the leftmost characters entered. After the first record to meet the criteria is displayed, the program prompts for another search argument. If you press Enter the program uses the previous argument to search through the remainder of the file for another match. You can page through the entire file in memory by repeatedly pressing Enter and having all books meeting the search criteria displayed. For example, enter DATA once as a subject search argument and the program displays all books having the four characters DATA in their subject data field as you repeatedly press Enter.

Lines 660-780 provide an input

Table 2

Field Name	Program Variable Name	Suggested Maximum Length
1. Book Number	N\$	5
2. Title	T\$	40
3. Author	A\$	20
4. Subject	S\$	30
5. Publisher & Date	P\$	30
6. Intl. Standard Book No.	I\$	13
7. Library Congress Cat. No.	L\$	7
8. Date Purchased (MMDDYY)	D	6
9. Book Value (Approx.)	V	5
Total Maximum Length		156

Program Listing 1

```

9~~10 REM * BOOK INVENTORY PROGRAM - REVISION EFF. DATE 7/16/81 *
20 REM * WRITTEN BY - L. R. HAMILTON 306 TORRENT COURT *
30 REM * ROCHESTER/MI 48063 *
40 CLEAR 7000
50 DIM N$(50),T$(50),A$(50),S$(50),P$(50),I$(50),L$(50),D$(50),V(
50)
60 H1$="BOOK INVENTORY LISTING " :H2$=" PAGE NUMBER "
70 TT=0:SS=0:L=0:P=0:N=50
80 CLS: PRINTTAB(10);** * BOOK INVENTORY PROGRAM * **: PRINT
90 PRINTTAB(20); ** * M E N U * **: PRINT
100 PRINT "TO BUILD FILE IN MEMORY TYPE 1"
110 PRINT "TO SEARCH FOR BOOK NUMBER TYPE 2"
120 PRINT "TO SEARCH FOR TITLE TYPE 3"
130 PRINT "TO SEARCH FOR SUBJECT TYPE 4"
140 PRINT "TO READ FILE INTO MEMORY TYPE 5"
150 PRINT "TO VALUE BOOK INVENTORY TYPE 6"
160 PRINT "TO WRITE FILE TO TAPE TYPE 7"
170 PRINT "TO CHANGE A RECORD IN MEMORY TYPE 8"
180 PRINT "TO LIST FILE ON PRINTER TYPE 9"
190 INPUT Q: IF (Q < 1) OR (Q > 9) THEN GOTO 80
200 ON Q GOTO 210,400,480,570,660,790,890,990,1360: END
210 FOR K=1 TO N: IF V(K) <> 0 NEXT K ELSE GOTO 220
220 FOR J=K TO N
230 CLS: PRINT "TO END FILE BUILD, ENTER ( END )"
240 PRINT "LAST NUMBER WAS "; N$(J-1),"INDEX";J
250 INPUT "ENTER BOOK NUMBER "; K$: IF K$="END" THEN GOTO 380
260 N$(J)=K$
270 INPUT "ENTER TITLE OF BOOK (NO COMMAS )....."; T$(J)
280 INPUT "ENTER AUTHOR (NO COMMAS)....."; A$(J)
290 INPUT "ENTER SUBJECT....."; S$(J)
300 INPUT "ENTER PUBLISHER & DATE ....."; P$(J)
310 INPUT "ENTER ISBN NUMBER....."; I$(J)
320 INPUT "ENTER LC CATLG NUMBER....."; L$(J)
330 INPUT "ENTER DATE ACQUIRED (MMDDYY)....."; D$(J)
340 INPUT "ENTER APPROX VALUE/COST....."; V(J)
350 INPUT "CORRECT? Y/N"; Z$: IF Z$="N" GOTO 230
360 PRINT "RECORD < ";N$(J);" > WILL BE BUILT "; FOR I=1TO200:
NEXT I
370 NEXT J
380 N$(J)="END"
390 PRINT,"<FILE BUILD ENDED....>": GOTO 1350
400 CLS
410 INPUT "ENTER BOOK NUMBER SEARCH ARGUMENT (END TO STOP)"; M$
420 IF M$="END" GOTO 1350
430 FOR J=1 TO N
440 IF N$(J) = "END" PRINT "<END OF FILE...>": GOTO 1350
450 IF M$ <> N$(J) NEXT J
460 GOSUB 1240
470 GOTO 410
480 K=1: CLS
490 INPUT "ENTER TITLE SEARCH ARGUMENT (END TO STOP)"; M$
500 IF M$="END" GOTO 1350
510 FOR J= K TO N
520 X$=LEFT$(T$(J),LEN(M$))
530 IF N$(J) = "END" PRINT "<END OF FILE...>": GOTO 1350
540 IF M$ <> X$ NEXT J ELSE GOSUB 1240
550 K=J+1: IF K>N K=N
560 GOTO 490
570 K=1: CLS
580 INPUT "ENTER SUBJECT SEARCH ARGUMENT (END TO STOP)"; M$
590 IF M$="END" GOTO 1350

```

```

600 FOR J= K TO N
610 X$=LEFT$(S$(J),LEN(M$))
620 IF N$(J) = "END" PRINT "<END OF FILE...>": GOTO 1350
630 IF M$ <> X$ NEXT J ELSE GOSUB 1240
640 K=J+1: IF K>N K=N
650 GOTO 580
660 CLS:REM * READ FILE INTO MEMORY *
670 INPUT "PRESS ENTER WHEN INPUT TAPE IS READY. ";Z$
680 FOR J=1 TO N
690 INPUT #1,N$(J),T$(J),A$(J),S$(J),P$(J),I$(J),L$(J),D$(J),V(J)
700 IF J=N THEN N$(J)="END"
710 GOSUB 1240
720 IF V(J) = 0 GOTO 750
730 IF N$(J) = "END" THEN GOTO 750
740 NEXT J
750 PRINT#896,"FREE STRING SPACE = "FRE(Z$);
760 PRINT "FILE IS LOADED IN MEMORY...."
770 IF P=1 PRINT"PRINTING CONTINUES...": GOTO 1400
780 GOTO 1350
790 CLS: T=0: S=0
800 FOR J = 1 TO N
810 IF V(J)=0 GOTO 850
820 IF N$(J) = "END" GOTO 860
830 T=T+1: S=S+V(J)
840 GOSUB 1240
850 NEXT J
860 PRINT "TOTAL BOOKS ON FILE = "; T: PRINT
870 PRINT "TOTAL VALUE OF BOOKS = $"; S: PRINT
880 GOTO 1350
890 REM * RECORD DATA ON CASSETTE *
900 CLS: INPUT"PREPARE CASSETTE FOR RECORDING. WHEN READY, PRES
S ENTER.";Z$
910 FOR J= 1 TO N
920 IF V(J) = 0 THEN N$(J)="END"
930 CLS: PRINT "COPYING.... BOOK NUMBER ";N$(J);
940 PRINT #1,N$(J),T$(J),A$(J),S$(J),P$(J),I$(J),L$(J),D$(J),V(J)
950 GOSUB 1240: PRINT "RECORD COPIED...";
960 FOR I = 1 TO 250: NEXT I
970 IF N$(J)="END" PRINT "FILE COPIED TO TAPE": GOTO 1350
980 NEXT J
990 CLS: REM * CHANGE RECORD IN MEMORY *
1000 INPUT "ENTER BOOK NUMBER TO BE CHANGED. (END TO STOP) ";K$
1010 IF K$="END" GOTO 1350
1020 FOR J=1 TO N: IF N$(J)=K$ GOTO 1050
1030 IF N$(J)="END":PRINT"<BOOK NUMBER NOT FOUND. END OF FILE..
":GOTO 1000
1040 NEXT J
1050 GOSUB 1240
1060 PRINT#650,"TO CHANGE : BOOK NUMBER,ENTER B"
1070 PRINT "TITLE.....ENTER T","AUTHOR.....ENTER A"
1080 PRINT "SUBJECT.....ENTER S","PUBLISHER.....ENTER P"
1090 PRINT "ISBN.....ENTER I","LC CATLG.....ENTER L"
1100 PRINT "DATE.....ENTER D","VALUE.....ENTER V";
1110 INPUT Z$
1120 IF Z$="B" INPUT"ENTER NEW BOOK NUMBER ";N$(J)
1130 IF Z$="T" INPUT"ENTER NEW TITLE ";T$(J)
1140 IF Z$="A" INPUT"ENTER NEW AUTHOR";A$(J)
1150 IF Z$="S" INPUT"ENTER NEW SUBJECT";S$(J)
1160 IF Z$="P" INPUT"ENTER NEW PUBLISHER";P$(J)
1170 IF Z$="I" INPUT"ENTER NEW ISBN";I$(J)

```

Listing continues

Listing continued

```

1100 IF Z$="L" INPUT"ENTER NEW LC CATLG NO.";L$(J)
1150 IF Z$="D" INPUT"ENTER NEW DATE";D(J)
1200 IF Z$="V" INPUT"ENTER NEW VALUE";V(J)
1210 GOSUB 1240
1220 INPUT "CORRECT? Y/N";Z$: IF Z$="N" THEN GOTO 1050ELSE GOTO
1230
1230 INPUT "MORE CHANGES? Y/N";Z$: IF Z$="Y" THEN GOTO 1050ELSE
GOTO 1000
1240 CLS:
1250 PRINT "BOOK NUMBER      ";N$(J)
1260 PRINT "TITLE              ";T$(J)
1270 PRINT "AUTHOR             ";A$(J)
1280 PRINT "SUBJECT            ";S$(J)
1290 PRINT "PUBLISHER          ";P$(J)
1300 PRINT "ISBN NUMBER        ";I$(J)
1310 PRINT "LC CATLG NUMBER    ";L$(J)
1320 PRINT "DATE ACQUIRED      ";D(J)
1330 PRINT "APPROX. VALUE      ";V(J)
1340 PRINT: PRINT: RETURN
1350 INPUT "TO SEE MAIN MENU, PRESS ENTER.."; Z$: GOTO 80
1360 REM * PRINT LISTING *
1370 INPUT " IS PRINTER READY? Y/N";Z$:IF Z$="N" GOTO 1350
1380 LPRINT CHR$(143);CHR$(141)
1390 GOSUB 1530
1400 FOR J=1 TO N
1410 IF N$(J)=""END": GOSUB 1600: LPRINT"TOTAL BOOKS = ";TT;TAB(2
5)"TOTAL VALUE = ";SS;TAB(50)"AVERAGE VALUE = ";SS/TT
1420 IF N$(J)=""END": LPRINT: LPRINT"END OF REPORT ";GOTO 1350
1430 LPRINT "BOOK NO.      ";N$(J);TAB(60)"TITLE:      ";T$(J)
1440 LPRINT "AUTHOR:       ";A$(J);TAB(60)"SUBJECT:     ";S$(J)
1450 LPRINT "PUBLISHER:    ";P$(J);TAB(60)"ISBN:       ";I$(J)
1460 LPRINT "LC CATLG:     ";L$(J);TAB(30)"DATE PURCH:  ";D(J);TAB(6
0)"APPROX. VALUE:      ";V(J)
1470 LPRINT
1480 L=L+5
1490 TT=TT+1: SS=SS+V(J)
1500 IF L>55 GOSUB 1530
1510 NEXT J
1520 GOTO 1350
1530 REM * HEADING SUBROUTINE *
1540 L=0:P=P+1
1550 IF P>1:LPRINT CHR$(140)
1560 LPRINT TAB(40);H1$;H2$;P
1570 LPRINT
1580 L=L+3
1590 RETURN
1600 REM * ADDITIONAL FILE ROUTINE *
1610 INPUT"DO YOU HAVE ANOTHER TAPE OF DATA TO PRINT? Y/N";Z$
1620 IF Z$="Y" P1=1: GOTO 660
1630 RETURN

```

routine to read a file into memory from cassette tape. If this routine finds a Book Value equal to zero or a Book Number equal to End the routine ends. After the file is loaded into memory, the program displays the amount of free string space. As each record reads into memory it is displayed on the screen (line 710).

The routine to record the Book Inventory on cassette tape is found in lines 890-980. This routine displays each book record on the screen as it is written to tape. When a Book Number equals End the routine ends.

A simple routine to total the value of all books in memory is in lines 790-880. The total value is also computed when the file is printed.

To change any data for a book in memory, selection eight of the main menu sends the program to line 990. If you enter a valid Book Number you will be prompted to enter a code for the field to be changed. After the changed data field value is displayed you will be asked if it is correct. If so, you

can enter another Book Number to be changed or return to the main menu.

The printing routine in lines 1360-1630 uses some control characters unique to my Epson MX-80 printer. Change these codes in lines 1380 and 1550 for use with your printer. CHR\$(143) condenses the printing to 132 characters per line. CHR\$(141) is the line feed and CHR\$(140) is the top-of-form code.


The program prints 55 lines per page, allowing eleven books on each page. Lines 1600-1630 allow additional data tapes to be read into memory while the listing is printed, necessary since only 50 books fit in memory at one time. This feature uses the input routine in lines 660-780 and branches back to line 1400 in the printing routine. ■

Mr. Hamilton is a Systems Manager for an automotive supply company in Michigan. He is certified by the Institute for the Certification of Computer Professionals.

TIRED OF NO DISK SOFTWARE?

TRS-80

Flexplus Compatible Software



Sleuth Disassembler - A program which allows user to examine, modify and disassemble object program files on disk or in memory on 6809 systems. Will convert an object file in RAM to a text file on disk.

Tabularasa (Electronic spread sheet) - These programs enable the user to generate and maintain tabular computation schemes, providing a simple user interface and sophisticated report generation.

Cross Assembler - A set of modules for 6800/1, 6805, 6802, 8080/5, and Z-80 micro processors which will enable the user to convert a master assembly module to assemble code for any of the above micros.

PASCAL

AVAILABLE ON DISK:

- Editor Assembler
- Super Monitor
- Color Text Star Word Processor
- Sound Source
- Compuvoice

Call or write us for price information and for a complete list of Flexplus Compatible Software.

FLEXPLUS DOS

FLEXPLUS is a powerful, easy-to-use disk operating system. Spectral Associates has adapted TSC's FLEX to the best DOS completely compatible with Radio Shack software for use on the Color Computer. Eliminate the need for Radio Shack's TRS DOS - use **FLEXPLUS** with Editor/Assembler and have the options of a full range of utilities. **FLEXPLUS** works on the 32K Radio Shack disk system with 64K memory chips with a High Resolution multi-screen format that supports a 24 line by 51 character display! Also included are special enhancements to Radio Shack's Disk system when you are running FLEX with single or double sided, single or double density, 35, 40 and 80 track drives.

Advantages of FLEXPLUS are:

- Best price anywhere
- Easy start-up - just type "RUN FLEX+"
- Allows you to save RS compatible disk files from **FLEXPLUS**
- All FLEX compatible software will run including INTERRUPT DRIVEN SOFTWARE
- NO HARDWARE MODIFICATIONS NEEDED
- Warranty will not be voided - no need to open computer
- Wide range of available software
- Requires Supercharger board
- \$149.95 for **FLEXPLUS**, Editor/Assembler and Supercharger

SUPERCHARGER - Allow machine language access to all 64K RAM in a Series E PC board. No hardware mods. \$39.95
DISK BASED EDITOR/ASSEMBLER - MACROS, CONDITIONAL ASSEMBLY - will work with Supercharger. \$49.95

FANTASTIC BARGAIN

FLEXPLUS, Editor/Assembler and Supercharger
ALL FOR ONLY \$149.95

**TOLL FREE
ORDERS ONLY
800-426-1830**

EXCEPT WA, HI, AK

**SPECTRAL
ASSOCIATES**

145 Harvard Ave.
Tacoma, Washington 98466
(206) 565-8483

WRITE FOR COMPLETE
CATALOG

ADD 3% FOR SHIPPING NO COD

VISA OR MASTERCARD ACCEPTED

119

SPECTACULAR GAMES

For TRS 80

COLOR COMPUTER

\$21.95

Each

Color Graphics

Arcade Quality

Only 16K Required

Complete Machine Language

Fast Pace



Continuous Action

Satisfaction Guaranteed




Highest Resolution

No Basic Needed

Super Sound

Free Catalog

High Quality



SPECTRAL ASSOCIATES

141 Harvard
Tacoma, WA.
98466

✓ 119 Local
Information Call
(206) 565-8483

If not available at your local dealer ask why not and

Call Toll Free 800-426-1830

Except WA., AK., HI., (8:00-4:00 Mon.-Fri.)



These five programs give high-precision answers.

Find a Number's Roots

David R. Cecil
Texas A & I University
Department of Mathematics
Campus Box 172
Kingsville, TX 78363

I wrote these five Basic programs for the TRS-80 but they apply to any Basic machine. Three of these programs find any roots, and two extract square roots.

Most Basic exponentiation (↑) and square root (SQR) functions only give about six places of accuracy. The methods in this article give higher precision answers, some accurate to 15 decimal places after only a few iterations.

These methods include a 3500 year old technique, con-

tinued fractions, binomial expansions, repeated halving, and recursion based on an algebraic identity.

Compare the accuracy, number of iterations used, and computation time of the methods to see which works best for your range of values.

The Newton-Raphson Method

An averaging method for square roots appeared in ancient Mesopotamia before 1500 B.C. Those folks successively approximated \sqrt{A} by the sequence x_1, x_2, \dots where $x_{i+1} = \frac{1}{2}(x_i + A/x_i)$ and x_1 was a first guess at \sqrt{A} . This is a special case of the Newton-Raphson method which uses the general formula $x_{i+1} = x_i - f(x_i)/f'(x_i)$. In this formula if $x = \sqrt{A}$ is the desired square root, let $f(x) = x^2 - A$; then $f'(x) = 2x$. The Newton-Raphson formula reduces to the ancient Mesopotamian formula.

Program Listing 1 uses the Newton-Raphson formula with $f(x) = x^M - A$ to find the Mth root of A. Line 80 requests the first guess x_1 ; the recursion formula appears in line 120. The loop in lines 100 through 140 generates x_2, x_3, \dots, x_{11} . The value x_{11} is a good approximation to $\sqrt[M]{A}$ unless an exceptionally poor choice is made for x_1 . Experiment with this by holding A and M fixed and running the program twice using different starting values for the

first guess x_1 , INPUT of line 90.

To determine how well x_{11} approximates $\sqrt[M]{A}$ add the following two lines to the program:

```
500 PRINT: Y = 1: FOR J = 1 TO M: Y
= Y*X: NEXT J
510 PRINT Y
```

A Binomial Expansion

In contrast, the user does not enter a first guess or initial value in the Binomial procedure.

The series

$$1 + \frac{1}{M} \left(\frac{x}{1} \right) + \frac{1}{M} \left(\frac{1}{M} - 1 \right) \left(\frac{x^2}{2!} \right) + \frac{1}{M} \left(\frac{1}{M} - 1 \right) \left(\frac{1}{M} - 2 \right) \left(\frac{x^3}{3!} \right) + \dots$$

obtained by expanding $(1 + x)^{1/M}$ using the binomial expansion, is convergent for x between -1 and 1 inclusive.

Program Listing 2 uses this expansion to determine $\sqrt[M]{A}$. The loop in lines 80 and 90 finds the smallest integer L such that L^M is greater than A. The program lets $x = (A/L^M) - 1$. Then $A = L^M(1 + x)$ or, more suitable to our purpose, $\sqrt[M]{A} = L(1 + x)^{1/M}$. Because the x value is between -1 and 0 , our expansion for $(1 + x)^{1/M}$ is valid and converges.

Lines 110 through 160 carry out the series expansion. S denotes the sum of the first I terms and appears in line 130. The Ith term is in line 150, where it is called T. Fifty iterations are used since this convergence is usually slow.

Binary Chopping

Repeated halving begins with

an interval known to contain $\sqrt[M]{A}$. This interval (0 to A if $A > 1$ otherwise 0 to 1) is halved and one-half discarded. The remaining half-interval is halved, one-half discarded, and so on until further halving is insignificant. This proceeds quite rapidly for $0 < A < 1$, but much halving is done if $A > 1$.

If the Mth power of the interval's midpoint is less than A discard the left (smaller) half-interval; the midpoint is too small to be $\sqrt[M]{A}$. For Mth power greater than A discard the right (larger) half-interval.

Line 70 of Program Listing 3 determines the initial interval containing $\sqrt[M]{A}$. Line 100 accomplishes the halving and the logic of line 120 discards half-intervals. Line 90 uses 60 iterations; use only 10 or 15 iterations for small values of A. If many values do not change you used unnecessary iterations.

Recursion Based on an Algebraic Identity

This method and the continued fraction method that follows determine square roots with the same algebraic identity. If T is any real number and if $x^2 = A$ then $x^2 - T^2 = A - T^2$. Factoring, we have $(x - T)(x + T) = A - T^2$, and $x = T + (A - T^2)/(x + T)$. This is our desired identity.

For recursive use with x_1, x_2, \dots approximating \sqrt{A} replace the identity with $x_{i+1} = T + (A -$

The Key Box

Basic Level II
Model I
16K RAM

$T^2/(x_1 + T)$, with x_1 being T . If you choose T such that T^2 is close to A , you obtain good approximations for \sqrt{A} rapidly.

Program Listing 4 implements the recursive relationship with the algebraic identity in line 90. The twenty-five iterations in lines 70 through 100 are usually more than enough to approximate \sqrt{A} very accurately if your choice for T is good. For example, if $A = 0.0012345$ only fifteen iterations are needed if T is chosen to be .03. If $T = .1$ fifty $T = 1$, 57 iterations are required. The 25 value in line 70 must change to 75 to allow this.

Continued Fractions

This technique repeatedly uses the identity $x = T + (A - T^2)/$

$(T + x)$. Replace the x on the right side of this identity by the entire right side. Thus, $x = T + (A - T^2)/(T + T + (A - T^2)/(T + x))$. Continue to replace the right hand x value by $T + (A - T^2)/(T + x)$. The resulting expression, after an infinite number of replacements for x , is called a continued fraction.

In general, if $x = b_0 + a_1/(b_1 + a_2/(b_2 + a_3/(b_3 + \dots)))$ is a continued fraction, then x is approximated by $A_i/B_i = (b_i A_{i-1} + a_i A_{i-2})/(b_i B_{i-1} + a_i B_{i-2})$ for $i=1,2,\dots$ with $A_{-1}=1, A_0=b_0, B_{-1}=0$, and $B_0=1$. If

$$\lim_{i \rightarrow \infty} A_i/B_i$$

exists (as it does with our particular continued fraction), the infinite continued fraction converges to x .

```
0 **** NEWTON-RAPHSON METHOD FOR FINDING ROOTS ***
10 CLS
20 DEFDBL A,X,Y
30 DEFINT I,J,M
40 INPUT "WHAT ROOT DO YOU WANT,
   ENTER 2 FOR SQUARE ROOT, 3 FOR CUBE ROOT, ETC. ";M
50 PRINT "ENTER THE NUMBER YOU WANT THE ";M;"-TH ROOT OF ";
60 INPUT A
70 "YOU CAN ENTER 1 FOR THE INPUT IN LINE 90 IF YOU WISH.
   OTHER CHOICES MIGHT BE BETTER THOUGH.
80 PRINT "ENTER A NUMBER WITH POWER ";M;" CLOSE TO ";A;
90 INPUT X
100 FOR I=1 TO 10
110 Y=L:FOR J=1 TO M-1:Y=Y*X:NEXT J
120 X=((M-1)*X+A/Y)/M
130 PRINT X;
140 NEXT I
```

Program Listing 1

```
0 **** A BINOMIAL EXPANSION METHOD TO FIND M-TH ROOTS ***
10 CLS
20 DEFDBL A,S,T,X
30 DEFINT I,J,L,M
40 INPUT "ENTER 2 FOR SQUARE ROOT, 3 FOR CUBE ROOT, ETC. ";M
50 PRINT "ENTER THE NUMBER YOU WANT THE ";M;"-TH ROOT OF ";
60 INPUT A
70 L=1
80 L1=1:FOR J=1 TO M:L1=L1*L:NEXT J
90 IF A>L1 THEN L=L1:GOTO 80
100 X=A/L1-1
110 I=1:T=X/M:S=1
120 FOR K=1 TO 50
130 S=S+T
140 PRINT L*S;
150 I=I+1:T=T*X*(1/M-(I-1))/I
160 NEXT K
```

Program Listing 2

```
0 **** REPEATED HALVING OR BINARY CHOPPING FOR ROOTS ***
10 CLS
20 DEFDBL A,D,X,Y
30 DEFINT J,M
40 INPUT "ENTER 2 FOR SQUARE ROOT, 3 FOR CUBE ROOT, ETC. ";M
50 PRINT "ENTER THE NUMBER YOU WANT THE ";M;"-TH ROOT OF ";
60 INPUT A
70 IF A>1 THEN D=A ELSE D=1
80 X=D
90 FOR K=1 TO 60
100 X=X/2
110 Y=1:FOR J=1 TO M:Y=Y*D:NEXT J
120 IF Y<A THEN D=D+X ELSE D=D-X
130 PRINTD;:NEXT K
```

Program Listing 3

COLORQUEST™ presents the ADVENTURE TRILOGY

A machine code, high-res Adventure Game

for the TRS-80™ Color Computer


This TRILOGY OF 3-D FANTASY GAMES takes you to the **WORLD UNDER THE CIMEEON MOON**. Engage in ritual combat with Tooamoth Nartthokc Monsters and skilled warriors. Advance in rank with play experience. Then adventure through **DAZMAR'S UNDERWORLD OF DOOM** to the forbidden ruins of Castle Argaan. Search for the Eye of Dazmar while avoiding the sorcerer's intricate traps. Survivors must then negotiate the perilous peaks of the Ugrek Mountains to the **FORSAKEN GULCH** where the wicked idol awaits restoration.

16K Tape \$24.95 (Ext. Basic not reqd.)

32K Disk \$29.95



by Kevin Herrboldt
and Tim Nelson



The TRILOGY CONTEST

Conquer the TRILOGY and win the new COLORQUEST adventure.

BEYOND THE CIMEEON MOON


The **GRAND PRIZE**, a Super "Color" Writer & Super "Color" Terminal ROMPAK or DISK program-set valued at up to \$170.00, will be drawn from the winning entries. Consult the September issue of **COLOR COMPUTER NEWS** published by REMarkable Software at 1781 5th Street, Muskegon, MI 49441. (616)728-9100 for contest details, or see RULES with the game.

When ordering include \$2.00 for shipping. Extra \$2.00 for C.O.D.

DEALER INQUIRIES INVITED



**NELSON
SOFTWARE
SYSTEMS**



P.O. Box 19096 - Minneapolis, MN 55419 - 612/827-4703
TRS-80C is a registered trademark of Tandy Corp.

✓ 128

SOFTWARE CONCEPTS DALLAS TEXAS

SPECIAL DELIVERY

Now is the time to turn your TRS-80 and your text editor into a REAL word processing machine.

EXCELLENT...Creative Computing Review.
State of the Art... 80 Microcomputing Review.

- Maintain your mail list
- Print personalized FORM letters.
- Free format labels
- 100% machine language
- Enter names at typist speeds
- Use with Scripsit, Lazywriter, Electric Pencil (we sell them all!)
- Extract selected names
- Boldface & underscore
- Get your form letters past the secretary's desk!

XTRA Special Delivery Includes
all of the above PLUS:

- Disk Sorts
- Multi Label printer
- Key definitions

This is the LAST mailing list you
will ever have to buy!!

FOR YOUR MODEL I OR III:

(requires minimum 32K & single drive)

SPECIAL DELIVERY \$125
XTRA SPECIAL DELIVERY \$199

FOR YOUR MODEL II

(requires Scripsit 2.0)

SPECIAL DELIVERY \$199

Over 2800 satisfied customers
(plus 12 that won't speak to us any more)

Electric Pencil 2.0 \$80.00
Lazywriter \$165.00
Scripsit \$95.00

(Most TRS software available at similar discounts. CALL!)

SOFTWARE CONCEPTS
105 Preston Valley Shopping Center
Dallas, Texas 75230

Our retail store is located at the SW corner of
Preston & LBJ

(214) 458-0330

MasterCard, Visa, American Express, COD

Program Listing 5 evaluates the A_i terms in line 80 and the B_i terms in line 90. Two prior values, initialized in line 60 and updated in line 110, determine each of the values A_i and B_i .

Program Listing 6 combines

the previous five programs. Lines 31 through 34 print a menu with the five methods for choices. ■

David R. Cecil is chairman of
the Department of Mathematics
at Texas A & I.

```
0 **** USING AN ALGEBRAIC IDENTITY TO FIND SQUARE ROOTS ***
10 CLS
20 DEFDBL A,T,X
30 INPUT "ENTER THE NUMBER WHOSE SQUARE ROOT YOU WANT ";A
40 PRINT "ENTER A NUMBER WHOSE SQUARE IS CLOSE TO ";A;
50 INPUT T
60 X=T
70 FOR K=1 TO 25
80 PRINT X;
90 X=T+(A-T*T)/(X+T)
100 NEXT K
```

Program Listing 4

```
0 **** CONTINUED FRACTION METHOD FOR SQUARE ROOTS ***
10 CLS
20 DEFDBL A,B,T
30 INPUT "ENTER THE NUMBER WHOSE SQUARE ROOT YOU WANT ";A
40 PRINT "ENTER A NUMBER WHOSE SQUARE IS CLOSE TO ";A;
50 INPUT T
60 A1=T;A2=1;B1=1;B2=0
70 FOR K=1 TO 25
80 A0=2*T*A1+(A-T*T)*A2
90 B0=2*T*B1+(A-T*T)*B2
100 PRINT A0/B0;
110 A2=A1;A1=A0;B2=B1;B1=B0
120 NEXT K
```

Program Listing 5

```
0 **** A COMBINED PROGRAM FOR ROOTS ***
10 CLS
20 DEFDBL A,B,D,S,T,X,Y
30 DEFINT I,J,L,M
31 PRINT "SELECT THE METHOD YOU WANT TO USE TO FIND THE ROOT"
32 PRINT "1. NEWTON-RAPHSON ", "2. BINOMIAL SERIES "
33 PRINT "3. INTERVAL-HALVING ", "4. ALGEBRAIC IDENTITY "
34 PRINT "5. CONTINUED FRACTION "
35 INPUT K1: IF K1>5 THEN 320
40 INPUT "WHAT ROOT DO YOU WANT,
ENTER 2 FOR SQUARE ROOT ,3 FOR CUBE ROOT ,ETC. ";M
50 PRINT "ENTER THE NUMBER YOU WANT THE ";M;"-TH ROOT OF ";
60 INPUT A
70 ON K1 GOTO 80,150,250
80 PRINT "ENTER A NUMBER WITH POWER ";M;" CLOSE TO ";A;
90 INPUT X
100 FOR I=1 TO 10
110 Y=1:FOR J=1 TO M-1:Y=Y*X:NEXT J
120 X=((M-1)*X+A/Y)/M
130 PRINT X;
140 NEXT I:END
150 L=1
160 L1=1:FOR J=1 TO M:L1=L1*L:NEXT J
170 IF A>=L1 THEN L=L+1:GOTO 160
180 X=A/L1-1
190 I=1:T=X/M:S=1
200 FOR K=1 TO 50
210 S=S+T
220 PRINT L*S;
230 I=I+1:T=T*X*(1/M-(I-1))/I
240 NEXT K:END
250 IF A>1 THEN D=A ELSE D=1
260 X=D
270 FOR K=1 TO 60
280 X=X/2
290 Y=1:FOR J=1 TO M:Y=Y*D:NEXT J
300 IF Y<A THEN D=D*X ELSE D=D/X
310 PRINTD;:NEXT K:END
320 INPUT "ENTER THE NUMBER WHOSE SQUARE ROOT YOU WANT ";A
330 PRINT "ENTER A NUMBER WHOSE SQUARE IS CLOSE TO ";A;
340 INPUT T
350 IF K1=5 THEN 410
360 X=T
370 FOR K=1 TO 25
380 PRINT X;
390 X=T+(A-T*T)/(X+T)
400 NEXT K:END
410 A1=T;A2=1;B1=1;B2=0
420 FOR K=1 TO 25
430 A0=2*T*A1+(A-T*T)*A2
440 B0=2*T*B1+(A-T*T)*B2
450 PRINT A0/B0;
460 A2=A1;A1=A0;B2=B1;B1=B0
470 NEXT K:END
```

Program Listing 6



DAISY WHEEL

New Smith Corona TP-1


True letter quality printer for less than the cost of an office typewriter! Priced \$500 less than other popular daisy wheel printers!

SALE PRICE:

\$599.00

FEATURES:

- ★ Friction feed
- ★ 15 cps, 120 wpm
- ★ Changeable daisy wheels
- ★ Parallel or serial interface
- ★ Compatible with R/S, Apple, etc.



SUNLOCK SYSTEMS

4217 Carolina Ave.

Richmond, Va. 23222

ADDITIONAL PRINTER SPECIALS

<u>Epson</u> MX80	\$449	<u>Okidata</u> ML80	\$349
80FT	\$529	ML82A	\$449
MX100	\$699	ML83A	\$719

WE WILL MEET OR BEAT ANY ADVERTISED PRICE

TO ORDER CALL TOLL FREE 800-368-9191

In Virginia call 804-321-9191

We accept MasterCard, Visa and CODs

✓456

FREE

business software directory

- Radio Shack's Model I, II, III.
- Heath's MBASIC and HDOS
- CPM: Xerox, Alto...
- IBM Personal Computer

"IDM2 is GREAT!"

-publisher of 80-US

"(GL) superior to either the Osborne (SBSG & Taranto) or Radio Shack... MAIL-X has a greater capacity... more flexible than (R.S.)"

-columnist of 80-microcomputing

"imperceptively fast...(DBMS) is a good and reliable workhorse"

-publisher of Interface Age

Data base manager, integrated accounting package (AR, AP, GL & Payroll), inventory, word processing, and mailing list. Compare and be selective!



Micro Architect, Inc.

96 Dothan St., Arlington, MA 02174

✓149

COPY MODEL III, SCRIPSIT/VISICALC®

Only \$20

Works with all model III Visicalc/Scriptit and allows unlimited backups of master disks. Works even if you're already backed up twice. Simple, 17 line program.

And look at these other outstanding values!

APPARATS NEWDOS/80®, 2.0

\$129.95

Convert Model I Scriptit and Visicalc to Model III, plus: Renummer program lines - move program lines - move blocks of program lines - duplicate program lines - selective variable clearing - program single stepping - memory sort multi-dimensioned arrays - swap variables - read and write to model I disks - reference keywords - spool printing - change disk speeds - disable BREAK and CLEAR - Much, much more!

FREE "Layman's Guide to Newdos 80" included with this purchase.

Use VISA - Mastercard - Money Orders -
Allow 2 weeks for personal checks.
Kansas residents add 3.5% sales tax.

HAYES SMARTMODEM®.. \$249.95

Talk with other computers over regular telephone lines. SMARTMODEM can auto dial - auto answer - repeat - allow for audio monitoring - programmable - is FCC approved direct-connect - full or half duplex capability, 0-300 baud - RS-232C interface - seven status LED's.

VERBATIM® DATALIFE DISKETTES

5" diskettes come in a reusable plastic storage box.

CALL TOLL FREE!
1 - 800 - 835-0071

IN KANSAS:
316 - 665-3611

ST80 III®..\$129.95

Smart terminal communications package. Allows file uploading/downloading. Emulates many different terminals. Total operator control. (Written by Lance Micklus.)

FREE Catalog price list

of all Sales Data Direct-Order merchandise available upon request. Super prices... Rapid delivery... Quality products.

SALES DATA, INC.

526 E. 4th Hutchinson, Kansas 67501
316/665-3611

Dealer Inquiries Invited.

Phone or write Sales Data, Inc.

✓142

SYSTEM loads that crash explained.

Things Still Crawl in the Level II ROM

Gregg E. Marshall
P.O. Box 3282
Walnut Creek, CA 94598

Recently, while loading a machine language tape with the System command my TRS-80 displayed a "C" in the upper right corner of the video display, and the tape stopped. I tried the load again, but still had no luck.

I usually record any program twice, with different file names. But when I tried to load the second copy, my TRS-80 couldn't find it. Since the Radio Shack

manuals didn't give any explanation of these problems, I decided to "PEEK" around in the Level II ROMs and find out what was going on.

I was interested in what was happening at the byte level since Radio Shack's *Technical Reference Manual* offers a good description of the hardware and operation at the bit level. By searching the ROMs for calls to the read-a-byte subroutine at 0235H, I found the System command processing nearby in locations 02A9H to 032AH. By disassembling and analyzing the code, I not only discovered an explanation of my loading problems, but two potentially serious bugs!

Machine-Code Tape Format

Figure 1 shows an overview of the machine language tape format as a sequence of bytes that can be divided into four record types: the leader and sync byte, a file name, the data records, and the end of file/starting address.

The leader and sync byte record consists of 255 bytes of

zeros, followed by a single byte containing the value A5H. When the tape is started, the TRS-80 moves an eight-bit wide window across the data bits read from the tape until it finds the value A5H. Normally, the tape is started before or during the leader, so it skips the zero bytes until it reads the A5H.

If, however, the tape is started in the middle of a file, it is possible for some of the data to be mistaken for a sync byte. That data might be an AND A,L instruction; or an LD A, (BC) followed by an LD, D, B; or any number of combinations of instructions that result in an A5H data bit pattern.

A more secure mechanism for synchronizing the tape would be to identify the leader by finding several bytes of zeros followed by the A5H sync byte. This mechanism is not foolproof, but the probability of a program or data matching the desired pattern is significantly lower.

Following the leader and sync byte record is a file name record. This record consists of a file name ID byte (55H), followed by

a six character file name. If the file name is shorter than six characters, it must be padded, usually with spaces. Unlike the data records, no checksum is recorded.


Next on the tape are one or more data records. The number of records depends on the size of the program being saved. Each data record contains a maximum of 256 data bytes. Therefore, if the machine language program were 1000 bytes long, at least four data records are required. However, you can use more than four. In fact, the records need not even be in order since they each contain the starting address for storing the data.

A data record consists of an ID byte (3CH), a byte containing the number of data bytes in the record (0 implies 256 data bytes), two bytes containing the starting address of the data (least significant byte first), the data bytes themselves, and finally a single checksum byte. Note that a single file can contain data for several areas of memory.

The Key Box

Basic Level II
Model I
4K RAM
Cassette

INCOME TAX OFFICES: MULTIPLY YOUR OUTPUT.



WITH **TaxPro™** THE PROFESSIONAL INCOME TAX SYSTEM.

TAXPRO DOES MORE.

Five years of successful use and system improvement has pushed TAXPRO far beyond Form 1040 and its supplemental schedules. This versatile system also totals W-2s, computes FICA overpayment, calculates tax alternatives . . . even prepares client billing.

TAXPRO IS INTELLIGENT. It analyzes the client's tax picture, suggests the best route to go. Determines eligibility for special forms such as minimum/maximum tax, income averaging, to name a few.

TAXPRO IS EASY.

Because it follows the tax forms line by line. Taxes are automatically figured, entered everywhere they apply. Change any entry, and all relevant data is automatically revised. Produces a printout that exactly fits 1040 and

IRS-approved schedule forms.

TAXPRO IS GUARANTEED. We stand behind TAXPRO completely. Full, no-charge support through the tax season. Inexpensive, yearly system updates. Over 5 million returns prepared with no reported errors.

TAXPRO BUILDS PROFITS. The door is open to higher profits than you have ever enjoyed. Double, triple, or quadruple your output; pay for TAXPRO **and** the computer in one tax season.

If you do income tax returns, you need TAXPRO, the truly professional, computerized income tax preparation system.

Look into it today.
Contract Services
Associates,
706 South Euclid,
Anaheim,
California 92802,
(714) 635-4055.

45-PAGE DESCRIPTIVE
SYSTEM MANUAL: \$7.50



CONTRACT SERVICES ASSOCIATES

Improving the bottom line.

"There are few limitations on file names—the only illegal characters are the colon and the cursor control. . ."

The checksum for data records is a simple running sum of the data bytes and the data starting address, but not the ID byte or byte count.

If, during loading, the checksum calculated by the TRS-80 doesn't match the recorded checksum, a C is displayed in place of the left asterisk normally displayed as part of a tape loading signal. However, the loading doesn't halt until the end-of-file record is detected.

This can be good or bad, depending on what causes the checksum error and what data are affected. If a part of a text string is bad, the program may run successfully. If, however, the byte count is bad, the loading may become out of step with the data, causing the tape to read continuously.

After it reads each data record, a loading tape toggles the right asterisk, alternating between * and space; this results in the familiar flashing asterisk.

Finally, each file contains an end-of-file record. This consists of an ID byte (78H) and two bytes containing the starting address of the machine language program (again, least significant byte first). This address is used if the slash is typed without a numeric value. A numeric value overrides the recorded starting address. Like the file name, it records no checksum byte.

System Command Processing

To understand the inner workings of the System command, I dump the ROM memory between 02A9H and 032AH, disassembling it by hand.

With help from Wes Thielke's article in February 1981's *80 Microcomputing*, I translate that information into Assembly. The result is a commented Assembly listing.

Since Radio Shack copyrights its machine language, I cannot

publish that listing here, but Fig. 2 is a detailed flowchart of the System command processor in the order in which it appears in memory. This flowchart and the discussion that follows should allow anyone to create his own commented listing.

The System command processor divides into four major sections: prompting and command decoding (02B2H to 02CCH), file name search (02CEH to 02E5H), file loading (02E7H to 0312H and 02A9H to 02AFH), and execute a machine language program (031DH to 0329H).

Upon entering the command processing code, the TRS-80 calls a subroutine located in RAM. This moves the TRS-80 from Basic to TRSDOS. I plan to use it to transfer control to a ROM monitor I am attaching to my TRS-80.

During power-up, TRS-80s without disks initialize the RAM

subroutine to a return-from-subroutine instruction. This nullifies the subroutine. If the RAM subroutine returns, the TRS-80 initializes the stack pointer, outputs a *? prompt, and uses Basic's line input subroutine to input the command. Using Basic's line input allows the user to type left arrow and shift left arrow to erase the last character or the entire line, respectively. You can terminate input by either Enter or Break, with Break returning you to Basic. Typing Enter causes a syntax error and returns to Basic.

There are only two System commands: Execute and Load. If the command line starts with a slash, the TRS-80 assumes it to be a Start Execution command. Otherwise the TRS-80 interprets the command line to be the file name of the machine language program you want loaded.

There are few limitations on file names—the only illegal characters are the colon and the cursor control characters.

You can store several machine language programs on a single tape and search for the desired file.

Starting the cassette, the TRS-80 finds the sync record. It then inputs until it finds a file

name ID byte.

The file name characters you type are matched with those read from the tape until: 1) two characters do not match; 2) all the characters in the command line are matched; or 3) six characters have been matched.

In the first case, the TRS-80 looks for another sync record and tries again. Otherwise, it considers the file data loaded into memory.

During file loading, the TRS-80 displays two asterisks in the upper right corner of the video display. It turns the right asterisk on, then off, after it reads each data block. It replaces the left asterisk with a C any time a data record checksum occurs.

After the TRS-80 reads one block but before it reads either a data ID byte or an end-of-file ID byte, it ignores any characters.

The end-of-file ID byte is assumed to be followed by a two-byte starting address. When you are loading more than one machine language program, the last file loaded determines the starting address.

In all cases, after the TRS-80 loads the file, it stops the tape and restarts the System command.

REVISED FILENAME SEARCH FOR TRS-80

1

```

1 0000          TITLE 'REVISED FILENAME SEARCH FOR TRS-80'
2 0000          ORG      0000H          ; SET THIS TO APPROPRIATE MEMORY ADDRESS
3
4          ; Revised filename search for loading machine language programs
5          ; via the 'SYSTEM' command in Level II Basic. Replaces the code
6          ; from 02CEH to 02E6H. To be useful, the code between 02B5H and
7          ; 02CDH should also be relocated and a jump to the revised code
8          ; placed starting at location 41E2H.
9          ; Gregg E. Marshall    2/15/80
10
11
12 0000 CD 93 02  MLOAD: CALL 0293H          ; START THE CASSETTE AND FIND THE SYNC BYTE
13 0003 CD 35 02  SFNAME: CALL 0235H        ; A := BYTE READ FROM CASSETTE
14 0006 FE 55          CP      55H          ; IF BYTE <> START OF FILENAME
15 0008 20 F9          JR      NZ, SFNAME    ; THEN KEEP LOOKING FOR START
16 000A 06 06          LD      B, 06        ; ELSE B := MAX FILENAME LENGTH
17 000C E5          PUSH     HL             ; SAVE DESIRED FILENAME POINTER
18                                     ; IN THE EVENT OF NO MATCH
19 000D 7E          SLOOP: LD      A, (HL)   ; A := NEXT CHARACTER IN DESIRED FILENAME
20 000E B7          OR      A              ; IF END OF DESIRED FILENAME
21 000F 2B 09          JR      Z, MATCH     ; * THEN MATCH IS SUCCESSFUL
22 0011 CD 35 02          CALL 0235H        ; ELSE A := NEXT CHARACTER IN
23                                     ; RECORDED FILENAME
24 0014 BE          CP      (HL)          ; IF RECORDED CHARACTER <> COMMAND STRING
25 0015 23          INC      HL           ; CHARACTER
26 0016 20 06          JR      NZ, NOMTCH  ; THEN FIND NEXT FILENAME
27 0018 10 F3          DJNZ   SLOOP       ; ELIF NOT 6 CHARACTERS COMPARED
28                                     ; THEN CHECK NEXT CHARACTER
29 001A E1          MATCH: POP      HL     ; * ELSE SUCCESSFUL MATCH
30                                     ; (ADJUST STACK)
31 001B C3 E7 02          JP      02E7H    ; AND READ THE FILE'S DATA
32          ; NO MATCH -- SO START OVER
33 001E E1          NOMTCH: POP      HL
34 001F 18 DF          JR      MLOAD
35
36 0021          END

```

Program Listing. Assembly Program Listing of Revised File Name Search

Smith Corona TP-1 TEXT PRINTER

\$599⁸⁸

UPS DELIVERED

- 120 words/min (12 cps) with full letter-quality
- Either parallel or RS-232C interfacing available (specify)
- 10 or 12 pitch (characters per inch) available (specify)
- Friction feed on 10½" printable line; takes 4-part forms



Okidata Printers

MICROLINE 80	\$349 ⁸⁸
MICROLINE 82A	\$439 ⁸⁸
80/82A TRACTOR	\$59 ⁸⁸
MICROLINE 83A	\$694 ⁸⁸
OKIGRAPH ROM	\$44 ⁸⁸
MICROLINE 84	
Parallel, 200 cps	\$1044 ⁸⁸
MICROLINE 84	
RS-232C, 200 cps	\$1164 ⁸⁸

Anadex Printers

DP-9500A	\$1469 ⁸⁸
DP-9510A	\$1469 ⁸⁸
DP-9620A	\$1569 ⁸⁸

Brother Printers

DAISYWRITER 2000	\$1089 ⁸⁸
IBM PC CABLE	\$49 ⁸⁸
TRACTOR	\$149 ⁸⁸

IDS Printers

MICROPRISM	\$699 ⁸⁸
PRISM 80 W/4-colors, Sprint Mode, Dot Plot, & Cut Sheet Guide	\$1329 ⁸⁸
PRISM 80 w/out color	\$999 ⁸⁸
PRISM 132 W/4-colors, Sprint Mode, Dot Plot, & Cut Sheet Guide	\$1699 ⁸⁸
PRISM 132 w/Sprint Mode & Dot Plot	\$1259 ⁸⁸

TEC Printers



DMP85.....\$469⁸⁸

The generic version of NEC & Prowriter printers. Features 120 cps, bi-directional, logic-seeking, 1.3K buffer. 5 fonts, 8 sizes on 9x9 matrix, w/proportional print, true descenders, & Greek/Math font. 160 x 144 dots/inch Hi-Res graphics matrix, 1/144" line feed. Friction & tractor standard, rear paper path.

C. Itoh Printers

C. ITOH PROWRITER	\$499 ⁸⁸
C. ITOH PROWRITER	
Parallel & RS-232C	\$614 ⁸⁸
C. ITOH PROWRITER 2	\$734 ⁸⁸
C. ITOH PROWRITER 2	
Parallel & RS-232C	\$794 ⁸⁸
F-10/40 STARWRITER 40 cps	
Parallel or RS-232C	\$1499 ⁸⁸
F-10/55 PRINTMASTER 55cps	
Parallel or RS-232C	\$1799 ⁸⁸
F-10 TRACTOR	\$289 ⁸⁸

NEC Printers

NEC PC 8023A-C	\$509 ⁸⁸
NEC 3530 (35cps)	\$1809 ⁸⁸
NEC 7730 (55 cps)	\$2579 ⁸⁸

Centronics Printers

CENTRONICS 122-1	\$979 ⁸⁸
CENTRONICS 352	\$1614 ⁸⁸
CENTRONICS 353	\$2274 ⁸⁸
CENTRONICS 739-1	\$564 ⁸⁸

MPI Printers

MPI 88G	\$639 ⁸⁸
MPI 99G	\$689 ⁸⁸
MPI 150G	\$879 ⁸⁸

Call For Prices

On QUME & DIABLO Daisywheels. QUANTEX, DATASOUTH, DIP, & other printers available

Hayes Smartmodem



A sophisticated 0-300 baud originate/answer modem. Features include auto-dial, auto-answer, full/half duplex, keyboard control, user-selectable parameters. Comes with telephone cable & power supply.

HAYES SMARTMODEM	\$229 ⁸⁸
HAYES 1200 BAUD SMARTMODEM	\$574 ⁸⁸
RS-232C CABLE	\$29 ⁸⁸

MicroTerm

An excellent terminal program from Micro-Systems Software. Microterm features simultaneous input while at menu, auto dial support (including pre-programmed dialing and transmission without operator intervention), direct file transfer, 34K of capture buffer, and a high operational baud rate (near 9600). Well-suited to both the Lynx & Hayes Smartmodem's auto dial & auto answer features. Specify Model I or III when

ordering MICROTERM	\$89 ⁸⁸
--------------------	--------------------

MODEMS

LYNX	\$229 ⁸⁸
SIGNALMAN MARK I	\$89 ⁸⁸
NOVATION AUTO CAT	\$224 ⁸⁸
NOVATION 1200 BAUD AUTO CAT	\$569 ⁸⁸

Model 3

Model 3 with 48K RAM and two single sided, double density drives, delivered ready to run. Fully compatible with all hardware/software. RS-232C port optional. Non-Radio Shack warranty, but full 90 days on parts & labor.

MODEL 3	\$1799 ⁸⁸
---------	----------------------

Disk Drives

40 TRACK SS	\$239 ⁸⁸
-------------	---------------------

Dosplus

The finest DOS available. Features a BASIC array sort (multi-key, multi-array), input @ (controlled screen input), random access and ASCII modification, BASIC checks for active "DO", repeat of last DOS command, device routing, single file conversion from Model III TRSDOS, reading 40-track disks in 80 track drives, etc. Specify Model I or III, single or double density, 40 or 80 track disk drive. DOSPLUS 3,4\$104⁸⁸

Quic-N-Easi

Quic-N-Easi lets anyone write custom business application programs without BASIC—and you do it faster. Now you can try Quic-N-Easi for 15 days FREE. You're satisfied or your \$195 refunded—no questions asked. Non-programmers & experts alike can write sophisticated business programs with Quic-N-Easi. Inventory, records, sales tracking, budgeting—and you'll program faster, with greater flexibility, like a pro—or your money back.

TRS-80 Model I/III	
Quic-N-Easi	\$159 ⁸⁸
Model II/16 (CP/M required)	
Quic-N-Easi	\$159 ⁸⁸

NEWSSCRIPT 7.0

ProSoft's NEWSSCRIPT supports most printers (including the new Microlin 34), and features true right-justified proportional printing, single and double-width type within text, subscripts, superscripts, underlining, boldfaces, multiple character pitch, full-screen editing, global search/replace, customized "form" letters, plain english commands, typeahead/print-ahead buffers for speed, a professional manual, & customer support from the author himself. NewsScript\$104⁸⁸

Options (below) are not available separately.

Mail Labels	\$15 ⁰⁰
File Converter	\$15 ⁰⁰
Proportional Driver	\$49 ⁸⁸
Electric Webster	\$150 ⁰⁰

Orders & Information: CALL (603)-673-8857

Orders Only: CALL (800)-343-0726

No Hidden Charges

No surcharge for credit cards—No charge for UPS shipping—Stock shipments next day. All equipment shipped factory fresh with manufacturer's warranty—We accept CODs. Open PO's not accepted—\$50 minimum order—No foreign orders accepted. Prices subject to change—call for quotes



HIGH TECHNOLOGY AT AFFORDABLE PRICES

THE BOTTOM LINE

Milford NH 03055-0423




Fig. 1. Machine language tape format

It is also possible to build a file that loads on top of the System command's RAM subroutine, takes control of the TRS-80 (possibly to load a "protected" program), then returns control

to the TRS-80's normal System command processing.

Bugs in System Command

Have you ever tried to load the second or third machine language program on a tape only to have it float into Never-never land? Eventually, you reach the end of the cassette without loading the program.

The problem is a result of the way the TRS-80 searches for a file name. When you type a file name, the TRS-80 activates its cassette and finds the sync byte. It reads the tape, character by character, until it finds the start of the file name ID byte. It compares the file name you type with the recorded file name until

one of three conditions is met: 1) If you type a file name of less than six characters, as many characters as you type are matched with corresponding characters in the recorded file name. (Thus, EDTASM and ED both load Radio Shack's Editor/Assembler.) 2) Six characters of both file names match. 3) One of the characters it reads from the tape does not match the corresponding character you type.

If conditions one and two are met, the TRS-80 loads the machine language program that follows.

Condition three is an unsuccessful match. This is where the TRS-80 can get confused. Instead of going back and finding a new leader and a new sync byte, the TRS-80 continues to read characters until it finds another file name ID character.

This strategy, in itself, is very dangerous, since it is likely the TRS-80 will use a data byte as the start of file name. Even worse, the TRS-80 might lose sync completely. Then, any combination of data that results in a byte equal to 55H will be misinterpreted.

Even in the unlikely event that the TRS-80 does find another real file name, it does not reset its pointer to the file name you typed. Therefore, what the 80

matches depends on how well the last file name(s) it reads from the cassette resembles the desired file name.

Eventually, it can match all the characters in the desired file name, resulting in its loading the wrong file. Assuming the first bug doesn't "byte" you, it is possible to exploit this "feature" to load the second copy of the same file by preceding the file name with an extra unmatched character. For example, to load the second copy of EDTASM, you can type XED.

Program Listing shows a revised version of the file name search. This version only adds nine bytes of code but fixes the second bug and decreases the probabilities of the first. To use this version, relocate the code for the locations 02B5H-02CDH to come immediately before the code listed. (I generally put the code in the highest part of memory after protecting it from Basic.) When the TRS-80 loads this code into memory, change the memory locations starting at 41E2H to jump to the revised System command processor.

This revised version is the same as Radio Shack's except I add code to save and restore the pointer to your file name before and after each attempt at matching. It also improves the chances of finding a second file







Fig. 2. Flowchart of TRS-80's System Command

name ID byte by jumping back to the synchronization routine whenever an unsuccessful match occurs. The lines in the listing with an asterisk before the comment indicate the revised code.


This version is not an absolute answer to the first bug, since it only searches for the sequence: one byte of zeros, sync ID byte, file name ID byte. While it is still possible for a machine language program to contain

those three bytes—00H, A5H, 55H—I haven't run into one.


Conclusion

In general, the TRS-80's ROM software works as specified. Though it's been said, "If a piece of software is bug free, it is obsolete," the Level II ROMs are hardly obsolete. It's safe to assume they contain several bugs. Always approach a piece of software with a bit of justified caution. ■

Figure 2 continued



LOAD 80 LOADS EASY



ELIMINATE HOURS OF TYPING AND AGGRAVATION

**LOAD 80 cassettes for BACK ISSUES
of 80 Micro now available**

In the April, 1981 issue of 80 Micro we introduced LOAD 80 to save you the time and trouble of typing our programs yourself. LOAD 80 cassette tapes contain dumps of the major program listings in 80 Micro.

If you have not yet ordered any LOAD 80 tapes and wish you had, don't worry. We are now offering a "back issue" cassette program. You can order any LOAD 80 cassette from April, 1981 to date for \$9.97. Back issues of 80 Micro are also available with the LOAD 80 cassettes for \$3.50. With the complete documentation found in the companion magazine issue, you should have no difficulty loading any of 80's major programs.

Please send me the following:

month year month year
Tapes _____ Magazines _____

ITEM	COST	QTY.	TOTAL
LOAD 80 Tapes: August 1982 Double Issue	\$17.97		
add \$1.50 per tape for postage and handling	\$9.97		
80 Micro	\$3.50		
add \$1.00 per magazine for postage and handling			
TOTAL			

☐ Check Enclosed Bill my: ☐ MC ☐ AE ☐ VISA

NAME _____
ADDRESS _____
CITY _____ STATE _____ ZIP _____
CARD # _____ EXP. DATE _____
SIGNATURE _____ INTERBANK # _____

Please allow 4-6 weeks for delivery
LOAD 80 • 80 Pine Street • Peterborough NH 03458
Attn: Debra Boudrieau



Destroy the crafty K'taabas.

Invader

Jeffrey Fisher
414 W. 41st Street
Sand Springs, OK 74063

*"To attack they
must regress to
three dimensions..."*

Earth is being threatened by the K'taaba, beings capable of existing beyond three dimensions. When in these higher dimensions, they are invisible to us. To attack they must regress to three dimensions, becoming visible. They remain three dimensional until either you or they are destroyed.

You are in the cockpit of a fighter ship. When a K'taaba appears, target him at the approximate center of the screen using the arrow keys. Pressing two keys together results in diagonal movement.

Press the space bar to fire your laser. Hold the space bar down for a machine gun effect. You must hit the ship with the tip of at least one of your two laser beams to destroy it.

Due to the small target area, it

is sometimes difficult to tell if firing the lasers will destroy the ship. To help I incorporated small graphics blocks that track the ship's position by its horizontal and vertical com-

The Key Box

Basic Level II
Model I
4K RAM

```
10 REM      **** INVADERI ****
            BY JEFF FISHER
            JANUARY 3RD, 1982
20 CLEAR300:DEFINTD,F,H,J,K,O,P,T,V,X,Y:CLS:PRINTCHR$(23);:S$(1)
=CHR$(156)+CHR$(140)+CHR$(172):S$(2)=CHR$(191)+CHR$(140)+CHR$(19
1):S$(3)=CHR$(141)+CHR$(180)+CHR$(142):PRINT@448,"INVADERI":PRIN
T"BY JEFF FISHER"
30 AS=INKEY$:IFAS=" "THEN10ELSEIFK<150THENX=K+1:GOTO300
40 CLS:PRINT"EARTH IS IN DESPERATE TROUBLE!!!!!!":PRINT:PRINT"YOU
HAVE BEEN CHOSEN TO SAVE EARTH FROM THE K'TAABA RACE!":PRINT:PR
INT" THE K'TAABA HAVE THE CAPACITY TO TRAVERSE HIGHER DIMENSIO
NS":PRINT"AND ARE ATTACKING! TO BE FAIR, THEY ALWAYS REGRESS"
50 PRINT"TO THREE DIMENSIONS TO ATTACK. AT THIS TIME, THEY BECO
ME":PRINT"VISIBLE AND YOU MUST DESTROY THEM.":PRINT:PRINT" WHE
N THE INVADERS ATTACK, YOU LOSE FUEL SINCE YOU MUST":PRINT"REPLE
NISH YOUR SHIELDS AS THEY ARE WEAKENED BY ENEMY FIRE."
60 PRINT" IN DESTROYING ENEMY CRAFT, YOU SCORE POINTS ACCORDIN
G TO":PRINT"THE TYPE OF VESSEL.":GOSUB320:CLS:PRINT"VESSEL","POI
NT","DESTRUCTIVE":PRINT"TYPE","VALUE","CAPACITY":FORJ=1TO3:PRINT
S$(K),K*10,K*50:PRINT:NEXT
70 PRINT" THE VESSEL TYPE IS WHAT THE SHIP LOOKS LIKE. THE":P
RINT"POINT VALUE IS THE NUMBER OF POINTS YOUR SCORE IS INCREASED
FOR":PRINT"DESTROYING THAT TYPE OF SHIP. THE DESTRUCTIVE CAPAC
ITY IS THE"
80 PRINT"MAXIMUM AMOUNT OF FUEL THAT YOU CAN LOSE WHEN THAT SHIP
FIRES":PRINT"UPON YOU.":GOSUB320:PRINT" MANEUVER THE OFFENDIN
G SHIPS TO THE APPROXIMATE CENTER":PRINT"OF THE SCREEN USING THE
ARROW (":FORJ=9TO93:PRINTCHR$(K))":PRINT:NEXT
90 PRINTCHR$(K)) KEYS. THE DIRECTION":PRINT"OF THE KEYS INDIC
ATE THE DIRECTION OF MOTION OF THE SHIP.":PRINT"DIAGONAL MOVEMEN
T IS ACCOMPLISHED BY PRESSING PERPENDICULAR":PRINT"KEYS."
100 PRINT:PRINT"TO DESTROY AN ENEMY SHIP, YOU MUST HIT IT WITH T
HE TIP OF YOUR":PRINT"LASER.":PRINT:PRINT"TO FIRE, PRESS THE SPA
CE BAR.":PRINT"REMEMBER---THE K'TAABA NEVER MISS!":PRINT:PRINT"G
OOD LUCK.....":GOSUB320
110 CLS:PRINT@448,CHR$(23);:"TRANSFERRING COMMAND":FORJ=1TO8:LS=L
S+CHR$(27)+CHR$(186):LES=LES+CHR$(27)+:"RS=RS+CHR$(27)+CHR$(24
)+CHR$(24)+CHR$(181):RES=RES+CHR$(27)+CHR$(24)+CHR$(24)+:"NEXT
120 FORJ=1TO14:S$=S$+CHR$(26)+CHR$(24)+CHR$(191):SE$=SE$+CHR$(26
)+CHR$(24)+:"NEXT
```

```
130 CLS:PRINTCHR$(23);:FORJ=1TO10:PRINT@458,"* PREPARE FOR BATTL
E *":FORJ=1TO25:NEXT:PRINT@458,STRING$(22," "):NEXT:F=1000:T=0
140 CLS:GOSUB260:V=RND(3):X=RND(61):Y=RND(14):P=Y*64+X:GOSUB340
150 PE=PEEK(14400):X=X+RND(3)-2:Y=Y+RND(3)-2:IFPEAND8ANDY>1THENY
=Y-1
160 IFPEAND16ANDY<14THENY=Y+1
170 IFPEAND32ANDX>1THENX=X-1
180 IFPEAND64ANDX<61THENX=X+1
190 IFX<1THENX=1ELSEIFX>61THENX=61
200 IFY<1THENY=1ELSEIFY>14THENY=14
210 P=Y*64+X:GOSUB340:IFRND(20)=1THEND=(957-P)/64:PRINT@P+2,LEFT
$(S$,D*3);:PRINT@P+2,LEFT$(SE$,D*3);:P=P-RND(50*V)/(D+1):GOSUB26
0
220 IFPEAND128THENPRINT@983,LS;:PRINT@1001,RS;:PRINT@983,LES;PR
INT@1001,RES;:PRINT@P,S$(V);:P=P-10:GOSUB260:IFP>475ANDP<481THEN
GOSUB250:GOTO140
230 IFF<=0THEN280
240 GOTO150
250 FORJ=1TO10:PRINT@P," ";:PRINT@P,CHR$(128+RND(63))+CHR$(128
+RND(63))+CHR$(128+RND(63));:FORJ=1TO5:NEXTK,J:T=T+V*10:GOSUB260
:RETURN
260 IFF<=0THENF=0
270 PRINT@960,STRING$(63," "):PRINT@960,"FUEL ":F;:PRINT@980,"
SCORE ":T;:PRINT@1005,"TOP SCORE ":H;:RETURN
280 FORJ=1TO5:PRINTCHR$(23);:FORJ=1TO15:NEXT:PRINTCHR$(28);:NEXT
:M=M+1:PRINT"MISSION";M;"OVER":GOSUB300:PRINT"CARE TO PLAY AGAIN
(Y/N)?"
290 AS=INKEY$:IFAS="Y"THEN130ELSEIFAS<>"N"THEN290ELSEPRINT"THANK
S FOR PLAYING!":END
300 IFT>THENPRINTSTRING$(25,"*"):PRINT"CONGRATULATIONS! YOU HA
VE":PRINT"POSTED A NEW HIGH SCORE!":PRINTSTRING$(25,"*"):H=T:GOS
UB260:PRINT@320;
310 RETURN
320 PRINT:PRINTTAB(13)CHR$(191);:"PRESS THE SPACE BAR TO CONTINUE
":CHR$(191);
330 PE=PEEK(14400):IFPE<128THEN330ELSECLS:RETURN
340 PRINT@0," ";:PRINT@XO+1," ";:PRINT@YO," ";:PRINT@P,S$(V);:
IFX>27ANDX<33THENPRINT@X+1,CHR$(191);ELSEPRINT@X+1,CHR$(131);
350 YB=Y*64:IFY=7THENPRINT@YB,CHR$(191);ELSEPRINT@YB,CHR$(140);
360 XO=X*O=P:YO=YB:RETURN
```

Program Listing



Heart of TEXAS COMPUTER SYSTEMS

LEADER in MAIL ORDER DISCOUNTS!

800 433-5184

Texas 817/274-5625

TANDON DRIVES

BARE DRIVES ONLY

REGULAR 5 1/4 inch DRIVES

40 track single sided	\$199
80 track (dual sided 40 track)	\$269
160 track (dual sided 80 track)	\$389

SLIMLINE 5 1/4 inch DRIVES

SLIMLINE 8 inch DRIVES

WINCHESTER 5 1/4 inch

HARD DISK DRIVES

1 DRIVE in Cabinet

40 track single sided	\$249
80 track (dual sided 40 track)	\$329
160 track (dual sided 80 track)	\$449

1 DRIVE/Double Cabinet

40 track single sided	\$289
80 track (dual sided 40 track)	\$369
160 track (dual sided 80 track)	\$489

2 DRIVES/Double Cabinet

40 track single sided	\$489
80 track (dual sided 40 tracks)	\$639
160 track (dual sided 80 tracks)	\$849

CORVUS HARD DISK

CORVUS HARD DISKS complete from \$2695

Add 5, 10 or 20 megabytes of storage to your TRW80, Apple, Atari, Heath, Zenith, IBM, Intertec, S-100 and many others. One or several computers can share a hard disk. Get simultaneous access to data for multiple users. Available now at SUPER SAVINGS.

PRINTERS

TCS has the LOWEST PRICES on IN STOCK PRINTERS!

MATRIX PRINTERS

STAR MICRONICS	\$449
NEC 8023A	\$495
C.I.TOH 8510 / TEC	\$479
OKIDATA 82A	\$429
OKIDATA 82A w/tractor	\$479
OKIDATA 83A	\$685
OKIDATA 84A (serial)	\$1169
OKIDATA 84A (parallel)	\$1089
ANADIX 9501 w/2k buffer	\$1295
LINE PRINTER V (RS)	\$CALL
LINE PRINTER VI (RS)	\$988
LINE PRINTER VIII (RS)	\$649
CENTRONICS 352 (200 cps)	\$1795
CENTRONICS 353 (dual mode)	\$2485

HI SPEED BAND PRINTERS

CENTRONICS 6080 (standard)	\$CALL
CENTRONICS (quietized)	\$CALL

LETTER QUALITY PRINTERS

C.I.TOH F-10 (40 cps)	\$1595
DAISY WHEEL II (RS)	\$1695
SMITH CORONA TP-1	\$699
BROTHER / COMREX	\$829
NEC 7730	\$2375
NEC 3530	\$1795

EPSON PRINTERS

EPSON MX80	\$449
EPSON MX80 FT	\$524
EPSON MX100 FT	\$685

GRAPHTRAX PLUS comes free in Epson!!

EPSON ACCESSORIES

GRAPHTRAX PLUS (bit image)	\$79
MODEL I interface	\$29
MODEL I interface/cable to keyboard	\$85
MODEL III cable	\$29
COLOR Computer interface/cable	\$155
APPLE interface/cable	\$89
ATARI cable (must have 850 int)	\$36
IBM Personal Computer cable	\$45
OSBORNE cable	\$36
Serial RS232 2k buffered int.card	\$109


EPSON PACK II

Screen oriented bit image graphics generator for the Model III. Create your own characters, symbols, etc. Documentation. EPSON PACK II bought w/printer \$24.95. EPSON PACK II bought separately \$34.95. Update for EPSON PACK I...\$7.50

TRS-80

TCS MODEL III 48k 2 DISK

Systems come with 180 day TCS limited warranty.



\$1695

With standard 40 track double density drives. Over 340,000 bytes. Includes TDOS.

\$1995

With 2 dual headed 40 track dbl.density drives. Over 730,000 bytes. Includes TDOS.

Fully assembled and tested systems that are software compatible and functionally identical to Radio Shack units sold at computer stores for \$hundreds more.

- CONTROLLER BOARDS are high quality double sided epoxy boards with gold plated contacts.
- POWER SUPPLY is the finest switching type available.
- MOUNTING HARDWARE includes power and data cables.
- DISK DRIVES are Tandon, the same ones used by Radio Shack... 40 track, double density, with a 5 millisecond stepping rate.

TCS MODEL III DISK EXPANSION KITS

1 Controller, Power Supply, Mounting Hardware & Instructions	\$379
2 Controller, Power Supply, Hardware & one 40 track Tandon drive	\$577
3 Controller, Power Supply, Hardware, two 40 track Tandon drives, 32k memory (everything you need for 2 drive 48k upgrade)	\$799
3a Kit 3 but with two 80 track drives (dual sided 40s)	\$999
3b Kit 3 but with two 160 track drives (dual sided 80s)	\$1169

MODEL III SYSTEMS

Original 90 day manufacturer's warranty.

MODEL III 4k Level 1 \$599

MODEL III 16k \$818

MODEL III 32k \$898

MODEL III 48k \$988

MODEL III 48k 2Dr/RS232 \$1944

TCS MODEL III Systems use original RS hardware and quality TCS memory.

180 day limited warranty.

TCS MODEL III 16k \$799

TCS MODEL III 32k \$818

TCS MODEL III 48k \$848

COLOR COMPUTER

Original 90 day manufacturer's warranty.

16k Level 1 \$308

16k Extended Basic \$398

32k Extended Basic \$CALL

Color Disk 0 \$479 Disk 1 \$349

TCS COLOR COMPUTERS use original RS hardware & TCS memory.

180 day warranty.

TCS 32k Extended Basic \$499

TCS 32k Memory Upgrade \$79

TCS Color Disk Drive 0 \$448

TCS Color Disk Drive 1/2/3 \$248

DEALER INQUIRIES INVITED

B-TREE CUSTOM SOFTWARE FROM TCS

BTREE Scratchpad

The BTREE Executive Reference Scratchpad allows the user to store all your phone numbers, business cards and what ever in a multi-key data base for immediate access by as many keys as you assign. Extremely easy to use. Allows 3 fields of Misc data.

\$39.95

BTREE Library

The BTREE Library program allows over 2000 books to be stored on a single double density data diskette in an efficient BTREE structured file for immediate access to your data by Author. Includes 4 build in reports. No sorting necessary for reports.

\$39.95

BTREE Mail List

The BTREE Mail List program allows over 2000 names to be stored on a single double density data diskette. Labels can be generated in zipcode order or by range of zipcodes and also by a code restriction if you wish.

\$49.95

TEXAS COMPUTER SYSTEMS

P.O. Box 1327 Arlington, Texas 76004-1327

TECHNICAL ASSISTANCE 817/274-9221

ORDER STATUS 817/277-1913

TELEX/TWX/Easylink ELN 62100790



800 433-5184

No tax out of state. Texans add 5%. Prices subject to change at any time.

WIZARD'S TOUCH

Regularly \$199

Introductory offer until 12/31/82

Program Development System

\$99

BELIEVE IT OR NOT, YOU CAN DEVELOP YOUR OWN PROGRAM IN 15 MINUTES!!!

The WIZARD'S TOUCH Program Development System is a superior program generator that can provide you with the programs you've been looking for. It comes with its own Disk Operating System, providing unlimited backups.

With WIZARD'S TOUCH, here's what you can do:

- Custom design your own special form for maximum ease of entering your data. You have total control over defining the number of characters assigned to each field and any other entry restrictions.
- Fully view and edit all fields at all times. No need to retype an entire field when editing. Just type over the mistakes, or insert or delete them.
- Create a BTREE structured file, allowing you to access your stored data rapidly and without sorting. Duplicate keys are allowed, as well as sub-keys.
- Enter data at full typing speed.
- Define your own special self-help or prompt information that will be displayed for any given field, by just touching one key.
- Expand your program to support up to 8 calculations for each data field. Results can be displayed in any field or in any defined display area. Results can also be saved to disk along with regular data fields. Data such as dates or prices can be formatted as desired.
- Generate your own reports with the built-in pre-defined or custom defined report generator. Just a few keystrokes can get you a report that can be alphabetized or ordered by any field. And it's all automatic.

The WIZARD'S TOUCH is so fast and easy to use. It makes other development systems of the market look like amateurs. No royalty necessary for resale of programs you develop on WIZARD'S TOUCH. It creates a stand-alone, fully commented, BASIC program, which you can easily modify.

Your purchase includes a free subscription to our WIZARD'S TOUCH newsletter, a quarterly publication with free programs, ideas for applications, updates and more.

Now available for MODEL I/III Coming soon for MODEL II, IBM and APPLE.

ponents. When the K'taaban vessel is in target range both sighting blocks will grow larger.

The K'taaba return fire occasionally. Their weapons shoot

downward. Although they never miss you can limit their effectiveness by keeping the attacker near the top of the screen. The higher the ship, the greater its

distance and the less damage its weapons can cause.

The status of your ship is indicated by fuel reserves. If you are fired at, it takes a certain amount of fuel to replenish your shields. The amount of reserve fuel lost due to an attack depends on the distance between you and the attacker and on the type of the ship attacking. The ones that can do more damage are worth more points when you shoot them down.

Each ship's point value and potential maximum damage is explained during the program's

instructions. Firing your lasers also uses fuel. The consumption rate is 10 fuel units for each shot, 1,000 units of fuel are allocated for each mission allowing for a maximum of 100 shots.

Invader has 3,000 points as a perfect score, assuming that the enemy causes little, if any, damage, all the ships you encounter are worth 30 points, and your lasers always find their target.

Pressing the space bar while the game's title is displayed bypasses the instructions on the screen.

Modifications for the 4K Owner

The program requires about 3,650 bytes of memory. Leaving out lines 10, 40-100, and 320-330 (which are primarily instructions) drops the requirement to roughly 2,050 bytes. ■

Jeff Fisher is a computer science/engineering major at the University of Illinois in Urbana-Champaign. His hobbies include amateur radio.


AS—Used with the INKEY\$ command in lines 30 and 290 to wait for user input
LS—Graphic characters for left laser
LE\$—Used to erase left laser
RS—Graphic characters for right laser
RE\$—Erases right laser
SS—K'taaban ship's laser graphic string
SE\$—Erases K'taaban's laser
SS(n)—String array used to contain enemy ships (n is equal to 1, 2 or 3)

Table 1. String Variables

D—Distance of the enemy vessel from bottom of the screen; used to assess damage to player's ship
F—Amount of fuel remaining; initialized to 1000 before each mission
H—Highest score achieved during current game session
J,K—Used as control variables in For...Next loops; K is also used to escape the GOTO loop in line 30
O—Enemy's previous position; erases ship prior to moving its position
P—K'taaban ship's current position
T—Tally; player's current score
V—Vessel type on screen
X—Current horizontal position of enemy ship
XO—Previous horizontal position of enemy ship
Y—Current vertical position of enemy vessel
YB—Used to print vertical sighting block on screen
YO—Previous vertical sighting block's position

Table 2. Numeric Variables

Beat The Price Increase!
Instant Software's prices are going up.



Instant Software's prices are going up. Stop waiting for the right time to buy! Stock up now on all the programs you want, and SAVE. Shop early and save \$\$\$\$\$\$ on your Christmas shopping also.

Remember, this is the last chance to buy Instant Software's products at the old 1982 prices. Effective November 15, 1982* Instant Software will be raising its prices on most of its products. Order today so that you too can beat the Instant Software price increase. Just call toll free:

1-800-258-5473

*Old prices will not be accepted after this date.

Instant Software™

(a subsidiary of Wayne Green Inc.)

Route 101 & Elm St. Peterborough, NH 03458
603/924-9471



COLOR WORKS

NOW—create color graphics and play color games on your TRS-80* MOD 1 & MOD 3. CHROMAtrs Kit **only \$99****



UNRETOUCHED PHOTO

**CHROMAtrs assembled & tested \$169

WITH 15 VIVID COLORS

Now be first! CHROMAtrs lets you create color graphics with capabilities never before possible on TRS-80*. You'll be able to play color games with such brilliant effects your friends will be green with envy — or any other color of your choice — and all this on your own TRS-80* MOD 1 & MOD 3!

CHROMAtrs works with:

- 15 vivid colors
- Transparent and high resolution graphics (192x256)
- Atari® joystick and paddle interface
- Audio and video outputs
- 3 Dimensional simulation through 35 prioritized display planes

CHROMAtrs comes with:

- Routines to provide high speed color graphics capability through Basic
- Operating manuals
- One complimentary game
- 16K RAM on board

The TRS-80* memory is not used and there is no modification necessary (warranty not voided). This uncomplicated system is so simple to connect you'll be amazing your friends with your color powers immediately.

South Shore Computer Concepts, Inc.

Please send

- ☐ CHROMAtrs KIT \$99
- ☐ CHROMAtrs assembled & tested. \$169
- ☐ TRS-80* MOD 1 cable \$12

TRS-80 is a product of Tandy Corp.

- ☐ TRS-80* MOD 3 cable \$14
- ☐ Modulator with cables & switch box. \$25

Sub Total

N.Y.S. residents sales tax 7 1/4 %

Handling & shipping \$5

Total amount order

Check one:

☐ Check or M.O. enclosed

☐ Master Charge ☐ Visa

Account # _____ expiration _____

Signature _____

Name (Print) _____

Address _____


City _____

State _____

Zip _____

South Shore Computer Concepts, Inc. • 1590 Broadway, Hewlett, N.Y. 11557 • Phone Orders Taken (516) 569-4390

REMEMBER:



MORE THAN JUST ANOTHER PRETTY FACE.

Says who? Says ANSI.

Specifically, subcommittee X3B8 of the American National Standards Institute (ANSI) says so. The fact is all Elephant™ floppies meet or exceed the specs required to meet or exceed all their standards.

But just who is "subcommittee X3B8" to issue such pronouncements?

They're a group of people representing a large, well-balanced cross section of disciplines—from academia, government agencies, and the computer industry. People from places like IBM, Hewlett-Packard, 3M, Lawrence Livermore Labs, The U.S. Department of Defense, Honeywell and The Association of Computer Programmers and Analysts. In short, it's a bunch of high-caliber nitpickers whose mission, it seems, in order to make better disks for consumers, is also to

make life miserable for everyone in the disk-making business.

How? By gathering together periodically (often, one suspects, under the full moon) to concoct more and more rules to increase the quality of flexible disks. Their most recent rule book runs over 20 single-spaced pages—listing, and insisting upon—hundreds upon hundreds of standards a disk must meet in order to be blessed by ANSI. (And thereby be taken seriously by people who take disks seriously.)

In fact, if you'd like a copy of this formidable document, for free, just let us know and we'll send you one. Because once you know what it takes to make an Elephant for ANSI...

We think you'll want us to make some Elephants for you.

ELEPHANT.™ HEAVY DUTY DISKS.

For a free poster-size portrait of our powerful pachyderm, please write us.

Distributed Exclusively by Leading Edge Products, Inc., 225 Turnpike Street, Canton, Massachusetts 02021
Call: toll-free 1-800-343-6833; or in Massachusetts call collect (617) 828-8150. Telex 951-624.

80 LIST OF ADVERTISERS

RS Number	Page	RS Number	Page	RS Number	Page	RS Number	Page
38 A.M. Electronics	215	118 Data Services Inc.	506	* Level IV Products Inc.	187	475 Programmer's Institute	363
443 A String Systems	137	99 Data Systems	189	131 Libra Laboratories	494	418 Programs for the 80's	266
476 ABC Sales	141	445 Dayton Microsupport	168	135 Lindbergh Systems	385	143 Progressive Electronics	299
173 ABS Suppliers	240	* Dealers Sell	411	* Load 80	227	91 Prosoft	19, 261, 515
530 AP Systems	240	394 Decision Science Software Inc.	167	* Load 80 Back Issues	449	48 Quality Computer Services	220
107 Aardvark 80	369	552 Digital Marketing Corp.	514	* Load 80 Bulk	481	194 Quant Systems	430
26 Access Unlimited	88, 89	* Disk Supply Company	395	535 Lobo Drives International	298, 299	* R.N. da Silva	234
197 Ace Computer Products of FL	382	62 Displayed Video	172, 173	251 Logical Systems Inc.	115	41 Racet Computers Ltd.	381
79 Acorn Software	161	* Don Fielding	102	561 Lords Systems Design	516	468 Racet Computers Ltd.	381
19 Adventure International	209	483 Downeast Microcomputing	168	115 Lynn Computer Service	503	269 Radix Technologies	394
22 Adventure International	496	353 Dresselhaus Computer Products	108	196 Maine Software Library	194	264 Rainbow P & P Corp.	108
570 Adventure International	516	590 Dynamic Electronics Inc.	517	457 Management Systems Software	314	265 Rainbow P & P Corp.	70
62 Aerocomp Inc.	228, 229	216 E. A. P. Company	170	259 Manhattan Software Inc.	377	480 Rainbow Software Services	383
75 Alcor Systems	423	371 EASI Software Inc.	256	411 Marathon Software	165	296 Rainbow, The	305
* Aldavco	160, 314, 427	217 EBG & Associates	477	241 Mark Data Products	505	130 Rand's Inc.	78
136 Algorix	249	401 E & G Umlor Enterprises	160	580 Mark Data Products	518	345 Real Software Company	434
178 All Systems Go	365	28 EPYX/Automated Simulations	509	146 Master Electronics Inc.	409	* Realty Software Company	312
473 Alpha Byte Stores	13	49 ESI Lynx	253	469 Maximum Micro	439	275 Red Baron Computer Products	201
17 Alpha Products Co.	14, 15, 17	513 East Coast Data	316	407 Mayday Software	236	498 Red Wing Software	192
112 Alphabetics	425	154 Eigen Systems	274	83 Med Systems Software	29, 57, 107, 117	7 Redgate Publishing Co.	72, 73
113 Alphabetics	425	569 Eigen Systems	274	250 Melbourne House Software House	41	41 Retware	193
69 Alternate Source, The	119	* Eighty Micro Anniversary Issue	35	461 Memory Merchant	207	481 REM Industries, Inc.	384
217 American Small Business Computers	311	* Eighty Micro Back Issues	449	524 Menlo Systems	236	145 REMarkable Software	409
218 American Small Business Computers	313	* Eighty Micro Binders & File Cases	126	188 Mercer Systems Inc.	295	129 REMSOFT	103
219 American Small Business Computers	315	* Eighty Micro Book Shelf	401, 403	507 Meridian	434	480 Rimes Computer Products	167
220 American Small Business Computers	317	* Eighty Micro Christmas	423	13 Meta Technologies Corp.	9, 11	564 Robert T. Diwelt	513
221 American Small Business Computers	319	* Eighty Micro Subscription	491, 102	56 Micro Accounting Systems	275	213 Micro Journal	101
341 Analytical Processes Corp.	385	329 Eighty US Companies	213	247 Microcomputer Technology Inc.	30, 31	35 SID	584
284 Ancie Labs	218	162 Electronic Protection Devices	121	593 Microcomputer Technology Inc.	510	499 SMS Products	428
268 Ann Arbor Precision	244	159 Electronic Specialists	469	459 Micro Data Supplies	277	266 STSC	185
40 Apparat Inc.	212	* Encyclopedia	258, 259	76 Micro-Design	159	142 Sales Data Inc.	443
6 ARCSOFT Publishing	204	97 Epsoh America Inc.	146, 147	77 Micro-Design	159	* Sales Opportunity	435
65 Aspen Software Company	123	177 Equine Management & Innovations	176	78 Micro-Design	159	203 Scientific Engineering Lab	98
316 Aspen Software Company	101	93 Exatron	27	463 Micro-Design	278	510 Scott Tasso	170
567 Aton International	513	428 Excalibur Software	127	463 Micro-Design	278	373 SemDisk Systems	573
239 Avalon Hill Game Company, The	85	36 Fantastic Software	512	461 Micro-Grip Ltd.	377	474 Seneca Electronic	303
300 BT Enterprises	83, 243	166 FGA Software	478, 137	161 Micro-Hatch	241	446 Shale Diversified Enterprises	375
152 BCCOMPCO	48	214 Fort Worth Computers	412	157 Micro Images	235	16 Shannon	196
74 B.V. Engineering	60	557 Foy Inc.	516	464 Micro Labs Inc.	275	363 Shawmut Software	383
334 BASF	225	262 Frank Hogg Laboratory Inc.	235, 377	465 Micro Labs Inc.	275	495 Shelby Enterprises	234
289 Basics & Beyond	377	360 Freedom Micro Systems Inc.	376	60 Micro-Mainframe	379	Shelf Boxes	435
184 Baudy House Computer Products	145	442 Financial Enterprises of WA Inc.	226	132 Micro Management Systems	285, 261	12 Simulatek	251
243 Bay Technical Associates Inc.	507	69 Futuresoft	69	342 Micromatic Programming Co.	39	164 Simutek	100
134 Beard Software Development Co.	198	492 GSB Electronic District	478	162 Micro-Mega	277	568 Simutek Computer Products Inc.	516
29 Big Five Software	493	168 Good-Lyndon Data Systems	480	117 Micro Mint Inc.	486	458 Single Source Solution	417
106 Binary Devices	389	555 Good Software Corp.	514	270 Micro Moonlighter Newsletter	276	* Snappware	175, 177, 179, 181, 183
* Bottom Line, The	447	588 Greathouse and Company	518	298 Micro Peripherals Corp.	241	96 Soft Sector Marketing	143
554 Briley Software	514	9 H & E Computers Inc.	323-358	312 Microsette	171	273 Softdisk Software Co., The	267
448 Bulldog Software	385	HW Electronics	47	368 Micro Systems Software Inc.	368	586 Software Affairs	518
20 Business Division, The	202, 203	409 HF Signalling Inc.	170, 370	384 Micro Systems Software Inc.	377	* Software Arts	67
138 C & S Electronics Ltd.	178	487 HPB Vector Co.	307	575 Micro Systems Software Inc.	513	43 Software Concepts	257, 442
181 CMD Micro	309	244 Hacks	307	339 Micro Tax	296	520 Software Etcetera	362
64 California Word Exchange	261	497 Hancock Technologies	291	380 Micro Tech Exports Inc.	97	537 Software Options	380
466 Check-Mate	23	576 Hayden Book Co. Inc.	513	486 Micro Technology	224	37 Software Support/Micro	43
326 Cheever Microwave	79	563 Hayes Microcomputer Products	513	125 Micro Works	321	322 Softronics	64
568 Cheever Microwave	518	47 Heath/Zenith Company	99	72 Mike Electronics Corp.	368	South Shore Computers	453
102 CLOAD Magazine Inc.	297	46 Hexagon Systems	421	137 Miller Microcomputer Services	150	583 Southwest Microcomputer Systems	518
103 CLOAD Magazine Inc./Chromasette	296	153 Holmes Engineering	180	67 Mumford Micro Systems	371	119 Spectral Associates	438, 439
100 CPU Shop, The	483	320 Howard Bowe	301	533 NEBS	373	261 Standard and Poors	77
121 Cognitech	55	175 Howe Software	301	* NRI Schools	139	346 Star Value Software	104
* Color Software Services	303	211 ICR Futuresoft	46	128 Nelson Software Systems Inc.	255, 441	205 Starbuck Data Co.	312
361 Communications Systems Lab	42	* IJG	113, 271	496 Nepenthe Programs	160	* subLOGIC Communications Corp.	367
252 CompuAdd Corp.	114	414 ISI Catalog	501	255 New Classics Software	152	Subscription Problems	102
455 CompuKit	283	274 Illustrated Memory Bsns.	425	232 Neocoma Electronics	10, 391	586 Sugar Software	514
365 CompuSoft Publishing	33	494 Independent Software	476	50 Omikron	21	285 Sun Research Inc.	200
120 Computer Applications Unlimited	93, 463	556 Independent Software	514	195 Omnitek Computers International Inc.	302	456 Sunlock Systems	443
479 Computer/Business Services	375	424 Individual Systems Inc.	138	206 Options-80	314	233 Synergetic Solutions	294
* Computer Carnival	487	351 Institute for Scientific Analysis	384	511 Orion Instruments	409	* Synergetic Solar Inc.	312
139 Computer Case Company	413	553 Interactive Sports Systems	513	242 PMC Software	171	174 Syracuse R & D Center	384
133 Computer Discount of America	84	553 International Computer Products	427	321 PAB Software Inc.	198	408 T & D Software	189
420 Computer Peripheral Resources	382	336 Intracolor Communications	383	124 PAB Software Inc.	198	499 TSASA Inc.	136
367 Computer Place, The	154	491 J&E & Associates	502	222 Pacific Exchanges	101, 168, 192, 241, 375	178 TYC Software	517
18 Computer Plus	23	202 JES Graphics	49	122 Pan American Electronics	411	189 Tab Sales Company	430
257 Computer Services of Danbury	236	273 J.F. Consulting	49	333 Peggytronics	256	70 Taranto & Associates Inc.	151, 153
109 Computer Shack	129, 131	559 J & M Systems Ltd.	513	324 Pel/Tek	166	440 Tech Data Corp.	192, 316
201 Computer Shack	133	126 JMG Software International	435	* Percom Data Company	3, 24	504 Telexpress	415
453 Computer Shack	135	42 JPC Products Co.	95	1 Percom Data Company	25	59 Texas Computer Systems	451
39 Computer Shopper	169	254 Jimsoft Inc.	388	2 Percom Data Company	25	371 Think Software	132
256 Computer Sports Systems	116	347 Jonell Systems	502	3 Percom Data Company	25	144 Thomas V. Lenz	469
369 Computware	370	485 Kalpin Electronics Co.	136	272 Peripherals Unlimited	361	338 Tidewater Data Systems	226
27 CompuX	50	323 Katahidin Software	427	124 Perry Oil & Gas Inc.	285	527 Tiny-C	266
464 CompuWare	165	* Kengore Corp.	44	Phasy Systems Inc.	269	81 Total Access	233
511 COMPUWARE Corp.	434	574 Kensoft	516	290 Pickles & Trout	45	44 Transaction Storage Systems	467
584 Comrex International Inc.	516	168 Kessler-Ellis Products Co.	219	490 Pion Inc.	291	258 Trend Software Company	186
104 ComSoft	221	51 Krell Software	193	360 Pioneer Software	507	489 Triple-D Software	66
66 Contract Services Associates	445	331 KSoft	431	377 Plug Bug Systems	156	522 TwoSixteen Magazine	362
105 Cosool Inc.	431	359 Kwik Software	280	73 Plus Computer Technology	211	332 Universal Software Associates	81
308 Cornsoft Group	52	444 L.J. Kutter, Attorney	238	589 Plus Computer Technology	518	417 Universal Data Research	238
319 Cornsoft Group	124	30 LNW Research	CIV	560 Rockett's Corp.	516	509 Usages Software Group	105
45 Cornucopia Software	85	31 LNW Research	7	61 Powersoft	240	VR Data Corp.	511
58 Cosmopolitan Electronics Corp.	498, 499	32 LNW Research	163	315 Powersoft	239, 489	169 Van Horn Office Supply	507
187 Cottage Software	309	33 LNW Research	245	378 Powersoft	432	518 Vespa Computer Outlet	145
493 Crabbe Associates	494	462 LSI Systems	510	11 Practical Peripherals	CIII	549 Volks Microcomputer Systems Inc.	137
577 Crabbe Associates	510	579 LSI Systems	510	63 Precision Prototypes	191	* Wayne Green Books	495
190 Creative Computer	290	485 Lant-Hopper Associates	102	Price Increase	452	179 Western Operations	428
307 Custom Data	494	246 Last Entry, The	475	477 Price Increase	452	212 William A. Fink	36
419 D.B. Software	285	421 Lawry's Microcomputer, The	237	260 Pro/Am Software	224	488 Wilson Software Division	487
517 DCS Software	421	472 Leading Edge Products Inc.	454	288 Process Control Technology	109	488 Winn & Harrison	38
* DSC Publishing	290	350 Ledford Services Computer	237	80 Program Store	270, 271, 273	158 XYXT Computer Dimensions Inc.	276
452 Data Mail	263	158 LEDS Publishing Co. Inc.	408	245 Programmer's Institute	223	516 York 10 Computerware	419
478 Data Management Systems	316	358 Lemons Tech Services	280			172 Young Ideas Inc.	166
15 Data Resources	216						

For further information from our advertisers, please use the Reader Service card.

Merge a mailing list with a standardized letter.

Scriptsit Makes It Easy

Peter C. Bennett
7139 Scott Road
Homer, NY 13077

At last! My first big mass mailing job: 700 "hand-typed" personalized campaign letters (complete with envelopes) for a neighbor running for the county legislature.

My 48K TRS-80 Model I is blinking its friendly Scriptsit cursor at me and its dual disk drives and Daisy Wheel II printer are ready. Now what?

Name Your Price

If you can afford a \$20,000 dedicated word processing system touted as the latest in office automation, your problem is solved practically before you've identified it. For that money you can expect a machine that will automatically merge your standardized letter with a separate file of names and addresses, replace the name of the recipient in the salutation (and wherever it appears in the body of the letter) and, just as automatically, print the letters and envelopes. All you have to do is sign and fold them, stamp the envelopes and march off to your local post office.

Or, for a much smaller cash outlay—in the area of \$7,500—you can use the Model II's ability to merge files created under Scriptsit 2.0 and Profile II.

But what if you have a *much* smaller amount of cash? Enter the Model I/III with Scriptsit 1.0 alone. For less than \$5,000 you can provide yourself with a TRS-80 Model III, two disk drives and the letter-quality Daisy Wheel II printer. That combination will do nearly everything the larger, more expensive computers can do. It will, however, be somewhat slower, since a great deal of manual file and block manipulation is required.

How can we get Scriptsit 1.0 to merge a campaign letter with a mailing list of recipients? The workflow depends on the creation of two master files, the address file and the standard letter file. A temporary print file holds the letter (with an envelope printing routine chained to it) with each name

and address record merged using Scriptsit's Insert Block command. The trick is to make sure I send only one letter to each potential recipient. More on how that is accomplished later.

Creating the Address File

Each name and address record will be designated Block A in the list so it may be moved around at will during the merge process. You can name the block any alphabetic character, but I use A because it is conveniently close to the letter Q on the keyboard, which, with @ (the control key) produces the command Scriptsit needs to recognize the various block functions it has available.

Start, then, with a name and address format to be called Block A within another block (let's call it Q).

Hold control, type Q, release control and again strike Q, thus naming the block. Now repeat the process, but name the new block A. To prompt for this first address line type name and leave enough blank spaces for the longest name on your list. Press enter.

You will most likely label the next line address. Again leave enough blank space on the line to allow entry of the longest street address on your list.

Since all the letters on my political mailing list are going to one election district, the next line of the address block will be the same for all addressees. Thus I type Cortland, NY 13045. By holding control and typing Q and the down arrow (i.e. block end) twice I now have an address format that I can use 700 times to create the 700 Block "A"s I will need to run the manual merge routine. Be sure to end each address block with a control block end enter command sequence since the insert of Block Q does not move a block end signal with it.

Figure 1 shows the Block Q format and the first three addresses on a fictional political mailing list. The underline symbol (⎵) indicates forced line ends (created by pressing enter) while the left (⎴) and right (⎶) brackets show Scriptsit's block beginning and block ending symbols.

After the name and address file is complete I delete the Block Q format since later

I will use Block Q to manipulate the letter/envelope combination in building a print file. Save the mailing list under its own unique file name.

Creating the Letter

Start with a full format line, even though most of the instructions are already default values. This confirms the instructions when you call the file for review on your screen.

Then, since my candidate does not have a preprinted letterhead I use the C=Y format command to center his name, address and telephone number at the top of the letter. Two spaces down I use the FR=Y format command to set the date line flush with the right margin. Don't forget to countermand those two commands with C=N and FR=N before you type the body of your letter or the printed output will come as a surprise!

Two spaces down again I insert a comment line using the greater than and asterisk symbols to keep the line from printing. It reminds me >*INSERT BLOCK "A" ON NEXT LINE.

I skip another line and I am ready to start the letter with the salutation "Dear M" leaving plenty of space to type in r., rs., or s. and the recipient's last name.

After typing the body of the letter and the usual closing, end the page with a page end marker, control V, which is indicated on the sample letter/envelope (Fig. 2) by the backwards slash or virgule.

The Envelope

The format line will take into consideration the short page represented by the envelope as well as the different left margins for the printer-produced return address and the recipient's name and address. Again a comment line reminding where to insert Block A is helpful during the creation of the temporary print file. Don't forget to type a Page End marker so you have a chance to change paper and envelope in the printer between letters.

With the completion of the letter/envelope file designate the entire file Block Q so you have the opportunity to create a fresh document for each name on the mailing list.

Figure 2 shows what the combination looks like when printed using the P,I command to show all of the invisible print format instructions.

Putting It Together

Load the name and address file. Then load and chain the letter/envelope file using the L,C command. This appends Block Q to the end of the address file so there is quick access to both the top and bottom of the combined file using the shift, up arrow and shift, down arrow keystrokes.

Now go to the end of the file. Insert Block Q by holding control and pressing S (Insert), Q (Block), and—after releasing control—Q (the name of the block). Using the down arrow, space a few lines to the first >INSERT BLOCK "A" ON NEXT LINE prompt and insert the first name and address block. Space down again to the salutation and, after setting a Tab at the space after "Dear M..." (using the Break, TS, Enter routine), type the rest of the recipient's title and last name. Jump to the end of the document again (using shift, down arrow) and insert Block A where prompted.

To assure sending only one letter to each recipient simply jump to the top of the file where the name and address blocks are and delete the used Block A by holding control, pressing D (Delete) and answering the prompt "DELETE OR UNMARK BLOCK (D OR U)?" with a D.

The next name and address is now in position to be inserted into a new Block Q at the end of the file by repeating the whole process. Although the procedure may seem complicated as each step is described in detail, by the time you have repeated it several times the keystrokes become almost second nature and the process surprisingly fast and accurate.

Warning: If the number of recipients is large it doesn't take many letters to fill up the computer's available memory. A one-page letter/envelope combination resident in memory with a 100-name mailing list will only allow about 10 Block Qs before a 48K machine returns the No More Room error message. The solution to the problem is two-fold: Break the name and address file down into several smaller files, and when you run out of memory save the existing file under a new name such as TEMPFILE. After you have printed the current letters and envelopes, reload TEMPFILE, delete all of the

completed documents below your original Block Q letter/envelope combination and start the whole process over. Thus you have preserved the correct mailing list and, with each deleted Block A, have opened up more memory space for new Block Q documents.

Printing the letters and envelopes is simple once you have cleaned up the file. First save the current file as suggested above. Then remove the top part of the file

(names and addresses down through the end of the Block Q blank letter/envelope) leaving only the properly addressed letters in memory. Issue a P,P command to the printer so it will stop between each document to allow insertion of the next letterhead or envelope.

By the way, my candidate won. He thinks it was because of the mass mailing I prepared. ■

```
>PL=66 LM=12 RM=72 TM=1 BM=58 LS=1 PF=2 J=N C=N H=2_
>* NOTE: this is the letter format._
>C=Y
John_Q. Candidate_
2136 Disk Drive_
Cortland, NY 13045_
_
_
>C=N FR=Y
October 30, 1981_
>FR=N_
_
_
>* INSERT BLOCK "A" ON NEXT LINE_
_
_
Dear M $
    The body of the letter goes here - - - - -
- - - - -
- - - - -
- - - - -
_
_
_
Sincerely,_
_
_
_
John Q. Candidate_
\
>PL=23 LM=4 RM=90 TM=2 BM=23 J=N C=N FR=N VC=N H=N_
>* NOTE: this is the envelope format._
John Q. Candidate_
2136 Disk Drive_
Cortland, NY 13045_
>*NOTE: change LM=25 for short envelopes_
>LM=40_
_
_
_
>* INSERT BLOCK "A" ON THE NEXT LINE_
\
```

Figure 2

```
T>[>A>name
address
Cortland, NY 13045
]
[A>Mr. & Mrs. Albert D. Voter
36 Anylane Drive
Cortland, NY 13045
]
[A>Mrs. Jacob Askher
222 City Court
Cortland, NY 13045
]
[A>Ms. Holly Woodstar
5230 Glitter Road
Cortland, NY 13045
]_
```

Figure 1

SOFTWARE YOU CAN BET ON!



STUD5

A five card stud program so realistic you'll swear you're facing six professionals. You decide who's bluffing and who has the cards. Your opponents learn your style and that of the others and modify their betting strategies as the game proceeds. You can define the players' characteristics to match those of your Friday night poker club or let your computer define them randomly.

Only \$15.00



TOUT3

A vastly improved version of the original TOUT horse race handicapper. Now, thousands of races are simulated in seconds to give you each horse's probability of winning and identify overlays. Horses are screened using factors derived from an operations research study. This handicapper outperforms programs and calculators selling for much more.

Only \$19.00



DRAW5

This is the poker playing program that's getting the rave reviews. "After a while each of the simulated players takes on its own individual personality—it's most uncanny... DRAW5 has definitely sharpened my playing skills." (Lloyd Martin, 80 Microcomputing, Jan. 1982). "If you like playing poker, buy this program. It will be a long time before a better one comes along." (Richard Clope, Computer Shopper, Jan. 1982)

Only \$20.00

TRADE IN your old advertised handicapping and poker-playing programs and receive a \$6.00 credit. Include original cassette/disk and documentation with your order.

All programs on cassette for Level II 16K (Models I and III). Loading guaranteed. Add \$3.50 to get one or more programs on a formatted diskette. Pa. residents add 6% sales tax.

WILSON

Software Division • 539 Springhouse Lane • Camp Hill, PA 17011

TRS-80 is a Tandy Corporation trademark.

Tandy CC unchained

Move to sell CC outside chain overplayed

When the Tandy Corporation announced in July that for the first time in its history it would market a computer outside its company stores, the computer press spent a considerable amount of ink on the move, treating it as an admission by the Fort Worth firm it could no longer hold its share of the home computer market by distributing its Color Computer exclusively through its Radio Shack outlets. Much of that ink was misspent, according to one Tandy executive.

"It's been way overplayed [by the press]," said Tandy's vice president for retail computer marketing Ron Stegall.

He added the new distribution scheme is "absolutely a test... a non-controlled distribution experiment to see what kind of business is out there."

The move, he said, is not an attempt to establish an alternative distribution network. "An alternative distribution system doesn't make much sense when you own the distribution chain you've got out there," he declared.

Clive Smith, an analyst with the Yankee Group in Cambridge, MA, sees Tandy's move as "market research to see how its machine will do against other machines on the same shelf, rather than an attempt to build an alternative or complementary distribution network."

"I would be surprised if it were expanded to substantial proportions," he added. "At this point, Tandy doesn't expect it to develop into a significant portion of its business."

But Aaron C. Goldberg, research manager at International Data Corp. in Framingham, MA, attached more importance to Tandy's decision: "It's a very significant decision. It shows Tandy becoming a more aggressive competitor, going into these independent stores to build a market share."

Although Smith doubted the Color Computer would make a strong showing in the experiment because it's "overpriced and has other problems," Goldberg reserved judgement on the outcome of the test: "Any time you have a system priced very attractively, has a wealth of software, and is broadly

supported by the market place, you can't make a snap judgement that this tryout distribution channel will be a failure."

The new distribution channel will involve 60 independent distributors of RCA products, who reach some 2,000 retailers. Stegall explained Tandy has existing business contacts with the distributors because of a tv antenna plant purchased from RCA by Tandy.

With 2,000 new retailers and Tandy's existing network, the Color Computer will have more than 8,000 outlets in the United States. However, that's less than the number of retailers hawking the home computer of one of Tandy's chief competitors, Texas Instruments. After announcing a \$100 rebate scheme on its 16K 99/4A, TI's retailers zoomed from 6,000 to 9,000 in one week.

There is a significant difference, though, in Tandy's new retailers and its competition's: size. The competition has gone after large, general merchandising firms—K-Mart, Montgomery Ward, J.C. Penney, Woolco, and Sears—while Tandy's distributors will be selling to smaller shops. "As a general rule," Stegall said, "the distributor network is servicing your small video store that is handling the RCA line. Your big discount houses and department stores don't buy from distributors. They buy directly from manufacturers."

But there is at least one distributor who feels it can elbow Tandy's home computer onto the shelves of a mass merchandising chain. Southco of Atlanta, GA, told *Electronic News* it has supplied regional K-Marts in the past

and sees the stores as a potential customer for the TDP-100—the version of the Color Computer the distributors will be peddling.

The model is a "totally different-looking machine" on the outside, Stegall said, but it is "similar" to the Color Computer on the inside. He added all Color Computer software and peripherals will work with the TDP-100.

"The main difference is it's going out in a white box," said Smith of the Yankee Group. "They're not developing an alternative machine." He maintained the color change is a significant one: "It will improve the consumer desirability of the machine quite considerably."

He explained: "Tandy has had a commitment for a long time now to what it calls Mercedes silver, what other people call battleship gray. They went the other way with the Model 16 because their market research showed them executives would not have a battleship gray machine on their desk. Part of the market research they're conducting now is to see whether they should change the color of the lower end of the line as well."

Soon after Tandy announced the distribution move, industry observers claimed Radio Shack was forcing competition between its entrenched stores and its neophytes.

Tandy's Stegall maintained the new stores "will never bump heads with our existing company-owned dealer network," but one competitor contends Tandy's test will be a Pandora's Box for the firm.

Said Kit Spencer, Commodore's vice president for marketing: "I think it will be difficult for Tandy to be successful with independent channels because they will always have a conflict of interest with their internal channels."

"How are you going to give the outside people the same terms as their internal people, who have always had price control of their own brand? The independents will be upset because they won't feel they're getting as good terms

TANDY_{continued}

as the Tandy people, while the Tandy outlets themselves won't be happy because they have to compete with more people on the outside.

"I think it shows some uncertainty about where Tandy is going in the marketplace."

But the national accounts manager for Commodore's Consumer Products Division, David Harris, found no uncertainty in Tandy's move. He told *Electronic News*: "It was a logical move for Tandy to make. They are acknowledging the market is bigger than that which they can take advantage of through their stores."


"Buyer's preference is becoming a very important issue here," said Texas Instruments' Consumer Group Manager William Turner. "Retailers over the last three or four years have been working very hard at making a lasting franchise with a given consumer to get him to feel comfortable with buying all his products in a given channel or a given store. As such, I think Radio Shack is finding their market somewhat limited by working only through its channel of distribution."

"They're acknowledging they don't want to lose [their] market share," Commodore's Harris added.

That market share would mean substantial revenues for Tandy. Analysts estimate the market to be \$500 million to \$800 million this year, \$2 billion next year and \$3 billion by 1985. But according to some analysts, Tandy will need more than a new distribution scheme to maintain their slice of the market. It will need price cuts.

Both Smith of the Yankee Group and Robert Lyon, a portfolio manager at the Fred Alger Company, an investment and brokerage firm in New York City, maintained the Color Computer is overpriced in today's home computer market. Lyon observed: "I think they have to cut the price of the Color Computer. I think they have to bring the price down substantially."

"Radio Shack has enjoyed an opportunity to get a premium price for their product compared to the competition's by having only one product on the shelf in Radio Shack stores," Turner of Texas Instruments said. "When Radio Shack goes into the marketplace, they're going to have to be more com-



petitive in price. Every other product on the market has more functionality for a price equal to or lower than Radio Shack's."

By the end of 1983, he predicted, any home computer maker who wants to remain competitive will have to retail his product between \$175 to \$200.

"This is a razor business," he contended. "You sell your razors cheap and you maximize your sale of razor blades. Razor blades in this business are software in cartridge format—not disk or cassette format—with an expansion capability for skilled users as they grow."

Because it controlled its distribution chain, Tandy, to some extent, could remain aloof from price wars. But as *80 Micro* went to press, there were signs Tandy would unsheath its broadsword and storm into the pricing fray. By the end of August, the *Electronic News* was quoting unnamed sources close to Tandy as saying a CC price cut was "imminent."

Those price cuts, in the minds of some analysts, were signaled by the outside distribution scheme, since the corporation could not control discounting by independent sellers.

According to *Electronic News*, the cost of making the CC ("well under \$200") is not as low as the cost of making the VIC (\$80 to \$90), but it does leave room for discounting. How much room, though, was questioned by Smith of the Yankee Group: "Tandy is not going to the dealers. They're going to the distributors, which means there's a lot less leeway for the computer to be discounted."

That prospect doesn't seem to be worrying the retailers served by RCA's

Tandy's President John Roach has approached Herculean task of competing in red hot home computer market by letting the Color Computer break out of the Tandy distribution chain.

independent Boston-area distributor, Eastco of Westwood, MA. Audio Division General Manager Joseph Cunningham said the retailers he's talked to about carrying the TDP-100 were "very enthusiastic" about the prospect.

Stegall argued consumers will be looking at more than prices when shopping for a home computer. They'll also be looking for expandability. "The Color Computer has legitimate expandability at a reasonable price," he said. "The cost to expand the machines that under-price our machine is considerably more than the cost to expand ours."

But portfolio manager Lyons insists that without price cuts, Tandy's outside distributors will find very few takers for the white CC: "They're not going to put this on the shelf when Toys R Us is selling the Atari machine for \$250 and a Commodore for less. How's it going to sell?"

That's a good question in the face of dizzying price moves by Tandy's competitors:

- Texas Instruments—which is aiming to be top dog in the home computer market by the end of the year—has effectively reduced the price of its 99/4A to \$199 by offering a \$100 rebate with the purchase of that model.

- Commodore is offering a new game machine—the Max, listing at \$179—and offering dealers a \$25-\$40 price break on the VIC if they pass the break on to consumers.

- Atari, the *Electronic News* speculated, may, in the face of those moves, release its new model 600 at a lower than originally planned price.

Add to that an impending invasion by a bevy of low-priced European and Japanese computers (including a Color Computer clone produced by Dragon Ltd. of Swansea, Wales, UK) and you've got what amounts to a pricing holocaust.

With that kind of price war looming over the market, a question some observers are asking is, is Tandy's experiment too little, too late? "Radio Shack has a strong marketing capacity," Turner responded. "They have knowledgeable, good marketing people. My suspicions are they will make the appropriate marketing reaction." ■

End of the Tandy hot line

Customers debate end of toll-free service

Midwestern software entrepreneur and programmer Bob Snapp became the standard bearer for the Tandy Corporation in CompuServe's Software Author's Special Interest Group during a flurry of exchanges spurred by Radio Shack's dropping of its toll-free customer service lines June 1.

"The reason for dropping the 800 number was quite simple and sensible," Snapp wrote on the CompuServe SIG's bulletin board. "The availability of the toll-free call prompted thousands of calls that never should have been made. Faced with the choice of looking in the book and calling a toll-free number, many folks opted for the latter. As a result, folks who REALLY needed help had to be put on hold for 45 minutes on the average. The bottom line was that they were providing BAD customer service through lack of availability. Each time they added more lines and staff, the calls just increased. This change will filter most of the 'junk' calls, so they can provide better service to those who really need it."

In a telephone interview with *80 Micro*, Ted Rosenberg, the customer relations manager at Tandy, echoed Snapp's view: "We found, quite to our surprise, simply adding more WATS lines wasn't really doing anything. In fact, it made things worse."

"We used to get letters saying I've been on this queue waiting to get through to you guys for 20 minutes, half an hour, an hour and a half—you name the number. We had almost 65 WATS lines and it wasn't doing diddley."

But business consultant George Berman disagreed with Radio Shack's rationale for ending the service. "You either give service or you don't," he wrote in a bulletin board message. "If your view of the customer is punitive, then you deny him service... Tandy forgot who exists for whom."

He went on to say in another message: "It seems to me Bob Snapp's report indicates a punitive approach to customers that is exactly the opposite of what the conceptually intimidating

PC industry needs at this point.

Then Berman offered this tongue-in-cheek alternative to total abolition of Tandy's hot line:

"Let the dumb customers listen to Muzak for an hour. Offer a toll number for any customer who wants to pay for it. Use a red phone. Give this line immediate priority. If the questions are still dumb, charge a fee. Tell them to call toll-free with dumb questions. But keep the 800 line open to the dummies—they're your customers!"

If the Fort Worth powers didn't like that suggestion, Berman had another one:

"Tandy sets up a committee to determine the quality of each incoming request. If it's a sort of excusable ignorance, let him pay the toll charge. If it's a real [bleep] question, invoice him \$10 and explain why he really shouldn't own a computer if he can't think his way out of a paper bag. And when it's a true bug or it stumps the experts for more than 15 minutes, send him a check for \$10 and a certificate suitable for Framingham...."

The Snapp-Berman debate stirred Roy Green to enjoin: "I have to agree with Bob. I know too many people who would call the 800 number to get a clue to Rakka-Tu or Pyramid!"

Green's comment prompted a parting shot from Tony Camas:

"I think that Tandy should realize that by selling computers through Radio Shack stores, they're going to sell some machines to people who probably shouldn't have bought them. These people need a good deal of handholding and if Radio Shack is a responsible retailer, they should provide it or risk being badmouthed by these gullible folks."

"In fact, I'll bet that the proper

analysis would reveal that the 'dumb' questions come from a continually refreshed phalanx of new owners who need initial support—and now don't have it as part of their purchase. I know I often bother a tech service group for about three weeks after I buy a computer/time share/data bank service simply because it ain't all in the manual.

"My approach to clients is that there are dumb answers, but no dumb question."

Snapp replied to Berman's broadsides: "Many new users need a certain amount of handholding. Tandy wants them to get it. That's why they established the relatively new position of CSR at each RSCC. Most folks could get the answers to their simple questions from the (simple-minded) CSR via a local phone call. This would take the pressure off the (supposed) tech-heavies in Fort Worth to deal with the more serious problems."

Tandy's Rosenberg added: "If a customer has a problem, his first step should be to go to his computer center. If the man at the computer center doesn't know the answer, then the Radio Shack guy will call us, so its on our nickel."

"Now," he continued, "people who have to call Fort Worth get in much faster. The reps don't keep them on the phone. They get the information they need and they're off. It also discourages people who, with all due respect, are too lazy to look into their instruction book. They tie up the phones for someone who has a legitimate problem."

"Has it occurred to you," Berman asked rhetorically, "that the present arrangement favors 'dummies' in Fort Worth over those in Yonkers and proportionately in between?"

"The problem is, having made the 800 number available once, it will do them a great deal of harm now that they are taking it away."

"Now that they have created the monster, it is irresponsible to try and sweep it under the rug." ■


MODEL II MASS STORAGE FROM

INTERNATIONAL
INSTRUMENTATION INC.





AT LAST! An Alternative to Radio Shack's Over-Priced, Over-Sized Model II Disk Expansion!

The International Instrumentation THIN THREE™ disk drive enclosure is the perfect alternative to Radio Shack's expensive, bulky disk expansion box for the Model II. The THIN THREE™ is designed to hold three half size Tandon TM848-1 8" disk drives. These are the same drives Radio Shack is using in the new Model 16™. The THIN THREE™ occupies less than half of the space required for Radio Shack's disk box, leaving you more room to work. Best of all the THIN THREE™ with drives and cables installed, is priced at only \$1795.00. THAT'S \$555.00 LESS THAN THE RADIO SHACK DISK BOX!



FEATURES

- Connects directly to the disk expansion port on the back of your Model II no hardware modifications are required - completely Model II compatible
- Filtered positive pressure forced air cooling for dust-free, reliable disk drive operation.
- Internal data cable for easy hook-up.
- AC input via 3 wire 7 foot international cord/socket set.
- AC input EMI filtered to six amps to help prevent disk crashes due to power spikes and line noise.
- Slide out chassis with front panel pulls for easy access to drives.
- Disk Environment Monitor Panel monitors supply voltages and displays internal case temperature on standard DVM. Alarm sounds if case temperature exceeds safe limits; protects your disks.
- 1/8" aluminum rear panel with socketed power pass devices for cool, trouble free power.



- 14 gauge main chassis.
- Easy externally replaceable fan filter.
- Integral power supply with 5V@6A/5V@1A/24V@6A.
- Double-sided custom PC power board and supply engineered especially for the THIN THREE™
- Each DC supply and AC separately fused.
- Overvoltage protected 5V supply.
- LED power supply monitors and test jacks for each supply on rear panel.

8KPD8IITRS A & T with external data cable and \$1795.00

IIIM2PATCH TRSDOS ENHANCEMENT PACKAGE

(Shipped Motor Freight Collect)

III TRSDOS™ UTILITY ENHANCEMENTS

This package of 12 individually selectable utility programs is designed for the sophisticated Model II TRSDOS™ user. Each utility is designed to increase system efficiency by overcoming the limitations of TRSDOS™. Here are three examples:

- Modifies TRSDOS™ 2.0 or 2.0A to run with DG-motor disk drives such as the Tandon TM848-1.
- Elimination of password protection on TRSDOS™ files to allow total user manipulation of these files.
- Changes TRSDOS™ step rate from 20ms to 12ms; user may adjust to as low as 6ms

8KIIIM2PATCH

Supplied on 8" disk


\$99.95

TRSDOS Model II, TRSDOS Model 16, TRSDOS, and Radio Shack are trademarks of Tandy Corp. THIN THREE is a trademark of International Instrumentation, Inc.

MORE PERIPHERALS FOR THE TRS-80 MODEL II*

*Also For Your TRS-80 Models I and III

FUJITSU FROM SELLUM LETTER QUALITY PRINTERS



80 CHARACTERS PER SECOND!!

That's over three times as fast as Radio Shack's Daisy Wheel II! The Fujitsu SP83 letter quality printer from Sellum is not only the fastest daisy wheel letter quality printer on the market, it is also the most versatile. It may be hooked-up to either the parallel or one of the serial ports on your Model II®. It has five different printer protocols built in so it will run with just about any word processing package on the market including SCRIPSIT®. The printer is built to be solid and quiet; it won't shake the office down with every carriage return. It also has a 16K buffer (48K optional). The buffer allows your computer to send data out to the printer and not have to wait for it before allowing you to continue. No more staring at the screen waiting for the printer to finish!!

MORE SPECIAL FEATURES: • Z80 CPU • 50-19.2K baud on serial interface • Distinct alarm sound for each error condition • Intelligent bi-directional logic seeking • Complete word processing features including sub and super script, underlining, and double-strike characters • Auto reprint • Auto Clear • Proportional spacings and supports automatic justification • Front panel forms control • Compatible with most mechanical sheet feeders • Quiet-60db • Six month warranty

Part No.	Description	List Price	SALE
8KPD8SLMF86	Printer w/16K buffer	\$3495.00	\$2795.00
8KPD8SLMF86B48	Printer w/48K buffer	\$3895.00	\$3095.00
8KSLMF86VFT	Optional vertical forms tractor		\$ 200.00
8KSLMPS34002	Model II Parallel Cable		\$ 80.00
8KSLMPE34003	Model I/III Parallel Cable		\$ 80.00

(Printer shipped via motor freight collect)

8" CP/M® SOFTWARE FOR MODEL II MICROPRO INTERNATIONAL

8KMDSWDSTR	Wordstar Version* 3.0	\$249.00
8KMDSMLMRG	Mail Merge*	\$100.00
8KMDSPPSTR	Spell Star*	\$150.00
8KMDSCLSTR	Calc Star*	\$200.00
8KMDSDATSTR	Data Star*	\$200.00
8KMDSUPSET	Supersort*	\$150.00

*Trademark of Micropro International

SORCIM

8KSORCAL	SUPERCALC* a Superior Electronic Worksheet	\$229.00
----------	--	----------


*Trademark of Sorcim

MICROSOFT

8KMDSBAS80	BASIC-80* Version 5.X Extended Disk Basic	\$300.00
8KMCPBASC	BASIC* Compiler Version 5.X	\$395.00
8KMDSMFT	FORTAN-80*	\$500.00

*Trademark of Microsoft Consumer Products

OKIDATA DOT MATRIX PRINTERS



COMPARE OKIDATA'S FEATURES TO ANY OTHER PRINTER!

COMPARE PRIORITY ONE'S PRICES TO ANY - THEN DECIDE!!

DON'T BE FOOLED BY THOSE WHO TRY TO "SOAK" YOU FOR THE TRACTOR

- BI-DIRECTIONAL 120 CPS
- 9 x 9 Matrix (Alphanumeric)
- 6 x 9 or 12 Matrix for graphics
- 10 different character sets
- 5, 8, 10, or 16 Characters per inch
- 80 CPL @ 10 CPI for 82A
- 132 CPL @ 10 CPI for 83A & 84
- 82A & 83A have both Centronics Parallel & 1200 baud Serial I/O
- Self Test

All Okidata printers feature 10 front panel switch selectable from lengths from 3" to 14". Front or bottom panel loading of up to four part forms, tear bar, and out of paper switch. Most important of all, OKIDATA printers are built to survive the business or industrial environment where you'll use them. All of these features make OKIDATA the best value in low cost printers!

PART NO.	DESCRIPTION	SALE
8KPD8BK182ATG	OKIDATA 82A w/tractor & graphics	\$ 539.00
8KPD8BK183ATG	OKIDATA 83A w/tractor & graphics	\$ 750.00
8KOKISER2KBF	9600 Baud 2K Serial buffer/interface	\$ 149.00
8KOKIDAT84AP	132 col. printer parallel interface with graphics and tractor	\$1095.00
8KOKIDAT84AS	132 col. printer 9600 baud serial 2K interface, graphics, and tractor	\$1250.00
8KPRIAMSPKT	5' Model II Parallel Cable	\$ 19.95
8KPRIAMPTR80	5' Model I/III Parallel Cable	\$ 19.95
8KCNDBKISER8F	8' OKIDATA Serial Interface Cable	\$ 24.95

(Shipping Weights: 82A 25 lbs.; 83A & 84 35 lbs.)

**SEND \$1.00 TODAY
FOR THE NEW, FULL COLOR
SPRING 1982 ENGINEERING
SELECTION GUIDE!**

✓477



PRIORITY ONE ELECTRONICS

9161 DEERING AVE • CHATSWORTH, CA 91311

ORDER TOLL FREE (800) 423-5922 CA, AK, HI CALL (213) 709-5464

Terms: U.S. VISA, MC, BAC, Check, Money Order, U.S. Funds Only. CA residents add 6% Sales Tax. MINIMUM PREPAID ORDER \$15.00. Include MINIMUM SHIPPING & HANDLING of \$3.00 for the first 3 lbs. plus 40¢ for each additional pound. Orders over 50 lbs. sent freight collect. Just in case, please include your phone number. Prices subject to change without notice. We will do our best to maintain prices through November 15, 1982. Credit Card orders will be charged appropriate freight. If you haven't received your Spring 82 Engineering Selection Guide, send \$1.00 for your copy today! Sale prices are for prepaid orders only.

MODEMS



SMARTMODEM

The HAYES Smartmodem will allow you to take advantage of the many database services available for your TRS-80 such as Dow-Jones, the Source, and others. The Smartmodem runs directly off an RS232 serial port.

FEATURES: • Auto Answer, Auto Dial • Variable data formats • 0-300 baud • Internal Z8 Microprocessor with 2Kb control program • 40 character command buffer • Easy to program with simple commands from your keyboard.

PART NO.	DESCRIPTION	LIST PRICE	SALE
8KDC80200P	Smartmodem (Sh. Wt. 6 lbs.)	\$279.00	\$225.00
8KDC80400P	Smartmodem 1200 baud	\$699.00	\$649.00
8KDC80300P	Chronograph (Sh. Wt. 3 lbs.)	\$249.00	\$205.00
8KCNDRS232BF	8' RS232 Class 1 Cable		\$ 19.95

THE STAR by PRENTICE

- 0 to 300 baud • Bell 103 and 113
- Exclusive triple seal acoustic chamber
- Self Test • Runs off RS232 Port

8KPRNSTAR RS232, TTL, 20Ma Current Loop \$199.00 **\$127.00**

8KCNDRS232BF 8' RS232 Class 1 Cable \$19.95

5" DISKETTES!

**SOFT SECTOR
40 TRACK SINGLE SIDED
DOUBLE DENSITY WITH
HUB REINFORCING RINGS
PACKAGE OF 10 \$19.95**


BONUS!

**FREE!! CASSETTE 10
LIBRARY CASE WITH
PACKAGE OF 10 DISKETTES**

A \$4.25 VALUE!! **8KPRI5DD** (Sh. Wt. 2 lbs.)

8KPRI580 package of 80 less Library Case \$120.00





AP experiment ends

Seven e-papers fold after two years on line

BY JOHN P. MELLO JR.

80 MICRO NEWS EDITOR

Without much fanfare, a two-year experiment in videotext journalism involving the Associated Press, 10 newspapers, and CompuServe ended June 30. The final verdict isn't in on the test, but its participants appear to agree on one thing: the market isn't there yet for a profitable electronic newspaper.

"There is a lot more smoke than fire in this area to date even though some day it's going to be a big thing," an executive at one of the participating newspapers observed. "It's obviously some time off because it's very expensive for the consumer as well as the provider."

"We don't think that as the technology is now [an electronic newspaper] is a profitable venture," noted Glenn McCutchen, managing editor for administration, *Atlanta Journal and Constitution*.

Not only is the technology expensive, the CompuServe experimenters found, but the audience for the product is small and specialized.

The *Washington Post's* manager for electronic publishing research and development, Harold Logan, observed: "The reader of the electronic news has to be someone who owns a receiving device. The demographics of those people makes them a specialty audience. They're male. They're upper income. They're white. They're highly paid, college-educated people. I think that defines a pretty specialized audience."

Those publications, he said, should be aimed at computer enthusiasts of any professional area where people are frequently in contact with computers.

"The fact that people weren't beating our doors down to sign up for the service might be interpreted as failure, but we don't see it that way at all," *San Francisco Chronicle* Executive News Editor Kenneth E. Wilson contended. "The market is still a few years away, but what we learned was we could do it and that was really something for us to learn."

When the newspapers began their experiment (*80 Micro*, November 1981, p. 74), most of them said they were participating primarily for the experience of working with videotext and not to turn a profit. But one videotext editor argues money was the primary reason most of the newspapers folded their electronic editions. "What it comes down to is money," Jim Crowley of the *Columbus Dispatch* maintained. "We ain't making it."

In a column on the electronic Dispatch (see "I sweep floors" box), Crowley said his e-paper made \$4,000 for CompuServe since July 1, 1980. He

explained revenue from an e-paper's interactive features—games, crosswords, and the like—are split 90-10 and for news and information, 80-20. In both instances the lion's share goes to CompuServe, which charges \$5 an hour to access its system weekday evenings and all day Saturday and Sunday.

Gordon Phillips, director of promotion and public relations at the *Los Angeles Times*, noted money played a part in his newspaper's decision to cut loose from CompuServe:

"The CompuServe experiment was just that: an experiment. There was some expense involved and we felt we learned about as much from it as we could for the present time. This is a tight economic year and our investments really needed to go into some other areas."

"We are not making money on CompuServe. I can categorically say that," said the *Post's* Logan.

But that isn't deterring the Washington daily from continuing the CompuServe experiment. Logan said the *Post* will continue furnishing the Columbus, OH, information utility the entire text of the newspaper and an electronic product emphasizing the paper's strongest suit: coverage of the federal government.

He noted: "There is a market for electronically delivered news. It may not be as large and robust a market as we suspected two years ago, but if you

continued

M-ZAL™

Release Two Is Here!

Our Users asked for it, and we made the best TRS-80 disk assembler even better! Now M-ZAL has:

- Recursive MACROS with full symbolic parameter substitution
- Conditional assembly with unlimited nesting
- Text Editor warm-start/recovery option
- Support for all popular source file formats
- Load Module inspect/superzap using LINKER

and the features that made it famous:

- True multi-pass assembly
- Full Screen Option Menus
- ENTRY/EXTERN symbols, relocation, and object module linking
- 8 character labels with sorted symbol table
- Built-in symbol table cross-reference
- Nested *INCLUDES (source file chaining/nesting)
- Lower case support (Model 3 only)
- Over 175 pages of documentation including Z-80 Technical Manual
- Full Screen Text Editing and much, much more!

M-ZAL provides a modular, structured development environment that makes programming your TRS-80 a truly enjoyable experience. Order yours today. (Requires 32k, 2 disk system)

#1050-10	Mod 1	\$149.00
#1250-10	Mod 3	\$149.00

CAU Development Software— The Professionals Choice:

Full Screen Text Editor for BASIC: we were the first to give the TRS-80 this indispensable ability! A must for every BASIC programmer:

#1010-20	Mod 1	\$24.95
#1210-20	Mod 3	\$29.95

T-ZAL: custom designed for the Model 3, this tape based assembler has many of M-ZAL's most desired features.

#1250-20	Mod 3 only	\$49.95
----------	------------	---------

XBUG: for machine language analysis and debugging—this tiny (2.5k) but powerful program lets you do it all!

#1020-10	Mod 1	\$19.95
#1220-10	Mod 3	\$19.95

FILEXFER: transfer any disk file between two TRS-80s. Use direct cable link or RS modems. Mod 1 and Mod 3 can be mixed. RS-232 and disk reqd.

#1040-10	Mod 1 and 3	\$49.95
----------	-------------	---------

"We've been using M-ZAL heavily for over two months now, and it's been worth its weight in gold"

—Chuck Tesler
PROSOFT

"...well written software that is long overdue."

—Bruce Douglass
80 Microcomputing
BASIC Editor Review

"During the first 3 days of use, M-ZAL saved more money in programmers time than we had paid for the product."

—William Denman
Author of Asylum
MED SYSTEMS

"The editor has at least doubled my productive capacity...Having spent a good deal of money on so called 'utilities' that don't work, it's a delight to find one that not only lives up to its claims but surpasses the advertising."

—BASIC Editor user

Our choice for the best TRS-80 DOS:

DOSPLUS 3.4	Mod 1	\$149.00
DOSPLUS 3.4	Mod 3	\$149.00

Call or write for more information.

All products require level II.

Mail orders specify catalog #.

Send check, money order, or MC/VISA numbers and expiration date to:

Computer Applications Unlimited

P.O. Box 214, Dept. ABM Rye, New York 10580
(914) 937 6286

N.Y. State residents add applicable sales tax.
Outside USA and Canada add \$7.00 shipping.
Dealer Inquiries Invited.



**COMPUTER
APPLICATIONS
UNLIMITED™**

a div. of CAU, Inc.

TRS-80 is a TM of Tandy Corp. M-ZAL is a TM of CAU, Inc.
Z-80 is a TM of Zilog, Inc.

V-TEXT *continued*

look at the research, it is clear to us that there is a market out there."

Asked how long the *Post* will remain on CompuServe, Logan replied: "There's been no deadline set. I suspect we will continue with CompuServe for as long as we feel we're learning something about how to present news in an electronic medium and for as long as CompuServe will have us."



Leonard R. Harris, director of corporate relations for the *New York Times*, said the test "shows there is an interest in retrieval of specific information." However, he added, "It doesn't indicate people will necessarily find videotext or teletext a substitute for a newspaper in its traditional form."


"At this point," he continued, "a newspaper is a far less expensive way to display information of all kinds. If you wanted to read current news, current advertising, and current lifestyle information, it's a great deal cheaper to buy it printed on paper than it is to buy it on a screen."

The *Post*'s Logan added: "There are substantial differences between the way people use these things. The example people use all the time is you can't take your computer to the bathroom with you. You can't give the sports section to daddy and the style section to son and the front page to someone else."

In the experiment, the Associated Press was the most-accessed news source, the *New York Times* was second, the *Post* third, and the *Los Angeles Times* fourth.

"If you look at the 12 news entities on the service, those four are by far the best known nationwide," the *Post*'s Logan observed. "What's difficult for us to ascertain at this point is whether we're looking at some kind of name-recognition phenomena, or what we're looking at is some reflection of the quality of the product."

Those access figures crosscut some popular ideas about the content of an e-paper since the AP provides hot, breaking news and the *New York Times*, *Post* and *Los Angeles Times* "dumped" their printed editions into the CompuServe system.



Harris of the *New York Times* maintained: "Hot, breaking news is about the least useful thing you can put out in this kind of system. Hot, breaking news is available on radio and tv."

"At this point," *Minneapolis Star and Tribune* editor Steve Poulter argued, "people are willing to adapt themselves to use the national papers—the *New York Times* and *Washington Post*—in electronic form."

"Economically, it's very easy to dump an entire newspaper into a data base," he continued. "You've got the keystrokes captured in your computer; you send it off and it sits there. If you've got a national newspaper with a national audience, you'll probably get someone to read it. In the long run, though, I don't think it's going to make sense from a consumer's point of view."

Logan agreed with Poulter: "We don't think there's a market for the full text of the paper. We think the cost considerations and the way people use the tubes mitigate against that."

"You use your CRT retrospectively, in some respect," Harris added, "to get details you may have missed from other sources."



Rather than dump their dailies into the system, two of the experimenters—Columbus and Minneapolis—slanted their electronic editions toward compuphiles. Crowley, at Columbus, included a batch of the two-way features that enthuse chipsters: interactive crosswords, video games and CB-radio simulation.

"You could get the same news from every one of those papers," Crowley said. "The reason we branched out into CB, games, and computer news was we wanted to be a cut above the other

papers."

He explained the Columbus e-paper began its message system and CB features in February. "We wanted to give people an alternative to the regular hee-hee, ha-ha of CB, where you just get a bunch of people with weird handles," he continued, "I'm not running that down, but I'm saying people needed something a little more serious."

"The message system," he noted, "sparked a substantial amount of interest. I got more feedback about the paper than I ever got through electronic mail."

"And," he added, "since you could post messages to other users, I found the message system a good springboard to get people to read the paper." He cited one occasion when he warmed up his readers to a series on computer crime by having them "talk" on the e-paper's CB to a lawyer specializing in that subject.

The CB feature increased interest in Crowley's e-paper, but its draw was small compared to systemwide figures. Since it began, the Columbus CB was accessed 8,000 times and 1,957 messages were posted on it. By comparison, CompuServe's CB-message setup was accessed 100,000 times and 33,000 messages were posted on it.

With the end of the CompuServe test, some of the newspapers have branched into other experiments. The *New York Times* is participating in the CBS Ridgeway, NJ, videotext experiment (see *80 Micro*, April 1982, p. 362) and the *Los Angeles Times* in an Orange County, CA, test involving 300 homes.

While the market may not be there yet for a profitable videotext newspaper, most of the experimenters seemed to share the sentiments of the L.A. *Times*' Phillips: "We feel there is still a great deal of experimentation to be done, a great deal to be learned." ■

I sweep floors

BY JIM CROWLEY
CONTRIBUTING EDITOR

(Ed. Note: The following is the opinion of Jim Crowley, operator of the Columbus Dispatch on CompuServe since July 1, 1980. It does not represent the views of the newspaper. It was written when the electronic Dispatch was set to close shop in September. However, the e-paper continued publishing through October.)

I sweep floors."

That's much easier than trying to explain to most non-computer types what a videotext journalist does.

Most computer types don't give a rat's rear end about it anyway, so I don't even try to tell them.

Most newspaper people don't understand or want to. After all, you can't wrap fish in your terminal and I defy anyone to try and read one on the bus or the toilet.

So why are we here and why did six other newspapers decide to bail out? It's the almighty dollar, but I can tell you, we ain't making it. Since July 1, 1980, we made about \$4,000 and that doesn't quite pay our rent.

We are on here until September to gather data about this medium. Period.

We are the victims of the HEEHEE, HUG and KISS of regular CB, turtle speed 300 baud, and general indifference.

Most CIS users think menus are the most exasperating thing since child-proof medicine bottles.

Newspapers, or in CompuServe parlance, NIPs (for Newspaper Information Providers) have lost a computer war by trying to fight with Gutenberg technology.

It makes me sad, personally, and leaves me empty professionally.

The papers that died, including the *New York Times*, didn't get the same press that a newspaper death would get in the real world. I guess that underscores the view that newspapers here are not viewed as real.

Funny. Because we still publish every day. And we update our news hourly. And our production costs are minimal: one newsmen a shift.

Show me a real newspaper that can do that and I will eat my modem.

When the *Times* quit, for example, avid readers were greeted by a terse termination announcement. Can you imagine the hubub if the *REAL Times* put out a blank paper other than a few-graph story that just said they were closing down that day?

It would give the D.T.s to bottle-in-the-drawer city

editors everywhere!

I have read a ton of stuff adulating the joys of "state-of-the-art" journalism and none of it says that this is a medium and technology without a market. But it is for at least 10 years.

And if I had a nickel for every masters and doctorate paper I have been interviewed for, I could buy CompuServe.

There is one thing that has happened to me in this journey through never-never land that makes it all worthwhile. That is our SIG.

SIG is more CompuServe alphabet soup for Special Interest Group. It is an interactive message system that also has an open channel CB.

When you combine NIP with SIG, it comes out NIPSIG, which sounds like some new oriental strain of herpes.

NIPSIG can be found at CDP 100. There I go again. CDP is Columbus Dispatch Page.

Anyway, if you come from CIS into CDP 100, you see "Request recorded. One moment, please." And in case you miss it the first time, the system does it again once you get there.

Just what you need at \$5 an hour, right?

If you survive and stumble into our conference mode, you will find it worth the trek.

Since we started the SIG in February, we have had several conferences. A compulawyer talked about computer crime and a local entrepreneur talked about electronic publishing. Atari, Apple and Tandy came on to answer questions. Handicapped users have gathered to talk about their special needs on this system.

More are planned, but I think what is more important are the people we try to serve. We have a hard-core group of devoted users who make it worthwhile to be on here every night with my cohort, Jim Perine.

To name them would be a bit much. But they know who they are.

So on long, lonely mundane shifts when I would rather throw this terminal out the window, I am refreshed by a chance to talk to folks.

Perhaps that is the true future of this medium. Let's have newspapers that talk to people. I will admit, though, that I refuse to be a wrapper for fish or sit with you on the toilet.

Other than that, I am negotiable.

And until we die in September, I wouldn't trade it for the world.

And to all you videotext experts, CB freaks, and neurotic computer monkeys who wonder what this law student and newsmen does for a living: "I sweep floors."

And if you're too narrow-minded to peer into this world, too bad.

I don't do windows. ■



Moursund: Like encyclopedias, micros might end up in the closet collecting dust

Public school education rapped at conference

Home education software more sales pitch by micro firms than threat to school system

BY TOM HAGER
CONTRIBUTING REPORTER

Public school education is joyless, uncreative, cruel, mean-spirited, and competitive. It teaches children to be cynical about life and makes them intellectually impotent." And it might some day be supplanted by microcomputers.

That's the view of Jeremy Ross, a Radio Shack computing instructor, speaking at a national conference on the use of computers in education drawing 700 teachers, administrators, theorists and computer specialists to the University of Oregon in July. While most attendees were concerned with improving the situation by integrating computers into the classroom,

a few, like Ross, foresaw the day when microcomputers would eliminate the classroom entirely.

"The home will become the primary site of education in the future," predicted Ross, who led a special-interest session on home computer-based learning systems. "You'll be able to learn what you want, when you want, at whatever depth you want."

He believes the widespread use of micros for running computer-assisted drills, tests, and learner-interactive educational simulations, word processing, accessing outside data bases and communicating with other students around the country will decentralize schooling, create a new home-based learning environment and encourage a cottage industry in educational software.

The result? With more and better learning taking place in the home, said Ross, "At some point, the current school system will just collapse."

Will your child soon be able to graduate from high school without ever leaving the house? Is computer-assisted home education technologically feasible—or desirable?

David Moursund thinks not. Moursund, keynote speaker at the conference and editor of *The Computing Teacher*, said educational software that can teach a child an entire course of study is now far too costly for most home computer owners. He sees the idea of computer-based home education more as a selling point for microcomputer companies than a threat to our current school system. Educational applications may soon be ranked with business and entertainment as the three biggest marketing areas for home computers. "But what they're used for after they get there is still a question," Moursund said.

As an analogy, he brings up another learning aid once seen as a revolutionary advance in home education: the encyclopedia. Tens of thousands of expensive sets were—and are being—sold to parents as useful adjuncts to their child's schooling. In the same way, parents may be influenced to buy a micro because it will be "good for the children." But, Moursund said, programs for education may, like encyclopedias, end up gathering dust while the youngsters use the micros to play the latest video game instead.

continued

Announcing the best Error Free Personal Computer Diskette Money can Buy. For Less.



- Error Free
- 1 year warranty
- Hub ring installed
- Write/Protect notch
- Next day delivery

\$19.90/box of 10

- No minimum order quantity
- 8" or 5 1/4"
- Plus 2 Free BONUS DISKS/Box*

*5 1/4" SPECIAL ONLY

If you are a member of a user group or a school district please call for special terms on future offers. **TSS** is the largest specialty supplier of magnetic media in the Midwest. We have the products that you want when you need them. Please take advantage of this introductory offer and call us **now**.



Transaction
Storage Systems, Inc.
MAGNETIC MEDIA SPECIALISTS

✓44

CALL TOLL FREE

1-800-521-5700

1-800-482-4770 (Michigan)

313-557-3036 (Detroit)

312-922-0076 (Chicago)

614-221-1788 (Columbus)

513-621-1518 (Cincinnati)

Telex 810-224-4646

EXPECT A MIRACLE

YES, **TSS** is the magnetic media supplier that I have always wanted.

Please send me _____, 8" ☐ 5 1/4" ☐, @ _____ ea.
Box Quantity Price

I am interested. Please send me more information
or call me at () _____

For faster order entry call any of our toll-free or local numbers

Company _____

Name _____ Title _____

Address _____

City _____ State _____ Zip _____

Amex/Master Card/Visa orders are accepted Expiration Date

_____ month _____ year

EDUCATION_{continued}

Conference speaker Alfred Bork agreed micro manufacturers will soon latch on to the sales potential of home education. Bork, director of the Educational Technology Center at the University of California, Irvine, and author of *Learning with Computers*, said this is one way micros will gain the practical appeal necessary if they are to become true mass consumer items. Microcomputers, he noted, will have to be seen as home appliances rather than hobby items before they will become as common as tvs. One way to give them that appeal is to tell parents computers will help their children learn.

Once the machines are in the home, Bork thinks kids will become so fascinated with the technology that they will demand more computers in school. "We tend to think home use will drive school use," he said. "Once you start getting good education at home, kids will start going to school and demanding more quality."

Although Bork sees home computers making schools better, not obsolete, he admitted some kinds of education may

be better handled on a home computer. "There's a good possibility that important parts of the curriculum will migrate out of the schools and into the home," he said, especially as publishing companies jump into the home software market—a trend already starting. But Bork cautions that a simple fascination with the increasingly complex hardware available for home use also carries the danger of replacing true learning with technological game-playing.



As micros grow more powerful, though, it may become possible to create learning environments falling somewhere between the schools and the home. Ramon Zamora, director of a National Science Foundation-funded community computer project called ComputerTown, told the conference micros can serve as tools to take education "to the streets." His ideas center on community learning centers where children and adults can learn programming, computer applications and "rent" time on microcomputers. His plan is to help the public—especially that segment unable to buy their own micros—become computer literate. ComputerTowns have already been set up in a number of local libraries, senior citizen's centers, museums and youth clubs around the country.

The centers may help deal with what some observers see as the major problem facing home-computer-based learning: the growing gap between rich


and poor.

"People at the poverty level are not going to buy computers," Bork said. That limits the educational advances possible with home computers to those with enough money and technological orientation to invest in the hardware. "That would tend to increase the schism between the haves and have-nots," Moursund maintained.

ComputerTowns, accessible to all economic classes, may be one way to counter this trend. Another is government subsidies targeted at computer education for the poor.

Inequities caused by the cost of microcomputers is only part of the problem. What are the social costs involved if micros disrupt the traditional school system? Moursund stressed that school is more than learning. It is a place where children learn to deal with other children. Removing the child from the schoolroom and teaching him at home may result in faster transmission of facts, but as one conference speaker said, "As interesting as computers are, they can't replace your schoolmates."

And there's another thing home computers will never do: get your child out of the house. Jeremy Ross's proposed home-based educational utopia may be a better way to teach kids some things, but as Moursund argued, "Most parents don't want to have the kids around the house all day. Micros won't help get the children out of their parents' hair." ■



DISK DRIVE WOES?
PRINTER INTERACTION?
MEMORY LOSS?
ERRATIC OPERATION?

Don't Blame The Software!




Power Line Spikes, Surges & Hash could be the culprit! Floppies, printers, memory & processor often interact! Our patented ISOLATORS eliminate equipment interaction AND curb damaging Power Line Spikes, Surges and Hash. **MONEY BACK GUARANTEE!**

- ISOLATOR (ISO-1) 3 filter isolated 3-prong sockets; Integral Surge/Spike Suppression; 1875 W Maximum load, 1 KW load any socket \$69.95
- ISOLATOR (ISO-2) 2 filter isolated 3-prong socket banks; (6 sockets total); Integral Spike/Surge Suppression; 1875 W Max load, 1 KW either bank \$69.95
- SUPER ISOLATOR (ISO-3) similar to ISO-1 except double isolation & Suppression \$104.95
- SUPER ISOLATOR (ISO-11) similar to ISO-2 except double isolation & Suppression \$104.95
- MAGNUM ISOLATOR (ISO-17) 4 Quad Isolated sockets; For ULTRA-SENSITIVE Systems \$181.95
- CIRCUIT BREAKER, any model (Add-CB) Add \$9.00
- REMOTE SWITCH, any model (Add-RS) Add \$16.00

AT YOUR
DEALERS

MasterCard, Visa, American Express
ORDER TOLL FREE 1-800-225-4876
(except AK, HI, PR & Canada)

Electronic Specialists, Inc. ✓159
171 South Main Street, Box 389, Natick, Mass. 01760
(617) 655-1532



STOCK MARKET COMPUTER SOFTWARE

Now available — 34 programs from the book

NEW USES FOR THE HOME COMPUTER IN THE STOCK MARKET
The book has won praise through the world and has been purchased in over 40 countries.

The author has had 20 years experience as a stock broker and conducted eight years of computer research developing these 34 programs. Especially valuable to stock or commodity traders.

Available on disks or tapes for TRS-80. Model I Level II and Model III Price \$49.95

Also Available

Market Average Package. Contains weekly prices going back over 90 years. Also included are 5 utility programs. Price is \$29.95. Invaluable for cycle research. Send check to:

Thomas V. Lenz, Dept. M
596 W. Karval Ct. - Spring Creek
Elko, Nevada 89801

(overseas, U.S.A. Dollar International Money Order or a Draft payable on a U.S.A. Bank)

State whether you want disk or cassette ✓ 144

MAXIMUM MICRO

P.O. BOX 5636 • STATION "A" • CALGARY • ALBERTA • CANADA • T2H 1Y1

CANADIANS

All our software now available
at the lower American prices

Some Examples

- Scarfman **23.95**
- Defence Comm **19.95**
- Robot Attack **19.95**
- Space Castle **19.95**
- Meteoroids **19.95**
- NewDos80 2.0 **149.95**
- Mod III 16K- **10% Off**
- 5-1/4" Disks **34.95**
- 3M 8" Disks **49.95**
- Green Screens **37.95**
- Cables from **39.95**
- Rams-16K **24.95**

Other Products At Similar Savings

- Cornsoft Group
- Big Five
- Apple Games
- Atari Comp Games
- Adventure Inter.
- Instant Software
- Med Systems
- Spectral Assoc.
- Sub Logic
- Modem 80
- Printers

MOST TRS-80 PROD. AT 10% DISCOUNT

Enclose cheque or
Money order
with all orders.
Add 5% for Visa orders.

Sorry no C.O.D.s
No phone orders.
ADD 1.50/ORDER
FOR SHIPR/HAND.
3/4 WEEKS DEL.

**SEND \$3.00 FOR YOUR
CATALOGUE**
Refundable with first order

Enter the electronic agora

Network Nation's writers create marketplace of ideas

Whether you're a budding software author or crusty vet of silicon publishing, be prepared for some lively interaction and vital information when you enter the Author's Special Interest Group on the CompuServe Information Service.

The originators of the SIG, Charles Bowen and Stewart Schneider, set it up because there's "no neatly bound directory of writers' markets" for micro-computer programmers and writers.

Market analysis wasn't the sole inspiration for the SIG. The allure and expense of being a member of the network nation also influenced Bowen.

"I talked to a fellow who got a \$700 bill from CompuServe," Bowen noted. "\$700! Did you have a good time? He said, 'yeah, I guess' I got scared and thought I'd better find a way to make a living on CompuServe or at least let it pay for itself."

"I had just sent off a couple of hundred dollar checks to CompuServe for all the talking I'd been doing," he continued, "so I thought, maybe I should talk to them about starting a service."

Bowen's service offers authors a newsletter, market listings, bulletin board, and electronic conferencing.

Electronic conferencing is potentially the most powerful service his SIG offers authors, Bowen said. "What would take a week of notes to accomplish can be done in an hour of 'talk.'"

The group also has a message system that's turned into a kind of computerized marketplace for ideas, a sort of electronic Agora. Since the group's inception, members have discussed conflict-of-interest problems related to product reviews, the best computer to write software for, computers creating new art forms, and the makeup of computer utopia—The Micropolis.

"The subjects are really up to the members," Bowen told *80 Micro*. "We have 'threads.' You can respond to any message you want. Some threads, some topics, have gone on for

The electronic conference is potentially the most important service this SIG offers authors. What would take a week of notes can be done in an hour.

a month or more."

He explained software publishers—like Bob Snapp of Snapp Software and Paul Grupp of Scott Adams's Business Division—often drop by to comment on messages.

The group's first electronic conference spun off a message system "thread."

"Folks were talking about the problem of piracy," Bowen explained, "and someone said, 'Did you hear about this dumb guy in California who's giving his programs away?' That was discussed about a week, until a fellow logged in and said, 'Well I'm the dumb guy doing that.'"

The "dumb guy" was Andrew Fleugelman, who encourages people to pirate his IBM PC communications software. If they like it, he requests them to make a contribution to him.

Fleugelman told authors' SIG members 70 percent of the people making copies of the program were sending him contributions. Can you say the same thing about programs you've protected in conventional ways? he asked.

"The conversation was very interesting," Bowen noted. "It was scheduled for two hours and it went into a third hour on a Saturday night, which I since learned is not a good night to have conferences. People would rather go out and boogie."

Information in the SIG's market reports is similar to its traditional counterparts—publisher, contact person, address, publisher's needs, what machines he supports, royalty structure, time it takes to evaluate a program, tips for submitting software—but all of it can be electronically massaged. Key-word searches can be performed, allowing a writer to look for all publishers looking for TRS-80 programs or find a specific software firm.

Bowen explained he initially considered writing a "Writer's Market"-style book for the software set, but "because of the delay time in getting out a book, it wouldn't be very useful to people. In the software markets you almost have to be electronic to stay current."

He cited one case where he was informed of a software opportunity through electronic mail on a Saturday and had a market report on the firm on line by Monday. "Even a newsletter couldn't do it quite that fast," he said.

He added his members have found links between soft and hard publishing: "We're finding a great similarity between print and software markets. An awful lot of people, at least at this stage, are doing both. They're finding the best way to market the software is to do it in print fashion with an article—the way it would be done in 80."

As the operator of a SIG, Bowen got free access to CompuServe, a perkquisite that excited him: "I thought, 'Great, now I can talk to my CB buddies all the time and not be charged for it.' But I don't have time to do it. There's a lot more work involved than I realized, but I'm enjoying every minute of it." ■

PULSE TRAIN

Tandy chooses LDOS...



Radio Shack took a giant step forward in product support when it de-

cided to carry LDOS as an alternative disk operating system for its Models I and III computers.

The DOS made by Logical Systems Inc. of Mequon, WI, will be the only one from Radio Shack interfacing with the Fort Worth firm's hard disk drive.

At press time, Radio Shack hadn't officially released LDOS to its stores, so a retail price was not available, although it will probably be close to the current retail price for LDOS (\$129).

It is considered one of the most powerful operating systems for the TRS-80. Its features include many absent from Tandy's operating system, TRSDOS: automatic support of double-density and double-sided drives; drive track counts between 35 and 80; support of all drive-motor step-rates (3ms, 6ms, 12ms, etc.); hard drive support; type and size drive mixing (5-inch, 8-inch, hard drive) up to eight drives; compiled JCL; link, route, filter, and

set device control support; and complete compatibility of data disks between the Models I and III.

All Microsoft language products for the TRS-80 are supported by LDOS and the DOS is compatible with TRSDOS 1.2 and 2.3.

Ed Juge, Tandy's director of computer merchandising, said in a telephone interview with *80 Micro* Radio Shack decided to add LDOS to its product line because of previous business deals and commitments with Logical Systems. It did not compare LDOS with other operating systems before making its decision, he added.

For new disk drive owners, TRSDOS will still be used as a "first DOS" and as the medium for new program development and distribution.

TERRY KEPNER

... while competitor questions choice



Before Tandy named LDOS as an alternative operating system for its Models I and III, Fort Worth observers speculated there was more than one entry in the race to become Radio Shack's an-

nointed DOS.

Ed Juge discounted that speculation, but not without raising the eyebrows of one major operating system marketer, Apparat Inc. of Denver, CO. A programmer with the maker of the highly touted NEWDOS80 told *80 Micro*: "Tandy didn't even approach us. They didn't even ask us, which I thought was rather funny."

When asked by *80 Micro* about Tandy's choice of his firm's operating system as an approved alternate, Logical System's Bill Schroeder refused to comment and said all queries would be answered by Tandy.

"We think [LDOS] will be a good product," Juge said. "We don't intend to support it with software. We're putting it out there as a programmer's tool for the programmers who want something more powerful than TRSDOS."




"I really don't think Radio Shack's going to LDOS was based on the technical aspects," the Apparat programmer noted. "I really couldn't see a whole lot of reasons for Tandy going to LDOS. Technically speaking, LDOS can't match NEWDOS as far as we see and as far as the reviewers have seen."

He speculated Radio Shack might have chosen LDOS because it wanted a system that supported a hard disk. NEWDOS80 2.0 does not support one.

But, he interjected, version 3.0, slated for release in early 1983, will support four kinds of hard disks, eight floppy drives, and combinations of the two

drive types. He added, "When NEWDOS version three comes out, it's going to be more powerful than even quite a few people around here can understand."

New currency at Tandy is plastic



It will be tougher than ever resisting the urge to upgrade your system when

Tandy begins flashing its latest offering in your face: a Radio Shack credit card.

Tandy has teamed up with Citibank of New York and created a Citiline card for Radio Shack customers who want to drop a bundle of money in a hurry. The card is patterned after others of its kind, but requires an initial minimum purchase of \$225. The minimum for subsequent purchases is \$100.

The card's repayment schedule is worked out on a 24 percent annual interest rate. According to *Info-World*, the higher-than-average bank-card interest rate is a tradeoff for no service charge on card-holding privileges. The newspaper added users with an average balance of \$500 would pay less than credit-card users with the same balance who paid a \$20 membership fee for the card and 20 percent interest.

Purchases made with the Citiline card will be analyzed for direct-mail advertising purposes, Tandy said. Citiline credit statements will include advertising stuffers for Tandy products and for financial services offered by Citibank and other institutions.

The credit card service was expected to go into effect this fall.

continued

PULSE TRAIN^{continued}

Hardware protects this software



Softbu^{cs} with a mind to pirate Simutek products, beware!

The Tucson, AZ, firm protects its software with hardware.

"We got the idea from seeing some of the products for Apple computers that plug into the joy port connector to prevent piracy," said Simutek President Mike Gariepy. "We thought it was possible to do that with the cassette port on the TRS-80, and it was."

Simutek first used its software "key"—which is about the size of a 5-pin DIP jack—with its Copy-art word-processing program. The program or copies of it will not run unless the key is in the machine's cassette port.

"The software scans the port to make sure our key is plugged in correctly," Gariepy said. "If it's not, the program crashes and goes into Never Never Land."


He explained schools or businesses may buy extra keys from Simutek for multiple uses of a program.

Can the code to the key be broken? "Some friends of ours at a tv station in Tucson broke it," Gariepy said. "It took them two and a half weeks and they're all certified engineers."

"If someone has a knowledge of microelectronics, they could make copies of a particular key," he said. But since the codes are changed from key to

key, he added, the copy would work only with copies of the program issued with the original key.

The subject is privacy



How emerging technology affects privacy is the focus of a newsletter

published by Washington, DC, attorney Robert Ellis Smith.

He told *80 Micro* he started his newsletter in 1974 to address press-privacy issues. But in a short time, he discovered his subscribers "were concerned more about computer data banks than they were about the press."

Hence evolved *Privacy Journal: An Independent Monthly on Privacy in a Computer Age* with about 2,000 subscribers.

"I have become concerned about the impact of computer technology on individual rights," Smith said. "It threatens them a good deal in a lot of different ways that people haven't looked at."

"I try to advise people how new technology will affect their rights," he continued. "That involves mainly computer data banks and new communications."

Recent stories in Smith's newsletter concerned how computer matching is used to catch people working and collecting welfare, how data banks are used to catch student loan delinquents, and how a ban on credit transactions was used to curb travel to Cuba.

"The newsletter has a point of view," Smith said. "It's pro-privacy. But by

and large, I try to be factual in the newsletter because I'm providing an information service to people. And a lot of them don't agree with me."

New publications take aim at lawyers, Sinclairs, CP/M, and kids



Attorneys, Sinclair users, CP/M users, computer market observers,

and kids are the targets of some new electronic publications.

Attorneys Computer Report was launched in August and claims to be the first newsletter about computer use written for lawyers. The report is published every two weeks. It includes information on hardware and software for attorneys: experiences of users with law-firm oriented microwares; and tips for cutting costs, managing a practice, and expanding client services.

The report is available from Professional Publications Inc., P.O. Box 80280, Atlanta, GA, and costs \$229 a year.



The maiden issue of a quarterly magazine for Timex-Sinclair users was expected to be released this month. Called *SQ*, the publication will feature programs, reviews, and projects for Timex-Sinclair machines.

Editor Ann Zevnik said in a statement: "*SQ* will be the biggest source of information about Timex-Sinclair machines in the US. It

will be written for intelligent users who don't necessarily have any computer background, but who wish to learn."

The new magazine will be published by the Harvard Group, based in Harvard, MA, which also publishes *SYNTAX*, a newsletter for Timex-Sinclair users. Selected computer stores will carry *SQ*. Subscriptions cost \$15. A package offer is also available: four issues of *SQ* and 12 of *SYNTAX* for \$39.



A six-times-a-year magazine devoted to the CP/M operating system has been launched on Mercer Island, WA. The first issue, released in September, featured a buyer's guide covering more than 50 single source CP/M systems. Other features include abstracts of CP/M related articles, listings of hardware and software products, user groups, and club news. Subscriptions are \$16 a year.



A newsletter that promises to be controversial has been announced by Ron Jeffries.

"My newsletter will give you a *personal view of computing*," Jeffries said in a statement. "Each issue will bring you up-to-date information about the fast-changing personal computer field. *The Jeffries Report* will be controversial. The style will be informal, chatty, and fun to read."

Jeffries also claims his publication will avoid the

continued

PULSE TRAIN^{continued}

biases of other silicon media:

"Have you noticed that mass-market computer magazines never seem to find anything wrong with the computers they evaluate? Don't get me wrong: Those magazines are produced by good people. But they have a problem: Advertisements placed by computer manufacturers are an important source of their income. Since *The Jeffries Report* carries no advertising, our editorial content is not affected by those factors."

Here are some samples from Jeffries' first effort:

● "[I]t is my opinion that the VIC can't possibly survive in the marketplace surrounded by the \$179 MAX machine on one side and the \$595 C64 on the other. The much cheaper MAX has far better graphics, and has a 40-column display! And don't forget the new Sinclair Spectrum that will be selling for about \$225.

● "In less than a year, IBM has sold close to 250,000 personal computers. That means that IBM has more than half as many personal computers installed as Apple has sold to date. The main reason that the IBM PC has an 'open design' is that IBM carefully studied the Apple, and copied it in many ways. (They even copied some of the mistakes: Those 160K 5-inch disks that were on the early IBM PCs held only slightly more data than Apple disks. IBM has since gone to double-sided 320K disks, but it took them several months to correct the mistake.)"

● "I do have reservations about how well Commodore can compete in the Atari game arena. For one thing, the MAX package is rather unsophisticated. For example, if the consumer changes cartridges without turning the unit off, they run some risk of damaging the cartridge. (The current Atari VCS has the same problem. However, the Atari 400/800 and the new 5200 game do not have the problem.) I do not consider the physical packaging of the MAX to be outstanding. My reaction was that it looked like they had it designed by Radio Shack. (It's even that same shade of battleship gray!)"



And speaking of Radio Shack, it has released its third computer comic, starting—with the permission of Warner Communications' DC Comics division—Superman, Wonder Woman, and Tandy's own dynamic tandem, the TRS-80 Computer Whiz Kids. The 36-page comic, "The ComputerMasters of Metropolis," is available free of charge from Tandy.

Digest in red at Source



When Readers Digest acquired The Source, it might have thought it was buying a piece of the information revolution, but according to the *New York Times*, it appears to have bought a headache.

Despite heavy investment in The Source, the information utility hasn't reached the goals Digest has set for it, the *Times* reported.

It said The Source is at a crossroads and there is speculation in the industry Digest might be disillusioned with the business and seek to sell it. That was denied by The Source's new chief executive, George V. Grune. "We are not looking for a bailout and we are not selling," he told the *Times*.

Digest would not disclose the financial results for the venture, the *New York Daily* said, but an unnamed source estimated the service lost \$5 million to \$7 million on revenue of \$6 million to \$8 million in the fiscal year ending July 31. So far, the *Times* said, Digest has sunk \$15 million to \$20 million into the project.

The newspaper reported The Source's chief competitor, CompuServe, a division of H&R Block, expects to be \$5 million to \$7 million in the black by the end of its fiscal year, April 30, 1983.

The daily explained CompuServe has an advantage over The Source because the meat of its business doesn't depend on providing consumer information. That business is just an add-on to its commercial time-sharing concern.

The *Times* added Digest has made many improvements since it acquired The Source. It increased its staff to more than 125 from 50, purchased new computer hardware and software to make it easier for subscribers to access the system, and it is building a new computer facility capable of handling up to 250,000 subscribers.

Meanwhile, The Source has launched a new publication for its subscribers, *SOURCEWORLD* Newsletter. The first issue contained notes from subscribers who have found productive uses for the service in their businesses, a


profile of the "Subscriber of the Month," tips on how to create a private Source network, and an announcement an advisory panel was being formed to pre-test new services.

The Source also announced PARTICIPATE, "the first computer conferencing service made commercially available to the general public."

In a statement, creator of the service, Chandler Harrison Stevens, noted subscribers have been using PARTICIPATE for—

- Project management (to monitor progress and share information despite geographic separation);
- Group authorship (to review new material and direct manuscript changes and consistency);
- Executive decision making (to gather information to support timely decisions and actions); and
- Market research (to survey and poll other Source subscribers).

Even robots sing the blues



Ritz Miller has found a new use for those obnoxious little robots that overpopulate computer shows. He rented one to picket the San Mateo County Courthouse with a sign protesting: "Divorce Courts Unfair."

According to United Press International, the 4 1/2-foot robot with a fishbowl head sang the blues to anyone who would listen: "She got the gold mine. I got the shaft."

Miller used the robot to hand out fliers complaining about the high cost of divorce. Robot rental fees cost him \$1,000 a day. ■

Statistics are the most misused and misunderstood procedures in applied mathematics. Many people think you can prove anything with statistics, implying that they have nothing to do with reality, while others accept any statistics without question. Neither attitude is correct.

Statistical methods provide a powerful tool for looking at large amounts of data, and for shaping and testing hypotheses. Every statistical measure makes some assumptions that may or may not be true. Therefore, no statistical procedure should be used without thought or consideration. Statistical validity does not come from using double precision, although that can minimize round-off error with large amounts of data.

There are two main categories of statistics: descriptive and inferential. The first describes a collection of data (a data set), while the second infers information about a data set. Descriptive statistical measures include central tendency, range, variability, skewness, and kurtosis. The inferential measures are used to infer from the data whether groups of data are from the same population (their similarity or difference).


Descriptive Statistics

If you have a data set with a number of scores in it, what single representative number can describe the data set? It depends on what you mean by representative. Three measures are in common use:

- Mean—the sum of the scores divided by the number of scores.
- Median—the score that divides the data set into two sets with equal numbers of points in each.
- Mode—the scores that occur with the greatest frequency in the data set.

Although the mean is used most often, the other two measures are easier to appreciate intuitively. The median is the 50th percentile in a group of scores—it is the middle score. The mode is the most frequently occurring score. The mode may not be unique. If all the scores in the data set occur with the same frequency, there is no mode. If there are two modes (that is, two scores occurring most often), the data set is said to be bimodal, or to have a bimodal distribution.

All three methods are used; for dif-



Statistics 101

ferent applications, only one may be appropriate. It all depends on the question you're asking of the data.

Computation of these various measures is shown in the Program Listing. This program finds the mean, median, and mode of a data set, either in grouped or ungrouped format. If you choose to group your data, you must enter the number of groups. You may use default limits on your groups (lowest and highest scores), or may input your own. The program will print data on the screen or line printer, plot it on the screen or make a histogram of your grouped data.

A sample run of the program using the data set 1,3,3,5,6,7,8 gives a mean of 4.714286, a mode of 3, and a median of 5.

The mean is the most sensitive measure in that it is affected by all scores. The median is affected the same amount by the presence of a score to the right of the center of the data set regardless of how far the score is to the right. The mode is indifferent to all scores except the one of greatest frequency. The mode, then, is the least sensitive measure of the center or central tendency of a set of data.

The program is fine for many applications, but often it is desirable to group data. This forces data (often from a continuous number system) into little packages (a discrete number system). An example is school grades. When it is time to decide who gets the As and the Bs, the fairly continuous scores are forced into discrete boxes

marked A, B, C, D, or F. It would be useful to be able to apply the measures of central tendency to this grouped data as well.

Calculation of the mode is as simple with grouped data as it is with ungrouped. You simply look for the box with the greatest number of scores. The median is somewhat less simple. As it turns out, this can be summarized in the equation below:

$$MD = LLI + WMI * (N/2 - Cf) / If$$

where:

MD = median

LLI = lower limit of the median interval

WMI = width of median interval

N = number of scores

Cf = cumulative frequency up to the median interval

If = frequency within the median interval

The lower limit of the median interval and the width of the interval are real numbers. If the cutoff for the Bs is 80 percent right, the LLI would be 80 percent. The width of the median interval is the upper limit of the interval minus the lower limit of the interval. The cumulative frequency is the number of scores that occur before the median interval—the number of scores less than the cutoff for the median interval. It is the number of scores that occur within the median interval (the interval that holds the median).

The method for finding the median is only a special case of finding a percentile rank of the scores. This is simple for grouped and ungrouped data. The xth percentile of a data set is that score that divides the data set into two groups with x percent of the scores below the point and (100-x) percent above the point. Thus, the 99th percentile means that 99 percent of the scores fell below the point and 1 percent of the scores fell above the point. The formula for calculating percentiles is:

$$P(x) = L + W * (x * N - Cf) / If$$

where:

x = percentile rank desired


L = lower limit of interval containing the percentile score

W = width of interval

N = number of scores

Cf = cumulative frequency up to the interval containing the xth percentile score

If = interval frequency



**QUANTITIES
LIMITED**

BIG SAVINGS ON DISK DRIVES SUPER SPECIALS

HERE'S A CHANCE TO GET THE BEST PRICE ON DISK AND
HARD DRIVES FOR YOUR COMPUTER

Tandon Floppy Drives

Single Head	40 Tk	5"
Double Head	40 Tk	5"
Single Head	80 Tk	5"
Double Head	80 Tk	
8" Slim Line	Single Head	

Bare

\$189
\$299
\$219
\$299
\$409

Complete Mod. I Mod. III

\$249	\$249
N/A	\$349
\$299	\$275
N/A	\$359

Tandon Hard Drives

5 Mb	Formatted
7.5 Mb	Formatted
11 Mb	Formatted

Bare

\$1099
\$1299
\$1599

Mod. III complete

\$1749
\$1949
\$2249

CP/M for Model III

\$249 with CP/M2.2

Model III Internal Drive Kits Includes D.O.S. +

Single Head, 40 Track	\$429
Double Head, 40 Track	\$529
Double Head, 80 Track	\$629

KIT INCLUDES

The kit includes one disk drive, controller, power supply, cables, hardware, documentation and DOS+3.3.
(\$100.00 VALUE)

THE LAST ENTRY

✓246

MAIL ORDER DIVISION
680 NORTH ARROWHEAD AVENUE
RIALTO, CALIFORNIA 92376 (714) 874-2413

PRICES F.O.B. FACTORY
CALIFORNIA RESIDENTS
ADD 6% SALES TAX

For example, to find the 60th percentile, if the lower limit of the interval is 30.5, the number of scores is 125, the cumulative frequency up to this interval is 58, the width is 1, and the frequency within this interval is 23, the data point with a percentile rank of 60 would be $P(60) = 30.5 + 1 * (.60 * 125 - 58) / 23 = 31.24$.

Measures of central tendency give a number that is somehow representative of the data set. It says little, if anything, about the distribution of the data points.

One important aspect of the distribution of the data set is the variability of the data. Variance is a measure of how the scores deviate from the mean. If we merely added the differences of the scores from the mean, $\sum(X_i - X_m)$, where X_i is the i th score and X_m is the mean, we would get zero. This is a property of the mean. One measure of how the scores deviate from the mean is provided by the sum of the squares of the deviations, $\sum(X_i - X_m)^2$. If we divide this sum by the number of scores minus one (to normalize the sum so that it is independent of the size of the data set), we get the variance.

The standard deviation is the square root of the variance. It is more convenient to rewrite the equation for the variance to be:

$$V = (n * \sum X^2 - (\sum X)^2) / (n * (n - 1))$$

If you are using grouped scores, it

would be better to use an alternative formula:

$$V = (\sum(f * X^2) - (\sum(f * X))^2 / n) / (n - 1)$$

The frequency of scores within each group is f , and the value used for X_i is the mean of the i th interval. If the data has a normal distribution, 67 percent of the data points will lie between minus one and plus one standard deviation away from the mean.

Another thing we need is a method

of turning lists of data into a form more easily understood—a data plot. Histograms, frequency plots, pie charts and X,Y plots are all useful graphs. Since we are concerned only with one-dimensional data here, we will only create the histograms and frequency plots. The program allows you to enter a raw data set grouped as you will. You may then plot it using a histogram or frequency plot, and print out the median, mode and mean.

The program is menu-driven. You

Program Listing

```

10 ' ***** FREQL/BAS *****
20 ' * BY *
30 ' * BRUCE POWEL DOUGLASS *
40 ' * DEPT. OF PHYSIOLOGY *
50 ' * USD MEDICAL SCHOOL *
60 ' *****
70 GOTO 140: ' INITIALIZATION IS A SUBROUTINE (BELOW)
80 DEFINT I-K,N:F$="BLANK":DIM I,J,A$,L
90 DEF FN ODD(N)=-(INT(N/2)<>N/2): ' RETURNS '1' IF ODD
100 DEF FN EVEN(N)=-(INT(N/2)=N/2): ' RETURNS '1' IF EVEN
110 U$="% % = #####.#####"
120 ' %---15 SPACES---% #-12 DIGITS-#
130 RETURN
140 'DISPLAY MENU ROUTINE
150 CLS:PRINT TAB(19);"***** FREQL/BAS *****"
160 PRINT TAB(25);"OPTIONS:"
170 PRINT"1. ENTER DATA
180 PRINT"2. SAVE DATA TO DISK
190 PRINT"3. LOAD DATA FROM DISK"
200 PRINT"4. ANALYSE DATA"
210 PRINT"5. PRINT/PLOT DATA"
220 PRINT"6. END PROGRAM"
230 PRINT"DATA SET IS ";F$
240 A$=INKEY$:IF A$="" THEN 240 ELSE IA=VAL(A$)
250 ON IA GOTO 280,370,440,530,1650,270
260 GOTO 240
270 END
280 ' KEYBOARD DATA ENTRY
290 CLEAR:GOSUB80:CLS:PRINT TAB(25);"KEYBOARD DATA ENTRY"
300 INPUT"ENTER THE NUMBER OF SCORES";N
310 DIM A(N),B(N),C(N),D(N),G(N)
320 FOR I=1 TO N
330 PRINT"ENTER SCORE ";I;:INPUT A(I)
340 NEXT I
350 INPUT"ENTER NAME OF DATA SET";F$
360 GOTO 140
370 ' SAVE DATA TO DISK
380 OPEN"O",1,F$
390 PRINT#1,N
400 FOR I=1 TO N
410 PRINT#1,A(N);
420 NEXT I
430 GOTO 140
440 ' LOAD DATA FROM DISK
450 CLEAR:GOSUB80:CLS:INPUT"ENTER NAME OF FILE TO LOAD";F$
460 OPEN"I",1,F$
470 INPUT#1,N
480 DIM A(N),B(N),C(N),D(N),G(N)
490 FOR I=1 TO N
500 INPUT#1,A(N)
510 NEXT I
520 GOTO 140
530 ' ANALYSE THAT STUFF!
540 'GROUPED OR UNGROUPED ANALYSIS??
550 CLS:PRINT"1. UNGROUPED, OR 2. GROUPED ANALYSIS"
560 A$=INKEY$:IF A$="" THEN 560 ELSE A=VAL(A$)
570 ON A GOTO 590,1130
580 GOTO 560
590 ' UNGROUPED ANALYSIS

```

Listing continues

MOD 2

MERGIT-GLII

LINKS MODEL 2 ONE DISK GENERAL LEDGER (PN 26-4501) PROGRAM WITH SCRIPSIT™ 2.0 ALLOWING ULTIMATE FLEXIBILITY IN REPORT FORMATS AUTOMATICALLY.....\$89.95

GAMES-V

5 assorted GAMES for mod2 \$19.95

SAVE!! Buy both for..... \$99.95

INDEPENDENT SOFTWARE
POB 3126


FEDERAL WAY, WA 98003
(206)941-6022 WA res add 6.5% tax
no COD orders please


*trademark of TANDY CORP ✓494

Chicago ^{zone} 1 ⁶⁰⁶⁰¹

**We
carry**

**LIFEBOAT ASSOCIATES
LNW Research Corp.
SBSG Inc. *olivetti***

 **Integral Data
Systems, Inc.
NEWDOS/80**

 **Hayes**

MicroPro®

MULTIDOS

OKIDATA

DOSPLUS

**Epson GALACTIC
SOFTWARE**

maxell® LDOS

 **PICKLES
& TROUT**

SIGNALMAN™

MICROSOFT™

★ ★ ★
**CORVUS
SYSTEMS**

Novation 

- Bring us your problems!
- We have been servicing the TRS-80 community since its beginning in 1978.
- If there is a product that you think you might want, but don't know whether it's compatible, give us a call.
- We can help you get the best performance out of your machine.
- In addition to an exceptional level of service and an intense ongoing research effort to discover which products work and work best, we carry a large, well rounded inventory. What we don't stock, we can usually provide quickly, and with the modifications that you want.
- We have on-site repair and modification facilities and staff; and technicians that you can really talk to.
- And expanded capabilities don't stop at double-sided double-density disks and smoother operating systems. With Corvus hard disks and the Corvus Constellation II networking system, the limits we all thought we had are a thing of the past.
- Having supported, altered and literally conquered the TRS-80, we are approaching the IBM PC and the Corvus Concept with the same aggressive development and support.
- EBG—your ACCESS TO INFORMATION.

FOR ORDERING ONLY: 800-621-2141

STOP IN FOR A CUP OF COFFEE!

EBG & ASSOCIATES

203 North Wabash, Suite 2118 • Chicago, IL 60601

We are a full service microcomputer store specializing in TRS-80™, IBM PC™ and Corvus Concept systems.

Come in or call (312) 782-9750 ✓ 271

TRS-80/TM Tandy Corp.

Listing continued

```

600 ' THE MEAN
610 FOR I=1 TO N
620 SUM=SUM+A(I)
630 NEXT I
640 MEAN=SUM/N
650 PRINT USING US;"UNGROUPED MEAN",MEAN
660 ' THE MEDIAN
670 GOSUB 680:GOTO 800
680 'FIRST, MOVE THE DATA INTO ANOTHER ARRAY
690 PRINT "SORTING ..."
700 FOR I=1 TO N
710 B(I)=A(I)
720 NEXT I
730 'THEN SORT IT INTO ASCENDING ORDER
740 FLAG=0
750 FOR I=1 TO N-1
760 IF B(I)>B(I+1) THEN B=B(I):B(I)=B(I+1):B(I+1)=B:FLAG=1
770 NEXT I
780 IF FLAG=1 THEN 740
790 RETURN
800 'SORT DONE
810 '** MEDIAN=MIDDLE SCORE IF N IS ODD
820 '** MEDIAN=AVERAGE OF MIDDLE TWO SCORES IF N IS EVEN
830 ' LEVEL II:USERS JUST STICK IN THE DEFINITION FOUND
840 ' IN LINES 90-100 INTO THE MD EQUATION BELOW -
850 ' I JUST DID IT THIS WAY FOR READABILITY
860 MD = FN ODD(N)*B(INT(N/2)+1) + FN EVEN(N)*(B(INT(N/2))+B(INT
(N/2)+1))/2
870 PRINT USING US;"UNGROUPED MEDIAN",MD
880 'MODE
890 FOR I=1 TO N:C(I)=0
900 FOR J=1 TO N
910 IF A(I)=A(J) THEN C(I)=C(I)+1
920 NEXT J
930 NEXT I:C=0
    
```

Listing continues

may input the data from keyboard or disk file, and it may be saved to disk as well. Cassette users, merely delete the Open and Close statements and change the PRINT#1 and INPUT#1 statements to PRINT#- and INPUT#-1, respectively.

Correlation and Regression

A correlation is a measure of the relation between two or more variables. It can be thought of as an inferential statistic, but when we are only looking at the relationship between two variables without inferring information, it is essentially descriptive. Karl Pearson created the Pearson r product-moment correlation in the early part of this century, although the idea of a product-moment correlation dates back to an 1846 article by a Frenchman named Bravais.

The standard deviation is denoted with a small sigma (σ). The Pearson r correlation is defined to be:

$$r_{xy} = \sigma_{xy} / S_x S_y$$

or, more conveniently,

$$r_{xy} = \frac{S_{xy}}{S_x S_y} = \frac{n \sum (X_i Y_i) - \sum (X_i) \sum (Y_i)}{\sqrt{(n \sum (X_i)^2 - (\sum X_m)^2) (n \sum (Y_i)^2 - \sum (\sum Y_i)^2)}}$$

Correlation between two variables can be used to predict behavior; in this sense it is an inferential statistic. Let's consider two variables: X and Y. If you assume a linear relationship exists between X and Y, simple matrix methods are sufficient to determine the coefficients of the equation $Y' = aX + b$. The prime (') indicates that the resulting Y value is predicted and not a real entry in your data set. The fitting parameters are called a and b, and regression is the method of finding a and b. In the end you have the equation for the best-fit line.

Normally, a method called least squares is used in regression. The idea behind the method is this: A distance is normally thought of as a positive number, regardless of direction. If you have a mile to walk, it doesn't matter if you go north or south—direction and distance are independent values. We would like to minimize the distance between the regression line and the data points (since they will never all lie on

EASYPRO WORDPROCESSOR

*FEATURES

- *4 way cursor control. Repeat key. Scrolling. Machine language operation.
- *Continuous indication of line no., cursor position, and end of file.
- *Insert/delete character to end of paragraph. Insert/delete line or block.
- *Block copy. Block move. Global find. Compressed ASCII data storage.
- *Partial/complete saves to disk or tape. Load and insert from disk or tape.
- *Large data files can be processed with next command. Edit ASCII Basic files.
- *Upper/lower case printout. Printout separates line at nearest word.
- *Printout of specified lines to specified spacing, margins, line length.
- *Control of printer with control characters. Headers. Page length control.

*ORDERING INFORMATION

*Send \$29.95 plus \$3.00 for handling to:-----> FGA Software
 Check or Money order accepted. 191 Woburn St.
 Reading, Mass. 01867
 (617) 942-0558

For Model I or III 32K or 48K Disk or Tape

✓ 166

TRS-80™

**SAVE MONEY
BUY DIRECT**

**100% RADIO
SHACK
EQUIPMENT**

UP TO 20% OFF TRS-80 SOFTWARE



Similar Discounts On
All TRS-80™ Hardware

- Color Computer...\$399 (26-3002)
- Model III...\$1499 (26-1065)
- Model II...\$2988 (26-4002)
- Model 16...\$4799 (26-6002)

FREE PRICE LIST

GSB ELECTRONICS

Cherry Hill Mall
Cherry Hill, N.J. 08002

TOLL FREE

800-257-5225

in NJ (609) 779-8877

TM-TANDY CORP. ✓ 492

Listing continued

```

940 'NOW FIND THE MAX OCCURRENCE OF A SCORE (THE MODE)
950 FOR I=1 TO N
960 IF C(I)>C THEN C=C(I)
970 NEXT I:L=0
980 FOR I=1 TO N
990 IF C(I)<>C THEN 1040: ' IS IT A MODE?
1000 FOR J=1 TO L: ' IF SO, IS IT ALREADY USED?
1010 IF D(J)=A(I) THEN 1040
1020 NEXT J: ' IF SO, THEN GO ...
1030 L=L+1:D(L)=A(I): ' IF NOT, THEN INCLUDE IT
1040 NEXT I
1050 'NOW DISPLAY ALL MODES IN DATA
1060 IF L=0 THEN PRINT"NO MODE":GOTO1110
1070 FOR I=1 TO L
1080 MODE=D(I)
1090 PRINT USING U$;"UNGROUPED MODE",MODE
1100 NEXT I
1110 PRINT:PRINT"PRESS <ENTER> TO RETURN TO MENU"
1120 IF INKEY$="" THEN 1120 ELSE 150
1130 ' ***** GROUPED ANALYSIS *****
1140 CLS:INPUT"ENTER THE NUMBER OF GROUPS";NG
1150 INPUT"USE DEFAULT LIMITS (Y/N)";A$
1160 IF A$="N" THEN INPUT"ENTER UPPER AND LOWER LIMITS FOR GROUP
ING";UP,LOW:GOTO 1190
1170 GOSUB 680:MOVE INTO B() AND SORT
1180 LOW=B(1):UP=B(N)
1190 SIZE=(UP-LOW)/NG
1200 'NOW GROUP THE DATA
1210 FOR I=1 TO NG
1220 ' L1, U1 ARE THE LOWER & UPPER LIMITS FOR INTERVAL I
1230 L1=LOW+SIZE*(I-1):U1=LOW+SIZE*I
1240 FOR J=1 TO N
1250 IF A(J)=>L1 AND A(J)<U1 THEN G(I)=G(I)+1
1260 IF I=NG AND A(J)=UP THEN G(I)=G(I)+1
1270 NEXT J
1280 NEXT I
1290 'GROUPED MEAN
1300 SUM=0
1310 FOR I=1 TO NG
1320 MIDPNT=LOW+(I-1)*SIZE+SIZE/2
1330 SUM=SUM+G(I)*MIDPNT
1340 NEXT I
1350 MEAN=SUM/N
1360 PRINT USING U$;"GROUPED MEAN",MEAN
1370 'GROUPED MEDIAN
1380 'FIND MEDIAN INTERVAL
1390 CF=0:MI=0
1400 FOR I=1 TO NG
1410 IF CF=>N/2 THEN MI=I:GOTO 1440
1420 CF=CF+G(I):' CUMULATIVE FREQUENCY
1430 NEXT I
1440 MD=LOW+SIZE*(MI-1)+SIZE*((N/2)-CF)/G(MI)
1450 PRINT USING U$;"GROUPED MEDIAN",MD
1460 'GROUPED MODE
1470 L=0:C=0
1480 FOR I=1 TO NG
1490 IF G(I)>C THEN C=G(I)
1500 NEXT I
1510 IF C<2 THEN 1580
1520 FOR I=1 TO NG
1530 IF G(I)<>C THEN 1560: ' IS IT A MODE?
1540 L=L+1: ' IF SO, THEN INCLUDE IT
1550 D(L)=LOW+SIZE*(I-1)+SIZE/2: ' MIDPOINT OF THE INTERVAL
1560 NEXT I
1570 'NOW DISPLAY ALL MODES IN DATA
1580 IF L=0 THEN PRINT"NO MODE":GOTO 1630
1590 FOR I=1 TO L
1600 MODE=D(I)
1610 PRINT USING U$;"GROUPED MODE",MODE
1620 NEXT I
1630 PRINT:PRINT"PRESS <ENTER> TO RETURN TO MENU"
1640 IF INKEY$="" THEN 1640 ELSE 150
1650 'PRINT/PLOT DATA
1660 CLS:PRINT"1. PRINT
2. LPRINT
3. X-Y PLOT
4. HISTOGRAM OF DATA
5. RETURN TO MENU"
1670 A$=INKEY$:IF A$="" THEN 1670 ELSE A=VAL(A$)
1680 ON A GOTO 1700,1770,1850,1960,140
1690 GOTO 1670
1700 'PRINT DATA
1710 J=1

```

Listing continues

the line in real applications).

Since we want to minimize this distance, could we use $\sum d$, where d is $(XL-XD)$, and XL is the point on the line and XD is the data point? No—some distances will be negative, effectively cancelling out those that are positive. We need some way to turn all those distances into positive numbers.

How about d^2 ? That is why this method is called least squares; it finds the line that minimizes the sum of all the distances squared.

The regression equations must be linear in the fitting parameters, but not necessarily in terms of the variables. Therefore, $Y' = a \cdot e^x$ is linear in a , although not in x , and meets our linearity requirement. However, $Y' = a \cdot X^b + c$ is not linear in the fitting parameters a , b , and c . For the general nonlinear case the problem is far more difficult, and must be solved by iterative methods (such as a gradient method or the Marquardt optimal neighborhood method).

In the simple linear case with two variables X and Y , the regression equation is $Y' = aX + b$. The parameter b can be found using the equation $b = (\sum XY - (\sum X)(\sum Y)/N) / (\sum X^2 - (\sum X)^2/N)$. The other parameter, a , can then be easily found using $a = Y_m - b \cdot X_m$, where Y_m and X_m are the means of Y and X , respectively.

Analysis of variance (ANOVA) is a special case of regression. In a simple ANOVA you have two or more groups of data, and want to know whether they come from the same population. Is there a difference between the two groups? There will almost always be some difference between the means of two groups of experimental data. Even when you purposefully collect data from the same source, some fluctuation is inevitable. So how different is different?

The answer lies in significance tests. No matter how large the difference between two data sets may be, there is always some finite chance that the difference you are observing is due solely to chance, not to some real difference in the data source. In significance testing, you decide on some level of chance at which point you will conclude that the two groups are different. This is normally called alpha (α). In scientific work, α is often chosen to be .10 or .05, meaning that if the probability that the difference observed

Listing continued

```

1720 FOR I=1 TO N
1730 PRINT "SCORE #";I;A(I)
1740 J=J+1
1750 IF J>14 THEN INPUT"CONTINUE";A$:J=1
1760 NEXT I
1770 'LPRINT DATA
1780 J=1
1790 FOR I=1 TO N
1800 LPRINT "SCORE #";I;A(I)
1810 J=J+1
1820 IF J>60 THEN INPUT"CONTINUE";A$:FOR K=1 TO 6:LPRINT " ":NE
XT K:J=1
1830 ' FOR 60 LINES OF TEXT ON A PAGE OF 66 LINES
1840 NEXT I
1850 'X-Y PLOT OF DATA
1860 GOSUB 680:'SORT IT IN B()
1870 LOW=B(1):UP=B(N)
1880 SY=47/(UP-LOW+1):SX=127/N
1890 CLS
1900 FOR I=1 TO N
1910 PX=I*SX
1920 PY=47-B(I)*SY
1930 SET(PX,PY)
1940 NEXT I:PRINT@0,"DONE";
1950 IF INKEY$="" THEN 1950 ELSE 140
1960 'HISTOGRAM OF PRE-GROUPED DATA
1970 IF NG=0 THEN 1670:' MUST BE GROUPED
1980 IF NG>64 THEN 1670:' TOO MANY TO SEE ON SCREEN
1990 UP=C:'MAX NUMBER OF SCORES IN G()
2000 CLS:FOR I=1 TO NG
2010 IF G(I)=0 THEN HAVE 2050
2020 FOR J=47 TO 47-G(I) STEP -1
2030 SET(I*2,J)
2040 NEXT J
2050 NEXT I:PRINT@0,"DONE";
2060 IF INKEY$="" THEN 2060 ELSE 140
    
```

between the groups is due to chance is less than .1 (1 chance in 10) or .05 (1 chance in 20), we assume the data sets are different.

Statistically, the null hypothesis is the theory that there is no difference between the groups; it is denoted H_0 . The hypothesis that there is a difference between the groups is called the alternative hypothesis and is denoted H_a . To be more specific, if we let μ_1 be the mean of group 1, μ_2 be the mean of group 2, and so on, the hypotheses may be summarized with:

$$H_0: \mu_1 = \mu_2 = \dots = \mu_m$$

$$H_a: \mu_i < \mu_j \text{ for some } i, j$$

This is a vital approach to inferential statistics. Notice that here, as well as in the regression statistics, no reference is made to cause and effect. Inferential statistics such as ANOVA and regression are concerned only with the correspondence between variables or differences between groups of variables.

ANOVA uses two independent measures of variance to determine whether the experimental groups are different. One, between-groups variance, is the variance of the means between the groups. The other, within-groups variance, represents the variance within each group. If the null hypothesis is true, then these independent measures of variance should be about the same. The decision is made through an F test.

If the groups are different, then you would expect the between variance to be larger than the within variance, right? The between variance is divided by the within variance. If this ratio is significantly greater than one, there is at least one pair of groups different. This F ratio is then looked up in tables with the within and between variance (or calculated with some approximation), and the probability that this ratio could occur by chance is given. If it is less than your previously chosen level of alpha, then you reject the null hypothesis, otherwise you accept the null hypothesis.

Significance tests are used with all sorts of inferential statistics. They can be used to determine whether two or more groups of data are different (for example, the t test and ANOVA), if there is any improvement in a regression by including additional variables, or whether a model describes a set of data.

We'll continue this discussion next month. ■

NEW PRODUCT RELEASE FROM **WINN & HARRISON**

THE CHECK RECORDING SYSTEM

- * MENU DRIVEN PROGRAMS USE SELF-EXPLANATORY SCREEN DISPLAYS
- * EASY DATA ENTRY AND FAST RECONCILIATION
- * STORES OVER 3,000 CHECKS ON A SINGLE MODEL III DISKETTE
- * CLASSIFY CHECKS WITH UP TO 150 CLASSIFICATION CODES
- * COMPLETE USER AND PROGRAMMER DOCUMENTATION
- * REQUIRES MODEL I OR MODEL III, 48K, ONE DISK, PRINTER

\$29.95

VISA & MASTERCARD WELCOME WINN & HARRISON
 ADD \$2.00 SHIP & HANDLE 241 N. HILLS DR.
 WV RESIDENTS ADD 5% S.T. NORTH HILLS, WV 26101
 MONEY BACK GUARANTEE (304) 428-7098 ✓488

PROFESSIONAL SOFTWARE

TRS-80® MODEL II & 16

NOW AVAILABLE!

BASIC COMPILER

- TRSDOS® 2.0 COMPATIBLE
- UP TO 30 TIMES FASTER
- BY MICROSOFT • EASY TO USE
- INCLUDES M-80, CREF-80 & EDIT 80
- AUGMENTED WITH OUR DOCUMENTATION

DISK SORT

- YOU DON'T HAVE TO BE A PROGRAMMER TO USE IT!
- MENU DRIVEN • RANDOM FILES • EASY TO USE • SPEC'S SAVED ON DISK
- EASILY INSERTED INTO JOB STREAM FOR NON-STOP RUNNING • FULL DISK CAPACITY
- 1,000 REC'S. SORTING 15 BYTES, INCLUDING ALL DISK I/O = 2 MIN, 45 SEC'S.

BASIC CROSS REFERENCE

- SEE USED LINE#S/NAMES AT A GLANCE • PRODUCES NICE PROG. LISTING • INDISPENSABLE
- SAVE HOURS!

EPSON

MX-80 \$460⁰⁰ MX-100 \$700⁰⁰ HURRY-LIMITED TIME!

PAPER

9½x11 18lb WHITE STRIPS TO 8½x11 3,000/BOX

MAILING LIST

- HIGH CAPACITY • SPANS DISK • NO SORTING
- FAST RETRIEVAL-UPDATE • R/S CONVERSION INCLUDED • LONG/SHORT FORMATS
- ESTIMATED AVAILABILITY - DEC. 1982

*PLUS POSTAGE & HANDLING. PRICES SUBJECT TO CHANGE WITHOUT NOTICE.

TRS-80 & TRSDOS ARE
 REGISTERED
 TRADEMARKS OF
 TANDY CORP.

GOOD-LYDDON DATA SYSTEMS

5486 RIVERSIDE DR., CHINO, CA 91710

(714) 980-4563

**HARD
 DISK
 SUPPORTED**

\$339.00*

\$69.99*

DOC. ONLY \$10⁰⁰
 DEDUCTIBLE
 ON PURCHASES

\$59.99*

DOC. ONLY \$10⁰⁰
 DED. ON PURCH.

\$25.00*

\$149.95*

DOC. ONLY \$10⁰⁰
 DED. ON PURCH.

MASTER CARD or
 VISA accepted.

3 Easy Steps To Better Computing

1. Find the LOAD 80 dealer nearest you.
2. Visit his store.
3. Buy LOAD 80.

Once you discover how much time and money you can save using LOAD 80—and just how easy it is to use—you may never want to keyboard another program as long as you live.

* Leominster News 6 Merriam Ave. Leominster, MA 01453 617-534-8237	Computer Discount of A West Milford Mall West Milford, NJ 07480 201-728-8080	Radio Shack Morristown Mall Morristown, NJ 08057 609-779-8877	* The Carpenter Co. 330 McInyre Rd. Pittsburgh, PA 15237 412-486-9085	King Electronics Town & Country Shop. Ctr. Aberdeen, NC 28315 919-944-2600	American Software Tech 2305 Hovee de Leon Blvd. Coral Gables, FL 33134 305-864-2305
* North Eastern Comp. So. 462 Moody St. Waltham, MA 02154 617-899-3540	* Software City 147 N. Kinverkamark Rd. Montvale, NJ 07645 201-391-0931	Computer Encounter Princeton N. Shop. Ctr. Princeton, NJ 08540 609-924-8757	Personal Software Rte. 23 & Rte. 345 Elverson, PA 19520 215-286-9664	Sound Mill Sborum Shopping Center Havlock, NC 28532 919-447-5988	H & H Hobby Sales 4121 S. Tamiami Trail Sarasota, FL 33581 813-922-7711
Microcom Software Ctr. 25 Eln St. Watertown, MA 02172	* Software City 161 Cedarland Traneck, NJ 07666 201-692-8298	Bargain Brothers 216 Scotch Rd. W. Trenton, NJ 08628 609-883-2050	Wills Computer Store 4410 Swamp Rd. Marlow Hgts., MD 20031 301-423-4525	Rayburn Micro-Electron 27 E. Main St. Sylva, NC 28779 704-586-8133	Paperback Booksmith 8201 S. Tamiami Trail Sarasota, FL 33583 813-922-5269
Vineyard Electronics State Rd. Vineyard Haven, MA 02568 617-693-5600	Computer Madness Summerton Shopping Ctr. Englishtown, NJ 07726 201-462-9696	Crowley's Rt. 22, Rd. 3, Box 570 Whitehouse Station, NJ 08889 201-534-2722	Pentagon Bookstore The Concourse Washington, DC 20001 202-695-0870	Anderson Electronics 29633 803-225-6422	Micro Computer Center 14932 N. Florida Hwy. Tampa, FL 33612 813-961-5269
* Tull's Radio 61 Lowell Rd. Hudson, NH 03051	Mr. Rick Burdett 161 Princeton Ave. Dover, NJ 07801	Digibyte 31 E. 31st New York, NY 10016 212-889-8130	Bowes Books 718 Great Mills Rd. Lexington, MD 20653 301-863-6200	Megatron-Radio Shack D Heritage Plaza Hilton Head Plaza, SC 29928 803-785-9630	* Madison Books 8006-5 Madison Pike Madison, AL 35758 205-772-9250
Radio Shack 148 Key Rd. Keene, NH 03431 603-357-0100	J & J Electronics R/S Rte. 57, James Way S/C Hacettstown, NJ 07840 201-852-6976	RD International Co. 455 W. 43rd St. New York, NY 10036 212-307-0266	The Comm Center, Inc. 9624 Ft. Meade Rd. Laurel, MD 20810 301-953-9353	* Atlanta Computer Mart 5091-B Buford Hwy. Atlanta, GA 30362 404-455-0647	Hooper Electronic Supp 495 Rodenburg Ave. Biloxi, MS 39531
Corner News Railroad Square Keene, NH 03431 603-357-4696	Paperback Booksmith Rockaway Town Square Rockaway, NJ 07866 201-361-3400	Programs Unltd./White 131 Mamaroneck Ave. White Plains, NY 10601 914-761-9283	B. Dalton Booksellers Rts. 1-270 & MD 85 Frederick, MD 21701	* Software To-Boot 8514 Cindy St. Savannah, GA 31406 912-927-2017	Elizabethown Electron Elizabethown Plaza Elizabethown, KY 42701 502-765-5070
* Wm. Holt Association 31 Raynes Ave. Portsmouth, NH 03801 603-431-7438	MT Electronics R/S 8 Main Street Sparta, NJ 07871 201-729-5719	Programs Unltd., Inc. 20A Jericho Turnpike Jericho, NY 11753 516-997-8668	Hancock Technonics 33 W. Main St. Hancock, MD 21730 301-678-6000	* City News Stand 901 E. New Haven Ave. Melbourne, FL 32901 305-725-0330	Jerry's Computers Euclid Arcade Cleveland, OH 44115 216-579-0648
Computer Dynamics 11 Portland Hill Georgetown, CT 06829 203-235-0643	Happy Booker Morris County Mall Cedar Knolls, NJ 07927 201-539-4240	The Computer Shoppe 283 Medford Ave., Rte. 112 Patchogue, NY 11772 516-758-6558	Arcade Electronics, IN 7026-28 Columbia Pike Annandale, VA 22003	Cape News Co. 700 Clearlake Rd. Cocoa, FL 32922 813-870-1970	Data Link Ctr. 4920 Airway Dayton, OH 45431 513-252-1613
Alban, Inc. 11 Portland Hill Georgetown, CT 06829 203-544-9236	Morris County Statione Chester Springs Shop. Ctr Chester, NJ 07930 201-879-7776	Computerland 46-50 Main St. Massena, NY 13662 315-769-9971	* Community Electronics 258 Broadview Ave. Warrenton, VA 22186 703-347-1339	* Suppliers of Load 80 Disks	
* Computer Services/DANB 1 Franklin St. Danbury, CT 06810 203-743-1259	Computer Workshop 1200 Haddenfield Rd. Cherry Hill, NJ 08002 609-665-4404	Red-Ten Radio Shack 129 E. 4th St. Watkins Glen, NY 14891 606-535-2233	Mr. Robert G. Brooks 9701 Meadow View Rd Richmond, VA 23229		
Software Mart 352 Bloomfield Ave. Caldwell, NJ 07006 201-228-4949	Radio Shack Cherry Hill Mall Cherry Hill, NJ 08034	Arco Electronics Back Mountain Shopping Ctr Shavertown, PA 18708	K & S Newstand 1249 Corporation Pkwy. Winston Salem, NC 27107 919-724-7537		
The Computer Nook Pine Brook Plaza, Rte. 46 Pine Brook, NJ 07058 201-575-1192					
Computer Dimensions 116 Elm St. Westfield, NJ 07090 201-232-8300					
Computer Corner of NJ 439 Route 23 Pompton Plains, NJ 07444 201-835-7080					



Pamper yourself.
Pamper your computer.
Use LOAD 80 cassettes and disks.
A subsidiary of Wayne Green Inc.
Peterborough, N.H. 03458 USA

I can't make backups with my single-drive Model I. The system works fine in all other modes, even passing the RS Stress Test. But, it will only complete some of the Floppy Doctor tests.

Radio Shack recommends I buy a head-cleaning kit. I don't know if this will work since the reference manual doesn't say anything on this. I've cleaned my disk drive's head using a cassette head cleaner, but this didn't help.

Radio Shack charges \$30 to clean and align the head. If that doesn't work, it will then cost another \$120 to change the head. Should I spend this kind of money when I can buy a non-Radio Shack disk drive for about \$260?

A.M.
Egg Harbor, NJ

Unfortunately, you don't mention which Floppy Doctor tests your drive failed. (Please, if you have a question for Feedback Loop, tell me what your system has on it, what modifications it has, what tests you've given it and how it fared on them, and your phone number so I can call you if I have questions.)

The first step is getting a disk-drive head-cleaning kit. Even if it doesn't cure your problem, it does prevent debris buildup on the drive head, which can damage both the head and any disks you put in the drive.

The second step is to have your drive aligned and tested. Spending \$30 to have the drive checked is much cheaper than buying a new drive, no matter what the source. (One of my drives began exhibiting the same symptoms you mention; the problem was a loose drive-head alignment screw.)

Finally, if the drive needs the head replaced, the decision on whether to buy a new drive or repair the old one is up to you. I'd buy a new drive and repair the old one later. That way I'd have a two-drive system. If you can't afford both, keep the old unrepaired drive for emergency use.

I've made several unsuccessful attempts to get a mailing list of Model I and III users. I've talked to different Radio Shack Computer Stores, and have even tried the head office in Texas.

My reason for wanting the mailing list is to market a personnel accounting package I've written. I need about 1,000



Problems and Solutions

names and addresses, and I'm willing to pay for them.

H.S.
Dunwoody, GA

You're not the only one who wants a list of TRS-80 owners! Practically every company marketing TRS-80 software would love to get hold of the Tandy mailing list. Tandy regards its list as secret information and won't release any of the names they have.

Your best sources for names are the magazines. Most magazines, this one included, have contracts with agencies to sell sections of their subscription lists at reasonable prices, generally around four to six cents an address in batches of 5,000. For more information, contact Qualified Lists Inc., 20 Maple Avenue, Armonk, NY 10504, (914) 273-3353. They handle all the Wayne Green Inc. mailing lists.

I have a TRS-80 Model II, an Epson MX-80 printer, and Scripsit. I can't get the printer to print in the emphasized mode.

I've sent letters to both Radio Shack and Epson America, and it seems that they can't help me.

H.J.
Skokie, IL

Your main problem is the word processor. The Epson can be made to print in the emphasized mode by sending it the escape code, followed by the code for emphasized printing. While the TRS-80 Model II can easily transmit any code generated by Scripsit, Scripsit

itself cannot generate the code required. In Basic, you could use the CHR\$(x) command to send the proper codes to the printer via the LPRINT command. Any subsequent information sent to the printer would be printed in the emphasized mode, until the printer is turned off or the escape code is sent again followed by the code to turn off the emphasized mode.

My best suggestion is to boot the Model II into Basic, send the escape code and emphasized print code using LPRINTCHR\$(27" 'E'"), then reboot the Model II with Scripsit. You should get the emphasized print mode.

I have a TRS-80 Color Computer. This computer has a facility built in for renumbering, but no merge. Can you persuade one of your readers to produce a merge program? To my knowledge, no one has produced one over here.

E.S.
Largs, Ayrshire, Scotland

You chaps overseas are in a rather difficult position. Normally I'd refer you to the ads in the magazine, but trying from America for shipment overseas can be a real bear. Customs messes things up, and packages sent surface mail take months to arrive (if ever). Since most American companies aren't familiar with these procedures, overseas customers end up the losers. This being the case, is there someone who knows of a Scottish or English source we could refer E.S. to? (A Color Computer merge program will be published in 80 Micro soon.—Eds.)

In September I incorrectly stated that Weather Forecaster in Instant Software's Climate Comp package (#0316RD) can be used on a cassette system. When originally released by Instant Software, the program was cassette based and didn't use data files. But when it was converted to disk, it was rewritten to use the same data files as its sister program, Weather Plot. Because of this it can no longer be used on a cassette-based computer system.

WE WILL NOT BE UNDERSOLD

SOFTWARE

MICROPRO	
Wordstar	\$239.00
Mailmerge	89.00
Customization Notes	\$359.00
Spellstar	\$239.00
Datastar	\$199.00
Calstar	\$199.00
MICROSOFT	
Basic Interpreter	\$349.00
Basic Compiler	\$389.00
Fortran 80	\$499.00
Cobol 80	\$695.00
DATA BASE	
FMS80	\$595.00
dBase II	\$599.00

NEW! IBM PC SOFTWARE NEW!

INFORMATION UNLIMITED	
Easy Writer	\$289.00
Easy Speller	\$149.00
Easy Filer	\$319.00
VISICORP	
Visicalc 256K	\$199.00
VisiDex	\$199.00
VisiFile	\$229.00
VisiTrend/VisiPlot	\$229.00
MICROPRO	
Wordstar	\$239.00
MISCELLANEOUS	
Supercalc by Sorcim	\$229.00
Superwriter by Sorcim	\$289.00
Home Accountant Plus	\$139.00
ENTERTAINMENT	
Deadline	\$39.00
Temple of Apshai	\$29.00
Curse of Ra	\$15.99
Call For More IBM Software And Accessories	

DISK DRIVES

CCI 100 for the TRS-80 Model 1	
5 1/4 40 track	\$299.00
CCI 189 for the Zenith Z-89	
5 1/4 40 track	\$379.00
CORVUS 5M with Mirror	\$3089.00
CORVUS 10M with Mirror	\$4489.00
CORVUS 20M with Mirror	\$5389.00
CORVUS interfaces	CALL
RANA SYSTEMS add-on Disc Drive for the Apple II	
Elite One 40 Track	CALL
Elite Controller	CALL
Elite Two 80 Track	CALL
Elite Three 80 Track double-sided	CALL

DISKETTES

Maxell 5 1/4 single side	\$39.00
Maxell 8 single side	\$49.00
Maxell 5 1/4 double side	\$45.00
Maxell 8 double side	\$55.00
BASF 5 1/4	\$26.95
BASF 8	\$36.00
Verbatim 5 1/4	\$26.95
Verbatim 8	\$36.00
Wabash 5 1/4	\$24.95
Wabash 8	\$29.95

IBM PC ACCESSORIES

64K Card by Microsoft	\$435.00
Joystick by T & G	\$49.00
128K Card	\$579.00
192K Card	\$629.00
256K Card	\$699.00
Combo Card by Apparat	\$249.00
Call for more IBM PC add-ons	

For fast delivery, send certified checks, money orders, or call to arrange direct bank wire transfers. Personal or company checks require one to three weeks to clear. All prices are mail order only and are subject to change without notice. Call for shipping charges.

APPLE SOFTWARE

MICROPRO	
Wordstar	\$199.00
MailMerge	\$89.00
Spellstar	\$149.00
DataStar	\$199.00
Calstar	\$189.00
Supersort I	\$159.00
VISICORP	
VisiCalc	\$199.00
VisiTerm	\$79.00
VisiDex	\$199.00
VisiPlot	\$169.00
VisiFile	\$199.00
VisiSchedule	\$259.00
VisiTrend/Plot	\$239.00
VisiPac	\$539.00
MISCELLANEOUS	
Micro Courier	\$219.00
Screen Director	\$129.00
Executive Briefing System	\$169.00
Supercalc	\$199.00
Personal Filing System	\$115.00
PFS Report Writer	\$75.00
Word Handler	\$169.00
CP/M Power	\$59.00
ENTERTAINMENT	
Wizard and Princess	\$29.00
Twerps	\$28.00
Beer Run	\$28.00
Zork I, II	\$26.95
Deadline	\$39.00
Chop Lifter	\$24.95
Pinball	\$24.95
Cannonball Blitz	\$29.95
Knights of Diamonds	\$29.95
Midnight Magic	\$32.00
Wizardry	\$45.00
Time Zone	\$79.00
Tuesday Morning Quarterback	\$24.95
Crush, Crumble & Chomp	\$24.95
Datstones of Ryn	\$15.99
Morloc's Tower	\$15.99
Star Warrior	\$31.99
Snack Attack	\$23.95
Star Blazer	\$24.95
Kabul Spy	\$29.95
Cyclod	\$23.95

APPLE ACCESSORIES

ADVANCED LOGIC	
Add-Ram 16K Card	\$99.00
Z-Card CP/M for the Apple II	\$225.00
Smarterm 80 Column Board w/Softswitch	\$249.00
The Synergizer	
All of the above plus "The CP/M Handbook"	\$545.00
Z-80 Card by Microsoft	\$319.00
16K Card by Microsoft	\$159.00
32K Card by Saturn	\$199.00
Keyboard Enhancer II by Videx	\$125.00
Videoterm by Videx	\$259.00
Game Paddles by TG	\$49.00
Joystick by TG	\$49.00
Numeric Keypad by Keyboard Co.	\$139.00
ALF 9 Voice Board	\$159.00
ALF 3 Voice Board	\$229.00
System Saver by Kensington	\$75.00
Versacard by Prometheus	\$229.00
8088 Card by Coprocessor	\$789.00
Microbuffer II 16K w/graphics	\$259.00
Microbuffer II 32K w/graphics	\$299.00
APPLE INTERFACE CARDS BY CCS	
Serial Asynch. #7710	\$139.00
Serial Synch. #7712	\$149.00
Call for other CCS cards	

RAM

16K Ram Kit for Apple II; TRS80	\$17.50
200 nano seconds, 4116 chips	

COMPUTERS

CALIFORNIA COMPUTER SYSTEM	
Mainframe 2200a	\$485.00
Z-80 CPU 2810a	\$265.00
64K RAM 2065	\$569.00
Floppy Controller 2422a	\$359.00
ZENITH	
Z-89 48K	CALL
Z-90 64K	CALL
Call For Prices On The Complete Zenith Line	
CASIO FX702P Pocket Computer	\$179.00
Sanyo MBC 1000 64K	CALL
Call For Prices On Complete Sanyo Computer Line	

PRINTERS

NEC 7710 Serial	\$2395.00
NEC 7720 KSR	\$2749.00
NEC 7730 Parallel	\$2395.00
NEC 3510 Serial	\$1850.00
NEC 3530 Parallel	\$1850.00
NEC 8023 Dot Matrix 100cps	\$539.00
Olivetti DY211 Letter Quality	
Daisy Wheel Printer	\$1095.00
Parallel Only	\$995.00
Epson MX-80	CALL
Epson MX-80FT	CALL
Epson MX-100	CALL
IDS 560	CALL
IDS Prism 80	CALL
IDS Prism 132	CALL
Okidata Microline 80	CALL
Okidata Microline 82A	CALL
Okidata Microline 83A	CALL
Okidata Microline 84	CALL
Centronics 739	\$675.00
Datasouth 180 cps	CALL
Zenith Z-25 150 cps	CALL

MONITORS

Amdek 12" B & W	\$109.00
Amdek 13" Color	\$329.00
Sayno 9" B&W	\$135.00
Sanyo 9" Green	\$140.00
Sayno 12" B&W	\$179.00
Sayno 12" Green	\$189.00
Sanyo 13" Color	\$359.00
Zenith 12" Green	\$95.00
Zenith 13" Color	\$339.00
Electrohome 13" Hi-RES	
Color Monitor	\$829.00
Electrohome 13" Color	\$349.00
Electrohome 12" B&W	\$179.00
Electrohome 12" Green	\$189.00
Electrohome 9" B&W	\$149.00
Electrohome 9" Green	\$159.00

SPECIAL OF THE MONTH

RANA SYSTEMS

add-on disk drive for Apple II

Elite One 40 track CALL

TERMINALS

ADDS Viewpoint	\$495.00
Zenith Z-19	\$679.00
Televideo 910	\$595.00
Televideo 925	\$779.00
Televideo 950	\$969.00

TELECOMMUNICATIONS

Prentice Star Modem	\$129.00
Novation Cat Modem	\$139.00
Novation D-CAT	\$149.00
Novation AUTO-CAT	\$199.00
Novation APPLE CAT	\$299.00
Hayes Smart Modem	\$249.00
Hayes Micro-Modem	\$295.00
Hayes Chronograph	\$225.00



The CPU Shop

TO ORDER CALL TOLL FREE 1-800-343-6522

420-438 Rutherford Ave., Dept MI 11, Charlestown, Massachusetts 02129



Hours 9 AM - 9 PM (EST) Mon.-Fri. (Sat. till 6)
Technical information call 617/242-3361

TWX- 710-348-1796

Massachusetts Residents call 617/242-3361
Massachusetts Residents add 5% Sales Tax

✓ See List of Advertisers on Page 455

80 Micro, November 1982 • 483

FEEDBACK LOOP

I've just purchased a used Model I and I'm enjoying it tremendously, except for its infamous RFI problems. Is there any way to reduce the hash this machine generates?

P.S.
Hammond, IN

Just a few months ago I saw a letter from a computer user in the Netherlands who described what he did to eliminate the RFI on his Model I. He built a wire cage, using quarter-inch grid wire to fit around the expansion interface and the keyboard (leaving a gap for the actual keys of the keyboard).

The cage is soldered together, with the top piece soldered only at the back (so he can remove the computer from the cage if he wants). All the cables that leave the cage (power cords and video cable) are wrapped, several times, around ferrite core rings, while each interface cable (printer, disk drives, and so on) passes between two ferrite bars that are bolted together and grounded to the cage. The cage itself is connected to ground. This contraption forms a Faraday cage that grounds out all RFI generated by the computer. The creator of this box says it eliminated all the RFI produced by his computer. If you try this, let me know how well it works.

The Color File Program Pac for the TRS-80 Color Computer is a powerful data-base manager. The only drawback to the program is its inability to format printed output. I tried to read the sorted data tape, but failed. Fort Worth told me that all tape output is in machine-language compacted form and cannot be accessed in Basic. Could you, or a reader, supply a machine-language program (to be POKed in) that would read the Color File tape output into a Basic program?

R.L.
Davenport, IA

I don't have that particular Program Pac, so I can't help you. Is there anyone out there who can help?

My first problem has to do with a specific commercial program. After the program loads once or twice that area on the tape seems to wear out. The next time I load in that area, the tape loads perfectly until the very end, then beeps

and the memory size question appears. I have a Model I, but no amplifier so I listen to the sound with an earphone.

My second problem involves my CRT. Whether it's on or off, plugged in or not, at times it emits a loud crackling noise.

A.R.
Chicago, IL

There are two possible reasons for your CRT problem, one of which is known as Corona discharge. The insulation around your CRT's high voltage lines on the tube itself is allowing a slight voltage leakage. As you use your CRT it builds up a static charge. At intervals, depending on the humidity, this charge is released, much in the same way that lightning discharges the static buildup in storm clouds. This discharge occurs only when the unit is on. It can be dangerous as it indicates the insulation inside the case is breaking down. Take your CRT to a tv repair shop and have a technician determine how serious the problem is.

The other possible answer is that the cracking noise is caused by the expansion and contraction of the plastic case of the CRT as the unit warms up when you turn it on and cools down when you turn it off. This is most pronounced when you have heavy items such as books or hardware on top of the case. The noises can occur quite a while after you've turned the unit off. If you have items on top of your CRT, take them off and see if that stops the noise. If you're not sure, take the unit to the repair center and have a technician check it out.

There are two possible sources of your problems with the commercial tape. The first is your tape recorder. As you use it, a slight magnetic charge builds up on the tape head. This charge acts like a tiny magnetic eraser. It isn't powerful enough to completely erase the signal on the tape, but each time a program is loaded, the charge degrades the signal quality. After several passes the computer "sees" a dirty, unreadable signal, even though it may sound okay to you. The only solution is to use a tape-head demagnetizer on your tape recorder at frequent intervals, once a month for example. If the disappearing program effect only shows up when you use that company's tapes, then this shouldn't be the problem, although regular tape-head cleaning and demag-

netizing is still a good idea.

The other possibility is that the tapes used by that company are of poor quality. I know of a software house that once purchased 10,000 cassettes from an overseas source at a very nice price. Unfortunately, the tape material was not as represented in the ads, and microscopic pieces of the magnetic material actually flaked off the mylar tape base as the tape was used. The tape worked just fine when Quality Control tested it, but after the customer used it several times, the program failed to load. They had to throw away the tapes and find another source.

If the company is having the same problem with their tapes, your best solution is to transfer the program to a tape of your own. If you can't do this, contact the company about the defective tape. In any case, check your tape recorder first; that is the most likely trouble spot.

I use a Digital Equipment Corporation Decwriter II (LA-36) on my TRS-80 Model I, Level II, via Electronic System's Serial I/O Board. The problem is with the ASCII character set used by this dot-matrix printer. I would like to convert it to print out Radio Shack's character set, including the graphics blocks. Can this be done by changing the character-generator chips? I am not electronically knowledgeable.

D.M.
La Grange, IL

This question took many phone calls to several different branches of DEC across the country, but the answer is yes, it can be done, but probably not by you. The chief engineer in charge of the LA-36 project lab told me that all you need to do is replace the present character generator chip in the LA-36 with one containing the characters you want.

Unfortunately, neither he nor I know of a source of EPROM chips that already contain the TRS-80 characters. He says the ROM chip used in the LA-36 is a standard chip (although by today's standards it's an old chip design), with many different manufacturers supplying a pin-compatible alternative. To design your own character font requires an intimate knowledge of the working codes used by the LA-36 and the character-generator chip, which is not a job for a novice. He did say that if someone were to come up with a re-

placement EPROM for the LA-36, there would probably be a good market for it as the number of LA-36 printers in the used market is increasing rapidly.

I asked him about the belt/pulley combination, and he said that changing the number of teeth on the pulley (which also means changing the belt) will affect the speed of the print head as it scans across the paper (and will also change the character spacing), but it isn't necessary if you only want to change the character font. If you want to change to a compressed character font, contact the nearest DEC office for information on their special projects lab, which should be able to help you for a reasonable cost.

Do you know where we can purchase a Scripuit, as they are no longer available from ACR?

E.S.
S. Blue Hill, ME

When writing about companies, please include their full name and address with your letter (the first ACR I found in Florida and sells marine navigation equipment). If you're writing about a program that's no longer available or needs modifications, please tell me what the program does and the computer for which it is designed. (There's no need to describe popular programs such as VisiCalc, Scripsit, Electric Pencil, and the like, but do tell me which machine it's for.)

Scripuit, I eventually discovered, was a Model I machine-language program that took information from the screen and put it into your Basic program. It was originally a product of ACR Consultants in Indiana. John Acres, the manager of ACR, decided to temporarily cease the marketing of Scripuit because of other business commitments. Scripuit Plus will have been released by the time this column appears. It has a new 90-page manual and retails for \$49. It is now sold by Electronic Display Technology, 3200 Polaris, Suite 3, Las Vegas, NV 89102, (702) 362-6877.

Normally the Model I power transformers produce a soft ac hum. Occasionally the hum becomes a loud buzz. What is causing this? Is there a potential for damage to the circuitry? What is the cure?

Also, how can I connect one of the

stand-alone video monitors to the video socket on the keyboard?

K.S.
Anaheim, CA

The power supply hum is caused by the laminations inside the transformer being vibrated by the 60 Hz power field coming from the electric company. Occasionally, the field will be depleted or increased by the turning on or off of a heavy power motor (such as a refrigerator or air conditioner). This fluctuation causes the laminations inside the transformer to shift slightly, sometimes increasing the distance between the laminations, sometimes decreasing the distance. If the distance increases, the hum gets louder. This is most noticeable on the older units. It is completely harmless. There is no cure other than replacing the unit with a newer one that might not make as much noise.

The answer to your second question can be found in the September 1980 issue of *80 Micro* in Dennis Kitz's column 80 Applications. If you don't have that issue look on page 97 of Dennis Kitz's book *The Custom TRS-80*, IJG Computer Services, 1260 W. Foothill Blvd., Upland, CA 91786, (714) 946-5805. It retails for \$29.95.

I have several questions. I've heard about a new type of mini-floppy disk drive that is about to be released that will increase the storage capacity of a 5¼-inch floppy to 5 Mb. It's supposed to use some sort of vertical or depth reading and writing rather than the surface method now used. What's the story?

I've also heard about a new dot-matrix printer due out early next year that's supposed to have a 20-by-25 print head, operate at 160 cps, and cost under \$700. Heard anything about it?

There is a company called Irwin International that makes a Model 510, 10-megabyte, hard-disk drive that uses a plug-in tape cartridge about the size of an audio cassette for back-up. It's supposed to take eight minutes to back up 10 megabytes. The lack of cheap, reliable hard drive backups has been a major drawback, so why haven't we seen or heard about these drives? Is anyone working on an interface for the TRS-80? I'm surprised this drive wasn't on the market long ago!

On page 228 of the TRS-80 Model III reference manual, there's a page of special effects the Model III user is sup-

posed to be able to get by using the shift, down arrow, and another letter. With my computer (purchased March 1981) none of these work. I tried them at the local computer center and they didn't work there either. They telephoned Tandy who told them it would be fixed in early 1982, and I could get a cheap fix at that time. Still, the newer machines don't seem to use them either. Do you know what the story is on these functions?

When I turn up the brightness on the Model III monitor I get strange lines across the screen, sloping downhill to the left. They are close together at the top of the display and about an inch apart at the bottom. What are these lines and what can be done to eliminate them?

Last, but not least, my latest version of Scripsit (version 3.2) for TRSDOS 1.3 does wierd things. Mostly, it works fine, but if I try to load a file that isn't on the current data disk, Scripsit crashes. Tandy's customer service tells me that this isn't supposed to happen and that something is wrong with my copy of Scripsit. I've tried two other copies (not my backups) and they all did the same thing. A friend's Model III, about the same age as mine, does the same thing, but the very same copy of Scripsit runs just fine in a newer computer. If that's not enough, the TRSDOS 1.2 version of Scripsit runs just fine! Any ideas?

R.T.
Denver, NC

I can't answer your first two questions. Several years ago *Electronics* magazine had a brief article on the possibility of depth-reading disks. The article concluded that while it was possible, technology had not yet reached the point of making it economically feasible. That is the last I've heard of the technique until you mentioned it. Does anyone else have an answer?

The reason you haven't seen or heard about the Irwin hard drives is that they haven't been on the market very long. They were introduced to Original Equipment Manufacturers (OEMs) in November 1981, and the controller board for the drives was released in April 1982. The marketing representative told me that there are several companies working on an adapter for TRS-80s.

Irwin International, 2000 Green Road, Ann Arbor, MI 48105, (313)

663-3600, actually has three hard-disk drives, the 510, the 516, and the 416. The 510 is a 10-megabyte (formatted) hard-disk drive that uses 3M DC-100 tape cartridges for backup (it takes about eight minutes, as you mentioned in your letter). The 516 is a 13.2 Mb (formatted) version of the 510. The 416 is a 516 without the tape cartridge back-up. The 510 costs \$2,750, the 516 costs \$2,990, and the 416 costs \$1,900. The controllers for the drives are purchased separately and cost \$975 for the 500 series, and \$695 for the 400 series. There are host adapters for the S-100-bus computers that cost \$400. So, if you buy a 516 with controller, it'll cost you \$3,965 plus shipping. And you'll have to build your own host computer adapter, since none of the companies involved in developing adapters for TRS-80s have finished yet.

I called the local Tandy Computer Center and talked with the technician about your special effects problem. The shift, down arrow combination is supposed to be a substitute for Radio Shack's missing control key. Pressing

and holding the shift, down arrow keys while pressing an alphabetic key results in the numerical sequence number of that key being returned to the keyboard driver.

Shift, down arrow A returns the value 1; shift, down arrow B returns 2, and so forth. Since the keyboard driver echoes your keystrokes to the video, these values are sent to the video. And since the video interprets any values below 32 as control codes, funny things can happen rather than the expected functions.

Control M is a line feed, the cursor just moves down one line, and control W converts the screen to 32-characters-per-line mode. To get most of these special functions to work, they must be accessed from a program using the IN-KEY\$ routine. The technician also told me that while there was a problem in early production with the ROM C, it has been fixed, and you can get a new ROM C installed for \$20.

The next problem is video idiosyncrasy. The lines you describe are created by the video circuitry in the computer.

They are present on Model I, II, III, and 16 computers. The only way to get rid of them is to turn the brightness down until the lines just barely disappear, then adjust the contrast control for the best clarity.


Your Scripsit problem sounds like a problem with your DOS, not Scripsit. Since several different copies of the program are involved, and several different computers, problems with the program or problems with the hardware should be eliminated.

In March of 1981, TRSDOS 1.3 was released. It had a few bugs. Because you bought your computer in March, you probably have a flawed TRSDOS 1.3. If, when you boot up your DOS, you see a release date earlier than June 1981, DOS needs to be updated. Updated copies of TRSDOS 1.3 are available at your local computer store. If the problem isn't with your DOS, I'm stumped. ■

Send any questions or problems dealing with any area of TRS-80 microcomputers to Feedback Loop, 80 Micro, 80 Pine Street, Peterborough, NH 03458.

TRS-80 Model I is alive and well at the Micromint. We still have the expansion interfaces you need!

Disk-80 Expansion Interface



As featured in Ciarcia's Circuit Cellar
Byte Magazine, March 1981

Reviewed in March '82 "80 Microcomputing"

DSK01	Disk-80 Expansion Interface with 32k RAM A & T	\$330.00
DSK02	Disk-80 Expansion Interface with 32k RAM & Printer Port A & T	380.00
DSK03	Disk-80 Complete Kit with 32k RAM & Printer Port	275.00
DSK04	Disk-80 Bare Printed Circuit Board	48.00
DSK05	Printer/Power Supply Circuit Board	16.00

The Disk-80 Expansion Interface is the perfect peripheral for converting your TRS-80 Model I into a professional computer system. The Disk-80 controls up to four 35 to 77 track mini-disk drives, and contains a hardware data separator which substantially increases the reliability of data transfers. Attaches to the CPU/Keyboard connector and comes complete with mini-disk controller, 32K expansion memory, power supply, optional Centronics compatible printer port, real time clock and buffered bus expansion connector.

"Reviewing Disk-80 is almost incongruous, because any comments can be summarized with the sentence, 'It works.'" Dennis Bathory Kitz, 80 Microcomputing, March 1982.

All interfaces are Radio Shack hardware and software compatible and carry a 60 day warranty including parts and labor.

All units include user's manual, power supply & auxiliary TRS-BUS connector for future expansion.

Dealer Inquires Invited

N.Y. State residents please add appropriate sales tax.


To Order: Call Toll Free: 1-800-645-3479
(In N.Y. State Call: 1-516-374-6793)
For Information Call: 1-516-374-6793



MICROMINT INC.
917 Midway
Woodmere, N.Y. 11598



Comm-80



As featured in Ciarcia's Circuit Cellar
Byte Magazine, May and June 1980

The COMM-80 is the only interface you need to turn your TRS-80 Model I into a time sharing terminal with provisions for a printer. The COMM-80 combines the most used features of the RS expansion interface in a low cost unit containing a built-in RS-232-C interface, a full 8-bit parallel port and a 40 pin bus connector for future expansion. Terminal software is included at no extra cost.

- RS-232-C Serial output port (50-19200 baud) with standard DB25 connector.
- Centronics compatible parallel printer port (34 pin)
- 40 pin card edge connector for bus expansion
- Connects directly to CRT terminals, modems, printers, other computers.
- Includes case, power supply & interconnecting cable.

CM01 COMM-80 Serial/Parallel
I/O Interface A&T \$150.00

TRS-80 is a trademark of Tandy Corp.

✓ 117

IT'S MORE FUN THAN A THREE-RING CIRCUS

A
WAYNE GREEN
PUBLICATION

COMPUTER CARNIVAL

EDUCATIONAL FEATURES

EXPANDS CREATIVITY
DEVELOPS KEYBOARD SKILLS
GEOGRAPHICAL QUIZZES
MATH AND WORD GAMES

YOUR CHILD WILL BE CAPTIVATED

for hours with your gift of the 60 programs in **Computer Carnival**. Tests of skill, haunted houses, mazes, wizards and dragons are all a part of this funhouse book. Written in TRS-80* Level II Basic. Author Richard Ramella creates many characters, from the mysterious Sugar Louie to the mystical Madam Zelda, as he takes your child through his arcade of games, graphics and quizzes.

LARGE READABLE TYPE
SPIRAL BINDING

★ SHORT, EASY-TO-TYPE PROGRAMS ★
READY-TO-LOAD CASSETTE
OF THE LONGER LISTINGS
AND

MORE

ORDER INFO.

Toll Free 1-800-258-5473 for your credit card order. Or mail your order with payment or complete credit card information plus \$2 shipping and handling to:

Wayne Green Inc.
Attn: Book Sales
Peterborough, NH 03458
Dealer Inquiries Invited

Carnival Companion™ is a 30-minute cassette of the longer listings which eliminates the aggravation of typing and searching for errors, leaving more time to spend on the midway. Order now to receive **Computer Carnival** in time for the holidays.

COUPON

Package price:
\$24.97
Book only:
\$16.97

*TRS-80 is a trademark of the Radio Shack division of Tandy Corp.

☐ **COMPUTER CARNIVAL and CARNIVAL COMPANION CC7389 \$24.97**

☐ **COMPUTER CARNIVAL (book only) BK7389 \$16.97**
(Include \$2.00 per order for shipping and handling charges.) **CC11**

☐ Payment enclosed ☐ MC ☐ VISA ☐ AmEx

Card # _____ Expires _____ MC Bank # _____

Signature _____

Name _____

Address & City _____

State _____ Zip _____

All orders shipped UPS if complete street address is provided.

Photo-copied coupon is acceptable for ordering.





FUN HOUSE

by Richard Ramella

ADVENTURE

Got your boots and flashlight? Got your wits about you?

This may seem like an ordinary fun house, but there are labyrinths and excitement ahead. Wait here in the darkness as I tap three times on this panel and twist the raven's wooden head. Ah, it worked, the panel opened. Now for some adventure.

The program listings ahead will run on the Color Computer and on the Model I, Level II computer.

SERIAL

Well, this isn't too dangerous unless you get close to the screen; it's a serial.

Movie serials aren't made these days, though they are shown on television now and then.


A movie serial is an adventure story told in 10-15 chapters, each running about 20 minutes. The idea is to show a chapter each week so people come back to see what happens. There is a lot of fighting, though no one ever seems to get hurt. At the end of each chapter the heroine or hero

Serial

```

100 REM * SATURDAY SERIAL *
110 CLS
120 DATA THORDAL,DR. WISE,BRET,SUSAN,THE STENTORIAN
130 DATA HESTER HEX,THE RED BOMB,CAPTAIN BLAIR,JOHNNY
140 DATA VERA VALIANT,EARS MALONE,MASCOT MUGGS
150 DATA EARTH ORBIT,HEADQUARTERS,PLANET Q,SIMOLEA,RANDOM RANCH
160 DATA GROTO OF GREED,DISTANT CITY,CLOUD REFUGE
170 DATA THE NEWSPAPER OFFICE,THE HOSPITAL,MOUNT VESUVIUS
180 DATA DINKEYVILLE,PRISON OF PRIDE,PERDITION PLAN
190 DATA TOM'S RANCH,POISON CITY,ACCIDENT
200 DATA FORMULA,STOLEN X-RAY,MISSING MICROCODE,PLANS
210 DATA POPGUN,MASK,JET GLIDER,INVISIBILITY BOOTS
220 DATA FREEZE MACHINE,PASSWORD,CAMERA,PASSPORT
230 CLEAR 300
250 DIM A$(41)
260 H=12
270 J=29
280 FOR X=1 TO 41
290 READ A$(X)
300 NEXT X
310 PRINT A$(RND(H));" AND THE ";A$(RND(J)+H)
320 PRINT
330 PRINT "A SERIAL IN LIMITLESS CHAPTERS"
340 FOR X=1 TO 1000
350 NEXT X
360 N=1
370 CLS
380 PRINT
390 PRINT "CHAPTER";N
400 FOR T=1 TO 500
410 NEXT T
420 PRINT
430 L=RND(7)+3
440 FOR G=1 TO L
450 B=RND(5)
460 ON B GOSUB 540,630,770,920,1000
470 S=RND(5)
480 IF S=5 THEN PRINT "THERE IS A BIG FIGHT"
490 FOR T=1 TO 1000
500 NEXT T
510 NEXT G
520 N=N+1
530 GOTO 370
540 PRINT A$(RND(H));" ";
550 R=RND(5)
560 IF R=1 THEN PRINT "GOES TO ";
570 IF R=2 THEN PRINT "SEES ";
580 IF R=3 THEN PRINT "PLOTS AGAINST ";
590 IF R=4 THEN PRINT "BATTLES ";
600 IF R=5 THEN PRINT "EXPOSES THE PLOT OF ";
610 PRINT A$(RND(H)+H)
620 RETURN
630 PRINT A$(RND(H));" ";
640 R=RND(5)
650 IF R=1 THEN PRINT "HAS A SECRET MOTIVE: ";
660 IF R=2 THEN PRINT "DISAPPEARS, CLAIMING NO ONE IS ";
670 IF R=3 THEN PRINT "SAYS ";A$(RND(12));" USED TO BE ";
680 IF R=4 THEN PRINT "TAKES THE OATH OF ";
690 IF R=5 THEN PRINT "IS SILENT ABOUT ";
700 R=RND(5)
710 IF R=1 THEN PRINT "A CIRCUS CLOWN"
720 IF R=2 THEN PRINT "CONNIVING"
730 IF R=3 THEN PRINT "A TRAITOR"


```



The Key Box

Model I and Color Computer
4K RAM
Cassette, Disk or Color Basic

Listing continues



THE KING OF UTILITIES SUPER UTILITY PLUS

*"I believe
SUPER UTILITY or
SUPER UTILITY PLUS
should be present at
every TRS-80 disk
installation."*

*We didn't say this; Paul Wiener did in 80
Microcomputing, Jan. '82...but we sure
agree with him!*

You heard about it! You read about it (80
Microcomputing). Now get the "cadillac"
at a special price!

Compatible with MOD I, and MOD III, and
all the current operating systems! Copy
files from any DOS to any DOS, MOD I or
III, without converting!

Zap
Purge
Format
Special Format
Disk Repair
Memory
File Utility
Tape Copy
Format without erase
Disk Copy
Special Disk Copy
Configurable System

MUCH MORE Mod I & Mod III on Same Disk


For MOD I/III... \$74.95

NEW

Back up copy NOW included.

Also Available:

Super Utility Plus Tech. Manual... \$14.95
"Inside Super Utility Plus"..... \$19.95



THE MOST POWERFUL, FLEXIBLE DISK MAILING SYSTEM FOR THE TRS80 *SUPPORTS 65,000 NAMES*

PowerMAIL is a highly sophisticated
mass mailing system designed to run
under all of the popular DOS's currently
available for the Mod I or III. The program
is written entirely in machine language for
maximum operation speed, and occupies
only 4K of the available RAM in your
computer. There are no 'slow' periods
when PowerMAIL is running. New
features have been added to the program
that others have always lacked. You now
have the ability to keep track of mailings
using the 24 'flags' that are incorporated
into the PowerMAIL program. The
PowerMAIL system will handle a file up to
8 megabytes, or 65535 names, whichever
is smaller. The program will run in as little
as 32K and one disk drive, although 48K
and 2 drives are desirable. The program
will also sort the entire maximum file size
and open up to 168 files simultaneously
during the process. Author Kim Watt

For MOD I/III...\$99.95

**Hundreds of Satisfied
Users...Scriplus 3.0**

Scriplus is a modification to
Scripsit** which enables you to take
advantage of the special functions,
features, and print formats of your
printer while your document is being
printed. Allows you to:

change expanded print
change no. of characters per inch
or underlining in mid-line!

Features.

- Compatible with all current DOS's (I or III)
- Modifies ALL versions of SCRIPSIT**
- Allows usage of MOD I version on MOD III.
- Allows MOD III versions to be BACKED UP for your protection.
- Files can be killed, loaded, merged, or chained from the Scriplus directory.
- Scriplus supplies an ALPHABETIZED directory with FREE space shown.
- "END" returns to DOS READY instead of rebooting.
- Printer can be stopped for insertion of text or forms alignment. Inserted text can be edited prior to resumption of printing.
- Specifically written for the MX-80 but will work with any printer that accepts CHR\$ codes for control.
- Optionally select line feed after carriage return.

For MOD I/III... \$39.95



This Special Limited Edition Package will be in high demand as only 500 copies will be made. They will be numbered 1-500 and will be personally signed by the author, Kim Watt. YOUR name will be embedded in the program as the serial number. The following is included with this SPECIAL LIMITED PACKAGE:

- 1) SUPER UTILITY PLUS S/E in /CMD File Format. Both MOD I and III versions are included, and your NAME will be the serial number. This will NOT be a protected disk, and you may make as many BACKUPS as you wish. The serial number is NOT changeable.
- 2) TWO attractive SU+/SE binders.

- Binder #1 will include:
- (a) SUPER UTILITY+ Manual
 - (b) INSIDER SUPER UTILITY by Paul Wiener/
foreword by Kim Watt
 - (c) SUPER UTILITY TECH Manual by Kim Watt &
Pete Carr

- 3) Binder #2 will include THE SOURCE CODE for SUPER UTILITY PLUS.

Yes...the SOURCE CODE to this MAJOR program will be available to 500 programmers. This is FULLY commented by the author, Kim Watt, and is a machine language programmer's dream come true! After reading this, your machine language programming skill should increase tremendously. All of Kim's knowledge in ONE book! All at your disposal and for YOUR use.*

- 4) The license to USE Kim Watt's sub-routines... will be granted to those 500 registered owners! These 500 ONLY will be able to apply all of Kim's magic to THEIR programs. No royalty fee necessary. In other words, IMPROVE YOUR PROGRAMS! Take Kim's ideas and expand on them! Never has anything EVER been done like this before. These 500 ONLY have the right to use our sub-routines. This information is NOT being put in the public domain. We are allowing these 500 to use our routines by buying our special package. All copy rights and trademarks are retained by Breeze/QSD, Inc.

- 5) SU+/SE is NOT available from any dealer, but only directly through Breeze/QSD, Inc. Customers will be handled on a one-on-one basis. Confirmed orders will be pre-registered and a matching card must be returned by purchaser for full support from Breeze/QSD, Inc. We will know who each and every owner is, so full support can be given. We DO want you to sign and return our registration card for this support to commence however. No exceptions will be made.

- 6) This is a very important step that we are taking, and only a select group can appreciate the value in a package like this. This is NOT for the general mass market. It is a college education in machine language written by a recognized expert. It IS SU+ in /CMD file form. It is a license to use Kim Watt's sub-routines. It is an opportunity to vastly improve your product. It is a collector's item, also. Limited. Indeed. Last, but not least, it is expensive. On the surface only, however, as this product will make you an expert programmer if that is what you want. You can literally write a DOS from studying the code! It will also make you a member of an elite group that has access to Kim's knowledge and can USE that knowledge to YOUR benefit.

Source Code is FULLY Commented

**Price for the Super Utility Plus-
Special Edition is
\$500**

Available later this year
Call or write for more information

*Credit to Kim Watt and Breeze/QSD must be given in the program and in the documentation for sub-routines used. There is NO royalty fee to pay however.

POWERSOFT

A DIVISION OF BREEZE/QSD, INC.

11500 STEMMONS FWY.
SUITE 125
DALLAS, TEXAS 75229
(214) 484-2976


ORDER TOLL-FREE 1-800-527-7432

Listing continued

```

740 IF R=4 THEN PRINT "THE ";A$(J)
750 IF R=5 THEN PRINT "A MUD WRESTLER"
760 RETURN
770 PRINT A$(RND(H)+12); " ";
780 R=RND(5)
790 IF R=1 THEN PRINT "IS THE HIDING PLACE OF ";
800 IF R=2 THEN PRINT "WILL BLOW UP IF ";A$(RND(12));" FINDS ";
810 IF R=3 THEN PRINT "ALL ALONG HOUSED ";
820 IF R=4 THEN PRINT "IS A SECRET PASSAGE TO ";
830 IF R=5 THEN PRINT "WILL SLIDE INTO THE SEA SOON": RETURN
840 PRINT "THE ";
850 R=RND(5)
860 IF R=1 THEN PRINT "CONTROL PANEL"
870 IF R=2 THEN PRINT "CURTAIN OF DOOM"
880 IF R=3 THEN PRINT "OMNERIAN RUBY"
890 IF R=4 THEN PRINT "LASER LIGHT"
900 IF R=5 THEN PRINT "PIT OF NO RETURN"
910 RETURN
920 PRINT A$(RND(H));" AND ";A$(RND(H));" ";
930 R=RND(5)
940 IF R=1 THEN PRINT "FIGHT"
950 IF R=2 THEN PRINT "DIVIDE SOME ";A$(RND(J)+H)
960 IF R=3 THEN PRINT "VISIT AN OLD FRIEND: ";A$(RND(H))
970 IF R=4 THEN PRINT "PLAN TO ATTACK AT DAWN"
980 IF R=5 THEN PRINT "JOIN FORCES AGAINST ";A$(RND(H)+H)
990 RETURN
1000 PRINT A$(RND(H));" ";
1010 R=RND(5)
1020 IF R=1 THEN PRINT "STEALS ";
1030 IF R=2 THEN PRINT "RECOVERS ";
1040 IF R=3 THEN PRINT "USES ";
1050 IF R=4 THEN PRINT "DROPS ";
1060 IF R=5 THEN PRINT "FORGETS ";
1070 PRINT "THE ";A$(RND(H)+J)
1080 RETURN
1090 END

```



is left in danger. You must return the following week to see how this danger is avoided.

The Fun House theater is showing a serial today. I don't know the name because it has a different name every time it runs, and it has an endless number of chapters. All I know is that there's going to be lots of hard-hitting action. Let's hope the good folks win.

SUBTERRA

A long and perilous journey into the underground is at hand. We round a curve and come to a mysterious opening in a cliff. There's a small sign on which is scrawled this verse:

*Enter not, lest you not return.
But if for an idol of gold you yearn,
Come in and wander through the gloom,
And, seeking riches, find your doom.*

We're not going to let it scare us, are we? No sir!

Look, I've got to tie my shoelaces, so you go on in without me. I'll tell you what I know about this adventure, however.

At every location you'll be told what lies to the north, south, west and east. You travel by pressing N, S, W and E to go in each direction.

You're looking for a golden idol. If you find it, I claim half because we're in this together even though I'm sca... I mean,

Subterra

```

100 REM * SUBTERRA * BY RICHARD RAMELLA
110 CLS
120 DATA NORTH,SOUTH,EAST,WEST,KEY,NOTE - I AM NOT ALWAYS EMPTY
130 DATA DESERT,HOME,LOCATION,DO YOU WALK INTO WALLS A LOT?
140 DATA WALL,CAVE ENTRANCE,TUNNEL OF MICA,CRAWL SPACE,VESTIBULE
    OF EVIL
150 DATA TRIANGLE TUNNEL,ENDLESS PASSAGE,GROTTO OF GRIEF,DRAGON,
    WELL
160 DATA FOUR CORNERS,TROLL WAY,ROCK TUNNEL,THREE CORNERS,ECHO C
    AVERN
170 DATA RIVER,THREE DOORWAYS,SULPHUR LANE,WATERY ELBOW,DARKLING
    WAY
180 DATA COBWEBBED HALLWAY,CIRCLE CHAMBER,WHITE WATER,RIVER ROCK
    ,ABYSMAL WATERFALL
190 DATA SACRIFICIAL ALTAR,SHORT HALL,SNAKES,POISON FUMES,GIANT
    TIGER
200 DATA IT'S ENDLESS SO GO BACK NORTH BEFORE IT'S TOO LATE
210 DATA IT'S A DINNER INVITATION YOU JUST CAN'T REFUSE. THE END
    ...
220 DATA HER FIERY BREATH DRIVES YOU BACK,A DOORWAY,RIVER BANK
230 DATA LIMBO JAUNT,CAVE-IN NOW BLOCKS ENTRANCE,A ROUND PORTAL
240 CLEAR 500
250 DIM A$(48)
260 FOR B=1 TO 48
270 READ A$(B)
280 NEXT B
290 L=12: N=7: W=7: S=8: E=13
300 GOSUB 1740
310 IF X$="N" OR X$="W" THEN PRINT "LOST... NEVER HEARD OF AGAIN
    .": END
320 IF X$="S" THEN PRINT "WENT HOME AND DIDN'T EVEN TRY.": END
330 IF X$="E" GOTO 340
340 L=13: N=11: W=13: S=14: E=13
350 GOSUB 1740
360 IF X$="N" THEN PRINT A$(10): GOTO 340
370 IF X$="W" THEN PRINT A$(47): GOTO 340
380 IF X$="S" GOTO 400
390 IF X$="E" GOTO 470
400 L=15: N=14: W=11: S=11: E=16
410 Z=RND(2)
420 IF Z=2 GOSUB 1850
430 GOSUB 1740
440 IF X$="W" OR X$="S" THEN PRINT A$(10): GOTO 400
450 IF X$="N" GOTO 340
460 IF X$="E" GOTO 570
470 L=18: W=13: S=22: E=20

```



Listing continues

WHAT DOES 80micro DO FOR YOU?

the magazine for TRS-80* users

IT

- provides you with more information on your TRS-80* than any other single source
- gives you 20-30 new programs to use in each of 12 monthly issues
- reviews, equipment and software so you know what or what not to buy
- gives you the truth about the TRS-80—its good points and its limitations (*80 Micro* is not affiliated with Tandy)
- lets you save money—lots of it—by comparison shopping within the ad pages
- clues you in on how other TRS-80 owners are using and updating their systems
- lets you in on what is really happening in the industry
- brings you Wayne Green's outspoken and often controversial editorials every month
- and best of all it gives you a no risk subscription offer—

Subscribe today—if you are not satisfied with the first issue—write “cancel” across your invoice and send it back. The *80 Micro* is yours to keep.

YES

I want *80 Micro*

- ☐ Check enclosed for \$24.97
- Bill my ☐ AE ☐ MC ☐ VISA
- ☐ Bill me


Name _____

Address _____

City _____ State _____ Zip _____

Card # _____ Expire Date _____

Signature _____ Interbank # _____ 32NR8



Canada and Mexico \$27.97, one year only, US funds. Foreign \$44.97, one year only, US funds, DRAWN ON US BANK ONLY.

80 Micro • PO Box 981 • Farmingdale, N.Y. 11737

*TRS-80 is a trademark of Tandy

Please allow 6-8 weeks for delivery



FUN HOUSE

not quite ready to go into the strange cave.

Watch out; You can fall victim to various traps. To reach the idol you need a magic direction and a key. And when you find the idol you have to find your way back. I sure hope the entrance doesn't cave in while you're in there!

Subterra is tough, so tough you may wonder if there's really a way out; but you wouldn't be interested if it weren't difficult.

However, if you get stuck, I'll rescue you. Send me a nickel and a stamped, self-addressed envelope, and I'll send you a genuine, crudely-drawn map of Subterra. That's this month's Nickel Bargain Bin offer. Since it costs me a nickel to make the map, I'm not in this for profit. I just wonder how many of you will get lost.

Read this carefully: For a map of Subterra, write to me: Richard Ramella, 1493 Mountain View Ave., Chico, CA 95926. Include a stamped envelope with your name and full address on it. Without the nickel and the stamped, addressed envelope, I can't afford to write back.

Hmm, the holidays are coming up, aren't they? I'll try to have the Fun House looking festive by next month. ■

Listing continued


```

480 IF H=2 THEN N=14 ELSE N=19
490 GOSUB 1740
500 IF X$="N" AND H<>2 THEN Z=RND(2)
510 IF X$="N" AND H=2 THEN PRINT "YOU EXIT TO SUNLIGHT. THE IDOL
    IS YOURS": END
520 IF Z=1 THEN PRINT A$(42): END
530 IF Z=2 THEN PRINT A$(43): Z=0: GOTO 470
540 IF X$="W" GOTO 340
550 IF X$="S" GOTO 570
560 IF X$="E" GOTO 720
570 L=21: N=22: W=16: S=17: E=23
580 GOSUB 1740
590 IF X$="N" GOTO 470
600 IF X$="W" GOTO 400
610 IF X$="E" GOTO 1040
620 IF X$="S" GOTO 630
630 P=2
640 L=17: W=11: S=17: E=11
650 GOSUB 1740
660 IF P=2 AND X$="N" THEN PRINT "YOU LEAVE ";A$(17): P=0: GOTO
    570
670 IF X$="S" THEN P=P+2
680 IF X$="N" THEN P=P-2
690 IF P=10 GOSUB 1850
700 PRINT "DISTANCE INTO ";A$(17);": ";P;"MILES"
710 GOTO 640
720 L=20: N=11: W=11: S=11: E=11
730 Z=RND(5)
740 IF Z=3 THEN PRINT "TRAPPED FOREVER IN THE ";A$(20): END
750 Z=0
760 GOSUB 1740
770 IF X$="N" OR X$="S" GOTO 730
780 IF X$="W" GOTO 470
790 IF X$="E" GOTO 950
800 N=11: W=11: S=25: E=11
810 IF Z=1 THEN L=38
820 IF Z=2 THEN L=39
830 IF Z=3 THEN L=40: E=37
840 M=RND(2)
850 IF M=1 THEN PRINT "YOU FIND A CHEST CONTAINING A ";
860 IF M<>1 GOTO 900
870 M=RND(2)
880 IF M=1 THEN PRINT A$(5) ELSE PRINT A$(6)
890 IF M=1 THEN K=1
900 GOSUB 1740
910 IF X$="N" OR X$="W" GOTO 900
920 IF X$="E" AND Z=3 GOTO 1280
930 IF X$="E" GOTO 900
940 IF X$="S" GOTO 950
950 L=25: N=27: W=20: S=28: E=44
960 GOSUB 1740
970 IF X$="W" GOTO 720
980 IF X$="S" GOTO 1040
990 IF X$="E" AND K<>1 THEN PRINT "NO ";A$(5): GOTO 950
1000 IF X$="E" AND K=1 THEN PRINT A$(5);" DOESN'T WORK.": GOTO 9
    50
1010 INPUT "WHICH DOOR - 1, 2 OR 3";Z
1020 IF Z<>1 AND Z<>2 AND Z<>3 GOTO 1010
1030 GOTO 800
1040 L=45: N=28: W=23: S=11: E=26
1050 GOSUB 1740
1060 IF X$="N" GOTO 950
1070 IF X$="W" GOTO 570
1080 IF X$="S" THEN PRINT "HURT YOUR HEAD?": GOTO 1040
1090 L=29: N=26: W=26: S=46: E=11
1100 GOSUB 1740
1110 IF X$="N" GOTO 1230
1120 IF X$="W" GOTO 1040
1130 IF X$="E" THEN PRINT "OOPS, ANOTHER WALL EH?": GOTO 1090
1140 L=46: N=29: W=11: S=46: E=11
1150 PRINT "DISTANCE IN: ";P;"MILES"
1160 GOSUB 1740
1170 IF X$="S" THEN P=P+2
1180 IF X$="N" THEN P=P-2
1190 IF P<2 THEN PRINT "YOU'RE OUT": GOTO 1090
1200 IF P=10 THEN PRINT A$(41)
1210 IF P=12 THEN PRINT "TOO LATE. LOST IN THE DARK. THAT'S ALL"
    : END
1220 GOTO 1140
1230 L=34: N=33: W=44: S=26: E=31
1240 GOSUB 1740
1250 IF X$="W" GOTO 950
1260 IF X$="S" GOTO 1090
1270 IF X$="E" GOTO 1430
1280 L=36: N=35: W=40: S=33: E=11
1290 GOSUB 1740
1300 IF X$="W" THEN Z=3: GOTO 800
1310 IF X$="S" GOTO 1230
1320 IF X$="E" THEN PRINT "ANOTHER BRUISE": GOTO 1280
1330 IF X$="N" THEN PRINT "YOU KNOW WHAT AN ";A$(35);" IS AND ST

```

Listing continues

Beam Aboard for Billions and Billions of Exciting Intergalactic Adventures...



BIG FIVE SOFTWARE

P.O. Box 9078-185 • Van Nuys, CA 91409 • (213) 782-6861

Prices per Game: TRS-80 16K Lev2 Mod1 / Mod3 Cassette — \$15.95
TRS-80 32K Lev2 Mod1 / Mod3 Diskette — \$19.95
Optional Joystick for Model 1 — \$39.95

10% discount for 2 items, 15% for 3 or more.

Please add \$1.75 per order for postage & handling, Calif. residents add 6% sales tax.

Outside USA (except Canada) please add \$3.00 per order for postage & handling.

All Games ©1980, 1981 by Bill Hogue & Jeff Konyu.

Programs are written in machine language for high quality graphics & effects.

Voice & other sound effects are playable through the cassette AUX plug. High scores are automatically saved after each game on disk versions.

Call or write for our complete catalog.

※Audiovisual licensed from Atari.

—Meet the— Computer \$9.95

Teach youngsters simple programming for TRS-80.

A 77-page book by Marjorie Crabbe, an experienced elementary teacher. Easy to understand language. Clear instructions child can follow with minimal supervision. Upon completion of suggested activities, child should be capable of writing own programs.

- Significant concepts set off in boxes to aid learning.
- Important ideas repeated throughout text.
- 7-page glossary with concise definitions.
- Cross-referenced index.
- Illustrated. Bound with plastic binding . . . lies flat.

To Order: **Crabbe Associates** ⁴⁹³

212 W. Graham Ave., Lombard, IL 60148

☐ Send _____ copies of Meet The Computer @ \$9.95. Add \$1.50 for shipping per copy. Illinois residents add sales tax.

Name _____
Street _____
City _____ State _____ Zip _____



**MEET THE
COMPUTER**



CHURCH DONATIONS

Computer Program for TRS 80 Models I, II, & III

RECORDS, STORES & REPORTS

Gives printout of collections, totals to date as well as individual quarterly reports to congregation members.

For Information, Contact:

CUSTOM DATA
505-434-1096

✓ 307

John A. Parker
P.O. Box 1066
Alamogordo, NM 88310

Listing continued

```
ILL WANT TO GO?"
1340 INPUT "ANSWER YES OR NO";X$
1350 IF X$<>"YES" AND X$<>"NO" GOTO 1340
1360 IF X$="NO" GOTO 1280
1370 PRINT
1380 PRINT "NOW YOU FALL FOREVER ";: GOTO 1420
1390 PRINT "AND EVER ";
1400 FOR T=1 TO 200
1410 NEXT T
1420 GOTO 1390
1430 L=31: N=11: W=34: S=11: E=48
1440 PRINT "YOU STAND AT ";A$(48)
1450 IF K<>1 THEN PRINT "NO ";A$(5);" TO ENTER": GOTO 1230
1460 IF K=1 THEN PRINT "YOUR ";A$(5) " WORKS!"
1470 GOSUB 1740
1480 PRINT "YOU NOW ENTER THE ";A$(32)
1490 FOR T=1 TO 1000
1500 NEXT T
1510 PRINT "DO YOU RECALL THE MAGIC DIRECTION?"
1520 PRINT "IF YOU DON'T KNOW, GUESS QUICKLY."
1530 PRINT "THE MASSIVE LIMESTONE CEILING WILL START TO LOWER..."
"
1540 PRINT "PRESS ANY KEY IF YOU KNOW."
1550 PRINT
1560 FOR T=1 TO 1000
1570 NEXT T
1580 FOR M=10 TO 1 STEP -1
1590 PRINT M;"SECONDS TO GO"
1600 C$=INKEY$
1610 IF C$<>" " GOTO 1650
1620 FOR T=1 TO 200
1630 NEXT T
1640 NEXT M
1650 INPUT "THE MAGIC DIRECTION";C$
1660 IF C$=K$ GOTO 1680
1670 PRINT "BAD GUESSING. A CRUSHING DEFEAT, EH?": END
1680 PRINT "YOU FOUND THE GOLDEN IDOL IN TIME."
1690 PRINT "YOUR WORRIES ARE OVER..."
1700 PRINT "EXCEPT YOU HAVE TO FIND YOUR WAY OUT."
1710 PRINT "YOU EXIT THE ";A$(32);" WITH TREASURE IN HAND."
1720 H=2
1730 GOTO 1230
1740 PRINT A$(9);": ";A$(L)
1750 PRINT A$(1);": ";A$(N)
1760 PRINT A$(4);": ";A$(W)
1770 PRINT A$(2);": ";A$(S)
1780 PRINT A$(3);": ";A$(E)
1790 PRINT
1800 PRINT "DIRECTION - (N-W-S-E)";
1810 INPUT X$
1820 IF X$<>"N" AND X$<>"W" AND X$<>"S" AND X$<>"E" GOTO 1800
1830 PRINT STRING$(32,"-")
1840 RETURN
1850 IF K$<>" " THEN RETURN
1860 Z=RND(4)
1870 K$=A$(Z)
1880 Z=0
1890 PRINT "A WALL OPENS. A MESSAGE SCROLL APPEARS:"
1900 PRINT "'REMEMBER THE MAGIC DIRECTION: ";K$;"'"
1910 RETURN
1920 END
```

PROFESSIONAL-GRADE SOFTWARE

TRS-80 MODEL I

CATALOG 48K, 1 Disk
Indexes disks and files of any type or system. Very fast, 2500 file capacity, single and double density.

\$69.50

EP-GRAPHICS 48K, 1 Disk
Epson 80 with GRAFTRAX, or 100 becomes printer/plotter. 512 x 512 or 480 resolution fills page. Machine language major software, call from short BASIC program.

\$79.50

TRS-80 MODELS I/III

TUMBLE 48K, 1 Disk
Control spin, speeds and tilts of moving 3-D geometric shapes. Real-time, fast screen displays teach and entertain.

\$39.50

GANTT-PACK 48K, 2 Disk
Projected, elapsed and over-run project schedules charted on screen/132 column printer. Random entry, automatic organization, fast update/edit. Play "what if..."

\$149.50

TRS-80 MODEL II

STAT-TO-PLOTTER 64K, 1 Disk
Program merges into R.S. Statistical Analysis package. Puts statistical work directly to R.S. plotter or other HI-PLOT 3-7. Publication quality charts.

\$99.50

FILE CARD 64K, 1 Disk
Look up records by powerful database and immediately see/print the text. Infinitely long text area for any entry. Replaces file card system.

\$224.50

GANTT-PACK 64K, 2 Disk
Enhanced version, early and late entries, expanded capacity.

\$224.50



LIBRA LABORATORIES
495 MAIN STREET
METUCHEN, NEW JERSEY 08840
(201) 494-2224 ✓ 131

TRS-80 Trademark of Tandy Corporation
HI-PLOT Trademark of Houston Instruments
Epson Trademark of Shinshu Seiki Co., Ltd.
Libra Laboratories' programs copyright 1981, 1982.

Wayne Green Books



NEW
ARRIVALS

TEXTEDIT

a complete
wordprocessing
system in kit
form.


by
Irwin Rappaport

A WAYNE GREEN
PUBLICATION



Learn Digital
Electronics While
Building Your Own
Computer!

By George Young
and Peter Stark



TEXTEDIT—A Complete Word Processing System in kit form

by Irwin Rappaport

TEXTEDIT is an inexpensive word processor that you can adapt to suit your needs, from writing form letters to large texts. It is written in modules, so you can load and use only those portions that you need. Included are modules that perform:

- right justification
- ASCII upper/lowercase conversion
- one-key phrase entering
- complete editorial functions
- and much more!

TEXTEDIT is written in TRS-80* Disk BASIC, and the modules are documented in the author's admirably clear tutorial writing style. Not only does Irwin Rappaport explain how to use TEXTEDIT, he also explains programming techniques implemented in the system.

TEXTEDIT is an inexpensive word processor that helps you learn about BASIC programming. It is written for TRS-80 Models I and III with TRSDOS 2.2/2.3 and 32K.

BK7387 \$9.97 Disk Available DS7387 \$19.97
0-88006-050-6

Annotated BASIC—A New Technique for Neophytes.

BASIC programming was supposed to be simple—a beginner's programming language which was so near to English that it could be easily understood. But, in recent years, BASIC has become much more powerful and therefore much more difficult to read and understand. BASIC simply isn't basic anymore.

Annotated BASIC explains the complexities of modern BASIC. It includes complete TRS-80* Level II BASIC programs that you can use. Each program is annotated to explain in step-by-step fashion the workings of the program. Programs are flowcharted to assist you in following the operational sequence. And—each chapter includes a description of the new concepts which have been introduced.

Annotated BASIC deals with the hows and whys of TRS-80 BASIC programming. How is a program put together? Why is it written that way? By observing the programs and following the annotation, you can develop new techniques to use in your own programs—or modify commercial programs for your specific use.

Annotated BASIC Volume 1 contains Projecting Profits, Surveyor, Things to Do, Tax Shelter, Introduction to Digital Logic, Camelot, The Soundex Code, Deduction, Op Amp, Contractor Cost Estimating.

BK7384 \$10.95 ISBN 0-88006-028-X

AVAILABLE NOW!

Annotated BASIC Volume 2 contains Rough Lumber List, Trip Mileage, Flight Plan, OSCAR Data, SWR/Antenna Design, Supermaze, Petals Around the Rose, Numeric Analysis, Demons, Air Raid, Geography Test, Plumbing System Design.

BK7385 \$10.95 ISBN 0-88006-037-9

Order Both Volumes and Save! **BK738402 \$18.95**

KILOBAUD KLASROOM—

A practical course in digital electronics

By George Young and Peter Stark

Learning electronics theory without practice isn't easy. And it's no fun to build an electronics project that you can't use. Kilobaud Klassroom the popular series first published in Kilobaud Microcomputing, combines theory with practice. This is a practical course in digital electronics. It starts out with very simple electronics projects, and by the end of the course you'll construct your own working microcomputer!

Authors Young and Stark are experienced teachers, and their approach is simple and direct. Whether you're learning at home or in the classroom, this book provides you with a solid background in electronics—and you'll own a computer that you built yourself!

Kilobaud Klassroom contains Getting the Ball Rolling, Gates and Flip-Flops Explained, J.K. Flip-Flops and Clocked Logic, PC Boards and Power Supplies, Hardware Logical Functions, Voltage, Current and Power Supplies, Transistors, Diodes and OP Amps, Pulses and More Pulses, Counters and Registers, Bus Traffic Control, ROM and RAM Memories, I/O Circuitry, Parallel and Serial I/O Ports, Computer I/O III, Computer I/O IV, Computer I/O V, Processor Connections, Finally... The Kilobaud Krescendo, Eproms and Troubleshooting, Expansions and Programming, Machine-Language Programming, Assembly-Language Programming, Connecting to the Outside World.

ISBN-0-88006-027-1 **AVAILABLE NOW! BK7386 \$14.95**

THE NEW WEATHER SATELLITE HANDBOOK—

By Dr. Ralph E. Taggart WB8DQT—

Here is the completely updated and revised edition of the best-selling Weather Satellite Handbook—containing all the information on the most sophisticated spacecraft now in orbit. Dr. Taggart has written this book to serve both the experienced amateur satellite enthusiast and the newcomer. This book is an introduction to satellite watching, that tells you how to construct a complete and highly effective ground station. Not just ideas, but solid hardware designs and all the instructions necessary to operate the equipment are included. An entire chapter is devoted to microcomputers and the Weather Satellite Station, and for the thousands of experimenters who are operating stations. The New Weather Satellite Handbook details all the procedures necessary to follow the current spacecraft.

Weather Satellite contains Operational Satellite Systems, Antenna Systems, Weather Satellite Receivers, A Cathode Ray Tube (CRT) Monitor for Satellite Picture Display, A Direct-Printing Facsimile System for Weather Satellite Display, How to Find the Satellite, Test Equipment, Microcomputers and the Weather Satellite Station, Station Operations.

ISBN 0-88006-015-8 available now! **BK7383 \$8.95**

*TRS-80 and TRSDOS are trademarks of the Radio Shack Division of Tandy Corporation.

FOR TOLL-FREE ORDERING CALL 1-800-258-5473
WAYNE GREEN BOOKS • PETERBOROUGH NH 03458

Use the order card or itemize your order on a separate piece of paper and mail to Wayne Green Books Attn: Sales • Peterborough NH 03458. Be sure to include check or detailed credit card information. (Visa, Master Charge or American Express accepted.) No C.O.D. orders accepted. All orders add \$1.50 for the first book, postage and handling; \$1.00 each additional book; \$10.00 per book foreign air mail. Please allow 4-6 weeks after publication for delivery. Questions regarding your order? Please write to Customer Service at the above address.

Adventure's

FROM THE COMPANY THAT STARTED IT ALL!



CURSE OF CROWLEY MANOR

A mysterious adventure into the depths of the occult. This program uses many unique plot-twists and strange devices to guide you

either through to victory, or on a certain trip to the gates of hell. Will you be able to solve the CURSE OF CROWLEY MANOR?

TRS-80 16K TAPE \$19.95
 TRS-80 32K DISK \$20.95

Skill Level: Moderate.



STONE OF SISYPHUS

Hideous monsters or lavish treasures beyond all price? You may not have a choice in this rather unfriendly subterranean world where survival will depend largely upon hard intellect and a little luck.

Sure to provide hours of frustrating enjoyment, STONE OF SISYPHUS features the kind of action you've come to expect from the incredible MACES & MAGIC Series!

TRS-80 32K DISK (Mod 1) \$29.95
 TRS-80 48K DISK (Mod 3) \$29.95

Skill Level: Moderate.



KID VENTURES

These make-believe adventures are designed for little folk between the ages of 3 and 7, and will allow the child to actually interact with the story. All three KID VENTURES are based upon popular children's stories,

poems or songs. All feature graphics and sounds, too!

Kid Venture #1 - Red Riding Hood
 TRS-80 16K TAPE (Specify Mod 1 or 3) . \$14.95

Kid Venture #2 - Night Before Christmas
 TRS-80 16K TAPE (Specify Mod 1 or 3) . \$14.95

Kid Venture #3 - Old McDonald's Farm
 TRS-80 16K TAPE (Both Mod 1 & 3) ... \$14.95

Skill Level: Beginner.



ESCAPE FROM TRAAM

You survived the initial crash on a bizarre, distant world, but you may soon wish that you hadn't! You must escape this dangerous

place — but be forewarned that if your decisions are not tempered with intelligence and caution, you may not see home again!

TRS-80 16K TAPE \$19.95
 TRS-80 32K DISK \$20.95

Skill Level: Advanced.



BALROG


This is the first chapter in our popular MACES & MAGIC Series. You equip a character of your own creation and journey into a weird world of dank dungeons and fiery dragons. This

fantasy adventure features one of the largest data bases ever created for a microcomputer role-playing game. A real challenge!

Requires two disk drives

TRS-80 32K DISK (Mod 1) \$29.95
 TRS-80 48K DISK (Mod 3) \$29.95

Skill Level: Moderate.



EARTHQUAKE - San Francisco 1906

The title says it all! You're in the middle of one of the most violent earthquakes of modern times — and your survival hinges on wits

alone! EARTHQUAKE — SAN FRANCISCO 1906 features one of the most powerful data bases available for a game of this type. Hours of exciting fun guaranteed!

TRS-80 16K TAPE \$19.95
 TRS-80 32K DISK \$20.95

Skill Level: Moderate.



DEATH PLANET: The Dog Star Adventure

The evil General Doom and his Roche soldiers are gearing up for a galactic onslaught — will you be able to

rescue the kidnapped princess and save the royal treasury in time? An adventure from Lance Micklus, author of STAR FLITE.

TRS-80 16K TAPE \$19.95
 TRS-80 COLOR COMPUTER 16K TAPE \$19.95

Skill Level: Beginner.



MORTON'S FORK

The MACES & MAGIC Series continues! Magical beings and strange creatures populate this mystical realm. Equip your warrior

with the necessary accouterments, then plunge into the awesome world of MORTON'S FORK!

TRS-80 32K DISK (Mod 1) \$29.95
 TRS-80 48K DISK (Mod 3) \$29.95

Skill Level: Moderate.



HIDDEN VALLEY

Sure, you're an exalted, courageous, robust warrior — but can even your sturdy constitution save you from the terrors of HIDDEN

VALLEY? This dungeon-type program features 99 separate levels of play. This is the second entry in the new DEMON VENTURE Series.

TRS-80 16K TAPE \$19.95
 TRS-80 32K DISK \$24.95

Skill Level: Moderate



REIGN OF THE RED DRAGON

First in the new DEMON VENTURE Series, REIGN OF THE RED

DRAGON features dungeon-esque excitement laced with real time graphics. Brace yourself for the incredible!

TRS-80 48K DISK \$24.95

Skill Level: Moderate.

SKILL LEVEL KEY

BEGINNER

Excellent introductory adventure for younger players. Minimal problem-solving skills required.

MODERATE

Moderate problem-solving skills required.

ADVANCED

Advanced problem-solving skills required.

TO ORDER

See your local dealer. If he does not have the program you want, then call 1-800-327-7172 (orders only) or write for our free catalog.

Published by


Adventure
 INTERNATIONAL

a subsidiary of Scott Adams, Inc.
 BOX 3435 • LONGWOOD, FL 32750
 (305) 830-8194

A superb programmer and good phone-friend died unexpectedly this year. I first became acquainted with U.S. Air Force Captain (soon to have been Major) David Forbes when I was editor-in-chief of Instant Software. David wrote the editor/assembler component of Instant Software's Assem/Zsim package, perhaps the best Model I Assembly-language development system I've ever seen.

More recently, David was at work on a Pascal implementation, a Basic compiler, and a word processor, all for the TRS-80. David had some unusual health problems, and seemed to have had them licked. Suddenly, late last April, he suffered an apparent heart attack and left the body he'd inhabited for 39 years.

David leaves behind a wife and two daughters, who I am sure miss him very much. He will also be missed by those of us who use his software and were looking forward to more of it. I'm certain that whatever plane of existence David now occupies, he is using the talents that made him such a fine programmer for the benefit of his fellow travelers.

Counting Apples, et al.


I have occasionally heard rumors of marketing surveys that indicate Apples and other micros are outselling TRS-80s—and that there may already be more Apples than Radio Shacks out there.

I have also heard counterrumors saying that those marketing studies include computer store sales only, not Radio Shack stores. These counterrumors claim that if Radio Shack's sales figures were included in the count, TRS-80 numbers would exceed its competition's.

I don't know what the real scoop is. I know a few local businesses using TRS-80s for their data processing, but haven't noticed any here using Apples, Ataris, Vics, or whatever.

The Indian Head Resort, in Franconia Notch, NH, has been using a TRS-80 to keep track of its liquor inventory since the first days of the Model I disk system.

I stumbled across a couple of TRS-80 installations in Keene, NH. One of those businesses, Audio Lab,



Farewell to a friend, TRS-80s at work, and 2nd-hand software

has had a number of hardware difficulties which has hampered efforts to computerize its inventory. The great Dennis Kitsz himself helped make Audio Lab's printer operable. There are still a few little problems to solve before Audio Lab can fully use its TRS-80.

I discovered a more successful and comprehensive TRS-80 installation in Keene when I went to Stevens Datsun to trade cars. I found three TRS-80s on the premises—two Model IIs and a Pocket Computer (the old model). The owner, "Fordy" Stevens, uses the Pocket Computer to do calculations involving financing and the like, so he can quickly answer customers' questions without consulting tables. Actually, I didn't think the Pocket Computer's response was all that quick, but I'm sure it beats using a calculator.

One of the Model IIs handles standard accounting functions. The second Model II is in the parts department and is used mainly for inventory. Fordy is a skilled programmer and has written almost all his company's software, though he has purchased one or two of Radio Shack's packages.

Not long ago I visited the Jaffrey Municipal Airport to inquire about flying lessons. I was surprised to find a

Model III on a desk in the airport office. The staff didn't have much time to discuss its uses with me, but it evidently handles normal small-business data processing, such as accounts receivable. The pilots also have some aviation programs for it, but not very many.

The system includes two 80-track, double-sided disk drives (about 1.5 megs of on-line bulk storage), and a modem. Most of their custom programming is done by an out-of-state programmer via the phone link. One of these days, I'll bring my copy of the FS1 Flight Simulator to the airport and see what the flight instructors think of it.

More Local Observations

All Software, a home computer software store in Merrimack, NH, sells programs for TRS-80 Models I and III, Ataris, Apples, and IBM Personal Computers. Though All Software doesn't sell computers, they have Apples and an IBM on the premises so that customers can try before they buy. At this writing, they don't yet have a TRS-80, but hope to get one.

All Software has a policy which intrigues and disturbs me a little. They take used games in trade. You can trade in an old game program, on its original magnetic medium and with the original documentation and packaging, in exchange for a discount on any new software package. All Software then offers the old program for resale at a reduced price.

What disturbs me is the possibility of customers copying a program before trading it in. I think the management of All Software would be protecting programmers, software publishers, and itself, if it required customers to sign a statement declaring that no copy of the traded software had been retained.

I think such a declaration would cover All Software if a publisher ever screamed copyright infringement. Also, it might help the publisher obtain compensation if a case ever went to court. Software copyright infringers have proven very difficult to prosecute. But if a false no-backup declaration had been signed, the perpetrator would also be guilty of fraud or misrepresentation. ■

What This Country Needs Is A Good 5¢ Cigar and a \$39.95 DOS!

Announcing **Z DOS** from the makers of **MULTIDOS**

Available for the Model I - Single/Double density and Model III - Double Density. The Model I version will **AUTOMATICALLY** detect the type of double density hardware and self-configures to accommodate. No patches or special version required to run with the RS double density board.

NEW \$39⁹⁵ DOS

+ Shipping
& Handling

HAS SUPERBASIC II WITH:

**Cross-Reference • Renumber • Global Editing
Single Keystroke Commands • 41K of Free Memory (Hot Damn!)**

THE FASTEST DOS IN TOWN!

★★★★★★★★★★★★★★★★★★★★

ANNOUNCING THE NEW MULTIDOS

You Asked For It, You Got It!

The time has come. **'EASY ZAP'** is here!

Now part of the MULTIDOS fine utility package.

Included in the new utility package is **TAPE/CMD** - transfers machine language tape files to disk, and **DDT/CMD**. Have you ever wondered what your disk drive speed is? Wonder no more. **DDT/CMD** will tell you instantly. All three utilities are now in **MULTIDOS** with enhanced **BBASIC**.

NEW B BASIC

The 'Single Step King' has expanded to allow you to save your BASIC program in RAM! Save disk wear and tear when developing your BASIC Programs.

**While the mediocre BASIC got fair, the best got better.
Get into the world of the DOS-FANTASTIC!**

MULTIDOS Model I or Model III **Only \$99⁹⁵**

+ Shipping/Handling

EBASIC for MULTIDOS

CEC proudly announces a new innovative state of the art BASIC for MULTIDOS.

Having made the #1 BASIC and watching the competition squirm, we haven't stood still . . .

WE ARE NOW COMPLETELY OUT OF REACH!

EBASIC is an enhanced SUPERBASIC with **Paul M. McLeod's** super enhancements. Some of the commands available are:

PLOTSET	Draw a Line
PLOTRESET	Erase a Line
BOXSET	Draw a Box
BLOCKSET	Draw a Box Filled In
INVERT	Inverts All Screen Graphics
PRINT(A,B)	Print at Line A, (0-15), Position B (0-63)
INPUT(A,B)	Input at Line A, Position B
INPUT@Q	Input at Position Q (0-1023)
LINEINPUT@Q	Line Input at Position Q (0-1023)
PRINT\$	Sent Print Target to Screen and Printer Simultaneously
CALL	Call Machine Language Subroutine Outline Without DEFUSR
SORT	Multi Key Sort of Unlimited Arrays
LABELING	GOTO, GOSUB, ON var GOTO, etc . . .

Other Commands available are . . .

Array Read, Array Let, Array Calculation, Sound, Shape, Circles, Cubes . . .

All of the Commands are built into **EBASIC**, there are no high memory routines, and you still have over 38K for your BASIC Programs.

SPECIAL INTRODUCTORY PRICE \$29⁹⁵

Requires **MULTIDOS** version 1.4 or 1.5 Model I*, version 1.3 Model III

— MAIL ORDERS —

**VISA & MasterCard
WELCOMED**

Foreign Orders Add \$10.00
For Shipping & Handling

★ For Model I Orders Only ★
Please specify Single, Double
or P Density.

Cosmopolitan Electronics Corporation

P.O. BOX 89 • PLYMOUTH, MICHIGAN 48170

★★★★★★

— TECHNICAL INFORMATION —

Cosmopolitan Electronics Corporation

C/O VERNON HESTER
42403 Old Bridge Road • Canton, MI 48188 • (313) 397-3126

**\$3.00 For
Shipping & Handling**

Michigan Residents
Add 4% Sales Tax

C.O.D. Orders Add \$1.50

Personal Checks Take
2 Weeks To Clear

NOW AVAILABLE FROM

ABC SALES

13349 Michigan Avenue
Dearborn, MI 48126
(313) 581-2896

COMPUTER SHACK

1691 Eason
Pontiac, MI 48054
(313) 673-2224
1-800-392-8881

POWER SOFT

11500 Stemmons Expressway
Dallas, TX 75229
(214) 484-2976
1-800-527-7432

BYTES & NAILS

5110 6th Avenue
Sioux City, IA 51106
(712) 274-2348

SIMUTEK Computer Prod., Inc.

4877 East Speedway
Tucson, AZ 85712
(602) 323-9391
1-800-528-1149

CALENDAR

November

- 1-3 Online Inc., Weston, CT. **Online '82: Conference for users of data bases** Atlanta Hilton.
- 3-5 IEEE Computer Society, Silver Spring, MD. **Foundations of Computer Science** Chicago, IL.
- 4-5 IEEE Computer Society, Silver Spring, MD. **Annual Workshop on Computing to Aid the Handicapped** Charlottesville, VA.
- 7-9 New York State Association for Educational Data Systems, Ardsley, NY. **17th Annual Conference of the NYSAEDS** Americana Hotel, Albany, NY.
- 8-10 IEEE Computer Society, Silver Spring, MD. **16th Asilomar Conference on Circuits, Systems and Computers** Pacific Grove, CA.
- 8-12 Virginia Polytechnic Institute and State University, Blacksburg, VA. **Workshop on Personal Microcomputer Interfacing and Scientific Instrumentation Automation** Virginia Tech Campus.
- 8-12 IEEE Computer Society, Silver Spring, MD. **COMPSAC '82** Palmer House, Chicago, IL.
- 9-10 Saginaw Valley Chapter of Data Processing Management Association, University Park, MI. **Ninth Great Lakes Computer Expo '82** Civic Center, Saginaw, MI.
- 11-12 University of South Alabama, College of Education, Mobile, AL. **Microcomputers in Education** Biloxi, MS.
- 11-14 National Computer Shows, Chestnut Hill, MA. **The Fourth Annual Northeast Computer Show and Office Equipment Exposition** Hynes Auditorium, Boston, MA.
- 15-17 Virginia Polytechnic Institute and State University, Blacksburg, VA. **Workshop on Microcomputer Interfacing, Design, and Programming Using the Z80/8085/8080** Virginia Tech Campus.
- 16-18 IEEE Computer Society, Silver Spring, MD. **1982 Test Conference** Philadelphia, PA.
- 18-21 National Computer Shows, Chestnut Hill, MA. **Applefest** San Francisco Civic Center and Brooks Hall.

December

- 6-8 IEEE Computer Society, Silver Spring, MD. **Winter Simulation Conference** Holiday Inn at the Embarcadero, San Diego, CA.
- 6-8 IEEE Computer Society, Silver Spring, MD. **VLSI & Microcomputers: Today and Tomorrow (TENCON '82)** Hong Kong.
- 6-10 IEEE Computer Society, Silver Spring, MD. **Tutorial Week West '82** San Diego, CA.
- 7-9 IEEE Computer Society, Silver Spring, MD. **1982 Real Time Systems Symposium** Los Angeles, CA.

- 10 IEEE Computer Society, Silver Spring, MD. **Computer Networking** Gaithersburg, MD.
- 9-12 National Computer Shows, Chestnut Hill, MA. **The Second Annual Southeast Computer Show and Office Equipment Exposition** Atlanta Civic Center.
- 22 Motorola Inc., Phoenix, AZ. **Seminar on 8-bit MPUs** Sheraton-Lexington Motor Inn, Lexington, MA.

January

- 17-20 IEEE Computer Society, Silver Spring, MD. **Optical Storage of Digital Data** Lake Tahoe, CA.

Coming Next Month

December will bring a potpourri of interesting articles. William Kaczor is a lobsterman in Maine. After having trouble finding his lobster pots, he decided to let his TRS-80 keep track of them. What he came up with is an interesting grid-mapping technique.

Ever wanted to type a letter without lifting a finger? What if you were unable to lift a finger? Mike Rigsby has built a mod to

turn the TRS-80 into a voice-actuated typewriter.

What do Basic, Fortran, Cobol, Pascal, and APL have or not have in common? Author Nicholas has written a piece that will answer that question.

How about a light pen for the Color Computer? December will have the details. Merry Christmas. ■

PROOF NOTES

Continued from page 12

On the following pages, you'll read about a genius of the last century, a quest to build a mechanical computer. Tom Hager will take you on a tour through the halls of academe to see how today's scientists are using microcomputers to discover tomorrow's truths. James Larsen of Nike Inc. presents a detailed explanation of research being done by one of the world's largest sporting goods manufacturers—with a micro at the forefront.

Medicine, which is strongly tied to

science, finds itself under our microscope as we look at how micros are being used by the medical community in America and in Britain. Our Maine connection, Wynne Keller, writes about a TRS-80 in the lab in a rural down-east hospital.

And since the Color Computer is rapidly evolving into the star of the TRS-80 clan, John Fowler offers you rainbow computerists a program to aid in your star gazing. ■

FREE!

Brand New Catalog

With Over 150 Programs

Best
Software
Under The
Sun

Instant Software's new catalog is free and it offers 150 of the finest programs you can find. At reasonable prices...and a variety you've never seen before in one catalog. And they're all contained in the new 16 page 1983 Instant Software catalog. You'll find:

ASSEM/ZSIM—2 great utilities in one super package. Assembly language programmers, this package solves all your programming problems from ASSEM to ZSIM.

Super Utility Plus—the most powerful program of its kind. A must for every serious TRS-80* disk installation.

Geography Explorer Series—the exciting, attention-holding series that teaches your children essential geographical facts.

Phaser Blast—phaser-armed robots, enemy Hovertanks...prepare for a journey into the war of the future.

Space Shuttle—experience the ultimate flight as you pilot America's

Columbia through launch, orbit, re-entry and landing.

Plus dozens of other practical, mind-boggling or spine-tingling programs.

And now you can get the new 1983 Instant Software Catalog absolutely free. You don't even have to pay for the phone call. Just dial toll free:

1-800-258-5473

and ask for your free copy of Instant Software's 1983 Catalog.

It could be the smartest call you'll make all year.

Instant Software. The best software under the sun.

Instant Software™

(a subsidiary of Wayne Green Inc.)

Route 101 & Elm St.

Peterborough, NH 03458

*TRS-80 is a registered trademark of the Radio Shack division of Tandy Corp.

Yes, I want a free catalog!
Please send my free copy to:

Name _____

Address _____

City _____ State _____ Zip _____

I have a _____ computer

Instant Software™


Peterborough, N.H. 03458 USA A subsidiary of Wayne Green Inc.

The best software under the sun.



Whew! I need a double scotch. As I write this, it is 6 p.m. on Monday, August 3. The September issue just hit the streets. MONEY DOS discussed commodity trading and presented a system of trading that has been successful for 10 years.

When I wrote the column, I thought perhaps 50-100 people would be interested enough in commodities to call for the free booklet I offered. I thought computer nuts were basically a conservative lot, few of whom would have interest in such a risky undertaking. Give



Platinum and risk capital

old J.M. a C — in perspicacity.

Last weekend over 800 of you called the toll-free MONEY DOS hotline, and today the phone rang off the wall with requests for more information on commodities. Before you become the “killee” rather than the “killer” in your quest for riches, pay close attention to these words of wisdom.

To trade the System effectively requires a minimum of \$10,000 of *genuine risk capital*. I define risk capital as the amount of money you could throw in the ocean and not change your long-term financial security. The System has averaged over 50-percent net profit for 10 consecutive years, but it doesn't win every month. Your bankroll must be large enough to withstand the loss of some battles. Remember, if you're in doubt, *stay out!* The primary reason that nine out of ten new businesses fail is that they are undercapitalized.

If you are determined to try the System with real money (I suggested you try it for six months with *Monopoly* money), here are several dos and don'ts.

- Trade with a discount broker. There are several reliable firms that give a 50-70 percent discount from what you would pay Merrill-Lynch, Dean Witter, or E.F. Hutton. Make sure whoever you trade with is a clearing member of at least one of the major exchanges.

- Put up Treasury bills in lieu of cash for margin money. Why not earn 12 percent on your funds?

- Do not tell the broker about the Sys-

tem. Just say, “I make my own decisions.” Give him your orders (before the market opens) exactly as the System dictates, and go fishing. Resist the urge to call several times each day for quotes.

- Never second guess the System. If you do, you no longer have a system.

Also, there was one mistake in the program listings. One of the gnomes of Peterborough managed to place the last few lines of the data-base program at the end of the main program.

As this is written there is a commodity trade available that, if you make it, is quite a deal. Today gold for delivery in April closed at \$381.80 per ounce while April platinum closed at \$314.10 per ounce. Historically, platinum has almost always sold for more than gold. When gold hit \$885 per ounce in 1980, platinum was at \$1,025 per ounce. A few years before then, when gold was \$100, platinum sold for \$125-\$150.

I expect this spread to return to normal in the coming months. Today I bought April platinum for \$310.50 per ounce and concurrently, sold April gold at \$381.50 per ounce. I expect platinum to reach parity with gold, and perhaps go to a \$50-per-ounce premium—no matter which way the markets go.

When you read this, check the prices of the spread and see if platinum hasn't gained on gold. The opportunity may still be there. Each spread involves buying two platinum contracts for each gold contract sold (platinum contracts are 50 ounces and gold 100 ounces). The profit potential per spread is about \$12,000. I will risk no more than \$1,500. I like those odds.

Last month I predicted an awesome bull market. I suggest you reread past MONEY DOS articles on covered option writing and convertible securities. Both strategies are more conservative than owning common stock, and in many cases, more profitable.

Next month I'll deal with some advanced strategies in the options market, some that require only a modest bankroll.

I give my comments on stocks, options, and commodities on the MONEY DOS hotline, 800-327-3389 or in Florida (305) 665-3389. It operates from 9 a.m. Saturday to 7:30 a.m. Monday (EST). ■

“SCOREIT” TAKES THE GREMLINS OUT OF GRADING

A COMPUTER PROGRAM FOR THE RADIO SHACK (TM) TRS-80 MODEL III WHICH SCORES MULTIPLE CHOICE TESTS AND GENERATES:

- * Test Statistics
- * Score Roster
- * Histogram of Scores
- * Item Statistics
- * Map of Item Responses

UNIQUE FEATURES

- * Built-in error detection
- * Special diagnostics to guide test revision
- * Interface with answer sheet scanners (optional at additional cost)

Include printer model and type when ordering. License for use of the compiled version of the program may be obtained by remitting \$195.00 to:

J. Eli & Associates
635 South Hennessey St.
New Orleans, LA 70119

Sample Output Free on Request
Please send SASE



✓491

JONELL SYSTEMS TRS 80* MOD I

SEABATTLE: In assembler - fast, live-action, graphics oriented game. Play against another opponent or against computer. Hours of Fun. Req. Min 16K Level II \$15.95

BIORHYTHM GENERATOR: Generate anyone's biorhythm chart for 6 mos. W/16K, 1 yr. W/32K. Video or L/P output with simultaneous graphic sine-wave presentation of all 3 functions. Flags critical days and much more. Req. min. 16K Level II \$19.95

JOB ACCOUNTING: Run your system like the big guys! Menu driven program records and files start and stop run times from system clock, elapsed time, dollar value of time, user code, date, and job name. Prints user account statements, credits payments and more. In disk basic for 32K system \$14.95

CMD 2 TAPE: Make level II basic system tapes from CMD Disk Files. Shows load and entry addresses. Req. 32K disk system. \$14.95

TAPE 2 CMD: Make disk CMD files from level II system tapes. Shows load and entry addresses. Identifies non-system tapes. Much simpler than tapedisk utility. Req. 32K Disk System \$14.95

All programs supplied on tape. Add \$5.00 to price for disk. Printed instructions furnished for each program. Give system configuration when ordering.

JONELL SYSTEMS

130 4th Street Altizer
Huntington, WV 25705

* Trademark of Tandy Corporation ✓347

LYNN'S A/R SYSTEM

12 Intergraded Account Receivable Programs

Tested In Service For Over 3 Years

User's Comments: • menu driven • increased cash flow • saved over 50 hours a month in secretarial hours • almost completely eliminated billing errors • phone supported-ask for Ron.

LYNN'S A/R SYSTEM WILL

- print invoices
- tell you your a/r total, number of invoices outstanding, average per invoice
- tell you at any time how many invoices an individual account has open, the total amount owed, the average per invoice, the invoice date, and then invoice amount
- total sales on account for a given month, number of invoices sent, average sale per invoice
- how much an account purchased during month, how many invoices were sent, average invoice for month
- tell you what percent of sales an account is to total sales by month
- tell you what percent of a/r an account is
- print mailing labels for your accounts
- print statements at any time you want them (either individual or all accounts)
- print alphabetical hardcopy of accounts and account numbers
- print all items sold for month
- alphabetical sort of items sold by month
- this set of programs can be custom modified by you or us
- AND MUCH MORE!!

-AGING REPORT FOR LYNN'S A/R SYSTEM-

Aging Report 01/31/82 Page 1

Account	Current	30-60 Days	60-90 Days	90+ Days	Total
ABC Inc.	\$ 249.00	\$ 65.20	\$ 00.00	\$ 00.00	\$ 314.20
Old Co. Inc.	00.00	84.40	165.20	00.00	249.60
New Co. Inc.	97.75	00.00	00.00	00.00	97.75
Deadbeat Inc.	00.00	00.00	00.00	345.00	345.00

Totals \$346.75 \$ 149.60 165.20 345.00 \$ 1,006.55

Aging reports can be compiled on a daily, weekly or monthly bases.

-LYNN'S CHECKBOOK- DATA BASE MANAGER- LEDGER SYSTEM BY WELLS

•Phone Supported Ask For Ron•

- saves hours of posting to general ledger • almost completely eliminates mathematical errors • menu driven • 200 expense fields • will handle 1,000 checks a month • will print checks with option to enter handwritten checks • will do reconciliation statement with hardcopy • will print hardcopy of field totals both by month, year to date and end of year • automatic account numbering • automatic field entry • will print hardcopy of checkbook register • debit and credit memo entry • alphabetical hardcopy of accounts payable and account numbers (machine language sort, very fast) • AND MUCH MORE! •

perfect tool for storing and maintaining mailing list, inventories, menus, collection records, article references, important dates, client records • all functions menu driven • easy to interface to word processors and communication programs • sort in ascending or descending order (fast machine language sort) • compact storage with minimum overhead • go from data base to visicalc and return • sort and select visicalc lines!! • interface to Radio Shack's "advanced statistical package"

LYNN'S

Account Receivable System	\$49 ⁹⁵
Account Receivable Aging Report	\$20 ⁰⁰
Checkbook Ledger System	\$69 ⁹⁵
Well's Data Base Manager	\$39 ⁹⁵


Add \$2.00 Freight and Handling.

Illinois Residents Add 6% Sales Tax.

Send \$10.00 Per System
For Printouts and Documentation.
Credit Given on Order

Equipment Needed: 48K Model I or III,
Lineprinter, 2 Disk Drives.

The above programs will work on TRSDOS 1.2 and 1.3 for the Model III. NEWDOS, NEWDOS80, NEWDOS80 V2.0, LDOS and MULTIDOS for the Model I and III.



LYNN COMPUTER SERVICE
6831 W. 157 St.
Tinley Park, Illinois 60477
(312) 429-1915

✓115

TRS80 and TRSDOS are trademarks of TANDY CORP. NEWDOS and NEWDOS80 are trademarks of APPARAT INC. LDOS is a trademark of LOGICAL SYSTEMS INC.

Word processing is essential in most medical practices. It can make a mediocre secretary good and a good secretary great.

Unfortunately, most word-processing articles discuss *only* software. Of course software is important, but in a medical practice, the hardware, particularly the printer, is equally important.


Like a stereo, there are two ways to purchase word processors: either as separate components (computer plus printer plus software) or as a complete system (Wang, Lanier, and so on). The system word processor's major advantage is convenience in packaging and training. Its major drawback is its expense, decreased versatility, and little room for customization. Software updates are few and hardware updates are slow in coming and expensive. At this writing, system software dictionaries and grammar checkers, if available, are clearly inferior to state-of-the-art micro programs available.

A special case of the system word processor is the memory typewriter. It has excellent secretarial acceptance since it looks like a typewriter. Our clinic has an IBM Memory typewriter. It has been a disappointment, however. Every secretary we send to IBM for training costs nearly \$300. Service has been good. (It better be—breakdowns have been distressingly frequent and service contracts are expensive.)

The printout from memory is *slow*: there is no continuous feed for printing of rough drafts. Editing is *very slow*. It is often faster for our secretary to re-type a one or two-page document and then edit it with the memory feature. Since using the Model I with its video editing, our secretary now prefers the computer to the memory typewriter.

The big advantage of the component word-processing system is the far lower cost and the customization it provides for the medical clinic. The cornerstone of the component system is the computer itself. Serious business use precludes the inexpensive color game-type computers, since the keyboard and video are inferior for secretarial use. Even the Apple II requires a keyboard enhancer, video card, and, in my opinion, a Z80 card with CP/M. This becomes expensive.

My first choice of a word-processing



Medical word processing nuts and bolts

computer is the Model II. Its present reduced price makes it very competitive. It has an 80-character-per-line screen, reverse video, a 4.0 MHz clock, and a keyboard that includes a command key. It also has good word-processing software available for TRSDOS 2.0a as well as CP/M.

If you purchase the Model II, an external disk drive is a necessity for backups. While Tandy has used reasonably good disk drives for the computer itself, they skimped on the external drives and used cheap, inferior units. Nearly everyone recommends non-Radio Shack external disk drives.

Another good choice of computer is the LNW. It has a command key, 80-character-per-line video with reverse video, and 4.0+ MHz clock speed. It has Model I compatibility, as well as CP/M compatibility.

The Model III is also a reasonable choice. It lacks a command key, but other keys can be substituted. When modified by Holmes Engineering, MTI, and others, it comes with reliable speedups, 80-character-per-line video, and other enhancements. Radio Shack is also releasing an 80-character-per-line enhancement for this computer.

What about the Model I? That is what our clinic uses. An inexpensive high-resolution green phosphorous screen, Holmes Engineering speedup, memory, and expansion interface greatly improve its performance. We

are awaiting the 80-character-per-line enhancement. Even so, it serves our word-processing needs, though not elegantly.

That brings us to printers. At this point we should acknowledge that a word-processing system will not eliminate a good correcting electronic typewriter. Our secretaries use Selectric typewriters for small jobs such as typing cards or filling out questionnaire forms. To use a word processor for jobs such as these is like using a bulldozer to hoe a garden.

Since a typewriter is needed anyway, some clinics have purchased a device that sits on top of the typewriter keys and "types" with finger-like projections. Originally these units were developed to test and burn in new typewriters at the factory. PMC has been marketing one such unit for under \$500.

The greatest weakness is the slow print speed (usually around 100 wpm). Most units of this type use an RS-232C connection, so a faster dot-matrix printer could be connected to the serial output. The dot-matrix printer could be used for billing, while the "typewriter" can be used for professional letters and reports. This arrangement would not be satisfactory for most businesses, however.

A far better solution is the Radio Shack Daisy Wheel II. The print is very high quality; the printer also has the advantage of Radio Shack's service and availability. It is very easy to feed single sheets by hand, and there is even an automatic single-sheet feeder (but what a cost). The quieting cover is a helpful option.

It does have drawbacks, however. Early printers are different than later printers. If your clinic purchases the Daisy Wheel II, make certain it has a current serial number. Ribbons are available only from Radio Shack. Print fonts are available only from Radio Shack and are \$30 each. Proportional font-style selection is very limited (they all look the same to me). There is also a more serious flaw with the inability to underline blanks.

Our clinic has a NEC 5530 Spinwriter. It is faster than the Diablo or daisy-wheel type printers (55 cps versus 45 cps). Thimble fonts can be obtained for \$10-\$15. It is slightly more expensive than the Daisy Wheel II, but it is

more reliable and a real workhorse. We are very happy with it. In fact, our only complaint is its inability to pre-pare mimeographic stencils.

If I were purchasing a new printer today, I would buy the C.Itoh. It is a best buy. The mechanics are so precise that overstriking even three times fails to produce a significantly darker print, since it is hitting the same identical spot on the page with each strike. No other printer that I have seen can duplicate this kind of print-strike accuracy.

Medical clinics must have a Selectric-quality printer for business letters and reports. Correspondence quality is useful for billing and rough drafts where speed is essential. I used to believe that dot matrix could never produce Selectric quality print, but technology is rapidly changing my ideas.

Anadex is trying to break open the high-quality, dot-matrix market for the microcomputer. The WP6000 will be fast (reportedly 300-plus characters per second) and able to produce Selectric-quality print. If it turns out to be as good as the prerelease publicity, it will

be an exciting printer.

Epson is also "expecting," and second-hand sources have shown me the actual print at 80 characters per second. It is impressive; it looks typeset.

Our clinic also has a dot-matrix printer, the MX-100. This Epson is a good printer in many respects, but for the clinic it is too slow for speedy billing and it is not Selectric-quality print.

Proportional Printing

Proportional printing can make documents look superb. It can dramatically improve the appearance of the in-house handouts designed for patient education. One of the problems with patient education is compliance. But often this poor compliance is merely due to our patients forgetting our instructions. Standard instruction sheets on back care or diet, printed up nicely with proportional print, can make a patient want to read them. I believe patients will read these instructions more readily than a hard-to-read, poorly formatted sheet of instructions.

But obtaining proportional printing

is a problem. None of Radio Shack's word-processing programs have very sophisticated print possibilities. (They keep telling me improvements are coming, but right now they aren't here). Most so-called proportional-print software for the TRS-80 has spacing that is wider on the left part of the line, instead of equal apportioning throughout the line.

While I was giving a talk to the New England Medical Computer Club, I mentioned my frustration with the limitations of Scripsit and the continued delays in Radio Shack's production of SuperScripsit. I was tired of WordStar's slowness on the Model I as well as its marginal usefulness with the video restrictions of this computer. My secretary was frightened of the WordStar's complexity and didn't want to learn it.

Several physicians mentioned their satisfaction with Chuck Tesler's program, Newsprint (Prosoft, Box 560, North Hollywood, CA 91603-0560, (213) 764-3131), and mentioned their understanding that Tandy's Super-

★ COLOR COMPUTER ★

★ ACTION GAMES ★

★ FAST=EFFICIENT=MACHINE LANGUAGE ★

ARCADE GAMES

★ ASTRO BLAST ★



A new super hi-res space game. Wave after wave of alien attackers... each one a different and unique challenge to your skills. CASSETTE (16K) ... \$24.95
DISC (32K) ... \$29.95

COLOR BERSERK



They're calling this one a "classic". You'll have hours of fast-paced fun zapping robots. Super hi-res action! CASSETTE (16K) ... \$24.95
DISC (32K) ... \$29.95

CAVE HUNTER



Outsmart the creatures that pursue you as you hunt for treasure in a maze of cave passages. Lots of colors and sounds! CASSETTE (16K) ... \$24.95
DISC (32K) ... \$29.95

"Finally... software worthy of the Color Computer." K.C. Westlerly, RI
"The ads and reviews were right. Great stuff!" R.S. Los Angeles, CA

SEND FOR OUR LATEST FLYER.
GET ON OUR MAILING LIST.

 **BUY DIRECT**

We pay shipping on all orders in the continental U.S. and Canada. Overseas add \$3.00. California residents please add 6% sales tax.

We are always looking for quality machine language programs. Contact us for details.

ADVENTURE GAMES

Calixto Island



A challenging puzzle with an occasional twist of humor. There's a treasure waiting to be discovered! CASSETTE (16K) ... \$19.95

The Black Sanctum



For the player who enjoys suspense. You'll encounter the forces of black magic in this spooky adventure. CASSETTE (16K) ... \$19.95

MARK DATA PRODUCTS

23802 BARQUILLA, MISSION VIEJO, CA 92691 • (714) 768-1551

See List of Advertisers on Page 455

80 Micro, November 1982 • 505

Scriptsit was being held up because it is abysmally slow.

Newscript

Skeptically, I obtained a manual from Prosoft and studied it. It was outstanding, and so I got the program. I have used many word-processing programs, but this is the finest I have seen on the Model I/III. It isn't necessary to review it in depth since it has received excellent reviews, but some of its features are particularly valuable in a clinic setting.

It is the only program supporting true proportional print. (WordStar, incidentally, supports only a pseudo-proportional print. Magic Wand also supports pseudo-proportional print. While it has commands for true proportional, the print is poorly spaced, and is not fully implemented. Two years ago I attempted to improve the source code without success.)

The author of Newscript understands the needs of medical clinics. His father was an anesthesiologist. His brother is a physician. He intended to

be a physician until he discovered computers! The new manual, which is very complete, even contains suggestions for use in a clinic.

The program, older than Scriptsit and based on IBM's Script, is very user friendly. Mailing lists can be created and used to provide the basis for form letters. More importantly for the clinic, boilerplating is possible. This boilerplate can significantly reduce secretarial time.

The Electric Webster spelling checker from Cornucopia Software is fully compatible and selectable from the menu. We originally purchased the earlier Microproof, but the Electric Webster is vastly superior. It is now completely accurate, expandable for medical words, and the speed has increased. The browse feature is less helpful for our secretary (she is a good speller), but is a real time saver and convenience when I write.

Newscript also supports JF Consulting's Inkslinger from the menu. This can be useful in preparing clever titles for patient-education handouts on the

Epson MX printers and Okidata's Microline series. Although I have not yet tried it, it can even make large print for overhead masters.

For those who are Dvorak keyboard enthusiasts (see *80 Micro*, December 1980), there is full support (even a Dvorak typing tutor and keyboard labels that won't interfere with the Qwerty labels).

For owners of LNW computers, or 80-character-per-line enhanced screens, there is full support as well.

Newscript has a very important modification for your one-handed patients. It was first suggested by a handicapped Newscript user, Walt Crede. This modification makes it quite simple to type manuscripts with only one hand. (Most word-processing programs are difficult to do with one hand because of the way the control key functions.)

Next month we'll look at a printer peripheral, the spooler. I was going to include it with this article, but it should be discussed with accounting, since this is where it shines. Until then... ■

FREE EPSON MX-80 PRINTER

With the purchase of a TRS 80, Model III.

For a limited time, Data Services, Inc., will give you a FREE Epson MX-80 Printer (\$645 value), when you buy a TRS 80 Model III, 48k, with 2 PERCOM 40 track drives, at our new low prices of \$2,395.00.


(Includes RS-232, Printer Cable, TRSDOS.)"

The perfect system, the perfect price!
TRS 80 Model III, 48k - two PERCOM 40 track drives - EPSON MX-80 Printer.

Data Services offers more — APPARAT'S NEWDOS 80, version VER 2.0, regularly \$149.95 — now only \$129.95 (Model III units only.)

Up to 20% savings on TRS computers — accessories — programs, Plus: EPSON / PERCOM / APPARAT / HAYES SMARTMODEM / VERBATIM DISKETTES / MEMOREX DISKS.

*TRS-80 is a trademark of Tandy Corporation.



- FREE SHIPPING in 48 contiguous states.
- No Sales Tax on out-of-state orders.
- Visa/Master Card welcome.
- Personal checks, allow 3 weeks to clear.
- (International orders, freight F.O.B. Wichita, Kansas)

CALL TOLL FREE: 1-800-835-1129

or order by mail from:

DATA SERVICES, INC.


COMPUTER SERVICES SINCE 1970

118

P.O. Box 1157 Wichita, Kansas 67201-1157
 (In Kansas, call 1-316-838-9021)

THE BIGGEST NAME IN LITTLE COMPUTERS™

TRS-80™ Model II—Your Best Buy In a Business Microcomputer



**UP
TO
15%
OFF!**

**TRS-80™ computers, on
software and peripherals**

Similar values on all merchandise
CALL COLLECT:

800-351-1580

Texas Residents call: 915-283-2920

Van Horn Office Supply ✓169

701 W. Broadway -- P O Box 1060

Van Horn, Texas 79855

DEALER G055


Form F48 Provided

Standard Warranty in Effect

THE NATIONWIDE SUPERMARKET OF SOUND®



Model 953A EPROM PROGRAMMER



- Programs 2508, 2758, 2516, 2716, 2532 and 2732 five volt EPROMS.
- Complete - no personality modules to buy.
- Intelligent - microprocessor based, programs and verifies any or all bytes.
- RS-232 serial interface - use with computer or terminal.
- Verify erasure command - verifies that EPROM is erased.
- Extended diagnostics - error output distinguishes between a bad EPROM and one which needs erasing.
- May be used for extremely reliable data or program storage.
- All power on programming socket under processor control. LED warning light indicates when power is applied.
- Complete with Textool zero insertion force socket.
- High performance/cost ratio.
- Standard DB-25 I/O connector.

PRICE \$289



BAY TECHNICAL ASSOCIATES, inc.

HWY. 603, P.O. BOX 387
BAY ST. LOUIS, MISSISSIPPI 39520
(601) 467-8231

✓243

INNOVATION -- QUALITY
SUPPORT

PIONEER SOFTWARE
1746 NORTH WEST 55TH. AVE. #204
LAUDERHILL, FLORIDA 33313
PHONE 1-(305)-739-2071



SCRIPTR

SCRIPTR MAKES SCRIPTSIT A COMPLETE W-P SYSTEM
BUY BOTH (SCRIPTR + CRAYON) THIS MONTH + GET \$10 OFF

- NEW! GRAPHTRAX™ - ITALICS-UNDERLINE-DOUBLE-EMP+JUSTIFY TEXT.
NEW! DIAL-A-PRINT - GET LETTER QUALITY BY REPRINTING LINES
1). ENTER/EXIT SCRIPTSIT AT WILL WITHOUT LOSING TEXT BUF.
2). OUTPUT ANY CODE'S (0-255). DIRECT FROM THE TEXT.
3). SIMPLE LETTER COMMANDS CONTROL (EVERY) MX-80 + 100
PROGRAMMABLE FEATURE INCL. VAR LINESPACING AND FORMS.
4). WRITE FORM LETTERS AND INPUT DATA INTO REPORT FORMS.
5). DISPLAY ONLY MODE HELPS SHOW WHERE PAGES START/END.
6). EDIT MODE FOR ERRORS, CHANGES, GRAPHICS OR PAUSING.
7). SELECTED PAGES PRINTED DIRECT/CORRECT HEADERS, PAGE #'S
8). PRINT OUT FULL SCREEN PICTURE FILES MADE BY CRAYON™
9). 7 SAMPLE TEACHING PROGRAMS TAKE YOU STEP BY STEP.
10). 66 PAGE MANUAL. BOUND. INDEXED, COMPLETELY REVISED.
11). CUSTOM VERSIONS AVAILABLE FOR THE FOLLOWING PRINTERS:
NEW! MICROLINE-80 + 82A, PROWRITER + LP IV. + VIII. + F-10
NEW! DAISY WHEEL 2 VER. ALLOWS SUB/SUPER SCRIPTING 10", 12"
NEW! + PROPORTIONAL-UNDERLINING-1+1/2 LEGAL LINE SPACING
NEW! EMPHASIZED, DIAL-A-PRINT, PROGRAMMABLE OVERSTRIKE MODE.

MX-80/100 VER. WORKS WITH/WITHOUT GRAPHTRAX 80 OR PLUS
DISK SCRIPTR MOD 1/3 = \$40.00 MOD I+III. VERSIONS BOTH
WORK WITH MODEL I. SCRIPTSIT/LC NO PATCHING REQUIRED.
CASSETTE SCRIPTR MOD 1/3 = \$40.00 WORKS WITH REG. SCRIPTS.
1.0 FOR MOD 1/3 REQ. 32K. + LC/MOD SCRIPTR IS A 5.5K PROG.
SEND FOR OUR FREE BROCHURE THAT DEMONSTRATES ALL FEATURES
SCRIPTR IS WELL DOCUMENTED AND BUG FREE! CUSTOMER SUPPORT
SATURDAYS + EVENINGS FOR YOUR CONVENIENCE. FREE BROCHURE!

*** PLEASE INCLUDE THIS INFORMATION WHEN ORDERING ***
NAME ----- MODEL 1 OR 3 ----- CASSETTE/DISK
ADDRESS ----- TYPE PRINTER ----- SCRIPTSIT VER #.
CITY/STATE/ZIP/PHONE ----- MEMORY SIZE ----- PAYMENT METHOD
CHECKS - MONEY ORDERS - COD'S ACCEPTED

CRAYON

CRAYON IS A GRAPHICS DESIGN UTILITY THAT NO TRS-80
OWNER SHOULD BE WITHOUT. CRAYON DOES IT ALL!!

YOU'VE SEEN THE ADS FOR OTHER DRAWING PROGRAMS. SOME
CHARGE AS MUCH AS \$150.00 FOR THE ABILITY TO ADD GRAPHICS
TO YOUR PRINTOUTS. CRAYON ISN'T A CONVERTED TEXT PROCESSOR
CRAYON WAS DESIGNED FROM THE GROUND UP TO GIVE YOU THE
VERY FINEST GRAPHIC'S EDITOR POSSIBLE. COMPLEX GRAPHICS
REQUIRE ROUTINES TO MOVE AND MANIPULATE GRAPHICS THAT NO
TEXT PROCESSOR CONTAINS. ALSO CRAYON PRODUCES SUPER HIGH
SPEED GRAPHICS THAT YOU CAN ACCESS FROM YOUR ASSEMBLY AND
BASIC PROGRAMS. ALSO WITH A BLOCK GRAPHICS PRINTER AND
SCRIPTR YOU CAN PRINT OUT YOUR CRAYON FILES FROM SCRIPTSIT.
BEFORE YOU WASTE YOUR MONEY ON HALF A PROGRAM CHECK OUT
CRAYON'S MANY FEATURES. CRAYON DOES IT ALL!!!

- 1). TYPESET LOGO'S - LETTERHEADS - ENVELOPES - BUSINESS
CARDS AND OTHER OFFICE FORMS. THIS AD WAS TYPESET
FROM AN MX-80 PRINTOUT THEN SHRUNK. COST = \$4.50
IF AD WAS TYPESET AT A PRINTSHOP THE COST = \$200 +
- 2). CREATE AND RUN REAL CARTOONS WITH CRAYON AND THEN
RUN YOUR CARTOONS FROM BASIC AT ASSEMBLY LANGUAGE
SPEEDS. SPEEDS OF 35 FRAMES/SECOND POSSIBLE. USE IT
TO DESIGN DISPLAYS FOR USE IN BASIC & ASSEMBLY PROG'S
- 3). MANAGE DISKETTE DIRECTORIES, PRINT THEM, SEARCH THEM,
COMMENT THEM. MOD 3 DIR. WORKS ON A TRSDOS SYS. ONLY.
- 4). DRAW ANYTHING YOU DESIRE ONTO THE SCREEN AND PRINT IT
OUT OR SAVE IT TO DISK/TAPE - UP TO 30 SCREENS/FILE.
- 5). MANAGE AN APPOINTMENT SCHEDULE, KEEP RECORDS, LISTS OR
MENU'S. SAVE/RECALL INFORMATION QUICK AND EASY.
- 6). PERFORM ALL VIDEO WORKSHEET FUNCTIONS RIGHT ON SCREEN

- 1). USER FRIENDLY / 42 PAGE DOC'S, OFFSET PRINTED, INDEXED
- 2). NINE CHARACTER USER DEFINED CURSOR. -----
- 3). 16 LETTER COMMANDS FOR GRAPHICS ENTRY.
- 4). COPY CHARACTERS IN ANY DIRECTION FAST.
- 5). UPPER/LOWER CASE SUPPORT WITHOUT DRIVERS.
- 6). DO ALL OF THE FOLLOWING ON VARIABLE LENGTH LINES-->
COPY-FILL-DELETE-EXCHANGE-MOVE-PULL-UC/LC-INVERT
GRAPHICS-PRINT-JUSTIFY TEXT-BUFFER/RESTORE TO SCREEN.
- 7). UTILITIES INCLUDE--> MASK - AUTOMATIC PRINT# NUMBERS
CURSOR LOCATION AND VALUE-3 SELECTIVE CLS'S-PATTERN-
EXTRA BUFFERS-SCREEN OVERWRITE-HEXDUMP-SEARCHES. MORE
- 8). FULL DISK / CASS I/O DIR-WRITE-LOAD-APPEND-COPY+ILL
SCREENPRINT- OUTPUTS CODES TO DRIVE ANY PARALLEL PRINTER
PROFESSIONALLY WRITTEN & SUPPORTED-NO BUGS-2 YRS. IN DESIGN
OVER 90 COMMANDS --> FAST / EASY / FUN --> ALL MACHINE LANG.
CASS MOD 1+3=\$35.00 / DISK MOD 1 OR 3=\$45.00 10K PROGRAM
WORKS IN 16K. OR MORE AND ADJUSTS TO MEMORY SIZE CHANGES.
ESPECIALLY FOR MX-80, MICROLINE80 AND OTHER BLOCK GRAPHIC
PRINTERS. PRINTER NOT REQ. FOR FILE HANDLING + CARTOONS.
LIBERAL DEALER TERMS AVAILABLE - INQUIRIES INVITED



✓160


We have big Load 80 news this month—COLOR!!! Due to reader enthusiasm, the major Color Computer listings from each month's *80 Micro* will be available on cassettes. The Model I/III Load 80 will continue monthly on tape and disk.

Color Load 80 will start with the December 1982 issue. It will contain the best Color Computer programs from *80 Micro*'s 1982 issues. This cassette will sell for only \$14.97 plus postage.

Subsequent Color Load 80s will be issued every three months for \$9.97 plus postage. The first will be available with the March 1983 issue of *80 Micro*, and will include Color Computer programs from January, February and March.

Load 80 Gripes

We are proud of the high-quality customer service we provide. Sometimes



Load 80 goes color

the correspondence is frustrating. One person complained that the EDTASM source code files on the June/July 1982 Load 80 tape would not work on his machine. His local Radio Shack store advised him to buy their Series 1 Editor/Assembler, upgrade to 48K, and add a second disk drive. Many dollars later the EDTASM files would still not work.

The three EDTASM source code files on the June/July tape were SMPLZAP1, SMPLZAP2 and SMPLZAP3. These were three parts of one disk zipper which the author split to prevent the source code from overflowing the memory of a 32K machine. The accompanying article ("Stepwise Refinement," page 232) contained a Table (page 234) which clearly stated the steps necessary to assemble each part separately before dumping the object code to disk as one unit. The person obviously did not read Table 1.

What is the moral of all this? Each article serves as the documentation for each Load 80 program. Read each article carefully. Also read the Key Box. It tells which systems the program will run properly on. If you still have problems, call me at (603) 924-9471 ext. 233.

Finally, if you write, describe your exact system. I must know if you have a Model I, III, or Color Computer, how much RAM, and how many disk drives. If you have non-standard equipment let me know. Describe, as completely as possible, the symptoms of the program failure.

August Zaps

Many people had trouble converting August 1982 Load 80 programs to run on disk. Table 1 lists which programs will run after implementing the changes described in remark statements, and which will not run at all.

The disk documentation incorrectly listed Kalah/SRC as being in Basic; it is an Assembly-language program requiring an editor/assembler. The first program on side B was listed on the disk documentation as LUCKY13. The correct file name is LUCKY13.

If you modify a Load 80 program to run on a different system, drop a short note to "80 Input" so others can benefit too. ■

Program Name	Disk Status
CUBE80	Works unchanged, but requires 32K
KALAH/SRC	Must be assembled
SLOTMACH	Will not work with disk
CRAM	Works with changes in lines 960, 970
RAMMER	Works with changes in line 100
TREK1	Works unchanged, but not on Model III
TREK2	Works unchanged, but not on Model III
SUBCHOP2	Works with changes in lines 60, 65
THRUASTR	Works with changes in line 15

Table 1

Program	Title	Page	Comments
1	COPYRGHT/BAS	—	None
2	MEDHIST/BAS	90	None
3	REGRESS/BAS	96	None
4	HEATSTRS/BAS	148	None
5	EINSTEIN/BAS	222	None
6	DRAWPOKR/BAS	246	None
7	BABYCASS/BAS	282	None
8	KWIKMAZE/BAS	318	None
9	PIXLPRNT/BAS	364	None
10	GENEALGY/BAS	398	None
11	ANCESTRY/BAS	398	None
12	FAMILY/BAS	398	None
13	TRON/SRC	406	Needs EDTASM
14	QUIKSORT/SRC	414	Needs EDTASM
15	BKINVTRY/BAS	436	None
16	KTAABA/BAS	450	None

November Load 80 Directory

It's Here! The Computer Strategy Game with Bounce!

For:
Apple
Atari
TRS-80

Have you ever seen a fast action game combined with the intense strategy of chess, backgammon or Othello? Ricochet...the first abstract strategy game designed **exclusively** for the computer owner...is both. And loads of fun!

You and your opponent each have six opposing blocks to maneuver and two launchers to fire. Your shots ricochet off the blocks, changing their position with every hit, while earning you points on the way to their targets. The longer your shot ricochets, the more points you get.


You don't have to play alone, either. Play against any of four different computer opponents, (each a different personality), or another human. Five game variants to choose from—each requires a different strategy.

Ricochet is truly competitive...if you want it to be. A "smart clock" lets you

put more pressure on your opponent by forcing him to play faster than you. But you've got to win two out of three (or three out of five) games to claim victory.

Your computer rates you after each match, so you can compare your mastery of the game with that of other players. In the long run, you're trying to rack up points for your personal Ricochet Rating.

Get Ricochet now at your local dealer for your Atari, Apple or TRS-80. Suggested retail price: \$19.95.



Another Mind Toy
From **EPYX**
COMPUTER GAMES
THINKERS PLAY



*APPLE, ATARI and TRS-80 are trademarks of Apple Computer, Inc., Atari, Inc. and Tandy Corp., respectively.

© 1981, AUTOMATED SIMULATIONS, INC.
P.O. Box 4247, Mountain View, CA 94040.

✓ 28

Keep X-rays Away

A leaded screen shield protects video display terminal or computer terminal users from the X-rays emitted by these screens.

The I-Protect leaded acrylic screen shield is a 3 mm thick piece of transparent acrylic plastic impregnated with enough lead to stop any X-rays from reaching your body.

This product affixes to the front of the monitor screen with four velcro tabs. Anti-glare devices can be attached to the front of the I-Protect screen shield.


I-Protect is available in two sizes, 8 by 10 inches (\$49.95) and 10 by 12 inches (\$59.95), to fit most monitors. For more information contact LSI Systems, 132 W. 24th St., New York, NY 10011, 800-221-7070.

Reader Service ✓579

Meet the Computer

Meet the Computer helps young children learn simple programming for a TRS-80 home computer.

The 77-page text, written by Marjorie Crabbe, features easy-to-understand language and clear-cut instructions children can follow with a minimum of supervision. By the time the child completes the suggested activities sections, he should be capable of writing simple programs on his own.



Meet the Computer by Marjorie Crabbe



The MTI Business Computer

Significant concepts are set off in bold boxes at the bottom of pages to simplify learning. Important ideas are repeated throughout the publication, and illustrations supplement the text and add visual interest.

A seven-page glossary with concise definitions and a cross-referenced index provide additional teaching aids for the child. The plastic binding permits the book to lie flat when opened to any page.

Priced at \$9.95, the book is available from Crabbe Associates, 212 W. Graham Ave., Lombard, IL 60148.

Reader Service ✓577

Business Computer

Microcomputer Technology Inc. (MTI) is offering a new personal computer line designed especially for business use. The new line, known as the MTI MOD III PLUS B series, begins with a 48K memory and double-density dual-drive system. In addition, the Business line features 4MHz operation for rapid processing, an RS-232 interface for communication applications, and an anti-glare screen and cooling unit. MTI will include a complete accounting package with each business computer for prices from \$2,495.

As an added enhancement for those looking for word processing capability,

arrangements have been made with ProSoft to allow buyers of the MTI business computers to receive NewsScript at a substantial discount. With NewsScript, the computers have complete word processing capability.

For more information, contact Microcomputer Technology Inc., 3304 West MacArthur Blvd., Santa Ana, CA 92704, (714) 979-9923.

Reader Service ✓593

VisiCalc Surrogate

Aton International Inc. has announced two programs, Basic Surrogate and VisiCalc Surrogate, for use with their JobStream CP/M 2.2 operating system. These programs provide the interfaces which allow Radio Shack Basic and Radio Shack VisiCalc to operate in the JobStream CP/M environment on the Models II and 16. This creates a less expensive alternative for TRSDOS users who wish to upgrade to CP/M and improve performance without buying new applications packages.


VisiCalc Surrogate (\$99) allows access to the VisiCalc program (not generally available in the CP/M environment). VisiCalc Surrogate also offers an additional 4K to 12K bytes of memory space over what is available under TRS-DOS. Basic Surrogate (\$99) increases

SPECIAL-PURCHASE

TRS-80 MOD III

48K — 2 Drive
— DISK III
TRSDOS &
Manuals

\$1882



6.3 to 38 MEG

Winchester External Hard
Disk III beginning at

\$1899

Optional HD III:

9.5 meg	\$2099
19 meg	2799
2 x 6.3 meg	2899
2 x 9.5 meg	3199
2 x 19 meg	4399

EXTERNAL FLOPPIES

for MOD I
or III

\$275


Fully compatible, 120 day warranty

80 TK or 2 sided

\$395

80 TK & 2 sided

\$515



CHECK THESE GREAT BUYS ON OTHER PRODUCTS:

Epson MX-80 w/graphtrax	\$475.00	C.ITOH & Diablo Ribbons	5.95	Novation Cat Modem	175.00	Drive Extender Cable	12.00
Epson MX-80 ft	575.00	DC Hayes Smart Modem	259.00	Novation D Cat Modem	199.00	Head Cleaning Kit 5 1/4"	14.95
Epson MX-100	750.00	DC Hayes Micro Model II	339.00	Percom Doubler II	169.00	Disk & Other Mysteries Book	19.95
MX-80 Ribbons	12.50	OKIDATA Microline 80	359.00	Percom Data Separator	29.95	Basic & Other Mysteries	
MX-100 Ribbons	30.00	OKIDATA Microline 82A	529.00	Paper 9 1/2 x 11 (Fanfold)	29.95	Book	27.50
Epson Graphtrax	75.00	OKIDATA Microline 83A	799.00	Paper 14 1/8 x 11 (Green Bar)	34.95	NEC Ribbons (Min. 6)	5.95
C.ITOH F-10 40 cps	1,695.00	OKIDATA Tractor	75.00	Verbatim 5 1/4" Diskettes	26.90	Printer Cable	25.00
Tractor	200.00	Lexicon Modem	125.00	Maxell 5 1/4" Diskettes	39.00	LDOS Operating Sys.	129.00
				Nashua 8" Diskettes	42.95	DOSPLUS Operating Sys.	149.00

NOW OPEN — VR DATA COMPUTER CENTER 616 Baltimore Pike, Springfield, Pa. (Delaware County)

DISK III

SINGLE DRIVE **\$599**

Disk III Dual Drives	\$864.00
Disk III No Drives	435.00
TRSDOS & Manual	21.90
DOS PLUS & Manual	149.00
LDOS & Manual	129.00

2 Sided or 80 Track Drives add \$120. ea.

2 Sided & 80 Track Drives add \$240. ea.

MODEL III

COMMUNICATIONS

VR-RS232
\$80

Direct Replacement For
R.S. RS232, Fully Tested
& Burned-In, Easy
Installation, 120 Day
Warranty, Programmable
Pinout, Prototype Area

D-CON
\$299

Integral Modem, NEEDS
NO RS232 — Direct
Connect, Programmable
Dialing, AUTO ANSWER/
ORIGINATE, Easy
Installation

IF YOU DON'T SEE IT ADVERTISED
CALL US AND ASK FOR IT.

Call Toll-Free
800-345-8102

ALL VR DATA PRODUCTS CARRY A 120-DAY
WARRANTY INCLUDING PARTS & LABOR


Published prices reflect cash discount. All prices are subject
to change without notice. TRS-80 and TRSDOS are trademarks
of Tandy Corp. DISK III is a trademark of VR Data Corp.
8:30AM-7PM E.S.T. Mon.-Fri., Sat. 10AM-3PM
CABLE "VRDATA" TELEX 845-124

VRdata

777 Henderson Boulevard N-6
Folcroft, PA 19032 (215) 461-5300

MasterCard


VISA




== FORBIDDEN PLANET ==
THE FIRST TALKING ADVENTURE
 (TALKS THROUGH CASSETTE PORT)
 MODEL I & III 48K DISK ONLY
 \$39.95 (BY WILLIAM DEMAS)
 =====

== HYPERLIGHT PATROL ==
 SPACE SIMULATION GAME
 GRAPHICS AND SOUND
 MODEL I & III 48K DISK ONLY
 \$19.95 (BY WARREN GREEN)
 =====



DEFIANCE
 THE FIRST TALKING SPACE SIMULATION
 (TALKS THROUGH CASSETTE PORT)
 MODEL I & III 48K DISK ONLY
 \$24.95 (BY WARREN GREEN)
 =====



== FORBIDDEN CITY ==
 THE SECOND TALKING ADVENTURE
 WITH 3 DIFFERENT VOICES
 MODEL I & III 48K DISK ONLY
 \$39.95 (BY WILLIAM DEMAS)
 =====



PANIK
 THE ARCADE GAME OF THE CENTURY
 IT HAS A LITTLE OF THEM ALL
 SOUND AND VOICE THROUGH THE CASSETTE PORT
 MODEL I & III (32K DISK) \$24.95
 (16K TAPE) \$19.95 (BY WILLIAM DEMAS)
 =====



SEE YOUR LOCAL DEALER
 DEALERS INQUIRIES INVITED

FANTASTIC SOFTWARE
 P.O. BOX 27734
 LAS VEGAS, NEVADA 89126
 (702) 362-1457



program storage space 2K bytes over TRSDOS.

For more information contact Aton International Inc., 260 Brooklyn Ave., San Jose, CA 95128.

Reader Service ✓567

Hard Disk for the Model III

The JHD-III is a hard-disk system for use with the Model III. It utilizes a 5¼-inch Winchester drive with either 5 or 10 megabytes of storage. An LDOS driver allows the storage to be divided into individual logical units.

The system comes with the controller, host adapter, hard disk drive, all cables, LDOS driver disk, and an operator's manual.

Priced at \$1,895 for the 5-megabyte system and \$2,095 for the 10-megabyte system, JHD-III is available from J&M Systems, Ltd., 137 Utah NE, Albuquerque, NM 87108, (505) 265-5072.

Reader Service ✓559

Color Computer Index

Color Computer Index indexes articles, programs, letters, reviews and news releases from seven magazines including *68 Micro Journal*, *80 Micro*, *80 U.S. Journal*, *Byte*, *Color Computer News*, *The Rainbow* and *TRS-80 Microcomputer News*.

The two magazines wholly dedicated to the Color Computer are completely indexed, but only materials on the Color Computer are selected from the other magazines. This index, published on a quarterly basis, is available for \$16 per year. A separate index covering 1980-81 is also available for \$5.

Color Computer Catalog is a companion publication available two times a year for \$20 per year. It lists software, hardware, books and other accessories for your Color Computer.

For more information contact Robert T. Divett, 3705 Mary Ellen NE, Albuquerque, NM 87111, (505) 298-7164.

Reader Service ✓564

Investor's Computer Handbook

The Investor's Computer Handbook helps you manage investments better with the use of your personal computer. It requires no previous microcomputer or investment experience.

The first section of the book provides

information on choosing the micro-computer system best suited for your particular investment applications, including information on hardware, software, peripherals and a list of required and recommended components.

The remainder of the text explains how the system can be used for investment applications. The programs and principles—primarily in terms of the stock market—transfer easily to other dynamic markets and portfolios, such as commodity futures and options, bonds and treasury bills. The four general types of investment programs are explained: portfolio management and trading; portfolio maintenance; research filing and retrieval; and chart generation and analysis. Included are four demonstration programs in Micro-soft Basic, one for each type of investment application with a step-by-step analysis of each module. Several case histories of actual investors, their systems and how they use them are also presented in this book.

Priced at \$10.95, it is available from Hayden Book Company Inc., 50 Essex St., Rochelle Park, NJ 07662, 800-631-0856.

Reader Service ✓576

DOSPLUS II

DOSPLUS II for the Model II features complete device independence and a high level of user friendliness coupled with a speed increase of 5-10 times over TRSDOS. More reliable disk I/O is present even though the system stores more data on each disk than TRSDOS.

A full line of support software, at no extra charge, includes a terminal/host package and full disk editing/repair programs. The system uses Microsoft Basic.

This product is available in a standard floppy-disk version and versions for most popular Model II hard-disk subsystems. Priced at \$249.95, it is available from Micro-Systems Software Inc., 4301-18 Oak Circle, Boca Raton, FL 33431, (305) 983-3390.

Reader Service ✓575

Football Compu-Stat


Football Compu-Stat analyzes the performance of teams in the National Football League. Compu-Stat provides information on won-loss records and margin of victory both in "on field"

and point-spread performance.

Displays are presented in graphic or printed form. Breakdowns of performance are further classified by division, by conference and by interconference opponents. Statistical data is available and comparable on a team versus team basis. All box-score statistics are considered.

This product runs on a Model III with one disk drive. It is available on disk complete with manual for \$150 and can be updated by the user or by statistical disk (\$25/week). For more information contact Interactive Sports Systems, 1022 Harmony St., P.O. Box 15952, New Orleans, LA 70175, (504) 895-1481.

Reader Service ✓553



The Smartmodem 1200

High Speed Modem

The Hayes Stack Smartmodem 1200 is a Bell 212A compatible modem that lets RS-232C compatible computers or terminals communicate over telephone lines at 1200 bps.

This product is actually two modems in one: It operates at either 0-300 bps or 1200 bps. Smartmodem features auto-answer and auto-dial and can be controlled by any programming language. It executes user commands and responds with either decimal digit or English word result codes. Indicator lights on the modem's front panel allow a visual check of operational status.

Priced at \$699, the modem is available from Hayes Microcomputer Products, 5835 Peachtree Corners East, Norcross, GA 30092, (404) 449-8791.

Reader Service ✓563

CP/M File Indexer

Synopsis automatically creates, updates, searches and displays an index containing the file names, disk ID, and

four lines of information about any CP/M file. When the four lines of information (e.g., date, writer, addressee, subject) are included as nonprinting comments in a document file, Synopsis automatically reads the information into its index. Information describing nondocument files, such as those created by spreadsheet and data-base programs, is easily entered into the index directly. Synopsis treats the file names, disk ID, and each comment line as a separate field and lets you search the index by any part of a field or combination of field.

This product requires 48K RAM, CP/M or MP/M, and either WordStar, Spellbinder, SuperWriter, Magic Wand, or a similar text editor. Priced at \$125, it is available from Digital Marketing Corp., 2670 Cherry Lane, Walnut Creek, CA 94596, (415) 938-2880.

Reader Service ✓552



Color Computer Auto Run

Auto Run

Auto Run is a utility program for the Color Computer that lets your machine-language or Basic programs start automatically. It creates a machine-language loader program and stores it on tape. Following the loader you store your program. Your program can now be started by entering the CLOADM Basic command.

The Auto Run graphics editor lets you design and create a graphics title screen that will display as your program loads. An audio feature enables you to record a musical or vocal introduction to your program.

This product requires a 16K Color Computer with Extended Color Basic and sells for \$14.95. For more information contact Sugar Software, 2153 Leah Lane, Reynoldsburg, OH 43068, (614) 861-0565.

Reader Service ✓585

"The Auto Run graphics editor lets you design and create a graphics title screen that will display as your program loads."

Bowling League Secretary

A time-saving bowling league secretarial system called LEAGUEBOWL-24 is now available for the TRS-80 Model III.

An extensive editing feature gives the secretary complete control of the data. Provisions are included for forfeits, blinds, partial absences, snapout errors, postponements, team ties, individual ties, substitute bowlers, name changes, drops, ineligible, messages, display of secretary's lane, and lane assignments anywhere in a 98-lane house.

Handicapping is selectable and accurate at 21 games or whenever the secretary desires. Printed output does not need special forms and uses any printer that gives an ASCII program listing. Designed for the non-computer-oriented secretary, the program handles handicap team, sum of individual handicap, scratch, mixed, men's, and women's leagues per ABC rules. It accepts 3, 4, or 7-point scoring systems.

This product runs on a 48K Model III and sells for \$145 for the dual disk drive version and \$160 for the single drive version.

For more information contact Briley Software, P.O. Box 2913, Livermore, CA 94550, (415) 455-9139.

Reader Service ✓554

Software for Real Estate Professionals

Investor III, a program developed by real estate professionals for real estate professionals, performs the detailed, comprehensive financial analysis necessary to evaluate a potential real estate investment.

Based on the user's assumptions, this program provides projections of key evaluation criteria for each of up to 20 years, including: annual depreciation shelter, either straight line or accelerated; cash flow benefits, both before and after taxes; future property values; loan balances at the end of each year; net

equity build-up; capital gain and recap-ture taxes; net proceeds from resale; and more.

Investor III's output is formatted to print on standard letter-size paper ready for distribution to clients or inclusion in the user's investment package.

This product runs on the Models I, II, III and 16 and is available for \$595. For more information contact Good Software Corp., 12900 Preston Road, Dallas, TX 75230, (214) 387-2327.

Reader Service ✓555

Model II Marriage

MERGIT-GLII turns Radio Shack's Model II Scripsit 2.0 and their single-disk general ledger system (cat. no. 26-5401) into a flexible report writing package.

MERGIT-GLII creates a merge file formatted to Scripsit requirements and limitations. It allows user selection of accounts to be included in the merge file by general ledger classification or account range. It also allows expense accounts to be chosen by category. It automatically creates variable code names and formats variable amounts based on the user's chart of accounts for current month and year to date account balances.

Priced at \$89.95, MERGIT-GLII is available from Independent Software, P.O. Box 3126, Federal Way, WA 98003, (206) 941-6022.

Reader Service ✓556

Municipal Billing System

The Municipal Billing System, MBS, from Foy Inc. handles the billing of water, electricity, sewer, garbage, and other utilities for municipal governments. Designed for the Model II, it is available in versions to handle from 2,000 to 30,000 customers.

MBS is currently in use by the cities of Farmersville, Murphy, and Van Horn in Texas; Avenal, CA; and Crystal Springs, MS. These cities use MBS to generate a meter-reading list, print a high/low audit of unusual usages, print an account status report, calculate and print postcard bills ready for mailing, generate a daily cash receipts listing, and print a delinquent account report. MBS handles a wide range of rate structures, making it suitable for virtually all cities with populations between 1,000 and 50,000.

For additional information contact

DOES STRING COMPRESSION HAVE YOU TIED UP IN KNOTS?

LET TRASHMAN CLEAN UP THE MESS!

TRASHMAN is a machine language utility for the TRS-80 Models I and III. It was written by Glenn Tesler, the author of FASTER, and can reduce BASIC's string compression time by 95% (see table below).



WHAT'S STRING COMPRESSION?

When a BASIC program changes a string (words, names, descriptions), it moves it to a new place in memory, and leaves a hole in the old place. Eventually, all available memory gets used up and BASIC has to push the strings together to free up some space. This takes time. Lots of time. The computer stops running for seconds or minutes, and you may even think it's "crashed". The keyboard won't work, and until all the strings have been collected, you just have to sit and wait. Then things run for a while, until string compression is needed again. And again.

If you're using your computer for business, that wastes your money. If you're using it personally, it wastes your time.

WHAT'S THE SOLUTION?

As soon as you start using TRASHMAN, those delays almost disappear. It uses less than 600 bytes of memory, plus 2 bytes for each active string. It works with other machine language programs and with all major operating systems. It's easy to use, comes with complete instructions, and can be copied to your own disks.

WHAT'S THE CATCH?


If a BASIC program uses only a few strings, very little time is wasted in string compression, and TRASHMAN won't be helpful. But, if hundreds of strings, including large string arrays, are used, TRASHMAN is just what you need.

Ask your software dealer for TRASHMAN, or order directly on our toll-free number. The price is just \$39.95 (plus sales tax in California).

# STRINGS	SECONDS DELAY NORMAL	SECONDS DELAY TRASHMAN	PERCENT IMPROVEMENT
250	11.8	0.7	94
500	45.8	1.6	96.5
1000	179.6	3.5	98
2000	713.2	7.8	98.9

(All timings done on TRS-80 Model I. Model III 15% faster, but pct. improvements identical. Listing of timing program available on request.)

AMAZING PROGRAM SPEEDS UP BASIC



Your time is valuable, so why waste it on slow-running BASIC programs? PROSOFT's "FASTER" will analyze those programs while they run, then show you a simple change (usually one new line) that can re-

duce run-times by up to 50%.

Accounting systems, financial models, engineering and scientific programs all run faster; so do games. Large, complex programs improve the most, and "FASTER" is easy to use.

THIS ISN'T A COMPILER! Your BASIC programs remain readable and can be changed later on. While your programs run, "FASTER" counts how often each "variable" is used, then shows you the correct sequence for these variables. Afterwards, the computer finds them sooner, so your programs run faster.

Does it really work? Yes! *Personal Computing* said so in their May, 1981 issue (p. 116); we've received many letters from customers who've gotten 20-50% improvements; and we will make you this offer:

Order "FASTER" now. Try it on your bread-and-butter programs. If you don't get an overall run-time reduction of at least 20%, return it within 30 days for a prompt and cheerful refund.

"FASTER" runs on TRS-80 Models I and III, 16-48K, tape or disk

\$29.95

QUICK COMPRESS

Small (276 bytes), fast (processes 800 lines in under 3 seconds) utility removes blanks and remarks from your BASIC programs. Produces smaller, faster programs, and doesn't alter the original logic.

16-48K Model I or III, tape or disk.


\$19.95

SPECIAL FASTER + QUICK Compress:

\$39.95

ERRATIC DISK DRIVES

RPM measures the rotational speed and variation of your disk drives, and reveals a common cause of unexplained errors. Simple one-key operation, runs under any DOS, interchangeable between Models I and III. Shows current and average speeds, plus fluctuation history. Recovers from severe errors. Documentation explains how to adjust drives. Use RPM monthly for best results. 32-48K Model I or III disk **\$24.95**



TO ORDER. CALL NOW. TOLL FREE

(800) 824-7888, Operator 422

CALIF: (800) 852-7777, Oper. 422

ALASKA/HAWAII: (800) 824-7919

FOR TECHNICAL INFORMATION CALL:

(213) 764-3131, or write to us.

PROSOFT™

Dept. G Box 560
North Hollywood, CA 91603

TERMS: We accept VISA, Mastercard, checks, Money Orders, C.O.D. and even cash. We pay shipping via surface UPS inside U.S.A. Please add \$3.00 for Blue Label, 6% tax in California, and 15% outside North America (air shipment).

NEW PRODUCTS

Foy Inc., 100 McKinney St., Farmersville, TX 75031, (214) 782-7282.

Reader Service ✓557

PocketCalc I

PocketCalc I is a spreadsheet program for the Sharp PC 1211, Radio Shack PC-1 and Casio FX-702P computers.

The program makes available three rows of up to 13 columns each. Each row may be added, subtracted, multiplied or divided by another row or by a single number. Features include commands for: clearing rows to zero; duplicating the value of one cell into other cells; finding the sum, cumulative value and average value of a row; and saving the results on cassette.

Because the memory of these pocket computers is limited (about 1.5K bytes), the calculations and numerical results are printed sequentially. This printed log becomes a review of the problem solution and enables replication of the numerical solution with new data.

Priced at \$30, this spreadsheet is available from PocketInfo Corp., P.O. Box 152, Beaverton, OR 97075, (503) 649-8145.

Reader Service ✓560

Dollar Sense

Dollar Sense is a budget management aid for home use. It is not a checkbook balancer, but an electronic worksheet used in preparing and sticking to a new budget.


Income records allow the user to enter a description field, the amount, and the date expected. Expenses include all of the above, plus a planned date payment and the actual date paid. Once the budgeting information has been entered, the file is sorted by date and displayed, with a current balance always in view.

This product runs on a Model I or III and is available for \$12.95 on cassette from KENSOFT, 2102-50th St., Kenosha, WI 53140, (414) 654-2722.

Reader Service ✓574.

Sea Dragon

Sea Dragon, a real-time machine-language simulation, challenges the player to successfully maneuver a submarine past underwater mountains and through labyrinthian passages while avoiding webs of rising, explosive mines. Additional dangers include



The Comrex CR-1 ComRiter

depth charges dropped from battleships, laser cannons, enemy attack bases and falling stalactites.

This game features a horizontally scrolling seascape that extends the equivalent length of more than two dozen screens placed end-to-end. There are a full range of features and options, including multiple skill levels, high score save, joystick compatibility, and one or two-player capability.

The disk version of this product features Adventure International's exclusive Duo Loader, loading on either Model I or III systems with 32K of memory. This version sells for \$24.95. The cassette version for the Models I and III sells for \$19.95. For more information contact Adventure International, P.O. Box 3435, Longwood, FL 32750, (305) 862-6917.

Reader Service ✓570

Copyart II

The Copyart II word processor for 48K, one disk-drive Model I and III computers supports underlining, boldfacing, double strike, justification, headers-footers, and offers graphics, math, sorting and mailmerge capabilities.

You can insert graphics within text and do calculations within the text. The sort function allows you to sort up to 650 names, indices, mail lists, and so on, in seven seconds or less. The mailmerge utility and mail list programs allow you to merge up to 2000 names and addresses with a Copyart form letter. The mail list can be sorted by name, state, zip code, city or special code.

Priced at \$149.95, Copyart II is available from Simutek Computer Products Inc., 4897 E. Speedway Blvd., Tucson, AZ 85712, (602) 323-9391.

Reader Service ✓566

ComRiter

The ComRiter daisy-wheel printer is especially designed for word processing. Its bidirectional carriage increases throughput. Print speed is 17 cps. It features one-touch, dust-free interchangeable daisy wheels with a wide range of available fonts.

The ComRiter is available with three separate interfaces built in: Qume Sprint 3 (\$1,099), RS-232C serial (\$1,199), and Centronics-style parallel (\$1,115). For more information contact Comrex International Inc., 3701 Sky-park Drive, Suite 120, Torrance, CA 90505, (213) 373-0280.

Reader Service ✓584

Port Doubler

The wYe interface doubles the extensions available at an existing port of your computer, eliminating connecting and disconnecting cables. This saves time and prevents possible damage to connectors and cables. Signal direction is easily changed with a light touch of the selector button.

This product is available for \$99 for the Models I or III and for \$189 for the Models II or 16. For more information contact Lords Systems Design, 11421 81st Ave. NE, Kirkland, WA 98033, (206) 823-8849.

Reader Service ✓561

Basic Aid

Basic Aid, a utility program for the Color Computer, reduces the number of keystrokes necessary to enter a program. It features automatic line numbering and single key entry of most Basic commands. The user may redefine any or all keys to his own commands.

Basic Aid's Merge command allows merging of Basic routines stored on cassette with the program in memory. Since Basic Aid renumbers the routine being merged, you can build tape libraries of Basic routines without regard to line number. The Move Line command allows you to move and renumber any program line. It automatically changes GOTOs and GOSUBs which reference the section moved.

This product comes in a ROM cartridge and includes a keyboard overlay. Priced at \$35.95, it is available from Eigen Systems, Box 10234, Austin, TX 78766, (512) 837-4665.

Reader Service ✓ 569

6809 Disassembler/Assembler

DISASM allows disassembling and assembling of machine-language programs for the Color Computer. Especially designed for the inexperienced Assembly-language programmer, DISASM uses only easy-to-learn commands and takes data in decimal rather than hex format. The disassembler gives the memory location, instructions, machine code, and branch locations in decimal for ease in tracing program steps. Learn how the Color Computer works by disassembling the Basic and extended ROMs. Use the assembler to write USR subroutines or complete machine-language programs.

DISASM is available on cassette for \$19.95 and on EPROM for \$49.95. For more information contact Dynamic Electronics Inc., P.O. Box 896, Hartselle, AL 35640, (205) 773-2758.

Reader Service ✓ 590

Words for the Wise

Words for the Wise is a complete spelling tutor system for elementary school students. It features five spelling activities: missing letters, scrambled words, match the letters, alphabetizing, and hangman. Students are rewarded and corrected through animated graphics and sound.

✓ See List of Advertisers on Page 455

An additional feature of this product is the unlimited flexibility in choosing words to be studied. The teacher prepares and stores word lists on disk or tape ahead of time. The package comes with a program to prepare or update these word lists. In addition, TYC Software supplies a prerecorded list of 1000 specially selected spelling words for grades 1-6. These words are a representative sample of words used throughout the country in these grades.

The disk version of this program for use on a two-disk Model III sells for \$34.95. The Model I or III cassette ver-

sion sells for \$24.95. For more information contact TYC Software, 40 Stuyvesant Manor, Geneseo, NY 14454, (716) 243-3005.


Reader Service ✓ 578

COCO Drawer


COCO Drawer is a joystick-driven graphics editor for quick and easy pictures on the Color Computer.

The joystick selects and controls over 40 commands on two menus to draw lines, rectangles, circles, dots, and paint


A FULL LINE OF SEMIDISKS



S-100



TRS 80 Model 2



IBM Personal Computer

Do you use your computer? Or does your computer "use" you? Face it, if you're using floppies, your time is being wasted. Because a floppy is an inefficient random access storage device. Each time the processor wants to transfer data, it has to wait an eternity for the disk to rotate and the head to move.

So what do you do? Get a SemiDisk, quick. It's a large capacity semiconductor memory board that is driven by software to operate like a disk drive. Without all the waiting. Do everything you'd do on a floppy or hard disk, with no modifications to your software or hardware. Two board sizes are available: 512K and 1 Megabyte. (the highest density microcomputer memory board in the world) And you can put up to 8 megabytes in a system by adding more storage boards.

What do you need to use it? Just an S-100 system with CP/M 2.2. Or a TRS-80 Model 2 system with CP/M 2.2. Or an IBM Personal Computer. That's it. No special processors, DMA, I/O, or disk controllers are required. Plug it in and run the installation program, and you're on your way. Fast! Even better, we supply full source code to the driver software, in case you'd like to do your own interfacing.

Best of all, the SemiDisk's price won't warp your wallet. Compare specs, cost/megabyte, storage capacity, and compatibility with the competition. You'll see that the SemiDisk is a disk emulator truly worthy of the name. SemiDisk has battery-backup capability, too.

Consider our limited warranty: A full year, covering all parts and labor. Consider our liberal 15 day return policy. Price? \$1995 for 512K byte SemiDisk, \$2995 for 1 Megabyte SemiDisk. Both from stock. \$10.00 for manual. VISA, Mastercard, COD orders accepted. Dealer and OEM inquiries welcomed. (Specify system type and disk format when ordering.)

Someday, you'll get a SemiDisk.

Until then, you'll just have to wait.

**SemiDisk
SYSTEMS**

P.O. Box GG
Beaverton, OR 97075

(503)-642-3100

Call (503)-646-5510 for CBBS®/NW, a Semi-Disk-equipped computer bulletin board.
SemiDisk trademark of SemiDisk Systems; TRS-80 trademark of Radio Shack

✓ 372



NO WAITING


TM

with Extended Basic's resolutions and colors. Other commands are merge, change colors, copy, store, restore, and many more.

COCO Drawer comes with two complete character sets for typing messages on pictures. Also included are outlines of Texas and Australia digitized with this program.

COCO Drawer is available for \$19.95 from Greathouse and Company, P.O. Box 27051, Rancho Bernardo, CA 92127. Extended Basic and 32K are required.

Reader Service ✓588



The Last One

The Last One

Using simple English terms in menu form, The Last One helps the user design original programs for home, office or hobby without knowing complex computer language. The program's display shows the items that can be chosen to construct the order of an original program. After the program design (or flowchart) is completed, The Last One writes the Basic computer code required to make the program work.

Priced at \$600 for Model II and III versions, it is available from Southwest Microcomputer Systems, 16885 West Bernardo Drive, Suite 220, San Diego, CA 92127, 800-854-2099.

Reader Service ✓583

Financial Management System

Plus Accounting Software is a financial management system consisting of individual software packages for general ledger, accounts receivable, accounts

payable, fixed assets, payroll, plus the versatile Easytrak, an all-purpose tracking system to monitor sales activity.

All Plus packages are menu-driven for easy operation. Prompts and built-in disciplines aid training and improve accuracy. Complete, easy-to-follow documentation provides detailed information on installation, start-up, operations guide including screen and sample report explanations, glossary, and a basic accounting theory refresher.

This product is available in 5¼ and 8-inch disks for the Models I and II. All packages are available as stand-alone, or can automatically post to general ledger. For more information, contact Tom Turkot, vice president, marketing, Plus Computer Technology Inc., 6900 N. Austin Ave., Chicago, IL 60640, (312) 647-0988, 1-800-323-4240.

Reader Service ✓589

Footmath

Footmath allows mathematical manipulation of feet, inches, and fractions of inches in their written form without converting them to decimal form. Designed for use by architects and contractors, this program prompts for input of dimensional data in the same format as shown on blueprints. The computer interprets the English measure, performs the calculations, and then provides output in the same foot, inch, and fraction format as the input.

The output may be displayed on the screen or listed on an 80-column line printer. The user may also store the output on disk and recall it later and make changes if needed.

Footmath runs on the Models I and III and sells for \$99.95. For more information contact Cheever Microwave, P.O. Box 3834, Wake Village, TX 75501, (214) 832-4211.

Reader Service ✓568

Astro-Blast


Astro-Blast is a space shoot-em-up game for the Color Computer featuring high-resolution graphics, color and sound effects.

Wave after wave of alien attackers challenge your joystick and fire-button skills. Move quickly before your fuel runs low. Three selectable skill levels coupled with automatic game acceleration provide a challenge for novice and professional alike.

Orchestra-90

Stereo Music Synthesizer
with Percussion for Model III
Special Composer's Edition

FIGURE 3.



Note: This photo is for illustration purposes only. The actual device shown is a computer model of the Orchestra-90 unit. The actual device shown is a computer model of the Orchestra-90 unit. The actual device shown is a computer model of the Orchestra-90 unit.

Software Affair's Orchestra-90

This machine-language program is available on 16K cassette for \$24.95 and 32K disk for \$29.95. For more information contact Mark Data Products, 23802 Barquilla, Mission Viejo, CA 92691.

Reader Service ✓580

Stereo Music Synthesis

The Orchestra-90 Special Composer's Edition, a software/hardware product, synthesizes stereo music in four-part harmony using any combination of violin, trumpet, organ, oboe, clarinet and percussion effects.

This product includes the tape or disk version plus sample music, instruction manual, and fully assembled and tested PC board which plugs into the 50-pin connector on the Model III. The high-level stereo output may be connected to the aux/tape/tuner inputs of any stereo amplifier.

The system is available from Software Affair, 858 Rubis Drive, Sunnyvale, CA 94087, (408) 295-9195, for \$149.95.

Reader Service ✓586

An incorrect price was quoted for Textedit (Wayne Green Books), featured in the Oct. 1982 "New Products" section. The book alone costs \$9.97, and the disk alone \$19.97.

GALAXY OF FEATURES

A GALAXY of features makes the **LNW80** a remarkable computer. As you explore the **LNW80**, you will find the most complete, powerful, ready to run, feature-packed personal and business computer ever made into one compact solid unit.



MODEL I COMPATIBILITY – The **LNW80** is fully hardware and software compatible with the Model I. Select from a universe of hardware accessories and software – from VisiCalc® to space games, your **LNW80** will launch you into a new world of computing.

FULLY LOADED – A full payload includes an on-board single and double density disk controller for 5 1/4" and 8" single or double sided disk drives. RS232C communications port, cassette and parallel printer interfaces are standard features and ready to go. All memory is fully installed – 48K RAM, 16K graphics RAM and 12K ROM complete with Microsoft **BASIC**.

QUALITY CONSTRUCTION – Instrumentation quality construction sets **LNW80** computers apart from all the rest. Integrated into the sleek solid steel case of the **LNW80** is a professional 74-key expanded keyboard that includes a twelve key numeric keypad.

HIGH RESOLUTION GRAPHICS & COLOR – The stunning 480 X 192 resolution gives you total display control – in color or black and white. The choice of display formats is yours; 80, 64, 40 and 32 columns by 24 or 16 lines in any combination of eight colors.

PERFORMANCE – Lift-off with a 4MHz Z80A CPU for twice the performance. The **LNW80** outperforms all computers in its class.



Our down to earth price won't send you into orbit


LNW Research Corp.

2620 WALNUT Tustin, CA. 92680
(714) 641-8850 (714) 544-5744

30

Monitor and Disk drives not included
TM Personal Software, Inc.

HOW TO USE YOUR EPSON WITHOUT WASTING COMPUTER TIME:



Your computer is capable of sending data at thousands of characters per second but the Epson can only print 80 characters per second.

This means your computer is forced to wait for the printer to finish one line before it can send the next. A waste of valuable time.

THE NEW MICROBUFFER™ ACCEPTS DATA AS FAST AS YOUR COMPUTER CAN SEND IT.

Microbuffer stores the data in its own memory buffer and then takes control of the printer. This frees your computer for more productive functions.

PARALLEL OR SERIAL.

Microbuffer model MBP-16K is a Centronics-compatible parallel interface with 16,384 bytes of on-board RAM for data buffering.


The MBS-8K is a full-featured RS-232C serial interface with both hardware and software (X-On/X-Off) handshaking, baud rates from 300 to 19,000 and an 8,192 byte RAM buffer.

SIMPLY PLUG IT IN.

Either model fits the existing auxiliary interface connector inside the Epson MX-80, MX-80 F/T or MX-100 without modification, and is compatible with standard Epson cables and printer control software, including GRAFTRAX-80.

JUST \$159.00*

When you think how much time Microbuffer will save, can you afford *not* to have one? Call us for your nearest dealer.



PRACTICAL PERIPHERALS, INC.

31245 LA BAYA DRIVE, WESTLAKE VILLAGE, CA 91362 • (213) 991-8200

✓ 11

*Suggested retail price for either model.